

# Package ‘later’

October 4, 2019

**Type** Package

**Title** Utilities for Scheduling Functions to Execute Later with Event Loops

**Version** 1.0.0

**Description** Executes arbitrary R or C functions some time after the current time, after the R execution stack has emptied. The functions are scheduled in an event loop.

**URL** <https://github.com/r-lib/later>

**BugReports** <https://github.com/r-lib/later/issues>

**License** GPL (>= 2)

**Imports** Rcpp (>= 0.12.9), rlang

**LinkingTo** Rcpp, BH

**RoxygenNote** 6.1.1

**Suggests** knitr, rmarkdown, testthat

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Author** Joe Cheng [aut, cre],  
RStudio [cph],  
Winston Chang [aut],  
Marcus Geelnard [ctb, cph] (TinyCThread library,  
<https://tinycthread.github.io/>),  
Evan Nemerson [ctb, cph] (TinyCThread library,  
<https://tinycthread.github.io/>)

**Maintainer** Joe Cheng <joe@rstudio.com>

**Repository** CRAN

**Date/Publication** 2019-10-04 05:00:02 UTC

## R topics documented:

create_loop . . . . .	2
later . . . . .	3
next_op_secs . . . . .	4
run_now . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

create_loop	<i>Private event loops</i>
-------------	----------------------------

---

### Description

Normally, later uses a global event loop for scheduling and running functions. However, in some cases, it is useful to create a *private* event loop to schedule and execute tasks without disturbing the global event loop. For example, you might have asynchronous code that queries a remote data source, but want to wait for a full back-and-forth communication to complete before continuing in your code – from the caller’s perspective, it should behave like synchronous code, and not do anything with the global event loop (which could run code unrelated to your operation). To do this, you would run your asynchronous code using a private event loop.

### Usage

```
create_loop(autorun = NULL)
destroy_loop(loop)
exists_loop(loop)
current_loop()
with_temp_loop(expr)
with_loop(loop, expr)
global_loop()
```

### Arguments

autorun	Should this event loop automatically be run when its parent loop runs? Currently, only FALSE is allowed, but in the future TRUE will be implemented and the default. Because in the future the default will change, for now any code that calls create_loop must explicitly pass in autorun=FALSE.
loop	A handle to an event loop.
expr	An expression to evaluate.

**Details**

`create_loop` creates and returns a handle to a private event loop, which is useful when for scheduling tasks when you do not want to interfere with the global event loop.

`destroy_loop` destroys a private event loop.

`exists_loop` reports whether an event loop exists – that is, that it has not been destroyed.

`current_loop` returns the currently-active event loop. Any calls to `later()` or `run_now()` will use the current loop by default.

`with_loop` evaluates an expression with a given event loop as the currently-active loop.

`with_temp_loop` creates an event loop, makes it the current loop, then evaluates the given expression. Afterwards, the new event loop is destroyed.

`global_loop` returns a handle to the global event loop.

---

<code>later</code>	<i>Executes a function later</i>
--------------------	----------------------------------

---

**Description**

Schedule an R function or formula to run after a specified period of time. Similar to JavaScript's `setTimeout` function. Like JavaScript, R is single-threaded so there's no guarantee that the operation will run exactly at the requested time, only that at least that much time will elapse.

**Usage**

```
later(func, delay = 0, loop = current_loop())
```

**Arguments**

<code>func</code>	A function or formula (see <code>rlang::as_function()</code> ).
<code>delay</code>	Number of seconds in the future to delay execution. There is no guarantee that the function will be executed at the desired time, but it should not execute earlier.
<code>loop</code>	A handle to an event loop. Defaults to the currently-active loop.

**Details**

The mechanism used by this package is inspired by Simon Urbanek's `background` package and similar code in `Rhttpd`.

**Value**

A function, which, if invoked, will cancel the callback. The function will return `TRUE` if the callback was successfully cancelled and `FALSE` if not (this occurs if the callback has executed or has been cancelled already).

**Note**

To avoid bugs due to reentrancy, by default, scheduled operations only run when there is no other R code present on the execution stack; i.e., when R is sitting at the top-level prompt. You can force past-due operations to run at a time of your choosing by calling `run_now()`.

Error handling is not particularly well-defined and may change in the future. `options(error=browser)` should work and errors in `func` should generally not crash the R process, but not much else can be said about it at this point. If you must have specific behavior occur in the face of errors, put error handling logic inside of `func`.

**Examples**

```
# Example of formula style
later(~cat("Hello from the past\n"), 3)

# Example of function style
later(function() {
  print(summary(cars))
}, 2)
```

---

next\_op\_secs

*Relative time to next scheduled operation*

---

**Description**

Returns the duration between now and the earliest operation that is currently scheduled, in seconds. If the operation is in the past, the value will be negative. If no operation is currently scheduled, the value will be `Inf`.

**Usage**

```
next_op_secs(loop = current_loop())
```

**Arguments**

`loop`            A handle to an event loop.

---

run_now	<i>Execute scheduled operations</i>
---------	-------------------------------------

---

### Description

Normally, operations scheduled with `later()` will not execute unless/until no other R code is on the stack (i.e. at the top-level). If you need to run blocking R code for a long time and want to allow scheduled operations to run at well-defined points of your own operation, you can call `run_now()` at those points and any operations that are due to run will do so.

### Usage

```
run_now(timeoutSecs = 0L, all = TRUE, loop = current_loop())
```

### Arguments

<code>timeoutSecs</code>	Wait (block) for up to this number of seconds waiting for an operation to be ready to run. If <code>0</code> , then return immediately if there are no operations that are ready to run. If <code>Inf</code> or negative, then wait as long as it takes (if none are scheduled, then this will block forever).
<code>all</code>	If <code>FALSE</code> , <code>run_now()</code> will execute at most one scheduled operation (instead of all eligible operations). This can be useful in cases where you want to interleave scheduled operations with your own logic.
<code>loop</code>	A handle to an event loop. Defaults to the currently-active loop.

### Details

If one of the callbacks throws an error, the error will *not* be caught, and subsequent callbacks will not be executed (until `run_now()` is called again, or control returns to the R prompt). You must use your own [tryCatch](#) if you want to handle errors.

### Value

A logical indicating whether any callbacks were actually run.

# Index

`create_loop`, [2](#)  
`current_loop (create_loop)`, [2](#)  
`destroy_loop (create_loop)`, [2](#)  
`exists_loop (create_loop)`, [2](#)  
`global_loop (create_loop)`, [2](#)  
  
`later`, [3](#), [3](#)  
`later()`, [5](#)  
  
`next_op_secs`, [4](#)  
  
`rlang::as_function()`, [3](#)  
`run_now`, [3](#), [5](#)  
`run_now()`, [4](#)  
  
`tryCatch`, [5](#)  
  
`with_loop (create_loop)`, [2](#)  
`with_temp_loop (create_loop)`, [2](#)