

ConTEXT

comandi

IT

ConTeXt

comandi

language : it / italiano
version : 28 aprile 2025
maintainer : Wolfgang Schuster
comments : ntg-context@ntg.nl

`\AfterPar {...}`

* BEFEHL

`\Alphabeticnumerals {...}`

* NUMMER

`\AMSTEX`

`\AmSTeX`

`\abjadnaivenumerals {...}`

* NUMMER

`\abjadnodotnumerals {...}`

* NUMMER

`\abjadnumerals {...}`

* NUMMER

`\activatespacehandler {...}`

* attivo disattivo si fisso

`\actualday`

`\actualmonth`

`\actualyear`

`\adaptcollector [...1] [...,2...,...]`

1 NAME

OPT

2 inherits: \setupcollector

`\adaptfontfeature [...1] [...,2...,...]`

1 NAME

2 inherits: \definefontfeature

`\adaptive \1... {2...}`

1 CSNAME

2 CONTENT

`\adaptivebox [...1] [...,2...,...] {3...}`

1 NAME

OPT

OPT

2 inherits: \setupadaptive

3 CONTENT

`\adaptivehbox [...1] [...,2...,...] {3...}`

1 NAME

OPT

OPT

2 inherits: \setupadaptive

3 CONTENT

`\adaptivevbox [...1] [...,2...,...] {3...}`

1 NAME

OPT

OPT

2 inherits: \setupadaptive

3 CONTENT

`\adaptpapersize [...,1...] [...,2...]`

1 inherits: \impostadimensionicarta

OPT

2 inherits: \impostadimensionicarta

`\adattacampo [..] [..,..2..,..]`

1 NAME
2 inherits: \setupfieldbody

`\adattalayout [..,1..] [..,..2..,..]`

1 NUMBER
2 altezza = max DIMENSION
 righe = NUMBER
 cima = DIMENSION

`\addfeature [..]`

* NAME

`\addfeature {..}`

* NAME

`\addriverstobox [..,..1..,..] ..2`

1 margine = DIMENSION
 passo = DIMENSION
 altezza = DIMENSION
 profondita = DIMENSION
 spaceinbetween = DIMENSION
2 CSNAME NUMBER

`\addtocommalist {..} \..2`

1 TEXT
2 CSNAME

`\addtoJSreamble {..} {..2}`

1 NAME
2 CONTENT

`\addvalue {..} {..2}`

1 NAME
2 TEXT

`\aftersplitstring .. \at .. \to \..3`

1 TEXT
2 TEXT
3 CSNAME

`\aftertestandsplitstring .. \at .. \to \..3`

1 TEXT
2 TEXT
3 CSNAME

`\al {..} {..2} [..3]`

1 TEXT ^{OPT}
2 TEXT
3 REFERENCE

`\alignbottom`

`\aligncontentleft`

`\aligncontentmiddle`

`\aligncontentright`

`\aligned [..,1..] {..2}`

1 sinistra centro destra cima fondo riga l c r m t b g
2 CONTENT

```
\alignedbox [...1...] \2. {...}
1 sinistra centro destra cima fondo riga l c r m t b g
2 CSNAME
3 CONTENT
```

```
\alignedline {...1} {...2} {...3}
1 sinistra destra centro flushleft flushright center max interno esterno margineinterno margineesterno bordointerno
  bordoesterno backspace cutspace marginesinistro marginedestro bordosinistro bordodestro
2 sinistra destra centro flushleft flushright center max interno esterno margineinterno margineesterno bordointerno
  bordoesterno backspace cutspace marginesinistro marginedestro bordosinistro bordodestro
3 CONTENT
```

```
\alignhere
```

```
\alignmentcharacter
```

```
\allineacentro {...}
* CONTENT
```

```
\allineadestra {...}
* CONTENT
```

```
\allineasinistra {...}
* CONTENT
```

```
\allinputpaths
```

```
\alphabeticnumerals {...}
* NUMMER
```

```
\alternate {...1} {...2}
1 TEXT
2 CONTENT
```

```
\alwayscitation [...1...] [...2.]
1 riferimento = REFERENCEOPT
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
  authornum authoryear
  prima = BEFEHL
  dopo = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

```
\alwayscitation [...1.] [...2.]
1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE
```

```
\alwayscitation [...1...] [...2...]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
  authornum authoryear
  prima = BEFEHL
  dopo = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

```

\alwayscite [...1...] [...2]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 REFERENCE

```

```

\alwayscite [...1] [...2]
1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE

```

```

\alwayscite [...1...] [...2...]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE

```

```

\ambiente [...*]
* FILE

```

```

\ambiente ...
* FILE

```

```

\amedian {...}
* CONTENT

```

```

\ampersand

```

```

\anchor [...1] [...2...] [...3...] {...4}
1 NAME
  OPT
2 inherits: \setuplayer
3 inherits: \setuplayerinherits: \impostaincorniciato
4 CONTENT

```

```

\ap [...*]
* NUMBER

```

```

\apagina [...*]
* REFERENCE

```

```

\appendetoks ...1 \to ...2
1 BEFEHL
2 CSNAME

```

```

\appendgvalue {...1} {...2}
1 NAME
2 BEFEHL

```

```

\appendhiddenbackground {...*...}
* NAME

```

```

\appendtocommalist {...1} \...2
1 TEXT
2 CSNAME

```


`\appendtoks ... \to \...`

1 BEFEHL
2 CSNAME

`\appendtoksonce ... \to \...`

1 BEFEHL
2 CSNAME

`\appendvalue {...} {...}`

1 NAME
2 BEFEHL

`\apply {...} {...}`

1 CONTENT
2 CONTENT

`\applyalternativestyle {...}`

* NAME

`\applyprocessor {...} {...}`

1 NAME
2 CONTENT

`\applytocharacters \^1... {...}`

1 CSNAME
2 TEXT

`\applytofirstcharacter \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringchar \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringcharspaced \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringline \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringlinespaced \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringword \^1... {...}`

1 CSNAME
2 TEXT

`\applytosplitstringwordspaced \^1... {...}`

1 CSNAME
2 TEXT

`\applytowords \^1... {...}`

1 CSNAME
2 TEXT

```
\HIGH {...}
* CONTENT
instances: unitshigh
```

```
\unitshigh {...}
* CONTENT
```

```
\arabicdecimals {...}
* NUMMER
```

```
\arabicexnumerals {...}
* NUMMER
```

```
\arabicnumerals {...}
* NUMMER
```

```
\arg {...}
* CONTENT
```

```
\asciimode
```

```
\asciistr {...}
* CONTENT
```

```
\assignalfadimension {...} \^{2..} {...} {...} {...} {...}
1 piccolo medio grande nessuno DIMENSION
2 CSNAME
3 DIMENSION
4 DIMENSION
5 DIMENSION
```

```
\assigndimen \^{1..} {...}
1 CSNAME
2 DIMENSION
```

```
\assigndimension {...} \^{2..} {...} {...} {...} {...}
1 [-+]piccolo [-+]medio [-+]grande nessuno DIMENSION
2 CSNAME
3 DIMENSION
4 DIMENSION
5 DIMENSION
```

```
\assignifempty \^{1..} {...}
1 CSNAME
2 BEFEHL
```

```
\assigntranslation [...,...1...,...] \to \^{2..}
1 SPRACHE = TEXT
2 CSNAME
```

```
\assignvalue {...} \^{2..} {...} {...} {...} {...}
1 piccolo medio grande TEXT
2 CSNAME
3 BEFEHL
4 BEFEHL
5 BEFEHL
```

```
\assignwidth {...} \^{2..} {...} {...}
1 adatta ampio DIMENSION
2 CSNAME
3 TEXT
4 DIMENSION
```

<pre> \assumelongusagecs \¹.². {³.⁴.} 1 CSNAME 2 CONTENT </pre>
<pre> \astype {¹.².} * CONTENT </pre>
<pre> \ATTACHMENT [¹.².] [³.⁴.⁵.⁶.⁷.⁸.⁹.] 1 NAME OPT OPT 2 inherits: \setupattachment instances: attachment </pre>
<pre> \attachment [¹.².] [³.⁴.⁵.⁶.⁷.⁸.⁹.] 1 NAME OPT OPT 2 inherits: \setupattachment </pre>
<pre> \autocap {¹.².} * TEXT </pre>
<pre> \autodirhbox ¹.². {³.⁴.} 1 TEXT OPT 2 CONTENT </pre>
<pre> \autodirvbox ¹.². {³.⁴.} 1 TEXT OPT 2 CONTENT </pre>
<pre> \autodirvtop ¹.². {³.⁴.} 1 TEXT OPT 2 CONTENT </pre>
<pre> \autoinsertnextspace </pre>
<pre> \autointegral {¹.².} {³.⁴.} {⁵.⁶.} 1 TEXT 2 TEXT 3 TEXT </pre>
<pre> \automathematics {¹.².} * CONTENT </pre>
<pre> \autoorientation {¹.².} * normale up down sinistra destra cima fondo NAME </pre>
<pre> \autopagestaterealpage {¹.².} * NAME </pre>
<pre> \autopagestaterealpageorder {¹.².} * NAME </pre>
<pre> \autorule ¹.².³.⁴.⁵.⁶. \relax * width_{DIMENSION} height_{DIMENSION} depth_{DIMENSION} xoffset_{DIMENSION} yoffset_{DIMENSION} left_{DIMENSION} right_{DIMENSION} </pre>
<pre> \autosetups {¹.².³.⁴.} * NAME </pre>
<pre> \autostarttesto ... \autostoptesto </pre>
<pre> \availablehsize </pre>

`\backgroundbar {...}`
* CONTENT

`\hiddenbar {...}`
* CONTENT

`\mathbackground {...}`
* CONTENT

`\outline {...}`
* CONTENT

`\outlined {...}`
* CONTENT

`\overbar {...}`
* CONTENT

`\overbars {...}`
* CONTENT

`\overstrike {...}`
* CONTENT

`\overstrikes {...}`
* CONTENT

`\underbar {...}`
* CONTENT

`\underbars {...}`
* CONTENT

`\underdash {...}`
* CONTENT

`\underdashes {...}`
* CONTENT

`\underdot {...}`
* CONTENT

`\underdots {...}`
* CONTENT

`\undergraphic {...}`
* CONTENT

`\underrandom {...}`
* CONTENT

`\underrandoms {...}`
* CONTENT

`\understrike {...}`
* CONTENT

`\understrikes {...}`

* CONTENT

`\basegrid [...,.*,...]`

* nx = NUMBER
ny = NUMBER
dx = NUMBER
dy = NUMBER
fattore = NUMBER
scala = NUMBER
xstep = NUMBER
ystep = NUMBER
offset = DIMENSION
xoffset = DIMENSION
yoffset = DIMENSION
allinea = centro
unita = cm mm in pc pt bp
stile = STYLE BEFEHL
colore = COLOR
colorelinea = COLOR
spessorelinea = DIMENSION

`\baselinebottom`

`\baselineleftbox {...}`

* CONTENT

`\baselinemiddlebox {...}`

* CONTENT

`\baselinerrightbox {...}`

* CONTENT

`\bbordermatrix {...}`

* CONTENT

`\bbox {...}`

* CONTENT

`\beforesplitstring ...1 \at ...2 \to ...3`

1 TEXT
2 TEXT
3 CSNAME

`\beforetestandsplitstring ...1 \at ...2 \to ...3`

1 TEXT
2 TEXT
3 CSNAME

`\beginBLOCK [...,1...] [...,.*2...,...] ... \endBLOCK`

1 + - NAME OPT OPT
2 KEY = VALUE

`\beginhbox ... \endhbox`

`\beginofshapebox ... \endofshapebox`

`\beginvbox ... \endvbox`

`\beginvtop ... \endvtop`

`\begstrut ... \endstrut`

`\bigg ...`
* CHARACTER

`\bigger`

`\biggl ...`
* CHARACTER

`\biggm ...`
* CHARACTER

`\biggr ...`
* CHARACTER

`\bigl ...`
* CHARACTER

`\bigm ...`
* CHARACTER

`\bigr ...`
* CHARACTER

`\bigskip`

`\bitmapimage [,,,1,,,] {2...}`
1 colore = rgb cmyk grigio
 ampiezza = DIMENSION
 altezza = DIMENSION
 x = NUMMER
 y = NUMMER
2 NUMMER

`\blankafter [,,,*,...]`
* inherits: \rigovuoto

`\blankbefore [,,,*,...]`
* inherits: \rigovuoto

`\blap {...}`
* CONTENT

`\bleed [,,,1,,,] {2...}`
1 inherits: \setupbleeding
2 CONTENT

`\bleedheight`

`\bleedwidth`

`\blockligatures [,,,*,...]`
* TEXT

`\blocksynctexfile [,,,*,...]`
* FILE

`\blockuservariable {...}`
* KEY

`\bTABLEbody [...,.*,.,.] ... \eTABLEbody`
* inherits: \setupTABLE^{PT}

`\bTABLEfoot [...,.*,.,.] ... \eTABLEfoot`
* inherits: \setupTABLE^{PT}

`\bTABLEhead [...,.*,.,.] ... \eTABLEhead`
* inherits: \setupTABLE^{PT}

`\bTABLEnested [...,.*,.,.] ... \eTABLEnested`
* inherits: \setupTABLE^{OPT}

`\bTABLEnext [...,.*,.,.] ... \eTABLEnext`
* inherits: \setupTABLE^{PT}

`\bTABLEsection [...,.*,.,.] ... \eTABLEsection`
* ripeti = NUMMER^{OPT}

`\bTC [...,.*,.,.] ... \eTC`
* inherits: \BFD

`\bTD [...,.*,.,.] ... \eTD`
* nx = NUMMER
ny = NUMMER
nc = NUMMER
nr = NUMMER
n = NUMMER
m = NUMMER
azione = REFERENCE
inherits: \setupTABLE

`\bTDs [...,.*] ... \eTDs`
* NAME

`\bTH [...,.*,.,.] ... \eTH`
* inherits: \BFD

`\bTN [...,.*,.,.] ... \eTN`
* inherits: \BFD

`\bTR [...,.*,.,.] ... \eTR`
* inherits: \setupTABLE^{PT}

`\bTRs [...,.*] ... \eTRs`
* NAME

`\bTX [...,.*,.,.] ... \eTX`
* inherits: \BFD

`\bTY [...,.*,.,.] ... \eTY`
* inherits: \setupTABLE^{PT}

`\btxabbreviatedjournal {...}`
* NAME

`\btxaddjournal [...1.] [...2.]`
1 NAME
2 NAME

```

\btخالwayscitation [...,..1...,...] [...2.]
1 riferimento = REFERENCE OPT
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra      = BEFEHL
  inherits: \setupbtx
2 REFERENCE

```

```

\btخالwayscitation [...1.] [...2.]
1 implicito category entryOPTshort pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE

```

```

\btخالwayscitation [...,..1...,...] [...,..2...,...]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra      = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE

```

```

\btخالauthorfield {...}
* initials firstnames vons surnames juniors

```

```

\btخالdetail {...}
* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language
  mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno
  yearfiled NAME

```

```

\btخالdirect {...}
* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language
  mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno
  yearfiled NAME

```

```

\btخالdoif {...1} {...2}
1 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language
  mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno
  yearfiled NAME
2 TRUE

```

```

\btخالdoifcitedoneelse {...1} {...2} {...3} {...4}
1 NAME
2 REFERENCE
3 TRUE
4 FALSE

```

```

\btخالdoifcombiinlistelse {...1} {...2} {...3} {...4}
1 NAME
2 NAME
3 TRUE
4 FALSE

```

```

\btخالdoifelse {...1} {...2} {...3}
1 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language
  mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno
  yearfiled NAME
2 TRUE
3 FALSE

```

`\btxdfelsecitedone {..} {..} {..} {..}`

- 1 NAME
- 2 REFERENCE
- 3 TRUE
- 4 FALSE

`\btxdfelsecombiinlist {..} {..} {..} {..}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\btxdfelsesameasprevious {..} {..} {..}`

- 1 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME
- 2 TRUE
- 3 FALSE

`\btxdfelsesameaspreviouschecked {..} {..} {..} {..}`

- 1 sempre doppiafaccia
- 2 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME
- 3 TRUE
- 4 FALSE

`\btxdfelseuservariable {..} {..} {..}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\btxdfifnot {..} {..}`

- 1 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME
- 2 TRUE

`\btxdfifsameaspreviouscheckedelse {..} {..} {..} {..}`

- 1 sempre doppiafaccia
- 2 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME
- 3 TRUE
- 4 FALSE

`\btxdfifsameaspreviouselse {..} {..} {..}`

- 1 address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME
- 2 TRUE
- 3 FALSE

`\btxdfifuservariableelse {..} {..} {..}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\btxexpandedjournal {..}`

- * NAME

`\btxfield {..}`

- * address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxfielddname {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxfielddtype {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxfirstofrange {...}`

* volume pages

`\btxflush {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxflushauthor [1..] {2..}`

1 num normale normalsh^{ort} inverted invertedshort
2 autore editor

`\btxflushauthorinverted {...}`

* autore editor

`\btxflushauthorinvertedshort {...}`

* autore editor

`\btxflushauthorname {...}`

* autore editor

`\btxflushauthornormal {...}`

* autore editor

`\btxflushauthornormalshort {...}`

* autore editor

`\btxflushsuffix`

`\btxfoundname {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxfoundtype {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno yearfiled NAME

`\btxhiddencitation [1..]`

* REFERENCE

`\btxhybridcite [1..] [2..]`

1 riferimento = REFERENCE^T
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btxhybridcite [...1...] [...2...]`

1 implicito category ^{OPT}entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\btxhybridcite {...}`

* REFERENCE

`\btxhybridcite [...1...,...2...,...] [...2...,...1...,...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\btxlistcitation [...1...,...2...,...] [...2...,...1...,...]`

1 riferimento = REFERENCE ^{OPT}
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btxlistcitation [...1...] [...2...]`

1 implicito category entry ^{OPT}short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\btxlistcitation [...1...,...2...,...] [...2...,...1...,...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\btxloadjournalist [...]`

* FILE

`\btxoneorange {...1} {...2} {...3}`

1 volume pages
2 TRUE
3 FALSE

`\btxrawfield {...}`

* address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution journal language
mese monthfiled nationality note numero uno due organization pages publisher school series titolo type volume anno
yearfiled NAME

`\btxremapauthor [...1...] [...2...]`

1 TEXT
2 TEXT

`\btxsavejournalist [...]`

* FILE

`\btxsetup {...}`

* NAME

`\btxsingularorplural {...} {...} {...}`

1 editor producer director
2 TRUE
3 FALSE

`\btxsingularplural {...} {...} {...}`

1 editor producer director
2 TRUE
3 FALSE

`\btxtextcitation [...1...1...] [...2...]`

1 riferimento = REFERENCE ^{OPT}
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btxtextcitation [...1...] [...2...]`

1 implicito category entry ^{OPT} short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\btxtextcitation [...1...1...] [...2...2...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\buildtextaccent {...} {...}`

1 CHARACTER
2 CHARACTER

`\buildtextbottomcomma {...}`

* CHARACTER

`\buildtextbottomdot {...}`

* CHARACTER

`\buildtextcedilla {...}`

* CHARACTER

`\buildtextgrave {...}`

* CHARACTER

`\buildtextmacron {...}`

* CHARACTER

`\buildtextognek {...}`

* CHARACTER

`\Camel {...}`

* TEXT

```
\Cap {...}
* TEXT
```

```
\Caps {...}
* TEXT
```

```
\CONTEXT
```

```
\ConTeXt
```

```
\Context
```

```
\ConvertConstantAfter \1... {2...} {3...}
1 CSNAME
2 TEXT
3 TEXT
```

```
\ConvertToConstant \1... {2...} {3...}
1 CSNAME
2 TEXT
3 TEXT
```

```
\calligrafico
```

```
\cambiaafontdeltesto [...*...]
* inherits: \impostafontdeltesto
```

```
\camel {...}
* TEXT
```

```
\campi [1...] [2...]
1 NAME OPT
2 TEXT
```

```
\cap {...}
* TEXT
```

```
\capello
```

```
\SECTION [...,1...] {2...}
1 REFERENCE OPT
2 TEXT
instances: part chapter section subsection subsection subsection
subsubsection title subject subsubject subsubject subsubject
subsubsubsubject
```

```
\SECTION [...,*=...,...]
* titolo = TEXT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
instances: part chapter section subsection subsection subsection
subsubsection title subject subsubject subsubject subsubject
subsubsubsubject
```

`\chapter [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\part [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\section [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subject [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsection [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubject [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubsection [..,..*..,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubject [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubsection [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubsubject [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubsubsection [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\subsubsubsubject [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\title [.,..*.,..]`

* titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT

`\chapter [.,..1,...] {..2}`

1 REFERENCE OPT
2 TEXT

`\SECTION [.,..1,...] {..2} {..3}`

1 REFERENCE OPT
2 NUMBER
3 TEXT

instances: part chapter section subsection subsubsection subsubsubsection
subsubsubsubsection title subject subsubject subsubsubject subsubsubsubject
subsubsubsubsubject

`\chapter [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\part [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\section [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subject [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsection [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubject [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsection [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsubject [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsubsection [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsubsubject [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsubsubsection [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\subsubsubsubsubject [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

`\title [...,1...] {...} {...}`

- 1 REFERENCE OPT
- 2 NUMBER
- 3 TEXT

<pre> \part [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \section [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsection [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsection [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsection [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsubject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsubsection [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsubsubject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsubsection [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \subsubsubsubsubsubject [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \title [...¹,...] {...} 1 REFERENCE ^{OPT} 2 TEXT </pre>
<pre> \casing [...¹] {...} 1 reimposta PAROLA parola Parola Parole maiuscolo Maiuscolo casuale mixed camel Camel cap Cap 2 CONTENT </pre>
<pre> \catcodetablename </pre>
<pre> \cbox ¹. {...} 1 TEXT ^{OPT} 2 CONTENT </pre>
<pre> \centeraligned {...} * CONTENT </pre>

`\centerbox 1... {2...}`

1 TEXT OPT
2 CONTENT

`\centeredbox 1... {2...}`

1 TEXT OPT
2 CONTENT

`\centeredlastline`

`\centerednextbox 1... {2...}`

1 TEXT OPT
2 CONTENT

`\centerline {...}`

* CONTENT

`\centro ...`

* CHARACTER

`\chaintocurrentCOMANDO {...}`

* NAME

`\CHARACTERKERNING [1...] {2...}`

1 NUMBER OPT
2 TEXT

`\chardescription {...}`

* NUMMER

`\charwidthlanguage`

`\checkcharacteralign {...}`

* CONTENT

`\checkCOMANDOparent`

`\checkdelimiters {...}`

* CONTENT

`\checkedblank [...*...]`

* inherits: \rigovuoto

`\checkedchar {1...} {2...}`

1 NUMBER
2 CHARACTER

`\checkedfiller {...}`

* sim simbolo linea ampiezza spazio NAME BEFEHL

`\checkedstrippedcsname *`

* CSNAME

`\checkinjector [...]`

* NAME

`\checknextindentation [...]`

* si no auto

<pre>\checknextinjector [...] * NAME</pre>
<pre>\checkpage [¹...] [²...,...²...,...] 1 NAME OPT 2 inherits: \setuppagechecker</pre>
<pre>\checkparameters [...] * TEXT</pre>
<pre>\checkpreviousinjector [...] * NAME</pre>
<pre>\checksidefloat</pre>
<pre>\checktwopassdata {...} * NAME</pre>
<pre>\checkvariables [¹...] [²...,...²...,...] 1 NAME 2 set = BEFEHL reset = BEFEHL KEY = VALUE</pre>
<pre>\chemical [¹...] [²...,...] [³...,...] 1 NAME OPT OPT 2 TEXT 3 TEXT</pre>
<pre>\chemicalbottext {...} * TEXT</pre>
<pre>\chemicalmidtext {...} * TEXT</pre>
<pre>\chemicalsymbol [...] * NAME</pre>
<pre>\chemicaltext {...} * TEXT</pre>
<pre>\chemicaltoptext {...} * TEXT</pre>
<pre>\chim {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT</pre>
<pre>\chineseallnumerals {...} * NUMBER</pre>
<pre>\chinesecapnumerals {...} * NUMBER</pre>
<pre>\chinesenumerals {...} * NUMBER</pre>

`\circondato [...,..1...,...] {2..}`

1 inherits: \impostain^{OPR}orniciato
2 CONTENT

`\citation [...,..1...,...] [2..]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\citation [1..] [2..]`

1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\citation {*..}`

* REFERENCE

`\citation [...,..1...,...] [...,..2...,...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\cite [...,..1...,...] [2..]`

1 riferimento ^{OPR} REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\cite [1..] [2..]`

1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\cite {*..}`

* REFERENCE

`\cite [...,..1...,...] [...,..2...,...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\clap {*..}`

* CONTENT

`\classfont {1..} {2..}`

- 1 NAME
- 2 FONT

`\cldcommand {*..}`

- * BEFEHL

`\cldcontext {*..}`

- * BEFEHL

`\cldloadfile {*..}`

- * FILE

`\cldprocessfile {*..}`

- * FILE

`\clearmarking [*..]`

- * BESCHRIFTUNG

`\clip [...1..2..]`

- 1 inherits: `\impostaclipping`
- 2 CONTENT

`\clippedoverlayimage {*..}`

- * FILE

`\clonacampo [1..] [2..] [3..] [...4..]`

- 1 NAME
- 2 NAME
- 3 NAME
- 4 NAME

`\collect {*..}`

- * CONTENT

`\collectedmath`

`\collectedtext [...1..2..] [...2..3..] {3..} {4..}`

- 1 inherits: `\setupcollectoOPT`
- 2 `stile = STYLE BEFEHL`
`colore = COLOR`
inherits: `\impostaincorniciato`
- 3 TEXT
- 4 CONTENT

`\collectexpanded {*..}`

- * CONTENT

`\colonna [...*..]`

- * inherits: `\columnbreak`

`\colorcomponents {*..}`

- * COLOR

`\colore [1..] {2..}`

- 1 COLOR
- 2 CONTENT

`\colored [...,1...,...] {2.}`

1 inherits: \definiscicolore
2 CONTENT

`\colored [...1.] {2.}`

1 COLOR
2 CONTENT

`\coloregrigio [...1.] {2.}`

1 COLOR
2 CONTENT

`\coloronly [...1.] {2.}`

1 COLOR
2 CONTENT

`\columnbreak [...,*...]`

* si no preferenza locale forza primo ultimo NUMBER NAME

`\columnsetspanwidth {*.}`

* NUMBER

`\combinepages [...1.] [...,2...,...]`

1 FILE
2 alternativa = a b c orizzontale verticale
n = NUMBER
nx = NUMBER
ny = NUMBER
inizia = NUMBER
termina = NUMBER
distanza = DIMENSION
cima = BEFEHL
fondo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
cornice = attivo disattivo
sfondo = foreground colore NAME
coloresfondo = COLOR

`\commalistelement`

`\commalistsentence [...,1...] [...,2...,...]`

1 TEXT
2 TEXT

`\commalistsize`

`\COMANDOnamespace`

`\COMANDOparameter {*.}`

* KEY

`\COMANDOparameterhash {*.}`

* KEY

`\COMANDOsetupmode`


```

\commento (...1,...) (...2,...) [...3,...4,...] {...}
1 POSITION
2 POSITION
3 inherits: \impostaincorniciato
4 TEXT

```

```

\COMMENT [...1] [...2,...3,...] {...}
1 TEXT
2 inherits: \impostacommento
3 TEXT
instances: comment

```

```

\comment [...1] [...2,...3,...] {...}
1 TEXT
2 inherits: \impostacommento
3 TEXT

```

```

\comparedimension {...1} {...2}
1 DIMENSION
2 DIMENSION

```

```

\comparedimensioneps {...1} {...2}
1 DIMENSION
2 DIMENSION

```

```

\completebtxrendering [...1] [...2,...3,...]
1 NAME
2 inherits: \setupbtxrendering

```

```

\completoCOMBINEDLIST [...*,...*,...]
* inherits: \impostaelencocombinatoOPT
instances: content

```

```

\completocontent [...*,...*,...]
* inherits: \impostaelencocombinatoOPT

```

```

\completelist [...1] [...2,...3,...]
1 LISTE
2 inherits: \impostaelenco

```

```

\completelistofFLOATS [...*,...*,...]
* inherits: \impostaelenco
instances: chemicals figures tables intermezzi graphics

```

```

\completelistofchemicals [...*,...*,...]
* inherits: \impostaelenco

```

```

\completelistoffigures [...*,...*,...]
* inherits: \impostaelenco

```

```

\completelistofgraphics [...*,...*,...]
* inherits: \impostaelenco

```

```

\completelistofintermezzi [...*,...*,...]
* inherits: \impostaelenco

```

```

\completelistoftables [...*,...*,...]
* inherits: \impostaelenco

```

`\completelistofpublications` [¹...] [²...,...²...,...]
1 NAME OPT OPT
2 inherits: \setupbtxrendering

`\completelistofsorts` [¹...] [²...,...²...,...]
1 SINGULAR OPT
2 inherits: \impostaordinamento

`\completelistofSORTS` [...,..^{*}...,...]
* inherits: \impostaordinamento OPT
instances: logos

`\completelistoflogos` [...,..^{*}...,...]
* inherits: \impostaordinamento OPT

`\completelistofsynonyms` [¹...] [...,..²...,...]
1 SINGULAR OPT
2 inherits: \impostasinonimi

`\completelistofSYNONYMS` [...,..^{*}...,...]
* inherits: \impostasinonimi OPT
instances: abbreviations

`\completelistofabbreviations` [...,..^{*}...,...]
* inherits: \impostasinonimi OPT

`\completeregister` [¹...] [...,..²...,...]
1 NAME OPT
2 inherits: \impostaregistro

`\completoREGISTER` [...,..^{*}...,...]
* inherits: \impostaregistro OPT
instances: index

`\completoindex` [...,..^{*}...,...]
* inherits: \impostaregistro OPT

`\complexorsimple` *..
* CSNAME

`\complexorsimpleempty` *..
* CSNAME

`\complexorsimpleempty` {*..}
* TEXT CSNAME

`\complexorsimple` {*..}
* TEXT CSNAME

`\componenet` [*..]
* FILE

`\componenet` *..
* FILE

`\composedcollector` {*..}
* NAME

<pre>\composedlayer {...} * NAME</pre>
<pre>\compounddiscretionary</pre>
<pre>\compresult</pre>
<pre>\confrontagruppocolori [...] * NAME</pre>
<pre>\confrontatavolozza [...] * NAME</pre>
<pre>\constantdimen *.. * CSNAME</pre>
<pre>\constantdimenargument *.. * CSNAME</pre>
<pre>\constantemptyargument *.. * CSNAME</pre>
<pre>\constantnumber *.. * CSNAME</pre>
<pre>\constantnumberargument *.. * CSNAME</pre>
<pre>\contentreference [...¹...] [...²...] {...³} 1 REFERENCE 2 inherits: \impostaincorniciato 3 CONTENT</pre>
<pre>\continuednumber {...} * NUMBER</pre>
<pre>\continueifinputfile {...} * FILE</pre>
<pre>\convertargument ... \to *.. 1 TEXT 2 CSNAME</pre>
<pre>\convertcommand *.. \to *.. 1 CSNAME 2 CSNAME</pre>
<pre>\convertedcounter [...¹] [...²...] 1 NAME 2 inherits: \setupcounter</pre>
<pre>\converteddimen {...} {...} 1 DIMENSION 2 ex em pt in cm mm sp bp pc dd cc nc</pre>
<pre>\convertedsubcounter [...¹] [...²] [...³...] 1 NAME 2 NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti 3 inherits: \setupcounter</pre>

`\convertinnumero {...} {...}`

1 vuoto implicito nessuno mese month:mnem lettera Lettera lettere Lettere a A Numeri parola words Parola Parole n
N numeriromani Numeriromani i I r R KR RK greco Greco g G abjadnumerals abjadnodotnumerals abjadnaivenumerals
hebrewnumerals yiddishnumerals thainumerals devanagarinumerals gurmurkhinumerals gujaratinnumerals tibetannumerals
greeknumerals Greeknumerals arabicnumerals persiannumerals arabicexnumerals arabicdecimals persiandecimals koreannumerals
koreanparentnumerals koreancirclenumerals kr kr-p kr-c chinesenumerals chinesecapnumerals chineseallnumerals cn
cn-c cn-a sloveniannumerals slovenianNumerals spanishnumerals spanishNumerals russiannumerals russianNumerals
mathgreek set_0 set_1 set_2 set_3 continued zero NAME
2 NUMBER

`\convertmonth {...}`

* NUMBER

`\convertvalue ... \to \^2..`

1 NAME
2 CSNAME

`\convertvboxtohbox`

`\copiacampo [...] [...]`

1 NAME
2 NAME

`\copyboxfromcache {...} {...} ...`

1 NAME
2 NUMBER TEXT
3 CSNAME NUMBER

`\copyLABELtesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

instances: head label mathlabel taglabel unit operator prefix suffix btxlabel

`\copybtxlabeltesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copyheadtesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copylabeltesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copymathlabeltesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copyoperatortesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copyprefixtesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

`\copysuffixtesto [...] [..., ...^2..., ...]`

1 SPRACHE OPT
2 KEY = KEY

```
\copytaglabeltesto [1...] [2...,...2...,...]  
1 SPRACHE OPT  
2 KEY = KEY
```

```
\copyunittesto [1...] [2...,...2...,...]  
1 SPRACHE OPT  
2 KEY = KEY
```

```
\copypages [1...] [2...,...2...,...] [3...,...3...,...]  
1 FILE OPT OPT  
2 marcatatura = attivo disattivo  
offset = DIMENSION  
n = NUMMER  
3 inherits: \setupexternalfigure
```

```
\copyparameters [1...] [2...] [3...,...]  
1 TEXT  
2 TEXT  
3 KEY
```

```
\copyposition {1...} {2...}  
1 NAME  
2 NAME
```

```
\copysetups [1...] [2...]  
1 NAME  
2 NAME
```

```
\correggispaziobianco {*...}  
* CONTENT
```

```
\corsivo
```

```
\corsivograssetto
```

```
\countersubs [1...] [2...]  
1 NAME OPT  
2 NUMMER
```

```
\counttoken 1... \in 2... \to \3...  
1 TEXT  
2 TEXT  
3 CSNAME
```

```
\counttokens 1... \to \2...  
1 TEXT  
2 CSNAME
```

```
\cramped {*...}  
* CONTENT
```

```
\crampedclap {*...}  
* CONTENT
```

```
\crampedllap {*...}  
* CONTENT
```

```
\crampedrlap {*...}  
* CONTENT
```

```
\crlf
```

<code>\crlfplaceholder</code>
<code>\ctop ¹... {²...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\ctxcommand {...}</code> * BEFEHL
<code>\ctxdirectcommand {...}</code> * BEFEHL
<code>\ctxdirectlua {...}</code> * BEFEHL
<code>\ctxfunction {...}</code> * NAME
<code>\CTXFUNCTIONDEFINITION</code>
<code>\CTXFUNCTION</code>
<code>\ctxlatecommand {...}</code> * BEFEHL
<code>\ctxlatelua {...}</code> * BEFEHL
<code>\ctxloadluafile {...}</code> * FILE
<code>\ctxlua {...}</code> * BEFEHL
<code>\ctxluabuffer [...]</code> * BUFFER <small>OPT</small>
<code>\ctxluacode {...}</code> * BEFEHL
<code>\ctxreport {...}</code> * BEFEHL
<code>\CTXSCANNER</code>
<code>\ctxsprint {...}</code> * BEFEHL
<code>\currentassignmentlistkey</code>
<code>\currentassignmentlistvalue</code>
<code>\currentbtxuservariable {...}</code> * KEY
<code>\currentcommalistitem</code>

<code>\currentCOMANDO</code>
<code>\currentCOMANDOhash</code>
<code>\currentCOMANDOparent</code>
<code>\currentcomponent</code>
<code>\currentenvironment</code>
<code>\currentfeaturetest</code>
<code>\currentinterface</code>
<code>\currentETICHETTA [...,¹...] {²...}</code> 1 REFERENCE OPT OPT 2 TEXT
<code>\currentlanguage</code>
<code>\currentlistentrydestinationattribute</code>
<code>\currentlistentrylimitedtext {...}</code> * TEXT
<code>\currentlistentrynumber</code>
<code>\currentlistentrypagenumber</code>
<code>\currentlistentryreferenceattribute {...}</code> * numero testo numeropagina tutti
<code>\currentlistentrytitle</code>
<code>\currentlistentrytitlerendered</code>
<code>\currentlistsymbol</code>
<code>\currentmainlanguage</code>
<code>\currentmessagetext</code>
<code>\currentmoduleparameter {...}</code> * KEY
<code>\currentoutputstream</code>
<code>\currentproduct</code>
<code>\currentproject</code>
<code>\currentregime</code>

<pre> \currentregisterpageuserdata {...} * KEY </pre>
<pre> \currentresponses </pre>
<pre> \currenttime [...]*...] * h m TEXT OPT </pre>
<pre> \currentvalue </pre>
<pre> \currentxtablecolumn </pre>
<pre> \currentxtablerow </pre>
<pre> \DAYLONG {...} * NUMMER </pre>
<pre> \DAYSHORT {...} * NUMMER </pre>
<pre> \d {...} * CHARACTER </pre>
<pre> \da [...] * REFERENCE </pre>
<pre> \daqualcheparte {...} {...} [...] 1 TEXT 2 TEXT 3 REFERENCE </pre>
<pre> \data [...,..¹...,...] [...,²...] 1 d = NUMMER OPT m = NUMMER y = NUMMER 2 anno year:NAME y y:NAME yy Y Y:NAME YY mese month:mnem month:hebrew month:jalali m m:mnem m:hebrew m:jalali MESE MONTH:mnem MONTH:hebrew MONTH:jalali mm M giorno day:NAME day:+ day:ord day:++ day:highord d d:NAME d:+ d:ord d:++ d:highord dd dd:+ dd:ord dd:++ dd:highord D D:+ D:ord D:++ D:highord giornosettimana weekday:mnem weekday:hebrew weekday:jalali w w:mnem w:hebrew w:jalali GIORNOSETTIMANA WEEKDAY:mnem WEEKDAY:hebrew WEEKDAY:jalali W referral spazio _ TEXT hebrew:to jalali:to jalali:from </pre>
<pre> \datadioggi [...]*...] * anno year:NAME y y:NAME yy Y Y:NAME YY mese month:mnem month:hebrew month:jalali m m:mnem m:hebrew m:jalali MESE MONTH:mnem MONTH:hebrew MONTH:jalali mm M giorno day:NAME day:+ day:ord day:++ day:highord d d:NAME d:+ d:ord d:++ d:highord dd dd:+ dd:ord dd:++ dd:highord D D:+ D:ord D:++ D:highord giornosettimana weekday:mnem weekday:hebrew weekday:jalali w w:mnem w:hebrew w:jalali GIORNOSETTIMANA WEEKDAY:mnem WEEKDAY:hebrew WEEKDAY:jalali W referral spazio _ TEXT hebrew:to jalali:to jalali:from </pre>
<pre> \datadioggi [...] * NAME OPT </pre>
<pre> \datasetentry {...} * KEY realpage </pre>
<pre> \datasetindex </pre>
<pre> \datasetsize [...¹] {...²} 1 FILE OPT 2 NAME </pre>


```
\datasetvariable [...] {...} {...} {...}
1 FILE OPT
2 NAME
3 NAME NUMBER
4 KEY realpage
```

```
\data [..,..1..,..] [...2.]
1 d = NUMBER OPT
m = NUMBER
y = NUMBER
2 NAME
```

```
\daylong {...}
* NUMBER
```

```
\dayoftheweek {...} {...} {...}
1 NUMBER
2 NUMBER
3 NUMBER
```

```
\dayshort {...}
* NUMBER
```

```
\dayspermonth {...} {...}
1 NUMBER
2 NUMBER
```

```
\decrement \*..
* CSNAME
```

```
\decrementcounter [...1.] [...2.]
1 NAME OPT
2 NUMBER
```

```
\decrementedcounter [...]
* NAME
```

```
\decrementpagenumber
```

```
\decrementsubpagenumber
```

```
\decrementvalue {...}
* NAME
```

```
\decrement (...,*...)
* CSNAME NUMBER
```

```
\defaultinterface
```

```
\defaultobjectpage
```

```
\defaultobjectreference
```

```
\defcatcodecommand \... ..1 {...3.}
1 CSNAME
2 CHARACTER NUMBER
3 BEFEHL
```

`\defconvertedargument \1... {\2...}`

- 1 CSNAME
- 2 TEXT

`\defconvertedcommand \1... \2...`

- 1 CSNAME
- 2 CSNAME

`\defconvertedvalue \1... {\2...}`

- 1 CSNAME
- 2 NAME

`\defineactivecharacter .1... {\2...}`

- 1 CHARACTER
- 2 BEFEHL

`\defineadaptive [1...] [2...] [...,3...3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupadaptive

`\definealign [1...] [...2,...]`

- 1 NAME
- 2 inherits: \impostaaallineamento

`\definealternativestyle [...1,...] [2...] [3...]`

- 1 NAME
- 2 BEFEHL
- 3 BEFEHL

`\defineanchor [1...] [2...] [...,3...3...] [...,4...4...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setuplayer
- 4 inherits: \setuplayerinherits: \impostaincorniciato

`\defineanchorbox [*...]`

- * NAME

`\defineanchorboxoverlay [*...]`

- * NAME

`\defineattachment [1...] [2...] [...,3...3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupattachment

`\defineattribute [1...] [...2,...]`

- 1 NAME
- 2 locale globale public private pickup

`\definebackground [1...] [2...] [...,3...3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \impostasfondo

`\definebar [1...] [2...] [...,3...3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbar

```
\definebodyfontswitch [1.] [2...;...]
```

```
1 NAME  
2 inherits: \impostafontdeltesto
```

```
\defineboxanchor [*.]
```

```
* NAME
```

```
\defineboxanchorcontent [1.] [2...3...;...]
```

```
1 NAME  
2 inherits: \setupboxanchorcontent
```

```
\definebreakpoint [1.] [2.] [3...4...;...]
```

```
1 NAME  
2 CHARACTER  
3 type = 1 2 3 4 5  
nsinistra = NUMMER  
ndestra = NUMMER  
sinistra = BEFEHL  
centro = BEFEHL  
destra = BEFEHL  
range = si no  
language = SPRACHE
```

```
\definebreakpoints [*.]
```

```
* NAME
```

```
\definebtx [1...] [2...] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupbtx
```

```
\definebtxdataset [1...] [2...] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupbtxdataset
```

```
\definebtxregister [1.] [2.] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupbtxregister
```

```
\definebtxrendering [1.] [2.] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupbtxrendering
```

```
\definebutton [1.] [2...] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupbutton
```

```
\definecapitals [1.] [2.] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \impostamaiuscole
```

```
\definecharacterkerning [1.] [2.] [3...4...;...]
```

```
1 NAME  
2 NAME  
3 inherits: \setupcharacterkerning
```

```
\definecharacterspacing [1.] [2...]
```

```
1 NAME  
2 NAME
```

`\definechemical` [¹..] {²..}

- 1 NAME
- 2 CONTENT

`\definechemicals` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupchemical

`\definechemicalsymbol` [¹..] [²..]

- 1 NAME
- 2 TEXT

`\definecollector` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcollector

`\definecolumnbreak` [¹..] [²..,²..]

- 1 NAME
- 2 si no preferenza locale forza primo ultimo NUMBER

`\definecolumnsetarea` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcolumnsetarea

`\definecolumnsetspan` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcolumnsetspan

`\definecombination` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcombination

`\definecomment` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \impostacommento

`\definecomplexorsimple` *..

- * CSNAME

`\definecomplexorsimpleempty` *..

- * CSNAME

`\definecomplexorsimpleempty` {*..}

- * TEXT CSNAME

`\definecomplexorsimple` {*..}

- * TEXT CSNAME

`\defineconversionset` [¹..] [²..,²..] [³..]

- 1 NAME SECTIONBLOCK:NAME
- 2 NAME PROCESSOR->NAME
- 3 NAME PROCESSOR->NAME

`\definecounter` [¹..] [²..] [³..,³..,³..]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcounter

`\definedataset` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupdataset

`\definedate` [¹...] [²...,...]

1 NAME
2 anno year:NAME y y:NAME yy Y Y:NAME YY mese month:mnm month:hebrew month:jalali m m:mnm m:hebrew m:jalali MESE MONTH:mnm MONTH:hebrew MONTH:jalali mm M giorno day:NAME day:+ day:ord day:++ day:highord d d:NAME d:+ d:ord d:++ d:highord dd dd:+ dd:ord dd:++ dd:highord D D:+ D:ord D:++ D:highord giornosettimana weekday:mnm weekday:hebrew weekday:jalali w w:mnm w:hebrew w:jalali GIORNOSETTIMANA WEEKDAY:mnm WEEKDAY:hebrew WEEKDAY:jalali W referral spazio _ TEXT hebrew:to jalali:to jalali:from

`\definedelimitedtext` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupdelimitedtext

`\definedfont` [^{*}...]

* FONT

`\definedocument` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupdocument

`\defineeffect` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupeffect

`\defineexpandable` [¹...] \²... {³...}

1 NUMMER
2 CSNAME
3 CONTENT

`\defineexpansion` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupexpansion

`\defineexternalfigure` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupexternalfigure

`\definefacingfloat` [¹...] [²...] [³...,...,...]

1 NAME
2 NAME
3 inherits: \setupfacingfloat

```

\definefallbackfamily [...] [...] [...] [...,..4...,...]
1 NAME
2 rm ss tt mm hw cg roman serif regolare sansserif sans supporto teletype type mono grafiamanuale calligrafico math
matematica
3 FONT
4 rscale = NUMBER
designsize = implicito auto
goodies = FILE
range = NUMBER NAME
offset = NUMBER NAME
check = si no
forza = si no
features = NAME
tf = TEXT
bf = TEXT
it = TEXT
sl = TEXT
bi = TEXT
bs = TEXT
sc = TEXT

```

```

\definefallbackfamily [...] [...] [...] [...,4...]
1 NAME
2 rm ss tt mm hw cg roman serif regolare sansserif sans supporto teletype type mono grafiamanuale calligrafico math
matematica
3 FONT
4 NAME

```

```

\definefieldbody [...] [2...] [...,..3...,...]
1 NAME
2 NAME
3 inherits: \setupfieldbody

```

```

\definefieldbodyset [...] [...,2...]
1 NAME
2 NAME

```

```

\definefieldcategory [...] [2...] [...,..3...,...]
1 NAME
2 NAME
3 inherits: \setupfieldcategory

```

```

\definefileconstant {...} {...}
1 NAME
2 NAME

```

```

\definefilefallback [...] [...,2...]
1 NAME
2 FILE

```

```

\definefilesynonym [...] [...]
1 NAME
2 FILE

```

```

\definefiller [...] [2...] [...,..3...,...]
1 NAME
2 NAME
3 inherits: \setupfiller

```

```

\definefirstline [...] [2...] [...,..3...,...]
1 NAME
2 NAME
3 inherits: \setupfirstline

```

```

\definefittingpage [...] [2...] [...,..3...,...]
1 NAME
2 NAME
3 inherits: \setupfittingpage

```

```
\definefontalternative [..*]
```

```
* NAME
```

```
\definefontfallback [.1.] [.2.] [...,3...] [...,4...]
```

```
1 NAME
```

```
2 FONT NAME
```

```
3 NAME NUMBER
```

```
4 rscale = NUMBER
```

```
forza = si no
```

```
check = si no
```

```
offset = NUMBER NAME
```

```
target = NUMBER NAME
```

```
features = NAME
```

```
fattore = NUMBER
```

```
metodo = lowercase uppercase
```

```
\definefontfamily [.1.] [.2.] [.3.] [...,4...]
```

```
1 NAME
```

```
2 rm ss tt mm hw cg roman serif regolare sansserif sans supporto teletype type mono grafiamanuale calligrafico math  
matematica
```

```
3 FONT
```

```
4 rscale = NUMBER
```

```
designsize = implicito auto
```

```
goodies = FILE
```

```
features = NAME
```

```
tf = TEXT
```

```
bf = TEXT
```

```
it = TEXT
```

```
sl = TEXT
```

```
bi = TEXT
```

```
bs = TEXT
```

```
sc = TEXT
```

```
\definefontfamilypreset [.1.] [...,2...]
```

```
1 NAME
```

```
2 inherits: \definefontfamily
```

```
\definefontfamilypreset [.1.] [.2.]
```

```
1 NAME
```

```
2 NAME
```

```
\definefontfamily [.1.] [.2.] [.3.] [...,4...]
```

```
1 NAME
```

```
2 rm ss tt mm hw cg roman serif regolare sansserif sans supporto teletype type mono grafiamanuale calligrafico math  
matematica
```

```
3 FONT
```

```
4 NAME
```

```

\definefontfeature [...] [...] [...] [...]
1 NAME
2 NAME
3 language = NAME
  script = NAME auto
  mode = node base auto nessuno
  liga = si no
  kern = si no
  extrakerns = si no
  tlig = si no
  trep = si no
  missing = si no
  dummies = si no
  analyze = si no
  unicoding = si no
  espansione = NAME
  protrusion = NAME
  nostackmath = si no
  realdimensions = si no
  itlc = si no
  textitalics = si no
  mathitalics = si no
  slant = NUMMER
  extend = NUMMER
  dimensions = NUMMER strut
  boundingbox = si no sfondo cornice vuoto COLOR
  compose = si no
  char-ligatures = si no
  compat-ligatures = si no
  goodies = FILE
  extrafeatures = si no
  featureset = NAME
  colorscheme = NAME
  postprocessor = NAME
  mathdimensions = NAME
  keepligatures = si no auto
  devanagari = si no
  features = si no
  tcom = si no
  anum = si no
  mathsize = si no
  decomposehangul = si no
  mathalternatives = si no
  mathgaps = si no
  checkmarks = si no
  uppercasing = si no
  lowercasing = si no
  mathnolimitsmode = NUMMER
  blockligatures = si no
  metapost = NAME
  NAME = si no

```

```

\definefontfile [...] [...] [...] [...]
1 NAME
2 FILE
3 features = NAME
  fallbacks = NAME
  goodies = NAME
  designsize = auto implicito

```

```

\definefontsize [...]
* NAME

```

```

\definefontsolution [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupfontsolution

```

```

\defineformula [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \impostaformule

```


`\defineformulaalternative` [¹...] [²...] [³...]

- 1 NAME
- 2 CSNAME
- 3 CSNAME

`\defineformulaframed` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setupformulaframed`

`\defineframedcontent` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setupframedcontent`

`\defineframedmath` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setupmathframed`

`\defineframedtable` [¹...] [²...]

- 1 NAME
- 2 NAME

`\definefrozenfont` [¹...] [²...]

- 1 NAME
- 2 FONT

`\defineglobalcolor` [¹...] [²...,...]

- 1 NAME
- 2 inherits: `\definiscicolore`

`\defineglobalcolor` [¹...] [²...]

- 1 NAME
- 2 COLOR

`\definegraphicstypesynonym` [¹...] [²...]

- 1 NAME
- 2 NAME

`\definegridsnapping` [¹...] [²...,...]

- 1 NAME
- 2 locale globale noheight nodepth box max min nessuno riga mezzariga primo ultimo altezzamin maxheight mindepth maxdepth cima fondo strut NUMMER minheight:NUMMER maxheight:NUMMER mindepth:NUMMER maxdepth:NUMMER box:NUMMER top:NUMMER bottom:NUMMER offset:NUMMER

`\defineheadalternative` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setupheadalternative`

`\definehelp` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setuphelp`

`\definehigh` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: `\setuphigh`

`\definehighlight` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \setuphighlight

`\definehspace` [¹...] [²...] [³...]

1 NAME
2 NAME
3 DIMENSION

`\definehyphenationfeatures` [¹...] [²...,...]

1 NAME
2 characters = TEXT
hyphens = si tutti TEXT
joiners = si tutti TEXT
rightwords = NUMMER
hyphenmin = NUMMER
lefthyphenmin = NUMMER
righthyphenmin = NUMMER
lefthyphenchar = NUMMER
righthyphenchar = NUMMER
alternativa = original tex hyphenate expanded traditional nessuno
bordodestro = tex
rightchars = parola NUMMER

`\defineindentedtext` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \setupindentedtext

`\defineindenting` [¹...] [²...,...]

1 NAME
2 [-+]piccolo [-+]medio [-+]grande nessuno no non primo successivo si sempre mai dispari pari normale reimposta
toggle DIMENSION

`\defineinitial` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \setupinitial

`\defineinsertion` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \setupinsertion

`\defineinteraction` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \impostainterazione

`\defineinteractionbar` [¹...] [²...] [³...,...]

1 NAME
2 NAME
3 inherits: \impostabarrainterazione

`\defineinterfaceconstant` {¹...} {²...}

1 NAME
2 NAME

`\defineinterfaceelement` {¹...} {²...}

1 NAME
2 NAME

`\defineinterfacevariable` {¹...} {²...}

1 NAME
2 NAME

```
\defineinterlinespace [...] [...] [...]
1 NAME
2 NAME
3 inherits: \impostainterlinea
```

```
\defineintermediatecolor [...] [...] [...]
1 NAME
2 COLOR NUMBER
3 a = NUMBER
t = NUMBER
```

```
\defineitemgroup [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupitemgroup
```

```
\defineitems [...] [...] [...]
1 NAME
2 NAME
3 inherits: \impostaelementi
```

```
\definelabelclass [...] [...]
1 NAME
2 NUMBER
```

```
\definelayer [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuplayer
```

```
\definelayerpreset [...] [...] [...]
1 NAME
2 inherits: \setuplayer
```

```
\definelayerpreset [...] [...]
1 NAME
2 NAME
```

```
\definelinefiller [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuplinefiller
```

```
\definelinenote [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuplinenote
```

```
\definelinenumbering [...] [...] [...]
1 NAME
2 NAME
3 inherits: \impostanumerazionerighe
```

```
\definelineprofile [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuplineprofile
```

```
\definelines [...] [...] [...]
1 NAME
2 NAME
3 inherits: \impostarighe
```

```
\definelistalternative [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplistalternative
```

```
\definelistextra [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplistextra
```

```
\definelocalboxes [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplocalboxes
```

```
\definelow [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplow
```

```
\definelowhigh [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplowhigh
```

```
\definelowmidhigh [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setuplowmidhigh
```

```
\defineMPinstance [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupMPinstance
```

```
\definemarginblock [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupmarginblock
```

```
\definemargindata [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupmargindata
```

```
\definemarker [...]  
* NAME
```

```
\definemathaccent [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupmathaccent
```

```
\definemathalignment [1...] [2...] [3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupmathalignment
```

```
\definemathbottomaccent [1...] [2...] [3...]  
1 fondo bottom:stretch NAME OPT  
2 NAME  
3 NUMMER
```

`\definemathcases` [¹...] [²...] [³...³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathcases

`\definemathcommand` [¹...] [²...] {³...}

- 1 NAME
- 2 tutti begin end unset ordinary operator binary relation open close punctuation variable active interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 3 BEFEHL

`\definemathcommand` [¹...] [²...] [³...] {⁴...}

- 1 NAME
- 2 tutti begin end unset ordinary operator binary relation open close punctuation variable active interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 3 tutti begin end unset ordinary operator binary relation open close punctuation variable active interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 4 BEFEHL

`\definemathcommand` [¹...] [²...] [³...] {⁴...}

- 1 NAME
- 2 tutti begin end unset ordinary operator binary relation open close punctuation variable active interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 3 uno
- 4 \...#1

`\definemathcommand` [¹...] [²...] [³...] {⁴...}

- 1 NAME
- 2 tutti begin end unset ordinary operator binary relation open close punctuation variable active interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 3 due
- 4 \...#1#2

`\definemathdelimited` [¹...] [²...] [³...³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathdelimited

`\definemathdelimiter` [¹...] [²...] [³...³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathdelimiters

`\definemathdouble` [¹...] [²...²...] [³...] [⁴...] [⁵...]

- 1 entrambi vfenced NAME
- 2 inherits: \setupmathstackers
- 3 NAME
- 4 NUMMER
- 5 NUMMER

`\definemathdoubleaccent` [¹...] [²...] [³...] [⁴...]

- 1 entrambi both:stretch NAME
- 2 NAME
- 3 NUMMER
- 4 NUMMER

```

\definemathdoubleextensible [1...] [2...] [3...] [4...]
1   entrambi vfenced          OPT
2   NAME
3   NUMMER
4   NUMMER

```

```

\definematematics [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmatematics

```

```

\definemathextensible [1...] [2...] [3...]
1   invertito matematica testo chemistry
2   NAME
3   NUMMER

```

```

\definemathfence [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathfences

```

```

\definemathfraction [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathfraction

```

```

\definemathframed [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathframed

```

```

\definemathfunction [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathfunctions

```

```

\definemathmatrix [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathmatrix

```

```

\definemathnesting [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathnesting

```

```

\definemathoperator [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathoperators

```

```

\definemathornament [1...] [2...] [...,3...,...]
1   NAME          OPT          OPT
2   NAME
3   inherits: \setupmathornament

```

```

\definemathover [1...] [2...] [3...]
1   cima vfenced NAME
2   NAME
3   NUMMER

```

```

\definemathoverextensible [1...] [2...] [3...]
1   cima vfenced          OPT
2   NAME
3   NUMMER

```

```
\definemathovertextextensible [...] [...] [...]
1 bothtext OPT
2 NAME
3 NUMMER
```

```
\definemathradical [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathradical
```

```
\definemathsimplealign [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathsimplealign
```

```
\definemathstackers [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathstackers
```

```
\definemathstyle [...] [...]
1 NAME
2 schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
```

```
\definemathtopaccent [...] [...] [...]
1 cima top:stretch top:dot NAME
2 NAME
3 NUMMER
```

```
\definemathtriplet [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 TEXT
```

```
\definemathunder [...] [...] [...]
1 fondo vfenced NAME
2 NAME
3 NUMMER
```

```
\definemathunderextensible [...] [...] [...]
1 fondo vfenced OPT
2 NAME
3 NUMMER
```

```
\definemathundertextextensible [...] [...] [...]
1 bothtext OPT
2 NAME
3 NUMMER
```

```
\definemathunstacked [...] [...] [...]
1 ampio OPT
2 NAME
3 NUMMER
```

```
\definemeasure [...] [...]
1 NAME
2 DIMENSION
```

```
\definemessageconstant {*.}
* NAME
```

```

\definemixedcolumns [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmixedcolumns

```

```

\definemode [...1...] [...2.]
1 NAME OPT
2 si no mantieni

```

```

\definemulticolumns [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmulticolumns

```

```

\definemultitonecolor [...1.] [...,2...2...] [...,3...3...] [...,4...4...]
1 NAME OPT OPT OPT
2 COLOR = NUMMER
3 inherits: \definiscicolore
4 inherits: \definespotcolor

```

```

\definenamecolor [...1.] [...,2...2...]
1 NAME
2 inherits: \definiscicolore

```

```

\definenamecolor [...1.] [...2.]
1 NAME
2 COLOR

```

```

\definenamespace [...1.] [...,2...2...]
1 NAME
2 nome = TEXT
parent = TEXT
stile = si no
comando = si no elenco
setup = si no elenco
set = si no elenco
cornice = si no

```

```

\definenaarrower [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \impostapiustretto

```

```

\definernote [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupnote

```

```

\defineoptimize [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupoptimize

```

```

\defineorientation [...1.] [...2.] [...,3...3...]
1 NAME OPT OPT
2 NAME
3 inherits: \setuporientation

```

```

\defineornament [...1.] [...,2...2...] [...,3...3...]
1 NAME OPT
2 alternativa = a b
inherits: \setupcollector
3 stile = STYLE BEFEHL
colore = COLOR
inherits: \impostaincorniciato

```



```
\defineornament [...] [...2...] [...3...]
1 NAME
2 alternativa = a b
   inherits: \setuplayer
3 inherits: \setuplayeredtext
```

```
\defineoutputroutine [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setupoutputroutine
```

```
\defineoutputroutinecommand [...*...]
* KEY
```

```
\definepage [...] [...2]
1 NAME
2 REFERENCE
```

```
\definepagebreak [...] [...2;...]
1 NAME
2 vuoto intestazione piedipagina dummy cornice NUMBER +NUMBER implicito reimposta disattiva si no makeup rigovuoto
   preferenza grandepreferenza sinistra destra pari dispari quadruplo ultimo ultimapagina inizia termina xy
```

```
\definepagechecker [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppagechecker
```

```
\definepagecolumns [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppagecolumns
```

```
\definepageinjection [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppageinjection
```

```
\definepageinjectionalternative [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppageinjectionalternative
```

```
\definepageshift [...] [...2] [...3;...]
1 NAME
2 orizzontale verticale
3 DIMENSION
```

```
\definepagestate [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppagestate
```

```
\definepairedbox [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setuppairedbox
```

```
\defineparagraph [...] [...2] [...3...]
1 NAME
2 NAME
3 inherits: \setupparagraph
```

`\defineparallel [..] [...2,...]`

- 1 NAME
- 2 NAME

`\defineparbuilder [..]`

- * NAME

`\defineperiodkerning [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupperiodkerning

`\defineplaceholder [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupplaceholder

`\defineplacement [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupplacement

`\definepositioning [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \impostapositionamento

`\defineprefixset [..] [...2,...] [...3]`

- 1 NAME SECTIONBLOCK:NAME
- 2 ABSCHNITT
- 3 ABSCHNITT

`\defineprocesscolor [..] [...2] [...,3...]`

- 1 NAME
- 2 COLOR
- 3 inherits: \definiscicolore

`\defineprocessor [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupprocessor

`\definepushbutton [..] [...2,...]`

- 1 NAME
- 2 inherits: \setupfieldcontentframed

`\definepushsymbol [..] [...2]`

- 1 NAME
- 2 n r d

`\definerenderingwindow [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setuprenderingwindow

`\defineresetset [..] [...2,...] [...3]`

- 1 NAME SECTIONBLOCK:NAME
- 2 NUMMER
- 3 NUMMER

`\defineruby [..] [...2] [...,3...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupruby

`\definescale` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscale

`\definescript` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscale

`\definesectionlevels` [¹...] [...,²...,...]

- 1 NAME
- 2 ABSCHNITT

`\defineselector` [¹...] [...,²...,...]

- 1 NAME
- 2 inherits: \setupselector

`\defineseparatorset` [¹...] [...,²...,...] [³...]

- 1 NAME SECTIONBLOCK:NAME
- 2 BEFEHL PROCESSOR->BEFEHL
- 3 BEFEHL PROCESSOR->BEFEHL

`\defineshift` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupshift

`\definesidebar` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupsidebar

`\definesort` [¹...] [²...] [³...] {...⁴...}

- 1 si no
- 2 SINGULAR
- 3 NAME
- 4 CONTENT

`\definespotcolor` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 COLOR
- 3 a = NUMMER nessuno normale multiply schermo sovrapponi softlight hardlight colordodge colorburn darken lighten difference exclusion hue saturation colore luminosity
- t = NUMMER
- e = TEXT
- p = NUMMER

`\definestacking` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupstacking

`\definestyleinstance` [¹...] [²...] [³...] [⁴...]

- 1 NAME
- 2 rm ss tt mm hw cg
- 3 tf bf it sl bi bs sc
- 4 BEFEHL

`\definesubformula` [¹...] [²...] [...,³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupsubformula

```
\definesynchronize [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupsynchronize
```

```
\definesynchronizecontent [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupsynchronizecontent
```

```
\definesynonym [...] [...] [...] [...] [...] [...]
1 si no
2 SINGULAR
3 NAME
4 TEXT
5 TEXT
6 CONTENT
```

```
\definesystemattribute [...] [...] [...]
1 NAME
2 locale globale public private pickup
```

```
\definesystemconstant {...}
* NAME
```

```
\definesystemvariable {...}
* NAME
```

```
\defineTABLEsetup [...] [...] [...]
1 NAME
2 inherits: \setupTABLE
```

```
\definetabulatemove [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptabulatemove
```

```
\definetextbackground [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptextbackground
```

```
\definetextdisplay [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptextdisplay
```

```
\definetextflow [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptextflow
```

```
\definetextnote [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptextnote
```

```
\definetokenlist [...]
* NAME
```

```
\definetooltip [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setuptooltip
```



```
\defineviewerlayer [1...] [2...] [3...3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupviewerlayer
```

```
\definevspace [1...] [2...] [3...]  
1 NAME OPT  
2 NAME  
3 DIMENSION
```

```
\definevspacing [1...] [2...]  
1 NAME  
2 inherits: \vspacing
```

```
\definevspacingamount [1...] [2...] [3...]  
1 NAME OPT OPT  
2 DIMENSION  
3 DIMENSION
```

```
\definextable [1...] [2...] [3...3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \setupxtable
```

```
\definisci [1...] \2... {3...}  
1 NUMBER OPT  
2 CSNAME  
3 CONTENT
```

```
\definisciaccento 1... 2... 3...  
1 CHARACTER  
2 CHARACTER  
3 CHARACTER
```

```
\definisciambientefontdeltesto [1...] [2...] [3...3...3...]  
1 NAME OPT OPT  
2 implicito DIMENSION  
3 grande = DIMENSION NUMBER  
piccolo = DIMENSION NUMBER  
a = DIMENSION NUMBER  
b = DIMENSION NUMBER  
c = DIMENSION NUMBER  
d = DIMENSION NUMBER  
testo = DIMENSION NUMBER  
x = DIMENSION NUMBER  
xx = DIMENSION NUMBER  
script = DIMENSION NUMBER  
scriptscript = DIMENSION NUMBER  
interlinea = DIMENSION  
em = inclinato corsivo STYLE BEFEHL  
* = NUMBER
```

```
\definisciblocco [1...] [2...] [3...3...3...]  
1 NAME OPT OPT  
2 NAME  
3 inherits: \impostablocco
```

```
\definiscibloccosezione [1...] [2...] [3...3...3...]  
1 NAME OPT  
2 NAME  
3 inherits: \impostabloccosezione
```

```
\definiscibuffer [1...] [2...] [3...3...3...]  
1 NAME OPT OPT  
2 BUFFER  
3 inherits: \impostabuffer
```

```
\definiscicampo [.1.] [.2.] [.3.] [.4.,...] [.5.]
1 NAME
2 radio sotto testo riga push check signature
3 NAME
4 NAME
5 NAME
```

```
\definiscicapoversi [.1.] [.2.] [.3.,...]
1 NAME OPT OPT
2 NAME
3 inherits: \impostacapoversi
```

```
\definiscicarattere .1. .2.
1 CHARACTER
2 NUMMER
```

```
\definiscicolore [.1.] [.2.,...]
1 NAME
2 r = NUMMER
  g = NUMMER
  b = NUMMER
  c = NUMMER
  m = NUMMER
  y = NUMMER
  k = NUMMER
  h = NUMMER
  s = NUMMER
  v = NUMMER
  w = NUMMER
  x = NUMMER
  a = NUMMER nessuno normale multiply schermo sovrapponi softlight hardlight colordodge colorburn darken lighten
    difference exclusion hue saturation colore luminosity
  t = NUMMER
```

```
\definiscicolore [.1.] [.2.]
1 NAME
2 COLOR
```

```
\definiscicomando .1. .2.
1 CHARACTER
2 BEFEHL
```

```
\definisciconversione [.1.] [.2.] [.3.]
1 SPRACHE OPT
2 NAME
3 CSNAME
```

```
\definisciconversione [.1.] [.2.] [.3.,...]
1 SPRACHE OPT
2 NAME
3 TEXT
```

```
\definiscidescrizione [.1.] [.2.] [.3.,...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupdescription
```

```
\definiscidimensionicarta [.1.] [.2.,...]
1 NAME
2 ampiezza = DIMENSION
  altezza = DIMENSION
  cima = BEFEHL
  fondo = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  distanza = DIMENSION
  pagina = inherits: \impostadimensionicarta
  carta = inherits: \impostadimensionicarta
```

```

\definiscidimensionicarta [...] [...] [...]
1 NAME OPT
2 inherits: \impostadimensionicarta
3 inherits: \impostadimensionicarta

```

```

\definiscielenco [...] [...] [...]
1 NAME OPT OPT
2 LISTE
3 inherits: \impostaelenco

```

```

\definiscielencocombinato [...] [...] [...]
1 NAME OPT
2 LISTE
3 inherits: \impostaelencocombinato

```

```

\definiscienumerazione [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupenumeration

```

```

\definiscietichetta [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setuplabel

```

```

\definiscifigurasimbolo [...] [...] [...]
1 NAME OPT
2 FILE NAME
3 inherits: \figuraesterna

```

```

\definiscifont [...] [...] [...]
1 NAME OPT
2 FONT
3 inherits: \impostainterlinea

```

```

\definiscifontdeltesto [...] [...] [...] [...]
1 NAME implicito OPT OPT
2 NAME DIMENSION
3 rm ss tt hw cg
4 tf = FILE
bf = FILE
it = FILE
sl = FILE
bi = FILE
bs = FILE
sc = FILE
mr = FILE
mrlr = FILE
mrrl = FILE
mb = FILE
mblr = FILE
mbrl = FILE

```

```

\definiscifontdeltesto [...] [...] [...] [...]
1 NAME implicito OPT OPT
2 NAME DIMENSION
3 rm ss tt hw cg
4 NAME

```

```

\definiscifont [...] [...] [...]
1 NAME OPT
2 FONT
3 NAME

```

```

\definisciformatoriferimento [...] [...] [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupreferenceformat

```



```

\definiscigruppocolonne [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostagruppocolonne

```

```

\definiscigruppocolori [..] [..] [x:y:z,..]
1 NAME OPT
2 grigio rgb cmyk spot
3 TRIPLET

```

```

\definiscihbox [..] [..]
1 NAME
2 DIMENSION

```

```

\definisciincorniciato [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostaincorniciato

```

```

\definisciiniziatermina [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostainiziatermina

```

```

\definiscilayout [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostalayout

```

```

\definiscimakeup [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostamakeup

```

```

\definiscimarcatura [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 BESCHRIFTUNG
3 inherits: \impostamarcatura

```

```

\definiscimenuinterazione [..] [..] [..,.,.,.]
1 NAME OPT OPT
2 NAME
3 inherits: \impostamenuinterazione

```

```

\definiscimodellotabella [..] [|..|] [..] [..]
1 NAME OPT OPT
2 TEMPLATE
3 NAME
4 NAME

```

```

\definiscioggettomobile [..] [..] [..,.,.,.]
1 SINGULAR OPT OPT
2 SINGULAR PLURAL
3 inherits: \impostaoggettomobile
instances: chemical figure table intermezzo graphic

```

```

\definiscioggettomobile [..] [..] [..]
1 SINGULAR OPT OPT
2 PLURAL
3 SINGULAR
instances: chemical figure table intermezzo graphic

```

\definisciordinamento [...¹] [...²] [...³]

1 SINGULAR OPT
2 PLURAL
3 nessuno CSNAME

\definisciprofilo [...¹] [...²] [...³,...³,...]

1 NAME OPT OPT
2 NAME
3 inherits: \setupprofile

\definisciprogramma [...¹] [...²] [...³]

1 NAME OPT
2 TEXT
3 TEXT

\definisciregistro [...¹] [...²] [...³,...³,...]

1 NAME OPT OPT
2 NAME
3 inherits: \impostaregistro

\definisciriferimento [...¹] [...²,...]

1 NAME
2 REFERENCE

\definiscisezione [...^{*}]

* NAME

\definiscisimbolo [...¹] [...²] [...³]

1 NAME OPT
2 NAME
3 BEFEHL

\definiscisinonimi [...¹] [...²] [...³] [...⁴]

1 SINGULAR OPT OPT
2 PLURAL
3 CSNAME
4 CSNAME

\definiscisinonimofont [...¹] [...²] [...³,...³,...]

1 NAME OPT
2 FONT
3 features = NAME
fallbacks = NAME
goodies = NAME
designsize = auto implicito

\definiscisottocampo [...¹] [...²] [...³,...]

1 NAME
2 NAME
3 NAME

\definiscisovrapposizione [...¹,...] [...²] [...³]

1 NAME OPT
2 NAME
3 BEFEHL

\definiscistackcampi [...¹] [...²,...] [...³,...³,...]

1 NAME OPT
2 NAME
3 inherits: \setupfieldcategory

\definiscistile [...¹] [...²] [...³,...³,...]

1 NAME OPT OPT
2 NAME
3 inherits: \setupstyle

`\definiscistilefont [...1,...] [...2]`

1 NAME
2 NAME

`\definiscitabulato [...1] [...2] [...3.!]`

1 NAME
2 NAME
3 TEMPLATE

`\definiscitavolozza [...1] [...,2...]`

1 NAME
2 NAME = COLOR

`\definiscitavolozza [...1] [...2]`

1 NAME
2 NAME

`\definiscitesta [...1] [...2] [...,3...]`

1 NAME
2 ABSCHNITT
3 inherits: \impostatesta

`\definiscitesto [...1] [...2] [...3] [...4] [...5] [...6] [...7]`

1 NAME
2 cima intestazione testo piedipagina fondo
3 testo margine bordo
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL
6 data numeropagina BESCHRIFTUNG TEXT BEFEHL
7 data numeropagina BESCHRIFTUNG TEXT BEFEHL

`\definiscitestoincorniciato [...1] [...2] [...,3...]`

1 NAME
2 NAME
3 inherits: \setupframedtext

`\definiscitype [...1] [...2] [...,3...]`

1 NAME
2 NAME
3 inherits: \impostatype

`\definiscityping [...1] [...2] [...,3...]`

1 NAME
2 NAME
3 inherits: \impostatyping

`\defrostparagraphproperties`

`\delimited [...1] [...2] {...3}`

1 NAME
2 SPRACHE
3 CONTENT

`\delimitedtext [...1] [...2] {...3}`

1 NAME
2 SPRACHE
3 CONTENT

`\DELIMITEDTEXT [...1] {...2}`

1 SPRACHE
2 CONTENT
instances: quotation quote blockquote speech aside

`\aside [...]1 {...}2}`

- 1 SPRACHE OPT
- 2 CONTENT

`\blockquote [...]1 {...}2}`

- 1 SPRACHE OPT
- 2 CONTENT

`\quotation [...]1 {...}2}`

- 1 SPRACHE OPT
- 2 CONTENT

`\quote [...]1 {...}2}`

- 1 SPRACHE OPT
- 2 CONTENT

`\speech [...]1 {...}2}`

- 1 SPRACHE OPT
- 2 CONTENT

`\depthlinebottom`

`\depthofstring {...}`

- * TEXT

`\depthonlybox {...}`

- * CONTENT

`\depthspanningtext {...1} {...2} {...3}`

- 1 TEXT
- 2 DIMENSION
- 3 FONT

`\depthstrut`

`\DESCRIZIONE [...]1,...2 {...3} ... \par`

- 1 REFERENCE OPT OPT
- 2 TEXT
- 3 CONTENT

`\destra ...`

- * `\}` `\]` `\)` `\|` `\egroup` `\rparent` `\rparenthesis` `"` `\rparen` `"` `\rbracket` `\rbrack` `"` `\rbrace` `\rceil` `\rceiling` `\rfloor` `\urcorner` `\lrcorner` `\rmoustache` `\rrbracket` `\rangle` `\rrangle` `\rgroup` `\vert` `\singleverticalbar` `\doubleverticalbar` `\tripleverticalbar` `\rvert` `\rVert` `\rointerval` `\rlinterval` CHARACTER

`\determinacaratteristicheregistro [...]1 [...]2,...3,...4`

- 1 NAME OPT
- 2 language = implicito DIN₁5007-1 DIN₁5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scen SPRACHE
- metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
- numberorder = numeri
- compress = si no tutti
- criterio = locale testo corrente precedente tutti ABSCHNITT

`\determinacarattersticheelenco [...]1,...2 [...]3,...4,...5`

- 1 LISTE OPT
- 2 inherits: \impostaelenco

`\determinanumerotesta [...]`

- * ABSCHNITT

`\determinednoflines {...}`

- * CONTENT

`\determinenoflines {...}`
* CONTENT

`\detokenizedCOMANDOparameter {...}`
* KEY

`\detokenizedrootCOMANDOparameter {...}`
* KEY

`\devanagarinumeral` {...}
* NUMBER

`\digits {...}`
* NUMBER

`\digits ...`
* NUMBER

`\dimensiontocount {...} \{..}`
1 DIMENSION
2 CSNAME

`\directboxfromcache {...} {...}`
1 NAME
2 NUMMER TEXT

`\directcolor [...]`
* COLOR

`\directcolored [...,...*=...,...]`
* inherits: \definiscicolore

`\directcolored [...]`
* COLOR

`\directCOMANDOparameter {...}`
* KEY

`\directconvertedcounter {...} {...}`
1 NAME
2 primo precedente successivo ultimo numero

`\directcopyboxfromcache {...} {...}`
1 NAME
2 NUMMER TEXT

`\directdummyparameter {...}`
* KEY

`\directgetboxllx ...`
* CSNAME NUMBER

`\directgetboxlly ...`
* CSNAME NUMBER

`\directhighlight {...} {...}`
1 NAME
2 TEXT

`\directlocalframed [..] {..}`

- 1 NAME
- 2 CONTENT

`\directluacode {..}`

- * BEFEHL

`\directmathextensible [..] {..} {..} {..}`

- 1 invertito matematica testo chemistry
- 2 NUMBER
- 3 TEXT
- 4 TEXT

`\directparwrapper {..} {..}`

- 1 CONTENT
- 2 CONTENT

`\directselect {..} {..} {..} {..} {..} {..}`

- 1 NAME
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT

`\directsetbar {..}`

- * NAME

`\directsetup {..}`

- * NAME

`\directsymbol {..} {..}`

- 1 NAME
- 2 NAME

`\directtextextensible [..] {..} {..} {..}`

- 1 invertito matematica testo chemistry
- 2 NUMBER
- 3 TEXT
- 4 TEXT

`\directvspacing {...;...}`

- * inherits: \vspacing

`\dis {..}`

- * CONTENT

`\disableddelimiter`

`\disabledirectives [...;...]`

- * NAME

`\disableexperiments [...;...]`

- * NAME

`\disablefiller`

`\disablemode [...;...]`

- * NAME

`\disableoutputstream`

<code>\disableparpositions</code>
<code>\disableregime</code>
<code>\disabletrackers [...;...]</code> * NAME
<code>\displaymath {...}</code> * CONTENT
<code>\displaymathematics {...}</code> * CONTENT
<code>\displaymessage {...}</code> * TEXT
<code>\disposeluatable \...</code> * CSNAME
<code>\distributedhsize {...} {...} {...}</code> 1 DIMENSION 2 DIMENSION 3 NUMMER
<code>\dividedsize {...} {...} {...}</code> 1 DIMENSION 2 DIMENSION 3 NUMMER
<code>\dm {...}</code> * CONTENT
<code>\doadaptleftskip {...}</code> * si no standard DIMENSION
<code>\doadaptrightskip {...}</code> * si no standard DIMENSION
<code>\doaddfeature {...;...}</code> * NAME
<code>\doassign [...¹.] [...².]</code> 1 TEXT 2 KEY = VALUE
<code>\doassignempty [...¹.] [...².]</code> 1 TEXT 2 KEY = VALUE
<code>\doboundtext {...} {...} {...}</code> 1 TEXT 2 DIMENSION 3 BEFEHL
<code>\docheckassignment {...}</code> * TEXT
<code>\docheckedpair {...;...}</code> * TEXT

`\documentvariable {..}`

* KEY

`\dodoubleargument \1. [2.] [3.]`

1 CSNAME
2 TEXT
3 TEXT

`\dodoubleargumentwithset \1. [...2,...] [3.]`

1 CSNAME
2 TEXT
3 TEXT

`\dodoubleempty \1. [2.] [3.]`

1 CSNAME
2 TEXT
3 TEXT

`\dodoubleemptywithset \1. [...2,...] [3.]`

1 CSNAME
2 TEXT
3 TEXT

`\dodoublegroupempty \1. {2.} {3.}`

1 CSNAME
2 TEXT
3 TEXT

`\doeassign [1.] [2.]`

1 TEXT
2 KEY = VALUE

`\doexpandedrecurse {1.} {2.}`

1 NUMBER
2 BEFEHL

`\doexpandedrecursed {1.} {2.}`

1 NUMBER
2 BEFEHL

`\dofastloopcs {1.} \2.`

1 NUMBER
2 CSNAME

`\dogetattribute {..}`

* NAME

`\dogetattributeid {..}`

* NAME

`\dogetcommacommandelement 1. \from 2. \to \3.`

1 NUMBER
2 TEXT
3 CSNAME

`\dogobbledoubleempty [1.] [2.]`

1 TEXT
2 TEXT

`\dogobblesingleempty [1.]`

* TEXT

`\dohyphens`

`\doif {1.} {2.} {3.}`

1 CONTENT
2 CONTENT
3 TRUE

`\doifallcommon {1...;...} {2...;...} {3.}`

1 TEXT
2 TEXT
3 TRUE

`\doifallcommonelse {1...;...} {2...;...} {3.} {4.}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\doifalldefinedelse {1...;...} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifallmodes {1...;...} {2.}`

1 NAME
2 TRUE

`\doifallmodeselse {1...;...} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifallundefinedelse {1...;...} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifassignmentelse {1.} {2.} {3.}`

1 TEXT
2 TRUE
3 FALSE

`\doifassignmentelsecs {1.} \2... \3...`

1 TEXT
2 CSNAME
3 CSNAME

`\doifblackelse {1.} {2.} {3.}`

1 COLOR
2 TRUE
3 FALSE

`\doifbothsides {1.} {2.} {3.}`

1 BEFEHL
2 BEFEHL
3 BEFEHL

`\doifbothsidesoverruled {1.} {2.} {3.}`

1 BEFEHL
2 BEFEHL
3 BEFEHL

```
\doifboxelse {...} {...} {...} {...}
```

```
1 NAME  
2 NAME  
3 TRUE  
4 FALSE
```

```
\doifbufferelse {...} {...} {...}
```

```
1 BUFFER  
2 TRUE  
3 FALSE
```

```
\doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...}
```

```
1 REFERENCE  
2 BEFEHL  
3 BEFEHL  
4 BEFEHL  
5 BEFEHL  
6 BEFEHL  
7 BEFEHL
```

```
\doifcolor {...} {...}
```

```
1 COLOR  
2 TRUE
```

```
\doifcolorelse {...} {...} {...}
```

```
1 COLOR  
2 TRUE  
3 FALSE
```

```
\doifcommandhandler \... {...} {...}
```

```
1 CSNAME  
2 NAME  
3 TRUE
```

```
\doifcommandhandlerelse \... {...} {...} {...}
```

```
1 CSNAME  
2 NAME  
3 TRUE  
4 FALSE
```

```
\doifcommon {...,1...} {...,2...} {...3}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifcommonelse {...,1...} {...,2...} {...3} {...4}
```

```
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifcontent {...1} {...2} {...3} \...4 {...5}
```

```
1 BEFEHL  
2 BEFEHL  
3 BEFEHL  
4 CSNAME  
5 CONTENT
```

```
\doifconversiondefinedelse {...1} {...2} {...3}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifconversionnumberelse {...} {...} {...} {...}
1 NAME
2 NUMMER
3 TRUE
4 FALSE
```

```
\doifcounter {...} {...}
1 NAME
2 TRUE
```

```
\doifcounterelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifcurrentfonthasfeatureelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifdefined {...} {...}
1 NAME
2 TRUE
```

```
\doifdefinedcounter {...} {...}
1 NAME
2 TRUE
```

```
\doifdefinedcounterelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifdefinedelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifdimensionelse {...} {...} {...}
1 TEXT
2 TRUE
3 FALSE
```

```
\doifdimenstringelse {...} {...} {...}
1 TEXT
2 TRUE
3 FALSE
```

```
\doifdocumentargument {...} {...}
1 NAME
2 TRUE
```

```
\doifdocumentargumentelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifdocumentfilename {...} {...}
1 NUMMER
2 TRUE
```

```
\doifdocumentfilenameelse {...} {...} {...}
```

- 1 NUMBER
- 2 TRUE
- 3 FALSE

```
\doifdocumentvariable {...} {...}
```

- 1 KEY
- 2 TRUE

```
\doifdocumentvariableelse {...} {...} {...}
```

- 1 KEY
- 2 TRUE
- 3 FALSE

```
\doifdrawingblackelse {...} {...}
```

- 1 TRUE
- 2 FALSE

```
\doifelse {...} {...} {...} {...}
```

- 1 CONTENT
- 2 CONTENT
- 3 TRUE
- 4 FALSE

```
\doifelseallcommon {...1,...} {...2,...} {...3} {...4}
```

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

```
\doifelsealldefined {...1,...} {...2} {...3}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifelseallmodes {...1,...} {...2} {...3}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifelseallundefined {...1,...} {...2} {...3}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifelseassignment {...1} {...2} {...3}
```

- 1 TEXT
- 2 TRUE
- 3 FALSE

```
\doifelseassignmentcs {...1} \2 \3
```

- 1 TEXT
- 2 CSNAME
- 3 CSNAME

```
\doifelseblack {...1} {...2} {...3}
```

- 1 COLOR
- 2 TRUE
- 3 FALSE

```
\doifelseblockempty {...} {...} {...} {...} {...}
1 NAME
2 NAME
3 testo ABSCHNITT
4 TRUE
5 FALSE
```

```
\doifelsebox {...} {...} {...} {...}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifelseboxincache {...} {...} {...} {...}
1 NAME
2 NUMMER TEXT
3 TRUE
4 FALSE
```

```
\doifelsebuffer {...} {...} {...}
1 BUFFER
2 TRUE
3 FALSE
```

```
\doifelsecolor {...} {...} {...}
1 COLOR
2 TRUE
3 FALSE
```

```
\doifelsecommandhandler \... {...} {...} {...}
1 CSNAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifelsecommon {...1,...} {...2,...} {...} {...}
1 TEXT
2 TEXT
3 TRUE
4 FALSE
```

```
\doifelseconversiondefined {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelseconversionnumber {...} {...} {...} {...}
1 NAME
2 NUMMER
3 TRUE
4 FALSE
```

```
\doifelsecounter {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelsecurrentfonthasfeature {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelsecurrentsortingused {...} {...}
1 TRUE
2 FALSE
```

`\doifelsecurrentsynonymshown {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelsecurrentsynonymused {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelsedefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedefinedcounter {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedimension {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsedimenstring {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsedocumentargument {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedocumentfilename {..} {..} {..}`

- 1 NUMBER
- 2 TRUE
- 3 FALSE

`\doifelsedocumentvariable {..} {..} {..}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\doifelsedrawingblack {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelseempty {..} {..} {..}`

- 1 CONTENT
- 2 TRUE
- 3 FALSE

`\doifelseemptyvalue {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseemptyvariable {..} {..} {..} {..}`

- 1 NAME
- 2 KEY
- 3 TRUE
- 4 FALSE

```
\doifelseenv {...} {...} {...}
```

```
1 KEY  
2 TRUE  
3 FALSE
```

```
\doifelsefastoptionalcheck {...} {...}
```

```
1 TRUE  
2 FALSE
```

```
\doifelsefastoptionalcheckcs \^1... \^2...
```

```
1 CSNAME  
2 CSNAME
```

```
\doifelsefieldbody {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsefieldcategory {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsefigure {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doifelsefile {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doifelsefiledefined {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsefileexists {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doifelsefirstchar {...} {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifelseflagged {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsefontchar {...} {...} {...} {...}
```

```
1 FONT  
2 NUMMER  
3 TRUE  
4 FALSE
```

```
\doifelsefontfeature {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

`\doifelsefontpresent {1.} {2.} {3.}`

1 FONT
2 TRUE
3 FALSE

`\doifelsefontsynonym {1.} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifelseframed \1. {2.} {3.}`

1 CSNAME
2 TRUE
3 FALSE

`\doifelsehasspace {1.} {2.} {3.}`

1 TEXT
2 TRUE
3 FALSE

`\doifelsehelp {1.} {2.}`

1 TRUE
2 FALSE

`\doifelseincsname {1.} {2.} {3.} {4.}`

1 TEXT
2 CSNAME
3 TRUE
4 FALSE

`\doifelseindented {1.} {2.}`

1 TRUE
2 FALSE

`\doifelseinelement {1.} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifelseinputfile {1.} {2.} {3.}`

1 FILE
2 TRUE
3 FALSE

`\doifelseinsertion {1.} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifelseinset {1.} {...2,...} {3.} {4.}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\doifelseinstring {1.} {2.} {3.} {4.}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\doifelseinsymbolset {..} {..} {..} {..}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifelseintoks {..} {..} {..} {..}`

1 BEFEHL
2 BEFEHL
3 TRUE
4 FALSE

`\doifelseintwopassdata {..} {..} {..} {..}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifelseitalic {..} {..}`

1 TRUE
2 FALSE

`\doifelselanguage {..} {..} {..}`

1 SPRACHE
2 TRUE
3 FALSE

`\doifelselayerdata {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelselayoutdefined {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelselayoutsomeline {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelselayouttextline {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelseleapyear {..} {..} {..}`

1 NUMMER
2 TRUE
3 FALSE

`\doifselist {..} {..} {..}`

1 LISTE
2 TRUE
3 FALSE

`\doifselocation {..} {..}`

1 TRUE
2 FALSE

`\doifselocfile {..} {..} {..}`

1 FILE
2 TRUE
3 FALSE

`\doifelseMPgraphic {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsemainfloatbody {..} {..}`

1 TRUE
2 FALSE

`\doifelsemarkedcontent {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsemarkedpage {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsemarking {..} {..} {..}`

1 BESCHRIFTUNG
2 TRUE
3 FALSE

`\doifelsemessage {..} {..} {..} {..}`

1 NAME
2 NAME NUMMER
3 TRUE
4 FALSE

`\doifelsemode {...,1...} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsenextbgroup {..} {..}`

1 TRUE
2 FALSE

`\doifelsenextbgroupcs \1... \2...`

1 CSNAME
2 CSNAME

`\doifelsenextchar {..} {..} {..}`

1 CHARACTER
2 TRUE
3 FALSE

`\doifelsenextoptional {..} {..}`

1 TRUE
2 FALSE

`\doifelsenextoptionalcs \1... \2...`

1 CSNAME
2 CSNAME

`\doifelsenextparenthesis {..} {..}`

1 TRUE
2 FALSE

`\doifelsenonzeropositive {..} {..} {..}`

1 NUMMER
2 TRUE
3 FALSE

`\doifelseonsamepage {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsenothing {..} {..} {..}`

1 TEXT
2 TRUE
3 FALSE

`\doifelsenumber {..} {..} {..}`

1 TEXT
2 TRUE
3 FALSE

`\doifelseobjectfound {..} {..} {..} {..}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifelseobjectreferencefound {..} {..} {..} {..}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifelseoddpagel {..} {..}`

1 BEFEHL
2 BEFEHL

`\doifelseoddpagelfloat {..} {..}`

1 TRUE
2 FALSE

`\doifelseoldercontext {..} {..} {..}`

1 NUMMER
2 TRUE
3 FALSE

`\doifelseolderversion {..} {..} {..} {..}`

1 NUMMER
2 NUMMER
3 TRUE
4 FALSE

`\doifelseorientation {..} {..} {..}`

1 normale up down sinistra destra cima fondo NAME
2 TRUE
3 FALSE

`\doifelseoverlapping {..} {..} {..} {..}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifelseoverlay {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

```
\doifelseparallel {...} {...2,...} {...} {...4}  
1 NAME  
2 NAME tutti  
3 TRUE  
4 FALSE
```

```
\doifelseparentfile {...} {...2} {...3}  
1 FILE  
2 TRUE  
3 FALSE
```

```
\doifelseparwrapper {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsepath {...} {...2} {...3}  
1 PATH  
2 TRUE  
3 FALSE
```

```
\doifelsepathexists {...} {...2} {...3}  
1 PATH  
2 TRUE  
3 FALSE
```

```
\doifelsepatterns {...} {...2} {...3}  
1 SPRACHE  
2 TRUE  
3 FALSE
```

```
\doifelseposition {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsepositionaction {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsepositiononpage {...} {...2} {...3} {...4}  
1 NAME  
2 NUMMER  
3 TRUE  
4 FALSE
```

```
\doifelsepositionsonsamepage {...1,...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsepositionsonthispage {...1,...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelsepositionsused {...} {...2}  
1 TRUE  
2 FALSE
```

```
\doifelserreferencefound {...} {...2} {...3}  
1 REFERENCE  
2 TRUE  
3 FALSE
```

\doifelserightpage {...} {...}

1 TRUE
2 FALSE

\doifelserightpagefloat {...} {...}

1 TRUE
2 FALSE

\doifelserighttoleftinbox .. {...} {...}

1 CSNAME NUMBER
2 TRUE
3 FALSE

\doifelsesamelinereference {...} {...} {...}

1 REFERENCE
2 TRUE
3 FALSE

\doifelsesamestring {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsesetups {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsesimilartokens {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsesomebackground {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsesomespace {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelsesomething {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelsesometoks \... {...} {...}

1 CSNAME
2 TRUE
3 FALSE

\doifelsestringinstring {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsestructurelisthasnumber {...} {...}

1 TRUE
2 FALSE

`\doifelsestructurelisthaspage {..} {..}`

1 TRUE
2 FALSE

`\doifelsesymboldefined {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsesymbolset {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsetext {..} {..} {..}`

1 TEXT
2 TRUE
3 FALSE

`\doifsetextflow {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifsetextflowcollector {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifsettopofpage {..} {..}`

1 TRUE
2 FALSE

`\doifsettypingfile {..} {..} {..}`

1 FILE
2 TRUE
3 FALSE

`\doifelseundefined {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelseurldefined {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsevalue {..} {..} {..} {..}`

1 NAME
2 TEXT
3 TRUE
4 FALSE

`\doifelsevaluenothing {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifelsevariable {..} {..} {..} {..}`

1 NAME
2 KEY
3 TRUE
4 FALSE

```
\doifempty {...} {...}
```

```
1 CONTENT  
2 TRUE
```

```
\doifemptyelse {...} {...} {...}
```

```
1 CONTENT  
2 TRUE  
3 FALSE
```

```
\doifemptytoks \^1... {...}
```

```
1 CSNAME  
2 TRUE
```

```
\doifemptyvalue {...} {...}
```

```
1 NAME  
2 TRUE
```

```
\doifemptyvalueelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifemptyvariable {...} {...} {...}
```

```
1 NAME  
2 KEY  
3 TRUE
```

```
\doifemptyvariableelse {...} {...} {...} {...}
```

```
1 NAME  
2 KEY  
3 TRUE  
4 FALSE
```

```
\doifenv {...} {...}
```

```
1 KEY  
2 TRUE
```

```
\doifenvelse {...} {...} {...}
```

```
1 KEY  
2 TRUE  
3 FALSE
```

```
\doiffastoptionalcheckcseelse \^1... \^2...
```

```
1 CSNAME  
2 CSNAME
```

```
\doiffastoptionalcheckelse {...} {...}
```

```
1 TRUE  
2 FALSE
```

```
\doiffieldbodyelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiffieldcategoryelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiffigureelse {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doiffile {...} {...}
```

```
1 FILE  
2 TRUE
```

```
\doiffiledefinedelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiffileelse {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doiffileexistselse {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doiffirstcharelse {...} {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifflaggedelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiffontcharelse {...} {...} {...} {...}
```

```
1 FONT  
2 NUMMER  
3 TRUE  
4 FALSE
```

```
\doiffontfeatureelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiffontpresentelse {...} {...} {...}
```

```
1 FONT  
2 TRUE  
3 FALSE
```

```
\doiffontsynonymelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifhasspaceelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doifhelpelse {...} {...}
```

```
1 TRUE  
2 FALSE
```

```
\doifincsnameelse {...} {...} {...} {...}
```

```
1 TEXT  
2 CSNAME  
3 TRUE  
4 FALSE
```



```
\doifinelementelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifinputfileelse {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\doifinsertionelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifinset {...} {...2,...} {...}
1 TEXT
2 TEXT
3 TRUE
```

```
\doifinsetelse {...} {...2,...} {...} {...4}
1 TEXT
2 TEXT
3 TRUE
4 FALSE
```

```
\doifinstring {...} {...} {...}
1 TEXT
2 TEXT
3 TRUE
```

```
\doifinstringelse {...} {...} {...} {...4}
1 TEXT
2 TEXT
3 TRUE
4 FALSE
```

```
\doifinsymbolset {...} {...} {...} {...4}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifinsymbolsetelse {...} {...} {...} {...4}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifintokselse {...} {...} {...} {...4}
1 BEFEHL
2 BEFEHL
3 TRUE
4 FALSE
```

```
\doifintwopassdataelse {...} {...} {...} {...4}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifitalicelse {...} {...}
1 TRUE
2 FALSE
```

```
\doiflanguageelse {...} {...} {...}
```

- 1 SPRACHE
- 2 TRUE
- 3 FALSE

```
\doiflayerdataelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiflayoutdefinedelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiflayoutsomelineelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiflayouttextlineelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifleapyeareelse {...} {...} {...}
```

- 1 NUMMER
- 2 TRUE
- 3 FALSE

```
\doiflistelse {...} {...} {...}
```

- 1 LISTE
- 2 TRUE
- 3 FALSE

```
\doiflocationelse {...} {...}
```

- 1 TRUE
- 2 FALSE

```
\doiflocfileelse {...} {...} {...}
```

- 1 FILE
- 2 TRUE
- 3 FALSE

```
\doifMPgraphicelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifmainfloatbodyelse {...} {...}
```

- 1 TRUE
- 2 FALSE

```
\doifmarkedpage {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifmarkingelse {...} {...} {...}
```

- 1 BESCHRIFTUNG
- 2 TRUE
- 3 FALSE

`\doifmessageelse {...1} {...2} {...3} {...4}`

1 NAME
2 NAME NUMBER
3 TRUE
4 FALSE

`\doifmode {...1,...} {...2}`

1 NAME
2 TRUE

`\doifmodeelse {...1,...} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifnextbgroupcselect \1... \2...`

1 CSNAME
2 CSNAME

`\doifnextbgroupelse {...1} {...2}`

1 TRUE
2 FALSE

`\doifnextchareselect {...1} {...2} {...3}`

1 CHARACTER
2 TRUE
3 FALSE

`\doifnextoptionalcselect \1... \2...`

1 CSNAME
2 CSNAME

`\doifnextoptionaleselect {...1} {...2}`

1 TRUE
2 FALSE

`\doifnextparenthesiselect {...1} {...2}`

1 TRUE
2 FALSE

`\doifnonzeropositiveelse {...1} {...2} {...3}`

1 NUMBER
2 TRUE
3 FALSE

`\doifnot {...1} {...2} {...3}`

1 CONTENT
2 CONTENT
3 TRUE

`\doifnotallcommon {...1,...} {...2,...} {...3}`

1 TEXT
2 TEXT
3 TRUE

`\doifnotallmodes {...1,...} {...2}`

1 NAME
2 TRUE

`\doifnotanchorbox {...1} {...2}`

1 NAME
2 TRUE

```
\doifnotcommandhandler \.^1. {.^2.} {.^3.}
```

```
1 CSNAME  
2 NAME  
3 TRUE
```

```
\doifnotcommon {...^1,...} {...^2,...} {...^3.}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifnotcounter {.^1.} {.^2.}
```

```
1 NAME  
2 TRUE
```

```
\doifnotdocumentargument {.^1.} {.^2.}
```

```
1 NAME  
2 TRUE
```

```
\doifnotdocumentfilename {.^1.} {.^2.}
```

```
1 NUMBER  
2 TRUE
```

```
\doifnotdocumentvariable {.^1.} {.^2.}
```

```
1 KEY  
2 TRUE
```

```
\doifnotempty {.^1.} {.^2.}
```

```
1 CONTENT  
2 TRUE
```

```
\doifnotemptyvalue {.^1.} {.^2.}
```

```
1 NAME  
2 TRUE
```

```
\doifnotemptyvariable {.^1.} {.^2.} {.^3.}
```

```
1 NAME  
2 KEY  
3 TRUE
```

```
\doifnotenv {.^1.} {.^2.}
```

```
1 KEY  
2 TRUE
```

```
\doifnoteonsamepageelse {.^1.} {.^2.} {.^3.}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifnotescollected {.^1.} {.^2.}
```

```
1 NAME  
2 TRUE
```

```
\doifnotfile {.^1.} {.^2.}
```

```
1 FILE  
2 TRUE
```

```
\doifnotflagged {.^1.} {.^2.}
```

```
1 NAME  
2 TRUE
```

```
\doifnothing {.^1.} {.^2.}
```

```
1 TEXT  
2 TRUE
```

```
\doifnothingelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doifnotinset {...} {...2,...} {...3}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifnotinfloat {...}
```

```
* TRUE
```

```
\doifnotinstring {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifnotmode {...1,...} {...2}
```

```
1 NAME  
2 TRUE
```

```
\doifnotnumber {...} {...}
```

```
1 TEXT  
2 TRUE
```

```
\doifnotsamestring {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifnotsetups {...} {...}
```

```
1 NAME  
2 TRUE
```

```
\doifnotvalue {...} {...} {...}
```

```
1 NAME  
2 TEXT  
3 TRUE
```

```
\doifnotvariable {...} {...} {...}
```

```
1 NAME  
2 KEY  
3 TRUE
```

```
\doifnumber {...} {...}
```

```
1 TEXT  
2 TRUE
```

```
\doifnumberelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doifobjectfoundelse {...} {...} {...} {...}
```

```
1 NAME  
2 NAME  
3 TRUE  
4 FALSE
```

`\doifobjectreferencefoundelse {...} {...} {...} {...}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifoddpagelse {...} {...}`

1 BEFEHL
2 BEFEHL

`\doifoddpagefloatelse {...} {...}`

1 TRUE
2 FALSE

`\doifoldercontextelse {...} {...} {...}`

1 NUMBER
2 TRUE
3 FALSE

`\doifolderversionelse {...} {...} {...} {...}`

1 NUMBER
2 NUMBER
3 TRUE
4 FALSE

`\doifoutervmode {...}`

* CONTENT

`\doifoverlappingelse {...} {...} {...} {...}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifoverlayelse {...} {...} {...}`

1 NAME
2 TRUE
3 FALSE

`\doifparallelelse {...} {...2,...} {...} {...}`

1 NAME
2 NAME tutti
3 TRUE
4 FALSE

`\doifparentfileelse {...} {...} {...}`

1 FILE
2 TRUE
3 FALSE

`\doifpathelse {...} {...} {...}`

1 PATH
2 TRUE
3 FALSE

`\doifpathexistselse {...} {...} {...}`

1 PATH
2 TRUE
3 FALSE

`\doifpatternselse {...} {...} {...}`

1 SPRACHE
2 TRUE
3 FALSE

`\doifposition {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositionaction {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositionactionelse {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositionelse {..} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositiononpageelse {..} {..} {..} {..}`

1 NAME
2 NUMMER
3 TRUE
4 FALSE

`\doifpositionsonsamepageelse {...,1...} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositionsonthispageelse {...,1...} {..} {..}`

1 NAME
2 TRUE
3 FALSE

`\doifpositionsusedelse {..} {..}`

1 TRUE
2 FALSE

`\doifreferencefoundelse {..} {..} {..}`

1 REFERENCE
2 TRUE
3 FALSE

`\doifrightpageelse {..} {..}`

1 TRUE
2 FALSE

`\doifrightpagefloatelse {..} {..}`

1 TRUE
2 FALSE

`\doifrighttopleftinboxedelse .. {..} {..}`

1 CSNAME NUMBER
2 TRUE
3 FALSE

`\doifsamelinereferenceelse {..} {..} {..}`

1 REFERENCE
2 TRUE
3 FALSE

```
\doifsamestring {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE
```

```
\doifsamestringelse {...} {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifsetups {...} {...}
```

```
1 NAME  
2 TRUE
```

```
\doifsetupselse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifsomebackground {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifsomebackgroundelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifsomespaceelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doifsomething {...} {...}
```

```
1 TEXT  
2 TRUE
```

```
\doifsomethingelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doifsometoks \... {...}
```

```
1 CSNAME  
2 TRUE
```

```
\doifsometokselse \... {...} {...}
```

```
1 CSNAME  
2 TRUE  
3 FALSE
```

```
\doifstringinstringelse {...} {...} {...} {...}
```

```
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifstructurelisthasnumberelse {...} {...}
```

```
1 TRUE  
2 FALSE
```



```
\doifstructurelisthaspageelse {...} {...}
```

```
1 TRUE  
2 FALSE
```

```
\doifsymboldefinedelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifsymbolsetelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiftext {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doiftextelse {...} {...} {...}
```

```
1 TEXT  
2 TRUE  
3 FALSE
```

```
\doiftextflowcollectorelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiftextflowelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doiftopofpageelse {...} {...}
```

```
1 TRUE  
2 FALSE
```

```
\doiftypingfileelse {...} {...} {...}
```

```
1 FILE  
2 TRUE  
3 FALSE
```

```
\doifundefined {...} {...}
```

```
1 NAME  
2 TRUE
```

```
\doifundefinedcounter {...} {...}
```

```
1 NAME  
2 TRUE
```

```
\doifundefinedelse {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifunknownfontfeature {...} {...} {...}
```

```
1 NAME  
2 TRUE  
3 FALSE
```

`\doifurldefinedelse {1.} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifvalue {1.} {2.} {3.}`

1 NAME
2 TEXT
3 TRUE

`\doifvalueelse {1.} {2.} {3.} {4.}`

1 NAME
2 TEXT
3 TRUE
4 FALSE

`\doifvaluenothing {1.} {2.}`

1 NAME
2 TRUE

`\doifvaluenothingelse {1.} {2.} {3.}`

1 NAME
2 TRUE
3 FALSE

`\doifvaluesomething {1.} {2.}`

1 NAME
2 TRUE

`\doifvariable {1.} {2.} {3.}`

1 NAME
2 KEY
3 TRUE

`\doifvariableelse {1.} {2.} {3.} {4.}`

1 NAME
2 KEY
3 TRUE
4 FALSE

`\doindentation`

`\dollar`

`\doloop {*.}`

* BEFEHL

`\doloopoverlist {...1,...} {2.}`

1 TEXT
2 BEFEHL

`\donothing`

`\dontconvertfont`

`\dontleavehmode`

`\dontpermitspacesbetweengroups`

`\dopositionaction {*.}`

* NAME

`\doprocesslocalsetups {...,*...}`

* NAME

`\doquadrupleargument \1... [2...] [3...] [4...] [5...]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT

`\doquadrupleempty \1... [2...] [3...] [4...] [5...]`

1 CSNAME OPT OPT OPT OPT
2 TEXT
3 TEXT
4 TEXT
5 TEXT

`\doquadruplegroupempty \1... {2...} {3...} {4...} {5...}`

1 CSNAME OPT OPT OPT OPT
2 TEXT
3 TEXT
4 TEXT
5 TEXT

`\doquintupleargument \1... [2...] [3...] [4...] [5...] [6...]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\doquintupleempty \1... [2...] [3...] [4...] [5...] [6...]`

1 CSNAME OPT OPT OPT OPT OPT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\doquintuplegroupempty \1... {2...} {3...} {4...} {5...} {6...}`

1 CSNAME OPT OPT OPT OPT OPT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\dorechecknextindentation`

`\dorecurse {1...} {2...}`

1 NUMBER
2 BEFEHL

`\dorepeatwithcommand [1...] \2...`

1 TEXT NUMMER*TEXT
2 CSNAME

`\doreplacefeature {...,*...}`

* NAME

`\doresetandaddfeature {...,*...}`

* NAME

`\doresetattribute {...}`

* NAME

`\dorotatebox {...} \^{.2} {...}`

1 NUMMER
2 CSNAME
3 CONTENT

`\dosetattribute {...} {...}`

1 NAME
2 NUMMER

`\dosetleftskipadaption {...}`

* si no standard DIMENSION

`\dosetrighskipadaption {...}`

* si no standard DIMENSION

`\dosetupcheckedinterlinespace {...,*...}`

* inherits: \impostainterlinea

`\dosetupcheckedinterlinespace {...,*...}`

* attivo disattivo reimposta auto piccolo medio grande NUMMER DIMENSION

`\dosetupcheckedinterlinespace {...}`

* NAME

`\doseventupleargument \^{.1} [...] [...] [...] [...] [...] [...] [...] [...]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT
7 TEXT
8 TEXT

`\doseventupleempty \^{.1} [...] [...] [...] [...] [...] [...] [...] [...]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT
7 TEXT
8 TEXT

`\dosingleargument \^{.1} [...]`

1 CSNAME
2 TEXT

`\dosingleempty \^{.1} [...]`

1 CSNAME
2 TEXT

`\dosinglegroupempty \^{.1} [...]`

1 CSNAME
2 TEXT

`\dosixtupleargument \1... [2...] [3] [4] [5] [6] [7]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT
7 TEXT

`\dosixtupleempty \1... [2] [3] [4] [5] [6] [7]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT
7 TEXT

`\dosomebreak *...`

* CSNAME

`\dostarttagged {...} {...} ... \dostoptagged`

1 NAME
2 NAME

`\dostepwiserecurse {...} {...} {...} {...}`

1 NUMBER
2 NUMBER
3 [-+]NUMBER
4 BEFEHL

`\dosubtractfeature {...,*...}`

* NAME

`\dotfill`

`\dotfskip {...}`

* DIMENSION

`\dotoks *...`

* CSNAME

`\dotripleargument \1... [2] [3] [4]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT

`\dotripleargumentwithset \1... [...,2...] [3] [4]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT

`\dotripleempty \1... [2] [3] [4]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT

`\dotripleemptywithset \1... [...,2...] [3] [4]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT

```
\dotriplegroupempty \1... {2...} {3...} {4...}
1 CSNAME OPT OPT OPT
2 TEXT
3 TEXT
4 TEXT
```

```
\doublebond
```

```
\dowith {1...;...} {2...}
1 BEFEHL
2 BEFEHL
```

```
\dowithnextbox {1...} \2... {3...}
1 BEFEHL
2 CSNAME
3 CONTENT
```

```
\dowithnextboxcontent {1...} {2...} \3... {4...}
1 BEFEHL
2 BEFEHL
3 CSNAME
4 CONTENT
```

```
\dowithnextboxcontentcs \1... \2... \3... {4...}
1 CSNAME
2 CSNAME
3 CSNAME
4 CONTENT
```

```
\dowithnextboxcs \1... \2... {3...}
1 CSNAME
2 CSNAME
3 CONTENT
```

```
\dowithpargument \*...
* CSNAME
```

```
\dowithrange {1...;...} \2...
1 NUMBER NUMBER:NUMBER
2 CSNAME
```

```
\dowithwargument \*...
* CSNAME
```

```
\dpofstring {*...}
* TEXT
```

```
\dummydigit
```

```
\dummyparameter {*...}
* KEY
```

```
\ETEX
```

```
\EveryLine {*...}
* BEFEHL
```

```
\EveryPar {*...}
* BEFEHL
```

<pre>\edefconvertedargument \^1. {..} 1 CSNAME 2 TEXT</pre>
<pre>\efcmxheight {...} * NAME</pre>
<pre>\efcmxwidth {...} * NAME</pre>
<pre>\efcminheight {...} * NAME</pre>
<pre>\efcminwidth {...} * NAME</pre>
<pre>\efcparameter {...} {...} 1 NAME 2 KEY</pre>
<pre>\effect [...] {...} 1 NAME 2 CONTENT</pre>
<pre>\elaborablocchi [...,¹...] [...,²...] [...,³...,...] 1 NAME 2 NAME 3 criterio = testo ABSCHNITT</pre>
<pre>\elapsedseconds</pre>
<pre>\elapsedsteptime</pre>
<pre>\elapsedtime</pre>
<pre>\elementi [...,¹...,...] {...} 1 inherits: \impostadeelementi 2 TEXT</pre>
<pre>\elemento [...,[*]...] * REFERENCE OPT</pre>
<pre>\em</pre>
<pre>\emphasisboldface</pre>
<pre>\emphasistypeface</pre>
<pre>\emptylines [...] * NUMMER OPT</pre>
<pre>\emspace</pre>
<pre>\enableasciimode</pre>
<pre>\enabledelimitter</pre>

<pre>\enabledirectives [...;...]</pre> <p>* NAME</p>
<pre>\enableexperiments [...;...]</pre> <p>* NAME</p>
<pre>\enablefiller</pre>
<pre>\enablemode [...;...]</pre> <p>* NAME</p>
<pre>\enableoutputstream [...]</pre> <p>* NAME</p>
<pre>\enableparpositions</pre>
<pre>\enableregime [...]</pre> <p>* cp1250 cp1251 cp1252 cp1253 cp1254 cp1255 cp1256 cp1257 cp1258 8859-1 8859-2 8859-3 8859-4 8859-9 8859-10 8859-13 8859-14 8859-15 8859-16 utf windows-1250 windows-1251 windows-1252 windows-1253 windows-1254 windows-1255 windows-1256 windows-1257 windows-1258 il1 il2 il3 il4 il5 il6 il7 il8 il9 il10 iso-8859-1 iso-8859-2 iso-8859-3 iso-8859-4 iso-8859-9 iso-8859-10 iso-8859-13 iso-8859-14 iso-8859-15 iso-8859-16 latin1 latin2 latin3 latin4 latin5 latin6 latin7 latin8 latin9 latin10 utf-8 utf8 windows</p>
<pre>\enabletrackers [...;...]</pre> <p>* NAME</p>
<pre>\enskip</pre>
<pre>\enspace</pre>
<pre>\ENUMERAZIONE [...¹;...] {...²} ...³ \par</pre> <p>1 REFERENCE OPT OPT</p> <p>2 TEXT</p> <p>3 CONTENT</p>
<pre>\env {...}</pre> <p>* KEY</p>
<pre>\envvar {...} {...}</pre> <p>1 KEY</p> <p>2 BEFEHL</p>
<pre>\epos {...}</pre> <p>* NAME</p>
<pre>\equaldigits {...}</pre> <p>* TEXT</p>
<pre>\eTeX</pre>
<pre>\ETICHETTA [...¹;...] {...²}</pre> <p>1 REFERENCE OPT OPT</p> <p>2 TEXT</p>
<pre>\everydefineCOMANDO</pre>
<pre>\everypresetCOMANDO</pre>

`\everysetupCOMANDO`

`\everysetupCOMANDOroot`

`\everyswitchCOMANDO`

`\executeifdefined {1.} {2.}`

- 1 NAME
- 2 BEFEHL

`\exitloop`

`\exitloopnow`

`\expandcheckedcsname \1. {2.} {3.}`

- 1 CSNAME
- 2 KEY
- 3 TEXT

`\expanded {*.}`

- * CONTENT

`\expandeddoif {1.} {2.} {3.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE

`\expandeddoifelse {1.} {2.} {3.} {4.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE
- 4 FALSE

`\expandeddoifnot {1.} {2.} {3.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE

`\expandfontsynonym \1. {2.}`

- 1 CSNAME
- 2 NAME

`\expdoif {1.} {2.} {3.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE

`\expdoifcommonelse {...1,...} {...2,...} {3.} {4.}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\expdoifelse {1.} {2.} {3.} {4.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE
- 4 FALSE

```
\expdoifelsecommon {...1,...} {...2,...} {...3} {...4}  
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\expdoifelseinset {...1} {...2,...} {...3} {...4}  
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\expdoifinsetelse {...1} {...2,...} {...3} {...4}  
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\expdoifnot {...1} {...2} {...3}  
1 CONTENT  
2 CONTENT  
3 TRUE
```

```
\externalfigurecollectionmaxheight {...}  
* NAME
```

```
\externalfigurecollectionmaxwidth {...}  
* NAME
```

```
\externalfigurecollectionminheight {...}  
* NAME
```

```
\externalfigurecollectionminwidth {...}  
* NAME
```

```
\externalfigurecollectionparameter {...1} {...2}  
1 NAME  
2 KEY
```

```
\F {...}  
* + - = * NUMBER
```

```
\fakebox ...  
* CSNAME NUMBER
```

```
\fakeleftdelimiter
```

```
\fakerrightdelimiter
```

```
\fastdecrement \...  
* CSNAME
```

```
\fastincrement \...  
* CSNAME
```

```
\fastlocalframed [...1] [...2,...2,...] {...3}  
1 NAME  
2 inherits: \impostaincorniciato  
3 CONTENT
```

```
\fastloopfinal
```

<code>\fastloopindex</code>
<code>\fastscale {¹..} {²..}</code> 1 NUMBER 2 CONTENT
<code>\fastsetup {[*]..}</code> * NAME
<code>\fastsetupwithargument {¹..} {²..}</code> 1 NAME 2 CONTENT
<code>\fastsetupwithargumentswapped {¹..} {²..}</code> 1 CONTENT 2 NAME
<code>\fastswitchtobodyfont {[*]..}</code> * x xx piccolo grande script scriptscript
<code>\fastsxsy {¹..} {²..} {³..}</code> 1 NUMBER 2 NUMBER 3 CONTENT
<code>\feature [¹..] [...²,...]</code> 1 + - = ! > < more less nuovo reimposta implicito old locale 2 NAME
<code>\feature {¹..} {...²,...}</code> 1 + - = ! > < more less nuovo reimposta implicito old locale 2 NAME
<code>\fenced [¹..] [...,²...²,...] {³..}</code> 1 cases sesac tekcarb paren ^{off} thesis bracket brace bar doublebar triplebar angle doubleangle solidus ceiling floor moustache uppercorner lowercorner group openbracket nothing mirroredparenthesis mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner mirroredlowercorner mirroredgroup mirroredopenbracket mirrorednothing interval openinterval closedinterval leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval integerinterval abs innerproduct integerpart norm set sequence tuple NAME 2 inherits: \setupmathfences 3 CONTENT
<code>\fenced [¹..] [...,²...²,...] {³..} {⁴..}</code> 1 tupanddownarrows tupdown ^{off} rows tdownuparrows tuparrow tdownarrow NAME 2 inherits: \setupmathfences 3 CONTENT 4 CONTENT
<code>\FENCE [...,¹...¹,...] {²..}</code> 1 inherits: \setup ^{off} mathfences 2 CONTENT instances: parenthesis bracket brace ceiling floor interval openinterval closedinterval leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval integerinterval
<code>\FENCE [...,¹...¹,...] {²..} {³..}</code> 1 inherits: \setup ^{off} mathfences 2 CONTENT 3 CONTENT

<pre> \brace [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \bracket [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \ceiling [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \closedinterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \floor [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \integerinterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \interval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \leftopeninterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \openinterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \parenthesis [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \rightopeninterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \varleftopeninterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \varopeninterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \varrightopeninterval [...,\frac{1}{2}...] {...} 1 inherits: \setupmathfences^{OPT} 2 CONTENT </pre>
<pre> \fetchallmarkings [...¹] [...²] 1 BESCHRIFTUNG 2 pagina NAME NUMMER </pre>

<pre> \fetchallmarks [...] * BESCHRIFTUNG </pre>
<pre> \fetchmark [...] [...] 1 BESCHRIFTUNG OPT 2 primo ultimo corrente precedente successivo cima fondo implicito entrambi tutti first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck </pre>
<pre> \fetchmarking [...] [...] [...] 1 BESCHRIFTUNG 2 pagina NAME NUMMER 3 primo ultimo corrente precedente successivo cima fondo implicito entrambi tutti first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck </pre>
<pre> \fetchonemark [...] [...] 1 BESCHRIFTUNG OPT 2 primo ultimo corrente precedente successivo cima fondo implicito entrambi tutti first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck </pre>
<pre> \fetchonemarking [...] [...] [...] 1 BESCHRIFTUNG 2 pagina NAME NUMMER 3 primo ultimo corrente precedente successivo cima fondo implicito entrambi tutti first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck </pre>
<pre> \fetchruntinecommand \^1.. {...} 1 CSNAME 2 FILE </pre>
<pre> \fetchtwomarkings [...] [...] 1 BESCHRIFTUNG 2 pagina NAME NUMMER </pre>
<pre> \fetchtwomarks [...] * BESCHRIFTUNG </pre>
<pre> \fieldbody [...] [...] 1 NAME OPT 2 inherits: \setupfieldbody </pre>
<pre> \fifthoffivearguments {...} {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT </pre>
<pre> \fifthofsixarguments {...} {...} {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT </pre>
<pre> \figuraesterna [...] [...] [...] 1 FILE OPT OPT 2 NAME 3 inherits: \setupexternalfigure </pre>
<pre> \figurefilename </pre>
<pre> \figurefilepath </pre>

<code>\figurefiletype</code>
<code>\figurefullname</code>
<code>\figureheight</code>
<code>\figurenaturalheight</code>
<code>\figurenaturalwidth</code>
<code>\figuresymbol [...] [...,..²...,...]</code> 1 FILE NAME OPT 2 inherits: \figuraesterna
<code>\figurewidth</code>
<code>\filename {*.}</code> * FILE
<code>\filledhboxb ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxc ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxg ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxk ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxm ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxr ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filledhboxy ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\filler [...]</code> * sim simbolo linea ampiezza spazio NAME
<code>\fillupto [¹...] {²...}</code> 1 sim simbolo linea ampiezza spazio NAME 2 TEXT

```
\filterfromnext {...} {...} {...} {...} {...} {...} {...}
1 NUMBER
2 NUMBER
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
7 CONTENT
```

```
\filterfromvalue {...} {...} {...}
1 NAME
2 NUMBER
3 NUMBER
```

```
\filterlist {...} {...}
1 NODE
2 LPATH
```

```
\filterpages [...1] [...2,...] [...3,...3,...]
1 FILE
2 pari dispari NUMBER NUMBER:NUMBER
3 ampiezza = DIMENSION
n = NUMBER
category = NAME
alternativa = a b implicito pagina
```

```
\filterreference {...}
* implicito testo titolo numero pagina realpage
```

```
\findtwopassdata {...} {...}
1 NAME
2 NAME
```

```
\finishregisterentry [...1] [...2,...2,...] [...3,...3,...]
1 NAME
2 etichetta = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
alternativa = TEXT
3 KEY = VALUE
```

```
\firstcharacter
```

```
\firstcounter [...1] [...2]
1 NAME
2 NUMBER
```

```
\firstcountervalue [...]
* NAME
```

```
\firstinlist [...,*...]
* BEFEHL
```

```
\firstoffivearguments {...} {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
```

```
\firstoffourarguments {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
4 TEXT
```

\firstofoneargument {...}

* TEXT

\firstofoneunexpanded {...}

* TEXT

\firstofsixarguments {...} {...} {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

\firstofthreearguments {...} {...} {...}

1 TEXT
2 TEXT
3 TEXT

\firstofthreeunexpanded {...} {...} {...}

1 TEXT
2 TEXT
3 TEXT

\firstoftwoarguments {...} {...}

1 TEXT
2 TEXT

\firstoftwounexpanded {...} {...}

1 TEXT
2 TEXT

\firstrealpage

\firstrealpagenumber

\firstsubcountervalue [...¹...] [...²...]

1 NAME
2 NUMMER

\firstsubpagenumber

\firstuserpage

\firstuserpagenumber

\fitfieldframed [...¹...] {...²...}

1 inherits: \impostaincorni@ffato
2 CONTENT

\fittopbaselinegrid {...}

* CONTENT

\flag {...}

* NAME

\floatuserdataparameter {...}

* KEY

<pre>\flushallmarginblocks [...] * DIMENSION OPT</pre>
<pre>\flushbox {.^} {.^} 1 NAME 2 NAME</pre>
<pre>\flushboxregister ^.. * CSNAME NUMBER</pre>
<pre>\flushcollector [...] * NAME</pre>
<pre>\flushedrightlastline</pre>
<pre>\flushinitial</pre>
<pre>\flushlayer [...] * NAME</pre>
<pre>\flushlocalfloats</pre>
<pre>\flushnextbox</pre>
<pre>\flushnotes</pre>
<pre>\flushoutputstream [...] * NAME</pre>
<pre>\flushpageblocks [...*...] * NAME</pre>
<pre>\flushshapebox</pre>
<pre>\flushsidefloats</pre>
<pre>\flushsidefloatsafterpar</pre>
<pre>\flushtextflow {.^} * NAME</pre>
<pre>\flushtokens [...] * NAME</pre>
<pre>\flushtoks \.^.. * CSNAME</pre>
<pre>\fontalternative</pre>
<pre>\fontbody</pre>
<pre>\fontchar {.^} * NAME</pre>

<pre>\fontcharbyindex {...} * NUMMER</pre>
<pre>\fontclass</pre>
<pre>\fontclassname {...} {...} 1 NAME 2 FONT</pre>
<pre>\fontface</pre>
<pre>\fontfeaturelist [...] [...] 1 NAME 2 TEXT</pre>
<pre>\fontsize</pre>
<pre>\fontstyle</pre>
<pre>\forcecharacterstripping</pre>
<pre>\forcelocalfloats</pre>
<pre>\forgeteverypar</pre>
<pre>\forgetinitial</pre>
<pre>\forgetparagraphfreezing</pre>
<pre>\forgetparameters [...] [...,..<u>2</u>...,...] 1 TEXT 2 KEY = VALUE</pre>
<pre>\forgetparskip</pre>
<pre>\forgetparwrapper</pre>
<pre>\forgetragged</pre>
<pre>\forgetsidfloats</pre>
<pre>\formula [...¹,...] {...} 1 impaccato tight^{FT}centro profondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION 2 CONTENT</pre>
<pre>\foundbox {...} {...} 1 NAME 2 NAME</pre>
<pre>\fourthoffivearguments {...} {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT</pre>

`\fourthoffourarguments {1.} {2.} {3.} {4.}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT

`\fourthofsixarguments {1.} {2.} {3.} {4.} {5.} {6.}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\frameddimension {*.}`

* KEY

`\framedparameter {*.}`

* KEY

`\FRACTION [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

instances: `xfrac xxfrac frac tfrac sfrac dfrac binom dbinom tbinom cfrac splitfrac
splitdfrac vfrac relfraction bartext leftarrowtext rightarrowtext twoheadleftarrowtext
twoheadrightarrowtext reltext equaltext mapstotext hookleftarrowtext hookrightarrowtext
leftharpoondowntext leftharpoonuptext rightharpoondowntext rightharpoonuptext
rightoverleftarrowtext leftrightharpoonstext rightharpoonstext triplerelefttext
leftrightarrowtext rightharpoonstext Leftarrowtext Rightarrowtext Leftrightarrowtext
Rightharpoonstext`

`\bartext [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\binom [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\cfrac [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\dbinom [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\dfrac [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\equaltext [...1...] {2.} {3.}`

1 inherits: `\setupOPmathfractions`
2 CONTENT
3 CONTENT

`\frac [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\hookleftarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\hookrightarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\Leftarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\Leftrightarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\leftarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\leftharpoondowntext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\leftharpoonuptext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\leftrightharpoonostext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\leftrightharpoonostext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\mapstotext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\rightarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\Rrightarrowtext [...,\dots^{\frac{1}{2}}...] {...} {...}`

1 inherits: `\setupmathfractionsOPT`
2 CONTENT
3 CONTENT

`\relfraction [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\reltext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightarrowtext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightharpoondowntext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightharpoonuptext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightleftarrowtext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightleftharpoonostext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\rightoverleftarrowtext [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\sfrac [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\splitdfraction [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\splitfrac [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\tbinom [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\tfrac [...,\frac{1}{...}] {...} {...}`

1 inherits: \setupmathfractions^{OPT}
2 CONTENT
3 CONTENT

`\triplereltext [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions
2 CONTENT
3 CONTENT

`\twoheadleftarrowtext [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions ^{OPT}
2 CONTENT
3 CONTENT

`\twoheadrightarrowtext [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions ^{OPT}
2 CONTENT
3 CONTENT

`\vfrac [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions
2 CONTENT
3 CONTENT

`\xfrac [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions ^{OPT}
2 CONTENT
3 CONTENT

`\xxfrac [...,\dots1,...] {...} {...}`

1 inherits: \setupmathfractions
2 CONTENT
3 CONTENT

`\freezedimenmacro \1 \2`

1 CSNAME
2 CSNAME

`\freezemeasure [1] [2]`

1 NAME
2 DIMENSION

`\freezeparagraphproperties`

`\frenchspacing`

`\fromlinenote [1] {...}`

1 REFERENCE
2 TEXT

`\frozenhbox {...}`

* CONTENT

`\frule ...*... \relax`

* width_{DIMENSION} height_{DIMENSION} depth_{DIMENSION} radius_{DIMENSION} line_{DIMENSION} type_{TEXT} data_{TEXT} name_{TEXT}
radius_{DIMENSION} corner_{TEXT}

`\fsp {...}`

* CHARACTER

`\GetPar`

`\GIORNOSETTIMANA {...}`

* NUMBER

<code>\GotoPar</code>
<code>\Greeknumerals {...}</code> * NUMBER
<code>\gdefconvertedargument \¹... {²...}</code> 1 CSNAME 2 TEXT
<code>\gdefconvertedcommand \¹... \²...</code> 1 CSNAME 2 CSNAME
<code>\getboxfromcache {¹...} {²...} ³...</code> 1 NAME 2 NUMBER TEXT 3 CSNAME NUMBER
<code>\getboxllx [*]...</code> * CSNAME NUMBER
<code>\getboxlly [*]...</code> * CSNAME NUMBER
<code>\getbufferdata [...]</code> * BUFFER OPT
<code>\getcommacommandsize [...,[*]...]</code> * BEFEHL
<code>\getcommalistsize [...,[*]...]</code> * BEFEHL
<code>\getdatavalue {...}</code> * NAME
<code>\getdayoftheweek {¹...} {²...} {³...}</code> 1 NUMBER 2 NUMBER 3 NUMBER
<code>\getdayspermonth {¹...} {²...}</code> 1 NUMBER 2 NUMBER
<code>\getdefinedbuffer [...]</code> * BUFFER
<code>\getdocumentargument {...}</code> * NAME
<code>\getdocumentargumentdefault {¹...} {²...}</code> 1 NAME 2 TEXT
<code>\getdocumentfilename {...}</code> * NUMBER

<pre> \getdummyparameters [...,.*,...] * KEY = VALUE </pre>
<pre> \getemptyparameters [...] [...,.*,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \geteparameters [...] [...,.*,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getexpandedparameters [...] [...,.*,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getfiguredimensions [...] [...,.*,...] 1 FILE <small>OPT</small> 2 inherits: \setupexternalfigure </pre>
<pre> \getfirstcharacter {...} * TEXT </pre>
<pre> \getfirsttwopassdata {...} * NAME </pre>
<pre> \getfromcommacommand [...,.*] [...] 1 BEFEHL 2 NUMMER </pre>
<pre> \getfromcommalist [...,.*] [...] 1 BEFEHL 2 NUMMER </pre>
<pre> \getfromluatable \.* {...} 1 CSNAME 2 KEY NUMBER </pre>
<pre> \getfrontwopassdata {...} {...} 1 NAME 2 NAME </pre>
<pre> \getglyphdirect {...} {...} 1 FONT 2 NUMMER CHARACTER </pre>
<pre> \getglyphstyled {...} {...} 1 FONT 2 NUMMER CHARACTER </pre>
<pre> \getgparameters [...] [...,.*,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getinlineuserdata </pre>
<pre> \getlasttwopassdata {...} * NAME </pre>
<pre> \getlocalfloat {...} * NUMMER </pre>

<code>\getlocalfloats</code>
<code>\getMPdrawing</code>
<code>\getMPlayer [..] [..,..²..,..] {...}</code> 1 NAME <small>OPT</small> 2 inherits: \impostaincorniciato 3 CONTENT
<code>\getmessage {...} {...}</code> 1 NAME 2 NAME NUMBER
<code>\getnamedglyphdirect {...} {...}</code> 1 FONT 2 NAME
<code>\getnamedglyphstyled {...} {...}</code> 1 FONT 2 NAME
<code>\getnamedtwopassdatalist \¹... {...}</code> 1 CSNAME 2 NAME
<code>\getnaturaldimensions ...</code> * CSNAME NUMBER
<code>\getnoflines {...}</code> * DIMENSION
<code>\getobject {...} {...}</code> 1 NAME 2 NAME
<code>\getobjectdimensions {...} {...}</code> 1 NAME 2 NAME
<code>\getpaletsizesize [..]</code> * NAME
<code>\getparameters [..] [..,..²..,..]</code> 1 TEXT 2 KEY = VALUE
<code>\getparwrapper {...}</code> * NAME
<code>\getprivatechar {...}</code> * NAME
<code>\getprivateslot {...}</code> * NAME
<code>\getrandomcount \¹... {...} {...}</code> 1 CSNAME 2 NUMBER 3 NUMBER

\getrandomdimen \¹... {²...} {³...}

1 CSNAME
2 DIMENSION
3 DIMENSION

\getrandomfloat \¹... {²...} {³...}

1 CSNAME
2 NUMBER
3 NUMBER

\getrandomnumber \¹... {²...} {³...}

1 CSNAME
2 NUMBER
3 NUMBER

\getrandomseed *...

* CSNAME

\getraweparameters [¹...] [...,²...]

1 TEXT
2 KEY = VALUE

\getrawgparameters [¹...] [...,²...]

1 TEXT
2 KEY = VALUE

\getrawnoflines {*...}

* DIMENSION

\getrawparameters [¹...] [...,²...]

1 TEXT
2 KEY = VALUE

\getrawxparameters [¹...] [...,²...]

1 TEXT
2 KEY = VALUE

\getreference [¹...] [²...]

1 implicito testo titolo numero pagina realpage
2 REFERENCE

\getreferenceentry {*...}

* implicito testo titolo numero pagina realpage

\getroundednoflines {*...}

* DIMENSION

\getshapetext

\getsubstring {¹...} {²...} {³...}

1 NUMBER
2 NUMBER
3 TEXT

\gettokenlist [*...]

* NAME

\gettwopassdata {*...}

* NAME

<pre>\gettwopassdatalist {...} * NAME</pre>
<pre>\getuserdata</pre>
<pre>\getuvalue {...} * NAME</pre>
<pre>\getvalue {...} * NAME</pre>
<pre>\getvariable {...} {...} 1 NAME 2 KEY</pre>
<pre>\getvariabledefault {...} {...} {...} 1 NAME 2 KEY 3 BEFEHL</pre>
<pre>\getxparameters [...] [..., ...²..., ...] 1 TEXT 2 KEY = VALUE</pre>
<pre>\giornosettimana {...} * NUMMER</pre>
<pre>\globaldisablemode [...;...] * NAME</pre>
<pre>\globalenablemode [...;...] * NAME</pre>
<pre>\globalletempty *... * CSNAME</pre>
<pre>\globalpopbox ... * CSNAME NUMMER</pre>
<pre>\globalpopmacro *... * CSNAME</pre>
<pre>\globalpreventmode [...;...] * NAME</pre>
<pre>\globalprocesscommalist [...] *... 1 BEFEHL 2 CSNAME</pre>
<pre>\globalpushbox ... * CSNAME NUMMER</pre>
<pre>\globalpushmacro *... * CSNAME</pre>
<pre>\globalpushreferenceprefix {...} ... \globalpopreferenceprefix * + - TEXT</pre>

`\globalswapcounts \1 \2`

- 1 CSNAME
- 2 CSNAME

`\globalswapdimens \1 \2`

- 1 CSNAME
- 2 CSNAME

`\globalswapmacros \1 \2`

- 1 CSNAME
- 2 CSNAME

`\globalundefine {.*}`

- * NAME

`\glyphfontfile {.*}`

- * FONT

`\gobbledoubleempty [1] [2]`

- 1 TEXT
- 2 TEXT

`\gobbleeightarguments {1} {2} {3} {4} {5} {6} {7} {8}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT
- 8 CONTENT

`\gobblefivearguments {1} {2} {3} {4} {5}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT

`\gobblefiveoptionals [1] [2] [3] [4] [5]`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT

`\gobblefourarguments {1} {2} {3} {4}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT

`\gobblefouroptionals [1] [2] [3] [4]`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT

```
\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
7 CONTENT
8 CONTENT
9 CONTENT
```

```
\gobbleoneargument {...}
* CONTENT
```

```
\gobbleoneoptional [...]
* TEXT
```

```
\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
7 CONTENT
```

```
\gobblesingleempty [...]
* TEXT OPT
```

```
\gobblesixarguments {...} {...} {...} {...} {...} {...}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
```

```
\gobblespacetokens
```

```
\gobblenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} {...}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
7 CONTENT
8 CONTENT
9 CONTENT
10 CONTENT
```

```
\gobblethreearguments {...} {...} {...}
1 CONTENT
2 CONTENT
3 CONTENT
```

```
\gobblethreeoptionals [...] [...] [...]
1 TEXT
2 TEXT
3 TEXT
```

```
\gobbletwoarguments {...} {...}
1 CONTENT
2 CONTENT
```

<pre> \gobbletwooptionals [..] [..] 1 TEXT 2 TEXT </pre>
<pre> \gobbleuntil \.. * CSNAME </pre>
<pre> \gobbleuntilandfinalize \.. * CSNAME </pre>
<pre> \gobbleuntilrelax .. \relax * CONTENT </pre>
<pre> \grabbufferdata [..] [..] [..] [..] 1 CATEGORY OPT 2 NAME 3 NAME 4 NAME </pre>
<pre> \grabbufferdatadirect {...} {...} {...} 1 NAME 2 NAME 3 NAME </pre>
<pre> \grabuntil {...} \.. 1 NAME 2 CSNAME </pre>
<pre> \grafiamanuale </pre>
<pre> \grande .. * CHARACTER </pre>
<pre> \grassetto </pre>
<pre> \grassettocorsivo </pre>
<pre> \grassettoinclinato </pre>
<pre> \grayvalue {...} * COLOR </pre>
<pre> \greedysplitstring .. \at .. \to \.. \and \.. 1 TEXT 2 TEXT 3 CSNAME 4 CSNAME </pre>
<pre> \greeknumerals {...} * NUMBER </pre>
<pre> \griglia [..,..*..,..] * inherits: \baseg^{PT}d </pre>
<pre> \grossofontdeltesto </pre>
<pre> \groupedcommand {...} {...} 1 BEFEHL 2 BEFEHL </pre>

<pre> \groupedcommandcs \¹... \²... 1 CSNAME 2 CSNAME </pre>
<pre> \gsetboxllx ¹... {²...} 1 CSNAME NUMBER 2 DIMENSION </pre>
<pre> \gsetboxlly ¹... {²...} 1 CSNAME NUMBER 2 DIMENSION </pre>
<pre> \gjaratinumerals {[*]...} * NUMBER </pre>
<pre> \gurmurkhinumerals {[*]...} * NUMBER </pre>
<pre> \hairspace </pre>
<pre> \halflinestrut </pre>
<pre> \halfstrut </pre>
<pre> \halfwaybox {[*]...} * CONTENT </pre>
<pre> \handletokens ¹... \with \²... 1 TEXT 2 CSNAME </pre>
<pre> \hash </pre>
<pre> \hboxofvbox [*]... * CSNAME NUMBER </pre>
<pre> \hboxreference [...¹...]² {²...} 1 REFERENCE 2 CONTENT </pre>
<pre> \hboxBOX {[*]...} * CONTENT </pre>
<pre> \hdofstring {[*]...} * TEXT </pre>
<pre> \headhbox ¹... {²...} 1 TEXT <small>OPT</small> 2 CONTENT </pre>
<pre> \headnumbercontent </pre>
<pre> \headnumberdistance </pre>
<pre> \headnumberwidth </pre>
<pre> \headreferenceattributes </pre>

<code>\headsetupspacing</code>
<code>\headtextcontent</code>
<code>\headtextdistance</code>
<code>\headtextwidth</code>
<code>\headvbox</code> ¹ ... ² {...} 1 TEXT OPT 2 CONTENT
<code>\headwidth</code>
<code>\hebrewnumerals</code> {...} * NUMBER
<code>\heightanddepthofstring</code> {...} * TEXT
<code>\heightofstring</code> {...} * TEXT
<code>\heightspanningtext</code> ¹ {...} ² {...} ³ {...} 1 TEXT 2 DIMENSION 3 FONT
<code>\HELP</code> [¹ ...] ² {...} ³ {...} 1 REFERENCE 2 TEXT 3 TEXT instances: helptext
<code>\helptext</code> [¹ ...] ² {...} ³ {...} 1 REFERENCE OPT 2 TEXT 3 TEXT
<code>\hexnumber</code> {...} * NUMBER
<code>\hexstringtonumber</code> {...} * NUMBER
<code>\hglue</code> ... * DIMENSION
<code>\hiddencitation</code> [...] * REFERENCE
<code>\hiddencite</code> [...] * REFERENCE
<code>\highlight</code> [¹ ...] ² {...} 1 NAME 2 TEXT

<p><code>\HIGHLIGHT {...}</code> * TEXT</p>
<p><code>\highordinalstr {...}</code> * TEXT</p>
<p><code>\hilo [.¹.] {.².} {.³.}</code> 1 sinistra^{OPT}destra 2 CONTENT 3 CONTENT</p>
<p><code>\himilo {.¹.} {.².} {.³.}</code> 1 CONTENT 2 CONTENT 3 CONTENT</p>
<p><code>\hl [.[*].]</code> * NUMMER^T</p>
<p><code>\horizontalgrowingbar [...,[*]...,...]</code> * inherits: \setuppositionbar</p>
<p><code>\horizontalpositionbar [...,[*]...,...]</code> * inherits: \setuppositionbar</p>
<p><code>\hpackbox</code></p>
<p><code>\hpackedbox</code></p>
<p><code>\hphantom {...}</code> * CONTENT</p>
<p><code>\hpos {.¹.} {.².}</code> 1 NAME 2 CONTENT</p>
<p><code>\hsizefraction {.¹.} {.².}</code> 1 DIMENSION 2 NUMBER</p>
<p><code>\hsmash {...}</code> * CONTENT</p>
<p><code>\hsmashbox ...</code> * CSNAME NUMBER</p>
<p><code>\hsmashed {...}</code> * CONTENT</p>
<p><code>\hspace [.¹.] [.².]</code> 1 NAME OPT OPT 2 piccolo medio grande normale implicito nessuno .5 1 2 3 speech menzione interquotation citazione sentence intersentence finale NAME</p>
<p><code>\htdpofstring {...}</code> * TEXT</p>
<p><code>\htofstring {...}</code> * TEXT</p>

<code>\hyphen</code>
<code>\hyphenatedcoloredword {...}</code> * TEXT
<code>\hyphenatedfile {...}</code> * FILE
<code>\hyphenatedfilename {...}</code> * TEXT
<code>\hyphenatedhbox {...}</code> * CONTENT
<code>\hyphenatedpar {...}</code> * TEXT
<code>\hyphenatedurl {...}</code> * TEXT
<code>\hyphenatedword {...}</code> * TEXT
<code>\INRSTEX</code>
<code>\ibox {...}</code> * CONTENT
<code>\idxfromluatable \¹.. \²..</code> 1 CSNAME 2 NUMMER
<code>\ifassignment \¹.. \else \².. \fi</code> 1 TRUE 2 FALSE
<code>\ifcommandhandler \¹.. {\²..}</code> 1 CSNAME 2 NAME
<code>\ifinobject \¹.. \else \².. \fi</code> 1 TRUE 2 FALSE
<code>\ifinoutputstream \¹.. \else \².. \fi</code> 1 TRUE 2 FALSE
<code>\iflua {...} \².. \else \³.. \fi</code> 1 TEXT 2 TRUE 3 FALSE
<code>\ifparameters \¹.. \else \².. \fi</code> 1 TRUE 2 FALSE

```
\iftrialetpesetting .1. \else .2. \fi
```

```
1 TRUE  
2 FALSE
```

```
\ifxml {1.} {2.} .3. \else .4. \fi
```

```
1 NODE  
2 LPATH  
3 TRUE  
4 FALSE
```

```
\ifxmlatt {1.} {2.} {3.} .4. \else .5. \fi
```

```
1 NODE  
2 NAME  
3 TEXT  
4 TRUE  
5 FALSE
```

```
\ifxmlattempty {1.} {2.} .3. \else .4. \fi
```

```
1 NODE  
2 NAME  
3 TRUE  
4 FALSE
```

```
\ifxmlempty {1.} {2.} .3. \else .4. \fi
```

```
1 NODE  
2 LPATH  
3 TRUE  
4 FALSE
```

```
\ifxmlselfempty {1.} {2.} .3. \else .4. \fi
```

```
1 NODE  
2 LPATH  
3 TRUE  
4 FALSE
```

```
\ifxmltext {1.} {2.} .3. \else .4. \fi
```

```
1 NODE  
2 LPATH  
3 TRUE  
4 FALSE
```

```
\ignoreimplicitspaces
```

```
\ignoretagsinexport [...*...]
```

```
* NAME
```

```
\ignorevalue {*.}
```

```
* NAME
```

```
\ignoto
```

```
\im {*.}
```

```
* CONTENT
```

```
\immediatesavetwopassdata {1.} {2.} {3.}
```

```
1 NAME  
2 NUMBER  
3 CONTENT
```

```
\imposta [...]
```

```
* NAME
```

`\impostaaallineamento [...,*...]`

* ampio ampio fondo altezza profondita riga alto basso pedap flushright flushleft centro si no ampiezza normale reimposta interno esterno flushinner flushouter sinistra destra center disattiva ultimo end capoverso lefttoright righttoleft l2r r2l tabella lessshyphenation morehyphenation sospeso hangingboth nonsospeso hz fullhz nohz sillabato nonsillabato collapsed notcollapsed explicit tollerante moltotollerante dilata estremestretch finale 1*final 2*final 3*final 4*final more 1*more 2*more hangleft hangright flushforward flushbackward sempre profile adatta noorphans keeporphans notwins keptwins notoddlers keptoddlers granular

`\impostaambientefontdeltesto [...1] [...2] [...,3...]`

1 NAME OPT OPT
2 implicito DIMENSION
3 inherits: \definisciambientefontdeltesto

`\impostaampiezzariga [...]`

* piccolo medio grande DIMENSION

`\impostabarrainterazione [...,1...] [...,2...]`

1 NAME OPT
2 alternativa = a b c d e f g
stato = inizia termina
comando = CSNAME
ampiezza = DIMENSION
altezza = DIMENSION max ampio
profondita = DIMENSION max
distanza = DIMENSION
passo = piccolo medio grande
coloresfondo = COLOR
stile = STYLE BEFEHL
colore = COLOR
colorecontrasto = COLOR
simbolo = si no
inherits: \impostaincorniciato

`\impostablocco [...,1...] [...,2...]`

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
alternativa = capoverso testo
interno = BEFEHL
setups = NAME
allinea = inherits: \impostaaallineamento
stile = STYLE BEFEHL
colore = COLOR

`\impostabloccosezione [...,1...] [...,2...]`

1 NAME OPT
2 pagina = inherits: \pagina
prima = BEFEHL
dopo = BEFEHL
numero = si no

`\impostabuffer [...,1...] [...,2...]`

1 BUFFER OPT
2 prima = BEFEHL
dopo = BEFEHL
strip = si no

`\impostacampi [...,1...] [...,2...] [...,3...] [...,4...]`

1 reimposta etichetta cornice orizzontale verticale OPT
2 inherits: \setupfieldtotalframed
3 inherits: \setupfieldlabelframed
4 inherits: \setupfieldcontentframed

`\impostacampo [...1] [...,2...] [...,3...] [...,4...] [...,5...]`

1 NAME OPT OPT OPT OPT
2 reimposta etichetta cornice orizzontale verticale
3 inherits: \setupfieldtotalframed
4 inherits: \setupfieldlabelframed
5 inherits: \setupfieldcontentframed

```

\impostacapoversi [...] [...] [...]
1 NAME OPT OPT
2 ogni NUMBER
3 n = NUMBER
  prima = BEFEHL
  dopo = BEFEHL
  ampiezza = DIMENSION
  distanza = DIMENSION
  altezza = DIMENSION adatta
  cima = BEFEHL
  fondo = BEFEHL
  allinea = inherits: \impostaallineamento
  interno = BEFEHL
  comando = BEFEHL
  linea = attivo disattivo
  spessorelinea = DIMENSION
  colorelinea = COLOR
  stile = STYLE BEFEHL
  colore = COLOR

```

```

\impostacapoversi [...] [...]
1 NAME NAME:NUMBER OPT
2 n = NUMBER
  prima = BEFEHL
  dopo = BEFEHL
  ampiezza = DIMENSION
  distanza = DIMENSION
  altezza = DIMENSION adatta
  cima = BEFEHL
  fondo = BEFEHL
  allinea = inherits: \impostaallineamento
  interno = BEFEHL
  comando = BEFEHL
  linea = attivo disattivo
  spessorelinea = DIMENSION
  colorelinea = COLOR
  stile = STYLE BEFEHL
  colore = COLOR

```

```

\impostacaption [...] [...]
1 NAME OPT
2 suffix = BEFEHL
  suffixseparator = BEFEHL
  suffixstopper = BEFEHL
  luogo = sinistra destra centro basso alto griglia righe sovrapponi interno esterno margineinterno
  margineesterno marginesinistro marginedestro lefthanging righthanging sospendi cima fondo
  dilata tollerante moltotollerante nessuno implicito
  comando = \...#1
  comandonumero = \...#1
  comandotesto = \...#1
  spazioprima = inherits: \rigovuoto
  spaceinbetween = inherits: \rigovuoto
  spaziodopo = inherits: \rigovuoto
  distanza = DIMENSION
  stiletesta = STYLE BEFEHL
  coloretesta = COLOR
  headseparator = TEXT
  tra = BEFEHL
  stile = STYLE BEFEHL
  colore = COLOR
  offsetcima = DIMENSION
  offsetfondo = DIMENSION
  numero = si no nessuno
  group = TEXT
  marginesinistro = DIMENSION
  marginedestro = DIMENSION
  margineinterno = DIMENSION
  margineesterno = DIMENSION
  allinea = inherits: \impostaallineamento
  ampiezza = adatta max DIMENSION
  ampiezzamin = adatta DIMENSION
  ampiezzamax = DIMENSION
  sospendi = si no
  mode = NAME
  inherits: \setupcounterinherits: \impostaincorniciato

```

`\impostacaptions [...1,...] [...2,...]`

1 NAME OPT
2 inherits: \impostacaption

`\impostacima [...1] [...2,...]`

1 testo margine bo^{OPT}
2 stato = inizia termina vuoto alto nessuno normale nomarcature NAME
stile = STYLE BEFEHL
colore = COLOR
strut = si no
n = NUMMER
prima = BEFEHL
dopo = BEFEHL
testosinistro = TEXT
testocentro = TEXT
testodestro = TEXT
stilesinistra = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stiledestra = STYLE BEFEHL
coloresinistra = COLOR
middlecolor = COLOR
coloredestra = COLOR
ampiezza = DIMENSION
ampiezzasinistra = DIMENSION
middlewidth = DIMENSION
ampiezzadestra = DIMENSION

`\impostaclipping [...*,...]`

* stato = inizia termina
ampiezza = DIMENSION
altezza = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
x = NUMMER
y = NUMMER
nx = NUMMER
ny = NUMMER
sx = NUMMER
sy = NUMMER
offsetsinistro = DIMENSION
offsetdestro = DIMENSION
offsetcima = DIMENSION
offsetfondo = DIMENSION
mp = NAME
n = NUMMER
offset = DIMENSION

`\impostacolonne [...*,...]`

* inherits: \setupmixedcolumns

`\impostacolore [...*]`

* FILE

`\impostacolori [...*,...]`

* stato = inizia termina
spot = si no
espansione = si no
fattore = si no
rgb = si no
cmyk = si no
conversione = si no sempre
pagecolormodel = auto nessuno NAME
coloretesto = COLOR
intent = overprint knockout nessuno

\impostacommento [...¹,...] [...²,...]

1 NAME OPT
2 stato = inizia termina nessuno
metodo = normale nascosto
simbolo = Comment Aiuto Insert Tasto Newparagraph Note Capoverso Default
ampiezza = adatta DIMENSION
altezza = adatta DIMENSION
profondita = adatta DIMENSION
titolo = TEXT
sottotitolo = TEXT
autore = TEXT
nx = NUMMER
ny = NUMMER
colore = COLOR
opzione = xml max
textlayer = NAME
luogo = bordosinistro bordodestro inmargine marginesinistro marginedestro testo alto nessuno
distanza = DIMENSION
spazio = si
buffer = BUFFER

\impostacommentopagina [...^{*},...]

* luogo = sinistra destra cima fondo nessuno
stato = inizia termina nessuno
offset = DIMENSION
distanza = DIMENSION
ampiezza = DIMENSION
altezza = DIMENSION

\impostadescrizioni [...¹,...] [...²,...]

1 NAME OPT
2 inherits: \setupdescription

\impostadimensionicarta [...¹,...] [...²,...]

1 NAME OPT
2 cima = BEFEHL
fondo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
metodo = normale nessuno NAME
scala = NUMMER
nx = NUMMER
ny = NUMMER
dx = DIMENSION
dy = DIMENSION
ampiezza = DIMENSION
altezza = DIMENSION
spaziocima = DIMENSION
backspace = DIMENSION
offset = DIMENSION
pagina = reimposta orizzontale riflesso negativo ruotato 90 180 270 NAME
carta = reimposta orizzontale riflesso negativo ruotato 90 180 270 NAME
opzione = adatta max
distanza = DIMENSION

\impostadimensionicarta [...¹,...] [...²,...]

1 reimposta orizzontale riflesso negativo ruotato 90 180 270 NAME
2 reimposta orizzontale riflesso negativo ruotato 90 180 270 NAME

\impostaelementi [...¹,...] [...²,...]

1 NAME OPT
2 alternativa = sinistra destra cima fondo inmargine
ampiezzatesto = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
simbolo = nessuno NAME
allinea = sinistra centro destra flushleft flushright interno esterno margine
textalign = sinistra centro destra flushleft flushright interno esterno
n = NUMMER
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL

```

\impostaelencazioni [...] [1...] [2...]
1 NAME NAME:NUMBER OPT
2 prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
primaditesta = BEFEHL
dopotesta = BEFEHL
testosinistro = BEFEHL
testodestro = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
fattore = NUMBER
passo = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
opzione = intro casuale continua impaccato autointro ampio testo prima dopo nobianco margine
inmargine al margine intesto headintext lento adatta nofit capoverso unito vicino
stopper unpacked ripeti norepeat invertito colonne sovrapponi uno due tre quattro
cinque six seven eight nine standard NUMBER*ampio NUMBER*vicino orizzontale NAME

margine = si no standard DIMENSION
marginesinistro = si no standard DIMENSION
marginedestro = si no standard DIMENSION
distanzamarginesinistro = si no standard DIMENSION
distanzamarginedestro = si no standard DIMENSION
allinea = inherits: \impostaallineamento
rientro = inherits: \impostarientro
inizia = NUMBER
symallinea = sinistra centro destra flushleft center flushright
simbolo = NAME
n = NUMBER
rientrasuccessivo = si no auto
interno = BEFEHL
comando = CSNAME
elementi = NUMBER
ampiezzamax = DIMENSION
itemalign = sinistra destra centro flushleft flushright interno esterno
alignsymbol = si no
distanzatesto = piccolo medio grande nessuno spazio DIMENSION
separatoretestto = BEFEHL
lasttextseparator = BEFEHL
mettistopper = si no schermo inline
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR
stilemarcatura = STYLE BEFEHL
coloremarcatura = COLOR
stilesimbolo = STYLE BEFEHL
coloresimbolo = COLOR
griglia = inherits: \definegridsnapping
packcriterium = NUMBER
distanzacolonne = DIMENSION
inherits: \setupcounter

```



```

\impostaelenco [...1,...] [...2,...]
1 LISTE
2 stato = inizia termina
luogo = nessuno qui
type = simple comando userdata
criterio = locale intro riferimento SECTIONBLOCK:riferimento tutti SECTIONBLOCK:tutti testo
SECTIONBLOCK:testo corrente SECTIONBLOCK:corrente qui precedente SECTIONBLOCK:precedente
componente ABSCHNITT SECTIONBLOCK:ABSCHNITT

elenco = NAME
ampiezza = adatta ampio DIMENSION
altezza = adatta ampio DIMENSION
profondita = adatta ampio DIMENSION
simbolo = uno due tre nessuno implicito
etichetta = si no nessuno NAME
starter = BEFEHL
stopper = BEFEHL
comando = \...#1#2#3
comandonumero = \...#1
comandotesto = \...#1
comandopagina = \...#1
numeropagina = si no sempre realpage
numerotesta = si no sempre
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
margine = nessuno DIMENSION
distanza = nessuno DIMENSION
allineatitolo = si no
numberalign = sinistra destra centro flushleft flushright interno esterno
allinea = inherits: \impostaaallineamento
sospendi = si no
sinistra = BEFEHL
destra = BEFEHL
interazione = si no tutti numero testo titolo pagina numerosezione numeropagina
limittext = si no TEXT
stile = STYLE BEFEHL
colore = COLOR
stilenumero = STYLE BEFEHL
colorenumero = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilepagina = STYLE BEFEHL
colorepagina = COLOR
riferimento = NUMMER
extras = NAME
order = comando tutti titolo
livelli = NUMMER
alternativa = a b c d e f g sinistra destra cima fondo comando nessuno interactive capoverso orizzontale
verticale NAME

ampiezzamax = DIMENSION
pageprefix = si no
pageprefixseparatorset = NAME
pageprefixconversionset = NAME
pageprefixset = NAME
pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente
pageprefixconnector = BEFEHL PROCESSOR->BEFEHL
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
inherits: \setupcounterinherits: \impostaincorniciato

```

```

\impostaelencocombinato [...1,...] [...2,...]
1 LISTE
2 criterio = locale intro riferimento SECTIONBLOCK:riferimento tutti SECTIONBLOCK:tutti testo SECTIONBLOCK:testo
corrente SECTIONBLOCK:corrente qui precedente SECTIONBLOCK:precedente componente ABSCHNITT SECTIONBLOCK:ABSCHNITT

riferimento = NUMMER
extras = NAME
order = comando tutti titolo
alternativa = a b c d e f g sinistra destra cima fondo comando nessuno interactive capoverso orizzontale
verticale NAME

```

```

\impostaCOMBINEDLIST [...*,...]
* inherits: \impostaelencocombinato
instances: content

```

`\impostacontent` [...,*...]

* inherits: \impostaelencocombinato

`\impostaaenumerazioni` [...,¹...] [...,²...]

1 NAME

OPT

2 inherits: \setupenumeration

`\impostafigureesterne` [...,¹...] [...,²...]

1 NAME

OPT

2 inherits: \setupeexternalfigure

`\impostafondo` [...,¹...] [...,²...]

1 testo margine bord^o

2 stato = inizia termina vuoto alto nessuno normale nomarcature NAME

stile = STYLE BEFEHL

colore = COLOR

strut = si no

n = NUMMER

prima = BEFEHL

dopo = BEFEHL

testosinistro = TEXT

testocentro = TEXT

testodestro = TEXT

stilesinistra = STYLE BEFEHL

middlestyle = STYLE BEFEHL

stiledestra = STYLE BEFEHL

coloresinistra = COLOR

middlecolor = COLOR

coloredestra = COLOR

ampiezza = DIMENSION

ampiezzasinistra = DIMENSION

middlewidth = DIMENSION

ampiezzadestra = DIMENSION

`\impostafontdeltesto` [...,*...]

* DIMENSION NAME globale reimposta x xx piccolo grande script scriptscript rm ss tt hw cg roman serif regolare sans sansserif supporto type teletype mono grafiamanuale calligrafico

`\impostaforms` [...,*...]

* metodo = XML HTML PDF

export = si no

```

\impostaformule [...,1...] [...,2...,...]
1 NAME OPT
2 luogo = sinistra destra atleftmargin atrightmargin
allinea = sinistra centro destra flushleft flushright inclinato
separa = si no riga NAME
strut = si no
numberstrut = si no sempre
sinistra = BEFEHL
destra = BEFEHL
spazioprima = nessuno inherits: \rigovuoto
spaziodopo = nessuno inherits: \rigovuoto
spaceinbetween = inherits: \impostaspaziobianco
comandonumero = \...#1
stilenumero = STYLE BEFEHL
colorenumero = COLOR
opzione = impaccato tight centro profondita riga mezzariga -riga -mezzariga cornice piccolo
DIMENSION
margine = si no standard DIMENSION
marginésinistro = si no standard DIMENSION
marginédestro = si no standard DIMENSION
distanzamargine = numero DIMENSION
distanzamarginésinistro = numero DIMENSION
rightmargidistance = numero DIMENSION
alternativa = implicito single multi NAME
rientrasuccessivo = si no auto
griglia = inherits: \snaptogrid
referenceprefix = + - TEXT
numberthreshold = DIMENSION
order = invertito
numberlocation = sovrapponi
numbermethod = down
textmargin = DIMENSION
penalties = NAME
interlinea = DIMENSION
distanzatesto = DIMENSION
splitmethod = primo ultimo entrambi
setups = NAME
snap = si no
snapstep = reimposta piccolo medio grande riga
fontttesto = inherits: \impostafontdeltesto
stile = STYLE BEFEHL
colore = COLOR
functionstyle = STYLE BEFEHL
functioncolor = COLOR
ampiezza = DIMENSION
numberdistance = DIMENSION
mathematics = NAME
inherits: \setupcounter

```

```

\impostagruppocolonne [...,1...] [...,2...,...]
1 NAME NAME:NUMBER OPT
2 n = NUMBER
nsinistra = NUMBER
ndestra = NUMBER
ampiezza = DIMENSION auto
distanza = DIMENSION
righe = NUMBER
ampiezzamax = DIMENSION
altezzamax = DIMENSION
direzione = normale invertito
pagina = inherits: \pagina
inherits: \impostaincorniciato

```

\impostaincorniciato [...¹,...] [...²,...]

1 NAME OPT
2 angolo = rettangolare rotondo NUMMER l r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr
rtl lbr rbl ltrb trbl rblt bltr
angolocornice = rettangolare rotondo NUMMER l r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr
rtl lbr rbl ltrb trbl rblt bltr
angolosfondo = rettangolare rotondo NUMMER l r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr
rtl lbr rbl ltrb trbl rblt bltr
raggio = DIMENSION
raggiocornice = DIMENSION
raggiosfondo = DIMENSION
profondita = DIMENSION
profonditacornice = DIMENSION
profonditasfondo = DIMENSION
colorecornice = COLOR
cornicecima = attivo disattivo piccolo dash NAME
cornicesfondo = attivo disattivo piccolo dash NAME
cornicesinistra = attivo disattivo piccolo dash NAME
cornicedestra = attivo disattivo piccolo dash NAME
region = si no
spessorelinea = DIMENSION
offsetcornice = DIMENSION
cornice = attivo disattivo sovrapponi piccolo dash closed nessuno
sfondo = foreground colore NAME
offsetsfondo = cornice DIMENSION
coloresfondo = COLOR
component = NAME
extras = BEFEHL
foregroundstyle = STYLE BEFEHL
coloreprimopiano = COLOR
setups = NAME
offset = implicito sovrapponi nessuno DIMENSION
ampiezza = locale adatta max ampio fisso DIMENSION
altezza = adatta max ampio DIMENSION
altezzamin = DIMENSION
allinea = inherits: \impostaallineamento
strut = si no nessuno locale globale
autostrut = si no
luogo = altezza profondita alto basso cima centro fondo riga pedap sospeso mantieni formula matematica
normale inline
autoampiezza = si no forza
righe = NUMMER
cima = BEFEHL
fondo = BEFEHL
rigovuoto = si no
profile = NAME
vuoto = si no
loffset = DIMENSION
roffset = DIMENSION
toffset = DIMENSION
boffset = DIMENSION
orientation = NUMMER
anchoring = normale up down sinistra destra cima fondo NAME
xanchor = DIMENSION
yanchor = DIMENSION
linedirection = normale invertito
dashstep = DIMENSION
synchronize = si no testo sfondo
adaptive = si delay NUMMER
freezespacing = NUMMER

\impostainiziatermina [...¹,...] [...²,...]

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
setups = NAME
sinistra = BEFEHL
destra = BEFEHL
stile = STYLE BEFEHL
colore = COLOR
arguments = si no

```

\impostainstestazione [...1.] [...2...2...]
1 testo margine bordo OPT
2 stato = inizia termina vuoto alto nessuno normale nomarcature NAME
stile = STYLE BEFEHL
colore = COLOR
strut = si no
n = NUMMER
prima = BEFEHL
dopo = BEFEHL
testosinistro = TEXT
testocentro = TEXT
testodestro = TEXT
stilesinistra = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stiledestra = STYLE BEFEHL
coloresinistra = COLOR
middlecolor = COLOR
coloredestra = COLOR
ampiezza = DIMENSION
ampiezzasinistra = DIMENSION
middlewidth = DIMENSION
ampiezzadestra = DIMENSION

```

```

\impostainterazione [...1...] [...2...2...]
1 NAME OPT
2 stato = inizia termina
stile = STYLE BEFEHL
colore = COLOR
colorecontrasto = COLOR
titolo = TEXT
sottotitolo = COLOR
autore = TEXT
data = TEXT
parolachiave = TEXT
focus = standard cornice ampiezza ampiezzamin altezza altezzamin adatta tight
menu = attivo disattivo
fieldlayer = auto NAME
calcola = REFERENCE
click = si no
display = normale nuovo
pagina = si no pagina nome auto
azioneapri = REFERENCE
azionechiudi = REFERENCE
azioneapripagina = REFERENCE
azionechiudipagina = REFERENCE
setsimboli = NAME
altezza = DIMENSION
profondita = DIMENSION
focusoffset = DIMENSION
prefisso = TEXT

```

```

\impostainterazione [...*]
* NAME OPT

```

```

\impostainterlinea [...1...] [...2...2...]
1 NAME OPT
2 riga = DIMENSION
altezza = NUMMER
profondita = NUMMER
altezzamin = NUMMER
mindepth = NUMMER
distanza = DIMENSION
cima = NUMMER altezza
fondo = NUMMER
ncima = NUMMER
dilata = NUMMER
shrink = NUMMER

```

```

\impostainterlinea [...*...]
* attivo disattivo reimpostaOPTauto piccolo medio grande NUMMER DIMENSION

```

```

\impostainterlinea [...*]
* NAME

```

```

\impostalayout [...] [...]
1 NAME OPT
2 stato = inizia termina normale ripeti
  margine = DIMENSION
  bordo = DIMENSION
  distanzamargine = DIMENSION
  distanzabordo = DIMENSION
  distanzabordosinistro = DIMENSION
  distanzabordodestro = DIMENSION
  distanzamarginesinistro = DIMENSION
  distanzamarginedestro = DIMENSION
  distanzacima = DIMENSION
  distanzaintestazione = DIMENSION
  distanzapdp = DIMENSION
  distanzafondo = DIMENSION
  preimpostato = NAME
  marginesinistro = DIMENSION
  marginedestro = DIMENSION
  bordosinistro = DIMENSION
  bordodestro = DIMENSION
  intestazione = DIMENSION
  piedipagina = DIMENSION
  cima = DIMENSION
  fondo = DIMENSION
  backspace = DIMENSION
  spaziocima = DIMENSION
  setups = NAME
  cutspace = DIMENSION
  ampiezza = DIMENSION centro adatta
  spaziofondo = DIMENSION
  righe = NUMBER
  altezza = DIMENSION centro adatta
  horoffset = DIMENSION
  veroffset = DIMENSION
  colonne = NUMBER
  distanzacolonne = DIMENSION
  metodo = implicito normale NAME
  luogo = sinistra centro destra cima fondo facciasingola doppiafaccia
  ampiezzatesto = DIMENSION
  altezzatesto = DIMENSION
  nx = NUMBER
  ny = NUMBER
  dx = DIMENSION
  dy = DIMENSION
  scala = NUMBER
  sx = NUMBER
  sy = NUMBER
  marcatura = attivo disattivo pagina vuoto colore uno due quattro
  griglia = si no disattivo
  distanzatesto = DIMENSION
  alternativa = implicito normale makeup NAME
  clipoffset = DIMENSION
  cropoffset = DIMENSION auto
  trimoffset = DIMENSION
  bleedoffset = DIMENSION
  artoffset = DIMENSION
  direzione = normale invertito
  limitstretch = si auto DIMENSION
  vz = si NUMBER
  adaptive = DIMENSION

```

```

\impostalayout [...]
* reimposta NAME

```

```

\impostalineemargine [...] [...]
1 NUMBER OPT
2 inherits: \setupmarginrule

```

`\impostalineenere` [.,.,.*.,.,.]

* ampiezza = max DIMENSION
altezza = max DIMENSION
profondita = max DIMENSION
distanza = DIMENSION
n = NUMMER
alternativa = a b
stile = STYLE BEFEHL
colore = COLOR
type = mp si no
mp = NAME
shrink = DIMENSION
dilata = DIMENSION
attivo = DIMENSION
disattivo = DIMENSION

`\impostalineeriempimento` [.,.,.*.,.,.]

* prima = BEFEHL
dopo = BEFEHL
n = NUMMER
interlinea = piccolo medio grande NUMMER
distanza = DIMENSION
ampiezza = adatta ampio DIMENSION
separatore = BEFEHL
stile = STYLE BEFEHL
colore = COLOR

`\impostalineesottili` [.,.,.*.,.,.]

* altezza = max DIMENSION
profondita = max DIMENSION
sfondo = colore
cornice = attivo disattivo
spessorelinea = DIMENSION
alternativa = a b c nessuno
coloresfondo = COLOR
colore = COLOR
interlinea = piccolo medio grande NUMMER
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
n = NUMMER
attivo = DIMENSION
disattivo = DIMENSION

`\impostalineetesto` [.,.,.*.,.,.]

* prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
spessorelinea = DIMENSION
luogo = sinistra in margine
stile = STYLE BEFEHL
colore = COLOR
colorelinea = COLOR
ampiezza = DIMENSION
altezza = DIMENSION
distanza = DIMENSION
correzioneprofondita = attivo disattivo
fonttesto = inherits: \impostafontdeltesto
attivo = DIMENSION
disattivo = DIMENSION

```

\impostalingua [...] [...]
1  SPRACHE implicito OPT
2  implicito      = SPRACHE
   stato         = inizia termina
   data          = inherits: \datadioggi
   time          = inherits: \currenttime
   patterns      = FILE
   lefthyphenmin = NUMMER
   righthyphenmin = NUMMER
   lefthyphenchar = NUMMER
   righthyphenchar = NUMMER
   setups        = NAME
   spaziatura    = ampio impaccato
   font          = auto NAME
   bidi          = sinistra destra l2r r2l
   testo         = TEXT
   limittext     = TEXT
   hyphen        = TEXT
   compoundhyphen = TEXT
   leftcompoundhyphen = TEXT
   rightcompoundhyphen = TEXT
   menzionesinistra = BEFEHL
   menzionedestra  = BEFEHL
   citazionesinistra = BEFEHL
   citazionedestra  = BEFEHL
   leftspeech       = BEFEHL
   rightspeech       = BEFEHL
   frasesinistra     = BEFEHL
   middlespeech      = BEFEHL
   frasedestra       = BEFEHL
   midsentence       = BEFEHL
   sottofrasesinistra = BEFEHL
   sottofrasedestra  = BEFEHL
   fattore           = si no

```

```

\impostamaiuscole [..., ...] [..., ...]
1  NAME OPT
2  titolo = si no
   sc     = si no
   stile  = STYLE BEFEHL

```

```

\impostamakeup [..., ...] [..., ...]
1  NAME OPT
2  pagina      = inherits: \pagina
   comando     = BEFEHL
   ampiezza    = DIMENSION
   altezza     = DIMENSION
   allinea     = inherits: \impostaallineamento
   setups      = NAME
   cima        = BEFEHL
   fondo       = BEFEHL
   prima       = BEFEHL
   dopo        = BEFEHL
   luogo       = cima
   riferimento = REFERENCE
   statopagina = inizia termina
   statointestazione = inizia termina alto vuoto nessuno normale
   statopdp    = inizia termina alto vuoto nessuno normale
   statocima   = inizia termina alto vuoto nessuno normale
   statofondo  = inizia termina alto vuoto nessuno normale
   statotesto  = inizia termina alto vuoto nessuno normale
   doppiafaccia = si no vuoto
   stile       = STYLE BEFEHL
   colore      = COLOR

```

```

\impostamarcatura [..., ...] [..., ...]
1  BESCHRIFTUNG OPT
2  stato      = inizia termina
   espansione = si no
   separatore  = BEFEHL
   filtercommand = \...#1

```


`\impostamenuinterazione [...1,...] [...2,...]`

1 NAME OPT
2 alternativa = verticale orizzontale nascosto
category = NAME
offsetsinistro = sovrapponi cornice nessuno implicito DIMENSION
offsetdestrto = sovrapponi cornice nessuno implicito DIMENSION
offsetcima = sovrapponi cornice nessuno implicito DIMENSION
offsetfondo = sovrapponi cornice nessuno implicito DIMENSION
ampiezzamax = DIMENSION
altezzamax = DIMENSION
itemalign = sinistra centro destra flushleft flushright basso alto pedap
stato = inizia vuoto locale
sinistra = BEFEHL
destra = BEFEHL
distanza = sovrapponi DIMENSION
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
posizione = si no
centro = BEFEHL
stile = STYLE BEFEHL
colore = COLOR
stessapagina = si no vuoto nessuno normale implicito
colorecontrasto = COLOR
inherits: \impostaincorniciato

`\impostamenzione [...*,...]`

* inherits: \setupdelimitedtext

`\impostanotepdp [...*,...]`

* inherits: \setupnote

`\impostanumerazionecapoversi [...*,...]`

* stato = inizia termina riga reimposta
distanza = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\impostanumerazionepagina [...*,...]`

* alternativa = facciasingola doppiafaccia
pagina = inherits: \pagina
strut = si no
comando = \...#1
sinistra = BEFEHL
destra = BEFEHL
stato = inizia termina
ampiezza = DIMENSION
luogo = intestazione piedipagina sinistra centro destra insinistra indestra margine in margine al margine
bordomargine nessuno
stile = STYLE BEFEHL
colore = COLOR

`\impostanumerazionerighe [...1,...] [...2,...]`

1 NAME OPT
2 inizia = NUMMER
passo = NUMMER
metodo = pagina primo successivo
conversione = NAME
continua = si no
luogo = testo begin end implicito sinistra destra interno esterno insinistra indestra margine in margine
distanza = DIMENSION
allinea = interno esterno flushleft flushright sinistra destra centro auto
comando = \...#1
sinistra = BEFEHL
destra = BEFEHL
margine = DIMENSION
ampiezza = margine DIMENSION
stile = STYLE BEFEHL
colore = COLOR

```

\impostanumeropagina [...,.*,..]
* viewerprefix = TEXT
  stato        = inizia termina nessuno mantieni vuoto
  inherits: \setupcounter

```

```

\impostanumerosottopagina [...,.*,..]
* inherits: \setupcounter

```

```

\impostanumerotesta [..1] [..2]
1  ABSCHNITT
2  [-+]NUMBER

```

```

\impostaoggettobilibili [...,1...] [...,2...]
1  SINGULAR
   OPT
2  inherits: \impostaoggettomobile

```

```

\impostaoggettomobile [...,1...] [...,2...]
1  SINGULAR
   OPT
2  rientrasuccessivo = si no auto
   implicito         = inherits: \placefloat
   fallback          = inherits: \placefloat
   interno           = BEFEHL
   criterio          = DIMENSION
   metodo            = NUMBER
   sidemethod        = NUMBER
   textmethod        = NUMBER
   sidealign         = altezza profondita riga mezzariga griglia normale
   griglia           = inherits: \snaptogrid
   locale            = si no
   comando           = \...#1
   availablewidth    = DIMENSION
   availableheight   = DIMENSION
   ampiezzamin       = DIMENSION
   ampiezzamax       = DIMENSION
   luogo             = sinistra destra centro flushleft flushright center max interno esterno margineinterno
                     margineesterno bordointerno bordoeserno backspace cutspace marginesinistro marginedestro
                     bordosinistro bordodestro

   distanzamarginesinistro = DIMENSION
   distanzamarginedestro  = DIMENSION
   marginesinistro        = DIMENSION
   marginedestro          = DIMENSION
   margineinterno         = DIMENSION
   margineesterno         = DIMENSION
   bottombefore           = BEFEHL
   bottomafter            = BEFEHL
   espansione             = si no xml
   referenceprefix        = + - TEXT
   xmlsetup                = NAME
   catcodes                = NAME
   freeregion              = si no
   spazioprima             = nessuno inherits: \rigovuoto
   spaziodopo              = nessuno inherits: \rigovuoto
   ampiezza                = DIMENSION
   altezza                 = DIMENSION
   offset                  = DIMENSION nessuno sovrapponi
   spaziolateraleprima    = nessuno inherits: \rigovuoto
   spaziolateraledopo     = nessuno inherits: \rigovuoto
   spacebeforeside        = nessuno inherits: \rigovuoto
   spaceafterside         = nessuno inherits: \rigovuoto
   sidethreshold          = old dimension
   margine                 = DIMENSION
   ncima                   = NUMBER
   nfondo                  = NUMBER
   passo                   = piccolo medio grande riga profondita
   nrighe                  = NUMBER
   cache                   = si no
   compress                = si no
   compressdistance        = DIMENSION
   inherits: \impostaincorniciato

```

`\impostaordinamento [...1;...] [...2...]`

1 SINGULAR OPT
2 espansione = si no xml
alternativa = primo ultimo normale NAME
successivo = BEFEHL
comando = \...#1#2#3
comandotesto = \...#1
synonymcommand = \...#1
language = implicito DIN₅₀₀₇₋₁ DIN₅₀₀₇₋₂ Duden de-DE de-CH de-AT ru-iso9 ocs-scen SPRACHE
metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
criterio = corrente precedente locale testo tutti ABSCHNITT
stile = STYLE BEFEHL
colore = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilesinonimi = STYLE BEFEHL
coloresinonimi = COLOR
prima = BEFEHL
dopo = BEFEHL

`\impostaaoutput [...]`

* implicito pdf lua json js mps nessuno vuoto

`\impostaparranging [...*...]`

* disattiva riflesso doppiafaccia negativo 90 180 270 reimposta sfondo normale 2*16 2*8 2*4 2*2 2**2 2SIDE 2TOP 2UP 2DOWN 2*4*2 2*2*4 2TOPSIDE 2*8*Z 2*6*Z 1*8 1*4 3SIDE TRYPTICHON ZFLYER-8 ZFLYER-10 ZFLYER-12 MAPFLYER-12 DOUBLEWINDOW 1*2-Conference 1*4-Conference 2*2*2 2*2*3 XY NAME

`\impostapdp [...1] [...2...]`

1 testo margine b^{OPT}do
2 stato = inizia termina vuoto alto nessuno normale nomarcature NAME
stile = STYLE BEFEHL
colore = COLOR
strut = si no
n = NUMMER
prima = BEFEHL
dopo = BEFEHL
testosinistro = TEXT
testocentro = TEXT
testodestro = TEXT
stilesinistra = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stiledestra = STYLE BEFEHL
coloresinistra = COLOR
middlecolor = COLOR
coloredestra = COLOR
ampiezza = DIMENSION
ampiezzasinistra = DIMENSION
middlewidth = DIMENSION
ampiezzadestra = DIMENSION

`\impostapiustretto [...1;...] [...2...]`

1 NAME OPT
2 sinistra = DIMENSION
centro = DIMENSION
destra = DIMENSION
implicito = [-+]sinistra [-+]centro [-+]destra NUMMER*sinistra NUMMER*centro NUMMER*destra reimposta
prima = BEFEHL
dopo = BEFEHL

\impostaposizionamento [...¹,...] [...²,...]

1 NAME OPT
2 offset = si no
unita = ex em pt in cm mm sp bp pc dd cc nc
stato = inizia sovrapponi
xoffset = DIMENSION
yoffset = DIMENSION
xstep = assoluto relativo
ystep = assoluto relativo
xscale = NUMBER
yscale = NUMBER
xfactor = NUMBER
yfactor = NUMBER
fattore = NUMBER
scala = NUMBER

\impostaposizionamentoopposti [...^{*},...]

* stato = inizia termina
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL

\impostaprogrammi [...^{*},...]

* stile = STYLE BEFEHL
colore = COLOR

\impostaregistro [...¹] [...²,...]

1 NAME NAME:NUMBER OPT
2 referencemethod = avanti
espansione = si no xml
numeroproprio = si no
xmlsetup = NAME
alternativa = a b A B
metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
compress = si no tutti impaccato testo
check = si no
criterio = locale testo corrente precedente tutti ABSCHNITT
pageprefixseparatorset = BEFEHL
pageprefixconversionset = NAME
pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
pageprefixset = NAME
pageprefixsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente
pageprefixconnector = BEFEHL
pageprefix = si no
pageseparatorset = NAME
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
pagesegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti
ampiezzamax = DIMENSION
indicatore = si no
prima = BEFEHL
dopo = BEFEHL
comando = \...#1
comandotesto = \...#1
deeptextcommand = \...#1
comandopagina = \...#1
distanza = DIMENSION
interazione = testo numeropagina
numeropagina = si no
simbolo = a n nessuno 1 2 BEFEHL
language = implicito DIN_L5007-1 DIN_L5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
stile = STYLE BEFEHL
colore = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilepagina = STYLE BEFEHL
colorepagina = COLOR
pageleft = BEFEHL
pageright = BEFEHL
n = NUMBER
bilanciamento = si no
allinea = inherits: \impostaallineamento
numberorder = numeri
pagemethod = pagina capoverso

```

\impostaregistro [...] [...] [...]
1 NAME OPT OPT
2 NUMMER
3 referencemethod = avanti
  espansione = si no xml
  numeroproprio = si no
  xmlsetup = NAME
  alternativa = a b A B
  metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
  compress = si no tutti impaccato testo
  check = si no
  criterio = locale testo corrente precedente tutti ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset = NAME
  pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:tutti corrente

  pageprefixconnector = BEFEHL
  pageprefix = si no
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter = BEFEHL PROCESSOR->BEFEHL
  pagestopper = BEFEHL PROCESSOR->BEFEHL
  pagesegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
  ampiezzamax = DIMENSION
  indicatore = si no
  prima = BEFEHL
  dopo = BEFEHL
  comando = \...#1
  comandotesto = \...#1
  deeptextcommand = \...#1
  comandopagina = \...#1
  distanza = DIMENSION
  interazione = testo numeropagina
  numeropagina = si no
  simbolo = a n nessuno 1 2 BEFEHL
  language = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
  stile = STYLE BEFEHL
  colore = COLOR
  stiletesto = STYLE BEFEHL
  coloretesto = COLOR
  stilepagina = STYLE BEFEHL
  colorepagina = COLOR
  pageleft = BEFEHL
  pageright = BEFEHL
  n = NUMMER
  bilanciamento = si no
  allinea = inherits: \impostaallineamento
  numberorder = numeri
  pagemethod = pagina capoverso

```

```

\impostaREGISTER [...,1...] [...,2...,...]
1  NUMMER                OPT
2  referencemethod      = avanti
   espansione           = si no xml
   numeroproprio        = si no
   xmlsetup              = NAME
   alternativa          = a b A B
   metodo                = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
   compress              = si no tutti impaccato testo
   check                 = si no
   criterio              = locale testo corrente precedente tutti ABSCHNITT
   pageprefixseparatorset = BEFEHL
   pageprefixconversionset = NAME
   pageprefixstarter    = BEFEHL PROCESSOR->BEFEHL
   pageprefixstopper    = BEFEHL PROCESSOR->BEFEHL
   pageprefixset        = NAME
   pageprefixsegments   = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:tutti corrente
   pageprefixconnector  = BEFEHL
   pageprefix            = si no
   pageseparatorset     = NAME
   pageconversionset    = NAME
   pagestarter          = BEFEHL PROCESSOR->BEFEHL
   pagestopper          = BEFEHL PROCESSOR->BEFEHL
   pagesegments         = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
   ampiezzamax         = DIMENSION
   indicatore           = si no
   prima                = BEFEHL
   dopo                 = BEFEHL
   comando              = \...#1
   comandotesto        = \...#1
   deeptextcommand     = \...#1
   comandopagina       = \...#1
   distanza             = DIMENSION
   interazione          = testo numeropagina
   numeropagina        = si no
   simbolo              = a n nessuno 1 2 BEFEHL
   language             = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
   stile                = STYLE BEFEHL
   colore               = COLOR
   stiletesto           = STYLE BEFEHL
   coloretesto         = COLOR
   stilepagina         = STYLE BEFEHL
   colorepagina        = COLOR
   pageleft             = BEFEHL
   pageright            = BEFEHL
   n                    = NUMMER
   bilanciamento       = si no
   allinea              = inherits: \impostaallineamento
   numberorder          = numeri
   pagemethod           = pagina capoverso

instances: index

```

`\impostaindex [...,1...] [...,2...,...]`

1 NUMMER OPT

2 referencemethod = avanti
espansione = si no xml
numeroproprio = si no
xmlsetup = NAME
alternativa = a b A B
metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
compress = si no tutti impaccato testo
check = si no
criterio = locale testo corrente precedente tutti ABSCHNITT
pageprefixseparatorset = BEFEHL
pageprefixconversionset = NAME
pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
pageprefixset = NAME
pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente
pageprefixconnector = BEFEHL
pageprefix = si no
pageseparatorset = NAME
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
pagesegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
ampiezzamax = DIMENSION
indicatore = si no
prima = BEFEHL
dopo = BEFEHL
comando = \...#1
comandotesto = \...#1
deeptextcommand = \...#1
comandopagina = \...#1
distanza = DIMENSION
interazione = testo numeropagina
numeropagina = si no
simbolo = a n nessuno 1 2 BEFEHL
language = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scen SPRACHE
stile = STYLE BEFEHL
colore = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilepagina = STYLE BEFEHL
colorepagina = COLOR
pageleft = BEFEHL
pageright = BEFEHL
n = NUMMER
bilanciamento = si no
allinea = inherits: \impostaallineamento
numberorder = numeri
pagemethod = pagina capoverso

`\impostarientro [...,*...]`

* [-+]piccolo [-+]medio ^[ET]grande nessuno no non primo successivo si sempre mai dispari pari normale reimposta
toggle DIMENSION NAME

`\impostariferimento [...,*...,...]`

* stato = inizia termina
espansione = si no xml
autofile = si no
export = si no
sinistra = BEFEHL
destra = BEFEHL
ampiezza = DIMENSION
doppiafaccia = si no
interazione = etichetta testo simbolo tutti
separatore = BEFEHL
prefisso = + - TEXT
labelalternative = inmarginestri inmarginestro inoutermargin ininnermargin inlatostri inlatodestro
inouteredge ininneredge atleftmargin atrightmargin insinistra indestra inouter ininner
inmargine inother testoinmargine NAME
labelstyle = STYLE BEFEHL
labelcolor = COLOR

`\impostarighe [...1,...] [...2,...]`

1 NAME OPT
2 opzione = impaccato
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
rientro = inherits: \impostarientro
allinea = inherits: \impostaaallineamento
spazio = si attivo disattivo fisso implicito
comando = BEFEHL
stile = STYLE BEFEHL
colore = COLOR
sinistra = BEFEHL
destra = BEFEHL
indentlist = DIMENSION *
keepetogether = capoverso

`\impostarigheriempimento [...*,...]`

* prima = BEFEHL
dopo = BEFEHL
margine = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
spessorelinea = DIMENSION
colore = COLOR

`\impostarigovuoto [...*,...]`

* inherits: \rigovuoto OPT

`\impostarotazione [...*,...]`

* luogo = adatta ampio profondita alto centro implicito normale
rotazione = sinistra destra interno esterno NUMBER
inherits: \impostaincorniciato

`\impostaschermointerazione [...*,...]`

* ampiezza = adatta max tight DIMENSION
altezza = adatta max tight DIMENSION
backspace = DIMENSION
horoffset = DIMENSION
veroffset = DIMENSION
spaziocima = DIMENSION
opzione = adatta max facciasingola doppiafaccia segnalibro auto nessuno implicito fisso orizzontale portrait
pagina carta attachment layer titolo lefttoright righttoleft nomenclature
copies = NUMBER
print = LISTE
attesa = nessuno NUMBER

`\impostasegnosillabazione [...*,...]`

* segno = normale ampio

`\impostasetsimboli [...*]`

* NAME

`\impostasfondi [...1,...] [...2,...] [...3,...]`

1 cima intestazione testo piedipagina^{OPT}Fondo
2 bordosinistro marginesinistro testo marginedestro bordodestro
3 inherits: \impostaincorniciato

`\impostasfondi [...1,...] [...2,...]`

1 carta pagina paginasinistra paginadestra testo nascosto
2 stato = inizia termina ripeti
offset = DIMENSION
profondita = DIMENSION
inherits: \impostaincorniciato

\impostasfondo [...¹,...] [...²,...]

1 NAME OPT
2 stato = inizia termina
offsetsinistro = DIMENSION
offsetdestra = DIMENSION
offsetcima = DIMENSION
offsetfondo = DIMENSION
prima = BEFEHL
dopo = BEFEHL
inherits: \impostaincorniciato

\impostasinonimi [...¹,...] [...²,...]

1 SINGULAR OPT
2 espansione = si no xml
alternativa = primo ultimo normale NAME
successivo = BEFEHL
comando = \...#1#2#3
comandotesto = \...#1
synonymcommand = \...#1
language = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scen SPRACHE
metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
criterio = corrente precedente locale testo tutti ABSCHNITT
stile = STYLE BEFEHL
colore = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilesinonimi = STYLE BEFEHL
coloresinonimi = COLOR
sinistra = BEFEHL
destra = BEFEHL
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
hyphens = si no

\impostasistema [...^{*},...]

* n = NUMMER

\impostaspaziatura [...]

* fisso impaccato ampio OPT

\impostaspaziobianco [...^{*},...]

* fisso fisso flessibile riga mezzariga quarterline nessuno piccolo medio grande implicito DIMENSION

\impostaspezzamentooggettomobile [...^{*},...]

* prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
righe = auto NUMMER
conversione = NAME

\impostastrut [...]

* si no auto cap adatta riga implicito CHARACTER

\impostatabelle [...^{*},...]

* ampiezzatesto = DIMENSION max
separa = si no ripeti auto
cornice = attivo disattivo
NL = inherits: \rigoVuoto
VL = piccolo medio grande nessuno NUMMER
HL = piccolo medio grande nessuno NUMMER
distanza = piccolo medio grande nessuno
allinea = sinistra centro destra
comandi = BEFEHL
fonttesto = inherits: \impostafontdeltesto
spessorelinea = DIMENSION
altezza = strut NUMMER
profondita = strut NUMMER
openup = DIMENSION

\impostatabulato [¹...] [²...] [³...,...]

1 NAME OPT OPT
2 NAME
3 format = TEMPLATE nessuno
prima = BEFEHL
dopo = BEFEHL
distanza = piccolo medio grande nessuno rigovuoto profondita griglia DIMENSION
rigovuoto = preferenza stessapagina max forza enable disattiva nobianco impaccato dietro sovrapponi sempre
weak strong implicito prima tra dopo fisso flessibile nessuno piccolo medio grande riga
mezzariga quarterline formula bianco altezza profondita standard NUMMER*piccolo NUMMER*medio
NUMMER*grande NUMMER*riga NUMMER*mezzariga NUMMER*quarterline NUMMER*formula NUMMER*bianco
NUMMER*altezza NUMMER*profondita category:NUMMER order:NUMMER penalty:NUMMER DIMENSION NAME
stiletesta = STYLE BEFEHL
coloretesta = COLOR
sfondo = NAME
coloresfondo = COLOR
foregroundstyle = STYLE BEFEHL
coloreprimopiano = COLOR
allinea = sinistra centro destra dimension
linea = riga normale
colorelinea = COLOR
spessorelinea = DIMENSION
fonttesto = inherits: \impostafontdeltesto
rientro = si no
separa = si no ripeti auto
unita = DIMENSION
margine = DIMENSION
interno = BEFEHL
EQ = BEFEHL
intestazione = si ripeti testo
cornice = attivo disattivo
titolo = TEXT
keptogether = si no

\impostatavolozza [...]

* NAME

`\impostatesta [...1,...] [...2,...]`

1 ABSCHNITT OPT

2 frontpartlabel = NAME
bodypartlabel = NAME
appendixlabel = NAME
backpartlabel = NAME
espansione = si no xml
catcodes = NAME
sectionresetset = NAME
sectionseparatorset = NAME
sectionconversionset = NAME
conversione = NAME
sectionstarter = BEFEHL PROCESSOR->BEFEHL
sectionstopper = BEFEHL PROCESSOR->BEFEHL
sectionset = NAME
sectionsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente

referenceprefix = + - TEXT
stile = STYLE BEFEHL
colore = COLOR
stiletesto = STYLE BEFEHL
coloretesto = COLOR
stilenumero = STYLE BEFEHL
colorenumero = COLOR
accoppiamento = ABSCHNITT
numeroproprio = si no
beforesection = BEFEHL
aftersection = BEFEHL
insidesection = BEFEHL
primaditesta = BEFEHL
dopotesta = BEFEHL
incrementanumero = si no elenco vuoto
mettitesta = si no nascosto vuoto capoverso
numero = si no
pagina = inherits: \pagina
marcatura = pagina reimposta
intestazione = inizia termina alto nessuno normale vuoto nomarcature NAME
testo = inizia termina alto nessuno normale vuoto nomarcature NAME
piedipagina = inizia termina alto nessuno normale vuoto nomarcature NAME
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
continua = si no
allineatitolo = si no oggettomobile
interlinea = NAME
interazione = elenco riferimento
internalgrid = NAME
griglia = normale standard si rigido tollerante cima fondo entrambi ampio adatta primo ultimo alto
uno basso nessuno riga strut box min max centro math math:riga math:mezzariga math:-line
math:-halfline NAME

allinea = inherits: \impostaallineamento
tolleranza = inherits: \impostatolleranza
strut = si no
sospendi = riga ampio adatta nessuno NUMBER
margine = DIMENSION
rientrasuccessivo = si no auto
alternativa = testo capoverso normale margine in margine cima centro fondo invertito testoinmargine NAME
ampiezza = DIMENSION
numberwidth = DIMENSION
ampiezzatesto = DIMENSION
distanza = DIMENSION
distanzatesto = DIMENSION
comandoprima = BEFEHL
comandodopo = BEFEHL
comando = \...#1#2
comandotesto = \...#1
deeptextcommand = \...#1
comandonumero = \...#1
deepnumbercommand = \...#1
luogo = NAME
criterio = rigido positivo tutti
hidenummer = si no
extradata = BEFEHL

`\impostateste [...1,...] [...2,...]`

1 ABSCHNITT OPT
2 inherits: \impostatesta

```

\impostatesticima [...] [...] [...] [...] [...]
1 testo margine bordo OPT OPT OPT OPT OPT
2 data numeropagina BESCHRIFTUNG TEXT BEFEHL
3 data numeropagina BESCHRIFTUNG TEXT BEFEHL
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

```

```

\impostatestifondo [...] [...] [...] [...] [...]
1 testo margine bordo OPT OPT OPT OPT OPT
2 data numeropagina BESCHRIFTUNG TEXT BEFEHL
3 data numeropagina BESCHRIFTUNG TEXT BEFEHL
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

```

```

\impostatestiincorniciati [...] [...]
1 NAME OPT
2 inherits: \setupframedtext

```

```

\impostatestiintestazioni [...] [...] [...] [...] [...]
1 testo margine bordo OPT OPT OPT OPT OPT
2 data numeropagina BESCHRIFTUNG TEXT BEFEHL
3 data numeropagina BESCHRIFTUNG TEXT BEFEHL
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

```

```

\impostatestipdp [...] [...] [...] [...] [...]
1 testo margine bordo OPT OPT OPT OPT OPT
2 data numeropagina BESCHRIFTUNG TEXT BEFEHL
3 data numeropagina BESCHRIFTUNG TEXT BEFEHL
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

```

```

\impostatesto [...] [...]
1 testo margine bordo OPT
2 stato = inizia termina vuoto alto nessuno normale nomarcature NAME
   stile = STYLE BEFEHL
   colore = COLOR
   strut = si no
   n = NUMMER
   prima = BEFEHL
   dopo = BEFEHL
   testosinistro = TEXT
   testocentro = TEXT
   testodestro = TEXT
   stilesinistra = STYLE BEFEHL
   middlestyle = STYLE BEFEHL
   stiledestra = STYLE BEFEHL
   coloresinistra = COLOR
   middlecolor = COLOR
   coloredestra = COLOR
   ampiezza = DIMENSION
   ampiezzasinistra = DIMENSION
   middlewidth = DIMENSION
   ampiezzadestra = DIMENSION

```

```

\impostalABELtesto [...] [...]
1 SPRACHE OPT
2 KEY = VALUE
instances: head label mathlabel taglabel unit operator prefix suffix btxlabel

```

```

\impostabtxlabeltesto [...] [...]
1 SPRACHE OPT
2 KEY = VALUE

```

```

\impostaheadtesto [...] [...]
1 SPRACHE OPT
2 KEY = VALUE

```

`\impostalabeltesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostamathlabeltesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostaoperatortestto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostaprefixtesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostasuffixtesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostataglabeltesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostaunittesto` [¹...] [²...,...]

1 SPRACHE OPT
2 KEY = VALUE

`\impostatestotesti` [¹...] [²...] [³...] [⁴...] [⁵...]

1 testo margine bordo OPT OPT OPT OPT OPT
2 data numeropagina BESCHRIFTUNG TEXT BEFEHL
3 data numeropagina BESCHRIFTUNG TEXT BEFEHL
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

`\impostatolleranza` [...*...]

* orizzontale verticale moltorigido rigido tollerante moltotollerante spazio dilata

`\impostatransizionepagina` [...*...]

* reimposta auto inizia casuale NUMBER

`\impostatype` [...¹;...] [...²...,...]

1 NAME OPT
2 opzione = mp lua xml parsed-xml nested tex context nessuno NAME
comando = CSNAME
sinistra = BEFEHL
destra = BEFEHL
tab = si no NUMBER
compact = assoluto ultimo tutti
escape = si no TEXT PROCESSOR->TEXT
stile = STYLE BEFEHL
colore = COLOR
righe = si no normale sillabato
spazio = attivo disattivo normale fisso dilata
setups = NAME

```

\impostatyping [...1,...] [...2,...]
1 NAME OPT
2 marginedispari = DIMENSION
  marginepari = DIMENSION
  margine = si no standard DIMENSION
  opzione = mp lua xml parsed-xml nested tex context nessuno NAME
  stile = STYLE BEFEHL
  colore = COLOR
  allinea = inherits: \impostaallineamento
  righe = si no normale sillabato
  spazio = attivo disattivo normale fisso dilata
  keeptogether = si no capoverso
  prima = BEFEHL
  dopo = BEFEHL
  strip = si no NUMBER
  range = NUMBER NAME
  tab = si no NUMBER
  capoverso = si no
  escape = si no TEXT PROCESSOR->TEXT
  rientrasuccessivo = si no auto
  continua = si no
  inizia = NUMBER
  termina = NUMBER
  passo = NUMBER
  numerazione = file riga no
  rigovuoto = inherits: \rigovuoto
  fonttesto = inherits: \impostafontdeltesto

```

```

\impostaur1 [...*,...]
* stile = STYLE BEFEHL
  colore = COLOR

```

```

\imposta {...}
* NAME

```

```

\in {...1} {...2} [...3]
1 TEXT OPT OPT
2 TEXT
3 REFERENCE

```

```

\inclinato

```

```

\inclinatograssetto

```

```

\includemenu [...]
* NAME

```

```

\includesvgbuffer [...1] [...2,...]
1 BUFFER OPT
2 offset = DIMENSION

```

```

\includesvgfile [...1] [...2,...]
1 FILE OPT
2 offset = DIMENSION

```

```

\includeversioninfo {...}
* NAME

```

```

\incorniciato [...1,...] {...2}
1 inherits: \impostaincorniciato
2 CONTENT

```

```

\FRAMED [...1,...] {...2}
1 inherits: \impostaincorniciato
2 CONTENT
instances: unframed fitfieldframed

```

<pre> \fitfieldframed [...¹...¹...] {...²} 1 inherits: \impostaincorni^{OPT}ato 2 CONTENT </pre>
<pre> \unframed [...¹...¹...] {...²} 1 inherits: \impostaincorni^{OPT}ato 2 CONTENT </pre>
<pre> \incrementa \... * CSNAME </pre>
<pre> \incrementa (...[*]...) * CSNAME NUMBER </pre>
<pre> \incrementcounter [...¹] [...²] 1 NAME 2 NUMBER </pre>
<pre> \incrementedcounter [...] * NAME </pre>
<pre> \incrementpagenumber </pre>
<pre> \incrementsubpagenumber </pre>
<pre> \incrementvalue {...} * NAME </pre>
<pre> \indentation </pre>
<pre> \infofont </pre>
<pre> \infofontbold </pre>
<pre> \inheritedCOMANDOincorniciato {...} * CONTENT </pre>
<pre> \inheritedCOMANDOframedbox {...¹} ...² 1 TEXT 2 CSNAME NUMBER </pre>
<pre> \inheritparameter [...¹] [...²] [...³] 1 TEXT 2 TEXT 3 KEY </pre>
<pre> \inhibitblank </pre>
<pre> \initializeboxstack {...} * NAME </pre>
<pre> \inizia [...] ... \termina * NAME </pre>
<pre> \inizialignment [...[*]...] ... \terminaalignment * inherits: \impostaallineamento </pre>

<code>\iniziaallineacentro ... \terminaallineacentro</code>
<code>\iniziaallineadestra ... \terminaallineadestra</code>
<code>\iniziaallineasinistra ... \terminaallineasinistra</code>
<code>\iniziaallmodes [...,*...] ... \terminaallmodes</code> * NAME
<code>\iniziaalternate [...,*...] ... \terminaalternate</code> * testo = TEXT
<code>\iniziaambiente [...] ... \terminaambiente</code> * FILE *
<code>\iniziaambientebloccosezione [...] ... \terminaambientebloccosezione</code> * NAME
<code>\iniziaambiente ... \terminaambiente</code> * FILE *
<code>\iniziaasciimode ... \terminaasciimode</code>
<code>\iniziaATTACHMENT [¹...] [...,²...] ... \terminaATTACHMENT</code> 1 NAME OPT OPT 2 inherits: \setupattachment instances: attachment
<code>\iniziaattachment [¹...] [...,²...] ... \terminaattachment</code> 1 NAME OPT OPT 2 inherits: \setupattachment
<code>\iniziabar [...] ... \terminabar</code> * NAME
<code>\iniziabbordermatrix ... \terminabbordermatrix</code>
<code>\iniziabitmapimage [...,*...] ... \terminabitmapimage</code> * colore = rgb cmyk grigio ampiezza = DIMENSION altezza = DIMENSION x = NUMBER y = NUMBER
<code>\iniziabordermatrix ... \terminabordermatrix</code>
<code>\iniziaboxanchoring [...] ... \terminaboxanchoring</code> * + NAME
<code>\iniziaboxexport [...,*...] ... \terminaboxexport</code> * inherits: \setupboxexport OPT
<code>\iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions</code> * NAME
<code>\iniziabuffer [...] ... \terminabuffer</code> * NAME OPT


```
\iniziaBUFFER ... \terminaBUFFER
instances: hiding
```

```
\iniziahiding ... \terminahiding
```

```
\iniziacapoverso [...] [...] ... \terminacapoverso
1 NAME OPT OPT
2 inherits: \setupparagraph
```

```
\iniziaSECTION [...] [...] ... \terminaSECTION
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE
instances: part chapter section subsection subsubsection subsubsubsection
subsubsubsubsection title subject subsubject subsubsubject subsubsubsubject
subsubsubsubsubject
```

```
\iniziachapter [...] [...] ... \terminachapter
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE
```

```
\iniziapart [...] [...] ... \terminapart
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE
```

```
\iniziasection [...] [...] ... \terminasection
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE
```

```
\iniziasubject [...] [...] ... \terminasubject
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE
```

```

\iniziasubsection [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsection
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubject [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsubject
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubsection [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsubsection
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubsubject [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsubsubject
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubsubsection [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsubsubsection
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubsubsubject [...,\u00b1,...] [...,\u00b2,...] ... \terminasubsubsubsubject
1  titolo          = TEXT          OPT          OPT
   segnalibro     = TEXT
   marcatura      = TEXT
   elenco         = TEXT
   riferimento    = REFERENCE
   referencetext  = TEXT
   numeroproprio = TEXT
   placeholder    = TEXT
2  KEY = VALUE

```

```

\iniziasubsubsubsection [...,\frac{1}{2}...,...] [...,\frac{2}{2}...,...] ... \terminasubsubsubsection
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE

```

```

\iniziasubsubsubsubject [...,\frac{1}{2}...,...] [...,\frac{2}{2}...,...] ... \terminasubsubsubsubject
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE

```

```

\iniziatile [...,\frac{1}{2}...,...] [...,\frac{2}{2}...,...] ... \terminatile
1 titolo = TEXTOPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
2 KEY = VALUE

```

```

\iniziaticodetable \.* ... \terminaticodetable
* CSNAME

```

```

\iniziacentraligned ... \terminacentraligned

```

```

\iniziacharacteralign [...,\frac{*}{2}...,...] ... \terminacharacteralign
* inherits: \setupcharacteralign

```

```

\iniziacharacteralign [...] ... \terminacharacteralign
* TEXT number->TEXT text->TEXTOPT

```

```

\iniziacheckedfences ... \terminacheckedfences

```

```

\iniziachemical [...,\frac{1}{2}...,...] [...,\frac{2}{2}...,...] ... \terminachemical
1 NAME OPT OPT
2 inherits: \setupchemical

```

```

\iniziacodatabella [...] ... \terminacodatabella
* NAME

```

```

\iniziacodatabulato [...] ... \terminacodatabulato
* NAME OPT

```

```

\iniziacollect ... \terminacollect

```

```

\iniziacollecting ... \terminacollecting

```

```

\iniziacolore [...] ... \terminacolore
* COLOR

```

```
\iniziacolorintent [...] ... \terminacolorintent
* knockout overprint nessuno
```

```
\iniziacoloronly [...] ... \terminacoloronly
* COLOR
```

```
\iniziacolorset [...] ... \terminacolorset
* NAME
```

```
\iniziacolumnset [1...] [...,2...2...] ... \terminacolumnset
1 NAME OPT OPT
2 inherits: \impostagruppocolonne
```

```
\iniziacolumnsetspan [1...] [...,2...2...] ... \terminacolumnsetspan
1 NAME OPT
2 c = NUMBER
r = NUMBER
metodo = tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
opzione = nessuno ampio
```

```
\iniziacOLUMNSET [...,*...*...] ... \terminacOLUMNSET
* inherits: \impostagruppocolonne
```

```
\iniziacombination [1...] [...,2...2...] ... \terminacombination
1 NAME OPT OPT
2 inherits: \setupcombination
```

```
\iniziacombination [1...] [2...] ... \terminacombination
1 NAME OPT OPT
2 N*M
```

```
\iniziacommentopagina ... \terminacommentopagina
```

```
\iniziacomment [1...] [...,2...2...] ... \terminacomment
1 TEXT OPT OPT
2 inherits: \impostacommento
instances: comment
```

```
\iniziacomment [1...] [...,2...2...] ... \terminacomment
1 TEXT OPT OPT
2 inherits: \impostacommento
```

```
\iniziacomponenet [...] ... \terminacomponenet
* FILE *
```

```
\iniziacomponenet .* ... \terminacomponenet
* FILE *
```

```
\iniziacode ... \terminacode
```

```
\iniziacode ... \terminacode
```

```
\iniziactxfunction .* ... \terminactxfunction
* NAME
```

```
\iniziactxfunctiondefinition .* ... \terminactxfunctiondefinition
* NAME
```

```
\iniziacurrentcolor ... \terminacurrentcolor
```

`\iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper`

`\iniziadelimited [...] [...] [...] ... \terminadelimited`

- 1 NAME
- 2 SPRACHE
- 3 inherits: \iniziapiustretto

`\iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext`

- 1 NAME
- 2 SPRACHE
- 3 inherits: \iniziapiustretto

`\iniziADELIMITEDTEXT [...] [...] [...] ... \terminaDELIMITEDTEXT`

- 1 SPRACHE
 - 2 inherits: \iniziapiustretto
- instances: quotation quote blockquote speech aside

`\iniziaside [...] [...] [...] ... \terminaside`

- 1 SPRACHE
- 2 inherits: \iniziapiustretto

`\iniziablockquote [...] [...] [...] ... \terminablockquote`

- 1 SPRACHE
- 2 inherits: \iniziapiustretto

`\iniziaquotation [...] [...] [...] ... \terminaquotation`

- 1 SPRACHE
- 2 inherits: \iniziapiustretto

`\iniziquote [...] [...] [...] ... \terminaquote`

- 1 SPRACHE
- 2 inherits: \iniziapiustretto

`\iniziaspeech [...] [...] [...] ... \terminaspeech`

- 1 SPRACHE
- 2 inherits: \iniziapiustretto

`\iniziADESCRIZIONE [...] [...] [...] ... \terminaDESCRIZIONE`

- * titolo = TEXT
- segnalibro = TEXT
- elenco = TEXT
- riferimento = REFERENCE
- referencetext = TEXT

`\iniziADESCRIZIONE [...] [...] [...] ... \terminaDESCRIZIONE`

- 1 REFERENCE
- 2 TEXT

`\iniziadisplaymath ... \terminadisplaymath`

`\iniziadmath ... \terminadmath`

`\iniziadocument [...] [...] [...] ... \terminadocument`

- 1 NAME
- 2 inherits: \setupdocument

`\iniziadocument [...] [...] [...] ... \terminadocument`

- 1 NAME
- 2 inherits: \setupdocument

`\iniziaeffect [...] [...] [...] ... \terminaeffect`

- * NAME

<code>\iniziaEFFECT ... \terminaEFFECT</code>
<code>\iniziaelement [...¹] [...,²...,...] ... \terminaelement</code> 1 NAME 2 KEY = VALUE
<code>\iniziaelemento [...,[*]...] ... \terminaelemento</code> * REFERENCE
<code>\iniziaembeddedxtable [...,[*]...,...] ... \terminaembeddedxtable</code> * inherits: \setupxtable
<code>\iniziaembeddedxtable [...[*]] ... \terminaembeddedxtable</code> * NAME
<code>\iniziaENUMERAZIONE [...,[*]...,...] ... \terminaENUMERAZIONE</code> * titolo = TEXT segnalibro = TEXT elenco = TEXT riferimento = REFERENCE referencetext = TEXT
<code>\iniziaENUMERAZIONE [...¹...] {...²} ... \terminaENUMERAZIONE</code> 1 REFERENCE 2 TEXT
<code>\iniziaexceptions [...[*]] ... \terminaexceptions</code> * SPRACHE
<code>\iniziaexpanded ... \terminaexpanded</code>
<code>\iniziaexpandedcollect ... \terminaexpandedcollect</code>
<code>\iniziaextendedcatcodetable *... ... \terminaextendedcatcodetable</code> * CSNAME
<code>\iniziaexternalfigurecollection [...[*]] ... \terminaexternalfigurecollection</code> * NAME
<code>\iniziafacingfloat [...[*]] ... \terminafacingfloat</code> * NAME
<code>\iniziafigura [...¹] [...²] [...,³...,...] ... \terminafigura</code> 1 NAME 2 FILE 3 inherits: \figuraesterna
<code>\iniziafisso [...[*]] ... \terminafisso</code> * basso centro alt ^{OPT} pedap implicito
<code>\iniziafittingpage [...¹] [...,²...,...] ... \terminafittingpage</code> 1 NAME 2 inherits: \setupfittingpage
<code>\iniziaFITTINGPAGE [...,[*]...,...] ... \terminaFITTINGPAGE</code> * inherits: \setupfittingpage instances: TEXpage MPpage

```
\iniziaMPpage [...,.*,...] ... \terminaMPpage
```

```
* inherits: \setupfittingOPTpage
```

```
\iniziaTEXpage [...,.*,...] ... \terminaTEXpage
```

```
* inherits: \setupfittingOPTpage
```

```
\iniziafloatcombination [...,.*,...] ... \terminafloatcombination
```

```
* inherits: \setupcombinationOPT
```

```
\iniziafloatcombination [...] ... \terminafloatcombination
```

```
* N*M NAME
```

```
\iniziaFLOATtesto [...,1...] [...,2...] {...3} ... \terminaFLOATtesto
```

```
1 separa keeptogether sempreOPT sinistra destraOPT interno esterno backspace cutspace insinistra indestra inmargine  
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno  
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante  
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo  
auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr  
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
```

```
2 REFERENCE
```

```
3 TEXT
```

```
instances: chemical figure table intermezzo graphic
```

```
\iniziachemicaltesto [...,1...] [...,2...] {...3} ... \terminachemicaltesto
```

```
1 separa keeptogether sempre sinistra destraOPT interno esterno backspace cutspace insinistra indestra inmargine  
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno  
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante  
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo  
auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr  
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
```

```
2 REFERENCE
```

```
3 TEXT
```

```
\iniziafiguretesto [...,1...] [...,2...] {...3} ... \terminafiguretesto
```

```
1 separa keeptogether sempreOPT sinistra destraOPT interno esterno backspace cutspace insinistra indestra inmargine  
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno  
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante  
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo  
auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr  
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
```

```
2 REFERENCE
```

```
3 TEXT
```

```
\iniziagraphictesto [...,1...] [...,2...] {...3} ... \terminagraphictesto
```

```
1 separa keeptogether sempreOPT sinistra destraOPT interno esterno backspace cutspace insinistra indestra inmargine  
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno  
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante  
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo  
auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr  
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
```

```
2 REFERENCE
```

```
3 TEXT
```

```
\iniziaintermezzotesto [...,1...] [...,2...] {...3} ... \terminaintermezzotesto
```

```
1 separa keeptogether sempre sinistra destraOPT interno esterno backspace cutspace insinistra indestra inmargine  
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno  
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante  
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo  
auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr  
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
```

```
2 REFERENCE
```

```
3 TEXT
```

```

\iniziatabletesto [...1,...] [...2,...] {...3} ... \terminatabletesto
1  separa keepogether sempreOPTsinistra destraOPT interno esterno backspace cutspace insinistra indestra in margine
   marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno
   testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante
   90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo
   auto pagina paginasinistra paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrtb tblr
   rtlb fxtb btlr lrbt btrl rlbt fxbt fixd append
2  REFERENCE
3  TEXT

```

```

\iniziafont [...*] ... \terminafont
*  FONT OPT

```

```

\iniziafontclass [...*] ... \terminafontclass
*  ogni NAME

```

```

\iniziafontsolution [...*] ... \terminafontsolution
*  NAME

```

```

\iniziaformula [...*,...] ... \terminaformula
*  impaccato tight centroOPTprofondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION

```

```

\iniziaformulacombination [...*,...*,...] ... \terminaformulacombination
*  inherits: \setupcombination OPT

```

```

\iniziaformulacombination [...*] ... \terminaformulacombination
*  N*M OPT

```

```

\iniziaformula [...*,...*,...] ... \terminaformula
*  inherits: \impostaformuleOPT

```

```

\iniziaFORMULAformula [...*,...] ... \terminaFORMULAformula
*  impaccato tight centroOPTprofondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION
instances: sp sd mp md

```

```

\iniziaFORMULAformula [...*,...*,...] ... \terminaFORMULAformula
*  inherits: \impostaformule OPT
instances: sp sd mp md

```

```

\iniziamdformula [...*,...*,...] ... \terminamdformula
*  inherits: \impostaformule OPT

```

```

\iniziampformula [...*,...*,...] ... \terminampformula
*  inherits: \impostaformule OPT

```

```

\iniziasdformula [...*,...*,...] ... \terminasdformula
*  inherits: \impostaformule OPT

```

```

\iniziaspformula [...*,...*,...] ... \terminaspformula
*  inherits: \impostaformule OPT

```

```

\iniziamdformula [...*,...] ... \terminamdformula
*  impaccato tight centroOPTprofondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION

```

```

\iniziampformula [...*,...] ... \terminampformula
*  impaccato tight centroOPTprofondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION

```

```

\iniziasdformula [...*,...] ... \terminasdformula
*  impaccato tight centroOPTprofondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION

```


`\iniziaspformula [...*...] ... \terminaspformula`
* `impaccato tight centro` ^{OPT}`profondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION`

`\iniziaformule [...*...] ... \terminaformule`
* `+ - REFERENCE` ^{OPT}

`\iniziaframedcell [...*...] ... \terminaframedcell`
* `inherits: \impostaincorniciato` ^{OPT}

`\iniziaframedcontent [...*] ... \terminaframedcontent`
* `NAME disattivo` ^{OPT}

`\iniziaframedrow [...*...] ... \terminaframedrow`
* `inherits: \impostaincorniciato` ^{OPT}

`\iniziaframedtable [1...] [...*2...] ... \terminaframedtable`
1 `NAME` ^{OPT} ^{OPT}
2 `inherits: \impostaincorniciato`

`\iniziagridsnapping [...*] ... \terminagridsnapping`
* `normale standard si rigid` ^{OPT}`tollerante cima fondo entrambi ampio adatta primo ultimo alto uno basso nessuno riga strut box min max centro math:riga math:mezzariga math:-line math:-halfline NAME`

`\iniziagridsnapping [...*...] ... \terminagridsnapping`
* `inherits: \definegridsnapping` ^{OPT}

`\iniziaboxestohbox ... \terminaboxestohbox`

`\iniziaboxregister ... \terminaboxregister`
* `CSNAME NUMBER`

`\iniziaHELP [...*] ... \terminaHELP`
* `REFERENCE` ^{OPT}
`instances: helptext`

`\iniziahelptext [...*] ... \terminahelptext`
* `REFERENCE` ^{OPT}

`\iniziainhiddencontent ... \terminainhiddencontent`

`\iniziainhighlight [...*] ... \terminainhighlight`
* `NAME`

`\iniziainhyphenation [...*...] ... \terminainhyphenation`
* `original tex implicito hyphenate expanded traditional nessuno`

`\iniziainmath ... \terminainmath`

`\iniziainpaccato [...*] ... \terminainpaccato`
* `rigovuoto` ^{OPT}

`\iniziaincorniciato [1...] [...*2...] ... \terminaincorniciato`
1 `NAME` ^{OPT} ^{OPT}
2 `inherits: \impostaincorniciato`

`\iniziainindentedtext [...*] ... \terminainindentedtext`
* `NAME`

<pre>\iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT</pre>
<pre>\iniziainterazione [...] ... \terminainterazione * nascosto NAME</pre>
<pre>\iniziainterface \terminainterface * tutti SPRACHE</pre>
<pre>\iniziaintertext ... \terminaintertext</pre>
<pre>\iniziaitemgroup [...] [...] [...] ... \terminaitemgroup 1 NAME 2 inherits: \setupitemgroup 3 inherits: \setupitemgroup</pre>
<pre>\iniziaITEMGROUPtable [...] [...] ... \terminaITEMGROUPtable 1 inherits: \setupitemgroup 2 inherits: \setupitemgroup instances: itemize</pre>
<pre>\iniziaitemizetable [...] [...] ... \terminaitemizetable 1 inherits: \setupitemgroup 2 inherits: \setupitemgroup</pre>
<pre>\iniziaITEMGROUP [...] [...] ... \terminaITEMGROUP 1 inherits: \setupitemgroup 2 inherits: \setupitemgroup instances: itemize</pre>
<pre>\iniziaitemize [...] [...] ... \terminaitemize 1 inherits: \setupitemgroup 2 inherits: \setupitemgroup</pre>
<pre>\iniziaJScode .1 .2 .3 ... \terminaJScode 1 NAME 2 uses 3 NAME</pre>
<pre>\iniziaJSreamble .1 .2 .3 ... \terminaJSreamble 1 NAME 2 usato 3 now later</pre>
<pre>\iniziaknockout ... \terminaknockout</pre>
<pre>\inizialayout [...] ... \terminalayout * NAME</pre>
<pre>\inizialinealignment [...] ... \terminalinealignment * sinistra centro destra max</pre>
<pre>\inizialineamargine [...] ... \terminalineamargine * NUMMER</pre>
<pre>\inizialineamargine [...] [...] ... \terminalineamargine * inherits: \setupmarginrule</pre>
<pre>\inizialineatesto {...} ... \terminalineatesto * TEXT</pre>

```
\inizialinecorrection [...,*...] ... \terminalinecorrection
* rigovuoto inherits: \rigovuotoOPT
```

```
\inizialinefiller [1...] [...,2...,...] ... \terminalinefiller
1 filler NAMEOPT
2 inherits: \setuplinefiller
```

```
\inizialinenumbering [1...] [...,2...,...] ... \terminalinenumbering
1 NAMEOPT
2 continua = si noOPT
   inizia = NUMMER
   passo = NUMMER
   metodo = pagina primo successivo
```

```
\inizialinenumbering [1...] [2...] ... \terminalinenumbering
1 NAMEOPT
2 continua NUMMEROPT
```

```
\inizialinetable ... \terminalinetable
```

```
\inizialinetablebody ... \terminalinetablebody
```

```
\inizialinetablecell [...,*...,...] ... \terminalinetablecell
* inherits: \setuplinetableOPT
```

```
\inizialinetablehead ... \terminalinetablehead
```

```
\inizialingua [...*] ... \terminalingua
* SPRACHE
```

```
\iniziallocalbox [...*] ... \terminallocalbox
* NAME
```

```
\iniziallocalboxrange [...*] ... \terminallocalboxrange
* NAME
```

```
\iniziallocalfootnotes ... \terminallocalfootnotes
```

```
\iniziallocalheadsetup ... \terminallocalheadsetup
```

```
\iniziallocallinecorrection [...,*...] ... \terminallocallinecorrection
* rigovuoto inherits: \rigovuotoOPT
```

```
\iniziallocalnotes [...,*...] ... \terminallocalnotes
* NAME
```

```
\iniziallocalsetups [1...] [2...] ... \terminallocalsetups
1 grigliaOPT
2 NAME
```

```
\iniziallocalsetups ...* ... \terminallocalsetups
* NAME
```

```
\iniziallua ... \terminallua
```

```
\inizialuacode ... \terminaluacode
```

<pre> \inizialuaparameterset [...] ... \terminaluaparameterset * NAME </pre>
<pre> \inizialuasetups [¹] [²] ... \terminaluasetups 1 griglia OPT 2 NAME </pre>
<pre> \inizialuasetups \terminaluasetups * NAME </pre>
<pre> \iniziaMPclip {...} ... \terminaMPclip * NAME </pre>
<pre> \iniziaMPcode {...} ... \terminaMPcode * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun </pre>
<pre> \iniziaMPdefinitions {...} ... \terminaMPdefinitions * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun </pre>
<pre> \iniziaMPdrawing [¹] ... \terminaMPdrawing * - OPT </pre>
<pre> \iniziaMPenvironment [...] ... \terminaMPenvironment * reimposta globale + OPT </pre>
<pre> \iniziaMPextensions {...,*...} ... \terminaMPextensions * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun </pre>
<pre> \iniziaMPinclusions [¹] {...} [²] ... \terminaMPinclusions 1 + OPT OPT 2 metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun </pre>
<pre> \iniziaMPinitializations ... \terminaMPinitializations </pre>
<pre> \iniziaMPpositiongraphic {...} {...,²...} ... \terminaMPpositiongraphic 1 NAME OPT 2 KEY </pre>
<pre> \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod * NAME </pre>
<pre> \iniziaMPrun {...} ... \terminaMPrun * NAME OPT </pre>
<pre> \iniziamakeup [¹] [...,²...,...] ... \terminamakeup 1 NAME OPT 2 inherits: \impostamakeup </pre>
<pre> \iniziaMAKEUPmakeup [...,²...,...] ... \terminaMAKEUPmakeup * inherits: \impostamakeup OPT instances: standard page text middle </pre>
<pre> \iniziamiddlemakeup [...,²...,...] ... \terminamiddlemakeup * inherits: \impostamakeup OPT </pre>

<pre> \iniziapagemakeup [...,*...,*...] ... \terminapagemakeup * inherits: \impostamakeup OPT </pre>
<pre> \iniziastandardmakeup [...,*...,*...] ... \terminastandardmakeup * inherits: \impostamakeup OPT </pre>
<pre> \iniziatextmakeup [...,*...,*...] ... \terminatextmakeup * inherits: \impostamakeup OPT </pre>
<pre> \iniziamarginblock [...*] ... \terminamarginblock * NAME OPT </pre>
<pre> \iniziamarkedcontent [...*] ... \terminamarkedcontent * reimposta tutti NAME OPT </pre>
<pre> \iniziamarkpages [...,*...] ... \terminamarkpages * NAME </pre>
<pre> \iniziamatematica [...*] ... \terminamatematica * implicito i:default i:half i:tight i:fixed NAME </pre>
<pre> \iniziamATHALIGNMENT [...,*...,*...] ... \terminamATHALIGNMENT * inherits: \setupmathalignment OPT instances: align mathalignment </pre>
<pre> \iniziaalign [...,*...,*...] ... \terminaalign * inherits: \setupmathalignment OPT </pre>
<pre> \iniziamathalignment [...,*...,*...] ... \terminamathalignment * inherits: \setupmathalignment OPT </pre>
<pre> \iniziamATHCASES [...,*...,*...] ... \terminamATHCASES * inherits: \setupmathcases OPT instances: cases mathcases </pre>
<pre> \iniziacases [...,*...,*...] ... \terminacases * inherits: \setupmathcases OPT </pre>
<pre> \iniziamathcases [...,*...,*...] ... \terminamathcases * inherits: \setupmathcases OPT </pre>
<pre> \iniziamathexport [...,*...,*...] ... \terminamathexport * inherits: \setupmathexport OPT </pre>
<pre> \iniziamathfenced [...*] [...,*...,*...] ... \terminamathfenced 1 parenthesis bracket brace angle doubleangle bar doublebar triplebar solidus floor ceiling moustache uppercorner lowercorner group openbracket nothing mirroredparenthesis mirroredbracket mirroredbrace mirroredangle mirroreddoubleangle mirroredbar mirroreddoublebar mirroredtriplebar mirroredsolidus mirroredfloor mirroredceiling mirroredmoustache mirroreduppercorner mirroredlowercorner mirroredgroup mirroredopenbracket mirrorednothing interval openinterval leftopeninterval rightopeninterval NAME 2 inherits: \setupmathfences </pre>
<pre> \iniziamATHMATRIX [...,*...,*...] ... \terminamATHMATRIX * inherits: \setupmathmatrix OPT instances: matrix mathmatrix thematrix </pre>
<pre> \iniziamathmatrix [...,*...,*...] ... \terminamathmatrix * inherits: \setupmathmatrix OPT </pre>

`\iniziamatrix [...,.*.,...] ... \terminamatrix`
* inherits: \setupmathmat^{OPT}rix

`\iniziathematrix [...,.*.,...] ... \terminathematrix`
* inherits: \setupmathmat^{OPT}rix

`\iniziamathmode ... \terminamathmode`

`\iniziaMATHOPERATOR [...,.*.,...] ... \terminaMATHOPERATOR`
* inherits: \setupmathoperator^{OPT}s
instances: integral iintegral iintegral iiiintegral int iint iiint iiiint oint oiint oiiint
intc ointc aointc sumint barint doublebarint slashint aodownintc rectangularpoleintc
semicirclepoleintc circlepoleoutsideintc circlepoleinsideintc squareintc hookleftarrowint
timesint capint cupint upperint lowerint sum blackboardsum modtwosum prod coprod bigwedge
bigvee bigcap bigcup bigodot bigoplus bigotimes bigudot biguplus bigsqcap bigsqcup bigtimes
leftouterjoin rightouterjoin fullouterjoin bigbottom bigtop bigsolidus bigreversesolidus
bigdoublewedge bigdoublevee

`\iniziaaodownintc [...,.*.,...] ... \terminaaodownintc`
* inherits: \setupmathoperator^{OPT}s

`\iniziaaointc [...,.*.,...] ... \terminaaointc`
* inherits: \setupmathoperator^{OPT}s

`\iniziabarint [...,.*.,...] ... \terminabarint`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigbottom [...,.*.,...] ... \terminabigbottom`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigcap [...,.*.,...] ... \terminabigcap`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigcup [...,.*.,...] ... \terminabigcup`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigdoublevee [...,.*.,...] ... \terminabigdoublevee`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigdoublewedge [...,.*.,...] ... \terminabigdoublewedge`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigodot [...,.*.,...] ... \terminabigodot`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigoplus [...,.*.,...] ... \terminabigoplus`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigotimes [...,.*.,...] ... \terminabigotimes`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigreversesolidus [...,.*.,...] ... \terminabigreversesolidus`
* inherits: \setupmathoperator^{OPT}s

`\iniziabigsolidus [...,.*.,...] ... \terminabigsolidus`
* inherits: \setupmathoperator^{OPT}s

<pre>\iniziabigsqcap [...,.*.,...] ... \terminabigsqcap * inherits: \setupmathoperators</pre>
<pre>\iniziabigsqcup [...,.*.,...] ... \terminabigsqcup * inherits: \setupmathoperators</pre>
<pre>\iniziabigtimes [...,.*.,...] ... \terminabigtimes * inherits: \setupmathoperators</pre>
<pre>\iniziabigtop [...,.*.,...] ... \terminabigtop * inherits: \setupmathoperators</pre>
<pre>\iniziabigudot [...,.*.,...] ... \terminabigudot * inherits: \setupmathoperators</pre>
<pre>\iniziabiguplus [...,.*.,...] ... \terminabiguplus * inherits: \setupmathoperators</pre>
<pre>\iniziabigvee [...,.*.,...] ... \terminabigvee * inherits: \setupmathoperators</pre>
<pre>\iniziabigwedge [...,.*.,...] ... \terminabigwedge * inherits: \setupmathoperators</pre>
<pre>\iniziablackboardsum [...,.*.,...] ... \terminablackboardsum * inherits: \setupmathoperators OPT</pre>
<pre>\iniziacapint [...,.*.,...] ... \terminacapint * inherits: \setupmathoperators</pre>
<pre>\iniziacirclepoleinsideintc [...,.*.,...] ... \terminacirclepoleinsideintc * inherits: \setupmathoperators OPT</pre>
<pre>\iniziacirclepoleoutsideintc [...,.*.,...] ... \terminacirclepoleoutsideintc * inherits: \setupmathoperators OPT</pre>
<pre>\iniziacoprod [...,.*.,...] ... \terminacoprod * inherits: \setupmathoperators</pre>
<pre>\iniziacupint [...,.*.,...] ... \terminacupint * inherits: \setupmathoperators</pre>
<pre>\iniziadoublebarint [...,.*.,...] ... \terminadoublebarint * inherits: \setupmathoperators OPT</pre>
<pre>\iniziafullouterjoin [...,.*.,...] ... \terminafullouterjoin * inherits: \setupmathoperators OPT</pre>
<pre>\iniziahookleftarrowint [...,.*.,...] ... \terminahookleftarrowint * inherits: \setupmathoperators OPT</pre>
<pre>\iniziaiiint [...,.*.,...] ... \terminaiiint * inherits: \setupmathoperators</pre>
<pre>\iniziaiiintegral [...,.*.,...] ... \terminaiiintegral * inherits: \setupmathoperators OPT</pre>

<pre>\iniziiaiint [...,.*,...] ... \terminaiiint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziiaiintegral [...,.*,...] ... \terminaiiintegral * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaint [...,.*,...] ... \terminaint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaintegral [...,.*,...] ... \terminaintegral * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaintc [...,.*,...] ... \terminaintc * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaintegral [...,.*,...] ... \terminaintegral * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\inizialeftouterjoin [...,.*,...] ... \terminaleftouterjoin * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\inizialowerint [...,.*,...] ... \terminalowerint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziamodtwosum [...,.*,...] ... \terminamodtwosum * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziatoiint [...,.*,...] ... \terminatoiint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\inizioint [...,.*,...] ... \terminoint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\inizioint [...,.*,...] ... \terminoint * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziointc [...,.*,...] ... \terminointc * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaproduct [...,.*,...] ... \terminaproduct * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziarectangularpoleintc [...,.*,...] ... \terminarectangularpoleintc * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziarihtouterjoin [...,.*,...] ... \terminarihtouterjoin * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziasemicirclepoleintc [...,.*,...] ... \terminasemicirclepoleintc * inherits: \setupmathoperator^{OPT}s</pre>
<pre>\iniziaslashint [...,.*,...] ... \terminaslashint * inherits: \setupmathoperator^{OPT}s</pre>

<pre> \iniziasquareintc [...,*...,...] ... \terminasquareintc * inherits: \setupmathoperator^{OPT} </pre>
<pre> \iniziasum [...,*...,...] ... \terminasum * inherits: \setupmathoperatoroperators </pre>
<pre> \iniziasumint [...,*...,...] ... \terminasumint * inherits: \setupmathoperator^{OPT}s </pre>
<pre> \iniziatiimesint [...,*...,...] ... \terminatiimesint * inherits: \setupmathoperator^{OPT}s </pre>
<pre> \iniziaupperint [...,*...,...] ... \terminaupperint * inherits: \setupmathoperator^{OPT}s </pre>
<pre> \iniziaMATHSIMPLEALIGN [...,*...,...] ... \terminaMATHSIMPLEALIGN * inherits: \setupmathsimplealign ^{OPT} instances: equationsystem lequationsystem reequationsystem </pre>
<pre> \iniziaequationsystem [...,*...,...] ... \terminaequationsystem * inherits: \setupmathsimplealign ^{OPT} </pre>
<pre> \inizialequationsystem [...,*...,...] ... \terminalequationsystem * inherits: \setupmathsimplealign ^{OPT} </pre>
<pre> \iniziarequationsystem [...,*...,...] ... \terminarequationsystem * inherits: \setupmathsimplealign ^{OPT} </pre>
<pre> \iniziamathstyle [...,*...] ... \terminamathstyle * schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande NAME </pre>
<pre> \iniziamatrices [...,*...,...] ... \terminamatrices * inherits: \setupmathmatrix^{OPT} </pre>
<pre> \iniziamaxaligned ... \terminamaxaligned </pre>
<pre> \iniziamenuinterattivo [...,*] ... \terminamenuinterattivo * NAME </pre>
<pre> \iniziamettiformula [...,*¹...,...] {...²} ... \terminamettiformula 1 titolo = TEXT ^{OPT} ^{OPT} riferimento = + - REFERENCE segnalibro = TEXT elenco = TEXT suffix = TEXT 2 TEXT </pre>
<pre> \iniziamettiformula [...,*...] ... \terminamettiformula * + - REFERENCE ^{OPT} </pre>
<pre> \iniziamiddlealigned ... \terminamiddlealigned </pre>
<pre> \iniziamixedcolumns [...¹] [...,*²...,...] ... \terminamixedcolumns 1 NAME ^{OPT} ^{OPT} 2 inherits: \setupmixedcolumns </pre>

`\iniziaMIXEDCOLUMNS [...,.*,.,.] ... \terminaMIXEDCOLUMNS`

* inherits: \setupmixedcolumns OPT

instances: itemgroupcolumns boxedcolumns columns

`\iniziaboxedcolumns [...,.*,.,.] ... \terminaboxedcolumns`

* inherits: \setupmixedcolumns OPT

`\iniziacolumns [...,.*,.,.] ... \terminacolumns`

* inherits: \setupmixedcolumns OPT

`\iniziaitemgroupcolumns [...,.*,.,.] ... \terminaitemgroupcolumns`

* inherits: \setupmixedcolumns OPT

`\iniziamode [...,*.,.] ... \terminamode`

* NAME

`\iniziamodeset [...,1,.] {..2.} ... \terminamodeset`

1 NAME implicito

2 CONTENT

`\iniziamodule [.*.] ... \terminamodule`

* FILE

`\iniziamoduletestsection ... \terminamoduletestsection`

`\iniziamodule .* ... \terminamodule`

* FILE

`\iniziamulticolumns [...,.*,.,.] ... \terminamulticolumns`

* inherits: \setupmulticolumns OPT

`\inizianamedformula [.*.] [...,2,.] ... \terminanamedformula`

1 NAME

OPT

2 impaccato tight centro profondita riga mezzariga -riga -mezzariga cornice piccolo DIMENSION

`\inizianamedformula [.*.] [...,.*,2,.,.] ... \terminanamedformula`

1 NAME

OPT

2 inherits: \impostaformule

`\inizianamedmatrix [.*.] [...,.*,2,.,.] {..3.} ... \terminanamedmatrix`

1 NAME

OPT

2 inherits: \setupmathmatrix

3 CONTENT

`\inizianamednotation [.*.] [...,.*,2,.,.] ... \terminanamednotation`

1 NAME

OPT

2 REFERENCE

`\inizianamednotation [.*.] [...,.*,2,.,.] ... \terminanamednotation`

1 NAME

OPT

2 titolo = TEXT

segnalibro = TEXT

elenco = TEXT

riferimento = REFERENCE

referencetext = TEXT

```

\inizianamedsection [...1] [...,2...]OPT [...,3...]OPT ... \terminanamedsection
1 ABSCHNITT
2 titolo = TEXT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
3 KEY = VALUE

```

```

\inizianamedsubformulas [...1;...]OPT {...2} ... \terminanamedsubformulas
1 + - REFERENCE
2 TEXT

```

```

\inizianamedtyping [...1] [...,2...]OPT ... \terminanamedtyping
1 NAME
2 inherits: \impostatyping

```

```

\inizianamedtyping [...1] [...,2...]OPT ... \terminanamedtyping
1 NAME
2 continua

```

```

\inizianarrower [...*;...]OPT ... \terminanarrower
* [-+]sinistra [-+]centroOPT[-+]destra NUMMER*sinistra NUMMER*centro NUMMER*destra reimposta invertito

```

```

\inizianARROWER [...*;...]OPT ... \terminanARROWER
* [-+]sinistra [-+]centroOPT[-+]destra NUMMER*sinistra NUMMER*centro NUMMER*destra reimposta invertito

```

```

\inizianegativo ... \terminanegativo

```

```

\inizianicelyfilledbox [...,*...]OPT ... \terminanicelyfilledbox
* ampiezza = DIMENSION
  altezza = DIMENSION
  offset = DIMENSION
  strut = si no

```

```

\inizianointerference ... \terminanointerference

```

```

\inizianotallmodes [...*;...]OPT ... \terminanotallmodes
* NAME

```

```

\iniziaNOTE [...*;...]OPT ... \terminaNOTE
* REFERENCE
instances: footnote endnote

```

```

\iniziaNOTE [...,*...]OPT ... \terminaNOTE
* titolo = TEXT
  segnalibro = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
instances: footnote endnote

```

```

\iniziaendnote [...,*...]OPT ... \terminaendnote
* titolo = TEXT
  segnalibro = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT

```

```
\iniziafootnote [...,*=...,...] ... \terminafootnote
* titolo = TEXT OPT
  segnalibro = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
```

```
\iniziaendnote [...,*=...,...] ... \terminaendnote
* REFERENCE OPT
```

```
\iniziafootnote [...,*=...,...] ... \terminafootnote
* REFERENCE OPT
```

```
\inizianotext ... \terminanotext
```

```
\inizianotmode [...,*=...,...] ... \terminanotmode
* NAME
```

```
\iniziaopposto ... \terminaopposto
```

```
\iniziaoutputstream [...,*=...,...] ... \terminaoutputstream
* NAME
```

```
\iniziaoutputsubstream [...,*=...,...] ... \terminaoutputsubstream
* NAME
```

```
\iniziaoverprint ... \terminaoverprint
```

```
\iniziapageblock [...,*=...,...] ... \terminapageblock
* NAME
```

```
\iniziapagecolumns [...,*=...,...] ... \terminapagecolumns
* inherits: \setuppagecolumns OPT
```

```
\iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
```

```
\iniziapagecolumns [...,*=...,...] ... \terminapagecolumns
* NAME OPT
```

```
\iniziapagefigure [...,*=...,...] ... \terminapagefigure
1 FILE OPT
2 offset = implicito sovrapponi nessuno DIMENSION
```

```
\iniziapagelayout [...,*=...,...] ... \terminapagelayout
* pagina paginasinistra paginadestra
```

```
\iniziapar [...,*=...,...] ... \terminapar
1 NAME OPT OPT
2 inherits: \setupparagraph
```

```
\iniziaparagraphs [...,*=...,...] ... \terminaparagraphs
* NAME
```

```
\iniziaparagraphscell ... \terminaparagraphscell
```

```
\iniziaparagraphshape [...,*=...,...] ... \terminaparagraphshape
* NAME
```

`\iniziaPARAGRAPHS ... \terminaPARAGRAPHS`

`\iniziaPARALLEL ... \terminaPARALLEL`

`\iniziaparbuilder [...] ... \terminaparbuilder`

* implicito oneline basic NAME

`\iniziaplacefloat [...1] [...2...] [...3...] ... \terminaplacefloat`

1 SINGULAR
2 titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indetra
inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrft tblr rlft fxtb
tblr lrft tblr rlft fxtb fixd append
riferimento = REFERENCE
referencetext = TEXT
3 KEY = VALUE

`\iniziamettiFLOAT [...1...] [...2...] ... \terminamettiFLOAT`

1 titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indetra
inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrft tblr rlft fxtb
tblr lrft tblr rlft fxtb fixd append
riferimento = REFERENCE
referencetext = TEXT
2 KEY = VALUE

instances: chemical figure table intermezzo graphic

`\iniziamettichemical [...1...] [...2...] ... \terminamettichemical`

1 titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indetra
inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrft tblr rlft fxtb
tblr lrft tblr rlft fxtb fixd append
riferimento = REFERENCE
referencetext = TEXT
2 KEY = VALUE

`\iniziamettifigure [...1...] [...2...] ... \terminamettifigure`

1 titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indetra
inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrft tblr rlft fxtb
tblr lrft tblr rlft fxtb fixd append
riferimento = REFERENCE
referencetext = TEXT
2 KEY = VALUE

```

\iniziamettigraphic [...1...] [...2...] ... \terminamettigraphic
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indestra
  inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
  bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
  alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
  margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
  paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb
  tblr lrtb tblr rltb fxtb fixd append

  riferimento = REFERENCE
  referencetext = TEXT
2 KEY = VALUE

```

```

\iniziamettiintermezzo [...1...] [...2...] ... \terminamettiintermezzo
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indestra
  inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
  bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
  alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
  margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
  paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb
  tblr lrtb tblr rltb fxtb fixd append

  riferimento = REFERENCE
  referencetext = TEXT
2 KEY = VALUE

```

```

\iniziamettitable [...1...] [...2...] ... \terminamettitable
1 titolo = TEXT OPT OPT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  luogo = separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indestra
  inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno
  bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia
  alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza
  margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra
  paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb
  tblr lrtb tblr rltb fxtb fixd append

  riferimento = REFERENCE
  referencetext = TEXT
2 KEY = VALUE

```

```

\iniziaplacepairedbox [...1] [...2...] ... \terminaplacepairedbox
1 NAME
2 inherits: \setuppairedbox OPT

```

```

\iniziamettiPAIREDBOX [...*...] ... \terminamettiPAIREDBOX
* inherits: \setuppairedbox OPT
instances: legend

```

```

\iniziamettilegend [...*...] ... \terminamettilegend
* inherits: \setuppairedbox OPT

```

```

\iniziapositioning [...1] [...2...] ... \terminapositioning
1 NAME OPT OPT
2 inherits: \impostapositionamento

```

```

\iniziapositionoverlay {...} ... \terminapositionoverlay
* NAME

```

```

\iniziapositivo ... \terminapositivo

```

```
\iniziaposporre [...] ... \terminaposporre
* [-+]NUMBER          OPT
```

```
\iniziapostponingnotes ... \terminapostponingnotes
```

```
\iniziaprerollpageblock [...] ... \terminaprerollpageblock
* NAME
```

```
\iniziaprocessassignmentcommand [...,.*,..] ... \terminaprocessassignmentcommand
* KEY = VALUE
```

```
\iniziaprocessassignmentlist [...,.*,..] ... \terminaprocessassignmentlist
* KEY = VALUE
```

```
\iniziaprocesscommacommand [...,*,..] ... \terminaprocesscommacommand
* BEFEHL
```

```
\iniziaprocesscommalist [...,*,..] ... \terminaprocesscommalist
* BEFEHL
```

```
\iniziaprodotta [...] ... \terminaprodotta
* FILE *
```

```
\iniziaprodotta .* ... \terminaprodotta
* FILE *
```

```
\iniziaprofile [...] ... \terminaprofile
* NAME          OPT
```

```
\iniziaprofile [...,.*,..] ... \terminaprofile
* inherits: \setupprofile OPT
```

```
\iniziaprofile [...] ... \terminaprofile
* NAME          OPT
```

```
\iniziaprofile [...,.*,..] ... \terminaprofile
* inherits: \setupprofile OPT
```

```
\iniziaprogetto [...] ... \terminaprogetto
* FILE *
```

```
\iniziaprogetto .* ... \terminaprogetto
* FILE *
```

```
\iniziaprotectedcolors ... \terminaprotectedcolors
```

```
\iniziapubblicazione [.*] [...,.*2,..] ... \terminapubblicazione
1 NAME          OPT          OPT
2 tag           = REFERENCE
  category      = TEXT
  k             = REFERENCE
  t             = TEXT
```

```
\iniziarandomized ... \terminarandomized
```

```
\iniziarawsetups [.*] [.*] ... \terminarawsetups
1 griglia      OPT
2 NAME
```

<pre> \iniziawsetups ... \terminawsetups * NAME </pre>
<pre> \iniziareadingfile ... \terminareadingfile </pre>
<pre> \iniziaregime [...] ... \terminaregime * inherits: \enableregime </pre>
<pre> \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic 1 NAME 2 KEY </pre>
<pre> \iniziariga [...] * REFERENCE </pre>
<pre> \inizialINES [..., ...] ... \terminaLINES * inherits: \impostarigh instances: lines </pre>
<pre> \inizialines [..., ...] ... \terminalines * inherits: \impostarigh </pre>
<pre> \iniziaruby [...] ... \terminaruby * NAME </pre>
<pre> \iniziascript [...] ... \terminascript * hangul hanzi nihongo ethiopic thai tibetan test NAME </pre>
<pre> \iniziasectionblock [...] [...] ... \terminasectionblock 1 NAME 2 segnalibro = TEXT inherits: \impostabloccosezione </pre>
<pre> \iniziaSECTIONBLOCK [..., ...] ... \terminaSECTIONBLOCK * segnalibro = TEXT inherits: \impostabloccosezione instances: frontmatter bodymatter appendices backmatter </pre>
<pre> \iniziaappendices [..., ...] ... \terminaappendices * segnalibro = TEXT inherits: \impostabloccosezione </pre>
<pre> \iniziabackmatter [..., ...] ... \terminabackmatter * segnalibro = TEXT inherits: \impostabloccosezione </pre>
<pre> \iniziabodymatter [..., ...] ... \terminabodymatter * segnalibro = TEXT inherits: \impostabloccosezione </pre>
<pre> \iniziafrontmatter [..., ...] ... \terminafrontmatter * segnalibro = TEXT inherits: \impostabloccosezione </pre>


```

\iniziasectionlevel [...] [...] [...] ... \terminasectionlevel
1 NAME OPT OPT OPT
2 titolo = TEXT
  segnalibro = TEXT
  marcatura = TEXT
  elenco = TEXT
  riferimento = REFERENCE
  referencetext = TEXT
  numeroproprio = TEXT
  placeholder = TEXT
3 KEY = VALUE

```

```

\iniziasetups [...] [...] ... \terminasetups
1 griglia OPT
2 NAME

```

```

\iniziasetups .* ... \terminasetups
* NAME

```

```

\iniziasfondo [...] [...] ... \terminasfondo
* inherits: \impostasfondT

```

```

\iniziasFONDO [...] [...] ... \terminasFONDO
* inherits: \impostasfondT
instances: sfondo

```

```

\iniziashapedparagraph [...] [...] ... \terminashapedparagraph
* inherits: \setupshapedparagraph OPT

```

```

\iniziashapetext [...] ... \terminashapetext
* NAME

```

```

\iniziashift [...] ... \terminashift
* NAME

```

```

\iniziashowbreakpoints [...] [...] ... \terminashowbreakpoints
* opzione = margine simple OPT
  elenco = TEXT
  offset = DIMENSION

```

```

\iniziashowrivers [...] [...] ... \terminashowrivers
* margine = DIMENSIONOPT
  passo = DIMENSION
  altezza = DIMENSION
  profondita = DIMENSION
  spaceinbetween = DIMENSION
  criterio = NUMMER
  opzione = test

```

```

\iniziasidebar [...] [...] ... \terminasidebar
1 NAME OPT OPT
2 inherits: \setupsidebar

```

```

\iniziasimplecolumns [...] [...] ... \terminasimplecolumns
* n = NUMMER OPT
  ampiezza = DIMENSION
  distanza = DIMENSION
  righe = NUMMER

```

```

\iniziasospeso [...] [...] {...} ... \terminasospeso
1 distanza = DIMENSION OPT
  n = NUMMER
  luogo = sinistra destra
2 CONTENT

```

`\iniziasospeso [...] {...} ... \terminasospeso`

1 sinistra destra OPT
2 CONTENT

`\iniziasovrapponi ... \terminasovrapponi`

`\iniziaspecialitem [...] [...2;...] ... \terminaspecialitem`

1 elemento OPT
2 REFERENCE

`\iniziaspecialitem [...] ... \terminaspecialitem`

* sotto its no

`\iniziaspecialitem [...] {...} ... \terminaspecialitem`

1 sim corse mar
2 TEXT

`\iniziasplittext ... \terminasplittext`

`\iniziaspread ... \terminaspread`

`\iniziastacking [...] ... \terminastacking`

* NAME

`\iniziastackingsteps [...*;...] ... \terminastackingsteps`

* NAME

`\iniziaSTACKING [...] ... \terminaSTACKING`

* NAME

`\iniziaSTARTSTOP ... \terminaSTARTSTOP`

`\iniziaSTARTSTOP [...*;...] ... \terminaSTARTSTOP`

* inherits: \impostainiziatermina

`\iniziastaticMPfigure {...} ... \terminastaticMPfigure`

* NAME

`\iniziastaticMPgraphic [1] [...2;...] ... \terminastaticMPgraphic`

1 NAME
2 KEY

`\iniziastretto [1] [...2;...] ... \terminastretto`

1 NAME OPT
2 inherits: \impostapiustretto

`\iniziastretto [...1;...] [...2;...] ... \terminastretto`

1 inherits: \impostapiustretto OPT
2 [-+]sinistra [-+]centro [-+]destra NUMMER*sinistra NUMMER*centro NUMMER*destra reimposta invertito

`\iniziastretto [1] [...2;...] ... \terminastretto`

1 NAME OPT
2 [-+]sinistra [-+]centro [-+]destra NUMMER*sinistra NUMMER*centro NUMMER*destra reimposta invertito

`\iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter`

`\iniziastyle [...*;...] ... \terminastyle`

* inherits: \setupstyle

`\iniziastyle [...]` ... `\terminastyle`
* NAME FONT

`\iniziaSTYLE` ... `\terminaSTYLE`

`\iniziasubformulas [...;...]` ... `\terminasubformulas`
* + - REFERENCE OPT

`\iniziasubjectlevel [1...] [...2...] [...3...] ...` `\terminasubjectlevel`
1 NAME OPT OPT OPT
2 titolo = TEXT
segnalibro = TEXT
marcatura = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT
numeroproprio = TEXT
placeholder = TEXT
3 KEY = VALUE

`\iniziasubnumberinghere` ... `\terminasubnumberinghere`

`\iniziasubsentence` ... `\terminasubsentence`

`\iniziasubstack` ... `\terminasubstack`

`\iniziasymbolset [1] [...2...] ...` `\terminasymbolset`
1 NAME OPT
2 font = FONT

`\iniziaTABLE [...*...] ...` `\terminaTABLE`
* inherits: `\setupTABLE` OPT

`\iniziaTABLEbody [...*...] ...` `\terminaTABLEbody`
* inherits: `\setupTABLE` OPT

`\iniziaTABLEfoot [...*...] ...` `\terminaTABLEfoot`
* inherits: `\setupTABLE` OPT

`\iniziaTABLEhead [...*...] ...` `\terminaTABLEhead`
* inherits: `\setupTABLE` OPT

`\iniziaTABLEnext [...*...] ...` `\terminaTABLEnext`
* inherits: `\setupTABLE` OPT

`\iniziatabella [|1.|] [...2...] ...` `\terminatabella`
1 TEMPLATE OPT
2 inherits: `\impostatabelle`

`\iniziatabella [1] [...2...] ...` `\terminatabella`
1 NAME OPT
2 inherits: `\impostatabelle`

`\iniziatabelle [|*.|] ...` `\terminatabelle`
* TEMPLATE

`\iniziatabelle [...]` ... `\terminatabelle`
* NAME

```
\iniziatabulato [..1.] [..,..2..,..] ... \terminatabulato
1  TEMPLATE          OPT          OPT
2  inherits: \impostatabulato
```

```
\iniziaTABULATE [..1.] [..,..2..,..] ... \terminaTABULATE
1  NAME              OPT          OPT
2  inherits: \impostatabulato
instances: legend fact
```

```
\iniziafact [..1.] [..,..2..,..] ... \terminaifact
1  NAME              OPT          OPT
2  inherits: \impostatabulato
```

```
\inizialegend [..1.] [..,..2..,..] ... \terminalegend
1  NAME              OPT          OPT
2  inherits: \impostatabulato
```

```
\iniziatesta [..,1..] {2..} ... \terminatesta
1  REFERENCE        OPT
2  TEXT
```

```
\iniziatestatabella [..*.] ... \terminatestatabella
*  NAME
```

```
\iniziatestatabulato [..*.] ... \terminatestatabulato
*  NAME          OPT
```

```
\iniziatesto ... \terminatesto
```

```
\iniziatestoaiuto [..*.] ... \terminatestoaiuto
*  REFERENCE      OPT
```

```
\iniziaLABELtesto [..1.] [..2.] ... \terminalABELtesto
1  SPRACHE        OPT
2  KEY
instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
```

```
\iniziabtxlabeltesto [..1.] [..2.] ... \terminabtxlabeltesto
1  SPRACHE        OPT
2  KEY
```

```
\iniziaheadtesto [..1.] [..2.] ... \terminaheadtesto
1  SPRACHE        OPT
2  KEY
```

```
\inizialabeltesto [..1.] [..2.] ... \terminalabeltesto
1  SPRACHE        OPT
2  KEY
```

```
\inizamathlabeltesto [..1.] [..2.] ... \terminamathlabeltesto
1  SPRACHE        OPT
2  KEY
```

```
\iniziaoperatortestto [..1.] [..2.] ... \terminaoperatortestto
1  SPRACHE        OPT
2  KEY
```

```
\iniziaprefixtesto [..1.] [..2.] ... \terminaprefixtesto
1  SPRACHE        OPT
2  KEY
```

`\iniziasuffixtesto [1...] [2...] ... \terminasuffixtesto`

1 SPRACHE
2 KEY

OPT

`\iniziataglabeltesto [1...] [2...] ... \terminataglabeltesto`

1 SPRACHE
2 KEY

OPT

`\iniziaunittesto [1...] [2...] ... \terminaunittesto`

1 SPRACHE
2 KEY

OPT

`\iniziaFRAMEDTEXT [1...] [2...] ... \terminaFRAMEDTEXT`

1 sinistra destra centro ^{OPT}nessuno

OPT

2 inherits: \setupframedtext

instances: framedtext

`\iniziaframedtext [1...] [2...] ... \terminaframedtext`

1 sinistra destra centro ^{OPT}nessuno

OPT

2 inherits: \setupframedtext

`\iniziatexcode ... \terminatexcode`

`\iniziatexdefinition [1] [2] [3] ... \terminatexdefinition`

1 spaces nospaces globale ^{OPT}flerante fro~~zen~~ permanent instance mutable immutable protetto semiprotected unexpanded
expanded singleempty doubleempty tripleempty quadrupleempty quintupleempty sextupleempty singleargument doubleargument
tripleargument quadrupleargument quintupleargument sextupleargument

2 NAME
3 TEMPLATE

`\iniziatextbackground [1...] [2...] ... \terminatextbackground`

1 NAME

2 inherits: \setuptextbackground

OPT

`\iniziatextbackgroundmanual ... \terminatextbackgroundmanual`

`\iniziaTEXTBACKGROUND [1...] [2...] ... \terminaTEXTBACKGROUND`

* inherits: \setuptextbackground

OPT

`\iniziatextcolor [1...] ... \terminatextcolor`

* COLOR

`\iniziatextcolorintent ... \terminatextcolorintent`

`\iniziaTEXTDISPLAY [1...] [2...] ... \terminaTEXTDISPLAY`

* inherits: \setuptextdisplay

OPT

instances: textdisplay

`\iniziatextdisplay [1...] [2...] ... \terminatextdisplay`

* inherits: \setuptextdisplay

OPT

`\iniziatextflow [1...] ... \terminatextflow`

* NAME

`\iniziatokenlist [1...] ... \terminatokenlist`

* NAME

`\iniziatokens [1...] ... \terminatokens`

* NAME

```
\iniziatransliteration [...] [...2...] ... \terminatransliteration
1 NAME
2 inherits: \setuptransliteration
```

```
\iniziatransparent [...] ... \terminatransparent
* COLOR
```

```
\iniziatypescript [...1...] [...2...] [...3...] ... \terminatypescript
1 serif sans mono math handwriting calligraphy
2 NAME
3 dimensione nome
```

```
\iniziatypescriptcollection [...] ... \terminatypescriptcollection
* NAME
```

```
\iniziaTYPING [...*...] ... \terminaTYPING
* inherits: \impostatyping
instances: typing LUA MP PARSEDXML TEX XML
```

```
\iniziaTYPING [...*...] ... \terminaTYPING
* continua
instances: typing LUA MP PARSEDXML TEX XML
```

```
\iniziaLUA [...*...] ... \terminaLUA
* continua
```

```
\iniziaMP [...*...] ... \terminaMP
* continua
```

```
\iniziaPARSEDXML [...*...] ... \terminaPARSEDXML
* continua
```

```
\iniziaTEX [...*...] ... \terminaTEX
* continua
```

```
\iniziatyping [...*...] ... \terminatyping
* continua
```

```
\iniziaXML [...*...] ... \terminaXML
* continua
```

```
\iniziaLUA [...*...] ... \terminaLUA
* inherits: \impostatyping
```

```
\iniziaMP [...*...] ... \terminaMP
* inherits: \impostatyping
```

```
\iniziaPARSEDXML [...*...] ... \terminaPARSEDXML
* inherits: \impostatyping
```

```
\iniziaTEX [...*...] ... \terminaTEX
* inherits: \impostatyping
```

```
\iniziatyping [...*...] ... \terminatyping
* inherits: \impostatyping
```

```
\iniziaXML [...*...] ... \terminaXML
* inherits: \impostatyping
```

`\iniziauniqueMPgraphic {...} {...2;...} ... \terminauniqueMPgraphic`

1 NAME
2 KEY

`\iniziauniqueMPpagegraphic {...} {...2;...} ... \terminauniqueMPpagegraphic`

1 NAME
2 KEY

`\iniziaunpacked ... \terminaunpacked`

`\iniziausableMPgraphic {...} {...2;...} ... \terminausableMPgraphic`

1 NAME
2 KEY

`\iniziauseMPgraphic {...} {...2;...} ... \terminauseMPgraphic`

1 NAME
2 KEY

`\iniziausemathstyleparameter \.* ... \terminausemathstyleparameter`

* CSNAME

`\iniziauserdata [...1] [...2;...2;...] ... \terminauserdata`

1 NAME
2 KEY = VALUE

`\iniziaUSERDATA [...1;...2;...] ... \terminaUSERDATA`

* KEY = VALUE

`\iniziausingbtxspecification [...1] ... \terminausingbtxspecification`

* NAME

`\iniziavaia [...1] ... \terminavaia`

* REFERENCE

`\iniziavboxregister \.* ... \terminavboxregister`

* CSNAME NUMBER

`\iniziavboxtohbox ... \terminavboxtohbox`

`\iniziavboxtohboxseparator ... \terminavboxtohboxseparator`

`\iniziaviewerlayer [...1] ... \terminaviewerlayer`

* NAME

`\iniziaVIEWERLAYER ... \terminaVIEWERLAYER`

`\iniziavtopregister \.* ... \terminavtopregister`

* CSNAME NUMBER

`\iniziaxcell [...1] [...2;...2;...] ... \terminaxcell`

1 NAME
2 nx = NUMBER
ny = NUMBER
nc = NUMBER
nr = NUMBER
inherits: \setupxtable

```
\iniziacellgroup [...]1 [...]2... \terminacellgroup
1 NAME OPT OPT
2 inherits: \setupxtable
```

```
\iniziacolumn [...]*... \terminacolumn
* inherits: \setupxtable OPT
```

```
\iniziacolumn [...]*... \terminacolumn
* NAME OPT
```

```
\iniziagroup [...]1 [...]2... \terminagroup
1 NAME OPT OPT
2 inherits: \setupxtable
```

```
\iniziaxmldisplayverbatim [...]*... \terminaxmldisplayverbatim
* NAME
```

```
\iniziaxmlinlineverbatim [...]*... \terminaxmlinlineverbatim
* NAME
```

```
\iniziaxmlraw ... \terminaxmlraw
```

```
\iniziaxmlsetups [...]1 [...]2... \terminaxmlsetups
1 griglia OPT
2 NAME
```

```
\iniziaxmlsetups [...]*... \terminaxmlsetups
* NAME
```

```
\iniziaxrow [...]1 [...]2... \terminaxrow
1 NAME OPT OPT
2 inherits: \setupxtable
```

```
\iniziaxrowgroup [...]1 [...]2... \terminaxrowgroup
1 NAME OPT OPT
2 inherits: \setupxtable
```

```
\iniziatable [...]*... \terminatable
* inherits: \setupxtable OPT
```

```
\iniziatablebody [...]*... \terminatablebody
* inherits: \setupxtable OPT
```

```
\iniziatablebody [...]*... \terminatablebody
* NAME OPT
```

```
\iniziatablefoot [...]*... \terminatablefoot
* inherits: \setupxtable OPT
```

```
\iniziatablefoot [...]*... \terminatablefoot
* NAME OPT
```

```
\iniziatablehead [...]*... \terminatablehead
* inherits: \setupxtable OPT
```

```
\iniziatablehead [...]*... \terminatablehead
* NAME OPT
```


`\iniziatablenext [...,.*,.,.] ... \terminatablenext`
* inherits: \setupxtable OPT

`\iniziatablenext [...] ... \terminatablenext`
* NAME OPT

`\iniziaXTABLE [...,.*,.,.] ... \terminaXTABLE`
* inherits: \setupxtable OPT

`\iniziatable [...] ... \terminatable`
* NAME OPT

`\inlinebar [...] {...}`
1 NAME
2 CONTENT

`\inlinebuffer [...,.*,.,.]`
* BUFFER OPT

`\inlinedbox {...}`
* CONTENT

`\inlinemath {...}`
* CONTENT

`\inlinemathematics {...}`
* CONTENT

`\inlinemessage {...}`
* TEXT

`\inlineordisplaymath {...} {...}`
1 CONTENT
2 CONTENT

`\inlineprettyprintbuffer {...} {...}`
1 BUFFER
2 mp lua xml parsed-xml nested tex context nessuno NAME

`\inlinerange [...]`
* REFERENCE

`\innerflushshapebox`

`\input {...}`
* FILE

`\inputfilebarename`

`\inputfilename`

`\inputfilerealsuffix`

`\inputfilesuffix`

`\inputgivenfile {...}`
* FILE

```
\input ...  
* FILE
```

```
\inriga {...} [...]  
1 TEXT OPT  
2 REFERENCE
```

```
\insertblankafter [...*...]  
* inherits: \rigovuoto
```

```
\insertblankbefore [...*...]  
* inherits: \rigovuoto
```

```
\insertlineafter {...}  
* CONTENT
```

```
\insertlinebefore {...}  
* CONTENT
```

```
\insertpages [...1] [...2,...] [...3,...3,...]  
1 FILE OPT OPT  
2 NUMBER  
3 ampiezza = DIMENSION  
n = NUMBER  
category = NAME  
alternativa = a b implicito pagina
```

```
\inspectluatable \*...  
* CSNAME
```

```
\installactionhandler {...}  
* NAME
```

```
\installactivecharacter ...  
* CHARACTER
```

```
\installalingua [...1] [...2,...]  
1 NAME  
2 inherits: \impostalingua
```

```
\installalingua [...1] [...2]  
1 NAME  
2 SPRACHE
```

```
\installanddefineactivecharacter ...1 {...2}  
1 CHARACTER  
2 BEFEHL
```

```
\installattributestack \*...  
* CSNAME
```

```
\installautocommandhandler \1 {...2} \3...  
1 CSNAME  
2 NAME  
3 CSNAME
```

```
\installautosetuphandler \1 {...2}  
1 CSNAME  
2 NAME
```

```
\installbasicautosetuphandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installbasicparameterhandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installbottomframerenderer {...} {...}
```

```
1 NAME  
2 BEFEHL
```

```
\installcommandhandler \^1.. {...} \^3..
```

```
1 CSNAME  
2 NAME  
3 CSNAME
```

```
\installcorenamespace {...}
```

```
* NAME
```

```
\installctxfunction \^1.. {...}
```

```
1 CSNAME  
2 CONTENT
```

```
\installctxscanner \^1.. {...}
```

```
1 CSNAME  
2 CONTENT
```

```
\installdefinehandler \^1.. {...} \^3..
```

```
1 CSNAME  
2 NAME  
3 CSNAME
```

```
\installdefinitionset \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installdefinitionsetmember \^1.. {...} \^3.. {...}
```

```
1 CSNAME  
2 NAME  
3 CSNAME  
4 NAME
```

```
\installdirectcommandhandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installdirectparameterhandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installdirectparametersethandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installdirectsetuphandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installdirectstyleandcolorhandler \^1.. {...}
```

```
1 CSNAME  
2 NAME
```

```
\installframedautocommandhandler \^1.. {^2..} \^3..
```

```
1 CSNAME  
2 NAME  
3 CSNAME
```

```
\installframedcommandhandler \^1.. {^2..} \^3..
```

```
1 CSNAME  
2 NAME  
3 CSNAME
```

```
\installglobalmacrostack \^*..
```

```
* CSNAME
```

```
\installinheritedframed {^*..}
```

```
* NAME
```

```
\installleftframerenderer {^1..} {^2..}
```

```
1 NAME  
2 BEFEHL
```

```
\installlocalcurrenthandler \^1.. {^2..}
```

```
1 CSNAME  
2 NAME
```

```
\installmacrostack \^*..
```

```
* CSNAME
```

```
\installnamespace {^*..}
```

```
* NAME
```

```
\installoutputroutine \^1.. {^2..}
```

```
1 CSNAME  
2 BEFEHL
```

```
\installpagearrangement ^1.. {^2..}
```

```
1 NAME  
2 BEFEHL
```

```
\installparameterhandler \^1.. {^2..}
```

```
1 CSNAME  
2 NAME
```

```
\installparameterhashhandler \^1.. {^2..}
```

```
1 CSNAME  
2 NAME
```

```
\installparametersethandler \^1.. {^2..}
```

```
1 CSNAME  
2 NAME
```

```
\installparentinjector \^1.. {^2..}
```

```
1 CSNAME  
2 NAME
```

```
\installprotectedctxfunction \^1.. {^2..}
```

```
1 CSNAME  
2 CONTENT
```

```
\installprotectedctxscanner \^1.. {^2..}
```

```
1 CSNAME  
2 CONTENT
```

```
\installrightframerenderer {...} {...}
```

- 1 NAME
- 2 BEFEHL

```
\installrootparameterhandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installsetuphandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installsetuponlycommandhandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installshipoutmethod {...} {...}
```

- 1 NAME
- 2 BEFEHL

```
\installsimplecommandhandler \^1... {...} \^3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installsimpleframedcommandhandler \^1... {...} \^3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installstyleandcolorhandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installstylisticautosetuphandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installswitchcommandhandler \^1... {...} \^3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installswitchsetuphandler \^1... {...}
```

- 1 CSNAME
- 2 NAME

```
\installtexdirective {...} {...} {...}
```

- 1 NAME
- 2 BEFEHL
- 3 BEFEHL

```
\installtextracker {...} {...} {...}
```

- 1 NAME
- 2 BEFEHL
- 3 BEFEHL

```
\installtopframerenderer {...} {...}
```

- 1 NAME
- 2 BEFEHL

<pre> \installunitsseparator {...} {...} 1 NAME 2 BEFEHL </pre>
<pre> \installunitsspace {...} {...} 1 NAME 2 BEFEHL </pre>
<pre> \installversioninfo {...} {...} 1 NAME 2 BEFEHL </pre>
<pre> \INSTANCEparameter {...} * KEY </pre>
<pre> \integerrounding {...} * NUMMER </pre>
<pre> \intertext {...} * TEXT </pre>
<pre> \interwordspaceafter </pre>
<pre> \interwordspacebefore </pre>
<pre> \interwordspaces {...} * NUMMER </pre>
<pre> \interwordspacesafter {...} * NUMMER </pre>
<pre> \interwordspacesbefore {...} * NUMMER </pre>
<pre> \intorno [...] * REFERENCE </pre>
<pre> \invokepagehandler {...} {...} 1 normale nessuno NAME 2 CONTENT </pre>
<pre> \italiccorrection </pre>
<pre> \italicface </pre>
<pre> \itemtag [...,*...] * REFERENCE <small>OPT</small> </pre>
<pre> \jobfilename </pre>
<pre> \jobfilesuffix </pre>
<pre> \kap {...} * TEXT </pre>
<pre> \keeplinestogether {...} * NUMMER </pre>

<code>\keepunwantedspaces</code>
<code>\kerncharacters</code> [¹ ...] { ² ...} 1 NUMBER OPT 2 TEXT
<code>\koreancirclenumerals</code> {...} * NUMBER
<code>\koreannumerals</code> {...} * NUMBER
<code>\koreannumeralsc</code> {...} * NUMBER
<code>\koreannumeralsp</code> {...} * NUMBER
<code>\koreanparentnumerals</code> {...} * NUMBER
<code>\LAMSTEX</code>
<code>\LATEX</code>
<code>\LamSTeX</code>
<code>\LaTeX</code>
<code>\Lettera</code> {...} * NUMBER
<code>\Lettere</code> {...} * NUMBER
<code>\LUAJITTEX</code>
<code>\LUAMETATEX</code>
<code>\LUATEX</code>
<code>\Lua</code>
<code>\LuajitTeX</code>
<code>\LuaMetaTeX</code>
<code>\LuaTeX</code>
<code>\LABELlingua</code> instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
<code>\btxlabellingua</code>
<code>\headlingua</code>

<pre>\lastparwrapper {...} * NAME</pre>
<pre>\lastpredefinedsymbol</pre>
<pre>\lastrealpage</pre>
<pre>\lastrealpagenumber</pre>
<pre>\lastsubcountervalue [1.] [2.] 1 NAME 2 NUMMER</pre>
<pre>\lastsubpagenumber</pre>
<pre>\lasttwodigits {...} * NUMMER</pre>
<pre>\lastuserpage</pre>
<pre>\lastuserpagenumber</pre>
<pre>\lateluacode {...} * BEFEHL</pre>
<pre>\layeredtext [...¹...²...] [...²...³...] {...} {...} 1 inherits: \setuplayer^{OPT} 2 inherits: \setuplayeredtext 3 TEXT 4 CONTENT</pre>
<pre>\layerheight</pre>
<pre>\layerwidth</pre>
<pre>\lazysavetaggedtwopassdata {...} {...} {...} {...} 1 NAME 2 NUMMER 3 NAME 4 CONTENT</pre>
<pre>\lazysavetwopassdata {...} {...} {...} 1 NAME 2 NUMMER 3 CONTENT</pre>
<pre>\lbox ..¹ {...} 1 TEXT^{OPT} 2 CONTENT</pre>
<pre>\lchexnumber {...} * NUMMER</pre>
<pre>\lchexnumbers {...} * NUMMER</pre>
<pre>\leftbottombox {...} * CONTENT</pre>

```
\leftbox {...}
* CONTENT
```

```
\lefthbox {...}
* CONTENT
```

```
\leftLABELtesto {...}
* KEY
instances: head label mathlabel
```

```
\leftheadtesto {...}
* KEY
```

```
\leftlabeltesto {...}
* KEY
```

```
\leftmathlabeltesto {...}
* KEY
```

```
\leftline {...}
* CONTENT
```

```
\lefttorrighthbox 1 {...}
1 TEXT OPT
2 CONTENT
```

```
\lefttorrighthvbox 1 {...}
1 TEXT OPT
2 CONTENT
```

```
\lefttorrighthvtop 1 {...}
1 TEXT OPT
2 CONTENT
```

```
\leftparbox [1...] {...}
1 globale OPT
2 CONTENT
```

```
\leftskipadaption
```

```
\leftsubguillemot
```

```
\lefttopbox {...}
* CONTENT
```

```
\lefttright
```

```
\lefttorrighthbox 1 {...}
1 TEXT OPT
2 CONTENT
```

```
\lefttorrighthvbox 1 {...}
1 TEXT OPT
2 CONTENT
```

```
\lefttorrighthvtop 1 {...}
1 TEXT OPT
2 CONTENT
```

`\letbeundefined {...}`

* NAME

`\letcatcodecommand \1... \2... \3...`

1 CSNAME

2 CHARACTER NUMBER

3 CSNAME

`\letCOMANDOp parameter {...} \2...`

1 KEY

2 CSNAME

`\letcscsname \1... \csname \2... \endcsname`

1 CSNAME

2 NAME

`\letcsnamecs \csname \1... \endcsname \2...`

1 NAME

2 CSNAME

`\letcsnamecsname \csname \1... \endcsname \csname \2... \endcsname`

1 NAME

2 NAME

`\letdummyparameter {\1...} \2...`

1 KEY

2 CSNAME

`\letempty *...`

* CSNAME

`\letfromCOMANDOp parameter \1... {\2...}`

1 CSNAME

2 KEY

`\letgvalue {\1...} \2...`

1 NAME

2 CSNAME

`\letgvalueempty {...}`

* NAME

`\letgvaluerelax {...}`

* NAME

`\lettera {...}`

* NUMMER

`\letterampersand`

`\letterat`

`\letterbackslash`

`\letterbar`

`\letterbgroup`

`\letterclosebrace`

<code>\lettercolon</code>
<code>\letterdollar</code>
<code>\letterdoublequote</code>
<code>\lettere {..}</code> * NUMMER
<code>\letteregroup</code>
<code>\letterescape</code>
<code>\letterexclamationmark</code>
<code>\letterhash</code>
<code>\letterhat</code>
<code>\letterhyphen</code>
<code>\letterleftbrace</code>
<code>\letterleftbracket</code>
<code>\letterleftparenthesis</code>
<code>\letterless</code>
<code>\lettermore</code>
<code>\letteropenbrace</code>
<code>\letterpercent</code>
<code>\letterquestionmark</code>
<code>\letterrightbrace</code>
<code>\letterrightbracket</code>
<code>\letterrightparenthesis</code>
<code>\lettersinglequote</code>
<code>\letterslash</code>
<code>\letterspacing [..] {..}</code> 1 NUMMER OPT 2 TEXT
<code>\lettertilde</code>

`\linesottili [...,.*=.,...]`

* inherits: \impostalines^{OPT}sottili

`\linefillerhbox [...1] ...2 {...3}`

1 NAME
2 TEXT
3 CONTENT

`\linefillervbox [...1] ...2 {...3}`

1 NAME
2 TEXT
3 CONTENT

`\linefillervtop [...1] ...2 {...3}`

1 NAME
2 TEXT
3 CONTENT

`\LINENOTE {...}`

* TEXT
instances: linenote

`\linenote {...}`

* TEXT

`\linespanningtext {...1} {...2} {...3}`

1 TEXT
2 DIMENSION
3 FONT

`\lingua [...]`

* SPRACHE

`\linguaprincipale [...]`

* SPRACHE

`\LANGUAGE`

`\listcitation [...,.*1=.,...] [...2]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\listcitation [...1] [...2]`

1 implicito category^{OPT}entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
authoryear
2 REFERENCE

`\listcitation [...,.*1=.,...] [...,.*2=.,...]`

1 riferimento = REFERENCE
alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
authornum authoryear
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

```
\listcite [...1...] [...2.]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra      = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

```
\listcite [...1.] [...2.]
1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE
```

```
\listcite [...1...] [...2...]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra      = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

```
\listnamespaces
```

```
\literalmode
```

```
\llap {...}
* CONTENT
```

```
\loadanyfile [...]
* FILE
```

```
\loadanyfileonce [...]
* FILE
```

```
\loadbtxdefinitionfile [...]
* FILE
```

```
\loadbtxreplacementfile [...]
* FILE
```

```
\loadcldfile [...]
* FILE
```

```
\loadcldfileonce [...]
* FILE
```

```
\loadfontgoodies [...]
* FILE
```

```
\loadluafile [...]
* FILE
```

```
\loadluafileonce [...]
* FILE
```

`\loadspellchecklist [...] [...]`

- 1 NAME
- 2 FILE

`\loadtexfile [...]`

- * FILE

`\loadtexfileonce [...]`

- * FILE

`\loadtypescriptfile [...]`

- * FILE

`\localbox [...] {...}`

- 1 NAME
- 2 CONTENT

`\localframed [...] [...,2...,...] {...}`

- 1 NAME
- 2 inherits: \impostaincorniciato
- 3 CONTENT

`\localframedwithsettings [...] [...,2...,...] {...}`

- 1 NAME
- 2 inherits: \impostaincorniciato
- 3 CONTENT

`\localhsize`

`\localmargintext [...] {...}`

- 1 NAME
- 2 CONTENT

`\localpopbox ...`

- * CSNAME NUMBER

`\localpopmacro *..`

- * CSNAME

`\localpushbox ...`

- * CSNAME NUMBER

`\localpushmacro *..`

- * CSNAME

`\localundefine {...}`

- * NAME

`\locatedfilepath`

`\locatefilepath {...}`

- * FILE

`\locfilename {...}`

- * FILE

`\lomihl {1.} {2.} {3.}`

1 CONTENT
2 CONTENT
3 CONTENT

`\lowerbox {1.} \2. {3.}`

1 DIMENSION
2 CSNAME
3 CONTENT

`\lowercased {*.}`

* TEXT

`\lowercasestring 1. \to \2.`

1 TEXT
2 CSNAME

`\lowercasing`

`\lowerlefthdoubleninequote`

`\lowerleftsingleninequote`

`\lowerrighthdoubleninequote`

`\lowerrightsingleninequote`

`\LOWHIGH [1.] {2.} {3.}`

1 sinistra deSTtra
2 CONTENT
3 CONTENT

`\LOWMIDHIGH {1.} {2.} {3.}`

1 CONTENT
2 CONTENT
3 CONTENT

`\lrbbox {1.} {2.} {3.} {4.} {5.}`

1 DIMENSION
2 DIMENSION
3 DIMENSION
4 DIMENSION
5 CONTENT

`\ltop 1. {2.}`

1 TEXT ^{OPT}
2 CONTENT

`\ltrhbox 1. {2.}`

1 TEXT ^{OPT}
2 CONTENT

`\ltrtext {*.}`

* CONTENT

`\ltrvbox 1. {2.}`

1 TEXT ^{OPT}
2 CONTENT

<pre> \ltrvtop ... {...} 1 TEXT OPT 2 CONTENT </pre>
<pre> \luaocode {...} * BEFEHL </pre>
<pre> \luaconditional *... * CSNAME </pre>
<pre> \luaenvironment ... * FILE </pre>
<pre> \luaexpanded {...} * BEFEHL </pre>
<pre> \luaexpr [...¹] {...²} 1 TEXT OPT 2 CONTENT </pre>
<pre> \luafunction {...} * BEFEHL </pre>
<pre> \luajitTeX </pre>
<pre> \luamajorversion </pre>
<pre> \luametaTeX </pre>
<pre> \luaminorversion </pre>
<pre> \luaparameterset {...¹} {...²} 1 NAME 2 CONTENT </pre>
<pre> \luasetup {...} * NAME </pre>
<pre> \luaTeX </pre>
<pre> \luaversion </pre>
<pre> \lunghezzaelenco </pre>
<pre> \MESE {...} * NUMBER </pre>
<pre> \METAFONT </pre>
<pre> \METAFUN </pre>
<pre> \METAPOST </pre>
<pre> \MetaFont </pre>
<pre> \MetaFontLogo </pre>

<code>\MetaFun</code>
<code>\MetaPost</code>
<code>\MetaPostLogo</code>
<code>\MKII</code>
<code>\MKIV</code>
<code>\MKIX</code>
<code>\MKLX</code>
<code>\MKVI</code>
<code>\MKXI</code>
<code>\MKXL</code>
<code>\MONTHLONG {..}</code> * NUMBER
<code>\MONTHSHORT {..}</code> * NUMBER
<code>\MPanchor {..}</code> * NAME
<code>\MPbetex {..}</code> * NAME
<code>\MPc {..}</code> * NAME
<code>\MPcode {..} {..}</code> 1 metafun mififun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun 2 CONTENT
<code>\MPcolor {..}</code> * COLOR
<code>\MPcoloronly {..}</code> * COLOR
<code>\MPcolumn {..}</code> * NAME
<code>\MPd {..}</code> * NAME
<code>\MPdrawing {..}</code> * CONTENT

<pre> \MPfontsizehskip {...} * FONT </pre>
<pre> \MPgetmultipars {...} {...} 1 NAME 2 NAME </pre>
<pre> \MPgetmultishape {...} {...} 1 NAME 2 NAME </pre>
<pre> \MPgetposboxes {...} {...} 1 NAME 2 NAME </pre>
<pre> \MPH {...} * NAME </pre>
<pre> \MPII </pre>
<pre> \MPIV </pre>
<pre> \MPinclusions [...] {...} {...} 1 + OPT OPT 2 metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun 3 CONTENT </pre>
<pre> \MPLX </pre>
<pre> \MPleftskip {...} * NAME </pre>
<pre> \MPll {...} * NAME </pre>
<pre> \MPlr {...} * NAME </pre>
<pre> \MPls {...} * NAME </pre>
<pre> \MPmenubuttons {...} * NAME </pre>
<pre> \MPn {...} * NAME </pre>
<pre> \MPoptions {...} * COLOR </pre>
<pre> \MPoverlayanchor {...} * NAME </pre>
<pre> \MPp {...} * NAME </pre>

<pre>\MPpage {...} * NAME</pre>
<pre>\MPpardata {...} * NAME</pre>
<pre>\MPplus {...} {...} {...} 1 NAME 2 NUMMER 3 CONTENT</pre>
<pre>\MPpos {...} * NAME</pre>
<pre>\MPpositiongraphic {...} {...,..²...,..} 1 NAME 2 KEY = VALUE <small>OPT</small></pre>
<pre>\MPposset {...} * NAME</pre>
<pre>\MPpr {...} * NAME</pre>
<pre>\MPrawvar {...} {...} 1 NAME 2 KEY</pre>
<pre>\MPregion {...} * NAME</pre>
<pre>\MPrest {...} {...} 1 NAME 2 CONTENT</pre>
<pre>\MPrightskip {...} * NAME</pre>
<pre>\MPrs {...} * NAME</pre>
<pre>\MPstring {...} * NAME</pre>
<pre>\MPtext {...} * NAME</pre>
<pre>\MPtransparency {...} * COLOR</pre>
<pre>\MPul {...} * NAME</pre>
<pre>\MPur {...} * NAME</pre>
<pre>\MPVI</pre>

<pre> \MPv {...} {...} {...} 1 NAME 2 NUMBER 3 CONTENT </pre>
<pre> \MPvar {...} * KEY </pre>
<pre> \MPvariable {...} * KEY </pre>
<pre> \MPvv {...} {...} 1 NAME 2 CONTENT </pre>
<pre> \MPw {...} * NAME </pre>
<pre> \MPwhd {...} * NAME </pre>
<pre> \MPXL </pre>
<pre> \MPx {...} * NAME </pre>
<pre> \MPxy {...} * NAME </pre>
<pre> \MPxywhd {...} * NAME </pre>
<pre> \MPy {...} * NAME </pre>
<pre> \m [...] {...} 1 impPfcito i:default i:half i:tight i:fixed NAME 2 CONTENT </pre>
<pre> \maiuscoletto {...} * TEXT </pre>
<pre> \maiuscolo {...} * TEXT </pre>
<pre> \makecharacteractive ... * CHARACTER </pre>
<pre> \makerawcommalist [...¹...] \²... 1 BEFEHL 2 CSNAME </pre>
<pre> \makestrutofbox ... * CSNAME NUMBER </pre>
<pre> \mapfontsize [...] [...] 1 DIMENSION 2 DIMENSION </pre>

`\marcatura (...1,...) (...2,...) [...3]`

- 1 POSITION
- 2 POSITION
- 3 REFERENCE

`\margindata [...1] [...,2,...]OPT [...,3,...]OPT {...4}`

- 1 NAME
- 2 riferimento = REFERENCE
inherits: \setupmargindata
- 3 inherits: \setupmarginframed
- 4 CONTENT

`\MARGINDATA [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

instances: inleftmargin inrightmargin inoutermargin ininnermargin inleftedge inrightedge
inouteredge ininneredge atleftmargin atrightmargin inleft inright inouter ininner inmargin
inother margintext

`\atleftmargin [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\atrightmargin [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\ininner [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\ininneredge [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\ininnermargin [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\inleft [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

`\inleftedge [...,1,...]REF [...,2,...]OPT {...3}`

- 1 riferimento = REFERENCE
inherits: \setupmargindata
- 2 inherits: \setupmarginframed
- 3 CONTENT

```

\inleftmargin [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inmargin [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inotherr [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inouter [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inouteredge [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inoutermargin [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inright [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inrightedge [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inrightmargin [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\margintext [...,..1...,...] [...,..2...,...] {...3.}
1 riferimento = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\markcontent [...1.] {...2.}
1 reimposta tutti NAME
2 CONTENT

```

```

\markedpages [...]
* NAME

```


<pre> \marker {...} * NAME </pre>
<pre> \markinjector [...] * NAME </pre>
<pre> \markpage [...] [...] 1 NAME OPT 2 [-+]NUMBER </pre>
<pre> \markreferencepage </pre>
<pre> \mat {...} * CONTENT </pre>
<pre> \matematica [...] {...} 1 implicito i:default i:half i:tight i:fixed NAME 2 CONTENT </pre>
<pre> \matematica [...,\frac{...}{...}] {...} 1 inherits: \setupmathematics 2 CONTENT </pre>
<pre> \math [...] {...} 1 implicit i:default i:half i:tight i:fixed NAME 2 CONTENT </pre>
<pre> \MATHACCENT [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre> <p>instances: grave acute hat tilde bar breve dot ddot overhook ring check overleftharpoon overrightharpoon dddot ddddots widegrave wideacute widehat widetilde widebar widebreve widedot wideddot widering widecheck wideddot vec wideoverleftharpoon wideoverrightharpoon wideoverleftarrow wideoverrightarrow wideoverleftrightarrow conjugate closure wideundertilde wideunderbar wideunderleftrightharpoon wideunderleftharpoon wideunderleftarrow wideunderrightarrow</p>
<pre> \acute [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>
<pre> \bar [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>
<pre> \breve [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>
<pre> \check [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>
<pre> \closure [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>
<pre> \conjugate [...,\frac{...}{...}] {...} 1 inherits: \setupmathaccents 2 CONTENT </pre>

`\ddddot [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\dddot [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\ddot [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\dot [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\grave [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\hat [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\overhook [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\overleftharpoon [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\overrightharpoon [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\ring [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\tilde [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\vec [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\wideacute [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\widebar [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\widebreve [.,,..1.,,..] {..}`

1 inherits: `\setupmathaccentsOPT`
2 CONTENT

`\widecheck [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widedddot [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideddot [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widedot [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widegrave [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widehat [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideoverleftarrow [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideoverlefttharpoon [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideoverleftrightharpoon [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideoverrightarrow [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideoverriightharpoon [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widering [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\widetilde [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideunderbar [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

`\wideunderleftarrow [.,.,.\overset{1}{.}.,.] {\dots}`

1 inherits: \setupmathaccents^{OPT}
2 CONTENT

\wideunderleftharpoon [$\dots\overset{1}{\dots}\dots$] $\{\dots\}$ 1 inherits: $\backslash\text{setupmathaccents}$ <small>OPT</small> 2 CONTENT
$\wideunderleftrightharpoon$ [$\dots\overset{1}{\dots}\dots$] $\{\dots\}$ 1 inherits: $\backslash\text{setupmathaccents}$ <small>OPT</small> 2 CONTENT
\wideunderrightharpoon [$\dots\overset{1}{\dots}\dots$] $\{\dots\}$ 1 inherits: $\backslash\text{setupmathaccents}$ <small>OPT</small> 2 CONTENT
\wideunderrightharpoon [$\dots\overset{1}{\dots}\dots$] $\{\dots\}$ 1 inherits: $\backslash\text{setupmathaccents}$ <small>OPT</small> 2 CONTENT
\wideundertilde [$\dots\overset{1}{\dots}\dots$] $\{\dots\}$ 1 inherits: $\backslash\text{setupmathaccents}$ <small>OPT</small> 2 CONTENT
\mathbf{b}
\mathbf{i}
\blacksquare
\mathbf{box} [$\overset{1}{\dots}$] $\{\overset{2}{\dots}\}$ $\{\overset{3}{\dots}\}$ 1 nucleus <small>OPT</small> 2 TEXT 3 NAME NUMBER
\mathbf{bs}
\mathbf{cell} [$\overset{*}{\dots}$] * NAME NUMBER
$\mathbf{COMMAND}$ $\{\overset{1}{\dots}\}$ $\{\overset{2}{\dots}\}$ 1 TEXT <small>OPT</small> <small>OPT</small> 2 TEXT
$\mathbf{default}$
$\mathbf{DELIMITED}$ [$\dots\overset{1}{\dots}\dots$] $\{\overset{2}{\dots}\}$ 1 inherits: $\backslash\text{setupmathdelimited}$ 2 CONTENT instances: ddotmarked barmarked hatmarked checkmarked breve ring tilde dagger star prime doubleprime tripleprime quadrupleprime reverseprime $\text{doublereverseprime}$ $\text{triplereverseprime}$
\mathbf{ast} [$\dots\overset{1}{\dots}\dots$] $\{\overset{2}{\dots}\}$ 1 inherits: $\backslash\text{setupmathdelimited}$ 2 CONTENT
\mathbf{bar} [$\dots\overset{1}{\dots}\dots$] $\{\overset{2}{\dots}\}$ 1 inherits: $\backslash\text{setupmathdelimited}$ 2 CONTENT
\mathbf{breve} [$\dots\overset{1}{\dots}\dots$] $\{\overset{2}{\dots}\}$ 1 inherits: $\backslash\text{setupmathdelimited}$ 2 CONTENT

`\checkmarked [...,\overset{1}{=},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\daggermarked [...,\overset{1}{\dagger},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\ddaggermarked [...,\overset{1}{\ddagger},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\dddottedmarked [...,\overset{1}{\dots},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\ddotmarked [...,\overset{1}{\ddot{.}},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\doubleprimed [...,\overset{1}{\prime\prime},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\doublereverseprimed [...,\overset{1}{\prime\prime\prime},...] {...}`

1 inherits: \setupmathdelimited OPT
2 CONTENT

`\hatmarked [...,\overset{1}{\hat{.}},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\primed [...,\overset{1}{\prime},...] {...}`

1 inherits: \setupmathdelimited OPT
2 CONTENT

`\quadrupleprimed [...,\overset{1}{\prime\prime\prime\prime},...] {...}`

1 inherits: \setupmathdelimited OPT
2 CONTENT

`\reverseprimed [...,\overset{1}{\prime\prime\prime},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\ringmarked [...,\overset{1}{\textcircled{.}},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\starmarked [...,\overset{1}{\textstar},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\tildemarked [...,\overset{1}{\text{~}},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\tripleprimed [...,\overset{1}{\prime\prime\prime},...] {...}`

1 inherits: \setupmathdelimited
2 CONTENT

`\triplereverseprimed [...,\frac{1}{...},...] \{...\}`

1 inherits: \setupmathdelimited OPT
2 CONTENT

`\mathdelimiter [^{1.}] [^{2.}]`

1 NAME OPT
2 NUMBER

`\mathdelimiter [^{1.}] [^{2.}\frac{2}{...},...]`

1 NAME OPT
2 inherits: \setupmathdelimiters

`\mathdelimiter [^{*}]`

* NUMBER OPT

`\mathdelimiter [...,\frac{*}{...},...]`

* inherits: \setupmathdelimiters

`\mathdouble [^{1.}] \{^{2.}\} \{^{3.}\} \{^{4.}\}`

1 entrambi vfenced OPT
2 NUMBER
3 TEXT
4 TEXT

`\MATHDOUBLEEXTENSIBLE [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

instances: doublebar doublebrace doubleparent doublebracket overbarunderbar
overbraceunderbrace overparentunderparent overbracketunderbracket

`\doublebar [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\doublebrace [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\doublebracket [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\doubleparent [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overbarunderbar [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overbraceunderbrace [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overbracketunderbracket [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overparentunderparent [...,\frac{1}{...},...] \{^{2.}\}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\MATHDOUBLE {...}`

* TEXT

`\MATHEXTENSIBLE [...1...] {...2} {...3}`

1 invertito matematica^{OPT} testo chemistry^{OPT}
2 TEXT
3 TEXT

instances: xrel xequal xleftarrow xrightarrow xleftrightharpoonup xlongleftarrow xlongrightarrow
xlongleftrightharpoonup xLeftarrow xRightarrow xLeftrightharpoonup xtwoheadleftarrow
xtwoheadrightarrow xmapsto xhookleftarrow xhookrightarrow xleftharpoondown xleftharpoonup
xrightharpoondown xrightharpoonup xrightoverleftarrow xleftoverrightarrow xleftrightharpoons
xrightleftharpoons xtriplerel mrel mequal mleftarrow mrightarrow mleftrightharpoonup mLeftarrow
mRightarrow mLeftrightharpoonup mtwoheadleftarrow mtwoheadrightarrow mmapsto mhookleftarrow
mhookrightarrow mleftharpoondown mleftharpoonup mrightharpoondown mrightharpoonup
mrightoverleftarrow mleftoverrightarrow mleftrightharpoons mrightleftharpoons mtriplerel
trel tequal tmapsto tleftarrow trightarrow tleftrightharpoonup tLeftarrow tRightarrow
tLeftrightharpoonup ttwoheadleftarrow ttwoheadrightarrow tmapsto thookleftarrow thookrightarrow
tleftharpoondown tleftharpoonup trightharpoondown trightharpoonup trightoverleftarrow
tleftoverrightarrow tleftrightharpoons trightleftharpoons ttriplerel creturns cgives
cmesomeric cequilibrium cleaningright cleaningleft clongreturns clonggives clongmesomeric
clongequilibrium clongcleaningright clongcleaningleft

`\MATHEXTENSIBLE [...1...] {...2} {...3}`

1 inherits: \setupmathstacks^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT

instances: xrel xequal xleftarrow xrightarrow xleftrightharpoonup xlongleftarrow xlongrightarrow
xlongleftrightharpoonup xLeftarrow xRightarrow xLeftrightharpoonup xtwoheadleftarrow
xtwoheadrightarrow xmapsto xhookleftarrow xhookrightarrow xleftharpoondown xleftharpoonup
xrightharpoondown xrightharpoonup xrightoverleftarrow xleftoverrightarrow xleftrightharpoons
xrightleftharpoons xtriplerel mrel mequal mleftarrow mrightarrow mleftrightharpoonup mLeftarrow
mRightarrow mLeftrightharpoonup mtwoheadleftarrow mtwoheadrightarrow mmapsto mhookleftarrow
mhookrightarrow mleftharpoondown mleftharpoonup mrightharpoondown mrightharpoonup
mrightoverleftarrow mleftoverrightarrow mleftrightharpoons mrightleftharpoons mtriplerel
trel tequal tmapsto tleftarrow trightarrow tleftrightharpoonup tLeftarrow tRightarrow
tLeftrightharpoonup ttwoheadleftarrow ttwoheadrightarrow tmapsto thookleftarrow thookrightarrow
tleftharpoondown tleftharpoonup trightharpoondown trightharpoonup trightoverleftarrow
tleftoverrightarrow tleftrightharpoons trightleftharpoons ttriplerel creturns cgives
cmesomeric cequilibrium cleaningright cleaningleft clongreturns clonggives clongmesomeric
clongequilibrium clongcleaningright clongcleaningleft

`\cequilibrium [...1...] {...2} {...3}`

1 inherits: \setupmathstacks^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT

`\cgives [...1...] {...2} {...3}`

1 inherits: \setupmathstacks^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT

`\cleaningleft [...1...] {...2} {...3}`

1 inherits: \setupmathstacks^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT

`\cleaningright [...1...] {...2} {...3}`

1 inherits: \setupmathstacks^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT

```

\clongequilibrium [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\clonggives [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\clongleaningleft [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\clongleaningright [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\clongmesomeric [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\clongreturns [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\cmesomeric [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\creturns [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\mequal [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\mhookleftarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\mhookrightarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\mLeftarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\mLeftrightarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```


`\mleftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mleftharpoondown [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mleftharpoonup [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mleftoverrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\mleftrightharpoonup [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mleftrightharpoons [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\mmapsto [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mrel [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT
2 TEXT
3 TEXT

`\mrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mrightharpoondown [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mrightharpoonup [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\mrightleftharpoons [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\mrightoverleftarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT OPT
 2 TEXT
 3 TEXT

`\mtriplerel` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\mtwoheadleftarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT OPT
 2 TEXT
 3 TEXT

`\mtwoheadrightarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT OPT
 2 TEXT
 3 TEXT

`\tequal` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\thookleftarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\thookrightarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\tleftarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\tlefttrightharpoonup` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\tleftarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\tlefttharpoonowdown` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT OPT
 2 TEXT
 3 TEXT

`\tlefttharpoonup` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT
 2 TEXT
 3 TEXT

`\tleftoverrightarrow` [$\dots\stackrel{1}{=}\dots$] $\{\dots\}$ $\{\dots\}$
 1 inherits: `\setupmathstackers` OPT OPT OPT
 2 TEXT
 3 TEXT

```

\tleftrightarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\tleftrightharpoons [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\lmapsto [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trightarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trel [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT
2 TEXT
3 TEXT

```

```

\trightharpoonup [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trightharpoondown [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trightharpoonup [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trightleftharpoons [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\trightoverleftarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\triplerel [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\ttwoheadleftarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

```

\ttwoheadrightarrow [...,\stackrel{1}{=},...] {\dots} {\dots}
1 inherits: \setupmathstackersOPT OPT OPT
2 TEXT
3 TEXT

```

`\xequal [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xhookleftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xhookrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xLeftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xLeftrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xleftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xleftharpoondown [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xleftharpoonup [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xleftoverrightarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\xleftrightharpoonup [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xleftrightharpoons [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\xlongleftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT
2 TEXT
3 TEXT

`\xlongleftarrow [..,..1..,..] {...} {...}`

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
2 TEXT
3 TEXT

`\xlongrightarrow [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xmapsto [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrightarrow [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrel [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT
 2 TEXT
 3 TEXT

`\xrightarrow [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrightarrow [down] [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrightarrow [up] [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrightarrow [left] [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xrightarrow [right] [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\xtriplerel [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\twoheadleftarrow [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\twoheadrightarrow [...,\overset{1}{...},...] {\dots} {\dots}`
 1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

`\cequilibrium [...] {\dots} {\dots}`
 1 invertito matematica^{OPT} testo^{OPT} Chemistry^{OPT}
 2 TEXT
 3 TEXT

```

\cgives [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstry
2 TEXT
3 TEXT

```

```

\cleaningleft [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\cleaningright [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clongequilibrium [...] {...} {...}
1 invertito matematica testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clonggives [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clongcleaningleft [...] {...} {...}
1 invertito matematica testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clongcleaningright [...] {...} {...}
1 invertito matematica testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clongmesomeric [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\clongreturns [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\cmesomeric [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\creturns [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\mequal [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\mhookleftarrow [...] {...} {...}
1 invertito matematicaOPT testo chemiOPTstryOPT
2 TEXT
3 TEXT

```

```

\mhookrightarrow [...] {...} {...}
1 invertito matematica testo chemistry OPT
2 TEXT
3 TEXT

```

```

\mLeftarrow [...] {...} {...}
1 invertito matemafica testo chemistry
2 TEXT
3 TEXT

```

```

\mLeftrightarrow [...] {...} {...}
1 invertito matematica testo chemistry OPT
2 TEXT
3 TEXT

```

```

\mleftarrow [...] {...} {...}
1 invertito matemafica testo chemistry
2 TEXT
3 TEXT

```

```

\mleftharpoondown [...] {...} {...}
1 invertito matematica testo chemistry OPT
2 TEXT
3 TEXT

```

```

\mleftharpoonup [...] {...} {...}
1 invertito matematicaOPTtesto chemistry OPT
2 TEXT
3 TEXT

```

```

\mleftoverrightarrow [...] {...} {...}
1 invertito matematica testo chemistryOPT OPT
2 TEXT
3 TEXT

```

```

\mleftrightharpoonup [...] {...} {...}
1 invertito matematica testo chemistry OPT
2 TEXT
3 TEXT

```

```

\mleftrightharpoons [...] {...} {...}
1 invertito matematica testochemistryOPT OPT
2 TEXT
3 TEXT

```

```

\mmapsto [...] {...} {...}
1 invertito matematicaOPTtesto chemistry
2 TEXT
3 TEXT

```

```

\mrightarrow [...] {...} {...}
1 invertito matematica testochemistryOPT
2 TEXT
3 TEXT

```

```

\mrel [...] {...} {...}
1 invertito matematica testochemistry
2 TEXT
3 TEXT

```

```

\mrightarrow [...] {...} {...}
1 invertito matematica testochemistryOPT
2 TEXT
3 TEXT

```

```

\mrightharpoondown [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mrightharpoonup [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mrightleftharpoons [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mrightoverleftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mtriplerel [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mtwoheadleftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\mtwoheadrightarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\tequal [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\thookleftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\thookrightarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\tLeftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\tLeftrightarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```

```

\leftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT

```


`\tleftharpoondown [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\tleftharpoonup [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\tleftoverrightarrow [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\tleftrightarrow [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\tleftrightharpoons [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\tmapsto [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$
2 TEXT
3 TEXT

`\tRrightarrow [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$
2 TEXT
3 TEXT

`\trel [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$
2 TEXT
3 TEXT

`\trightarrow [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$
2 TEXT
3 TEXT

`\trightharpoondown [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\trightharpoonup [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\trightharpoons [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\trightoverleftarrow [...]{...}{...}`

1 invertito matematica $\overset{\text{OPT}}{\text{testo}}$ $\overset{\text{OPT}}{\text{chemistry}}$ $\overset{\text{OPT}}{\text{}}$
2 TEXT
3 TEXT

`\ttriplerel [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry
2 TEXT
3 TEXT

`\twoheadleftarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\twoheadrightarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\xequal [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry
2 TEXT
3 TEXT

`\hookrightarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\hookleftarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\xrightarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry
2 TEXT
3 TEXT

`\xleftarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\xrightarrowleft [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry
2 TEXT
3 TEXT

`\xrightarrowpoondown [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\xrightarrowpoonup [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\leftoverrightarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\leftrightarrow [...]{...}{...}`

1 invertito matematica^{OPT} test^{OPT}o chemist^{OPT}ry^{OPT}
2 TEXT
3 TEXT

`\xleftrightharpoons [...]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}
2 TEXT
3 TEXT

`\xlongleftarrow [...]{...}{...}`

1 invertito matematica^{OPT}testo chem^{OPT}istry^{OPT}
2 TEXT
3 TEXT

`\xlongleftarrow [...]{...}{...}`

1 invertito matematica testo^{OPT}chemistry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xrightarrow [...]{...}{...}`

1 invertito matematica testo chem^{OPT}istry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xmapsto [...]{...}{...}`

1 invertito matematica^{OPT}testo chem^{OPT}istry^{OPT}
2 TEXT
3 TEXT

`\xrightarrow [...]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}
2 TEXT
3 TEXT

`\xrel [...]{...}{...}`

1 invertito^{OPT} matematica test^{OPT}chemistry^{OPT}
2 TEXT
3 TEXT

`\xrightarrow [...]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}
2 TEXT
3 TEXT

`\xrightarrow[down]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xrightarrow[up]{...}{...}`

1 invertito matematica testo chem^{OPT}istry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xrightarrowleft [...]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xrightarrowleft [...]{...}{...}`

1 invertito matematica testo^{OPT}chemistry^{OPT}^{OPT}
2 TEXT
3 TEXT

`\xtriplerel [...]{...}{...}`

1 invertito matematica test^{OPT}chemistry^{OPT}
2 TEXT
3 TEXT

```
\xtwoheadleftarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT
```

```
\xtwoheadrightarrow [...] {...} {...}
1 invertito matematica testOPT chemistryOPT
2 TEXT
3 TEXT
```

```
\mathfraktur
```

```
\MATHFRAMED [...,\frac{.1}{.2},...] {...}
1 inherits: \setupmathframed
2 CONTENT
instances: mframed inmframed mcframed
```

```
\inmframed [...,\frac{.1}{.2},...] {...}
1 inherits: \setupmathframed
2 CONTENT
```

```
\mcframed [...,\frac{.1}{.2},...] {...}
1 inherits: \setupmathframed
2 CONTENT
```

```
\mframed [...,\frac{.1}{.2},...] {...}
1 inherits: \setupmathframed
2 CONTENT
```

```
\MATHFUNCTION
instances: arccos arcsin arctan arccosh arcsinh arctanh acos asin atan arg cosh cos coth cot
csc deg det dim erf erfc erfi exp gcd hom inf inv injlim ker lg liminf limsup lim ln log
median max min mod projlim Pr sec sinh sin sup tanh tan diff adj coker neg
```

```
\acos
```

```
\adj
```

```
\arccos
```

```
\arccosh
```

```
\arcsin
```

```
\arcsinh
```

```
\arctan
```

```
\arctanh
```

```
\arg
```

```
\MATHFUNCTION {...}
* CONTENT
instances: adjoint orthogonalcomplement transpose derivative secondderivative
thirdderivative fourthderivative preimage inverse
```

<code>\adjoin {...}</code> * CONTENT
<code>\derivative {...}</code> * CONTENT
<code>\fourthderivative {...}</code> * CONTENT
<code>\inverse {...}</code> * CONTENT
<code>\orthogonalcomplement {...}</code> * CONTENT
<code>\preimage {...}</code> * CONTENT
<code>\secondderivative {...}</code> * CONTENT
<code>\thirdderivative {...}</code> * CONTENT
<code>\transpose {...}</code> * CONTENT
<code>\asin</code>
<code>\atan</code>
<code>\coker</code>
<code>\cos</code>
<code>\cosh</code>
<code>\cot</code>
<code>\coth</code>
<code>\csc</code>
<code>\deg</code>
<code>\det</code>
<code>\diff</code>
<code>\dim</code>
<code>\erf</code>
<code>\erfc</code>

<code>\erfi</code>
<code>\exp</code>
<code>\gcd</code>
<code>\hom</code>
<code>\inf</code>
<code>\injlim</code>
<code>\inv</code>
<code>\ker</code>
<code>\lg</code>
<code>\lim</code>
<code>\liminf</code>
<code>\limsup</code>
<code>\ln</code>
<code>\log</code>
<code>\max</code>
<code>\median</code>
<code>\min</code>
<code>\mod</code>
<code>\neg</code>
<code>\Pr</code>
<code>\projlim</code>
<code>\sec</code>
<code>\sin</code>
<code>\sinh</code>
<code>\sup</code>
<code>\tan</code>

<code>\tanh</code>
<code>\mathgroupedcommandcs *..</code> * CSNAME
<code>\mathit</code>
<code>\mathitalic</code>
<code>\MATHMATRIX [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT instances: matrix bmatrix pmatrix vmatrix vvmatrix vvmatrix gmatrix bracedmatrix thematrix
<code>\bmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\bracedmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\gmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\matrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\pmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\thematrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\vmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\vvmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\vvmatrix [...,\dots] {...}</code> 1 inherits: \setupmathmatrix 2 CONTENT
<code>\mathnesting [...,\dots] {...}</code> 1 NUMBER <small>OPT</small> 2 CONTENT
<code>\MATHNESTING [...,\dots] {...}</code> 1 inherits: \setupmathnesting 2 CONTENT instances: mathtogether mathloose

`\mathloose [...,\frac{1}{2},...] {...}`

1 inherits: \setupmath^{OPT}nesting
2 CONTENT

`\mathtogether [...,\frac{1}{2},...] {...}`

1 inherits: \setupmath^{OPT}nesting
2 CONTENT

`\mathop {...}`

* CONTENT

`\mathopdolimits {...}`

* CONTENT

`\MATHOPERATOR [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

instances: integral iintegral iiintegral iiiintegral int iint iiint iiiint oint oiint oiiint
intc ointc aointc sumint barint doublebarint slashint aodownintc rectangularpoleintc
semicirclepoleintc circlepoleoutsideintc circlepoleinsideintc squareintc hookleftarrowint
timesint capint cupint upperint lowerint sum blackboardsum modtwosum prod coprod bigwedge
bigvee bigcap bigcup bigodot bigoplus bigotimes bigudot biguplus bigsqcap bigsqcup bigtimes
leftouterjoin rightouterjoin fullouterjoin bigbottom bigtop bigsolidus bigreversesolidus
bigdoublewedge bigdoublevee

`\aodownintc [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\aointc [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\barint [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigbottom [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigcap [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigcup [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigdoublevee [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigdoublewedge [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigodot [...,\frac{1}{2},...] {...}`

1 inherits: \setupmathoper^{OPT}ators^{OPT}
2 CONTENT

`\bigoplus` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigotimes` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigreversesolidus` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT OPT
2 CONTENT

`\bigsolidus` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigsqcap` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigsqcup` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigtimes` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigtop` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigudot` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\biguplus` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigvee` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\bigwedge` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\blackboardsum` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT OPT
2 CONTENT

`\capint` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT
2 CONTENT

`\circlepoleinsideintc` [\dots $\overset{1}{=}$ \dots] $\{\dots\}$

1 inherits: `\setupmathoperators` OPT OPT
2 CONTENT

```
\circleoutsideintc [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\coprod [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\cupint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\doublebarint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\fullouterjoin [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\hookleftarrowint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\iiiint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\iiiintegral [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\iiint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\iiintegral [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\iint [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\iintegral [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT OPT
2 CONTENT
```

```
\int [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\intc [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```
\integral [...,\frac{1}{...},...] {\dots}
1 inherits: \setupmathoperators OPT
2 CONTENT
```

```

\leftouterjoin [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\lowerint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\modtwosum [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\oiint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\oint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\oint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\ointc [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\prod [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\rectangularpoleintc [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\rightouterjoin [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\semicirclepoleintc [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\slashint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\squareintc [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\sum [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

```

\sumint [...,\frac{1}{2}...,...] {...}
1 inherits: \setupmathoperatorsOPT
2 CONTENT

```

`\timesint` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathoperators` ^{OPT}
 2 CONTENT

`\upperint` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathoperators` ^{OPT}
 2 CONTENT

`\mathopnolimits` $\{\dots\}$
 * CONTENT

`\MATHORNAMENT` $\{\dots\}$
 * CONTENT

`\mathover` [\dots^1] [$\dots^2\dots$] $\{\dots\}^3$ $\{\dots\}^4$
 1 cima `vfenced` ^{OPT} ^{OPT}
 2 inherits: `\setupmathstackers`
 3 NUMMER
 4 TEXT

`\MATHOVEREXTENSIBLE` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT
 instances: `overleftarrow` `overrightarrow` `overleftrightharrow` `overtwoheadleftarrow`
`overtwoheadrightarrow` `overlefttailarrow` `overrighttailarrow` `overleftbararrow`
`overrightbararrow` `overlefthookarrow` `overrighthookarrow` `overleftharpoonup` `overleftharpoondown`
`overrightharpoondown` `overrightharpoonup` `overRightarrow` `overLeftarrow` `overLeftrightarrow`
`overLeftbararrow` `overRightbararrow` `overbar` `overbrace` `overparent` `overbracket`

`\overbar` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers`
 2 TEXT

`\overbrace` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers`
 2 TEXT

`\overbracket` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overLeftarrow` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overLeftbararrow` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overLeftrightarrow` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overleftarrow` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overleftbararrow` [$\dots^1\dots$] $\{\dots\}^2$
 1 inherits: `\setupmathstackers` ^{OPT}
 2 TEXT

`\overleftharpoondown [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overleftharpoonup [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overlefthookarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overleftrightharpoonrightarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overlefttailarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overparent [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmath~~S~~OPTstackers
2 TEXT

`\overrightarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers~~S~~
2 TEXT

`\overrightarrowbar [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overrightarrowbar [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers~~S~~
2 TEXT

`\overrightarrowbar [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overrightarrowharpoondown [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overrightarrowharpoonup [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overrightarrowhookarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overrightarrowtailarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overtwoheadleftarrow [.,.,.\frac{1}{.},.] {..}`

1 inherits: \setupmathstackers OPT
2 TEXT

`\overtwoheadrightarrow` [\dots , \dots , $\frac{1}{\dots}$, \dots] $\{\dots\}$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\mathovertext` [\dots] $\{\dots\}$ $\{\dots\}$

1 cima OPT
2 TEXT
3 TEXT

`\MATHOVERTEXTTEXTENSIBLE` $\{\dots\}$ $\{\dots\}$

1 TEXT
2 TEXT
instances: `overbartext` `overbracetext` `overparenttext` `overbrackettext`

`\overbartext` $\{\dots\}$ $\{\dots\}$

1 TEXT
2 TEXT

`\overbracetext` $\{\dots\}$ $\{\dots\}$

1 TEXT
2 TEXT

`\overbrackettext` $\{\dots\}$ $\{\dots\}$

1 TEXT
2 TEXT

`\overparenttext` $\{\dots\}$ $\{\dots\}$

1 TEXT
2 TEXT

`\MATHOVER` $\{\dots\}$

* TEXT
instances: `interiorset`

`\interiorset` $\{\dots\}$

* TEXT

`\MATHRADICAL` [\dots , \dots , $\frac{1}{\dots}$, \dots] [\dots] $\{\dots\}$

1 inherits: `\setupmathradical` OPT
2 TEXT
3 CONTENT
instances: `root` `sqrt` `rannuity` `lannuity` `lrannuity` `rlannuity` `annuity` `lbannuity` `rbannuity`
`rlbannuity` `lrbannuity`

`\annuity` [\dots , \dots , $\frac{1}{\dots}$, \dots] [\dots] $\{\dots\}$

1 inherits: `\setupmathradical` OPT
2 TEXT
3 CONTENT

`\lannuity` [\dots , \dots , $\frac{1}{\dots}$, \dots] [\dots] $\{\dots\}$

1 inherits: `\setupmathradical` OPT
2 TEXT
3 CONTENT

`\lbannuity` [\dots , \dots , $\frac{1}{\dots}$, \dots] [\dots] $\{\dots\}$

1 inherits: `\setupmathradical` OPT
2 TEXT
3 CONTENT

`\lrannuity` [\dots , \dots , $\frac{1}{\dots}$, \dots] [\dots] $\{\dots\}$

1 inherits: `\setupmathradical` OPT
2 TEXT
3 CONTENT

```
\lrbannuity [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathfradical OPT
2 TEXT
3 CONTENT
```

```
\rannuity [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathradical OPT
2 TEXT
3 CONTENT
```

```
\rbannuity [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathfradical OPT
2 TEXT
3 CONTENT
```

```
\rlannuity [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathfradical OPT
2 TEXT
3 CONTENT
```

```
\lrbannuity [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathfradical OPT
2 TEXT
3 CONTENT
```

```
\root [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathradical OPT
2 TEXT
3 CONTENT
```

```
\sqrt [...,\frac{1}{...}] [...^2] {...^3}
1 inherits: \setupmathradical OPT
2 TEXT
3 CONTENT
```

```
\mathrm
```

```
\mathrowanchored {...}
* NAME NUMBER
```

```
\mathscript
```

```
\MATHSIMPLEALIGN [...,\frac{1}{...}] {...^2}
1 inherits: \setupmathsimplealign
2 CONTENT
instances: equationsystem lequationsystem reequationsystem
```

```
\equationsystem [...,\frac{1}{...}] {...^2}
1 inherits: \setupmathsimplealign
2 CONTENT
```

```
\lequationsystem [...,\frac{1}{...}] {...^2}
1 inherits: \setupmathsimplealign
2 CONTENT
```

```
\requationsystem [...,\frac{1}{...}] {...^2}
1 inherits: \setupmathsimplealign
2 CONTENT
```

```
\mathsl
```

```
\mathss
```

`\mathstacker [...]1 {...}2 {...}3 {...}4`

1 invertito matema^{OPT}tica testo chemistry
2 NUMBER
3 TEXT
4 TEXT

`\mathtext ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtextbf ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtextbi ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtextbs ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtextit ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtextsl ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\mathtexttf ...1 {...}2`

1 TEXT ^{OPT}
2 TEXT

`\maththf`

`\mathtriplet [...]1 {...}2 {...}3 {...}4`

1 NAME ^{OPT} ^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT
4 TEXT

`\MATHTRIPLET [...]1 {...}2 {...}3 {...}4`

1 NAME ^{OPT} ^{OPT} ^{OPT} ^{OPT}
2 TEXT
3 TEXT
4 TEXT

`\mathttt`

`\mathunder [...]1 [...,...2...,...]OPT {...}3 {...}4`

1 fondo vfenced^{OPT} ^{OPT}
2 inherits: \setupmathstackers
3 NUMBER
4 TEXT

`\MATHUNDEREXTENSIBLE` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

instances: `underleftarrow` `underrightarrow` `underleftrightarrow` `undertwoheadleftarrow`
`undertwoheadrightarrow` `underlefttailarrow` `underrighttailarrow` `underleftbararrow`
`underrightbararrow` `underlefthookarrow` `underrighthookarrow` `underleftharpoondown`
`underleftharpoonup` `underrightharpoondown` `underrightharpoonup` `underRightarrow` `underLeftarrow`
`underLeftrightarrow` `underLeftbararrow` `underRightbararrow` `underbar` `underbrace` `underparent`
`underbracket`

`\underbar` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underbrace` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underbracket` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underLeftarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underLeftbararrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underLeftrightarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underleftarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underleftbararrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underleftharpoondown` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underleftharpoonup` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underlefthookarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underleftrightarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underlefttailarrow` [$\dots\frac{1}{2}\dots$] $\{..^2..$

1 inherits: `\setupmathstackers` OPT
2 TEXT

`\underparent [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrightarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underbararrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrightarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrightbararrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrightharpoondown [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrightharpoonup [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrighthookarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\underrighttailarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\undertwoheadleftarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\undertwoheadrightarrow [...1...] {...2}`

1 inherits: \setupmathstackers^{OPT}
2 TEXT

`\mathundertext [...1] {...2} {...3}`

1 fondo^{OPT}
2 TEXT
3 TEXT

`\MATHUNDERTEXTTEXTENSIBLE {...1} {...2}`

1 TEXT
2 TEXT

instances: underbartext underbracetext underparenttext underbrackettext

`\underbartext {...1} {...2}`

1 TEXT
2 TEXT

`\underbracetext {...1} {...2}`

1 TEXT
2 TEXT

`\underbrackettext {1.} {2.}`

1 TEXT
2 TEXT

`\underparenttext {1.} {2.}`

1 TEXT
2 TEXT

`\MATHUNDER {*.}`

* TEXT

`\MATHUNSTACKED`

instances: impliedby implies iff impliesby And

`\And`

`\iff`

`\impliedby`

`\implies`

`\impliesby`

`\mathupright`

`\mathword 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordbf 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordbi 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordbs 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordit 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordsl 1. {2.}`

1 TEXT OPT
2 TEXT

`\mathwordtf 1. {2.}`

1 TEXT OPT
2 TEXT

`\math [...1...2...] {2.}`

1 inherits: OPT `\setupmathematics`
2 CONTENT

<pre> \maxaligned {...} * CONTENT </pre>
<pre> \mbox {...} * CONTENT </pre>
<pre> \measure {...} * NAME </pre>
<pre> \measured {...} * NAME </pre>
<pre> \medskip </pre>
<pre> \medspace </pre>
<pre> \menuinterattivo [..] [...²...,...] 1 NAME OPT 2 inherits: \impostamenuinterazione </pre>
<pre> \mese {...} * NUMMER </pre>
<pre> \message {...} * TEXT </pre>
<pre> \mettielenco [...¹,...] [...²...,...] 1 LISTE OPT 2 inherits: \impostaelenco </pre>
<pre> \mettielencocombinato [..] [...²...,...] 1 LISTE OPT 2 inherits: \impostaelencocombinato </pre>
<pre> \mettiCOMBINEDLIST [...[*]...,...] * inherits: \impostaelencocombinato instances: content </pre>
<pre> \metticontent [...[*]...,...] * inherits: \impostaelencocombinato </pre>
<pre> \mettifiancoafianco {...¹} {...²} 1 CONTENT 2 CONTENT </pre>
<pre> \mettiformula [...¹,...] {...²} 1 + - REFERENCE OPT OPT 2 TEXT </pre>
<pre> \mettiingriglia [..] {...²} 1 normale standard si Figido tollerante cima fondo entrambi ampio adatta primo ultimo alto uno basso nessuno riga strut box min max centro math math:riga math:mezzariga math:-line math:-halfline NAME 2 CONTENT </pre>
<pre> \mettiingriglia [...¹,...] {...²} 1 inherits: \definegridsmapping OPT 2 CONTENT </pre>

<pre> \mettinotepdp [...,.*,.,.] * inherits: \setupnote OPT </pre>
<pre> \mettinotepdplocali [...,.*,.,.] * inherits: \setupnote OPT </pre>
<pre> \mettinumeropagina </pre>
<pre> \mettiregistro [...¹.] [...,.*²,.,.] 1 NAME OPT 2 inherits: \impostaregistro </pre>
<pre> \mettiREGISTER [...,.*,.,.] * inherits: \impostaregistro OPT instances: index </pre>
<pre> \mettiindex [...,.*,.,.] * inherits: \impostaregistro OPT </pre>
<pre> \mettisegnalibro [...,¹,.,.] [...,²,.,.] [...,.*³,.,.] 1 ABSCHNITT LISTE OPT OPT OPT 2 ABSCHNITT LISTE 3 inherits: \setupbookmark </pre>
<pre> \mettisottoformula [...,¹,.,.] {²,.,.} 1 + - REFERENCE OPT OPT 2 TEXT </pre>
<pre> \mettiunosullaltro {¹,.,.} {²,.,.} 1 CONTENT 2 CONTENT </pre>
<pre> \mfence ... * \vert \singleverticalbar \doubleverticalbar \tripleverticalbar \mvert \mVert </pre>
<pre> \mfunction [...,.*¹,.,.] [²,.,.] 1 inherits: \setupmathfunctions OPT 2 NAME </pre>
<pre> \mfunctionlabeltext {[*],.,.} * NAME </pre>
<pre> \mfunction [...,.*¹,.,.] {²,.,.} 1 inherits: \setupmathfunctions OPT 2 NAME </pre>
<pre> \mhbox {[*],.,.} * CONTENT </pre>
<pre> \middlealigned {[*],.,.} * CONTENT </pre>
<pre> \middlebox {[*],.,.} * CONTENT </pre>
<pre> \middleparbox [...¹.] {²,.,.} 1 globale OPT 2 CONTENT </pre>

<pre>\midhbox {...} * CONTENT</pre>
<pre>\midsubsentence</pre>
<pre>\minimalhbox ¹... {²...} 1 TEXT ^{OPT} 2 CONTENT</pre>
<pre>\mixedcaps {...} * TEXT</pre>
<pre>\mkvibuffer [...]^{OPT} * BUFFER</pre>
<pre>\moduleparameter {¹...} {²...} 1 FILE 2 KEY</pre>
<pre>\molecule {...} * CONTENT</pre>
<pre>\mono</pre>
<pre>\monograssetto</pre>
<pre>\mononormal</pre>
<pre>\monthlong {...} * NUMMER</pre>
<pre>\monthshort {...} * NUMMER</pre>
<pre>\mostraambientefontdeltesto [...*...] * inherits: \impostafontdeltesto</pre>
<pre>\mostracolore [...] * COLOR</pre>
<pre>\mostracornice [...¹...] [...²...] 1 cima intestazione testo^{testo} piedipagina^{Fondo} 2 bordosinistro marginesinistro testo marginedestro bordodestro</pre>
<pre>\mostrafontdeltesto [...*...] * inherits: \impostafontdeltesto</pre>
<pre>\mostragriglia [...*...] * reimposta fondo cima nessuno tutti righe cornice nonumber destra sinistra esterno interno colonne</pre>
<pre>\mostragruppocolori [...¹] [...²...] 1 NAME ^{OPT} 2 orizzontale verticale numero valore nome</pre>
<pre>\mostraimpostazioni [...*...] * pt bp cm mm dd cc pc nd nc s^{pt}in</pre>

```
\mostralyout [...*...]
* pt bp cm mm dd cc pOPTnd nc sp in NUMBER
```

```
\mostramakeup [...*]
* reimposta boxes makeup tutti hbox vbox vtop kern glue penalty fontkern strut whatsit glyph simple simplehbox
simplevbox simplevtop user math corsivo origin discretionary expansion riga spazio profondita marginkern mathkern
dir par mathglue mark insert boundary vkern hkern vglue hglue vpenalty hpenalty
```

```
\mostrasettsimboli [...*]
* NAME
```

```
\mostrastampa [...1,...] [...2,...] [...3,...]
1 inherits: \impostadimensionicartaOPT
2 inherits: \impostadimensionicartaOPT
3 inherits: \impostalayout
```

```
\mostrastruts
```

```
\mostratavolozza [...1] [...2,...]
1 NAMEOPT
2 orizzontale verticale numero valore nome
```

```
\movedownsidefloat [...*...]
* [-+]riga [-+]2*line [-+]sospendi
```

```
\movesidefloat [...*...]
* [-+]riga [-+]2*line [-+]sospendi
```

```
\movesidefloat [...*,...]
* x = DIMENSION
y = DIMENSION
```

```
\mplocation {...*}
* sinistra destra interno esterno
```

```
\mprandomnumber
```

```
\mtext {...*}
* CONTENT
```

```
\mtp {...*}
* CONTENT
```

```
\m [...1,...] {...*}
1 inherits:OPT\setupmathematics
2 CONTENT
```

```
\NormalizeFontHeight \1... {...2} {...3} {...4}
1 CSNAME
2 TEXT
3 DIMENSION
4 FONT
```

```
\NormalizeFontWidth \1... {...2} {...3} {...4}
1 CSNAME
2 TEXT
3 DIMENSION
4 FONT
```

`\NormalizeTextHeight {1.} {2.} {3.}`

1 FONT
2 DIMENSION
3 TEXT

`\NormalizeTextWidth {1.} {2.} {3.}`

1 FONT
2 DIMENSION
3 TEXT

`\Numeri {*.}`

* NUMMER

`\Numeriromani {*.}`

* NUMMER

`\namedanchorbox {*.}`

* NAME

`\namedboxanchor {*.}`

* NAME NUMMER

`\namedCOMANDOhash {*.}`

* NAME

`\namedCOMANDOparameter {1.} {2.}`

1 NAME
2 KEY

`\namedheadnumber {*.}`

* ABSCHNITT

`\namedstructureheadlocation {*.}`

* ABSCHNITT

`\namedstructureuservariable {1.} {2.}`

1 ABSCHNITT
2 KEY

`\namedstructurevariable {1.} {2.}`

1 ABSCHNITT
2 KEY

`\namedtaggedlabeltexts {1.} {2.} {3.} {4.} {5.}`

1 NAME
2 NAME
3 NAME
4 NAME
5 CONTENT

`\namespacedboxanchor {*.}`

* NAME NUMMER

`\nascondiblocchi [...1;...] [...2;...]OPT`

1 NAME
2 NAME

`\naturalhbox 1. {2.}`

1 TEXT ^{OPT}
2 CONTENT


```
\naturalhpack ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturaltpack ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturalvbox ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturalvcenter ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturalvpack ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturalvtop ... {...}
1 TEXT OPT
2 CONTENT
```

```
\naturalwd ...
* CSNAME NUMBER
```

```
\negatecolorbox ...
* CSNAME NUMBER
```

```
\negated {...}
* TEXT
```

```
\negemspace
```

```
\negenspace
```

```
\negthinspace
```

```
\newattribute \*...
* CSNAME
```

```
\newcatcodetable \*...
* CSNAME
```

```
\newcounter \*...
* CSNAME
```

```
\newevery \1... \2...
1 CSNAME
2 CSNAME
```

```
\newfrenchspacing
```

```
\newluatable \*...
* CSNAME
```

<pre> \newmode {...} * NAME </pre>
<pre> \newrepeatablerandom \.^1. {.^2.} 1 CSNAME 2 NUMMER </pre>
<pre> \newsignal \.* * CSNAME </pre>
<pre> \newsystemmode {...} * NAME </pre>
<pre> \nextbox </pre>
<pre> \nextboxdp </pre>
<pre> \nextboxht </pre>
<pre> \nextboxhtdp </pre>
<pre> \nextboxwd </pre>
<pre> \nextcounter [.^1.] [.^2.] 1 NAME OPT 2 NUMMER </pre>
<pre> \nextcountervalue [.*] * NAME </pre>
<pre> \nextdepth </pre>
<pre> \nextparagraphs </pre>
<pre> \successivoPARAGRAPHS </pre>
<pre> \nextrealpage </pre>
<pre> \nextrealpagenumber </pre>
<pre> \nextsubcountervalue [.^1.] [.^2.] 1 NAME 2 NUMMER </pre>
<pre> \nextsubpagenumber </pre>
<pre> \nextuserpage </pre>
<pre> \nextuserpagenumber </pre>
<pre> \nientelineecimafondo </pre>
<pre> \nientelineintestazionepdp </pre>
<pre> \nientespazio </pre>

<pre>\nobar {...} * CONTENT</pre>
<pre>\nocap {...} * TEXT</pre>
<pre>\nocasing {...} * CONTENT</pre>
<pre>\nocharacteralign</pre>
<pre>\nocitation [...] * REFERENCE</pre>
<pre>\nocitation {...} * REFERENCE</pre>
<pre>\nocite [...] * REFERENCE</pre>
<pre>\nocite {...} * REFERENCE</pre>
<pre>\nodepthstrut</pre>
<pre>\nodetostring \¹... {²...} 1 CSNAME 2 CONTENT</pre>
<pre>\noffigurepages</pre>
<pre>\noflines</pre>
<pre>\noflinesinbox ... * CSNAME NUMBER</pre>
<pre>\noflocalfloats</pre>
<pre>\noheightstrut</pre>
<pre>\nohyphens</pre>
<pre>\noindentation</pre>
<pre>\noitem</pre>
<pre>\nonfrenchspacing</pre>
<pre>\nonmathematics {...} * CONTENT</pre>
<pre>\nonvalidassignment {...} * TEXT</pre>
<pre>\normalboldface</pre>

<code>\normale</code>
<code>\normalframedwithsettings [...¹...²...] {...}</code> 1 inherits: \impostaincorniciato 2 CONTENT
<code>\normalitalicface</code>
<code>\normalizebodyfontsize \¹... {...}</code> 1 CSNAME 2 DIMENSION
<code>\normalizedfontsize</code>
<code>\normalizefontdepth \¹... {...} {...} {...}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\normalizefontheight \¹... {...} {...} {...}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\normalizefontline \¹... {...} {...} {...}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\normalizefontwidth \¹... {...} {...} {...}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\normalizetextdepth {...¹} {...²} {...³}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\normalizetextheight {...¹} {...²} {...³}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\normalizetextline {...¹} {...²} {...³}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\normalizetextwidth {...¹} {...²} {...³}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\normalslantedface</code>
<code>\normaltypeface</code>

`\nota [...1] [...2]`

1 NAME OPT
2 REFERENCE

`\NOTE [...1;...2] {...}`

1 REFERENCE OPT
2 TEXT

instances: footnote endnote

`\NOTE [...*;...]`

* titolo = TEXT
segnalibro = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT

instances: footnote endnote

`\endnote [...*;...]`

* titolo = TEXT
segnalibro = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT

`\footnote [...*;...]`

* titolo = TEXT
segnalibro = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT

`\endnote [...1;...2] {...}`

1 REFERENCE OPT
2 TEXT

`\footnote [...1;...2] {...}`

1 REFERENCE OPT
2 TEXT

`\notesymbol [...1] [...2]`

1 NAME OPT
2 REFERENCE

`\notragged`

`\ntimes {...1} {...2}`

1 TEXT
2 NUMBER

`\numberhere [...*;...]`

* titolo = TEXT OPT
riferimento = + - REFERENCE
segnalibro = TEXT
elenco = TEXT
suffix = TEXT

`\numberhere [...*;...]`

* + - REFERENCE OPT

`\numberofpoints {...}`

* DIMENSION

`\numeri {...}`

* NUMBER

<pre>\numeriromani {...} * NUMBER</pre>
<pre>\numeroformula [...,*...] * REFERENCE OPT</pre>
<pre>\numeropagina</pre>
<pre>\numeropaginacompleto</pre>
<pre>\numerotesta [.^1.] [.^2.] 1 ABSCHNITT OPT 2 precedente corrente successivo primo ultimo</pre>
<pre>\numerotestacorrente</pre>
<pre>\obeydepth</pre>
<pre>\objectdepth</pre>
<pre>\objectheight</pre>
<pre>\objectmargin</pre>
<pre>\objectwidth</pre>
<pre>\obox {...} * CONTENT</pre>
<pre>\octnumber {...} * NUMBER</pre>
<pre>\octstringtonumber {...} * NUMBER</pre>
<pre>\offset [.,.,.^1.,.,.] {.^2.} 1 inherits: \setupoffset 2 CONTENT</pre>
<pre>\offsetbox [.,.,.^1.,.,.] \.^2. {.^3.} 1 inherits: \setupoffset 2 CSNAME 3 CONTENT</pre>
<pre>\onedigitrounding {...} * NUMBER</pre>
<pre>\optimize [.^1.] * +line -line flushleft flushright normale NAME</pre>
<pre>\optimize [.,.,.^1.,.,.] * inherits: \setupoptimize</pre>
<pre>\optionalword</pre>

`\ordinaldaynumber {...}`

* NUMBER

`\ordinalstr {...}`

* TEXT

`\ornamenttext [...1...2...] [...2...3...] {...3} {...4}`

1 alternativa = a b
inherits: \setupcollector
2 stile = STYLE BEFEHL
colore = COLOR
inherits: \impostaincorniciato
3 TEXT
4 CONTENT

`\ornamenttext [...1] {...2} {...3}`

1 NAME
2 TEXT
3 CONTENT

`\ornamenttext [...1...2...] [...2...3...] {...3} {...4}`

1 alternativa = a b
inherits: \setuplayer
2 inherits: \setuplayeredtext
3 TEXT
4 CONTENT

`\ORNAMENT {...1} {...2}`

1 TEXT
2 CONTENT

`\outputfilename`

`\outputstreambox [...]`

* NAME

`\outputstreamcopy [...]`

* NAME

`\outputstreamunvbox [...]`

* NAME

`\outputstreamunvcopy [...]`

* NAME

`\over [...]`

* REFERENCE

`\overlayanchorbox {...}`

* NAME

`\overlaybutton [...]`

* REFERENCE

`\overlaybutton {...}`

* REFERENCE

`\overlaycolor`

`\overlaydepth`

<pre>\overlayfigure {...} * FILE</pre>
<pre>\overlayheight</pre>
<pre>\overlayimage {...} * FILE</pre>
<pre>\overlaylinecolor</pre>
<pre>\overlaylinewidth</pre>
<pre>\overlayoffset</pre>
<pre>\overlayrollbutton [...] [...] 1 REFERENCE 2 REFERENCE</pre>
<pre>\overlaywidth</pre>
<pre>\overloaderror</pre>
<pre>\overset {...} {...} 1 TEXT 2 TEXT</pre>
<pre>\PAROLA {...} * TEXT</pre>
<pre>\PAROLE {...} * TEXT</pre>
<pre>\Parola {...} * TEXT</pre>
<pre>\Parole {...} * TEXT</pre>
<pre>\PDFcolor {...} * NAME</pre>
<pre>\PDFETEX</pre>
<pre>\PDFTEX</pre>
<pre>\Periodic {...} * TEXT</pre>
<pre>\PICTEX</pre>
<pre>\PiCTeX</pre>
<pre>\PointsToBigPoints {...} \^.. 1 DIMENSION 2 CSNAME</pre>

<pre> \PointsToReal {...} \²... 1 DIMENSION 2 CSNAME </pre>
<pre> \PointsToWholeBigPoints {...} \²... 1 DIMENSION 2 CSNAME </pre>
<pre> \PPCHTEX </pre>
<pre> \PPCHTeX </pre>
<pre> \PRAGMA </pre>
<pre> \PtToCm {...} * DIMENSION </pre>
<pre> \pagearea [¹...] [²...] [³...] 1 cima intestazione testo piedipagina fondo 2 testo margine bordo 3 sinistra destra testosinistro middletext testodestro </pre>
<pre> \pageblockrealpage {...} * NAME </pre>
<pre> \pagebreak [...;...] * vuoto intestazione piedipagina dummy cornice NUMBER +NUMBER implicito reimposta disattiva si no makeup rigovuoto preferenza grandepreferenza sinistra destra pari dispari quadruplo ultimo ultimapagina inizia termina xy NAME </pre>
<pre> \pagefigure [¹] [...;...²...] 1 FILE OPT 2 offset = implicito sovrapponi nessuno DIMENSION </pre>
<pre> \pageinjection [¹] [...;...²...] 1 NAME OPT OPT 2 KEY = VALUE </pre>
<pre> \pageinjection [...;...¹...] [...;...²...] 1 inherits: \setuppageinjection OPT 2 KEY = VALUE </pre>
<pre> \pagestaterealpage {...} {...} 1 NAME 2 NAME NUMBER </pre>
<pre> \pagestaterealpageorder {...} {...} 1 NAME 2 NAME NUMBER </pre>
<pre> \pagina [...;...] * inherits: \pagebreak </pre>
<pre> \paletsize </pre>
<pre> \PARAGRAPHS </pre>
<pre> \parola {...} * TEXT </pre>

<pre> \paroladestra [...] {...} 1 destra DIMENSION OPT 2 CONTENT </pre>
<pre> \pdfactualtext {...} {...} 1 CONTENT 2 TEXT </pre>
<pre> \pdfbackendactualtext {...} {...} 1 CONTENT 2 TEXT </pre>
<pre> \pdfbackendcurrentresources </pre>
<pre> \pdfbackendsetcatalog {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetcolorspace {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsettextgstate {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetinfo {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetname {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetpageattribute {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetpageresource {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetpagesattribute {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetpattern {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfbackendsetshade {...} {...} 1 NAME 2 TEXT </pre>
<pre> \pdfcolor {...} * NAME </pre>
<pre> \pdfeTeX </pre>
<pre> \pdfTeX </pre>

<pre>\ped {...} * CONTENT</pre>
<pre>\pedap [^.^.] {.^.^} {.^.^} 1 sinistra destra 2 CONTENT 3 CONTENT</pre>
<pre>\LOW {...} * CONTENT instances: unitslow</pre>
<pre>\unitslow {...} * CONTENT</pre>
<pre>\percent</pre>
<pre>\percentdimen {...} {...} 1 DIMENSION CSNAME 2 DIMENSION NUMBER%</pre>
<pre>\periodic {...} * TEXT</pre>
<pre>\perlungo {...} * NAME</pre>
<pre>\permitcaretescape</pre>
<pre>\permitcircumflexescape</pre>
<pre>\permitspacesbetweengroups</pre>
<pre>\persiandecimals {...} * NUMBER</pre>
<pre>\persiannumerals {...} * NUMBER</pre>
<pre>\phantom {...} * CONTENT</pre>
<pre>\phantombox [...,.*^.,...] * ampiezza = DIMENSION altezza = DIMENSION profondita = DIMENSION</pre>
<pre>\piccolo</pre>
<pre>\piccolocorsivograssetto</pre>
<pre>\piccolofontdelcorpo</pre>
<pre>\piccolograssetto</pre>
<pre>\piccolograssettocorsivo</pre>

<code>\piccolograssettoinclinato</code>
<code>\piccoloinclinato</code>
<code>\piccoloinclinatograssetto</code>
<code>\piccolonormale</code>
<code>\piccolotype</code>
<code>\pickupgroupedcommand</code> ¹ {...} ² {...} ³ {...} 1 BEFEHL 2 BEFEHL 3 BEFEHL
<code>\pickupgroupedcommandcs</code> \ ¹ ... \ ² ... \ ³ ... 1 CSNAME 2 CSNAME 3 CSNAME
<code>\placeattachments</code>
<code>\placebtxrendering</code> [¹ ...] [..., ² ..., ³ ...] 1 NAME <small>OPT</small> 2 inherits: \setupbtxrendering <small>OPT</small>
<code>\placecitation</code> [...] * REFERENCE
<code>\placecomments</code>
<code>\placecurrentformulanumber</code>
<code>\placedbox</code> {...} * CONTENT
<code>\placefloat</code> [¹ ...] [..., ² ..., ³ ...] {...} {...} 1 SINGULAR <small>OPT</small> <small>OPT</small> 2 separa keepetogether sempre sinistra destra interno esterno backspace cutspace insinistra indestra inmarginemarginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append 3 REFERENCE 4 TEXT 5 CONTENT
<code>\placefloatcaption</code> [¹ ...] [..., ² ..., ³ ...] [..., ³ ..., ⁴ ...] 1 NAME <small>OPT</small> <small>OPT</small> 2 titolo = TEXT segnalibro = TEXT marcatatura = TEXT elenco = TEXT riferimento = REFERENCE referencetext = TEXT 3 KEY = VALUE
<code>\placefloatplaceholder</code>

`\placefloatwithsetups` [...¹...] [...²,...] [...³,...] {...⁴} {...⁵}

1 NAME
2 separa keep^{OPT}together sempre sinistra destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
3 REFERENCE
4 TEXT
5 CONTENT

`\mettiFLOAT` [...¹,...] [...²,...] {...³} {...⁴}

1 separa keep^{OPT}together sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
2 REFERENCE
3 TEXT
4 CONTENT
instances: chemical figure table intermezzo graphic

`\mettichemical` [...¹,...] [...²,...] {...³} {...⁴}

1 separa keep^{OPT}together sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
2 REFERENCE
3 TEXT
4 CONTENT

`\mettigure` [...¹,...] [...²,...] {...³} {...⁴}

1 separa keep^{OPT}together sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
2 REFERENCE
3 TEXT
4 CONTENT

`\mettigrphic` [...¹,...] [...²,...] {...³} {...⁴}

1 separa keep^{OPT}together sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
2 REFERENCE
3 TEXT
4 CONTENT

`\mettiintermezzo` [...¹,...] [...²,...] {...³} {...⁴}

1 separa keep^{OPT}together sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd append
2 REFERENCE
3 TEXT
4 CONTENT

`\mettitable [...1,...] [...2,...] {...3} {...4}`

1 separa keeptogether^{OPT} sempre sinistra^{OPT} destra interno esterno backspace cutspace insinistra indestra in margine
marginésinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno
testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante
90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo
auto pagina paginasinistra paginadestra capovero daqualcheparte effective intestazione piedipagina tblr lrtb tblr
rltb fxtb btlr lrbt btrl rlbt fxbt fixd append

2 REFERENCE
3 TEXT
4 CONTENT

`\placeframed [...1] [...2,...2,...] {...3}`

1 NAME ^{OPT}
2 inherits: \impostaincorniciato
3 CONTENT

`\placehelp`

`\placeholder [...]`
* NAME

`\placeinitial [...]`
* NAME ^{OPT}

`\placelayer [...]`
* NAME

`\placelayeredtext [...1] [...2,...2,...] [...3,...3,...] {...4} {...5}`

1 NAME
2 inherits: \setuplayer
3 inherits: \setuplayeredtext
4 TEXT
5 CONTENT

`\placelistofFLOATS [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}
instances: chemicals figures tables intermezzi graphics

`\placelistofchemicals [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}

`\placelistoffigures [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}

`\placelistofgraphics [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}

`\placelistofintermezzi [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}

`\placelistoftables [...*,...*,...]`
* inherits: \impostaelenco ^{OPT}

`\placelistofpublications [...1] [...2,...2,...]`

1 NAME ^{OPT} ^{OPT}
2 inherits: \setupbt rendering

`\placelistofsorts [...1] [...2,...2,...]`

1 SINGULAR ^{OPT}
2 inherits: \impostaordinamento

`\placelistofSORTS [...,.*,...`

* inherits: \impostordinament^{OPT}

instances: logos

`\placelistoflogos [...,.*,...`

* inherits: \impostordinament^{OPT}

`\placelistofsynonyms [...1.] [...,.*2...,...]`

1 SINGULAR

2 inherits: \impostasinonimi

`\placelistofSYNONYMS [...,.*,...`

* inherits: \impostasinonimi

instances: abbreviations

`\placelistofabbreviations [...,.*,...`

* inherits: \impostasinonimi

`\placelocalnotes [...1.] [...,.*2...,...]`

1 NAME

2 inherits: \setupnote

`\placement [...1.] [...,.*2...,...] {...3.}`

1 NAME

2 inherits: \setupplacement

3 CONTENT

`\PLACEMENT [...,.*1...,...] {...2.}`

1 inherits: \setupplacement^{OPT}

2 CONTENT

`\placenamefloat [...1.] [...2.]`

1 NAME

2 REFERENCE

`\placenameformula [...,1...] {...2.} {...3.}`

1 + - REFERENCE

2 TEXT

3 TEXT

`\placenotes [...,1...] [...,.*2...,...]`

1 NAME

2 inherits: \setupnote

`\placepairedbox [...1.] [...,.*2...,...] {...3.} {...4.}`

1 NAME

2 inherits: \setuppairedbox

3 CONTENT

4 TEXT

`\mettiPAIREDBOX [...,.*1...,...] {...2.} {...3.}`

1 inherits: \setuppairedbox^{OPT}

2 CONTENT

3 TEXT

instances: legend

`\mettilegend [...,.*1...,...] {...2.} {...3.}`

1 inherits: \setuppairedbox^{OPT}

2 CONTENT

3 TEXT

`\placeparallel` [¹...] [²...,...] [³...,..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupparallel

`\placerawheaddata` [...]

- * ABSCHNITT

`\placerawheadnumber` [...]

- * ABSCHNITT

`\placerawheadtext` [...]

- * ABSCHNITT

`\placerawlist` [¹...] [²...,..._{OPT}...]

- 1 LISTE
- 2 inherits: \impostaelenco

`\placereadingwindow` [¹...] [²...]

- 1 NAME
- 2 NAME

`\placesavedfloat` [¹...] [²...] [³...,..._{OPT}...]

- 1 NAME
- 2 REFERENCE
- 3

titolo	=	TEXT
segnalibro	=	TEXT
marcatura	=	TEXT
elenco	=	TEXT
luogo	=	separa keeptogether sempre sinistra destra interno esterno backspace cutspace insinistra indestra inmargine marginesinistro marginedestro bordosinistro bordodestro margineinterno margineesterno bordointerno bordoesterno testo opposto reimposta altezza profondita [-+]riga mezzariga griglia alto basso adatta tight tollerante moltotollerante 90 180 270 nonumber nessuno locale qui forza margine [-+]sospendi sospeso alto entrambi centro offset cima fondo auto pagina paginasinistra paginadestra capoverso daqualcheparte effective intestazione piedipagina tblr lrtd tblr rltb fxtb tblr lrtd tblr rltb fxtb append
riferimento	=	REFERENCE
referencetext	=	TEXT

`\placesynchronize` [¹...] [²...,..._{OPT}...]

- 1 NAME
- 2 inherits: \setupsynchronize

`\popattribute` *..

- * CSNAME

`\popmacro` *..

- * CSNAME

`\popmode` [...]

- * NAME

`\popsystemmode` {...}

- * NAME

`\positionoverlay` {...}

- * NAME

`\positionregionoverlay` {...} {...}

- 1 NAME
- 2 NAME

<pre>\posizionanumerotesta [...]</pre> <p>* ABSCHNITT</p>
<pre>\posizionatestotesta [...]</pre> <p>* ABSCHNITT</p>
<pre>\posizione [...¹...¹...] (...²;...) {...³}</pre> <p>1 inherits: \impostap^{OPT}osizionamento 2 POSITION 3 CONTENT</p>
<pre>\postponenotes</pre>
<pre>\predefinedfont [...]</pre> <p>* FONT</p>
<pre>\predefinefont [...¹] [...²]</pre> <p>1 NAME 2 FONT</p>
<pre>\predefinesymbol [...]</pre> <p>* NAME</p>
<pre>\prefixedpagenumber</pre>
<pre>\prendibuffer [...[*];...]</pre> <p>* BUFFER ^{OPT}</p>
<pre>\prendiBUFFER</pre>
<pre>\prendimarcatura [...¹] [...²] [...³]</pre> <p>1 BESCHRIFTUNG ^{OPT} ^{OPT} 2 pagina NAME NUMMER 3 primo ultimo corrente precedente successivo cima fondo implicito entrambi tutti first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck</p>
<pre>\prependetoks ...¹ \to ...²</pre> <p>1 BEFEHL 2 CSNAME</p>
<pre>\prependgvalue {...¹} {...²}</pre> <p>1 NAME 2 BEFEHL</p>
<pre>\prependhiddenbackground {...[*];...}</pre> <p>* NAME</p>
<pre>\prepentocommalist {...¹} ...²</pre> <p>1 TEXT 2 CSNAME</p>
<pre>\prepentoks ...¹ \to ...²</pre> <p>1 BEFEHL 2 CSNAME</p>
<pre>\prepentoksonce ...¹ \to ...²</pre> <p>1 BEFEHL 2 CSNAME</p>

<pre> \prependvalue {...} {...} 1 NAME 2 BEFEHL </pre>
<pre> \prerollblank [...]*[...] * inherits: \rigovuoto </pre>
<pre> \prerolledpages [...]*[...] * NAME </pre>
<pre> \presetdocument [...¹.] [...,²...,...] 1 NAME OPT 2 inherits: \setupdocument </pre>
<pre> \presetfieldsymbols [...]*[...] * NAME </pre>
<pre> \presetLABELtesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE instances: head label mathlabel taglabel unit operator prefix suffix btxlabel </pre>
<pre> \presetbtxlabeltesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetheadtesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetlabeltesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetmathlabeltesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetoperatorortesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetprefixtesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetsuffixtesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presettaglabeltesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetunittesto [...¹.] [...,²...,...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \pretocommalist {...} \²... 1 TEXT 2 CSNAME </pre>

<pre> \prettyprintbuffer {...} {...} 1 BUFFER 2 mp lua xml parsed-xml nested tex context nessuno NAME </pre>
<pre> \prevcounter [...] [...] 1 NAME OPT 2 NUMMER </pre>
<pre> \prevcountervalue [...] * NAME </pre>
<pre> \preventmode [...,*...] * NAME </pre>
<pre> \precedenteCOMANDO </pre>
<pre> \prevrealpage </pre>
<pre> \prevrealpagenumber </pre>
<pre> \prevsubcountervalue [...] [...] 1 NAME 2 NUMMER </pre>
<pre> \prevsubpage </pre>
<pre> \prevsubpagenumber </pre>
<pre> \prevuserpage </pre>
<pre> \prevuserpagenumber </pre>
<pre> \primasottopagina </pre>
<pre> \procent </pre>
<pre> \processaction [...] [...,...=>...,...] 1 BEFEHL 2 APPLY </pre>
<pre> \processallactionsinset [...] [...,...=>...,...] 1 BEFEHL 2 APPLY </pre>
<pre> \processassignlist [...,¹...] \²... 1 TEXT 2 CSNAME </pre>
<pre> \processassignmentcommand [...,...=¹...,...] \²... 1 KEY = VALUE 2 CSNAME </pre>
<pre> \processassignmentlist [...,...=¹...,...] \²... 1 KEY = VALUE 2 CSNAME </pre>

\processbetween {...} \²...

- 1 NAME
- 2 CSNAME

\processbodyfontenvironmentlist \^{*}...

- * CSNAME

\processcolorcomponents {...}

- * COLOR

\processcommacommand [...,¹...] \²...

- 1 BEFEHL
- 2 CSNAME

\processcommalist [...,¹...] \²...

- 1 BEFEHL
- 2 CSNAME

\processcommalistwithparameters [...,¹...] \²...

- 1 BEFEHL
- 2 CSNAME

\processcontent {...} \²...

- 1 NAME
- 2 CSNAME

\processdataset [...¹] [...²] [...³]

- 1 FILE OPT
- 2 NAME
- 3 NAME

\processfile {...}

- * FILE

\processfilemany {...}

- * FILE

\processfilenone {...}

- * FILE

\processfileonce {...}

- * FILE

\processfirstactioninset [...¹] [...,²=>...,...]

- 1 BEFEHL
- 2 APPLY

\processisolatedchars {...} \²...

- 1 TEXT
- 2 CSNAME

\processisolatedwords {...} \²...

- 1 TEXT
- 2 CSNAME

\processlinetablebuffer [...^{*}]

- * BUFFER OPT

\processlinetablefile {...}

- * FILE

`\processlist {1.} {2.} {3.} \4.`

- 1 CHARACTER
- 2 CHARACTER
- 3 TEXT
- 4 CSNAME

`\processMPbuffer [...*;...]`

- * NAME

OPT

`\processMPfigurefile {*.}`

- * FILE

`\processmonth {1.} {2.} {3.}`

- 1 NUMBER
- 2 NUMBER
- 3 BEFEHL

`\processranges [...1;...] \2.`

- 1 NUMBER NUMBER:NUMBER
- 2 CSNAME

`\processseparatedlist [1.] [2.] {3.}`

- 1 TEXT
- 2 TEXT
- 3 CSNAME BEFEHL

`\processTEXbuffer [*.]`

- * BUFFER

OPT

`\processtokens {1.} {2.} {3.} {4.} {5.}`

- 1 BEFEHL
- 2 BEFEHL
- 3 BEFEHL
- 4 BEFEHL
- 5 TEXT

`\processuntil *.`

- * CSNAME

`\processxmlbuffer {*.}`

- * NAME

`\processxmlfile {*.}`

- * FILE

`\processxtablebuffer [*.]`

- * NAME

OPT

`\processyear {1.} {2.} {3.} {4.}`

- 1 NUMBER
- 2 BEFEHL
- 3 BEFEHL
- 4 BEFEHL

`\prodotto [*.]`

- * FILE

`\prodotto *.`

- * FILE

```
\profiledbox [...] [...2...] {...3}  
1 nessuno fisso rigido halfixedOPT quarterfixed eightsfixed NAME  
2 inherits: \setupprofile  
3 CONTENT
```

```
\profilegivenbox {...} ..  
1 nessuno fisso rigido halfixedOPT quarterfixed eightsfixed NAME  
2 CSNAME NUMMER
```

```
\progetto [...] * FILE
```

```
\progetto .. * FILE
```

```
\programma [...] * NAME
```

```
\pseudoMixedCapped {...} * TEXT
```

```
\pseudoSmallCapped {...} * TEXT
```

```
\pseudoSmallcapped {...} * TEXT
```

```
\pseudosmallcapped {...} * TEXT
```

```
\pulsante [...1...] {...2} [...3]  
1 inherits: \setupbutton  
2 TEXT  
3 REFERENCE
```

```
\pulsantemenu [...1...] {...2} {...3}  
1 inherits: \setupbutton  
2 TEXT  
3 REFERENCE
```

```
\pulsantemenu [...] [...2...] {...3} {...4}  
1 NAME  
2 inherits: \impostamenuinterazione  
3 TEXT  
4 REFERENCE
```

```
\BUTTON [...1...] {...2} [...3]  
1 inherits: \setupbuttonOPT  
2 TEXT  
3 REFERENCE  
instances: button
```

```
\pulsantinterazione [...1...] [...2,...]  
1 inherits: \impostabarrainterazione  
2 pagina sottopagina REFERENCE
```

```
\punti [...] * NUMMEROPT
```

```
\punti [...1...] * inherits: \setupperiodsOPT
```

<p><code>\purenumber {...}</code> * NUMBER</p>
<p><code>\pusharrangedpages ... \poparrangedpages</code></p>
<p><code>\pushattribute *..</code> * CSNAME</p>
<p><code>\pushbar [...] ... \popbar</code> * NAME</p>
<p><code>\pushbutton [¹.] [².]</code> 1 NAME 2 REFERENCE</p>
<p><code>\pushcatcodetable ... \popcatcodetable</code></p>
<p><code>\pushcolore [...] ... \popcolore</code> * COLOR</p>
<p><code>\pushendofline ... \popendofline</code></p>
<p><code>\pushindentation ... \popindentation</code></p>
<p><code>\pushMPdrawing ... \popMPdrawing</code></p>
<p><code>\pushmacro *..</code> * CSNAME</p>
<p><code>\pushmathstyle ... \popmathstyle</code></p>
<p><code>\pushmode [...]</code> * NAME</p>
<p><code>\pushoutputstream [...]</code> * NAME OPT</p>
<p><code>\pushpath [...] ... \poppath</code> * PATH</p>
<p><code>\pushpunctuation ... \poppunctuation</code></p>
<p><code>\pushrandomseed ... \poprandomseed</code></p>
<p><code>\pushreferenceprefix {...} ... \popreferenceprefix</code> * + - TEXT</p>
<p><code>\pushsfondo [...] ... \popsfondo</code> * NAME</p>
<p><code>\pushsystemmode {...}</code> * NAME</p>

<pre>\putboxincache {...} {...} ... 1 NAME 2 NUMBER TEXT 3 CSNAME NUMBER</pre>
<pre>\putnextboxincache {...} {...} \^3... {...} 1 NAME 2 NUMBER TEXT 3 CSNAME 4 CONTENT</pre>
<pre>\quad</pre>
<pre>\quad</pre>
<pre>\quads [...] * NUMBER OPT</pre>
<pre>\qualcheriga [...] * REFERENCE</pre>
<pre>\quarterstrut</pre>
<pre>\quitcommalist</pre>
<pre>\quitprevcommalist</pre>
<pre>\quittypescriptscanning</pre>
<pre>\ReadFile {...} * FILE</pre>
<pre>\raggedbottom</pre>
<pre>\raggedcenter</pre>
<pre>\raggedleft</pre>
<pre>\raggedright</pre>
<pre>\raggedwidecenter</pre>
<pre>\raisebox {...} \^2... {...} 1 DIMENSION 2 CSNAME 3 CONTENT</pre>
<pre>\randomizetext {...} * TEXT</pre>
<pre>\randomnumber {...} {...} 1 NUMBER 2 NUMBER</pre>
<pre>\rawcounter [...] [...] 1 NAME OPT 2 NUMBER</pre>

`\rawcountervalue [...]`

* NAME

`\rawdate [...,*...]`

* inherits: \datadioggi

`\rawdoifelseinset {...} {...,2...} {...} {...}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\rawdoifinset {...} {...,2...} {...}`

1 TEXT
2 TEXT
3 TRUE

`\rawdoifinsetelse {...} {...,2...} {...} {...}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\rawgetparameters [...] [...,2...]`

1 TEXT
2 KEY = VALUE

`\rawmathematics {...}`

* CONTENT

`\rawparagraphshape {...}`

* NAME

`\rawprocessaction [...] [...,2...]`

1 BEFEHL
2 APPLY

`\rawprocesscommacommand [...,1...] \2...`

1 BEFEHL
2 CSNAME

`\rawprocesscommalist [...,1...] \2...`

1 BEFEHL
2 CSNAME

`\rawstructurelistuservariable {...}`

* KEY

`\rawsubcountervalue [...] [...]`

1 NAME
2 NUMMER

`\rbox ... {...}`

1 TEXT ^{OPT}
2 CONTENT

`\readfile {...} {...} {...}`

1 FILE
2 TRUE
3 FALSE

```
\readfixfile {...} {...} {...} {...}
1 PATH
2 FILE
3 TRUE
4 FALSE
```

```
\readjobfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\readlocfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\readsetfile {...} {...} {...} {...}
1 PATH
2 FILE
3 TRUE
4 FALSE
```

```
\readsysfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\readtexfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\readxmlfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\realpagenumber
```

```
\realSmallCapped {...}
* TEXT
```

```
\realSmallcapped {...}
* TEXT
```

```
\realSmallcapped {...}
* TEXT
```

```
\recursedepth
```

```
\recurselevel
```

```
\recursestring
```

```
\redoconvertfont
```

```
\referencecolumnnumber
```

\REFERENCEFORMAT {...} {...} [...]

- 1 TEXT
- 2 TEXT
- 3 REFERENCE

\referencepagedetail

\referencepagestate

\referenceprefix

\referencerealpage

\referencesymbol

\referring (...¹,...) (...²,...) [...]

- 1 POSITION
- 2 POSITION
- 3 REFERENCE

\registerattachment [...] [...²...,...]

- 1 NAME
- 2 inherits: \setupattachment

\registerboxanchor

\registerctxluafile {...} {...}

- 1 FILE
- 2 NUMBER

\registerexternalfigure [...] [...²] [...³...,...]

- 1 FILE
- 2 NAME
- 3 inherits: \setupexternalfigure

\registerfontclass {...}

- * NAME

\registerhyphenationexception [...¹] [...²]

- 1 SPRACHE
- 2 TEXT

\registerhyphenationpattern [...¹] [...²]

- 1 SPRACHE
- 2 TEXT

\registermenubuttons [...¹] [...²]

- 1 NAME
- 2 TEXT

\registeroverloads [...]

- * NAME

\registerparwrapper {...} {...} {...}

- 1 NAME
- 2 CONTENT
- 3 CONTENT

`\registerparwrapperreverse {...} {...} {...}`

- 1 NAME
- 2 CONTENT
- 3 CONTENT

`\registersort [...] [...]`

- 1 SINGULAR
- 2 NAME

`\registersortpage [...] [...]`

- 1 SINGULAR
- 2 NAME

`\registersynonym [...] [...]`

- 1 SINGULAR
- 2 NAME

`\registertopcontent [...] \^... {...}`

- 1 NUMBER
- 2 CSNAME
- 3 CONTENT

`\registerunit [...] [...,..2...,..]`

- 1 prefix unita operat^{OP}ör suffix simbolo packaged
- 2 KEY = VALUE

`\registerunitshortcut [...] [...,..2...,..]`

- 1 prefix unita operator suffix^{OP} simbolo packaged
- 2 KEY = VALUE

`\REGISTER [...] {...+2+...}`

- 1 TEXT PROCESSOR^R->TEXT
- 2 INDEX

instances: index

`\index [...] {...+2+...}`

- 1 TEXT PROCESSOR^R->TEXT
- 2 INDEX

`\REGISTER [...] {...} {...+3+...}`

- 1 TEXT PROCESSOR^R->TEXT
- 2 TEXT
- 3 INDEX

instances: index

`\index [...] {...} {...+3+...}`

- 1 TEXT PROCESSOR^R->TEXT
- 2 TEXT
- 3 INDEX

`\regolare`

`\reimpostamarcatura [...]`

- * BESCHRIFTUNG

`\relatemarking [...] [...]`

- 1 BESCHRIFTUNG
- 2 BESCHRIFTUNG

`\relateparameterhandlers {1.} {2.} {3.} {4.}`

1 NAME
2 NAME
3 NAME
4 NAME

`\relateparameterhandlersbyns \1. {2.} \3. {4.}`

1 CSNAME
2 NAME
3 CSNAME
4 NAME

`\relaxvalueifundefined {*.}`

* NAME

`\remainingcharacters`

`\removebottomthings`

`\removedepth`

`\removefromcommalist {1.} \2.`

1 TEXT
2 CSNAME

`\removelastskip`

`\removelastspace`

`\removemarkedcontent [*.]`

* NAME

`\removepunctuation`

`\removesubstring 1. \from 2. \to 3.`

1 TEXT
2 TEXT
3 CSNAME

`\removetoks 1. \from \2.`

1 BEFEHL
2 CSNAME

`\removeunwantedspaces`

`\repeathead [*.]`

* ABSCHNITT

`\replacefeature [*.]`

* NAME

`\replacefeature {*.}`

* NAME

`\replaceincommalist \1. {2.}`

1 CSNAME
2 NUMMER

`\replaceword [...]1 [...]2 [...]3`

1 NAME
2 TEXT
3 TEXT

OPT

`\rescan {...}`

* CONTENT

`\rescanwithsetup {...}1 {...}2`

1 NAME
2 CONTENT

`\resetalignmentcharacter`

`\resetallattributes`

`\resetalternate`

`\resetandaddfeature [...]`

* NAME

`\resetandaddfeature {...}`

* NAME

`\resetbar`

`\resetboxesincache {...}`

* NAME

`\resetbreakpoints`

`\resetbuffer [...]`

* BUFFER

`\resetcharacteralign`

`\resetcharacterkerning`

`\resetcharacterspacing`

`\resetcharacterstripping`

`\resetcollector [...]`

* NAME

`\reimpostaCOMANDOparameter {...}`

* KEY

`\resetcounter [...]1 [...]2`

1 NAME
2 NUMBER

OPT

`\resetctxscanner *..`

* CSNAME

`\resetdigitsmanipulation`

<pre>\resetmode {...} * NAME</pre>
<pre>\resetoverloads</pre>
<pre>\resetpagenumber</pre>
<pre>\resetparallel [...] [...²,...] 1 NAME 2 NAME tutti</pre>
<pre>\resetpath</pre>
<pre>\resetpenalties *.. * CSNAME</pre>
<pre>\resetperiodkerning</pre>
<pre>\resetprofile</pre>
<pre>\resetrecurselevel</pre>
<pre>\resetreference [...] * NAME</pre>
<pre>\resetreplacements</pre>
<pre>\resetscript</pre>
<pre>\resetsetups [...] * NAME</pre>
<pre>\resetshowsynonyms [...] * SINGULAR</pre>
<pre>\resetsubpagenumber</pre>
<pre>\resetsymbolset</pre>
<pre>\resetsynchronizemarking [...] * BESCHRIFTUNG</pre>
<pre>\resetsynonyms [...] * SINGULAR</pre>
<pre>\resetsynonymsprogress [...] * SINGULAR</pre>
<pre>\resetsystemmode {...} * NAME</pre>
<pre>\resettimer</pre>
<pre>\resettokenlist [...] * NAME</pre>

<code>\resettrackers</code>
<code>\resettransliteration</code>
<code>\resettrialtypesetting</code>
<code>\resetusedsortings</code> [...] <ul style="list-style-type: none"> * SINGULAR
<code>\resetusedsynonyms</code> [...] <ul style="list-style-type: none"> * SINGULAR
<code>\resetuserpagenumber</code>
<code>\resetvalue</code> {...} <ul style="list-style-type: none"> * NAME
<code>\resetvisualizers</code>
<code>\reshapebox</code> {...} <ul style="list-style-type: none"> * BEFEHL
<code>\resolvedglyphdirect</code> {...} {...} <ol style="list-style-type: none"> 1 FONT 2 e:NAME x:NUMMER d:NUMMER s:NUMMER i:NUMMER n:NAME c:NAME u:NAME a:NAME
<code>\resolvedglyphstyled</code> {...} {...} <ol style="list-style-type: none"> 1 FONT 2 e:NAME x:NUMMER d:NUMMER s:NUMMER i:NUMMER n:NAME c:NAME u:NAME a:NAME
<code>\restartcounter</code> [...] [...] [...] <ol style="list-style-type: none"> 1 NAME OPT 2 NUMMER 3 NUMMER
<code>\restorebox</code> {...} {...} <ol style="list-style-type: none"> 1 NAME 2 NAME
<code>\restorecatcodes</code>
<code>\restorecounter</code> [...] <ul style="list-style-type: none"> * NAME
<code>\restorecurrentattributes</code> {...} <ul style="list-style-type: none"> * NAME
<code>\restoreendofline</code>
<code>\restoreglobalbodyfont</code>
<code>\retestfeature</code>
<code>\reusableMPgraphic</code> {...} {..., ... ² ...} <ol style="list-style-type: none"> 1 NAME 2 KEY = VALUE OPT

`\reuseMPgraphic {1...} {...,2...,...}`

1 NAME OPT
2 KEY = VALUE

`\reuserandomseed`

`\reversehbox 1... {2...}`

1 TEXT OPT
2 CONTENT

`\reversehpack 1... {2...}`

1 TEXT OPT
2 CONTENT

`\reversetpack 1... {2...}`

1 TEXT OPT
2 CONTENT

`\reversevbox 1... {2...}`

1 TEXT OPT
2 CONTENT

`\reversevboxcontent 1...`

* CSNAME NUMBER

`\reversevpack 1... {2...}`

1 TEXT OPT
2 CONTENT

`\reversevtop 1... {2...}`

1 TEXT OPT
2 CONTENT

`\revivefeature`

`\rfence ...`

* `\} \} \} \} \egroup \rparent \rparenthesis " \rparen " \rbracket \rbrack " \rbrace \rceil \rceiling \rfloor`
`\urcorner \lrcorner \rmoustache \rrbracket \rangle \rrangle \rgroup \vert \singleverticalbar \doubleverticalbar`
`\tripleverticalbar \rvert \rVert \rointerval \rlointerval CHARACTER`

`\rhbox {...}`

* CONTENT

`\rif [1...] [2...]`

1 `implicito testo titolo numero pagina realpage`
2 REFERENCE

`\riferimento [...,1...] {2...}`

1 REFERENCE
2 TEXT

`\riferimentopagina [...,*...]`

* REFERENCE

`\riferimentotesto [...,1...] {2...}`

1 REFERENCE
2 TEXT

`\riflessione {...}`

* CONTENT

<pre>\riga {...} * CONTENT</pre>
<pre>\rigariempimento [...,.*=...,.] * inherits: \impostarigherimpimento</pre>
<pre>\rightbottombox {...} * CONTENT</pre>
<pre>\rightbox {...} * CONTENT</pre>
<pre>\righthbox {...} * CONTENT</pre>
<pre>\rightLABELtesto {...} * KEY instances: head label mathlabel</pre>
<pre>\rightheadtesto {...} * KEY</pre>
<pre>\rightlabeltesto {...} * KEY</pre>
<pre>\rightmathlabeltesto {...} * KEY</pre>
<pre>\rightline {...} * CONTENT</pre>
<pre>\rightorleftpageaction {...} {...} 1 BEFEHL 2 BEFEHL</pre>
<pre>\rightpageorder</pre>
<pre>\rightparbox [...¹] {...} 1 globale OPT 2 CONTENT</pre>
<pre>\rightskipadaption</pre>
<pre>\rightsubguillemot</pre>
<pre>\righttopleft</pre>
<pre>\righttoplefthbox ...¹ {...} 1 TEXT OPT 2 CONTENT</pre>
<pre>\righttopleftvbox ...¹ {...} 1 TEXT OPT 2 CONTENT</pre>
<pre>\righttopleftvtop ...¹ {...} 1 TEXT OPT 2 CONTENT</pre>

`\righttopbox {..}`

* CONTENT

`\rigovuoto [...*...]`

* preferenza stessaPagina max forza enable disattiva nobianco impaccato dietro sovrapponi sempre weak strong implicito prima tra dopo fisso flessibile nessuno piccolo medio grande riga mezzariga quarterline formula bianco altezza profondita standard NUMMER*piccolo NUMMER*medio NUMMER*grande NUMMER*riga NUMMER*mezzariga NUMMER*quarterline NUMMER*formula NUMMER*bianco NUMMER*altezza NUMMER*profondita category:NUMMER order:NUMMER penalty:NUMMER DIMENSION NAME

`\rlap {..}`

* CONTENT

`\robustadtocommalist {1.} \2..`

1 TEXT
2 CSNAME

`\robustdoifelseinset {1.} {...2,...} {3.} {4.}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\robustdoifinsetelse {1.} {...2,...} {3.} {4.}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\robustpretocommalist {1.} \2..`

1 TEXT
2 CSNAME

`\rollbutton [...1...2...3]`

1 inherits: \setupbutton
2 TEXT
3 REFERENCE

`\rollbutton [1.] [...2...3...4]`

1 NAME OPT OPT
2 inherits: \impostamenuinterazione
3 TEXT
4 REFERENCE

`\roman`

`\rootCOMANDOparameter {..}`

* KEY

`\rtlhbox 1... {2.}`

1 TEXT OPT
2 CONTENT

`\rtltext {..}`

* CONTENT

`\rtlvbox 1... {2.}`

1 TEXT OPT
2 CONTENT

`\rtlvtop 1... {2.}`

1 TEXT OPT
2 CONTENT

`\rtop` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruby` [¹...] {²...} {³...}

1 NAME ^{OPT}
2 TEXT
3 TEXT

`\ruledbbox` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledbpack` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledhbox` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledhpack` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledmbox` {^{*}...}

* CONTENT

`\ruledtpack` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledvbox` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledvpack` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\ruledvtop` ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

`\runMPbuffer` [...^{*}...]

* NAME ^{OPT}

`\runninghbox` {^{*}...}

* CONTENT

`\ruota` [...¹...²...] {²...}

1 inherits: \imp^{OPT}starotazione
2 CONTENT

`\russianNumerals` {^{*}...}

* NUMMER

`\russiannumerals` {^{*}...}

* NUMMER

\ScaledPointsToBigPoints {...} \^{2..}

- 1 DIMENSION
- 2 CSNAME

\ScaledPointsToWholeBigPoints {...} \^{2..}

- 1 DIMENSION
- 2 CSNAME

\Smallcapped {...}

- * TEXT

\safechar {...}

- * NUMMER

\samplefile {...}

- * FILE

\sans

\sansgrassetto

\sansnormal

\sansserif

\savebox {...} {...} {...}

- 1 NAME
- 2 NAME
- 3 CONTENT

\savebtxdataset [...¹] [...²] [...,³...,...]

- 1 NAME OPT OPT OPT
- 2 FILE
- 3 dataset = NAME
 - type = bib lua xml
 - file = FILE
 - criterio = tutti testo intro riferimento corrente qui precedente locale componente SECTIONBLOCK:tutti SECTIONBLOCK:riferimento
 - SECTIONBLOCK:corrente SECTIONBLOCK:precedente
 - opzione = TEXT

\savebuffer [...¹,...] [...,²...,...]

- 1 BUFFER OPT
- 2 elenco = BUFFER
- file = FILE
- prefisso = si no
- opzione = append
- directory = TEXT

\savebuffer [...¹,...] [...²]

- 1 BUFFER
- 2 FILE

\savecolore ... \restorecolore

\savecounter [...]

- * NAME

\savecurrentattributes {...}

- * NAME

```
\savemathexport [...,.*,...,]
* inherits: \setupmathexportOPT
```

```
\savenormalmeaning \*.
* CSNAME
```

```
\savetaggedtwopassdata {...} {...} {...} {...}
1 NAME
2 NUMMER
3 NAME
4 CONTENT
```

```
\savetwopassdata {...} {...} {...}
1 NAME
2 NUMMER
3 CONTENT
```

```
\sbox {...}
* CONTENT
```

```
\scala [...,.*,...,] {...}
1 NAME OPT OPT
2 inherits: \setupscale
3 CONTENT
```

```
\schermo [...,*,...]
* inherits: \pagffna
```

```
\SCRIPT
instances: hangul hanzi nihongo ethiopic thai latin test
```

```
\ethiopic
```

```
\hangul
```

```
\hanzi
```

```
\latin
```

```
\nihongo
```

```
\test
```

```
\thai
```

```
\scrividentroelenco [...,.*,...,] {...}
1 LISTE OPT
2 inherits: \impostaelenco
3 BEFEHL
```

```
\scriviinelenco [...,.*,...,] {...} {...}
1 LISTE OPT
2 inherits: \impostaelenco
3 NUMMER
4 TEXT
```

`\secondoffivearguments {...} {...} {...} {...} {...}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT

`\secondoffourarguments {...} {...} {...} {...}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT

`\secondofsixarguments {...} {...} {...} {...} {...} {...}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\secondofthreearguments {...} {...} {...}`

1 TEXT
2 TEXT
3 TEXT

`\secondofthreeunexpanded {...} {...} {...}`

1 TEXT
2 TEXT
3 TEXT

`\secondoftwoarguments {...} {...}`

1 TEXT
2 TEXT

`\secondoftwounexpanded {...} {...}`

1 TEXT
2 TEXT

`\vediREGISTER [...] {...+...+...} {...}`

1 TEXT PROCESSOR->TEXT
2 INDEX
3 TEXT PROCESSOR->TEXT

instances: index

`\vediindex [...] {...+...+...} {...}`

1 TEXT PROCESSOR^{OP}->TEXT
2 INDEX
3 TEXT PROCESSOR->TEXT

`\segnalibro [...] {...}`

1 ABSCHNITT LISTE^{OPT}
2 TEXT

`\select {...} {...} {...} {...} {...} {...}`

1 NAME OPT OPT OPT OPT OPT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT

`\seleZIONAblocchi [...,1...] [...,2...] [...,3...,...]`

1 NAME OPT OPT
2 NAME
3 criterio = testo ABSCHNITT

<pre>\serializecommalist [...;...] * BEFEHL</pre>
<pre>\serializedcommalist</pre>
<pre>\serif</pre>
<pre>\serifbold</pre>
<pre>\serifnormal</pre>
<pre>\setalignmentcharacter</pre>
<pre>\setalignmentswitch {...} * sinistra centro destra</pre>
<pre>\setalternate {...} * TEXT</pre>
<pre>\setanchorbox [¹...] [²...,..._{OPT}...,...] \³... {⁴...} 1 NAME 2 inherits: \setupboxanchor 3 CSNAME 4 CONTENT</pre>
<pre>\setautopagestaterealpageno {...} * NAME</pre>
<pre>\setbar [...] * NAME</pre>
<pre>\setbigbodyfont</pre>
<pre>\setboxllx ¹... {²...} 1 CSNAME NUMBER 2 DIMENSION</pre>
<pre>\setboxlly ¹... {²...} 1 CSNAME NUMBER 2 DIMENSION</pre>
<pre>\setbreakpoints [...] * reimposta NAME</pre>
<pre>\setbuffer [...] ... \endbuffer * NAME</pre>
<pre>\setcapstrut</pre>
<pre>\setcatcodetable *... * CSNAME</pre>
<pre>\setcharacteralign {¹...} {²...} 1 NUMBER 2 TEXT number->TEXT text->TEXT</pre>

`\setcharacteraligndetail {1.} {2.} {3.} {4.}`

- 1 NUMBER
- 2 TEXT number->TEXT text->TEXT
- 3 DIMENSION
- 4 DIMENSION

`\setcharactercasing [...]`

- * reimposta PAROLA parola Parola Parole maiuscolo Maiuscolo casuale mixed camel Camel cap Cap

`\setcharactercleaning [...]`

- * reimposta 1

`\setcharacterkerning [...]`

- * reimposta NAME

`\setcharacterspacing [...]`

- * reimposta NAME

`\setcharacterstripping [...]`

- * reimposta 1

`\setcharstrut {...}`

- * TEXT

`\setcollector [1.] [...,2...OPT...]` {³.}

- 1 NAME
- 2 inherits: \setupcollector
- 3 CONTENT

`\setcolormodel [...]`

- * black bw grigio rgb cmyk tutti nessuno

`\setCOMANDOparameter {1.} {2.}`

- 1 KEY
- 2 CONTENT

`\setcounter [1.] [2.] [3.]`

- 1 NAME
- 2 NUMBER
- 3 NUMBER

`\setcounterown [1.] [2.] [3.]`

- 1 NAME
- 2 NUMBER
- 3 TEXT

`\setctluafunction {1.} {2.}`

- 1 NAME
- 2 NUMMER

`\setcurrentfontclass {...}`

- * NAME

`\setdataset [1.] [2.] [...,3...OPT...]`

- 1 NAME
- 2 NAME
- 3 KEY = VALUE

`\setdatavalue {1.} {2.}`

- 1 NAME
- 2 NUMMER

<code>\setdefaultpenalties</code>
<code>\setdigitsmanipulation [...]</code> * reimposta NUMMER
<code>\setdirection [...]</code> * NUMMER
<code>\setdocumentargument {...} {...}</code> 1 NAME 2 TEXT
<code>\setdocumentargumentdefault {...} {...}</code> 1 NAME 2 TEXT
<code>\setdocumentfilename {...} {...}</code> 1 NUMMER 2 TEXT
<code>\setdummyparameter {...} {...}</code> 1 KEY 2 BEFEHL
<code>\setelementbackendtag [...] [...]</code> 1 NAME 2 BlockQuote Caption Code Div Formula H L Lbl LBody LI Link P Quote Reference Sect Span Table TBody TD TFOOT TH THEAD TOC TOCI TR
<code>\setelementexporttag [...] [...] [...]</code> 1 NAME 2 export nature pdf 3 inline schermo mixed
<code>\setelementexporttag [...] [...] [...]</code> 1 NAME 2 nature 3 inline schermo mixed
<code>\setelementexporttag [...] [...] [...]</code> 1 NAME 2 pdf 3 BlockQuote Caption Code Div Formula H L Lbl LBody LI Link P Quote Reference Sect Span Table TBody TD TFOOT TH THEAD TOC TOCI TR
<code>\setelementnature [...] [...]</code> 1 NAME 2 inline schermo mixed
<code>\setemeasure {...} {...}</code> 1 NAME 2 DIMENSION
<code>\setevalue {...} {...}</code> 1 NAME 2 CONTENT
<code>\setevariable {...} {...} {...}</code> 1 NAME 2 KEY 3 VALUE

`\setevariables [..] [..,..2..,..]`

1 NAME
2 set = BEFEHL
reset = BEFEHL
KEY = VALUE

`\setexpandedCOMANDOparameter {..} {..}`

1 KEY
2 CONTENT

`\setexpandeddummyparameter {..} {..}`

1 KEY
2 BEFEHL

`\setexpansion [..]`

* NAME

`\setextrafontkerns [..]`

* nessuno min max mixed re^{off}imposta

`\setfirstline [..]`

* NAME ^{OPT}

`\setfirstpasscharacteralign`

`\setflag {..}`

* NAME

`\setfont ..`

* FONT

`\setfontcolorscheme [..]`

* NAME

`\setfontfeature {..}`

* NAME

`\setfontsolution [..]`

* NAME

`\setfontstrut`

`\setfractions`

`\setglobalscript [..]`

* hangul hanzi nihongo ethiopic thai test NAME

`\setgmeasure {..} {..}`

1 NAME
2 DIMENSION

`\setgvalue {..} {..}`

1 NAME
2 CONTENT

`\setgvariable {..} {..} {..}`

1 NAME
2 KEY
3 VALUE

```
\setgvariables [..1] [...2..,..2..,..2..,..2..]
1 NAME
2 set = BEFEHL
  reset = BEFEHL
  KEY = VALUE
```

```
\sethboxregister ..1 {...2.}
1 CSNAME NUMMER
2 CONTENT
```

```
\sethyphenatedurlafter {...*.}
* TEXT
```

```
\sethyphenatedurlbefore {...*.}
* TEXT
```

```
\sethyphenatedurlnormal {...*.}
* TEXT
```

```
\sethyphenationfeatures [...*;...OPT]
* NAME reimposta OPT
```

```
\setinitial [..1] [...2..,..2..,..2..,..2..]
1 NAME OPT OPT OPT
2 inherits: \setupinitial
```

```
\setinjector [..1] [...2..,..2..] [3.]
1 NAME
2 NUMMER
3 BEFEHL
```

```
\setinteraction [...*.]
* nascosto NAME
```

```
\setinterfacecommand {...1.} {...2.}
1 NAME
2 NAME
```

```
\setinterfaceconstant {...1.} {...2.}
1 NAME
2 NAME
```

```
\setinterfaceelement {...1.} {...2.}
1 NAME
2 NAME
```

```
\setinterfacemessage {...1.} {...2.} {...3.}
1 NAME
2 titolo NAME NUMMER
3 TEXT
```

```
\setinterfacevariable {...1.} {...2.}
1 NAME
2 NAME
```

```
\setinternalrendering [..1] [...2..] {...3.}
1 NAME
2 auto embed
3 CONTENT
```



```
\setMPpositiongraphicrange {...} {...} {...} {...,4...,...}
1 NAME
2 NAME
3 NAME
4 KEY = VALUE
```

```
\setMPtext {...} {...}
1 NAME
2 TEXT
```

```
\setMPvariable [...] [...2...]
1 NAME
2 KEY = VALUE
```

```
\setMPvariables [...] [...,2...,...]
1 NAME
2 KEY = VALUE
```

```
\setmainbodyfont
```

```
\setmainlineprofile
```

```
\setmainparbuilder [...]
* implicito oneline basic NAME
```

```
\setmarker [...] [...]
1 NAME
2 NUMMER
```

```
\setmarking [...] {...}
1 BESCHRIFTUNG
2 TEXT
```

```
\setmathmatrixanchoring [...]
* si entrambi
```

```
\setmathstyle {...,*...}
* schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande NAME
```

```
\setmeasure {...} {...}
1 NAME
2 DIMENSION
```

```
\setmessagetext {...} {...}
1 NAME
2 NAME NUMMER
```

```
\setmode {...}
* NAME
```

```
\setnostrut
```

```
\setnote [...] [...,2...] {...}
1 NAME
2 REFERENCE
3 TEXT
```

```
\setnotetext [...] [...,2...] {...}
1 NAME
2 REFERENCE
3 TEXT
```

`\setnotetext` [¹.] [².,.,.,.]

1 NAME
2 titolo = TEXT
segnalibro = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT

`\setnote` [¹.] [².,.,.,.]

1 NAME
2 titolo = TEXT
segnalibro = TEXT
elenco = TEXT
riferimento = REFERENCE
referencetext = TEXT

`\setobject` {¹.} {².} \³. {⁴.}

1 NAME
2 NAME
3 CSNAME
4 CONTENT

`\setoldstyle`

`\setoverloads` [.*]

* NAME

`\setpagelooseness` [.*]

* NUMMER

`\setpagelooseness` [.,.,.^{*}.,.,.]

* righe = DIMENSION
altezza = DIMENSION
dilata = DIMENSION
shrink = DIMENSION

`\setpagereference` {¹.} {².,.,.}

1 NAME
2 REFERENCE

`\setpagestate` [¹.] [².]
OPT

1 NAME
2 NAME NUMMER

`\setpagestaterealpago` {¹.} {².}

1 NAME
2 NAME NUMMER

`\setparagraphfreezing`

`\setparagraphshape` [.*]

* NAME

`\setpenalties` \¹. {².} {³.}

1 CSNAME
2 NUMMER
3 NUMMER

`\setpercentdimen` {¹.} {².}

1 DIMENSION CSNAME
2 DIMENSION NUMMER%

`\setperiodkerning [...]`

* reimposta NAME

`\setposition {...}`

* NAME

`\setpositionbox {...} \2... {3...}`

1 NAME
2 CSNAME
3 CONTENT

`\setpositiondata {1...} {2...} {3...} {4...}`

1 NAME
2 DIMENSION
3 DIMENSION
4 DIMENSION

`\setpositiondataplus {1...} {2...} {3...} {4...} {5...,...}`

1 NAME
2 DIMENSION
3 DIMENSION
4 DIMENSION
5 TEXT

`\setpositiononly {...}`

* NAME

`\setpositionplus {1...} {2...,...} \3... {4...}`

1 NAME
2 TEXT
3 CSNAME
4 CONTENT

`\setpositionstrut {...}`

* NAME

`\setprofile [...]`

* nessuno fisso rigido halfixed quarterfixed eightsfixed NAME

`\setrandomseed {...}`

* NUMMER

`\setreference [...1,...] [...2,...,...]`

1 REFERENCE
2 KEY = VALUE

`\setreferencedobject {1...} {2...} \3... {4...}`

1 NAME
2 NAME
3 CSNAME
4 CONTENT

```

\setregisterentry [...]1 [...,...2...,...]2 [...,...3...,...]3
1 NAME OPT
2 etichetta = NAME
   keys = TEXT PROCESSOR->TEXT
   entries = TEXT PROCESSOR->TEXT
   processors = PROCESSOR
   keys:1 = TEXT
   keys:2 = TEXT
   keys:3 = TEXT
   entries:1 = TEXT
   entries:2 = TEXT
   entries:3 = TEXT
   alternativa = TEXT
   processors:1 = PROCESSOR
   processors:2 = PROCESSOR
   processors:3 = PROCESSOR
3 KEY = VALUE

```

```

\setreplacements [...]1 [...]2
1 reimposta NAME OPT
2 NAME

```

```

\setrigidcolumnbalance ...
* CSNAME NUMMER

```

```

\setrigidcolumnhsize {...}1 {...}2 {...}3
1 DIMENSION
2 DIMENSION
3 NUMMER

```

```

\setscript [...]*
* hangul hanzi nihongo ethiopic thai test NAME

```

```

\setsecondpasscharacteralign

```

```

\setsectionblock [...]1 [...,...2...,...]2
1 NAME OPT
2 segnalibro = TEXT

```

```

\setsimplecolumnshsize [...,...*...,...]*
* n = NUMMER
   ampiezza = DIMENSION
   distanza = DIMENSION
   righe = NUMMER

```

```

\setsmallbodyfont

```

```

\setsmallcaps

```

```

\setstackbox {...}1 {...}2 {...}3
1 NAME
2 NAME
3 CONTENT

```

```

\setstructurepageregister [...] [...2...] [...3...]
1 NAME
2 etichetta = NAME
   keys = TEXT PROCESSOR->TEXT
   entries = TEXT PROCESSOR->TEXT
   processors = PROCESSOR
   keys:1 = TEXT
   keys:2 = TEXT
   keys:3 = TEXT
   entries:1 = TEXT
   entries:2 = TEXT
   entries:3 = TEXT
   alternativa = TEXT
   processors:1 = PROCESSOR
   processors:2 = PROCESSOR
   processors:3 = PROCESSOR
3 KEY = VALUE

```

```

\setstrut

```

```

\setsuperiors

```

```

\setsystemmode {...}
* NAME

```

```

\settabular

```

```

\settaggedmetadata [...2...]
* KEY = VALUE

```

```

\settestcrlf

```

```

\settext [...] [...2] [...3] [...4] [...5]
1 cima intestazione testo piedipagina fondo
2 testo margine bordo
3 sinistra centro destra
4 data numeropagina BESCHRIFTUNG TEXT BEFEHL
5 data numeropagina BESCHRIFTUNG TEXT BEFEHL

```

```

\settightobject {...} {...} \3 {...} {...}
1 NAME
2 NAME
3 CSNAME
4 CONTENT

```

```

\settightreferencedobject {...} {...} \3 {...} {...}
1 NAME
2 NAME
3 CSNAME
4 CONTENT

```

```

\settightstrut

```

```

\settightunreferencedobject {...} {...} \3 {...} {...}
1 NAME
2 NAME
3 CSNAME
4 CONTENT

```

```

\settokenlist [...] {...}
1 NAME
2 TEXT

```

```

\settransliteration [...]
* NAME

```

`\settransliteration {...}`

* NAME

`\settrialsypesetting`

`\setuevalue {...} {...}`

1 NAME
2 CONTENT

`\setugvalue {...} {...}`

1 NAME
2 CONTENT

`\setunreferencedobject {...} {...} \... {...}`

1 NAME
2 NAME
3 CSNAME
4 CONTENT

`\setupadaptive [...1,...] [...2,...]`

1 NAME OPT
2 setups = NAME
foregroundstyle =
coloreprimopiano = COLOR
strut = si no
metodo = NUMMER
colore = COLOR
alternativa = NAME
spessorelinea = DIMENSION
margine = DIMENSION
dilata = DIMENSION
shrink = DIMENSION

`\setupalignpass [...]`

* nessuno granular decent quality NAME

`\setupalternativestyles [...*,...]`

* metodo = normale auto

`\setupattachment [...1,...] [...2,...]`

1 NAME OPT
2 titolo = TEXT
sottotitolo = TEXT
autore = TEXT
file = FILE
nome = NAME
buffer = BUFFER
type = NAME
stato = inizia termina
metodo = normale nascosto
simbolo = Graph Paperclip Pushpin Default
ampiezza = adatta DIMENSION
altezza = adatta DIMENSION
profondita = adatta DIMENSION
colore = COLOR
textlayer = NAME
luogo = bordosinistro bordodestro inmargine marginesinistro marginedestro testo alto nessuno
distanza = DIMENSION

`\setupattachments [...1,...] [...2,...]`

1 NAME OPT
2 inherits: \setupattachment

```

\setupbackend [...,*...,...]
* export = si FILE
xhtml = FILE
file = FILE
intent = Coated_FOGRA39_(ISO_12647-2:2004) GRACoL2006_Coated1v2.icc ISO_Coated_v2_300%(ECI) ISO_Coated_v2_(ECI)
ISOnewspaper26v4 ISOnewspaper26v4_gr ISO_Uncoated ISO_Uncoated_Yellowish ISO_Web_Coated Japan_Color_2001_Coated
Japan_Color_2002_Newspaper Japan_Web_Coated_(Ad) SNAP_2007 SWOP2006_Coated3v2.icc SWOP2006_Coated5v2.icc
Uncoated_FOGRA29_(ISO_12647-2:2004) Web_Coated_FOGRA28_(ISO_12647-2:2004) PSR_LWC_PLUS_V2_PT PSR_LWC_STD_V2_PT
PSR_SC_PLUS_V2_PT PSR_SC_STD_V2_PT PSRgravureMF
spazio = si no
hyphen = si no
xmpfile = FILE
format = version implicito PDF/X-1a:2001 PDF/X-1a:2003 PDF/X-3:2002 PDF/X-3:2003 PDF/X-4 PDF/X-4p PDF/X-5g
PDF/X-5pg PDF/X-5n PDF/A-1a:2005 PDF/A-1b:2005 PDF/A-2a PDF/A-3a PDF/UA-1
livello = NUMMER
opzione = sempre mai
profile = FILE

```

```

\setupbar [...,1...] [...,*2...,...]
1 NAME OPT
2 colore = COLOR
continua = si no tutti sempre
vuoto = si no
unita = ex em pt in cm mm sp bp pc dd cc nc
order = foreground sfondo
spessorelinea = DIMENSION
metodo = NUMMER
offset = NUMMER DIMENSION
altezza = DIMENSION
profondita = DIMENSION
dy = NUMMER
max = NUMMER
foregroundstyle = STYLE BEFEHL
coloreprimopiano = COLOR
mp = NAME
sinistra = TEXT
destra = TEXT
ripeti = si no
testo = TEXT

```

```

\setupbars [...,1...] [...,*2...,...]
1 NAME OPT
2 inherits: \setupbar

```

```

\setupbleeding [...,*...,...]
* ampiezza = DIMENSION
altezza = DIMENSION
offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
luogo = t b l r bl lb br rb tl lt tr rt
dilata = si no
pagina = si no

```

```

\setupbookmark [...,*...,...]
* forza = si no
numero = si no
numberseparatorset = NAME
numberconversionset = NAME
numberstarter = BEFEHL
numberstopper = BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente
sectionblock = si no

```

```

\setupboxanchor [...,*...,...]
* xoffset = DIMENSION
yoffset = DIMENSION
target = riga altezza profondita sinistra left,height left,top left,depth left,bottom destra right,height
right,top right,depth right,bottom centro middle,height middle,top middle,depth middle,bottom middle,left
middle,right
source = riga altezza profondita sinistra left,height left,top left,depth left,bottom destra right,height
right,top right,depth right,bottom centro middle,height middle,top middle,depth middle,bottom middle,left
middle,right

```

```

\setupboxanchorcontent [...1,...] [...2,...]
1 NAME OPT
2 xoffset = DIMENSION
  yoffset = DIMENSION
  angolo = riga altezza profondita sinistra left,height left,top left,depth left,bottom destra right,height
           right,top right,depth right,bottom centro middle,height middle,top middle,depth middle,bottom middle,left
           middle,right
  luogo = riga altezza profondita sinistra left,height left,top left,depth left,bottom destra right,height
           right,top right,depth right,bottom centro middle,height middle,top middle,depth middle,bottom middle,left
           middle,right

```

```

\setupboxexport [...*,...]
* buffer = NAME
  file = FILE

```

```

\setupbtx [...1] [...2,...]
1 NAME OPT
2 specification = implicito apa aps NAME
  dataset = implicito NAME
  comando = \...#1
  sinistra = BEFEHL
  destra = BEFEHL
  authorconversion = normale normalshort normalinverted invertedshort short
  etallimit = NUMMER
  etaldisplay = NUMMER
  etaloption = ultimo
  stopper = initials
  interazione = inizia termina numero testo pagina tutti
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore
                authoryears authornum authoryear
  sorttype = normale invertito
  compress = si no
  implicito = implicito NAME
  stile = STYLE BEFEHL
  colore = COLOR

```

```

\setupbtxdataset [...1,...] [...2,...]
1 NAME OPT
2 language = SPRACHE

```

```

\setupbtxlist [...1] [...2,...]
1 NAME OPT
2 inherits: \impostaelenco

```

```

\setupbtxregister [...1,...] [...2,...]
1 NAME OPT
2 stato = inizia termina
  dataset = NAME
  field = keyword range numeropagina autore
  register = NAME
  metodo = once
  alternativa = normalshort invertedshort
  stile = STYLE BEFEHL
  colore = COLOR

```

```

\setupbtxrendering [...1,...] [...2,...]
1 NAME OPT
2 statotesto = inizia termina
  statopagina = inizia termina
  separatore = BEFEHL
  criterio = precedente cite qui tutti nessuno
  filter = TEXT
  specification = NAME
  titolo = TEXT
  prima = BEFEHL
  dopo = BEFEHL
  dataset = NAME
  metodo = dataset forza locale globale nessuno
  sorttype = short dataset elenco riferimento usato implicito cite indiceanalitico
  ripeti = si no
  group = NAME
  numerazione = si no num indiceanalitico tag short pagina
  file = FILE

```

`\setupbtx [...]`

* NAME

`\setupbutton [...1,...] [...2,...]`

1 NAME OPT
2 stato = inizia termina
stessapagina = si no vuoto nessuno normale implicito
stile = STYLE BEFEHL
colore = COLOR
colorecontrasto = COLOR
alternativa = nascosto
inherits: \impostaincorniciato

`\setupcharacteralign [...1,...]`

* ampiezzasinistra = DIMENSION
ampiezzadestra = DIMENSION
leftsample = TEXT
rightsample = TEXT
character = TEXT number->TEXT text->TEXT

`\setupcharacterkerning [...1,...] [...2,...]`

1 NAME OPT
2 fattore = max NUMMER
ampiezza = DIMENSION
features = NAME
stile = STYLE BEFEHL
colore = COLOR

`\setupcharacterspacing [...1] [...2] [...3,...]`

1 NAME OPT
2 NUMMER
3 sinistra = NUMMER
destra = NUMMER
alternativa = 0 1
language = SPRACHE

`\setupchemical [...1,...] [...2,...]`

1 NAME OPT
2 strut = si no auto cap adatta riga implicito CHARACTER
ampiezza = adatta nessuno NUMMER
altezza = adatta nessuno NUMMER
sinistra = adatta nessuno NUMMER
destra = adatta nessuno NUMMER
cima = adatta nessuno NUMMER
fondo = adatta nessuno NUMMER
scala = piccolo medio grande normale NUMMER
rotazione = NUMMER
symallinea = auto
asse = attivo disattivo
colorecornice = COLOR
spessorelinea = DIMENSION
offset = DIMENSION
unita = DIMENSION
fattore = NUMMER
cornice = attivo disattivo
colorelinea = COLOR
fonttesto = inherits: \impostafontdeltesto
dimensione = piccolo medio grande
stile = STYLE BEFEHL
colore = COLOR

`\setupchemicalframed [...1,...] [...2,...]`

1 NAME OPT
2 inherits: \impostaincorniciato

```

\setupcollector [...1,...] [...2,...]
1 NAME OPT
2 rotazione = sinistra destra interno esterno NUMMER
   angolo   = sinistra centro destra cima fondo
   x        = DIMENSION
   y        = DIMENSION
   hoffset  = DIMENSION
   voffset  = DIMENSION
   luogo    = sinistra centro destra cima fondo riga l c r m t b g
   stato    = inizia termina

```

```

\setupcolumnsetarea [...1,...] [...2,...]
1 NAME OPT
2 stato      = inizia termina ripeti
   x         = NUMMER
   y         = NUMMER
   nx        = NUMMER
   ny        = NUMMER
   stile     = STYLE BEFEHL
   colore    = COLOR
   clipoffset = DIMENSION
   offsetdestro = DIMENSION
   inherits: \impostaincorniciato

```

```

\setupcolumnsetareatext [...1] [...2]
1 NAME
2 TEXT

```

```

\setupcolumnsetlines [...1] [...2] [...3] [...4]
1 NAME
2 NUMMER
3 NUMMER
4 NUMMER

```

```

\setupcolumnsetspan [...1,...] [...2,...]
1 NAME OPT
2 n      = NUMMER
   stile = STYLE BEFEHL
   colore = COLOR
   prima = BEFEHL
   dopo  = BEFEHL
   inherits: \impostaincorniciato

```

```

\setupcolumnsetstart [...1] [...2] [...3] [...4]
1 NAME
2 NUMMER
3 NUMMER
4 NUMMER

```

```

\setupcombination [...1,...] [...2,...]
1 NAME OPT
2 nx      = NUMMER
   ny     = NUMMER
   ampiezza = adatta DIMENSION
   altezza = adatta DIMENSION
   luogo   = sinistra centro destra cima fondo
   distanza = DIMENSION
   alternativa = etichetta testo
   allinea  = inherits: \impostaallineamento
   continua = si no
   prima    = BEFEHL
   dopo     = BEFEHL
   tra      = BEFEHL
   stile    = STYLE BEFEHL
   colore   = COLOR
   metodo   = formula
   strut    = si no

```

```

\impostaCOMANDO [...1,...] [...2,...]
1 NAME OPT
2 KEY = VALUE

```



```

\setupcounter [...1,...] [...2,...]
1 NAME OPT
2 inizia = NUMBER
  numero = NUMBER
  counter = NAME
  metodo = pagina
  stato = inizia termina
  modo = bypagina byblock bytesto bytesta byABSCHNITT
  prefisso = si no
  prefixseparatorset = NAME
  prefixconversion = NAME
  prefixconversionset = NAME
  prefixstarter = BEFEHL PROCESSOR->BEFEHL
  prefixstopper = BEFEHL PROCESSOR->BEFEHL
  prefixset = NAME
  prefixsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                   ABSCHNITT:tutti corrente
  numberorder = invertito
  numberseparatorset = NAME
  numberconversion = NAME
  numberconversionset = NAME
  numberstarter = BEFEHL PROCESSOR->BEFEHL
  numberstopper = BEFEHL PROCESSOR->BEFEHL
  numbersegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:tutti
  type = primo precedente successivo ultimo numero
  criterio = rigido positivo tutti
  prefixconnector = BEFEHL PROCESSOR->BEFEHL

```

```

\setupcurrentCOMANDO [...*,...]
* KEY = VALUE

```

```

\setupdataset [...1,...] [...2,...]
1 NAME OPT
2 attesa = si no

```

```

\setupdelimitedtext [...1,...] [...2,...]
1 NAME NAME:NUMBER OPT
2 prima = BEFEHL
  dopo = BEFEHL
  language = locale globale SPRACHE
  metodo = font testo capoverso
  ripeti = si no
  luogo = testo capoverso margine
  sinistra = BEFEHL
  centro = BEFEHL
  destra = BEFEHL
  nextleft = BEFEHL
  nextright = BEFEHL
  spazioprima = inherits: \rigovuoto
  spaziodopo = inherits: \rigovuoto
  marginesinistro = si no standard DIMENSION
  marginedestro = si no standard DIMENSION
  rientro = inherits: \impostarientro
  rientrasuccessivo = si no auto
  stile = STYLE BEFEHL
  colore = COLOR
  stilesimbolo = STYLE BEFEHL
  coloresimbolo = COLOR
  allinea =

```

```

\setupdescription [...1,...] [...2,...]
1 NAME OPT
2 titolo = si no
define = si no
livello = NUMMER
testo = TEXT
headcommand = \...#1
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
alternativa = sinistra destra inmargine insinistra indestra margine marginesinistro marginedestro margineinterno
                margineesterno vicino sospeso cima vuoto comando NAME
allinea = inherits: \impostaallineamento
headalign = inherits: \impostaallineamento
rientro = inherits: \impostarientro
display = si no
rientrasuccessivo = si no auto
ampiezza = adatta ampio riga DIMENSION
distanza = nessuno DIMENSION
dilata = NUMMER
shrink = NUMMER
sospendi = adatta ampio nessuno margine NUMMER
closesymbol = BEFEHL
closecommand = \...#1
espansione = si no xml
referenceprefix = + - TEXT
campione = TEXT
margine = si no standard DIMENSION
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR
allineatitolo = si no
headindenting = si no

```

```

\setupdirections [...*,...]
* bidi = attivo disattivo locale globale
metodo = uno due implicito
fences = si no
break = entrambi prima

```

```

\setupdocument [...1,...] [...2,...]
1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
metadata:author = TEXT
metadata:title = TEXT
metadata:subject = TEXT
metadata:keywords = TEXT
KEY = VALUE

```

```

\setupeffect [...1,...] [...2,...]
1 NAME OPT
2 metodo = nessuno comando
dilata = NUMMER
spessorelinea = DIMENSION
alternativa = normale interno esterno entrambi nascosto dilata

```

`\setupenumeration` [\dots^1, \dots] [\dots^2, \dots]

```
1 NAME OPT
2 titolo = si no
  numero = si no
  comandonumero = \...#1
  stilenumero = STYLE BEFEHL
  colorenunero = COLOR
  distanzatitolo = DIMENSION
  stiletitolo = STYLE BEFEHL
  coloretitolo = COLOR
  titlecommand = \...#1
  titleleft = BEFEHL
  titleright = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  simbolo = BEFEHL
  starter = BEFEHL
  stopper = BEFEHL
  accoppiamento = NAME
  counter = NAME
  define = si no
  livello = NUMMER
  testo = TEXT
  headcommand = \...#1
  prima = BEFEHL
  dopo = BEFEHL
  tra = BEFEHL
  alternativa = sinistra destra inmargine insinistra indestra margine marginesinistro marginedestro margineinterno
               margineesterno vicino sospeso cima vuoto comando NAME
  allinea = inherits: \impostaallineamento
  headalign = inherits: \impostaallineamento
  rientro = inherits: \impostarientro
  display = si no
  rientrasuccessivo = si no auto
  ampiezza = adatta ampio riga DIMENSION
  distanza = nessuno DIMENSION
  dilata = NUMMER
  shrink = NUMMER
  sospendi = adatta ampio nessuno margine NUMMER
  closesymbol = BEFEHL
  closecommand = \...#1
  espansione = si no xml
  referenceprefix = + - TEXT
  campione = TEXT
  margine = si no standard DIMENSION
  stile = STYLE BEFEHL
  colore = COLOR
  stiletesta = STYLE BEFEHL
  coloretesta = COLOR
  allineatitolo = si no
  headindenting = si no
  inherits: \setupcounter
```

`\setupenv` [$\dots^* \dots$]

```
* set = BEFEHL
  reset = BEFEHL
  KEY = VALUE
```

`\setupexpansion` [\dots^1, \dots] [\dots^2, \dots]

```
1 NAME OPT
2 passo = NUMMER
  dilata = NUMMER
  shrink = NUMMER
```

`\setupexport` [$\dots^* \dots$]

```
* allinea = flushleft centro flushright normale
  fonttesto = DIMENSION
  ampiezza = DIMENSION
  titolo = TEXT
  sottotitolo = TEXT
  autore = TEXT
  alternativa = html div
  properties = si no
  hyphen = si no
  cssfile = FILE
  primapagina = FILE
  ultimapagina = FILE
```

```

\setupexternalfigure [...1,...] [...2,...]
1 NAME OPT
2 ampiezza = DIMENSION
  altezza = DIMENSION
  etichetta = NAME
  pagina = NUMMER
  oggetto = si no
  prefisso = TEXT
  metodo = pdf mps jpg png jp2 jbig svg eps gif tif mov buffer tex cld auto
  controlli = si no
  anteprema = si no
  mask = nessuno
  risoluzione = NUMMER
  colore = COLOR
  cmyk = si no auto
  arguments = TEXT
  ripeti = si no
  fattore = adatta ampio max auto implicito
  hfactor = adatta ampio max auto implicito
  wfactor = adatta ampio max auto implicito
  ampiezzamax = DIMENSION
  altezzamax = DIMENSION
  equalwidth = DIMENSION
  equalheight = DIMENSION
  scala = NUMMER
  xscale = NUMMER
  yscale = NUMMER
  s = NUMMER
  sx = NUMMER
  sy = NUMMER
  righe = NUMMER
  luogo = locale globale implicito
  directory = PATH
  opzione = test cornice vuoto
  coloreprimopiano = COLOR
  reset = si no
  sfondo = colore foreground NAME
  cornice = attivo disattivo
  coloresfondo = COLOR
  xmax = NUMMER
  ymax = NUMMER
  cornici = attivo disattivo
  interazione = si tutti nessuno riferimento layer segnalibro
  fonttesto = DIMENSION
  comment = BEFEHL TEXT
  dimensione = nessuno media crop trim art
  cache = PATH
  resources = PATH
  display = FILE
  conversione = TEXT
  order = LISTE
  crossreference = si no NUMMER
  transform = auto NUMMER
  userpassword = TEXT
  ownerpassword = TEXT
  orientation = NUMMER
  compact = si no merge tikz NAME
  metadata = si no pagina document

```

```

\setupfacingfloat [...1,...] [...2,...]
1 NAME OPT
2 tra = BEFEHL
  pagina = inherits: \pagina
  spaceinbetween = inherits: \rigovuoto
  stile = STYLE BEFEHL
  colore = COLOR
  ampiezza = adatta cornice DIMENSION
  inherits: \impostaincorniciato

```

```

\setupfieldbody [...1,...] [...2,...]
1 NAME OPT
2 category = NAME
  inherits: \setupfieldcategory

```

```

\setupfieldcategory [...1,...] [...2,...]
1 NAME OPT
2 inizia = NUMMER
   stile = STYLE BEFEHL
   colore = COLOR
   type = radio sotto testo riga push check signature
   values = TEXT
   implicito = TEXT
   colorecornicecampo = COLOR
   coloresfondocampo = COLOR
   ampiezza = DIMENSION
   altezza = DIMENSION
   profondita = DIMENSION
   allinea = sinistra centro destra flushleft center flushright
   n = NUMMER
   simbolo = NAME
   fieldlayer = NAME
   opzione = solalettura richiestp protetto ordinato nondisponibile nocheck fisso file nascosto stampabile
           auto
   clickdentro = REFERENCE
   clickfuori = REFERENCE
   entrareregione = REFERENCE
   esciregione = REFERENCE
   dopotasto = REFERENCE
   format = REFERENCE
   verifica = REFERENCE
   calcola = REFERENCE
   focusin = REFERENCE
   focusout = REFERENCE
   openpage = REFERENCE
   closepage = REFERENCE

```

```

\setupfieldcontentframed [...1,...] [...2,...]
1 NAME OPT
2 inherits: \impostaincorniciatoinherits: \setupfieldcategory

```

```

\setupfieldlabelframed [...1,...] [...2,...]
1 NAME OPT
2 inherits: \impostaincorniciato

```

```

\setupfieldtotalframed [...1,...] [...2,...]
1 NAME OPT
2 prima = BEFEHL
   dopo = BEFEHL
   tra = BEFEHL
   distanza = DIMENSION
   alternativa = reimposta etichetta cornice orizzontale verticale
   inherits: \impostaincorniciato

```

```

\setupfiller [...1,...] [...2,...]
1 NAME OPT
2 marginesinistro = DIMENSION
   marginedestro = DIMENSION
   sinistra = BEFEHL
   destra = BEFEHL
   alternativa = simbolo dilata linea spazio
   metodo = locale globale centro ampio
   ampiezza = DIMENSION
   altezza = DIMENSION
   profondita = DIMENSION
   offset = DIMENSION
   distanza = DIMENSION
   allinea = sinistra destra centro flushleft flushright interno esterno
   simbolo = BEFEHL
   stile = STYLE BEFEHL
   colore = COLOR

```

```

\setupfirstline [...1,...] [...2,...]
1 NAME OPT
2 n = NUMMER
   alternativa = implicito riga parola
   stile = STYLE BEFEHL
   colore = COLOR

```

```

\setupfittingpage [...1;...] [...2...;...]
1 NAME OPT
2 statopagina = inizia termina
   comando = \...#1
   margine = pagina
   scala = NUMMER
   carta = auto implicito NAME
   inherits: \impostaincorniciato

```

```

\setupfloatframed [...1;...] [...2...;...]
1 NAME OPT
2 inherits: \impostaincorniciato

```

```

\setupfontexpansion [...1.] [...2...;...]
1 NAME
2 vector = NAME
   fattore = NUMMER
   dilata = NUMMER
   shrink = NUMMER
   passo = NUMMER

```

```

\setupfontprotrusion [...1.] [...2...;...]
1 NAME
2 vector = NAME
   fattore = NUMMER
   sinistra = NUMMER
   destra = NUMMER

```

```

\setupfonts [...*...;...]
* language = no auto

```

```

\setupfontsolution [...1;...] [...2...;...]
1 NAME OPT
2 goodies = FILE
   solution = NAME
   less = NAME
   more = NAME
   metodo = preroll separa normale invertito casuale
   criterio = NUMMER

```

```

\setupformula [...1;...] [...2...;...]
1 NAME OPT
2 inherits: \impostaformule

```

```

\setupformulaframed [...1;...] [...2...;...]
1 NAME OPT
2 inherits: \impostaincorniciato

```

```

\setupframedcontent [...1;...] [...2...;...]
1 NAME OPT
2 sinistra = BEFEHL
   destra = BEFEHL
   offsetsinistro = DIMENSION
   offsetdestro = DIMENSION
   offsetcima = DIMENSION
   offsetfondo = DIMENSION
   correzioneriga = si no
   inherits: \impostaincorniciato

```

```

\setupframedtable [...1.] [...2...;...]
1 NAME OPT
2 prima = BEFEHL
   dopo = BEFEHL
   tra = BEFEHL
   distanza = DIMENSION
   inherits: \impostaincorniciato

```

`\setupframedtablecolumn` [¹...] [²...] [³...,...]

1 NAME OPT
2 NUMMER ogni
3 inherits: \impostaincorniciato

`\setupframedtablerow` [¹...] [²...] [³...,...]

1 NAME OPT
2 NUMMER ogni
3 inherits: \impostaincorniciato

`\setupframedtext` [¹...,...] [²...,...]

1 NAME OPT
2 sinistra = BEFEHL
destra = BEFEHL
interno = BEFEHL
luogo = sinistra destra centro nessuno
correzioneprofondita = attivo disattivo
fonttesto = inherits: \impostafontdeltesto
rientro = inherits: \impostarientro
stile = STYLE BEFEHL
colore = COLOR
inherits: \impostaincorniciato inherits: \setupplacement

`\setupglobalreferenceprefix` [^{*}...]

* + - TEXT

`\setupheadalternative` [¹...,...] [²...,...]

1 NAME OPT
2 alternativa = orizzontale verticale daqualcheparte
renderingsetup = NAME

`\setuphelp` [¹...,...] [²...,...]

1 NAME OPT
2 inherits: \impostaincorniciato

`\setuphigh` [¹...,...] [²...,...]

1 NAME OPT
2 distanza = DIMENSION
up = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setuphighlight` [¹...,...] [²...,...]

1 NAME OPT
2 comando = si no
stile = STYLE BEFEHL
colore = COLOR

`\setuphyphenation` [^{*}...,...]

* metodo = original tex implicito hyphenate expanded traditional nessuno

`\setupindentedtext` [¹...,...] [²...,...]

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
distanza = DIMENSION
campione = TEXT
testo = TEXT
ampiezza = adatta ampio DIMENSION
separatore = BEFEHL
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR

`\setupinitial` [...¹,...] [...²,...]

```
1 NAME OPT
2 n = NUMMER
  m = NUMMER
  prima = BEFEHL
  distanza = DIMENSION
  hoffset = DIMENSION
  voffset = riga DIMENSION
  stile = STYLE BEFEHL
  colore = COLOR
  font = FONT
  testo = TEXT
  luogo = margine testo
  metodo = primo ultimo auto nessuno
  continua = si no
```

`\setupinsertion` [...¹,...] [...²,...]

```
1 NAME OPT
2 luogo = pagina testo colonne firstcolumn lastcolumn
```

`\setupitaliccorrection` [...]

```
* inherits: \setitaliccorrection
```

`\setupitemgroup` [...¹,...] [...²,...] [...³,...] [...⁴,...]

```
1 NAME OPT OPT OPT OPT
2 ogni NUMMER
3 intro casuale continua impaccato autointro ampio testo prima dopo nobianco margine in margine al margine intesto
  headintext lento adatta nofit capoverso unito vicino stopper nostopper unpacked ripeti norepeat invertito colonne
  sovrapponi uno due tre quattro cinque six seven eight nine standard NUMMER*ampio NUMMER*vicino orizzontale NAME
4 prima = BEFEHL
  dopo = BEFEHL
  tra = BEFEHL
  primaditesta = BEFEHL
  dopotesta = BEFEHL
  testosinistro = BEFEHL
  testodestro = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  fattore = NUMMER
  passo = DIMENSION
  ampiezza = DIMENSION
  distanza = DIMENSION
  margine = si no standard DIMENSION
  marginesinistro = si no standard DIMENSION
  marginedestro = si no standard DIMENSION
  distanzamarginesinistro = si no standard DIMENSION
  distanzamarginedestro = si no standard DIMENSION
  allinea = inherits: \impostaallineamento
  rientro = inherits: \impostarientro
  inizia = NUMMER
  symallinea = sinistra centro destra flushleft center flushright
  simbolo = NAME
  n = NUMMER
  rientrasuccessivo = si no auto
  interno = BEFEHL
  comando = CSNAME
  elementi = NUMMER
  ampiezzamax = DIMENSION
  itemalign = sinistra destra centro flushleft flushright interno esterno
  alignsymbol = si no
  distanzatesto = piccolo medio grande nessuno spazio DIMENSION
  separatoretesto = BEFEHL
  lasttextseparator = BEFEHL
  mettistopper = si no schermo inline
  stile = STYLE BEFEHL
  colore = COLOR
  stiletesta = STYLE BEFEHL
  coloretesta = COLOR
  stilemarcatatura = STYLE BEFEHL
  coloremarmatatura = COLOR
  stilesimbolo = STYLE BEFEHL
  coloresimbolo = COLOR
  griglia = inherits: \definegridsnapping
  packcriterium = NUMMER
  distanzacolonne = DIMENSION
  inherits: \setupcounter
```



```

\setupitemgroup [...,1...] [...,2...]
1 NAME NAME:NUMBER OPT
2 prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
primaditesta = BEFEHL
dopotesta = BEFEHL
testosinistro = BEFEHL
testodestro = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
fattore = NUMBER
passo = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
opzione = intro casuale continua impaccato autointro ampio testo prima dopo nobianco margine
inmargine almargine intesto headintext lento adatta nofit capoverso unito vicino
stopper unpacked ripeti norepeat invertito colonne sovrapponi uno due tre quattro
cinque six seven eight nine standard NUMMER*ampio NUMMER*vicino orizzontale NAME

margine = si no standard DIMENSION
marginesinistro = si no standard DIMENSION
marginedestro = si no standard DIMENSION
distanzamarginesinistro = si no standard DIMENSION
distanzamarginedestro = si no standard DIMENSION
allinea = inherits: \impostaallineamento
rientro = inherits: \impostarientro
inizia = NUMBER
symallinea = sinistra centro destra flushleft center flushright
simbolo = NAME
n = NUMBER
rientrasuccessivo = si no auto
interno = BEFEHL
comando = CSNAME
elementi = NUMBER
ampiezzamax = DIMENSION
itemalign = sinistra destra centro flushleft flushright interno esterno
alignsymbol = si no
distanzatesto = piccolo medio grande nessuno spazio DIMENSION
separatoretesto = BEFEHL
lasttextseparator = BEFEHL
mettistopper = si no schermo inline
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR
stilemarcatura = STYLE BEFEHL
coloremarcatura = COLOR
stilesimbolo = STYLE BEFEHL
coloresimbolo = COLOR
griglia = inherits: \definegridsnapping
packcriterium = NUMBER
distanzacolonne = DIMENSION
inherits: \setupcounter

```

```

\impostaITEMGROUP [...,1...] [...,2...] [...,3...,...]
1 ogni NUMMER OPT OPT OPT
2 intro casuale continua impaccato autointro ampio testo prima dopo nobianco margine in margine al margine intesto
headintext lento adatta nofit capovero unito vicino stopper nostopper unpacked ripeti norepeat invertito colonne
sovrapponi uno due tre quattro cinque six seven eight nine standard NUMMER*ampio NUMMER*vicino orizzontale NAME
3 prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
primaditesta = BEFEHL
dopotesta = BEFEHL
testosinistro = BEFEHL
testodestro = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
fattore = NUMMER
passo = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
margine = si no standard DIMENSION
marginesinistro = si no standard DIMENSION
marginedestro = si no standard DIMENSION
distanzamarginesinistro = si no standard DIMENSION
distanzamarginedestro = si no standard DIMENSION
allinea = inherits: \impostaallineamento
rientro = inherits: \impostarientro
inizia = NUMMER
symallinea = sinistra centro destra flushleft flushright center flushright
simbolo = NAME
n = NUMMER
rientrasuccessivo = si no auto
interno = BEFEHL
comando = CSNAME
elementi = NUMMER
ampiezzamax = DIMENSION
itemalign = sinistra destra centro flushleft flushright interno esterno
alignsymbol = si no
distanzatesto = piccolo medio grande nessuno spazio DIMENSION
separatoretesto = BEFEHL
lasttextseparator = BEFEHL
mettistopper = si no schermo inline
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR
stilemarcatatura = STYLE BEFEHL
coloremarmatatura = COLOR
stilesimbolo = STYLE BEFEHL
coloresimbolo = COLOR
griglia = inherits: \definegridsnapping
packcriterium = NUMMER
distanzacolonne = DIMENSION
inherits: \setupcounter
instances: itemize

```

```

\impostaitemize [...] [1...,...] [2...,...] [3...,...]
1 ogni NUMMER OPT OPT OPT
2 intro casuale continua impaccato autointro ampio testo prima dopo nobianco margine in margine al margine intesto
headintext lento adatta nofit capovero unito vicino stopper nostopper unpacked ripeti norepeat invertito colonne
sovrapponi uno due tre quattro cinque six seven eight nine standard NUMMER*ampio NUMMER*vicino orizzontale NAME
3 prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
primaditesta = BEFEHL
dopotesta = BEFEHL
testosinistro = BEFEHL
testodestro = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
fattore = NUMMER
passo = DIMENSION
ampiezza = DIMENSION
distanza = DIMENSION
margine = si no standard DIMENSION
marginesinistro = si no standard DIMENSION
marginedestro = si no standard DIMENSION
distanzamarginesinistro = si no standard DIMENSION
distanzamarginedestro = si no standard DIMENSION
allinea = inherits: \impostaaallineamento
rientro = inherits: \impostarientro
inizia = NUMMER
symallinea = sinistra centro destra flushleft flushright center flushright
simbolo = NAME
n = NUMMER
rientrasuccessivo = si no auto
interno = BEFEHL
comando = CSNAME
elementi = NUMMER
ampiezzamax = DIMENSION
itemalign = sinistra destra centro flushleft flushright interno esterno
alignsymbol = si no
distanzatesto = piccolo medio grande nessuno spazio DIMENSION
separatoretesto = BEFEHL
lasttextseparator = BEFEHL
mettistopper = si no schermo inline
stile = STYLE BEFEHL
colore = COLOR
stiletesta = STYLE BEFEHL
coloretesta = COLOR
stilemarcatura = STYLE BEFEHL
coloremarcatura = COLOR
stilesimbolo = STYLE BEFEHL
coloresimbolo = COLOR
griglia = inherits: \definegridsnapping
packcriterium = NUMMER
distanzacolonne = DIMENSION
inherits: \setupcounter

```

\setuplabel [...,¹...] [...,²...,...]

```
1 NAME OPT
2 titolo = si no
  numero = si no
  comandonumero = \...#1
  distanzatitolo = DIMENSION
  stiletitolo = STYLE BEFEHL
  coloretitolo = COLOR
  titlecommand = \...#1
  titleleft = BEFEHL
  titleright = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  simbolo = BEFEHL
  starter = BEFEHL
  stopper = BEFEHL
  accoppiamento = NAME
  counter = NAME
  livello = NUMMER
  testo = TEXT
  headcommand = \...#1
  prima = BEFEHL
  dopo = BEFEHL
  tra = BEFEHL
  alternativa = sinistra destra in margine in sinistra in destra margine margine sinistro margine destro margine interno
                margine esterno vicino sospeso cima vuoto comando intesto NAME
  allinea = inherits: \impostaallineamento
  headalign = inherits: \impostaallineamento
  rientro = inherits: \impostarientro
  display = si no
  rientrasuccessivo = si no auto
  ampiezza = adatta ampio riga DIMENSION
  distanza = nessuno DIMENSION
  dilata = NUMMER
  shrink = NUMMER
  sospendi = adatta ampio nessuno margine NUMMER
  closesymbol = BEFEHL
  closecommand = \...#1
  espansione = si no xml
  referenceprefix = + - TEXT
  campione = TEXT
  margine = si no standard DIMENSION
  stile = STYLE BEFEHL
  colore = COLOR
  stiletesta = STYLE BEFEHL
  coloretesta = COLOR
  allineatitolo = si no
  headindenting = si no
  inherits: \setupcounter
```

\setuplayer [...,¹...] [...,²...,...]

```
1 NAME OPT
2 stato = inizia termina continua successivo ripeti
  opzione = test
  pagina = NUMMER
  ampiezza = DIMENSION
  altezza = DIMENSION
  region = NAME
  rotazione = sinistra destra interno esterno NUMMER
  posizione = si no sovrapponi
  hoffset = max DIMENSION
  voffset = max DIMENSION
  offset = DIMENSION
  dx = DIMENSION
  dy = DIMENSION
  sx = NUMMER
  sy = NUMMER
  x = DIMENSION
  y = DIMENSION
  angolo = sinistra centro destra cima fondo
  luogo = griglia sinistra centro destra cima fondo riga l c r m t b g
  riga = NUMMER
  colonna = NUMMER
  direzione = normale invertito
  doppiafaccia = si no
  metodo = adatta sovrapponi
  ripeti = si
  preimpostato = lefttop righttop leftbottom rightbottom centro middletop middlebottom middleleft middleright
                 lefttopleft lefttopright NAME
```

```

\setuplayeredtext [...1,...] [...2,...]
1 NAME OPT
2 stile = STYLE BEFEHL
   colore = COLOR
   inherits: \impostaincorniciato

```

```

\setuplayouttext [...1,...] [...2,...] [...3,...]
1 cima intestazione testo piedipagina fondo
2 testo margine bordo
3 stato = inizia termina vuoto alto nessuno normale nomarcature NAME
   stile = STYLE BEFEHL
   colore = COLOR
   strut = si no
   n = NUMMER
   prima = BEFEHL
   dopo = BEFEHL
   testosinistro = TEXT
   testocentro = TEXT
   testodestro = TEXT
   stilesinistra = STYLE BEFEHL
   middlestyle = STYLE BEFEHL
   stiledestra = STYLE BEFEHL
   coloresinistra = COLOR
   middlecolor = COLOR
   coloredestra = COLOR
   ampiezza = DIMENSION
   ampiezzasinistra = DIMENSION
   middlewidth = DIMENSION
   ampiezzadestra = DIMENSION

```

```

\setuplinefiller [...1,...] [...2,...]
1 NAME OPT
2 luogo = sinistra destra entrambi
   scope = sinistra destra locale globale
   mp = NAME
   altezza = DIMENSION
   profondita = DIMENSION
   distanza = DIMENSION
   threshold = DIMENSION
   spessorelinea = DIMENSION
   prima = BEFEHL
   dopo = BEFEHL
   colore = COLOR
   stiletesto = STYLE BEFEHL
   coloretesto = COLOR
   allinea = inherits: \impostaallineamento

```

```

\setuplinefillers [...1,...] [...2,...]
1 NAME OPT
2 inherits: \setuplinefiller

```

```

\setuplinenote [...1,...] [...2,...]
1 NAME OPT
2 compress = si no
   compressmethod = separator stopper spazio
   compressseparator = BEFEHL
   compressdistance = DIMENSION
   compressstopper = BEFEHL
   inherits: \setupnote

```

```

\setuplineprofile [...1,...] [...2,...]
1 NAME OPT
2 passo = DIMENSION
   fattore = NUMMER
   metodo = a
   capoverso = si no

```

`\setuplinetable` [¹...] [²...] [³...,...,...]

```
1 r c OPT OPT
2 dispari pari intestazione NUMMER
3 righe = adatta NUMMER
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
dilata = si no DIMENSION
ampiezzamax = adatta DIMENSION
nsinistra = NUMMER
n = NUMMER
ripeti = si no
nx = NUMMER
ampiezza = DIMENSION
altezza = adatta riga DIMENSION
distanza = DIMENSION
offsetsinistro = DIMENSION
offsetdestro = DIMENSION
allinea = inherits: \impostaallineamento
sfondo = colore
coloresfondo = COLOR
xheight = max DIMENSION
xdepth = max DIMENSION
stile = STYLE BEFEHL
colore = COLOR
```

`\setuplistalternative` [¹...,...] [²...,...,...]

```
1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
comando = \...#1#2#3
renderingsetup = NAME
ampiezza = DIMENSION
distanza = DIMENSION
dilata = DIMENSION
filler = BEFEHL
```

`\setuplistextra` [¹...,...] [²...,...,...]

```
1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
```

`\setuplocalboxes` [¹...,...] [²...,...,...]

```
1 NAME OPT OPT
2 comando = BEFEHL
ripeti = si no
luogo = sinistra destra centro testosinistro testodestro
ampiezza = DIMENSION
distanza = DIMENSION
stile =
colore = COLOR
```

`\setuplocalfloats` [^{*}...,...,...]

```
* prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
```

`\setuplocalinterlinespace` [¹...,...] [²...,...,...]

```
1 NAME OPT
2 inherits: \impostainterlinea
```

`\setuplocalinterlinespace` [^{*}...,...]

```
* attivo disattivo reimposta auto piccolo medio grande NUMMER DIMENSION
```

`\setuplocalinterlinespace` [^{*}...]

```
* NAME
```

`\setuplow [...1,...] [...2,...]`

1 NAME OPT
2 distanza = DIMENSION
down = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setuplowhigh [...1,...] [...2,...]`

1 NAME OPT
2 distanza = DIMENSION
up = DIMENSION
down = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setuplowmidhigh [...1,...] [...2,...]`

1 NAME OPT
2 up = DIMENSION
down = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setupMPgraphics [...*,...]`

* colore = locale globale
mpy = FILE

`\setupMPinstance [...1,...] [...2,...]`

1 NAME OPT
2 format = metafun minifun mpost
initializations = si no
setups = NAME
stiletesto = STYLE BEFEHL
coloretesto = COLOR
extensions = si no
metodo = binary decimal double scaled implicito

`\setupMPpage [...*,...]`

* statopagina = inizia termina
comando = \...#1
margine = pagina
scala = NUMMER
carta = auto implicito NAME
inherits: \impostaincorniciato

`\setupMPvariables [...1] [...2,...]`

1 NAME OPT
2 KEY = VALUE

`\setupmarginblock [...1,...] [...2,...]`

1 NAME OPT
2 stato = inizia termina
ampiezza = DIMENSION
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
allinea = inherits: \impostaallineamento
stile = STYLE BEFEHL
colore = COLOR
cima = BEFEHL
fondo = BEFEHL
luogo = sinistra destra centro in margine
sinistra = BEFEHL
destra = BEFEHL

```

\setupmargindata [...] [1...] [2...]
1 NAME OPT
2 strut = si no auto cap adatta riga implicito CHARACTER
   comando = \...#1
   ampiezza = DIMENSION
   allinea = inherits: \impostaallineamento
   anchor = region testo
   luogo = sinistra destra interno esterno
   metodo = cima riga primo profondita altezza
   category = implicito bordo
   scope = locale globale
   opzione = testo capoverso
   margine = locale normale margine bordo
   distanza = DIMENSION
   hoffset = DIMENSION
   voffset = DIMENSION
   dy = DIMENSION
   spaziofondo = DIMENSION
   threshold = DIMENSION
   riga = NUMMER
   stack = si continua
   stile = STYLE BEFEHL
   colore = COLOR

```

```

\setupmarginframed [1...] [2...]
1 NAME OPT
2 inherits: \impostaincorniciato

```

```

\setupmarginrule [1...] [2...]
1 NUMMER OPT
2 inherits: \setupsidebar

```

```

\setupmathaccent [1...] [2...]
1 NAME OPT OPT
2 inherits: \setupmathaccents

```

```

\setupmathaccents [1...] [2...]
1 NAME OPT OPT
2 mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
   scala = si no mantieni
   plugin = mp
   mp = NAME
   colore = COLOR
   coloretesto = COLOR
   symbolcolor = COLOR
   allinea = centro
   dilata = si no
   shrink = si no
   snap = si
   alignsymbol = si no
   offset = auto
   i = auto

```



```

\setupmathalignment [...1,...] [...2,...]
1 NAME OPT
2 n = NUMBER
m = NUMBER
distanza = DIMENSION
numero = auto
numberdistance = DIMENSION
separatore = TEXT
allinea = sinistra centro destra flushleft flushright normale auto NUMBER:sinistra NUMBER:centro
NUMBER:destra NUMBER:flushleft NUMBER:flushright
luogo = cima center fondo sinistra centro destra impaccato formula
mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
stiletesto = STYLE BEFEHL
textstyle:NUMBER = STYLE BEFEHL
coloretesto = COLOR
textcolor:NUMBER = COLOR
testo = TEXT
text:NUMBER = TEXT
fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle
solidus ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis
mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle
mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner
mirroredlowercorner mirroredgroup mirroredopenbracket interval openinterval closedinterval
leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval
integerinterval tupanddownarrows tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct
integerpart norm set sequence tuple
adapative = si no
spaceinbetween = inherits: \impostaspaziobianco
riferimento = + - REFERENCE
suffix = TEXT
numberthreshold = DIMENSION

```

```

\setupmathcases [...1,...] [...2,...]
1 NAME OPT
2 sinistra = BEFEHL
destra = BEFEHL
strut = si no
mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
distanza = DIMENSION
numberdistance = DIMENSION
simplecommand = NAME
testosinistro = TEXT
testodestro = TEXT
marginessinistro = DIMENSION
marginedestro = DIMENSION
fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle
solidus ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis
mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle
mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner
mirroredlowercorner mirroredgroup mirroredopenbracket interval openinterval closedinterval
leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval
integerinterval tupanddownarrows tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct
integerpart norm set sequence tuple
spaceinbetween = inherits: \impostaspaziobianco

```

```

\setupmathdelimited [...1,...] [...2,...]
1 NAME OPT
2 define = si no
strut = si no altezza profondita math
marginessinistro = DIMENSION
marginedestro = DIMENSION
alternativa = implicito normale
symbolcolor = COLOR
altezza = DIMENSION
profondita = DIMENSION
offsetcima = DIMENSION
offsetfondo = DIMENSION
source = NAME
dimensione = NUMMER
sinistra = NUMMER
destra = NUMMER
mathmeaning = TEXT
colore = COLOR
coloretesto = COLOR

```

`\setupmathdelimiter [...,1...] [...,2...,...]`

```
1 NAME OPT
2 define = si no
  fattore = NUMMER
  offsetsinistro = DIMENSION
  offsetdestro = DIMENSION
  exact = si no
  asse = si no
  altezza = DIMENSION
  profondita = DIMENSION
  simbolo = NUMMER
```

`\setupmathematics [...,1...] [...,2...,...]`

```
1 NAME OPT
2 openup = si no
  setsimboli = blackboard-to-bold mikaels-favourites NAME
  functionstyle = STYLE BEFEHL
  compact = si no
  allinea = l2r lefttright r2l righttleft
  sygreek = normale corsivo nessuno
  lcgreek = normale corsivo nessuno
  ucgreek = normale corsivo nessuno
  italics = si no
  autopunctuation = si no tutti comma yes,semicolon comma,semicolon all,semicolon
  setups = NAME
  domain = implicito NAME
  stilettesto = STYLE BEFEHL
  coloretesto = COLOR
  functioncolor = COLOR
  integral = orizzontale verticale auto autolimits limits nolimits
  stylealternative = NAME
  implicito = normale corsivo
  collapsing = 0 1 2 3 implicito tex elenco tutti nessuno reimposta
  kernpairs = si no
  mathconstants = corsivo upright
  differentiaald = corsivo upright
  esponenziale = corsivo upright
  immaginaryi = corsivo upright
  immaginaryj = corsivo upright
  pi = corsivo upright
  snap = si no
  distanzatesto = DIMENSION
  threshold = nessuno piccolo medio grande DIMENSION
  mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
  colore = COLOR
  autospacing = si no
  autonumbers = si no NUMMER
  autofencing = si no
  hz = si no
  alignscripts = si no sempre vuoto
  interscriptfactor = NUMMER
  autointervals = si no
  limitstretch = si no
```

`\setupmathexport [...,*...,...]`

```
* buffer = NAME
  file = FILE
  n = NUMMER
  opzione = ascii
```

`\setupmathfence [...,1...] [...,2...,...]`

```
1 NAME OPT
2 inherits: \setupmathfences
```

`\setupmathfences` [...¹,...] [...²,...]

```
1 NAME OPT
2 define = si no
  sinistra = NUMMER
  centro = NUMMER
  destra = NUMMER
  mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
  colore = COLOR
  coloresinistra = COLOR
  middlecolor = COLOR
  coloredestra = COLOR
  symbolcolor = COLOR
  stato = auto
  metodo = auto
  dimensione = grande Big bigg Bigg NUMMER
  fattore = nessuno auto NUMMER
  overflow = no auto
  mathclass = tutti begin end unset ordinary operator binary relation open close punctuation variable active
              interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary
              differential exponential integral ellipsis function digit division factorial wrapped construct
              dimension unary textpunctuation unspaced experimental fake numbergroup continuation
  altezza = DIMENSION
  profondita = DIMENSION
  plugin = mp
  mp = NAME
  displayfactor = NUMMER
  inlinefactor = NUMMER
  mathmeaning = TEXT
  spaziocima = DIMENSION
  spaziofondo = DIMENSION
  snap = si no
  alternativa = piccolo grande
  setups = NAME
  source = NUMMER
  leftsource = NUMMER
  middlesource = NUMMER
  rightsource = NUMMER
  stilesinistra = STYLE BEFEHL
  stiledestra = STYLE BEFEHL
  leftclass = NUMMER
  middleclass = NUMMER
  rightclass = NUMMER
  distanza = DIMENSION
  testo = si no
```

`\setupmathfraction` [...¹,...] [...²,...]

```
1 NAME OPT
2 inherits: \setupmathfractions
```

```

\setupmathfractions [...1,...] [...2.,...]
1 NAME OPT
2 distanzacima = DIMENSION
distanzafondo = DIMENSION
margine = DIMENSION
colore = COLOR
coloretesto = COLOR
symbolcolor = COLOR
topcolor = COLOR
bottomcolor = COLOR
strut = si no tight testo math
alternativa = interno esterno entrambi
linea = si no auto nascosto simbolo
sinistra = NUMBER
destra = NUMBER
centro = NUMBER
simbolo = NUMBER
spessorelinea = font DIMENSION
mathstyle = STYLE BEFEHL
mathnumeratorstyle = STYLE BEFEHL
mathdenominatorstyle = STYLE BEFEHL
distanza = no nessuno cima fondo entrambi sovrapponi DIMENSION
threshold = DIMENSION
inlinethreshold = auto NUMBER
displaythreshold = auto NUMBER
fences =
mathmeaning = binom limits
mathclass = tutti begin end unset ordinary operator binary relation open close punctuation variable
active interno under over fraction radical centro prime accent fenced ghost vcenter
explicit imaginary differential exponential integral ellipsis function digit division
factorial wrapped construct dimension unary textpunctuation unspaced experimental fake
numbergroup continuation
hfactor = NUMBER
metodo = orizzontale verticale riga
plugin = mp
mp = NAME
vfactor = NUMBER
source = NAME
topalign = sinistra destra centro flushleft flushright split:flushleft split:flushright
bottomalign = sinistra destra centro flushleft flushright split:flushleft split:flushright

```

```

\setupmathframed [...1,...] [...2.,...]
1 NAME OPT
2 inherits: \impostaincorniciato

```

```

\setupmathfunction [...1,...] [...2.,...]
1 NAME OPT
2 inherits: \setupmathfunctions

```

```

\setupmathfunctions [...1,...] [...2.,...]
1 NAME OPT
2 colore = COLOR
stile = STYLE BEFEHL
class = tutti begin end unset ordinary operator binary relation open close punctuation variable active
interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary
differential exponential integral ellipsis function digit division factorial wrapped construct
dimension unary textpunctuation unspaced experimental fake numbergroup continuation
sinistra = BEFEHL
destra = BEFEHL
mathlimits = si no auto
metodo = limits
comando = \...#1

```

```

\setupmathmatrix [...1,...] [...2,...]
1 NAME OPT
2 sinistra = BEFEHL
destra = BEFEHL
strut = si no NUMMER
allinea = sinistra centro destra flushleft flushright normale auto NUMBER:sinistra NUMBER:centro NUMBER:destra
NUMBER:flushleft NUMBER:flushright
mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
distanza = DIMENSION
simplecommand = TEXT
luogo = cima fondo alto basso pedap center normale
spessorelinea = DIMENSION
colorelinea = COLOR
moffset = DIMENSION
toffset = DIMENSION
boffset = DIMENSION
margin sinistro = DIMENSION
margin destro = DIMENSION
fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle
solidus ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis
mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle
mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner
mirroredlowercorner mirroredgroup mirroredopenbracket interval openinterval closedinterval
leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval
integerinterval tupanddownarrows tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct
integerpart norm set sequence tuple
bordosinistro = nessuno DIMENSION
bordodestro = nessuno DIMENSION

```

```

\setupmathnesting [...1,...] [...2,...]
1 NAME OPT
2 sinistra = BEFEHL
destra = BEFEHL
displayfactor = NUMMER
inlinefactor = NUMMER

```

```

\setupmathoperator [...1,...] [...2,...]
1 NAME OPT
2 inherits: \setupmathoperators

```

```

\setupmathoperators [...1,...] [...2,...]
1 NAME OPT
2 mathclass = tutti begin end unset ordinary operator binary relation open close punctuation variable active
interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary
differential exponential integral ellipsis function digit division factorial wrapped construct
dimension unary textpunctuation unspaced experimental fake numbergroup continuation
symbolcolor = COLOR
metodo = orizzontale verticale auto autolimits limits nolimits
dimensione = auto DIMENSION
cima = TEXT
topcolor = COLOR
fondo = TEXT
bottomcolor = COLOR
coloretesto = COLOR
colore = COLOR
colorenumero = COLOR
sinistra = NUMMER

```

```

\setupmathornament [...1,...] [...2,...]
1 NAME OPT
2 alternativa = mp
colore = COLOR
mpoffset = DIMENSION
mp = NAME

```

`\setupmathradical [...1,...] [...2,...]`

```
1 NAME OPT
2 colore = COLOR
  coloretesto = COLOR
  colorenúmero = COLOR
  symbolcolor = COLOR
  plugin = mp
  mp = NAME
  sinistra = NUMMER
  destra = NUMMER
  cima = NUMMER
  n = TEXT
  altezza = nessuno DIMENSION
  profondita = nessuno DIMENSION
  mindepth = DIMENSION
  marginesinistro = DIMENSION
  marginedestro = DIMENSION
  linea = si no simbolo fondo
  source = NAME
  mathstyle = schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande
  strut = si no altezza profondita math
```

`\setupmathsimplealign [...1,...] [...2,...]`

```
1 NAME OPT
2 strut = si no
  allinea = normale flushright sinistra destra flushleft centro NUMMER:normale NUMMER:flushright NUMMER:sinistra
    NUMMER:destra NUMMER:flushleft NUMMER:centro
  luogo = cima fondo center centro sinistra destra impaccato formula
  distanza = math DIMENSION
  spaceinbetween = inherits: \impostaspaziobianco
  marginesinistro = DIMENSION
  marginedestro = DIMENSION
  sinistra = BEFEHL
  destra = BEFEHL
  fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle
    solidus ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis
    mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle
    mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner
    mirroredlowercorner mirroredgroup mirroredopenbracket interval openinterval closedinterval
    leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval
    integerinterval tupanddownarrows tupdownarrows tdowndownarrows tuparrow tdownarrow abs innerproduct
    integerpart norm set sequence tuple
  testo = TEXT
  distanzatesto = DIMENSION
  alternativa = equationsystem
  simplecommand = NAME
```

`\setupmathstackers [...1,...] [...2,...]`

```
1 NAME OPT
2 sinistra = BEFEHL
  destra = BEFEHL
  topcommand = \...#1
  bottomcommand = \...#1
  middlecommand = \...#1
  topstyle = STYLE BEFEHL
  bottomstyle = STYLE BEFEHL
  middlestyle = STYLE BEFEHL
  topcolor = COLOR
  bottomcolor = COLOR
  middlecolor = COLOR
  plugin = mp
  mp = NAME
  mpheight = DIMENSION
  mpdepth = DIMENSION
  mpoffset = DIMENSION
  colore = COLOR
  symbolcolor = COLOR
  offsetcima = DIMENSION
  hoffset = DIMENSION
  voffset = DIMENSION
  altezzamin = DIMENSION
  mindepth = DIMENSION
  mathclass = tutti begin end unset ordinary operator binary relation open close punctuation variable active
              interno under over fraction radical centro prime accent fenced ghost vcenter explicit imaginary
              differential exponential integral ellipsis function digit division factorial wrapped construct
              dimension unary textpunctuation unspaced experimental fake numbergroup continuation

  offset = min max normale
  luogo = cima fondo alto basso centro NUMMER
  strut = si no
  alternativa = normale implicito mp
  ampiezzamin = DIMENSION
  distanza = DIMENSION
  order = normale invertito
  mathlimits = si no
  lt = DIMENSION
  rt = DIMENSION
  lb = DIMENSION
  rb = DIMENSION
  shrink = si no
  dilata = si no
  campione = NUMMER
```

`\setupmathstyle [...*,...]`

* schermo testo script scriptscript cramped uncramped normale impaccato piccolo grande NAME

`\setupmixedcolumns [...1,...] [...2,...]`

```
1 NAME OPT
2 griglia = inherits: \definegridsnapping
  spessorelinea = DIMENSION
  metodo = otr box
  prima = BEFEHL
  dopo = BEFEHL
  distanza = DIMENSION
  n = NUMMER
  altezzamax = DIMENSION
  ampiezzamax = DIMENSION
  passo = DIMENSION
  profile = NAME
  allinea = inherits: \impostaallineamento
  setups = NAME
  bilanciamento = si no
  splitmethod = nessuno fisso
  alternativa = locale globale
  internalgrid = riga mezzariga
  separatore = linea
  strut = si no
  colore = COLOR
  colorelinea = COLOR
  direzione = normale invertito
  define = si no
  inherits: \impostaincorniciato
```

```
\setupmodule [...1] [...2...]
```

```
1 FILE OPT  
2 test = si no  
KEY = VALUE
```

```
\setupmulticolumns [...1...] [...2...]
```

```
1 NAME OPT  
2 n = NUMBER  
distanza = DIMENSION  
direzione = destra invertito  
bilanciamento = si no  
rigovuoto = inherits: \rigovuoto  
allinea = inherits: \impostaallineamento  
ncima = NUMBER
```

```
\setupnotation [...1...] [...2...]
```

```
1 NAME OPT  
2 titolo = si no  
numero = si no  
type = note  
comandonumero = \...#1  
distanzaititolo = DIMENSION  
stiletitolo = STYLE BEFEHL  
coloretitolo = COLOR  
titlecommand = \...#1  
titleleft = BEFEHL  
titleright = BEFEHL  
sinistra = BEFEHL  
destra = BEFEHL  
simbolo = BEFEHL  
starter = BEFEHL  
stopper = BEFEHL  
accoppiamento = NAME  
counter = NAME  
livello = NUMMER  
testo = TEXT  
headcommand = \...#1  
prima = BEFEHL  
dopo = BEFEHL  
tra = BEFEHL  
alternativa = sinistra destra in margine insinistra indestra margine sinistro margine destro margine interno  
margine esterno vicino sospeso cima comando note NAME  
allinea = inherits: \impostaallineamento  
headalign = inherits: \impostaallineamento  
rientro = inherits: \impostarientro  
display = si no  
rientrasuccessivo = si no auto  
ampiezza = adatta ampio riga DIMENSION  
distanza = nessuno DIMENSION  
dilata = NUMMER  
shrink = NUMMER  
sospendi = adatta ampio nessuno margine NUMMER  
closesymbol = BEFEHL  
closecommand = \...#1  
espansione = si no xml  
referenceprefix = + - TEXT  
campione = TEXT  
margine = si no standard DIMENSION  
stile = STYLE BEFEHL  
colore = COLOR  
stiletesta = STYLE BEFEHL  
coloretesta = COLOR  
allineatitolo = si no  
headindenting = si no  
inherits: \setupcounter
```

```
\setupnotations [...1...] [...2...]
```

```
1 NAME OPT  
2 inherits: \setupnotation
```


`\setupnote [...1,...] [...2,...]`

1 NAME OPT
2 interazione = si no numero testo tutti
symbolcommand = \...#1
comandotesto = \...#1
indicatore = si no
separatoretesto = BEFEHL
ampiezza = DIMENSION
altezza = DIMENSION
distanza = DIMENSION
rulecommand = BEFEHL
linea = attivo disattivo normale sinistra destra comando capoverso
separa = tollerante rigido moltorigido NUMMER
fattore = NUMMER
luogo = testo pagina elenco alto fondo nessuno colonne firstcolumn lastcolumn
successivo = BEFEHL
n = NUMMER
colorelinea = COLOR
spessorelinea = DIMENSION
setups = NAME
interlinea = NAME
capoverso = si no
prima = BEFEHL
dopo = BEFEHL
tra = BEFEHL
scope = pagina
distanzacolonne = DIMENSION
continua = si no
alternativa = griglia fisso colonne note nessuno
criterio = pagina
fonttesto = inherits: \impostafontdeltesto
allinea = inherits: \impostaallineamento
stiletesto = STYLE BEFEHL
coloretesto = COLOR
anchor = successivo
spazioprima = inherits: \rigovuoto
spaceinbetween = inherits: \rigovuoto
inherits: \impostaincorniciato

`\setupnotes [...1,...] [...2,...]`

1 NAME OPT
2 inherits: \setupnote

`\setupoffset [...*,...]`

* inherits: \setupoffsetbox

`\setupoffsetbox [...*,...]`

* x = DIMENSION
y = DIMENSION
offsetsinistro = DIMENSION
offsetdestra = DIMENSION
offsetcima = DIMENSION
offsetfondo = DIMENSION
metodo = fisso
ampiezza = DIMENSION
altezza = DIMENSION
profondita = DIMENSION
luogo = sinistra centro destra cima fondo riga l c r m t b g

`\setuoptimize [...1,...] [...2,...]`

1 NAME OPT
2 sinistra = DIMENSION
destra = DIMENSION
righe = NUMMER
distanza = DIMENSION

`\setuporientation [...1,...] [...2,...]`

1 NAME OPT
2 orientation = up down sinistra destra cima fondo normale riga
orizzontale = sinistra centro destra flushleft flushright normale
verticale = riga cima centro fondo normale

```
\setupoutputroutine [...] [1...] [2...]
1 NAME OPT
2 KEY = CSNAME
```

```
\setupoutputroutine [...]
* NAME
```

```
\setuppagechecker [1...] [2...]
1 NAME OPT
2 righe = NUMMER
  offset = DIMENSION
  metodo = 0 1 2 3
  prima = BEFEHL
  dopo = BEFEHL
  tra = BEFEHL
```

```
\setuppagecolumns [1...] [2...]
1 NAME OPT
2 separatore = NAME
  direzione = normale invertito
  distanza = DIMENSION
  n = NUMMER
  ampiezzamax = DIMENSION
  allinea = inherits: \impostaallineamento
  rigovuoto = inherits: \rigovuoto
  colore = COLOR
  setups = NAME
  pagina = inherits: \pagina
  inherits: \impostaincorniciato
```

```
\setuppageinjection [1...] [2...]
1 NAME OPT
2 stato = precedente successivo NUMMER
  attesa = si no
  alternativa = figura buffer setups nessuno NAME
  pagina = inherits: \pagina
  statopagina = inizia termina
  n = NUMMER
  inherits: \impostaincorniciato
```

```
\setuppageinjectionalternative [1...] [2...]
1 NAME OPT
2 renderingsetup = NAME
```

```
\setuppageshift [1] [2] [3]
1 pagina carta OPT OPT
2 NAME
3 NAME
```

```
\setuppagestate [1...] [2...]
1 NAME OPT
2 attesa = si no
```

```
\setuppairedbox [1...] [2...]
1 NAME OPT
2 prima = BEFEHL
  dopo = BEFEHL
  tra = BEFEHL
  luogo = sinistra centro destra cima fondo alto basso
  n = NUMMER
  distanza = DIMENSION
  fonttesto = inherits: \impostafontdeltesto
  ampiezza = DIMENSION
  altezza = DIMENSION
  ampiezzamax = DIMENSION
  altezzamax = DIMENSION
  allinea = inherits: \impostaallineamento
  stile = STYLE BEFEHL
  colore = COLOR
```

`\impostaPAIREDBOX [...,.*,.,.]`

* inherits: \setuppairedbox

instances: legend

`\impostalegend [...,.*,.,.]`

* inherits: \setuppairedbox

`\setuppaper [...,.*,.,.]`

* inherits: \impostadimensionicarta

`\setupparagraph [...,1,...] [...,.*2,.,.]`

1 NAME OPT
2 stile = STYLE BEFEHL
colore = COLOR
allinea = inherits: \impostaallineamento
setups = NAME

`\setupparagraphintro [...,1,...] [...,2,.]`

1 reimposta ogni primo successivo
2 BEFEHL

`\setupparallel [...,1,.] [...,2,...] [...,.*3,.,.]`

1 NAME
2 NAME
3 setups = NAME
inizia = NUMMER
n = NUMMER
criterio = tutti

`\setupperiodkerning [...,1,...] [...,.*2,.,.]`

1 NAME OPT
2 fattore = NUMMER

`\setupperiods [...,.*,.,.]`

* n = NUMMER
ampiezza = DIMENSION adatta
distanza = DIMENSION
simbolo = BEFEHL

`\setupplaceholder [...,1,...] [...,.*2,.,.]`

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
testo = TEXT
stile = STYLE BEFEHL
colore = COLOR

`\setupplacement [...,1,...] [...,.*2,.,.]`

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL
griglia = inherits: \snaptogrid
correzioneriga = attivo disattivo
correzioneprofondita = attivo disattivo
margine = si no standard

`\setuppositionbar [...,.*,.,.]`

* stile = STYLE BEFEHL
colore = COLOR
n = NUMMER
min = NUMMER
max = NUMMER
testo = TEXT
ampiezza = DIMENSION
altezza = DIMENSION
profondita = DIMENSION

`\setupprocessor [...1,...] [...2,...]`

1 NAME OPT
2 stato = inizia termina
sinistra = BEFEHL
destra = BEFEHL
comando = \...#1
stile = STYLE BEFEHL
colore = COLOR

`\setupprofile [...1,...] [...2,...]`

1 NAME OPT
2 altezza = DIMENSION
profondita = DIMENSION
distanza = DIMENSION
fattore = NUMMER
righe = NUMMER
metodo = rigido fisso nessuno
define = si no

`\setupquotation [...*,...]`

* inherits: \setupdelimitedtext

`\setuprealpagenumber [...*,...]`

* inherits: \setupcounter

`\setupreferenceformat [...1,...] [...2,...]`

1 NAME OPT
2 etichetta = * NAME
sinistra = BEFEHL
destra = BEFEHL
type = implicito testo titolo numero pagina realpage
setups = NAME
autocase = si no
testo = TEXT
stile = STYLE BEFEHL
colore = COLOR

`\setupreferenceprefix [...]`

* + - TEXT

`\setupreferencestructureprefix [...1] [...2] [...3,...]`

1 NAME ABSCHNITT OPT OPT
2 implicito
3 prefisso = si no
prefixseparatorset = NAME
prefixconversion = NAME
prefixconversionset = NAME
prefixstarter = BEFEHL PROCESSOR->BEFEHL
prefixstopper = BEFEHL PROCESSOR->BEFEHL
prefixset = NAME
prefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:tutti corrente
numberconversion = NAME
numberconversionset = NAME
numberstarter = BEFEHL PROCESSOR->BEFEHL
numberstopper = BEFEHL PROCESSOR->BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
numberseparatorset = NAME
prefixconnector = BEFEHL PROCESSOR->BEFEHL

```

\setupregisters [...1.] [...2...2...]
1 NAME NAME:NUMMER OPT
2 referencemethod = avanti
  espansione     = si no xml
  numeroproprio  = si no
  xmlsetup       = NAME
  alternativa    = a b A B
  metodo         = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
  compress       = si no tutti impaccato testo
  check          = si no
  criterio       = locale testo corrente precedente tutti ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset  = NAME
  pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                    ABSCHNITT:tutti corrente
  pageprefixconnector = BEFEHL
  pageprefix     = si no
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter    = BEFEHL PROCESSOR->BEFEHL
  pagestopper    = BEFEHL PROCESSOR->BEFEHL
  pagesegments  = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
  ampiezzamax   = DIMENSION
  indicatore    = si no
  prima         = BEFEHL
  dopo          = BEFEHL
  comando       = \...#1
  comandotesto  = \...#1
  deeptextcommand = \...#1
  comandopagina = \...#1
  distanza      = DIMENSION
  interazione   = testo numeropagina
  numeropagina  = si no
  simbolo       = a n nessuno 1 2 BEFEHL
  language      = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scN SPRACHE
  stile         = STYLE BEFEHL
  colore        = COLOR
  stiletesto    = STYLE BEFEHL
  coloretesto   = COLOR
  stilepagina   = STYLE BEFEHL
  colorepagina  = COLOR
  pageleft      = BEFEHL
  pageright     = BEFEHL
  n             = NUMMER
  bilanciamento = si no
  allinea      = inherits: \impostaaallineamento
  numberorder   = numeri
  pagemethod    = pagina capoverso

```

```

\setupregisters [...,1...] [...,2...] [...,3...,...]
1 NAME OPT OPT
2 NUMMER
3 referencemethod = avanti
   espansione = si no xml
   numeroproprio = si no
   xmlsetup = NAME
   alternativa = a b A B
   metodo = implicito prima dopo primo ultimo ch mm zm pm mc zc pc uc
   compress = si no tutti impaccato testo
   check = si no
   criterio = locale testo corrente precedente tutti ABSCHNITT
   pageprefixseparatorset = BEFEHL
   pageprefixconversionset = NAME
   pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
   pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
   pageprefixset = NAME
   pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:tutti corrente

   pageprefixconnector = BEFEHL
   pageprefix = si no
   pageseparatorset = NAME
   pageconversionset = NAME
   pagestarter = BEFEHL PROCESSOR->BEFEHL
   pagestopper = BEFEHL PROCESSOR->BEFEHL
   pagesegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:tutti
   ampiezzamax = DIMENSION
   indicatore = si no
   prima = BEFEHL
   dopo = BEFEHL
   comando = \...#1
   comandotesto = \...#1
   deeptextcommand = \...#1
   comandopagina = \...#1
   distanza = DIMENSION
   interazione = testo numeropagina
   numeropagina = si no
   simbolo = a n nessuno 1 2 BEFEHL
   language = implicito DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
   stile = STYLE BEFEHL
   colore = COLOR
   stiletesto = STYLE BEFEHL
   coloretesto = COLOR
   stilepagina = STYLE BEFEHL
   colorepagina = COLOR
   pageleft = BEFEHL
   pageright = BEFEHL
   n = NUMMER
   bilanciamento = si no
   allinea = inherits: \impostaallineamento
   numberorder = numeri
   pagemethod = pagina capoverso

```

```

\setuprenderingwindow [...,1...] [...,2...,...]
1 NAME OPT
2 azioneapripagina = REFERENCE
   azionechiudipagina = REFERENCE
   inherits: \impostaincorniciato

```

```

\setuprubby [...,1...] [...,2...,...]
1 NAME OPT
2 luogo = cima sinistra destra nessuno
   allinea = auto flushleft centro flushright
   dilata = si no
   hoffset = DIMENSION
   voffset = DIMENSION
   distanza = nessuno DIMENSION
   sinistra = BEFEHL
   destra = BEFEHL
   stile = STYLE BEFEHL
   colore = COLOR

```

```

\setups [...,*...]
* NAME

```

```

\setupscale [...] [1...] [2...]
1 NAME OPT
2 scala = NUMMER
  xscale = NUMMER
  yscale = NUMMER
  ampiezza = DIMENSION
  altezza = DIMENSION
  profondita = si no
  righe = NUMMER
  fattore = adatta ampio max min auto implicito
  hfactor = adatta ampio max min auto implicito
  wfactor = adatta ampio max min auto implicito
  ampiezzamax = DIMENSION
  altezzamax = DIMENSION
  s = NUMMER
  sx = NUMMER
  sy = NUMMER
  equalwidth = DIMENSION
  equalheight = DIMENSION
  griglia = si adatta altezza profondita mezzariga

```

```

\setupscript [...] [1...] [2...]
1 NAME OPT
2 metodo = hangul hanzi nihongo ethiopic thai tibetan test
  preimpostato = NAME
  features = auto

```

```

\setupscripts [...] [1...] [2...]
1 NAME OPT
2 inherits: \setupscript

```

```

\setupselector [1...] [2...]
1 NAME
2 n = NUMMER
  max = NUMMER

```

```

\setupshapedparagraph [...] [*...]
* mp = NAME
  ripeti = si no
  elenco = NAME
  metodo = cycle shift
  voffset = DIMENSION
  hoffset = DIMENSION
  distanza = DIMENSION
  righe = NUMMER
  ampiezza = DIMENSION
  testo = TEXT

```

```

\setupshift [...] [1...] [2...]
1 NAME OPT
2 continua = si no
  unita = ex em pt in cm mm sp bp pc dd cc nc
  metodo = NUMMER
  dy = NUMMER
  allinea = inherits: \impostaallineamento
  stile = STYLE BEFEHL
  colore = COLOR

```

```

\setupsidebar [...] [1...] [2...]
1 NAME OPT
2 spessorelinea = DIMENSION
  colcorelinea = COLOR
  alternativa = NUMMER
  offsetcima = DIMENSION
  offsetfondo = DIMENSION
  distanza = DIMENSION
  distanzamarginesinistro = DIMENSION
  livello = NUMMER
  luogo = sinistra destra interno esterno

```

```
\setupspellchecking [...,*...]
```

```
* stato = inizia termina  
metodo = 1 2 3  
elenco = NAME
```

```
\setupstacking [...1...] [...2...]
```

```
1 NAME OPT  
2 define = si no  
criterio = NAME
```

```
\setupstretched [...,*...]
```

```
* inherits: \setupcharacterkerning
```

```
\setupstyle [...1...] [...2...]
```

```
1 NAME OPT  
2 metodo = comando  
stile = STYLE BEFEHL  
colore = COLOR
```

```
\setupsubformula [...1...] [...2...]
```

```
1 NAME OPT  
2 inherits: \setupsubformulas
```

```
\setupsubformulas [...1...] [...2...]
```

```
1 NAME OPT  
2 rientrasuccessivo = si no auto
```

```
\setupsymbols [...,*...]
```

```
* stylealternative = testo math
```

```
\setupsynchronize [...1...] [...2...]
```

```
1 NAME OPT  
2 distanza = DIMENSION  
elenco = NAME  
separa = TEXT  
buffer = NAME  
testo = TEXT  
stile = STYLE BEFEHL  
colore = COLOR
```

```
\setupsynchronizecontent [...1...] [...2...]
```

```
1 NAME OPT  
2 sinistra = BEFEHL  
destra = BEFEHL  
language = SPRACHE  
stile = STYLE BEFEHL  
colore = COLOR
```

```
\setupsynctex [...,*...]
```

```
* stato = inizia termina ripeti  
metodo = min max
```

```
\setups {...,*...}
```

```
* NAME
```



```

\setupTABLE [...1,...] [...2,...] [...3,...]
1 r c x y row colonnaOPT primo ultimoOPT inizia intestazione ogni dispari pari uno NUMMER -NUMMER
2 primo least ogni due dispari pari NUMMER -NUMMER
3 extras = BEFEHL
  sinistra = BEFEHL
  destra = BEFEHL
  coloretesta = COLOR
  stiletesta = STYLE BEFEHL
  distanzamarginesinistro = DIMENSION
  distanzamarginedestro = DIMENSION
  distanzacolonne = DIMENSION
  ampiezzamax = DIMENSION
  setups = NAME
  ampiezzatesto = DIMENSION locale
  separa = si no ripeti pagina auto
  intestazione = ripeti
  opzione = dilata tight
  prima = BEFEHL
  dopo = BEFEHL
  stessapagina = prima dopo entrambi
  spaceinbetween = inherits: \rigovuoto
  splitoffset = DIMENSION
  allineacarattere = si no
  carattereallineamento = TEXT number->TEXT text->TEXT
  distanza = DIMENSION
  colore = COLOR
  stile = math STYLE BEFEHL
  synchronize = sfondo
  direzione = normale invertito
  inherits: \impostaincorniciato

```

```

\setupTEXpage [...1,...]
* statopagina = inizia termina
  comando = \...#1
  margine = pagina
  scala = NUMMER
  carta = auto implicito NAME
  inherits: \impostaincorniciato

```

```

\setuptabulatemove [...1,...] [...2,...]
1 NAME OPT
2 xoffset = DIMENSION
  yoffset = altezza profondita DIMENSION
  orientation = NUMMER

```

```

\setuptagging [...1,...]
* stato = inizia termina
  metodo = auto

```

`\setuptextbackground` [...¹...] [...²...]

1 NAME OPT
2 stato = inizia termina
luogo = testo capoverso sempre nessuno
criterio = NUMMER
alternativa = NUMMER
mp = NAME
metodo = NAME
sfondo = colore
coloresfondo = COLOR
angolo = rettangolare rotondo
livello = NUMMER
offsetsfondo = DIMENSION
prima = BEFEHL
dopo = BEFEHL
allinea = inherits: \impostaallineamento
dash = NUMMER
raggio = DIMENSION
cornice = attivo disattivo
colorecornice = COLOR
spessorelinea = DIMENSION
voffset = DIMENSION
offsetcornice = DIMENSION
offsetsinistro = si no standard DIMENSION
offsetdestra = si no standard DIMENSION
offsetcima = piccolo medio grande riga DIMENSION
offsetfondo = piccolo medio grande riga DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setuptextdisplay` [...¹...] [...²...]

1 NAME OPT
2 prima = BEFEHL
dopo = BEFEHL
fattore = NUMMER

`\setuptextflow` [...¹...] [...²...]

1 NAME OPT
2 ampiezza = DIMENSION
stile = STYLE BEFEHL
colore = COLOR

`\setuptextnote` [...¹...] [...²...]

1 NAME OPT
2 linea = NAME
note = NAME
n = * NUMMER
vuoto = si no nessuno numero

`\setuptooltip` [...¹...] [...²...]

1 NAME OPT
2 luogo = sinistra centro destra
inherits: \impostaincorniciato

`\setuptransliteration` [...¹...] [...²...]

1 NAME OPT
2 define = si no
stile = STYLE BEFEHL
colore = COLOR
language = SPRACHE
vector = NAME
prima = BEFEHL
dopo = BEFEHL
sinistra = BEFEHL
destra = BEFEHL

```

\setupunit [...1,...] [...2,...]
1 NAME OPT
2 metodo = 1 2 3 4 5 6
  language = SPRACHE
  alternativa = testo matematica
  order = invertito normale
  separatore = piccolo medio grande normale nessuno NAME
  spazio = piccolo medio grande normale nessuno NAME
  stile = STYLE BEFEHL
  colore = COLOR
  opzione = mantieni

```

```

\setupuserdata [...1,...] [...2,...]
1 NAME OPT
2 prima = BEFEHL
  dopo = BEFEHL
  allinea = inherits: \impostaaallineamento
  setups = NAME
  stile = STYLE BEFEHL
  colore = COLOR
  alternativa = implicito NAME
  KEY = VALUE

```

```

\setupuserdataalternative [...1,...] [...2,...]
1 NAME OPT
2 renderingsetup = NAME
  KEY = VALUE

```

```

\setupuserpagenumber [...*,...]
* viewerprefix = TEXT
  stato = inizia termina nessuno mantieni vuoto
  inherits: \setupcounter

```

```

\setupversion [...]
* concetto file temporaneo finale NAME

```

```

\setupviewerlayer [...*,...]
* titolo = TEXT
  stato = inizia termina
  export = si no
  stampabile = si no
  scope = locale globale
  metodo = nessuno comando

```

```

\setupvspacing [...*,...]
* inherits: \vspacing OPT

```

```

\setupwithargument {...1} {...2}
1 NAME
2 CONTENT

```

```

\setupwithargumentswapped {...1} {...2}
1 CONTENT
2 NAME

```

```

\setupxml [...*,...]
* implicito = nascosto nessuno testo
  compress = si no
  entities = si no

```

```

\setupxtable [...1;...] [...2...;...]
1 NAME OPT
2 ampiezzatesto = DIMENSION locale
fonttesto = inherits: \impostafontdeltesto
spaceinbetween = inherits: \rigovuoto
opzione = tight max dilata ampiezza altezza fisso
altezzatesto = DIMENSION
ampiezzamax = DIMENSION
distanzacolonne = DIMENSION
distanzamarginesinistro = DIMENSION
distanzamarginedestro = DIMENSION
intestazione = ripeti
piedipagina = ripeti
spessorelinea = DIMENSION
separa = si no ripeti auto
splitoffset = DIMENSION
stessapagina = prima dopo entrambi
distanza = DIMENSION
allineacarattere = si no
alignmentleftsample = TEXT
alignmentrightsample = TEXT
alignmentleftwidth = DIMENSION
alignmentrightwidth = DIMENSION
carattereallineamento = TEXT
inherits: \impostaincorniciato

```

```

\setuvalue {...} {...}
1 NAME
2 CONTENT

```

```

\setuxvalue {...} {...}
1 NAME
2 CONTENT

```

```

\setvalue {...} {...}
1 NAME
2 CONTENT

```

```

\setvariable {...} {...} {...}
1 NAME
2 KEY
3 VALUE

```

```

\setvariables [...1] [...2...;...]
1 NAME
2 set = BEFEHL
reset = BEFEHL
KEY = VALUE

```

```

\setvboxregister ... {...}
1 CSNAME NUMBER
2 CONTENT

```

```

\setvisualizerfont [...*] [...OPT]
* FONT

```

```

\setvtopregister ... {...}
1 CSNAME NUMBER
2 CONTENT

```

```

\setwidthof ... \to \...
1 TEXT
2 CSNAME

```

```

\setxmeasure {...} {...}
1 NAME
2 DIMENSION

```

\setxvalue {...} {...}

1 NAME
2 CONTENT

\setxvariable {...} {...} {...}

1 NAME
2 KEY
3 VALUE

\setxvariables [...][...²...]

1 NAME
2 set = BEFEHL
reset = BEFEHL
KEY = VALUE

\sfondo {...}

* CONTENT

\SFONDO {...}

* CONTENT
instances: sfondo

\shapedhbox {...}

* CONTENT

\shiftbox {...}

1 CONTENT

\SHIFT {...}

* CONTENT
instances: shiftup shiftdown

\shiftdown {...}

* CONTENT

\shiftup {...}

* CONTENT

\showallmakeup

\showattributes

\showboxes

\showbreakpoints [...^{*}...]

* inherits: \impostacolonne ^{OPT}

\showbtxdatasetauthors [...^{*}...]

* specification = NAME ^{OPT}
dataset = NAME
field = address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution
journal language mese monthfiled nationality note numero uno due organization pages publisher
school series titolo type volume anno yearfiled NAME

\showbtxdatasetauthors [...]

* NAME ^{OPT}

```
\showbtxdatasetcompleteness [..,..*..,..]
* specification = NAME          OPT
  dataset      = NAME
  field        = address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution
                journal language mese monthfiled nationality note numero uno due organization pages publisher
                school series titolo type volume anno yearfiled NAME
```

```
\showbtxdatasetcompleteness [.*..]
* NAME          OPT
```

```
\showbtxdatasetfields [..,..*..,..]
* specification = NAME          OPT
  dataset      = NAME
  field        = address assignee autore booktitle capitolo giorno dayfiled edition editor howpublished institution
                journal language mese monthfiled nationality note numero uno due organization pages publisher
                school series titolo type volume anno yearfiled NAME
```

```
\showbtxdatasetfields [.*..]
* NAME          OPT
```

```
\showbtxfields [..,..*..,..]
* rotazione    = NUMBEROPT
  specification = NAME
```

```
\showbtxfields [.*..]
* NAME          OPT
```

```
\showbtxhashedauthors [.*..]
* TEXT          OPT
```

```
\showbtxtables [.*..]
* TEXT          OPT
```

```
\showchardata {...}
* TEXT
```

```
\showcharratio {...}
* TEXT
```

```
\showcolorbar [.*..]
* COLOR
```

```
\showcolorcomponents [.*..]
* COLOR
```

```
\showcolorset [.*..]
* COLOR
```

```
\showcolorstruts
```

```
\showcounter [.*..]
* NAME
```

```
\showdirectives
```

```
\showdirsmargin
```

```
\showedebuginfo
```

<code>\showexperiments</code>
<pre> \showfont [...] [...²;...] 1 FONT 2 NUMMER </pre>
<code>\showfontdata</code>
<code>\showfontexpansion</code>
<code>\showfontitalics</code>
<code>\showfontkerns</code>
<code>\showfontparameters</code>
<pre> \showfontstrip [...*...] * inherits: \impostafontdeltesto </pre>
<pre> \showfontstyle [...¹;...] [...²;...] [...³;...] [...⁴;...] 1 inherits: \impostafontdeltesto 2 rm ss tt mm hw cg 3 tf bf it sl bi bs 4 tutti NUMMER </pre>
<code>\showglyphdata</code>
<code>\showglyphs</code>
<code>\showgridsnapping</code>
<pre> \showhelp {...} [...²] 1 TEXT 2 REFERENCE </pre>
<pre> \showhyphenationtrace [...¹] [...²] 1 SPRACHE 2 TEXT </pre>
<pre> \showhyphens {...} * TEXT </pre>
<pre> \showinjector [...*...] * NAME </pre>
<code>\showjustification</code>
<pre> \showkerning {...} * TEXT </pre>
<code>\showlayoutcomponents</code>
<pre> \showligature {...} * TEXT </pre>
<pre> \showligatures [...] * FONT </pre>

<code>\showlogcategories</code>
<code>\showluatables</code>
<code>\showmargins</code>
<code>\showmessage {¹.} {².} {³...}</code> 1 NAME 2 NAME NUMBER 3 TEXT
<code>\showminimalbaseline</code>
<code>\shownextbox \¹. {².}</code> 1 CSNAME 2 CONTENT
<code>\showotfcomposition {¹.} {².} {³.}</code> 1 FONT 2 -1 1 +1 l2r r2l 3 TEXT
<code>\showpageprogress [[*].]</code> * si no tutti <small>OPT</small>
<code>\showparentchain \¹. {².}</code> 1 CSNAME 2 NAME
<code>\showparwrapperstate {[*].}</code> * NAME
<code>\showrivers [...[±]...]</code> * inherits: \adriverst [±] obox
<code>\showsetupsdefinition [[*].]</code> * NAME
<code>\showtimer {[*].}</code> * TEXT
<code>\showtokens [[*].]</code> * NAME
<code>\showtrackers</code>
<code>\showvalue {[*].}</code> * NAME
<code>\showvariable {¹.} {².}</code> 1 NAME 2 KEY
<code>\showwarning {¹.} {².} {³...}</code> 1 NAME 2 NAME NUMBER 3 TEXT

`\signalcharacteralign {1.} {2.}`

- 1 NUMBER
- 2 NUMBER

`\signalrightpage`

`\simbolo [1.] [2.]`

- 1 NAME OPT
- 2 NAME

`\simbolo {*.}`

- * NAME

`\similartokens {1.} {2.}`

- 1 TEXT
- 2 TEXT

`\simplealignedbox {1.} {2.} {3.}`

- 1 DIMENSION
- 2 sinistra destra centro flushleft flushright interno esterno
- 3 CONTENT

`\simplealignedboxplus {1.} {2.} {3.} {4.}`

- 1 DIMENSION
- 2 sinistra destra centro flushleft flushright interno esterno
- 3 TEXT
- 4 CONTENT

`\simplealignedspreadbox {1.} {2.} {3.}`

- 1 DIMENSION
- 2 sinistra destra centro flushleft flushright interno esterno
- 3 CONTENT

`\simplegroupedcommand {1.} {2.}`

- 1 BEFEHL
- 2 BEFEHL

`\simplegroupedcommandcs \1. \2.`

- 1 CSNAME
- 2 CSNAME

`\simplereversealignedbox {1.} {2.} {3.}`

- 1 DIMENSION
- 2 sinistra destra centro flushleft flushright interno esterno
- 3 CONTENT

`\simplereversealignedboxplus {1.} {2.} {3.} {4.}`

- 1 DIMENSION
- 2 sinistra destra centro flushleft flushright interno esterno
- 3 TEXT
- 4 CONTENT

`\SYNCHRONIZE [...1...1...] {2.} {3.}`

- 1 inherits: \setupsynchr^{OPT}onize
- 2 CONTENT
- 3 CONTENT

instances: paralletext

`\paralletext [...1...1...] {2.} {3.}`

- 1 inherits: \setupsynchr^{OPT}onize
- 2 CONTENT
- 3 CONTENT


```
\smashbox ...
* CSNAME NUMMER
```

```
\smashboxed ...
* CSNAME NUMMER
```

```
\smashedhbox ... {...}
1 TEXT OPT
2 CONTENT
```

```
\smashedvbox ... {...}
1 TEXT OPT
2 CONTENT
```

```
\snaptogrid [...^1] \^2... {...^3}
1 normale standardOPTsi rigido tollerante cima fondo entrambi ampio adatta primo ultimo alto uno basso nessuno riga
strut box min max centro math:riga math:mezzariga math:-line math:-halfline NAME
2 CSNAME
3 CONTENT
```

```
\snaptogrid [...^1,...] \^2... {...^3}
1 inherits: \definegridOPTs snapping
2 CSNAME
3 CONTENT
```

```
\someheadnumber [...^1] [...^2]
1 ABSCHNITT
2 precedente corrente successivo primo ultimo
```

```
\somekindoftab [...^*...^*...^*]
* alternativa = orizzontOPTe verticale
  ampiezza = DIMENSION
  altezza = DIMENSION
  n = NUMMER
  m = NUMMER
```

```
\somallocalfloat
```

```
\somenamedheadnumber {...^1} {...^2}
1 ABSCHNITT
2 precedente corrente successivo primo ultimo
```

```
\someplace {...^1} {...^2} {...^3} {...^4} {...^5} [...^6]
1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 REFERENCE
```

```
\SORTING [...^1] {...^2}
1 NAME OPT
2 CONTENT
instances: logo
```

```
\logo [...^1] {...^2}
1 NAME OPT
2 CONTENT
```

```
\sottopaginasuccessiva
```

```
\spaceddigits {...^*}
* NUMMER
```

<code>\spaceddigitmethod</code>
<code>\spaceddigitseparator</code>
<code>\spaceddigitssymbol</code>
<code>\spaceorpar</code>
<code>\spanishNumerals {...}</code> * NUMMER
<code>\spanishnumerals {...}</code> * NUMMER
<code>\spazifissi</code>
<code>\spazio</code>
<code>\spaziofisso</code>
<code>\spessoreriga</code>
<code>\spezzaoggettomobile [...,..¹...]</code> <code>{...}</code> <code>{...}</code> 1 inherits: \impostaspezzamentooggettomobile 2 BEFEHL 3 CONTENT
<code>\splitatasterisk ... \¹... \²... \³...</code> 1 TEXT 2 CSNAME 3 CSNAME
<code>\splitatcolon ... \¹... \²... \³...</code> 1 TEXT 2 CSNAME 3 CSNAME
<code>\splitatcolons ... \¹... \²... \³...</code> 1 TEXT 2 CSNAME 3 CSNAME
<code>\splitatcomma ... \¹... \²... \³...</code> 1 TEXT 2 CSNAME 3 CSNAME
<code>\splitatperiod ... \¹... \²... \³...</code> 1 TEXT 2 CSNAME 3 CSNAME
<code>\splitfilename {...}</code> * FILE
<code>\splitoffbase</code>
<code>\splitofffull</code>

<code>\splitoffkind</code>
<code>\splitoffname</code>
<code>\splitoffpath</code>
<code>\splitoffroot</code>
<code>\splitofftokens</code> ¹ ... \from ² ... \to \ ³ ... 1 TEXT 2 TEXT 3 CSNAME
<code>\splitofftype</code>
<code>\splitstring</code> ¹ ... \at ² ... \to \ ³ ... \and \ ⁴ ... 1 TEXT 2 TEXT 3 CSNAME 4 CSNAME
<code>\spreadhbox</code> [*] ... * CSNAME NUMBER
<code>\stackcampi</code> [¹ ...] [² ...; ³ ...] [⁴ ... ⁵ ... ⁶ ...] 1 NAME 2 NAME 3 inherits: \setupfieldcategory
<code>\stacking</code> [¹ ...] { ² ...}
<code>\STACKING</code> [¹ ...] { ² ...}
<code>\stackrel</code> { ¹ ...} { ² ...}
1 CONTENT 2 CONTENT
<code>\stackscripts</code>
<code>\iniziaLINENOTE</code> [¹ ...] { ² ...}
1 REFERENCE 2 TEXT instances: linenote
<code>\inizialinenote</code> [¹ ...] { ² ...}
1 REFERENCE 2 TEXT
<code>\startregister</code> [¹ ...] [² ...] [³ ...] [⁴ ...] { ⁵ ... ⁶ ...} ⁷ ... \stopregister [⁸ ...] [⁹ ...]
1 NAME 2 NAME 3 TEXT 4 TEXT PROCESSOR->TEXT 5 INDEX 6 CONTENT 7 NAME 8 NAME

\STARTSTOP {...}

* CONTENT

\STARTSTOP [...¹...²...] {...}

1 inherits: \impostai#fiziatermina

2 CONTENT

\startstructurepageregister [...¹] [...²] [...³...⁴...] [...⁴...⁵...]

... \stopstructurepageregister [...⁶] [...⁷]

OPT

1 NAME

2 NAME

3 etichetta = NAME

keys = TEXT PROCESSOR->TEXT

entries = TEXT PROCESSOR->TEXT

processors = PROCESSOR

keys:1 = TEXT

keys:2 = TEXT

keys:3 = TEXT

entries:1 = TEXT

entries:2 = TEXT

entries:3 = TEXT

alternativa = TEXT

processors:1 = PROCESSOR

processors:2 = PROCESSOR

processors:3 = PROCESSOR

4 KEY = VALUE

5 CONTENT

6 NAME

7 NAME

\stirato [...¹...²...] {...}

1 inherits: \setup#fetched

2 TEXT

\terminalINENOTE [...]

* REFERENCE

instances: linenote

\terminalinenote [...]

* REFERENCE

\strictdoifelsenextoptional {...} {...}

1 TRUE

2 FALSE

\strictdoifnextoptionalelse {...} {...}

1 TRUE

2 FALSE

\stripcharacter ... \from ... \to ...

1 CHARACTER

2 TEXT

3 CSNAME

\strippedcsname *

* CSNAME

\strippedcsname *

* TEXT

\stripspaces \from ... \to ...

1 TEXT

2 CSNAME

\structurelistnumber

<pre>\structurelistdrawnumber {...} * LISTE</pre>
<pre>\structurelistdrawpagenumber {...} * LISTE</pre>
<pre>\structurelistdrawrealpagenumber {...} * LISTE</pre>
<pre>\structurelistrealpagenumber</pre>
<pre>\structurelistuserpagenumber</pre>
<pre>\structurelistuservariable {...} * KEY</pre>
<pre>\structurenumber</pre>
<pre>\structuretitle</pre>
<pre>\structureuservariable {...} * KEY</pre>
<pre>\structurevariable {...} * KEY</pre>
<pre>\strut</pre>
<pre>\strutdp</pre>
<pre>\strutgap</pre>
<pre>\strutht</pre>
<pre>\struthtdp</pre>
<pre>\struttedbox {...} * CONTENT</pre>
<pre>\strutwd</pre>
<pre>\style [...,...¹...,...] {...².} 1 inherits: \setupstyle 2 TEXT</pre>
<pre>\styleinstance [...] {...} * NAME</pre>
<pre>\style [...¹.] {...².} 1 NAME FONT 2 TEXT</pre>
<pre>\STYLE {...} * TEXT</pre>
<pre>\subpagenumber</pre>

`\subsentence {...}`

* CONTENT

`\substituteincommalist {...} {...} \^3.`

1 TEXT
2 TEXT
3 CSNAME

`\subtractfeature [...]`

* NAME

`\subtractfeature {...}`

* NAME

`\swapcounts \^1. \^2.`

1 CSNAME
2 CSNAME

`\swapdimens \^1. \^2.`

1 CSNAME
2 CSNAME

`\swapface`

`\swapmacros \^1. \^2.`

1 CSNAME
2 CSNAME

`\swaptypeface`

`\switchstyleonly [...]`

* rm ss tt hw cg roman serif regolare sans sansserif supporto type teletype mono grafiamanuale calligrafico

`\switchstyleonly \^...`

* CSNAME

`\switchtocolour [...]`

* COLOR

`\switchtointerlinespace [...,1...] [...,2...,...]`

1 NAME OPT
2 inherits: \impostainterlinea

`\switchtointerlinespace [...,*...]`

* attivo disattivo reimposta auto piccolo medio grande NUMBER DIMENSION

`\switchtointerlinespace [...]`

* NAME

`\symbolreference [...]`

* REFERENCE

`\synchronizeblank`

`\synchronizeindenting`

`\synchronizemarking` [¹...] [²...] [³...]
1 BESCHRIFTUNG OPT
2 NUMMER
3 mantieni

`\synchronizeoutputstreams` [...*...]
* NAME

`\synchronizestrut` {...}
* si no auto cap adatta riga implicito CHARACTER

`\synchronizewhitespace`

`\synctexblockfilename` {...}
* FILE

`\synctexresetfilename`

`\synctexsetfilename` {...}
* FILE

`\SYNONYM` [¹...] [²...] {...} {...}
1 NAME OPT OPT
2 TEXT
3 TEXT
4 CONTENT
instances: abbreviation

`\abbreviation` [¹...] [²...] {...} {...}
1 NAME OPT OPT
2 TEXT
3 TEXT
4 CONTENT

`\systemlog` {...} {...} {...}
1 FILE
2 TEXT
3 TEXT

`\systemlogfirst` {...} {...} {...}
1 FILE
2 TEXT
3 TEXT

`\systemloglast` {...} {...} {...}
1 FILE
2 TEXT
3 TEXT

`\systemsetups` {...}
* NAME

`\TABLE`

`\TaBlE`

`\TEX`

`\TeX`

<code>\TheNormalizedFontSize</code>
<code>\TransparencyHack</code>
<code>\tabulateautoline</code>
<code>\tabulateautorule</code>
<code>\tabulateline</code>
<code>\tabulaterule</code>
<code>\taggedctxcommand {...}</code> * BEFEHL
<code>\taggedlabeltexts {...} {...} {...}</code> 1 NAME 2 NAME 3 CONTENT
<code>\tbox {...}</code> * CONTENT
<code>\terminariga [...]</code> * REFERENCE
<code>\testandsplitstring ... \at ... \to ... \and ...</code> 1 TEXT 2 TEXT 3 CSNAME 4 CSNAME
<code>\testcolumn [...] [...]</code> 1 NUMBER ^{OPT} 2 DIMENSION
<code>\testfeature {...} {...}</code> 1 NUMBER 2 CONTENT
<code>\testfeatureonce {...} {...}</code> 1 NUMBER 2 CONTENT
<code>\testoaiuto [...] {...} {...}</code> 1 REFERENCE ^{OPT} 2 TEXT 3 TEXT
<code>\LABELtesto {...}</code> * KEY instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
<code>\btxlabeltesto {...}</code> * KEY
<code>\headtesto {...}</code> * KEY

<pre> \labeltesto {...} * KEY </pre>
<pre> \mathlabeltesto {...} * KEY </pre>
<pre> \operatorortesto {...} * KEY </pre>
<pre> \prefixtesto {...} * KEY </pre>
<pre> \suffixtesto {...} * KEY </pre>
<pre> \taglabeltesto {...} * KEY </pre>
<pre> \unittesto {...} * KEY </pre>
<pre> \FRAMEDTEXT [...¹...²...] {...} 1 inherits: \setupframe@text 2 CONTENT instances: framedtext </pre>
<pre> \framedtext [...¹...²...] {...} 1 inherits: \setupframe@text 2 CONTENT </pre>
<pre> \testnotapdp [...¹...²...] {...} 1 REFERENCE OPT 2 TEXT </pre>
<pre> \testnotapdp [...[*]...[*]...] * titolo = TEXT segnalibro = TEXT elenco = TEXT riferimento = REFERENCE referencetext = TEXT </pre>
<pre> \testoriepimento [...¹...²...] {...} {...} 1 inherits: \impostalineeriepimento OPT OPT OPT 2 TEXT 3 TEXT </pre>
<pre> \testpage [...¹...] [...²...] 1 NUMBER OPT 2 DIMENSION </pre>
<pre> \testpageonly [...¹...] [...²...] 1 NUMBER OPT 2 DIMENSION </pre>
<pre> \testpagesync [...¹...] [...²...] 1 NUMBER OPT 2 DIMENSION </pre>
<pre> \testtokens [...*] * NAME </pre>

```
\tex {...}
* CONTENT
```

```
\texdefinition {...}
* NAME
```

```
\texsetup {...}
* NAME
```

```
\TEXTBACKGROUND {...}
* CONTENT
```

```
\textcitation [...,..1...,..] [...2.]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

```
\textcitation [...1.] [...2.]
1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE
```

```
\textcitation [...,..1...,..] [...,..2...,..]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

```
\textcite [...,..1...,..] [...2.]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

```
\textcite [...1.] [...2.]
1 implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears authornum
  authoryear
2 REFERENCE
```

```
\textcite [...,..1...,..] [...,..2...,..]
1 riferimento = REFERENCE
  alternativa = implicito category entry short pagina num textnum anno indiceanalitico tag keywords autore authoryears
                authornum authoryear
  prima       = BEFEHL
  dopo        = BEFEHL
  sinistra    = BEFEHL
  destra     = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

```
\textcontrolspace
```

<pre>\textflowcollector {...} * NAME</pre>
<pre>\texthere [...¹] {...²} 1 sinistra destra prima dopo tra 2 CONTENT</pre>
<pre>\textmath {...} * CONTENT</pre>
<pre>\textminus</pre>
<pre>\textnote [...¹...²] {...} 1 inherits: \setuptextnote 2 TEXT</pre>
<pre>\textormathchar {...} * NUMBER</pre>
<pre>\textormathchars {...} * CHARACTER</pre>
<pre>\textplus</pre>
<pre>\textstacker [...¹] {...²} {...³} {...⁴} 1 invertito matematica testo chemistry 2 NUMBER 3 TEXT 4 TEXT</pre>
<pre>\textvisiblespace</pre>
<pre>\thainumerals {...} * NUMBER</pre>
<pre>\thedatavalue {...} * NAME</pre>
<pre>\thefirstcharacter {...} * TEXT</pre>
<pre>\thenormalizedbodyfontsize {...} * DIMENSION</pre>
<pre>\theorientation {...} * normale up down sinistra destra cima fondo NAME</pre>
<pre>\theremainingcharacters {...} * TEXT</pre>
<pre>\thickspace</pre>
<pre>\thinspace</pre>

```
\thirddoffivearguments {...} {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
```

```
\thirddoffourarguments {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
4 TEXT
```

```
\thirddofsixarguments {...} {...} {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT
```

```
\thirddofthreearguments {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
```

```
\thirddofthreeunexpanded {...} {...} {...}
1 TEXT
2 TEXT
3 TEXT
```

```
\threedigitrounding {...}
* NUMBER
```

```
\tibetannumerals {...}
* NUMBER
```

```
\tieniblocchi [...1,...] [...2,...]
1 NAME OPT
2 NAME
```

```
\tightfitboundary
```

```
\tightfitcompensation
```

```
\tightlayer [...]
* NAME
```

```
\tinyfont
```

```
\tlap {...}
* CONTENT
```

```
\tochar {...}
* e:NAME x:NUMBER d:NUMBER s:NUMBER i:NUMBER n:NAME c:NAME u:NAME a:NAME
```

```
\tolinenote [...]
* REFERENCE
```

```
\TOOLTIP [...,..1...,...] {...} {...}
1 inherits: \setupttooltip
2 TEXT
3 TEXT
instances: tooltip
```

```
\TOOLTIP [...] {...} {...}
1 sinistra cefftro destra
2 TEXT
3 TEXT
instances: tooltip
```

```
\tooltip [...] {...} {...}
1 sinistra cefftro destra
2 TEXT
3 TEXT
```

```
\tooltip [...,..1...,...] {...} {...}
1 inherits: \setupttooltip
2 TEXT
3 TEXT
```

```
\topbox {...}
* CONTENT
```

```
\topleftbox {...}
* CONTENT
```

```
\toplinebox {...}
* CONTENT
```

```
\toprightbox {...}
* CONTENT
```

```
\topskippedbox {...}
* CONTENT
```

```
\tracecatcodetables
```

```
\tracedfontname {...}
* FONT
```

```
\tracedpagestate
```

```
\traceoutputroutines
```

```
\tracepositions
```

```
\traduci [...,..*...,...]
* SPRACHE = TEXTOPT
```

```
\transliterate [...] {...}
1 NAME
2 TEXT
```

```
\transliteratebuffer [...] {...}
1 NAME
2 BUFFER
```

<pre> \transliterated [1..] {2..} 1 NAME 2 TEXT </pre>
<pre> \transliteratedbuffer [1..] {2..} 1 NAME 2 BUFFER </pre>
<pre> \transliteration [1..] {2..} 1 NAME 2 TEXT </pre>
<pre> \transliterationexception [1..] {2..} {3..} 1 NAME 2 TEXT 3 TEXT </pre>
<pre> \transliteration {1..} {2..} 1 NAME 2 TEXT </pre>
<pre> \transparencycomponents {*..} * COLOR </pre>
<pre> \transparent [1..] {2..} 1 COLOR 2 CONTENT </pre>
<pre> \triggergroupedcommand {*..} * BEFEHL </pre>
<pre> \triggergroupedcommandcs *.. * CSNAME </pre>
<pre> \triplebond </pre>
<pre> \truefilename {*..} * FILE </pre>
<pre> \truefontname {*..} * FONT </pre>
<pre> \ttraggedright </pre>
<pre> \twodigitrounding {*..} * NUMMER </pre>
<pre> \tx </pre>
<pre> \txx </pre>
<pre> \typ [1..,2..,3..] {4..} 1 inherits: \imfpostatype 2 CONTENT </pre>
<pre> \type [1..,2..,3..] {4..} 1 inherits: \imfpostatype 2 CONTENT </pre>

`\typebuffer [...1;...] [...2;...]`
1 BUFFER OPT OPT
2 inherits: \impostatyping

`\typeBUFFER [...*;...]`
* inherits: \impostatyping

`\typedefinedbuffer [...1] [...2;...]`
1 BUFFER OPT
2 inherits: \impostatyping

`\typeface`

`\typefile [...1] [...2;...] {...3}`
1 NAME OPT OPT
2 inherits: \impostatyping
3 FILE

`\typeinlinebuffer [...1;...] [...2;...]`
1 BUFFER OPT OPT
2 inherits: \impostatype

`\typescriptone`

`\typescriptprefix {...*}`
* NAME

`\typescriptthree`

`\typescripttwo`

`\typesetbuffer [...1] [...2;...]`
1 * BUFFER OPT OPT
2 inherits: \setupexternalfigure

`\typesetbufferonly [...*]`
* * BUFFER OPT

`\typesetfile [...1] [...2] [...3;...]`
1 NAME FILE OPT OPT
2 FILE TEXT
3 inherits: \setupexternalfigure

`\type [...1;...] <<...2>>`
1 inherits: \impostatype
2 ANGLES

`\TYPE [...1;...] {...2}`
1 inherits: \impostatype
2 CONTENT

`\TYPE [...1;...] <<...2>>`
1 inherits: \impostatype
2 ANGLES

`\typ [...1;...] <<...2>>`
1 inherits: \impostatype
2 ANGLES

<pre>\uchexnumber {...} * NUMMER</pre>
<pre>\uchexnumbers {...} * NUMMER</pre>
<pre>\uconvertnumber {...} {...} 1 inherits: \convertinmero 2 NUMMER</pre>
<pre>\uedcatcodecommand \.^1. .^2. {...} 1 CSNAME 2 CHARACTER NUMBER 3 BEFEHL</pre>
<pre>\ultimasottopagina</pre>
<pre>\undefinevalue {...} * NAME</pre>
<pre>\undepthed {...} * CONTENT</pre>
<pre>\underset {...} {...} 1 TEXT 2 TEXT</pre>
<pre>\undoassign [.^1.] [.^2.~..] 1 TEXT 2 KEY = VALUE</pre>
<pre>\unexpandeddocumentvariable {...} * KEY</pre>
<pre>\unhhbox .^1. \with {...} 1 CSNAME NUMBER 2 BEFEHL</pre>
<pre>\unicodechar {...} * TEXT</pre>
<pre>\unicodehexnumber {...} * NUMMER</pre>
<pre>\unicodenummer {...} * NUMMER</pre>
<pre>\unihex {...} * NUMMER</pre>
<pre>\uniqueMPgraphic {...} {...,.^2.~..,} 1 NAME 2 KEY = VALUE</pre>
<pre>\uniqueMPpagegraphic {...} {...,.^2.~..,} 1 NAME 2 KEY = VALUE</pre>

<pre>\UNIT {...} * CONTENT instances: unit</pre>
<pre>\unit {...} * CONTENT</pre>
<pre>\unknownchar</pre>
<pre>\unprotect ... \protect</pre>
<pre>\unprotected ... \par * CONTENT</pre>
<pre>\unregisterhyphenationpattern [...] [...] 1 SPRACHE OPT 2 TEXT</pre>
<pre>\unregisterparwrapper {...} * NAME</pre>
<pre>\unspaceafter \^... {...} 1 CSNAME 2 TEXT</pre>
<pre>\unspaceargument ... \to \^... 1 TEXT 2 CSNAME</pre>
<pre>\unspaced {...} * TEXT</pre>
<pre>\unspacestring ... \to \^... 1 TEXT 2 CSNAME</pre>
<pre>\unstackscripts</pre>
<pre>\untexargument {...} \to \^... 1 TEXT 2 CSNAME</pre>
<pre>\untexcommand {...} \to \^... 1 CSNAME 2 CSNAME</pre>
<pre>\updateparagraphdemerits</pre>
<pre>\updateparagraphpenalties</pre>
<pre>\updateparagraphproperties</pre>
<pre>\updateparagraphshapes</pre>
<pre>\uppercase {...} * TEXT</pre>

<pre> \uppercasestring ¹... \to ²... 1 TEXT 2 CSNAME </pre>
<pre> \uppercasing </pre>
<pre> \upperlefthdoubleninequote </pre>
<pre> \upperlefthdoublesixquote </pre>
<pre> \upperleftsingleninequote </pre>
<pre> \upperleftsinglesixquote </pre>
<pre> \upperrighthdoubleninequote </pre>
<pre> \upperrighthdoublesixquote </pre>
<pre> \upperrightsingleninequote </pre>
<pre> \upperrightsinglesixquote </pre>
<pre> \url [...] * NAME </pre>
<pre> \usablocco [...¹;...] [...²;...] [...³;...] 1 NAME 2 NAME 3 criterio = testo ABSCHNITT </pre>
<pre> \usacartella [...*...] * PATH </pre>
<pre> \usadocumentoesterno [...¹] [...²] [...³] 1 NAME 2 FILE 3 TEXT </pre>
<pre> \usafiguraesterna [...¹] [...²] [...³] [...⁴;...] 1 NAME 2 FILE 3 NAME 4 inherits: \setupexternalfigure </pre>
<pre> \usaJSscripts [...¹] [...²;...] 1 FILE 2 NAME </pre>
<pre> \usamodulo [...¹] [...²;...] [...³;...] 1 m p s x t 2 FILE 3 KEY = VALUE </pre>
<pre> \usasimboli [...] * FILE </pre>

`\usaURL` [...] [...] [...] [...]
1 NAME OPT OPT
2 URL
3 FILE
4 TEXT

`\usaurl` [...] [...] [...] [...]
1 NAME OPT OPT
2 URL
3 FILE
4 TEXT

`\usealignparameter` *..
* CSNAME

`\useblankparameter` *..
* CSNAME

`\usebodyfont` [...]*...]
* inherits: \impostafontdeltesto

`\usebodyfontparameter` *..
* CSNAME

`\usebtxdataset` [...] [...] [...]
1 NAME OPT OPT
2 FILE
3 specification = NAME

`\usebtdefinitions` [...].
* FILE

`\usecitation` [...].
* REFERENCE

`\usecitation` {...}.
* REFERENCE

`\usecolors` [...].
* FILE

`\useCOMANDOcolorparameter` {...}.
* KEY

`\useCOMANDObstyleandcolor` {...} {...}
1 KEY
2 KEY

`\useCOMANDObstyleparameter` {...}.
* KEY

`\usecomponent` [...].
* FILE

`\usedadaptivealternative`

`\usedadaptivebox`

`\usedadaptivecolor`


```
\uselanguageparameter \*..
* CSNAME
```

```
\uselist [..1.] [..2.] [..3.]
1 NAME OPT
2 FILE
3 TEXT
```

```
\useluumodule [..*]
* FILE
```

```
\useluatable \*..
* CSNAME
```

```
\useMPenvironmentbuffer [..*]
* NAME
```

```
\useMPgraphic {..1.} {..2..,..2..,..2..}
1 NAME OPT
2 KEY = VALUE
```

```
\useMPlibrary [..*]
* FILE
```

```
\useMPrun {..1.} {..2.}
1 NAME
2 NUMMER
```

```
\useMPvariables [..1.] [..2..,..2..]
1 NAME
2 KEY
```

```
\usemathstyleparameter \*..
* CSNAME
```

```
\useproduct [..*]
* FILE
```

```
\useprofileparameter \*..
* CSNAME
```

```
\useproject [..*]
* FILE
```

```
\userferenceparameter \*..
* CSNAME
```

```
\userregister [..1.] [..2.] [..3.] [..4.]
1 NAME OPT
2 FILE
3 NAME
4 TEXT
```

```
\userpagenumber
```

```
\usetupparameter \*..
* CSNAME
```

`\usestaticMPfigure` [...¹...²...] [...³...]

1 inherits: \setupscale OPT
2 NAME

`\usesubpath` [...*...]

* PATH

`\usetexmodule` [...¹...] [...²...] [...³...]

1 m p s x t OPT
2 FILE
3 KEY = VALUE

`\setransliteration` [...*...]

* FILE

`\setypescript` [...¹...] [...²...] [...³...]

1 serif sans mono mat^Hhandwriting call^Higraphy casual tutti
2 NAME fallback implicito dtp simple
3 dimensione nome

`\setypescriptfile` [...*...]

* reimposta FILE

`\usezipfile` [...¹...] [...²...]

1 FILE OPT
2 FILE

`\utfchar` {...*...}

* NUMMER

`\utflower` {...*...}

* TEXT

`\utfupper` {...*...}

* TEXT

`\utilityregisterlength`

`\VerboseNumber` {...*...}

* NUMMER

`\vaia` {...¹...} [...²...]

1 CONTENT
2 REFERENCE

`\vaiabox` {...¹...} [...²...]

1 CONTENT
2 REFERENCE

`\vaiapagina` {...¹...} [...²...]

1 TEXT
2 REFERENCE

`\vaigu` [...*...]

* DIMENSION

`\validassignment` {...*...}

* TEXT

<p><code>\valorecolore {...}</code> * COLOR</p>
<p><code>\vboxreference [...¹,...] {...²}</code> 1 REFERENCE 2 CONTENT</p>
<p><code>\verbatim {...}</code> * CONTENT</p>
<p><code>\verbatimstring {...}</code> * CONTENT</p>
<p><code>\verbosenummer {...}</code> * NUMMER</p>
<p><code>\versione [...]</code> * concetto file temporaneo finale NAME</p>
<p><code>\verticalgrowingbar [...,[*]...,...]</code> * inherits: \setuppositionbar</p>
<p><code>\verticalpositionbar [...,[*]...,...]</code> * inherits: \setuppositionbar</p>
<p><code>\veryraggedcenter</code></p>
<p><code>\veryraggedleft</code></p>
<p><code>\veryraggedright</code></p>
<p><code>\vglue ...</code> * DIMENSION</p>
<p><code>\viewerlayer [...¹] {...²}</code> 1 NAME 2 CONTENT</p>
<p><code>\vl [...]</code> * NUMMER^T</p>
<p><code>\vpackbox</code></p>
<p><code>\vpackedbox</code></p>
<p><code>\vphantom {...}</code> * CONTENT</p>
<p><code>\vpos {...¹} {...²}</code> 1 NAME 2 CONTENT</p>
<p><code>\vsmash {...}</code> * CONTENT</p>
<p><code>\vsmashbox ...</code> * CSNAME NUMMER</p>

`\vsmashed {...}`

* CONTENT

`\vspace [...] [...]`

1 NAME OPT OPT
2 NAME

`\vspacing [...]*[...]`

* preferenza stesapagina max forza enable disattiva nobianco impaccato dietro sovrapponi sempre weak strong implicito
prima tra dopo fisso flessibile nessuno piccolo medio grande riga mezzariga quarterline formula bianco altezza
profondita standard NUMMER*piccolo NUMMER*medio NUMMER*grande NUMMER*riga NUMMER*mezzariga NUMMER*quarterline
NUMMER*formula NUMMER*bianco NUMMER*altezza NUMMER*profondita category:NUMMER order:NUMMER penalty:NUMMER DIMENSION
NAME

`\WidthSpanningText {...} {...} {...}`

1 TEXT
2 DIMENSION
3 FONT

`\wdofstring {...}`

* TEXT

`\widthofstring {...}`

* TEXT

`\widthspanningtext {...} {...} {...}`

1 TEXT
2 DIMENSION
3 FONT

`\wipedtokens {...} {...}`

1 TEXT
2 TEXT

`\wipetokens {...} {...}`

1 TEXT
2 TEXT

`\withoutpt {...}`

* DIMENSION

`\words {...}`

* TEXT

`\wordtonumber {...} {...}`

1 uno due tre quattro cinque
2 TEXT

`\writedatatolist [...] [...,2...,2...] [...,3...,3...]`

1 LISTE OPT
2 inherits: \impostaelenco
3 KEY = VALUE

`\writestatus {...} {...}`

1 TEXT
2 TEXT

`\XETEX`

`\XeTeX`

\xdefconvertedargument \¹.² {².²}

- 1 CSNAME
- 2 TEXT

\xmladdindex {¹.²}

- * NODE

\xmlafterdocumentsetup {¹.²} {².²} {³.²}

- 1 NAME
- 2 SETUP
- 3 SETUP

\xmlafterssetup {¹.²} {².²}

- 1 SETUP
- 2 SETUP

\xmlall {¹.²} {².²}

- 1 NODE
- 2 LPATH

\xmlappenddocumentsetup {¹.²} {².²}

- 1 NAME
- 2 SETUP

\xmlappendsetup {¹.²}

- * SETUP

\xmlapplyselectors {¹.²}

- * NODE

\xmlatt {¹.²} {².²}

- 1 NODE
- 2 NAME

\xmlattdef {¹.²} {².²} {³.²}

- 1 NODE
- 2 NAME
- 3 TEXT

\xmlattribute {¹.²} {².²} {³.²}

- 1 NODE
- 2 LPATH
- 3 NAME

\xmlattributedef {¹.²} {².²} {³.²} {⁴.²}

- 1 NODE
- 2 LPATH
- 3 NAME
- 4 TEXT

\xmlbadinclusions {¹.²}

- * NODE

\xmlbeforedocumentsetup {¹.²} {².²} {³.²}

- 1 NAME
- 2 SETUP
- 3 SETUP

\xmlbeforessetup {¹.²} {².²}

- 1 SETUP
- 2 SETUP

\xmlchainatt {...} {...}

1 NODE
2 NAME

\xmlchainattdef {...} {...} {...}

1 NODE
2 NAME
3 TEXT

\xmlchecknamespace {...} {...} {...}

1 NODE
2 NAME
3 NAME

\xmlcommand {...} {...} {...}

1 NODE
2 LPATH
3 XMLSETUP

\xmlconcat {...} {...} {...}

1 NODE
2 LPATH
3 TEXT

\xmlconcatrange {...} {...} {...} {...} {...}

1 NODE
2 LPATH
3 TEXT
4 FIRST
5 LAST

\xmlcontext {...} {...}

1 NODE
2 LPATH

\xmlcount {...} {...}

1 NODE
2 LPATH

\xmldata {...}

* TEXT

\xmldefaulttotext {...}

* NODE

\xmldelete {...} {...}

1 NODE
2 LPATH

\xmldepth {...}

* NODE

\xmldirect {...}

* NODE

\xmldirectives {...}

* NODE

\xmldirectivesafter {...}

* NODE

```
\xmldirectivesbefore {...}
* NODE
```

```
\xmldisplayverbatim {...}
* NODE
```

```
\xmldocument
```

```
\xmldoif {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
```

```
\xmldoifatt {...} {...} {...} {...}
1 NODE
2 TEXT
3 TEXT
4 TRUE
```

```
\xmldoifelse {...} {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
4 FALSE
```

```
\xmldoifelseatt {...} {...} {...} {...} {...}
1 NODE
2 TEXT
3 TEXT
4 TRUE
5 FALSE
```

```
\xmldoifelseempty {...} {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
4 FALSE
```

```
\xmldoifelseselfempty {...} {...} {...}
1 NODE
2 TRUE
3 FALSE
```

```
\xmldoifelsestext {...} {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
4 FALSE
```

```
\xmldoifelsevalue {...} {...} {...} {...}
1 CATEGORY
2 NAME
3 TRUE
4 FALSE
```

```
\xmldoifempty {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
```

```
\xmldoifemptyelse {...} {...} {...} {...}
1 NODE
2 LPATH
3 TRUE
4 FALSE
```

\xmldoifnot {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoifnotatt {...} {...} {...} {...}

1 NODE
2 TEXT
3 TEXT
4 TRUE

\xmldoifnotempty {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoifnotselfempty {...} {...}

1 NODE
2 TRUE

\xmldoifnottext {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoifselfempty {...} {...}

1 NODE
2 TRUE

\xmldoifselfemptyelse {...} {...} {...}

1 NODE
2 TRUE
3 FALSE

\xmldoiftext {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoiftextelse {...} {...} {...} {...}

1 NODE
2 LPATH
3 TRUE
4 FALSE

\xmldoifvalueelse {...} {...} {...} {...}

1 CATEGORY
2 NAME
3 TRUE
4 FALSE

\xmlelement {...} {...}

1 NODE
2 NUMBER

\xmlfileline {...}

* NODE

\xmlfilename {...}

* NODE

\xmlfilter {...} {...}

1 NODE
2 LPATH

```
\xmlfirst {...} {...}
```

- 1 NODE
- 2 LPATH

```
\xmlflush {...}
```

- * NODE

```
\xmlflushcontext {...}
```

- * NODE

```
\xmlflushdocumentsetups {...} {...}
```

- 1 NAME
- 2 SETUP

```
\xmlflushlinewise {...}
```

- * NODE

```
\xmlflushpure {...}
```

- * NODE

```
\xmlflushsetups {...}
```

- * NAME

```
\xmlflushspacewise {...}
```

- * NODE

```
\xmlflushtext {...}
```

- * NODE

```
\xmlfunction {...} {...}
```

- 1 NODE
- 2 NAME

```
\xmlinclude {...} {...} {...}
```

- 1 NODE
- 2 LPATH
- 3 NAME

```
\xmlincludeoptions {...} {...} {...} {...,4...}
```

- 1 NODE
- 2 LPATH
- 3 NAME
- 4 recurse prepare rootpath resolve basename

```
\xmlinclusion {...}
```

- * NODE

```
\xmlinclusionbase {...}
```

- * NODE

```
\xmlinclusions {...}
```

- * NODE

```
\xmlindex {...} {...} {...}
```

- 1 NODE
- 2 LPATH
- 3 NUMMER

```
\xmlinfo {...}
```

- * NODE

<pre> \xmlinjector {...} * NAME </pre>
<pre> \xmlinlineprettyprint {...} {...} 1 NODE 2 mp lua xml parsed-xml nested tex context nessuno NAME </pre>
<pre> \xmlinlineprettyprinttext {...} {...} 1 NODE 2 mp lua xml parsed-xml nested tex context nessuno NAME </pre>
<pre> \xmlinlineverbatim {...} * NODE </pre>
<pre> \xmlinstalldirective {...} {...} 1 NAME 2 CSNAME </pre>
<pre> \xmllost {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmllostatt </pre>
<pre> \xmllostmatch </pre>
<pre> \xmllostpar </pre>
<pre> \xmlload {...} {...} 1 NAME 2 FILE </pre>
<pre> \xmlloadbuffer {...} {...} 1 BUFFER 2 NAME </pre>
<pre> \xmlloaddata {...} {...} 1 NAME 2 TEXT </pre>
<pre> \xmlloaddirectives {...} * FILE </pre>
<pre> \xmlloadfile {...} {...} 1 NAME 2 FILE </pre>
<pre> \xmlloadonly {...} {...} {...} 1 NAME 2 FILE 3 XMLSETUP </pre>
<pre> \xmlmain {...} * NODE </pre>
<pre> \xmlmapval {...} {...} {...} 1 CATEGORY 2 NAME 3 TEXT </pre>

`\xmlmapvalue {1.} {2.} {3.}`

1 CATEGORY
2 NAME
3 TEXT

`\xmlmatch {*.}`

* NODE

`\xmlname {*.}`

* NODE

`\xmlnamespace {*.}`

* NODE

`\xmlnonspace {1.} {2.}`

1 NODE
2 LPATH

`\xmlpar {1.} {2.}`

1 NODE
2 NAME

`\xmlparam {1.} {2.} {3.}`

1 NODE
2 LPATH
3 NAME

`\xmlpath {*.}`

* NODE

`\xmlpos {*.}`

* NODE

`\xmlposition {1.} {2.} {3.}`

1 NODE
2 LPATH
3 NUMMER

`\xmlprependdocumentsetup {1.} {2.}`

1 NAME
2 SETUP

`\xmlprependsetup {*.}`

* SETUP

`\xmlprettyprint {1.} {2.}`

1 NODE
2 mp lua xml parsed-xml nested tex context nessuno NAME

`\xmlprettyprinttext {1.} {2.}`

1 NODE
2 mp lua xml parsed-xml nested tex context nessuno NAME

`\xmlprocess {1.} {2.} {3.}`

1 NAME
2 FILE
3 XMLSETUP

\xmlprocessbuffer {...} {...} {...}

- 1 BUFFER
- 2 NAME
- 3 XMLSETUP

\xmlprocessdata {...} {...} {...}

- 1 NAME
- 2 TEXT
- 3 XMLSETUP

\xmlprocessfile {...} {...} {...}

- 1 NAME
- 2 FILE
- 3 XMLSETUP

\xmlpure {...} {...}

- 1 NODE
- 2 LPATH

\xmlpushmatch ... \xmlpopmatch

\xmlraw {...}

- * NODE

\xmlrefatt {...} {...}

- 1 NODE
- 2 NAME

\xmlregisterdocumentsetup {...} {...}

- 1 NAME
- 2 SETUP

\xmlregisterreddocumentsetups {...} {...}

- 1 NAME
- 2 SETUP

\xmlregisteredsetups

\xmlregisterns {...} {...}

- 1 NAME
- 2 URL

\xmlregistersetup {...}

- * SETUP

\xmlremapname {...} {...} {...} {...}

- 1 NODE
- 2 LPATH
- 3 NAME
- 4 NAME

\xmlremapnamespace {...} {...} {...}

- 1 NODE
- 2 NAME
- 3 NAME

\xmlremovedocumentsetup {...} {...}

- 1 NAME
- 2 SETUP

\xmlremovesetup {...}

- * SETUP

```
\xmlresetdocumentsetups {...}
```

```
* NAME
```

```
\xmlresetinjectors
```

```
\xmlresetsetups
```

```
\xmls {...} {...}
```

```
1 NODE  
2 SETUP
```

```
\xmlsave {...} {...}
```

```
1 NODE  
2 FILE
```

```
\xmlsetatt {...} {...} {...}
```

```
1 NODE  
2 NAME  
3 TEXT
```

```
\xmlsetattribute {...} {...} {...} {...}
```

```
1 NODE  
2 LPATH  
3 NAME  
4 TEXT
```

```
\xmlsetentity {...} {...}
```

```
1 NAME  
2 TEXT
```

```
\xmlsetfunction {...} {...} {...}
```

```
1 NODE  
2 LPATH  
3 LUAFUNCTION
```

```
\xmlsetinjectors [...*...]
```

```
* NAME
```

```
\xmlsetpar {...} {...} {...}
```

```
1 NODE  
2 NAME  
3 TEXT
```

```
\xmlsetparam {...} {...} {...} {...}
```

```
1 NODE  
2 LPATH  
3 NAME  
4 TEXT
```

```
\xmlsetsetup {...} {...} {...}
```

```
1 NAME  
2 LPATH  
3 SETUP
```

```
\xmlsetup {...} {...}
```

```
1 NODE  
2 SETUP
```

```
\xmlshow {...}
```

```
* NODE
```

\xmlsnippet {...} {...}

1 NODE
2 NUMBER

\xmlstartraw ... \xmlstopraw

\xmlstarttiming ... \xmlstoptiming

\xmlstrip {...} {...}

1 NODE
2 LPATH

\xmlstripanywhere {...} {...}

1 NODE
2 LPATH

\xmlstripeverything {...} {...}

1 NODE
2 LPATH

\xmlstripnolines {...} {...}

1 NODE
2 LPATH

\xmlstripped {...} {...}

1 NODE
2 LPATH

\xmlstrippednolines {...} {...}

1 NODE
2 LPATH

\xmltag {...}

* NODE

\xmltexatt {...} {...}

1 NODE
2 NAME

\xmltexentity {...} {...}

1 NAME
2 TEXT

\xmltext {...} {...}

1 NODE
2 LPATH

\xmltobuffer {...} {...} {...}

1 NODE
2 LPATH
3 BUFFER

\xmltobuffertextonly {...} {...} {...}

1 NODE
2 LPATH
3 BUFFER

\xmltobufferverbose {...} {...} {...}

1 NODE
2 LPATH
3 BUFFER

```
\xmltofile {...} {...} {...}
```

```
1 NODE  
2 LPATH  
3 FILE
```

```
\xmltoparameters {...}
```

```
* NODE
```

```
\xmlval {...} {...} {...}
```

```
1 CATEGORY  
2 NAME  
3 TEXT
```

```
\xmlvalue {...} {...} {...}
```

```
1 CATEGORY  
2 NAME  
3 TEXT
```

```
\xmlverbatim {...}
```

```
* NODE
```

```
\xmlw {...} {...}
```

```
1 SETUP  
2 NODE
```

```
\xsplitstring \... {...}
```

```
1 CSNAME  
2 TEXT
```

```
\xypos {...}
```

```
* NAME
```

```
\yiddishnumerals {...}
```

```
* NUMBER
```

```
\zeronumberconversion {...}
```

```
* NUMBER
```


The background consists of a complex, layered pattern of overlapping, irregular shapes. The shapes are primarily in shades of teal and grey, with some white space. The lines are thick and hand-drawn, creating a sense of depth and movement. The overall effect is a textured, abstract composition.

www.pragma-ade.nl
wiki.contextgarden.net
www.tug.org