

Package ‘quanteda’

November 30, 2021

Version 3.2.0

Title Quantitative Analysis of Textual Data

Description A fast, flexible, and comprehensive framework for quantitative text analysis in R. Provides functionality for corpus management, creating and manipulating tokens and ngrams, exploring keywords in context, forming and manipulating sparse matrices of documents by features and feature co-occurrences, analyzing keywords, computing feature similarities and distances, applying content dictionaries, applying supervised and unsupervised machine learning, visually representing text and text analyses, and more.

License GPL-3

Depends R (>= 3.5.0), methods

Imports fastmatch, magrittr, Matrix (>= 1.2), Rcpp (>= 0.12.12), RcppParallel, SnowballC, stopwords, stringi, xml2, yaml

LinkingTo Rcpp, RcppParallel, RcppArmadillo (>= 0.7.600.1.0)

Suggests rmarkdown, spelling, testthat, formatR, tm (>= 0.6), tokenizers, knitr, lda, lsa, dplyr, purrr, quanteda.textmodels, quanteda.textstats, quanteda.textplots, RColorBrewer, slam, spacyr, stm, text2vec, topicmodels, jsonlite, quanteda, tibble, tidytext, xtable, ggplot2

URL <https://quanteda.io>

Encoding UTF-8

BugReports <https://github.com/quanteda/quanteda/issues>

LazyData TRUE

VignetteBuilder knitr

Language en-GB

RoxygenNote 7.1.2

SystemRequirements C++11

Collate 'RcppExports.R' 'meta.R' 'quanteda-documentation.R' 'aaa.R' 'bootstrap_dfm.R' 'casechange-functions.R' 'char_select.R'

'convert.R' 'corpus-addsummary-metadata.R' 'corpus-methods.R'
 'corpus.R' 'corpus_group.R' 'corpus_reshape.R'
 'corpus_sample.R' 'corpus_segment.R' 'corpus_subset.R'
 'corpus_trim.R' 'data-documentation.R' 'dfm-classes.R'
 'dfm-methods.R' 'dfm-print.R' 'dfm-subsetting.R' 'dfm.R'
 'dfm_compress.R' 'dfm_group.R' 'dfm_lookup.R' 'dfm_match.R'
 'dfm_replace.R' 'dfm_sample.R' 'dfm_select.R' 'dfm_sort.R'
 'dfm_subset.R' 'dfm_trim.R' 'dfm_weight.R' 'dictionaries.R'
 'dimnames.R' 'fcm-classes.R' 'docnames.R' 'docvars.R'
 'fcm-methods.R' 'fcm-print.R' 'fcm-subsetting.R' 'fcm.R'
 'fcm_select.R' 'index.R' 'kwic.R' 'message.R' 'nfunctions.R'
 'object-builder.R' 'object2fixed.R' 'pattern2fixed.R'
 'phrases.R' 'quanteda_options.R' 'readtext-methods.R'
 'spacyr-methods.R' 'stopwords.R' 'summary.R' 'textmodel.R'
 'textplot.R' 'texts.R' 'textstat.R' 'tokenizers.R'
 'tokens-methods.R' 'tokens.R' 'tokens_chunk.R'
 'tokens_compound.R' 'tokens_group.R' 'tokens_lookup.R'
 'tokens_ngrams.R' 'tokens_replace.R' 'tokens_sample.R'
 'tokens_segment.R' 'tokens_select.R' 'tokens_split.R'
 'tokens_subset.R' 'utils.R' 'validator.R' 'wordstem.R' 'zzz.R'

NeedsCompilation yes**Author** Kenneth Benoit [cre, aut, cph]

(<<https://orcid.org/0000-0002-0797-564X>>),
 Kohei Watanabe [aut] (<<https://orcid.org/0000-0001-6519-5265>>),
 Haiyan Wang [aut] (<<https://orcid.org/0000-0003-4992-4311>>),
 Paul Nulty [aut] (<<https://orcid.org/0000-0002-7214-4666>>),
 Adam Obeng [aut] (<<https://orcid.org/0000-0002-2906-4775>>),
 Stefan Müller [aut] (<<https://orcid.org/0000-0002-6315-4125>>),
 Akitaka Matsuo [aut] (<<https://orcid.org/0000-0002-3323-6330>>),
 William Lowe [aut] (<<https://orcid.org/0000-0002-1549-6163>>),
 Christian Müller [ctb],
 European Research Council [fnd] (ERC-2011-StG 283794-QUANTESS)

Maintainer Kenneth Benoit <kbenoit@lse.ac.uk>**Repository** CRAN**Date/Publication** 2021-11-30 14:40:04 UTC**R topics documented:**

quanteda-package	4
as.character.corpus	6
as.dfm	7
as.dictionary	7
as.fcm	9
as.list.tokens	9
as.matrix.dfm	11
as.yaml	11

bootstrap_dfm	12
char_select	13
char_tolower	14
convert	15
corpus	17
corpus_group	20
corpus_reshape	21
corpus_sample	22
corpus_segment	24
corpus_subset	26
corpus_trim	27
data_char_sampletext	28
data_char_ukimmig2010	29
data_corpus_inaugural	30
data_dfm_lbgexample	31
data_dictionary_LSD2015	31
dfm	33
dfm_compress	34
dfm_group	36
dfm_lookup	37
dfm_match	38
dfm_replace	39
dfm_sample	40
dfm_select	41
dfm_sort	44
dfm_subset	45
dfm_tfidf	46
dfm_tolower	47
dfm_trim	48
dfm_weight	50
dictionary	52
docfreq	54
docnames	56
docvars	58
fcm	59
fcm_sort	62
featfreq	63
featnames	63
index	64
is.collocations	65
kwic	65
meta	67
ndoc	68
nsentence	69
ntoken	70
phrase	71
print-methods	72
quanteda_options	74

readtext-methods	76
spacyr-methods	76
sparsity	77
textmodels	78
textplots	78
textstats	78
tokens	79
tokens_chunk	82
tokens_compound	83
tokens_group	85
tokens_lookup	86
tokens_ngrams	88
tokens_replace	89
tokens_sample	91
tokens_select	92
tokens_split	94
tokens_subset	95
tokens_tolower	96
tokens_wordstem	97
topfeatures	98
types	99

Index	100
--------------	------------

quanteda-package	<i>An R package for the quantitative analysis of textual data</i>
------------------	---

Description

Functions for creating and managing textual corpora, extracting features from textual data, and analyzing those features using quantitative methods.

Details

quanteda makes it easy to manage texts in the form of a corpus, defined as a collection of texts that includes document-level variables specific to each text, as well as meta-data. **quanteda** includes tools to make it easy and fast to manipulate the texts in a corpus, by performing the most common natural language processing tasks simply and quickly, such as tokenizing, stemming, or forming ngrams. **quanteda**'s functions for tokenizing texts and forming multiple tokenized documents into a document-feature matrix are both extremely fast and very simple to use. **quanteda** can segment texts easily by words, paragraphs, sentences, or even user-supplied delimiters and tags.

Built on the text processing functions in the **stringi** package, which is in turn built on C++ implementation of the ICU libraries for Unicode text handling, **quanteda** pays special attention to fast and correct implementation of Unicode and the handling of text in any character set.

quanteda is built for efficiency and speed, through its design around three infrastructures: the **stringi** package for text processing, the **Matrix** package for sparse matrix objects, and computationally intensive processing (e.g. for tokens) handled in parallelized C++. If you can fit it into

memory, **quanteda** will handle it quickly. (And eventually, we will make it possible to process objects even larger than available memory.)

quanteda is principally designed to allow users a fast and convenient method to go from a corpus of texts to a selected matrix of documents by features, after defining what the documents and features. The package makes it easy to redefine documents, for instance by splitting them into sentences or paragraphs, or by tags, as well as to group them into larger documents by document variables, or to subset them based on logical conditions or combinations of document variables. The package also implements common NLP feature selection functions, such as removing stopwords and stemming in numerous languages, selecting words found in dictionaries, treating words as equivalent based on a user-defined "thesaurus", and trimming and weighting features based on document frequency, feature frequency, and related measures such as tf-idf.

Tools for working with dictionaries are one of **quanteda**'s principal strengths, and the package includes several core functions for preparing and applying dictionaries to texts, for example for lexicon-based sentiment analysis.

Once constructed, a **quanteda** document-feature matrix ("**dfm**") can be easily analyzed using either **quanteda**'s built-in tools for scaling document positions, or used with a number of other text analytic tools, such as: topic models (including converters for direct use with the `topicmodels`, `LDA`, and `stm` packages) document scaling (using the `quanteda.textmodels` package's functions for the "wordfish" and "Wordscores" models, or direct use with the `ca` package for correspondence analysis), or machine learning through a variety of other packages that take matrix or matrix-like inputs. **quanteda** includes functions for converting its core objects, but especially a `dfm`, into other formats so that these are easy to use with other analytic packages.

Additional features of **quanteda** include:

- powerful, flexible tools for working with [dictionaries](#);
- the ability to identify [keywords](#) associated with documents or groups of documents;
- the ability to explore texts using [key-words-in-context](#);
- quick computation of word or document [similarities](#), for clustering or to compute distances for other purposes;
- a comprehensive suite of [descriptive statistics on text](#) such as the number of sentences, words, characters, or syllables per document; and
- flexible, easy to use graphical tools to portray many of the analyses available in the package.

Source code and additional information

<https://github.com/quanteda/quanteda>

Author(s)

Maintainer: Kenneth Benoit <kbenoit@lse.ac.uk> ([ORCID](#)) [copyright holder]

Authors:

- Kohei Watanabe <watanabe.kohei@gmail.com> ([ORCID](#))
- Haiyan Wang <whyinsa@yahoo.com> ([ORCID](#))
- Paul Nulty <paul.nulty@gmail.com> ([ORCID](#))
- Adam Obeng <quanteda@binaryeagle.com> ([ORCID](#))

- Stefan Müller <mullers@tcd.ie> ([ORCID](#))
- Akitaka Matsuo <a.matsuo@lse.ac.uk> ([ORCID](#))
- William Lowe <wlowe@princeton.edu> ([ORCID](#))

Other contributors:

- Christian Müller <C.Mueller@lse.ac.uk> [contributor]
- European Research Council (ERC-2011-StG 283794-QUANTESS) [funder]

See Also

Useful links:

- <https://quanteda.io>
- Report bugs at <https://github.com/quanteda/quanteda/issues>

as.character.corpus *Coercion and checking methods for corpus objects*

Description

Coercion functions to and from [corpus](#) objects, including conversion to a plain [character](#) object; and checks for whether an object is a corpus.

Usage

```
## S3 method for class 'corpus'
as.character(x, use.names = TRUE, ...)
```

```
is.corpus(x)
```

```
as.corpus(x)
```

Arguments

x	object to be coerced or checked
use.names	logical; preserve (document) names if TRUE
...	additional arguments used by specific methods

Value

as.character() returns the corpus as a plain character vector, with or without named elements.

is.corpus returns TRUE if the object is a corpus.

as.corpus() upgrades a corpus object to the newest format. object.

Note

as.character(x) where x is a corpus is equivalent to calling the deprecated texts(x).

`as.dfm`*Coercion and checking functions for dfm objects*

Description

Convert an eligible input object into a dfm, or check whether an object is a dfm. Current eligible inputs for coercion to a dfm are: [matrix](#), (sparse) [Matrix](#), [TermDocumentMatrix](#) and [DocumentTermMatrix](#) (from the **tm** package), [data.frame](#), and other [dfm](#) objects.

Usage`as.dfm(x)``is.dfm(x)`**Arguments**

`x` a candidate object for checking or coercion to [dfm](#)

Value

`as.dfm` converts an input object into a [dfm](#). Row names are used for docnames, and column names for featnames, of the resulting dfm.

`is.dfm` returns TRUE if and only if its argument is a [dfm](#).

See Also

[as.data.frame.dfm\(\)](#), [as.matrix.dfm\(\)](#), [convert\(\)](#)

`as.dictionary`*Coercion and checking functions for dictionary objects*

Description

Convert a dictionary from a different format into a **quanteda** dictionary, or check to see if an object is a dictionary.

Usage`as.dictionary(x, format = c("tidytext"), separator = " ", tolower = FALSE)``is.dictionary(x)`

Arguments

x	a dictionary-like object to be coerced or checked
format	input format for the object to be coerced to a dictionary ; current legal values are a data.frame with the fields word and sentiment (as per the tidytext package)
separator	the character in between multi-word dictionary values. This defaults to " "
tolower	if TRUE, convert all dictionary values to lowercase

Value

as.dictionary returns a **quanteda dictionary** object. This conversion function differs from the [dictionary\(\)](#) constructor function in that it converts an existing object rather than creates one from components or from a file.

is.dictionary returns TRUE if an object is a **quanteda dictionary**.

Examples

```
## Not run:
data(sentiments, package = "tidytext")
as.dictionary(subset(sentiments, lexicon == "nrc"))
as.dictionary(subset(sentiments, lexicon == "bing"))
# to convert AFINN into polarities - adjust thresholds if desired
datafinn <- subset(sentiments, lexicon == "AFINN")
datafinn[["sentiment"]] <-
  with(datafinn,
        sentiment <- ifelse(score < 0, "negative",
                             ifelse(score > 0, "positive", "netural"))
      )
with(datafinn, table(score, sentiment))
as.dictionary(datafinn)

dat <- data.frame(
  word = c("Great", "Horrible"),
  sentiment = c("positive", "negative")
)
as.dictionary(dat)
as.dictionary(dat, tolower = FALSE)

## End(Not run)

is.dictionary(dictionary(list(key1 = c("val1", "val2"), key2 = "val3")))
# [1] TRUE
is.dictionary(list(key1 = c("val1", "val2"), key2 = "val3"))
# [1] FALSE
```

as.fcm *Coercion and checking functions for fcm objects*

Description

Convert an eligible input object into a fcm, or check whether an object is a fcm. Current eligible inputs for coercion to a dfm are: [matrix](#), (sparse) [Matrix](#) and other [fcm](#) objects.

Usage

```
as.fcm(x)
```

Arguments

x a candidate object for checking or coercion to [dfm](#)

Value

as.fcm converts an input object into a [fcm](#).

as.list.tokens *Coercion, checking, and combining functions for tokens objects*

Description

Coercion functions to and from [tokens](#) objects, checks for whether an object is a [tokens](#) object, and functions to combine [tokens](#) objects.

Usage

```
## S3 method for class 'tokens'
as.list(x, ...)

## S3 method for class 'tokens'
as.character(x, use.names = FALSE, ...)

is.tokens(x)

as.tokens(x, concatenator = "_", ...)

## S3 method for class 'spacyr_parsed'
as.tokens(
  x,
  concatenator = "/",
  include_pos = c("none", "pos", "tag"),
  use_lemma = FALSE,
```

```

    ...
  )

is.tokens(x)

```

Arguments

x	object to be coerced or checked
...	additional arguments used by specific methods. For <code>c.tokens</code> , these are the <code>tokens</code> objects to be concatenated.
use.names	logical; preserve names if TRUE. For <code>as.character</code> and <code>unlist</code> only.
concatenator	character between multi-word expressions, default is the underscore character. See Details.
include_pos	character; whether and which part-of-speech tag to use: "none" do not use any part of speech indicator, "pos" use the pos variable, "tag" use the tag variable. The POS will be added to the token after "concatenator".
use_lemma	logical; if TRUE, use the lemma rather than the raw token

Details

The concatenator is used to automatically generate dictionary values for multi-word expressions in `tokens_lookup()` and `dfm_lookup()`. The underscore character is commonly used to join elements of multi-word expressions (e.g. "piece_of_cake", "New_York"), but other characters (e.g. whitespace " " or a hyphen "-") can also be used. In those cases, users have to tell the system what is the concatenator in your tokens so that the conversion knows to treat this character as the inter-word delimiter, when reading in the elements that will become the tokens.

Value

`as.list` returns a simple list of characters from a `tokens` object.

`as.character` returns a character vector from a `tokens` object.

`is.tokens` returns TRUE if the object is of class `tokens`, FALSE otherwise.

`as.tokens` returns a quanteda `tokens` object.

`is.tokens` returns TRUE if the object is of class `tokens`, FALSE otherwise.

Examples

```

# create tokens object from list of characters with custom concatenator
dict <- dictionary(list(country = "United States",
                        sea = c("Atlantic Ocean", "Pacific Ocean")))
lis <- list(c("The", "United-States", "has", "the", "Atlantic-Ocean",
             "and", "the", "Pacific-Ocean", "."))
toks <- as.tokens(lis, concatenator = "-")
tokens_lookup(toks, dict)

```

as.matrix.dfm	<i>Coerce a dfm to a matrix or data.frame</i>
---------------	---

Description

Methods for coercing a [dfm](#) object to a matrix or data.frame object.

Usage

```
## S3 method for class 'dfm'
as.matrix(x, ...)
```

Arguments

x	dfm to be coerced
...	unused

Examples

```
# coercion to matrix
as.matrix(data_dfm_lbgexample[, 1:10])
```

as.yaml	<i>Convert quanteda dictionary objects to the YAML format</i>
---------	---

Description

Converts a **quanteda** dictionary object constructed by the [dictionary](#) function into the YAML format. The YAML files can be edited in text editors and imported into **quanteda** again.

Usage

```
as.yaml(x)
```

Arguments

x	a dictionary object
---	-------------------------------------

Value

as.yaml a dictionary in the YAML format, as a character object

Examples

```
## Not run:
dict <- dictionary(list(one = c("a b", "c*"), two = c("x", "y", "z??")))
cat(yaml <- as.yaml(dict))
cat(yaml, file = (yamlfile <- paste0(tempfile(), ".yaml")))
dictionary(file = yamlfile)

## End(Not run)
```

bootstrap_dfm

Bootstrap a dfm

Description

Create an array of resampled dfms.

Usage

```
bootstrap_dfm(x, n = 10, ..., verbose = quanteda_options("verbose"))
```

Arguments

x	a character or corpus object
n	number of resamples
...	additional arguments passed to dfm()
verbose	if TRUE print status messages

Details

Function produces multiple, resampled [dfm](#) objects, based on resampling sentences (with replacement) from each document, recombining these into new "documents" and computing a dfm for each. Resampling of sentences is done strictly within document, so that every resampled document will contain at least some of its original tokens.

Value

A named list of [dfm](#) objects, where the first, `dfm_0`, is the dfm from the original texts, and subsequent elements are the sentence-resampled dfms.

Author(s)

Kenneth Benoit

Examples

```
# bootstrapping from the original text
set.seed(10)
txt <- c(textone = "This is a sentence. Another sentence. Yet another.",
        texttwo = "Premiere phrase. Deuxieme phrase.")
bootstrap_dfm(txt, n = 3, verbose = TRUE)
```

char_select *Select or remove elements from a character vector*

Description

These function select or discard elements from a [character](#) object. For convenience, the functions `char_remove` and `char_keep` are defined as shortcuts for `char_select(x, pattern, selection = "remove")` and `char_select(x, pattern, selection = "keep")`, respectively.

These functions make it easy to change, for instance, stopwords based on pattern matching.

Usage

```
char_select(
  x,
  pattern,
  selection = c("keep", "remove"),
  valuetype = c("glob", "fixed", "regex"),
  case_insensitive = TRUE
)

char_remove(x, ...)

char_keep(x, ...)
```

Arguments

<code>x</code>	an input character vector
<code>pattern</code>	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
<code>selection</code>	whether to "keep" or "remove" the tokens matching pattern
<code>valuetype</code>	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
<code>case_insensitive</code>	logical; if TRUE, ignore case when matching a pattern or dictionary values
<code>...</code>	additional arguments passed by <code>char_remove</code> and <code>char_keep</code> to <code>char_select</code> . Cannot include selection.

Value

a modified [character](#) vector

Examples

```
# character selection
mykeywords <- c("natural", "national", "denatured", "other")
char_select(mykeywords, "nat*", valuetype = "glob")
char_select(mykeywords, "nat", valuetype = "regex")
char_select(mykeywords, c("natur*", "other"))
char_select(mykeywords, c("natur*", "other"), selection = "remove")

# character removal
char_remove(letters[1:5], c("a", "c", "x"))
words <- c("any", "and", "Anna", "as", "announce", "but")
char_remove(words, "an*")
char_remove(words, "an*", case_insensitive = FALSE)
char_remove(words, "^\\.n\\.+$", valuetype = "regex")

# remove some of the system stopwords
stopwords("en", source = "snowball")[1:6]
stopwords("en", source = "snowball")[1:6] %>%
  char_remove(c("me", "my*"))

# character keep
char_keep(letters[1:5], c("a", "c", "x"))
```

char_tolower

Convert the case of character objects

Description

char_tolower and char_toupper are replacements for [base::tolower\(\)](#) and [base::toupper\(\)](#) based on the **stringi** package. The **stringi** functions for case conversion are superior to the **base** functions because they correctly handle case conversion for Unicode. In addition, the *_tolower() functions provide an option for preserving acronyms.

Usage

```
char_tolower(x, keep_acronyms = FALSE)
```

```
char_toupper(x)
```

Arguments

x the input object whose character/tokens/feature elements will be case-converted

keep_acronyms logical; if TRUE, do not lowercase any all-uppercase words (applies only to *_tolower() functions)

Examples

```
txt1 <- c(txt1 = "b A A", txt2 = "C C a b B")
char_tolower(txt1)
char_toupper(txt1)

# with acronym preservation
txt2 <- c(text1 = "England and France are members of NATO and UNESCO",
          text2 = "NASA sent a rocket into space.")
char_tolower(txt2)
char_tolower(txt2, keep_acronyms = TRUE)
char_toupper(txt2)
```

 convert

Convert quanteda objects to non-quanteda formats

Description

Convert a quanteda [dfm](#) or [corpus](#) object to a format useable by other packages. The general function `convert` provides easy conversion from a `dfm` to the document-term representations used in all other text analysis packages for which conversions are defined. For [corpus](#) objects, `convert` provides an easy way to make a corpus and its document variables into a `data.frame`.

Usage

```
convert(x, to, ...)
```

```
## S3 method for class 'dfm'
convert(
  x,
  to = c("lda", "tm", "stm", "austin", "topicmodels", "lsa", "matrix", "data.frame",
        "tripletlist"),
  docvars = NULL,
  omit_empty = TRUE,
  docid_field = "doc_id",
  ...
)
```

```
## S3 method for class 'corpus'
convert(x, to = c("data.frame", "json"), pretty = FALSE, ...)
```

Arguments

`x` a [dfm](#) or [corpus](#) to be converted

`to` target conversion format, one of:

- "lda" a list with components "documents" and "vocab" as needed by the function [lda.collapsed.gibbs.sampler](#) from the **lda** package

	"tm" a DocumentTermMatrix from the tm package. Note: The tm package version of <code>as.TermDocumentMatrix()</code> allows a weighting argument, which supplies a weighting function for <code>TermDocumentMatrix()</code> . Here the default is for term frequency weighting. If you want a different weighting, apply the weights after converting using one of the tm functions. For other available weighting functions from the tm package, see TermDocumentMatrix .
	"stm" the format for the stm package
	"austin" the wfm format from the austin package
	"topicmodels" the "dtm" format as used by the topicmodels package
	"lsa" the "textmatrix" format as used by the lsa package
	"data.frame" a data.frame of without row.names, in which documents are rows, and each feature is a variable (for a dfm), or each text and its document variables form a row (for a corpus)
	"json" (corpus only) convert a corpus and its document variables into JSON format, using the format described in jsonlite::toJSON()
	"tripletlist" a named "triplet" format list consisting of document, feature, and frequency
...	unused directly
docvars	optional data.frame of document variables used as the meta information in conversion to the stm package format. This aids in selecting the document variables only corresponding to the documents with non-zero counts. Only affects the "stm" format.
omit_empty	logical; if TRUE, omit empty documents and features from the converted dfm. This is required for some formats (such as STM) that do not accept empty documents. Only used when to = "lda" or to = "topicmodels". For to = "stm" format, omit_empty is always TRUE.
docid_field	character; the name of the column containing document names used when to = "data.frame". Unused for other conversions.
pretty	adds indentation whitespace to JSON output. Can be TRUE/FALSE or a number specifying the number of spaces to indent. See prettify

Value

A converted object determined by the value of to (see above). See conversion target package documentation for more detailed descriptions of the return formats.

Examples

```
## convert a dfm

toks <- corpus_subset(data_corpus_inaugural, Year > 1970) %>%
  tokens()
dfmat1 <- dfm(toks)

# austin's wfm format
identical(dim(dfmat1), dim(convert(dfmat1, to = "austin")))
```



```

# stm package format
stmmt <- convert(dfmat1, to = "stm")
str(stmmt)

# triplet
tripletmat <- convert(dfmat1, to = "tripletlist")
str(tripletmat)

## Not run:
# tm's DocumentTermMatrix format
tmdfm <- convert(dfmat1, to = "tm")
str(tmdfm)

# topicmodels package format
str(convert(dfmat1, to = "topicmodels"))

# lda package format
str(convert(dfmat1, to = "lda"))

## End(Not run)

## convert a corpus into a data.frame

corp <- corpus(c(d1 = "Text one.", d2 = "Text two."),
               docvars = data.frame(dvar1 = 1:2, dvar2 = c("one", "two"),
                                   stringsAsFactors = FALSE))

convert(corp, to = "data.frame")
convert(corp, to = "json")

```

corpus

Construct a corpus object

Description

Creates a corpus object from available sources. The currently available sources are:

- a [character](#) vector, consisting of one document per element; if the elements are named, these names will be used as document names.
- a [data.frame](#) (or a [tibble](#) `tbl_df`), whose default document id is a variable identified by `docid_field`; the text of the document is a variable identified by `text_field`; and other variables are imported as document-level meta-data. This matches the format of `data.frames` constructed by the the [readtext](#) package.
- a [kwic](#) object constructed by `kwic()`.
- a [tm VCorpus](#) or [SimpleCorpus](#) class object, with the fixed metadata fields imported as `docvars` and corpus-level metadata imported as `meta` information.
- a [corpus](#) object.

Usage

```

corpus(x, ...)

## S3 method for class 'corpus'
corpus(
  x,
  docnames = quanteda::docnames(x),
  docvars = quanteda::docvars(x),
  meta = quanteda::meta(x),
  ...
)

## S3 method for class 'character'
corpus(
  x,
  docnames = NULL,
  docvars = NULL,
  meta = list(),
  unique_docnames = TRUE,
  ...
)

## S3 method for class 'data.frame'
corpus(
  x,
  docid_field = "doc_id",
  text_field = "text",
  meta = list(),
  unique_docnames = TRUE,
  ...
)

## S3 method for class 'kwic'
corpus(x, split_context = TRUE, extract_keyword = TRUE, meta = list(), ...)

## S3 method for class 'Corpus'
corpus(x, ...)

```

Arguments

x	a valid corpus source object
...	not used directly
docnames	Names to be assigned to the texts. Defaults to the names of the character vector (if any); doc_id for a data.frame; the document names in a tm corpus; or a vector of user-supplied labels equal in length to the number of documents. If none of these are round, then "text1", "text2", etc. are assigned automatically.
docvars	a data.frame of document-level variables associated with each text

<code>meta</code>	a named list that will be added to the corpus as corpus-level, user meta-data. This can later be accessed or updated using <code>meta()</code> .
<code>unique_docnames</code>	logical; if TRUE, enforce strict uniqueness in docnames; otherwise, rename duplicated docnames using an added serial number, and treat them as segments of the same document.
<code>docid_field</code>	optional column index of a document identifier; defaults to "doc_id", but if this is not found, then will use the rownames of the data.frame; if the rownames are not set, it will use the default sequence based on (<code>[quanteda_options]("base_docname")</code>).
<code>text_field</code>	the character name or numeric index of the source data.frame indicating the variable to be read in as text, which must be a character vector. All other variables in the data.frame will be imported as docvars. This argument is only used for data.frame objects (including those created by <code>readtext</code>).
<code>split_context</code>	logical; if TRUE, split each kwic row into two "documents", one for "pre" and one for "post", with this designation saved in a new docvar context and with the new number of documents therefore being twice the number of rows in the kwic.
<code>extract_keyword</code>	logical; if TRUE, save the keyword matching pattern as a new docvar keyword

Details

The texts and document variables of corpus objects can also be accessed using index notation and the `$` operator for accessing or assigning docvars. For details, see [\[.corpus\(\)\]](#).

Value

A `corpus` class object containing the original texts, document-level variables, document-level meta-data, corpus-level metadata, and default settings for subsequent processing of the corpus.

For `quanteda` \geq 2.0, this is a specially classed character vector. It has many additional attributes but **you should not access these attributes directly**, especially if you are another package author. Use the extractor and replacement functions instead, or else your code is not only going to be uglier, but also likely to break should the internal structure of a corpus object change. Using the accessor and replacement functions ensures that future code to manipulate corpus objects will continue to work.

See Also

[corpus](#), [docvars\(\)](#), [meta\(\)](#), [as.character.corpus\(\)](#), [ndoc\(\)](#), [docnames\(\)](#)

Examples

```
# create a corpus from texts
corpus(data_char_ukimmig2010)

# create a corpus from texts and assign meta-data and document variables
summary(corpus(data_char_ukimmig2010,
               docvars = data.frame(party = names(data_char_ukimmig2010))), 5)
```

```

# import a tm VCorpus
if (requireNamespace("tm", quietly = TRUE)) {
  data(crude, package = "tm") # load in a tm example VCorpus
  vcorp <- corpus(crude)
  summary(vcorp)

  data(acq, package = "tm")
  summary(corpus(acq), 5)

  vcorp2 <- tm::VCorpus(tm::VectorSource(data_char_ukimmig2010))
  corp <- corpus(vcorp2)
  summary(corp)
}

# construct a corpus from a data.frame
dat <- data.frame(letter_factor = factor(rep(letters[1:3], each = 2)),
                  some_ints = 1L:6L,
                  some_text = paste0("This is text number ", 1:6, "."),
                  stringsAsFactors = FALSE,
                  row.names = paste0("fromDf_", 1:6))
dat
summary(corpus(dat, text_field = "some_text",
               meta = list(source = "From a data.frame called mydf.")))

# from a kwic
kw <- kwic(tokens(data_char_sampletext, remove_separators = FALSE),
           pattern = "econom*", separator = "")
summary(corpus(kw))
summary(corpus(kw, split_context = FALSE))
as.character(corpus(kw, split_context = FALSE))

```

corpus_group

Combine documents in corpus by a grouping variable

Description

Combine documents in a [corpus](#) object by a grouping variable, by concatenating their texts in the order of the documents within each grouping variable.

Usage

```
corpus_group(x, groups = docid(x), fill = FALSE, concatenator = " ")
```

Arguments

x [corpus](#) object

groups	grouping variable for sampling, equal in length to the number of documents. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for groups. See <code>news(Version >= "3.0", package = "quanteda")</code> for details.
fill	logical; if TRUE and groups is a factor, then use all levels of the factor when forming the new documents of the grouped object. This will result in a new "document" with empty content for levels not observed, but for which an empty document may be needed. If groups is a factor of dates, for instance, then <code>fill = TRUE</code> ensures that the new object will consist of one new "document" by date, regardless of whether any documents previously existed with that date. Has no effect if the groups variable(s) are not factors.
concatenator	the concatenation character that will connect the grouped documents.

Value

a `corpus` object whose documents are equal to the unique group combinations, and whose texts are the concatenations of the texts by group. Document-level variables that have no variation within groups are saved in `docvars`. Document-level variables that are lists are dropped from grouping, even when these exhibit no variation within groups.

Examples

```
corp <- corpus(c("a a b", "a b c c", "a c d d", "a c c d"),
              docvars = data.frame(grp = c("grp1", "grp1", "grp2", "grp2")))
corpus_group(corp, groups = grp)
corpus_group(corp, groups = c(1, 1, 2, 2))
corpus_group(corp, groups = factor(c(1, 1, 2, 2), levels = 1:3))

# with fill
corpus_group(corp, groups = factor(c(1, 1, 2, 2), levels = 1:3), fill = TRUE)
```

corpus_reshape

Recast the document units of a corpus

Description

For a corpus, reshape (or recast) the documents to a different level of aggregation. Units of aggregation can be defined as documents, paragraphs, or sentences. Because the corpus object records its current "units" status, it is possible to move from recast units back to original units, for example from documents, to sentences, and then back to documents (possibly after modifying the sentences).

Usage

```
corpus_reshape(
  x,
  to = c("sentences", "paragraphs", "documents"),
  use_docvars = TRUE,
  ...
)
```

Arguments

x	corpus whose document units will be reshaped
to	new document units in which the corpus will be recast
use_docvars	if TRUE, repeat the docvar values for each segmented text; if FALSE, drop the docvars in the segmented corpus. Dropping the docvars might be useful in order to conserve space or if these are not desired for the segmented corpus.
...	additional arguments passed to <code>tokens()</code> , since the syntactic segmenter uses this function)

Value

A corpus object with the documents defined as the new units, including document-level meta-data identifying the original documents.

Examples

```
# simple example
corp1 <- corpus(c(textone = "This is a sentence. Another sentence. Yet another.",
                 texttwo = "Premiere phrase. Deuxieme phrase."),
              docvars = data.frame(country=c("UK", "USA"), year=c(1990, 2000)))
summary(corp1)
summary(corpus_reshape(corp1, to = "sentences"))

# example with inaugural corpus speeches
(corp2 <- corpus_subset(data_corpus_inaugural, Year>2004))
corp2para <- corpus_reshape(corp2, to = "paragraphs")
corp2para
summary(corp2para, 50, showmeta = TRUE)
## Note that Bush 2005 is recorded as a single paragraph because that text
## used a single \n to mark the end of a paragraph.
```

corpus_sample

Randomly sample documents from a corpus

Description

Take a random sample of documents of the specified size from a corpus, with or without replacement, optionally by grouping variables or with probability weights.

Usage

```
corpus_sample(x, size = ndoc(x), replace = FALSE, prob = NULL, by = NULL)
```

Arguments

x	a corpus object whose documents will be sampled
size	a positive number, the number of documents to select; when used with by, the number to select from each group or a vector equal in length to the number of groups defining the samples to be chosen in each category of by. By defining a size larger than the number of documents, it is possible to oversample when replace = TRUE.
replace	if TRUE, sample with replacement
prob	a vector of probability weights for obtaining the elements of the vector being sampled. May not be applied when by is used.
by	optional grouping variable for sampling. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for by. See news(Version >= "2.9", package = "quanteda") for details.

Value

a [corpus](#) object (re)sampled on the documents, containing the document variables for the documents sampled.

Examples

```
set.seed(123)
# sampling from a corpus
summary(corpus_sample(data_corpus_inaugural, size = 5))
summary(corpus_sample(data_corpus_inaugural, size = 10, replace = TRUE))

# sampling with by
corp <- data_corpus_inaugural
corp$century <- paste(floor(corp$Year / 100) + 1)
corp$century <- paste0(corp$century, ifelse(corp$century < 21, "th", "st"))
corpus_sample(corp, size = 2, by = century) %>% summary()
# needs drop = TRUE to avoid empty interactions
corpus_sample(corp, size = 1, by = interaction(Party, century, drop = TRUE), replace = TRUE) %>%
  summary()

# sampling sentences by document
corp <- corpus(c(one = "Sentence one. Sentence two. Third sentence.",
                two = "First sentence, doc2. Second sentence, doc2."),
              docvars = data.frame(var1 = c("a", "a"), var2 = c(1, 2)))
corpus_reshape(corp, to = "sentences") %>%
  corpus_sample(replace = TRUE, by = docid())

# oversampling
corpus_sample(corp, size = 5, replace = TRUE)
```

corpus_segment	<i>Segment texts on a pattern match</i>
----------------	---

Description

Segment corpus text(s) or a character vector, splitting on a pattern match. This is useful for breaking the texts into smaller documents based on a regular pattern (such as a speaker identifier in a transcript) or a user-supplied annotation.

Usage

```
corpus_segment(
  x,
  pattern = "##*",
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  extract_pattern = TRUE,
  pattern_position = c("before", "after"),
  use_docvars = TRUE
)
```

```
char_segment(
  x,
  pattern = "##*",
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  remove_pattern = TRUE,
  pattern_position = c("before", "after")
)
```

Arguments

x	character or corpus object whose texts will be segmented
pattern	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
valuetype	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
case_insensitive	logical; if TRUE, ignore case when matching a pattern or dictionary values
extract_pattern	extracts matched patterns from the texts and save in docvars if TRUE
pattern_position	either "before" or "after", depending on whether the pattern precedes the text (as with a user-supplied tag, such as ##INTRO in the examples below) or follows the text (as with punctuation delimiters)

`use_docvars` if TRUE, repeat the docvar values for each segmented text; if FALSE, drop the docvars in the segmented corpus. Dropping the docvars might be useful in order to conserve space or if these are not desired for the segmented corpus.

`remove_pattern` removes matched patterns from the texts if TRUE

Details

For segmentation into syntactic units defined by the locale (such as sentences), use `corpus_reshape()` instead. In cases where more fine-grained segmentation is needed, such as that based on commas or semi-colons (phrase delimiters within a sentence), `corpus_segment()` offers greater user control than `corpus_reshape()`.

Value

`corpus_segment` returns a corpus of segmented texts

`char_segment` returns a character vector of segmented texts

Boundaries and segmentation explained

The pattern acts as a boundary delimiter that defines the segmentation points for splitting a text into new "document" units. Boundaries are always defined as the pattern matches, plus the end and beginnings of each document. The new "documents" that are created following the segmentation will then be the texts found between boundaries.

The pattern itself will be saved as a new document variable named `pattern`. This is most useful when segmenting a text according to tags such as names in a transcript, section titles, or user-supplied annotations. If the beginning of the file precedes a pattern match, then the extracted text will have a NA for the extracted pattern document variable (or when `pattern_position = "after"`, this will be true for the text split between the last pattern match and the end of the document).

To extract syntactically defined sub-document units such as sentences and paragraphs, use `corpus_reshape()` instead.

Using patterns

One of the most common uses for `corpus_segment` is to partition a corpus into sub-documents using tags. The default pattern value is designed for a user-annotated tag that is a term beginning with double "hash" signs, followed by a whitespace, for instance as `##INTRODUCTION` The text.

Glob and fixed pattern types use a whitespace character to signal the end of the pattern.

For more advanced pattern matches that could include whitespace or newlines, a regex pattern type can be used, for instance a text such as

```
Mr. Smith: Text
Mrs. Jones: More text
```

could have as `pattern = "\\b[A-Z].+\\.\\.\\s[A-Z][a-z]+:"`, which would catch the title, the name, and the colon.

For custom boundary delimitation using punctuation characters that come at the end of a clause or sentence (such as `,` `and.`, these can be specified manually and `pattern_position` set to `"after"`. To keep the punctuation characters in the text (as with sentence segmentation), set

`extract_pattern = FALSE`. (With most tag applications, users will want to remove the patterns from the text, as they are annotations rather than parts of the text itself.)

See Also

[corpus_reshape\(\)](#), for segmenting texts into pre-defined syntactic units such as sentences, paragraphs, or fixed-length chunks

Examples

```
## segmenting a corpus

# segmenting a corpus using tags
corp1 <- corpus(c("##INTRO This is the introduction.
                 ##DOC1 This is the first document.  Second sentence in Doc 1.
                 ##DOC3 Third document starts here.  End of third document.",
                 "##INTRO Document ##NUMBER Two starts before ##NUMBER Three."))
corpseg1 <- corpus_segment(corp1, pattern = "##*")
cbind(corpseg1, docvars(corpseg1))

# segmenting a transcript based on speaker identifiers
corp2 <- corpus("Mr. Smith: Text.\nMrs. Jones: More text.\nMr. Smith: I'm speaking, again.")
corpseg2 <- corpus_segment(corp2, pattern = "\\b[A-Z].+\\s[A-Z][a-z]+:",
                           valuetype = "regex")
cbind(corpseg2, docvars(corpseg2))

# segmenting a corpus using crude end-of-sentence segmentation
corpseg3 <- corpus_segment(corp1, pattern = ".", valuetype = "fixed",
                           pattern_position = "after", extract_pattern = FALSE)
cbind(corpseg3, docvars(corpseg3))

## segmenting a character vector

# segment into paragraphs and removing the "- " bullet points
cat(data_char_ukimmig2010[4])
char_segment(data_char_ukimmig2010[4],
             pattern = "\\n\\n(-\\s){0,1}", valuetype = "regex",
             remove_pattern = TRUE)

# segment a text into clauses
txt <- c(d1 = "This, is a sentence?  You: come here.", d2 = "Yes, yes okay.")
char_segment(txt, pattern = "\\p{P}", valuetype = "regex",
             pattern_position = "after", remove_pattern = FALSE)
```

Description

Returns subsets of a corpus that meet certain conditions, including direct logical operations on docvars (document-level variables). `corpus_subset` functions identically to `subset.data.frame()`, using non-standard evaluation to evaluate conditions based on the `docvars` in the corpus.

Usage

```
corpus_subset(x, subset, drop_docid = TRUE, ...)
```

Arguments

<code>x</code>	<code>corpus</code> object to be subsetted
<code>subset</code>	logical expression indicating the documents to keep: missing values are taken as false
<code>drop_docid</code>	if TRUE, docid for documents are removed as the result of subsetting.
<code>...</code>	not used

Value

corpus object, with a subset of documents (and docvars) selected according to arguments

See Also

[subset.data.frame\(\)](#)

Examples

```
summary(corpus_subset(data_corpus_inaugural, Year > 1980))
summary(corpus_subset(data_corpus_inaugural, Year > 1930 & President == "Roosevelt"))
```

`corpus_trim`

Remove sentences based on their token lengths or a pattern match

Description

Removes sentences from a corpus or a character vector shorter than a specified length.

Usage

```
corpus_trim(
  x,
  what = c("sentences", "paragraphs", "documents"),
  min_ntoken = 1,
  max_ntoken = NULL,
  exclude_pattern = NULL
)
```

```
char_trim(
  x,
  what = c("sentences", "paragraphs", "documents"),
  min_ntoken = 1,
  max_ntoken = NULL,
  exclude_pattern = NULL
)
```

Arguments

x [corpus](#) or character object whose sentences will be selected.

what units of trimming, "sentences" or "paragraphs", or "documents"

min_ntoken, max_ntoken minimum and maximum lengths in word tokens (excluding punctuation)

exclude_pattern a **stringi** regular expression whose match (at the sentence level) will be used to exclude sentences

Value

a [corpus](#) or character vector equal in length to the input. If the input was a corpus, then the all docvars and metadata are preserved. For documents whose sentences have been removed entirely, a null string ("") will be returned.

Examples

```
txt <- c("PAGE 1. This is a single sentence. Short sentence. Three word sentence.",
        "PAGE 2. Very short! Shorter.",
        "Very long sentence, with multiple parts, separated by commas. PAGE 3.")
corp <- corpus(txt, docvars = data.frame(serial = 1:3))
corp

# exclude sentences shorter than 3 tokens
corpus_trim(corp, min_ntoken = 3)
# exclude sentences that start with "PAGE <digit(s)>"
corpus_trim(corp, exclude_pattern = "^PAGE \\d+")

# trimming character objects
char_trim(txt, "sentences", min_ntoken = 3)
char_trim(txt, "sentences", exclude_pattern = "sentence\\.")
```

data_char_sampletext *A paragraph of text for testing various text-based functions*

Description

This is a long paragraph (2,914 characters) of text taken from a debate on Joe Higgins, delivered December 8, 2011.

Usage

```
data_char_sampletext
```

Format

character vector with one element

Source

Dáil Éireann Debate, [Financial Resolution No. 13: General \(Resumed\)](#). 7 December 2011. vol. 749, no. 1.

Examples

```
tokens(data_char_sampletext, remove_punct = TRUE)
```

`data_char_ukimmig2010` *Immigration-related sections of 2010 UK party manifestos*

Description

Extracts from the election manifestos of 9 UK political parties from 2010, related to immigration or asylum-seekers.

Usage

```
data_char_ukimmig2010
```

Format

A named character vector of plain ASCII texts

Examples

```
data_corpus_ukimmig2010 <-  
  corpus(data_char_ukimmig2010,  
         docvars = data.frame(party = names(data_char_ukimmig2010)))  
summary(data_corpus_ukimmig2010, showmeta = TRUE)
```

data_corpus_inaugural *US presidential inaugural address texts*

Description

US presidential inaugural address texts, and metadata (for the corpus), from 1789 to present.

Usage

```
data_corpus_inaugural
```

Format

a [corpus](#) object with the following docvars:

- Year a four-digit integer year
- President character; President's last name
- FirstName character; President's first name (and possibly middle initial)
- Party factor; name of the President's political party

Details

data_corpus_inaugural is the [quanteda-package](#) corpus object of US presidents' inaugural addresses since 1789. Document variables contain the year of the address and the last name of the president.

Source

<https://archive.org/details/Inaugural-Address-Corpus-1789-2009> and <https://www.presidency.ucsb.edu/documents/presidential-documents-archive-guidebook/inaugural-addresses>.

Examples

```
# some operations on the inaugural corpus
summary(data_corpus_inaugural)
head(docvars(data_corpus_inaugural), 10)
```

data_dfm_lbgexample *dfm from data in Table 1 of Laver, Benoit, and Garry (2003)*

Description

Constructed example data to demonstrate the Wordscores algorithm, from Laver Benoit and Garry (2003), Table 1.

Usage

data_dfm_lbgexample

Format

A `dfm` object with 6 documents and 37 features.

Details

This is the example word count data from Laver, Benoit and Garry's (2003) Table 1. Documents R1 to R5 are assumed to have known positions: -1.5, -0.75, 0, 0.75, 1.5. Document V1 is assumed unknown, and will have a raw text score of approximately -0.45 when computed as per LBG (2003).

References

Laver, M., Benoit, K.R., & Garry, J. (2003). [Estimating Policy Positions from Political Text using Words as Data](#). *American Political Science Review*, 97(2), 311–331.

data_dictionary_LSD2015
Lexicoder Sentiment Dictionary (2015)

Description

The 2015 Lexicoder Sentiment Dictionary in `quanteda dictionary` format.

Usage

data_dictionary_LSD2015

Format

A [dictionary](#) of four keys containing glob-style [pattern matches](#).

negative 2,858 word patterns indicating negative sentiment

positive 1,709 word patterns indicating positive sentiment

neg_positive 1,721 word patterns indicating a positive word preceded by a negation (used to convey negative sentiment)

neg_negative 2,860 word patterns indicating a negative word preceded by a negation (used to convey positive sentiment)

Details

The dictionary consists of 2,858 "negative" sentiment words and 1,709 "positive" sentiment words. A further set of 2,860 and 1,721 negations of negative and positive words, respectively, is also included. While many users will find the non-negation sentiment forms of the LSD adequate for sentiment analysis, Young and Soroka (2012) did find a small, but non-negligible increase in performance when accounting for negations. Users wishing to test this or include the negations are encouraged to subtract negated positive words from the count of positive words, and subtract the negated negative words from the negative count.

Young and Soroka (2012) also suggest the use of a pre-processing script to remove specific cases of some words (i.e., "good bye", or "nobody better", which should not be counted as positive). Pre-processing scripts are available at <http://www.snsoroka.com/data-lexicoder/>.

License and Conditions

The LSD is available for non-commercial academic purposes only. By using data_dictionary_LSD2015, you accept these terms.

Please cite the references below when using the dictionary.

References

The objectives, development and reliability of the dictionary are discussed in detail in Young and Soroka (2012). Please cite this article when using the Lexicoder Sentiment Dictionary and related resources. Young, L. & Soroka, S. (2012). *Lexicoder Sentiment Dictionary*. Available at <http://www.snsoroka.com/data-lexicoder/>.

Young, L. & Soroka, S. (2012). Affective News: The Automated Coding of Sentiment in Political Texts]. doi: [10.1080/10584609.2012.671234](https://doi.org/10.1080/10584609.2012.671234). *Political Communication*, 29(2), 205–231.

Examples

```
# simple example
txt <- "This aggressive policy will not win friends."

tokens_lookup(tokens(txt), dictionary = data_dictionary_LSD2015, exclusive = FALSE)
## tokens from 1 document.
## text1 :
## [1] "This" "NEGATIVE" "policy" "will" "NEG_POSITIVE" "POSITIVE" "POSITIVE" "."
```



```

# notice that double-counting of negated and non-negated terms is avoided
# when using nested_scope = "dictionary"
tokens_lookup(tokens(txt), dictionary = data_dictionary_LSD2015,
              exclusive = FALSE, nested_scope = "dictionary")
## tokens from 1 document.
## text1 :
## [1] "This" "NEGATIVE" "policy" "will" "NEG_POSITIVE" "POSITIVE."

# on larger examples - notice that few negations are used
dfm(data_char_ukimmig2010[1:5], dictionary = data_dictionary_LSD2015)

# compound neg_negative and neg_positive tokens before creating a dfm object
toks <- tokens_compound(tokens(txt), data_dictionary_LSD2015)

dfm_lookup(dfm(toks), data_dictionary_LSD2015)

```

dfm

Create a document-feature matrix

Description

Construct a sparse document-feature matrix, from a character, [corpus](#), [tokens](#), or even other [dfm](#) object.

Usage

```

dfm(
  x,
  tolower = TRUE,
  remove_padding = FALSE,
  verbose = quanteda_options("verbose"),
  ...
)

```

Arguments

x	a tokens or dfm object
tolower	convert all features to lowercase
remove_padding	logical; if TRUE, remove the "pads" left as empty tokens after calling tokens() or tokens_remove() with padding = TRUE
verbose	display messages if TRUE
...	not used directly

Value

a [dfm](#) object

Changes in version 3

In **quanteda** v3, many convenience functions formerly available in `dfm()` were deprecated. Formerly, `dfm()` could be called directly on a character or corpus object, but we now steer users to tokenise their inputs first using `tokens()`. Other convenience arguments to `dfm()` were also removed, such as `select`, `dictionary`, `thesaurus`, and `groups`. All of these functions are available elsewhere, e.g. through `dfm_group()`. See `news(Version >= "2.9", package = "quanteda")` for details.

See Also

[dfm_select\(\)](#), [dfm](#)

Examples

```
## for a corpus
toks <- data_corpus_inaugural %>%
  corpus_subset(Year > 1980) %>%
  tokens()
dfm(tok)

# removal options
toks <- tokens(c("a b c", "A B C D")) %>%
  tokens_remove("b", padding = TRUE)
toks
dfm(tok)
dfm(tok, remove = "") # remove "pads"

# preserving case
dfm(tok, tolower = FALSE)
```

dfm_compress

Recombine a dfm or fcm by combining identical dimension elements

Description

"Compresses" or groups a [dfm](#) or [fcm](#) whose dimension names are the same, for either documents or features. This may happen, for instance, if features are made equivalent through application of a thesaurus. It could also be needed after a `cbind.dfm()` or `rbind.dfm()` operation. In most cases, you will not need to call `dfm_compress`, since it is called automatically by functions that change the dimensions of the dfm, e.g. `dfm_tolower()`.

Usage

```
dfm_compress(x, margin = c("both", "documents", "features"))

fcm_compress(x)
```

Arguments

x	input object, a dfm or fcm
margin	character indicating on which margin to compress a dfm, either "documents", "features", or "both" (default). For fcm objects, "documents" has no effect.

Value

dfm_compress returns a [dfm](#) whose dimensions have been recombined by summing the cells across identical dimension names ([docnames](#) or [featnames](#)). The [docvars](#) will be preserved for combining by features but not when documents are combined.

fcm_compress returns an [fcm](#) whose features have been recombined by combining counts of identical features, summing their counts.

Note

fcm_compress works only when the [fcm](#) was created with a document context.

Examples

```
# dfm_compress examples
dfmat <- rbind(dfm(tokens(c("b A A", "C C a b B")), tolower = FALSE),
              dfm(tokens("A C C C C C"), tolower = FALSE))
colnames(dfmat) <- char_tolower(featnames(dfmat))
dfmat
dfm_compress(dfmat, margin = "documents")
dfm_compress(dfmat, margin = "features")
dfm_compress(dfmat)

# no effect if no compression needed
dfmatsubset <- dfm(tokens(data_corpus_inaugural[1:5]))
dim(dfmatsubset)
dim(dfm_compress(dfmatsubset))

# compress an fcm
fcmat1 <- fcm(tokens("A D a C E a d F e B A C E D"),
              context = "window", window = 3)
## this will produce an error:
# fcm_compress(fcmat1)

txt <- c("The fox JUMPED over the dog.",
        "The dog jumped over the fox.")
toks <- tokens(txt, remove_punct = TRUE)
fcmat2 <- fcm(toks, context = "document")
colnames(fcmat2) <- rownames(fcmat2) <- tolower(colnames(fcmat2))
colnames(fcmat2)[5] <- rownames(fcmat2)[5] <- "fox"
fcmat2
fcm_compress(fcmat2)
```

dfm_group

*Combine documents in a dfm by a grouping variable***Description**

Combine documents in a [dfm](#) by a grouping variable, by summing the cell frequencies within group and creating new "documents" with the group labels.

Usage

```
dfm_group(x, groups = docid(x), fill = FALSE, force = FALSE)
```

Arguments

x	a dfm
groups	grouping variable for sampling, equal in length to the number of documents. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for groups. See <code>news(Version >= "3.0", package = "quanteda")</code> for details.
fill	logical; if TRUE and groups is a factor, then use all levels of the factor when forming the new documents of the grouped object. This will result in a new "document" with empty content for levels not observed, but for which an empty document may be needed. If groups is a factor of dates, for instance, then <code>fill = TRUE</code> ensures that the new object will consist of one new "document" by date, regardless of whether any documents previously existed with that date. Has no effect if the groups variable(s) are not factors.
force	logical; if TRUE, group by summing existing counts, even if the dfm has been weighted. This can result in invalid sums, such as adding log counts (when a dfm has been weighted by "logcount" for instance using <code>dfm_weight()</code>). Not needed when the term weight schemes "count" and "prop".

Value

`dfm_group` returns a [dfm](#) whose documents are equal to the unique group combinations, and whose cell values are the sums of the previous values summed by group. Document-level variables that have no variation within groups are saved in [docvars](#). Document-level variables that are lists are dropped from grouping, even when these exhibit no variation within groups.

Examples

```
corp <- corpus(c("a a b", "a b c c", "a c d d", "a c c d"),
              docvars = data.frame(grp = c("grp1", "grp1", "grp2", "grp2")))
dfmat <- dfm(tokens(corp))
dfm_group(dfmat, groups = grp)
dfm_group(dfmat, groups = c(1, 1, 2, 2))

# with fill = TRUE
```

```
dfm_group(dfmat, fill = TRUE,
          groups = factor(c("A", "A", "B", "C"), levels = LETTERS[1:4]))
```

dfm_lookup

Apply a dictionary to a dfm

Description

Apply a dictionary to a dfm by looking up all dfm features for matches in a set of [dictionary](#) values, and replace those features with a count of the dictionary's keys. If `exclusive = FALSE` then the behaviour is to apply a "thesaurus", where each value match is replaced by the dictionary key, converted to capitals if `capkeys = TRUE` (so that the replacements are easily distinguished from features that were terms found originally in the document).

Usage

```
dfm_lookup(
  x,
  dictionary,
  levels = 1:5,
  exclusive = TRUE,
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  capkeys = !exclusive,
  nomatch = NULL,
  verbose = quanteda_options("verbose")
)
```

Arguments

<code>x</code>	the dfm to which the dictionary will be applied
<code>dictionary</code>	a dictionary class object
<code>levels</code>	levels of entries in a hierarchical dictionary that will be applied
<code>exclusive</code>	if TRUE, remove all features not in dictionary, otherwise, replace values in dictionary with keys while leaving other features unaffected
<code>valuetype</code>	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
<code>case_insensitive</code>	logical; if TRUE, ignore case when matching a pattern or dictionary values
<code>capkeys</code>	if TRUE, convert dictionary keys to uppercase to distinguish them from other features
<code>nomatch</code>	an optional character naming a new feature that will contain the counts of features of <code>x</code> not matched to a dictionary key. If NULL (default), do not tabulate unmatched features.
<code>verbose</code>	print status messages if TRUE

Note

If using `dfm_lookup` with dictionaries containing multi-word values, matches will only occur if the features themselves are multi-word or formed from ngrams. A better way to match dictionary values that include multi-word patterns is to apply `tokens_lookup()` to the tokens, and then construct the `dfm`.

See Also

`dfm_replace`

Examples

```
dict <- dictionary(list(christmas = c("Christmas", "Santa", "holiday"),
                      opposition = c("Opposition", "reject", "notincorporus"),
                      taxglob = "tax*",
                      taxregex = "tax.+$",
                      country = c("United_States", "Sweden")))
dfmat <- dfm(tokens(c("My Christmas was ruined by your opposition tax plan.",
                    "Does the United_States or Sweden have more progressive taxation?")),
            remove = stopwords("english"))
dfmat

# glob format
dfm_lookup(dfmat, dict, valuetype = "glob")
dfm_lookup(dfmat, dict, valuetype = "glob", case_insensitive = FALSE)

# regex v. glob format: note that "united_states" is a regex match for "tax*"
dfm_lookup(dfmat, dict, valuetype = "glob")
dfm_lookup(dfmat, dict, valuetype = "regex", case_insensitive = TRUE)

# fixed format: no pattern matching
dfm_lookup(dfmat, dict, valuetype = "fixed")
dfm_lookup(dfmat, dict, valuetype = "fixed", case_insensitive = FALSE)

# show unmatched tokens
dfm_lookup(dfmat, dict, nomatch = "_UNMATCHED")
```

dfm_match

Match the feature set of a dfm to given feature names

Description

Match the feature set of a `dfm` to a specified vector of feature names. For existing features in `x` for which there is an exact match for an element of features, these will be included. Any features in `x` not features will be discarded, and any feature names specified in features but not found in `x` will be added with all zero counts.

Usage

```
dfm_match(x, features)
```

Arguments

x	a dfm
features	character; the feature names to be matched in the output dfm

Details

Selecting on another [dfm](#)'s [featnames\(\)](#) is useful when you have trained a model on one dfm, and need to project this onto a test set whose features must be identical. It is also used in [bootstrap_dfm\(\)](#).

Value

A [dfm](#) whose features are identical to those specified in features.

Note

Unlike [dfm_select\(\)](#), this function will add feature names not already present in x. It also provides only fixed, case-sensitive matches. For more flexible feature selection, see [dfm_select\(\)](#).

See Also

[dfm_select\(\)](#)

Examples

```
# matching a dfm to a feature vector
dfm_match(dfm(""), letters[1:5])
dfm_match(data_dfm_lbgexample, c("A", "B", "Z"))
dfm_match(data_dfm_lbgexample, c("B", "newfeat1", "A", "newfeat2"))

# matching one dfm to another
txt <- c("This is text one", "The second text", "This is text three")
(dfmat1 <- dfm(tokens(txt[1:2])))
(dfmat2 <- dfm(tokens(txt[2:3])))
(dfmat3 <- dfm_match(dfmat1, featnames(dfmat2)))
setequal(featnames(dfmat2), featnames(dfmat3))
```

dfm_replace

Replace features in dfm

Description

Substitute features based on vectorized one-to-one matching for lemmatization or user-defined stemming.

Usage

```
dfm_replace(
  x,
  pattern,
  replacement,
  case_insensitive = TRUE,
  verbose = quanteda_options("verbose")
)
```

Arguments

`x` [dfm](#) whose features will be replaced

`pattern` a character vector. See [pattern](#) for more details.

`replacement` if `pattern` is a character vector, then `replacement` must be character vector of equal length, for a 1:1 match.

`case_insensitive` logical; if TRUE, ignore case when matching a `pattern` or [dictionary](#) values

`verbose` print status messages if TRUE

Examples

```
dfmat1 <- dfm(data_corpus_inaugural)

# lemmatization
taxwords <- c("tax", "taxing", "taxed", "taxed", "taxation")
lemma <- rep("TAX", length(taxwords))
featnames(dfm_select(dfmat1, pattern = taxwords))
dfmat2 <- dfm_replace(dfmat1, pattern = taxwords, replacement = lemma)
featnames(dfm_select(dfmat2, pattern = taxwords))

# stemming
feat <- featnames(dfmat1)
featstem <- char_wordstem(feat, "porter")
dfmat3 <- dfm_replace(dfmat1, pattern = feat, replacement = featstem, case_insensitive = FALSE)
identical(dfmat3, dfm_wordstem(dfmat1, "porter"))
```

dfm_sample

Randomly sample documents from a dfm

Description

Take a random sample of documents of the specified size from a `dfm`, with or without replacement, optionally by grouping variables or with probability weights.

Usage

```
dfm_sample(x, size = NULL, replace = FALSE, prob = NULL, by = NULL)
```


Arguments

x	the dfm object whose documents will be sampled
size	a positive number, the number of documents to select; when used with <code>by</code> , the number to select from each group or a vector equal in length to the number of groups defining the samples to be chosen in each category of <code>by</code> . By defining a size larger than the number of documents, it is possible to oversample when <code>replace = TRUE</code> .
replace	if TRUE, sample with replacement
prob	a vector of probability weights for obtaining the elements of the vector being sampled. May not be applied when <code>by</code> is used.
by	optional grouping variable for sampling. This will be evaluated in the <code>docvars</code> data.frame, so that <code>docvars</code> may be referred to by name without quoting. This also changes previous behaviours for <code>by</code> . See <code>news(Version >= "2.9", package = "quanteda")</code> for details.

Value

a [dfm](#) object (re)sampled on the documents, containing the document variables for the documents sampled.

See Also

[sample](#)

Examples

```
set.seed(10)
dfmat <- dfm(tokens(c("a b c c d", "a a c c d d d", "a b b c")))
dfmat
dfm_sample(dfmat)
dfm_sample(dfmat, replace = TRUE)

# by groups
dfmat <- dfm(tokens(data_corpus_inaugural[50:58]))
dfm_sample(dfmat, by = Party, size = 2)
```

dfm_select

Select features from a dfm or fcm

Description

This function selects or removes features from a [dfm](#) or [fcm](#), based on feature name matches with `pattern`. The most common usages are to eliminate features from a `dfm` already constructed, such as stopwords, or to select only terms of interest from a dictionary.

Usage

```
dfm_select(
  x,
  pattern = NULL,
  selection = c("keep", "remove"),
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  min_nchar = NULL,
  max_nchar = NULL,
  padding = FALSE,
  verbose = quanteda_options("verbose")
)
```

```
dfm_remove(x, ...)
```

```
dfm_keep(x, ...)
```

```
fcm_select(
  x,
  pattern = NULL,
  selection = c("keep", "remove"),
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  verbose = quanteda_options("verbose"),
  ...
)
```

```
fcm_remove(x, ...)
```

```
fcm_keep(x, ...)
```

Arguments

<code>x</code>	the dfm or fcm object whose features will be selected
<code>pattern</code>	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
<code>selection</code>	whether to keep or remove the features
<code>valuetype</code>	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
<code>case_insensitive</code>	logical; if TRUE, ignore case when matching a <code>pattern</code> or dictionary values
<code>min_nchar</code> , <code>max_nchar</code>	optional numerics specifying the minimum and maximum length in characters for tokens to be removed or kept; defaults are NULL for no limits. These are applied after (and hence, in addition to) any selection based on pattern matches.
<code>padding</code>	if TRUE, record the number of removed tokens in the first column.

verbose if TRUE, print message about how many pattern were removed
 ... used only for passing arguments from dfm_remove or dfm_keep to dfm_select.
 Cannot include selection.

Details

dfm_remove and fcm_remove are simply a convenience wrappers to calling dfm_select and fcm_select with selection = "remove".

dfm_keep and fcm_keep are simply a convenience wrappers to calling dfm_select and fcm_select with selection = "keep".

Value

A [dfm](#) or [fcm](#) object, after the feature selection has been applied.

For compatibility with earlier versions, when pattern is a [dfm](#) object and selection = "keep", then this will be equivalent to calling [dfm_match\(\)](#). In this case, the following settings are always used: case_insensitive = FALSE, and valuetype = "fixed". This functionality is deprecated, however, and you should use [dfm_match\(\)](#) instead.

Note

This function selects features based on their labels. To select features based on the values of the document-feature matrix, use [dfm_trim\(\)](#).

See Also

[dfm_match\(\)](#)

Examples

```
dfmat <- tokens(c("My Christmas was ruined by your opposition tax plan.",
  "Does the United_States or Sweden have more progressive taxation?")) %>%
  dfm(tolower = FALSE)
dict <- dictionary(list(countries = c("United_States", "Sweden", "France"),
  wordsEndingInY = c("by", "my"),
  notintext = "blahblah"))
dfm_select(dfmat, pattern = dict)
dfm_select(dfmat, pattern = dict, case_insensitive = FALSE)
dfm_select(dfmat, pattern = c("s$", ".y"), selection = "keep", valuetype = "regex")
dfm_select(dfmat, pattern = c("s$", ".y"), selection = "remove", valuetype = "regex")
dfm_select(dfmat, pattern = stopwords("english"), selection = "keep", valuetype = "fixed")
dfm_select(dfmat, pattern = stopwords("english"), selection = "remove", valuetype = "fixed")

# select based on character length
dfm_select(dfmat, min_nchar = 5)

dfmat <- dfm(tokens(c("This is a document with lots of stopwords.",
  "No if, and, or but about it: lots of stopwords.")))
dfmat
dfm_remove(dfmat, stopwords("english"))
```

```
toks <- tokens(c("this contains lots of stopwords",
                "no if, and, or but about it: lots"),
              remove_punct = TRUE)
fcmat <- fcm(toks)
fcmat
fcm_remove(fcmat, stopwords("english"))
```

dfm_sort

Sort a dfm by frequency of one or more margins

Description

Sorts a [dfm](#) by descending frequency of total features, total features in documents, or both.

Usage

```
dfm_sort(x, decreasing = TRUE, margin = c("features", "documents", "both"))
```

Arguments

x	Document-feature matrix created by dfm()
decreasing	logical; if TRUE, the sort will be in descending order, otherwise sort in increasing order
margin	which margin to sort on features to sort by frequency of features, documents to sort by total feature counts in documents, and both to sort by both

Value

A sorted [dfm](#) matrix object

Author(s)

Ken Benoit

Examples

```
dfmat <- dfm(data_corpus_inaugural)
head(dfmat)
head(dfm_sort(dfmat))
head(dfm_sort(dfmat, decreasing = FALSE, "both"))
```

dfm_subset	<i>Extract a subset of a dfm</i>
------------	----------------------------------

Description

Returns document subsets of a dfm that meet certain conditions, including direct logical operations on docvars (document-level variables). `dfm_subset` functions identically to `subset.data.frame()`, using non-standard evaluation to evaluate conditions based on the `docvars` in the dfm.

Usage

```
dfm_subset(x, subset, drop_docid = TRUE, ...)
```

Arguments

<code>x</code>	dfm object to be subsetted
<code>subset</code>	logical expression indicating the documents to keep: missing values are taken as false
<code>drop_docid</code>	if TRUE, docid for documents are removed as the result of subsetting.
<code>...</code>	not used

Details

To select or subset *features*, see `dfm_select()` instead.

When select is a dfm, then the returned dfm will be equal in document dimension and order to the dfm used for selection. This is the document-level version of using `dfm_select()` where `pattern` is a dfm: that function matches features, while `dfm_subset` will match documents.

Value

dfm object, with a subset of documents (and docvars) selected according to arguments

See Also

[subset.data.frame\(\)](#)

Examples

```
corp <- corpus(c(d1 = "a b c d", d2 = "a a b e",
                d3 = "b b c e", d4 = "e e f a b"),
              docvars = data.frame(grp = c(1, 1, 2, 3)))
dfmat <- dfm(tokens(corp))
# selecting on a docvars condition
dfm_subset(dfmat, grp > 1)
# selecting on a supplied vector
dfm_subset(dfmat, c(TRUE, FALSE, TRUE, FALSE))
```

dfm_tfidf

*Weight a dfm by tf-idf***Description**

Weight a dfm by term frequency-inverse document frequency (*tf-idf*), with full control over options. Uses fully sparse methods for efficiency.

Usage

```
dfm_tfidf(
  x,
  scheme_tf = "count",
  scheme_df = "inverse",
  base = 10,
  force = FALSE,
  ...
)
```

Arguments

x	object for which idf or tf-idf will be computed (a document-feature matrix)
scheme_tf	scheme for <code>dfm_weight()</code> ; defaults to "count"
scheme_df	scheme for <code>docfreq()</code> ; defaults to "inverse".
base	the base for the logarithms in the <code>dfm_weight()</code> and <code>docfreq()</code> calls; default is 10
force	logical; if TRUE, apply weighting scheme even if the dfm has been weighted before. This can result in invalid weights, such as as weighting by "prop" after applying "logcount", or after having grouped a dfm using <code>dfm_group()</code> .
...	additional arguments passed to <code>docfreq</code> .

Details

`dfm_tfidf` computes term frequency-inverse document frequency weighting. The default is to use counts instead of normalized term frequency (the relative term frequency within document), but this can be overridden using `scheme_tf = "prop"`.

References

Manning, C. D., Raghavan, P., & Schütze, H. (2008). *Introduction to Information Retrieval*. Cambridge: Cambridge University Press. <https://nlp.stanford.edu/IR-book/pdf/irbookonlinereading.pdf>

Examples

```

dfmat1 <- as.dfm(data_dfm_lbgexample)
head(dfmat1[, 5:10])
head(dfm_tfidf(dfmat1)[, 5:10])
docfreq(dfmat1)[5:15]
head(dfm_weight(dfmat1)[, 5:10])

# replication of worked example from
# https://en.wikipedia.org/wiki/Tf-idf#Example_of_tf.E2.80.93idf
dfmat2 <-
  matrix(c(1,1,2,1,0,0, 1,1,0,0,2,3),
         byrow = TRUE, nrow = 2,
         dimnames = list(docs = c("document1", "document2"),
                           features = c("this", "is", "a", "sample",
                                         "another", "example"))) %>%
  as.dfm()
dfmat2
docfreq(dfmat2)
dfm_tfidf(dfmat2, scheme_tf = "prop") %>% round(digits = 2)

## Not run:
# comparison with tm
if (requireNamespace("tm")) {
  convert(dfmat2, to = "tm") %>% tm::weightTfIdf() %>% as.matrix()
  # same as:
  dfm_tfidf(dfmat2, base = 2, scheme_tf = "prop")
}

## End(Not run)

```

dfm_tolower

Convert the case of the features of a dfm and combine

Description

dfm_tolower() and dfm_toupper() convert the features of the dfm or fcm to lower and upper case, respectively, and then recombine the counts.

Usage

```
dfm_tolower(x, keep_acronyms = FALSE)
```

```
dfm_toupper(x)
```

```
fcm_tolower(x, keep_acronyms = FALSE)
```

```
fcm_toupper(x)
```

Arguments

`x` the input object whose character/tokens/feature elements will be case-converted

`keep_acronyms` logical; if TRUE, do not lowercase any all-uppercase words (applies only to *_tolower() functions)

Details

`fcm_tolower()` and `fcm_toupper()` convert both dimensions of the `fcm` to lower and upper case, respectively, and then recombine the counts. This works only on `fcm` objects created with `context = "document"`.

Examples

```
# for a document-feature matrix
dfmat <- dfm(tokens(c("b A A", "C C a b B")), tolower = FALSE)
dfmat
dfm_tolower(dfmat)
dfm_toupper(dfmat)

# for a feature co-occurrence matrix
fcmat <- fcm(tokens(c("b A A d", "C C a b B e")),
             context = "document")
fcmat
fcm_tolower(fcmat)
fcm_toupper(fcmat)
```

dfm_trim

Trim a dfm using frequency threshold-based feature selection

Description

Returns a document by feature matrix reduced in size based on document and term frequency, usually in terms of a minimum frequency, but may also be in terms of maximum frequencies. Setting a combination of minimum and maximum frequencies will select features based on a range.

Feature selection is implemented by considering features across all documents, by summing them for term frequency, or counting the documents in which they occur for document frequency. Rank and quantile versions of these are also implemented, for taking the first n features in terms of descending order of overall global counts or document frequencies, or as a quantile of all frequencies.

Usage

```
dfm_trim(
  x,
  min_termfreq = NULL,
  max_termfreq = NULL,
  termfreq_type = c("count", "prop", "rank", "quantile"),
  min_docfreq = NULL,
```



```

    max_docfreq = NULL,
    docfreq_type = c("count", "prop", "rank", "quantile"),
    sparsity = NULL,
    verbose = quanteda_options("verbose"),
    ...
)

```

Arguments

<code>x</code>	a dfm object
<code>min_termfreq</code> , <code>max_termfreq</code>	minimum/maximum values of feature frequencies across all documents, below/above which features will be removed
<code>termfreq_type</code>	how <code>min_termfreq</code> and <code>max_termfreq</code> are interpreted. "count" sums the frequencies; "prop" divides the term frequencies by the total sum; "rank" is matched against the inverted ranking of features in terms of overall frequency, so that 1, 2, ... are the highest and second highest frequency features, and so on; "quantile" sets the cutoffs according to the quantiles (see quantile()) of term frequencies.
<code>min_docfreq</code> , <code>max_docfreq</code>	minimum/maximum values of a feature's document frequency, below/above which features will be removed
<code>docfreq_type</code>	specify how <code>min_docfreq</code> and <code>max_docfreq</code> are interpreted. "count" is the same as <code>[docfreq](x, scheme = "count")</code> ; "prop" divides the document frequencies by the total sum; "rank" is matched against the inverted ranking of document frequency, so that 1, 2, ... are the features with the highest and second highest document frequencies, and so on; "quantile" sets the cutoffs according to the quantiles (see quantile()) of document frequencies.
<code>sparsity</code>	equivalent to <code>1 - min_docfreq</code> , included for comparison with tm
<code>verbose</code>	print messages
<code>...</code>	not used

Value

A [dfm](#) reduced in features (with the same number of documents)

Note

Trimming a [dfm](#) object is an operation based on the *values* in the document-feature matrix. To select subsets of a [dfm](#) based on the features themselves (meaning the feature labels from [featnames\(\)](#)) – such as those matching a regular expression, or removing features matching a stopwords list, use [dfm_select\(\)](#).

See Also

[dfm_select\(\)](#), [dfm_sample\(\)](#)

Examples

```
(dfmat <- dfm(data_corpus_inaugural[1:5]))

# keep only words occurring >= 10 times and in >= 2 documents
dfm_trim(dfmat, min_termfreq = 10, min_docfreq = 2)

# keep only words occurring >= 10 times and in at least 0.4 of the documents
dfm_trim(dfmat, min_termfreq = 10, min_docfreq = 0.4)

# keep only words occurring <= 10 times and in <=2 documents
dfm_trim(dfmat, max_termfreq = 10, max_docfreq = 2)

# keep only words occurring <= 10 times and in at most 3/4 of the documents
dfm_trim(dfmat, max_termfreq = 10, max_docfreq = 0.75)

# keep only words occurring 5 times in 1000, and in 2 of 5 of documents
dfm_trim(dfmat, min_docfreq = 0.4, min_termfreq = 0.005, termfreq_type = "prop")

# keep only words occurring frequently (top 20%) and in <=2 documents
dfm_trim(dfmat, min_termfreq = 0.2, max_docfreq = 2, termfreq_type = "quantile")

## Not run:
# compare to removeSparseTerms from the tm package
(dfmattm <- convert(dfmat, "tm"))
tm::removeSparseTerms(dfmattm, 0.7)
dfm_trim(dfmat, min_docfreq = 0.3)
dfm_trim(dfmat, sparsity = 0.7)

## End(Not run)
```

dfm_weight

Weight the feature frequencies in a dfm

Description

Weight the feature frequencies in a dfm

Usage

```
dfm_weight(
  x,
  scheme = c("count", "prop", "propmax", "logcount", "boolean", "augmented", "logave"),
  weights = NULL,
  base = 10,
  k = 0.5,
  smoothing = 0.5,
  force = FALSE
)
```

```
dfm_smooth(x, smoothing = 1)
```

Arguments

x	document-feature matrix created by dfm
scheme	a label of the weight type: count $t_{f_{ij}}$, an integer feature count (default when a dfm is created) prop the proportion of the feature counts of total feature counts (aka relative frequency), calculated as $t_{f_{ij}} / \sum_j t_{f_{ij}}$ propmax the proportion of the feature counts of the highest feature count in a document, $t_{f_{ij}} / \max_j t_{f_{ij}}$ logcount take the 1 + the logarithm of each count, for the given base, or 0 if the count was zero: $1 + \log_{base}(t_{f_{ij}})$ if $t_{f_{ij}} > 0$, or 0 otherwise. boolean recode all non-zero counts as 1 augmented equivalent to $k + (1 - k) * \text{dfm_weight}(x, \text{"propmax"})$ logave $(1 + \text{the log of the counts}) / (1 + \text{log of the average count within document})$, or $\frac{1 + \log_{base} t_{f_{ij}}}{1 + \log_{base} (\sum_j t_{f_{ij}} / N_i)}$ logsmooth log of the counts + smooth, or $t_{f_{ij}} + s$
weights	if scheme is unused, then weights can be a named numeric vector of weights to be applied to the dfm, where the names of the vector correspond to feature labels of the dfm, and the weights will be applied as multipliers to the existing feature counts for the corresponding named features. Any features not named will be assigned a weight of 1.0 (meaning they will be unchanged).
base	base for the logarithm when scheme is "logcount" or logave
k	the k for the augmentation when scheme = "augmented"
smoothing	constant added to the dfm cells for smoothing, default is 1 for dfm_smooth() and 0.5 for dfm_weight()
force	logical; if TRUE, apply weighting scheme even if the dfm has been weighted before. This can result in invalid weights, such as as weighting by "prop" after applying "logcount", or after having grouped a dfm using dfm_group() .

Value

dfm_weight returns the dfm with weighted values. Note the because the default weighting scheme is "count", simply calling this function on an unweighted dfm will return the same object. Many users will want the normalized dfm consisting of the proportions of the feature counts within each document, which requires setting scheme = "prop".

dfm_smooth returns a dfm whose values have been smoothed by adding the smoothing amount. Note that this effectively converts a matrix from sparse to dense format, so may exceed memory requirements depending on the size of your input matrix.

References

Manning, C.D., Raghavan, P., & Schütze, H. (2008). *An Introduction to Information Retrieval*. Cambridge: Cambridge University Press. <https://nlp.stanford.edu/IR-book/pdf/irbookonlinereading.pdf>

See Also

[docfreq\(\)](#)

Examples

```
dfmat1 <- dfm(data_corpus_inaugural)

dfmat2 <- dfm_weight(dfmat1, scheme = "prop")
topfeatures(dfmat2)
dfmat3 <- dfm_weight(dfmat1)
topfeatures(dfmat3)
dfmat4 <- dfm_weight(dfmat1, scheme = "logcount")
topfeatures(dfmat4)
dfmat5 <- dfm_weight(dfmat1, scheme = "logave")
topfeatures(dfmat5)

# combine these methods for more complex dfm_weightings, e.g. as in Section 6.4
# of Introduction to Information Retrieval
head(dfm_tfidf(dfmat1, scheme_tf = "logcount"))

# apply numeric weights
str <- c("apple is better than banana", "banana banana apple much better")
(dfmat6 <- dfm(str, remove = stopwords("english")))
dfm_weight(dfmat6, weights = c(apple = 5, banana = 3, much = 0.5))

# smooth the dfm
dfmat <- dfm(data_corpus_inaugural)
dfm_smooth(dfmat, 0.5)
```

dictionary

Create a dictionary

Description

Create a **quanteda** dictionary class object, either from a list or by importing from a foreign format. Currently supported input file formats are the WordStat, LIWC, Lexicoder v2 and v3, and Yoshikoder formats. The import using the LIWC format works with all currently available dictionary files supplied as part of the LIWC 2001, 2007, and 2015 software (see References).

Usage

```
dictionary(
  x,
  file = NULL,
  format = NULL,
  separator = " ",
  tolower = TRUE,
  encoding = "utf-8"
)
```

Arguments

x	a named list of character vector dictionary entries, including valuetype pattern matches, and including multi-word expressions separated by concatenator. See examples. This argument may be omitted if the dictionary is read from file.
file	file identifier for a foreign dictionary
format	character identifier for the format of the foreign dictionary. If not supplied, the format is guessed from the dictionary file's extension. Available options are: "wordstat" format used by Provalis Research's WordStat software "LIWC" format used by the Linguistic Inquiry and Word Count software "yoshikoder" format used by Yoshikoder software "lexicoder" format used by Lexicoder "YAML" the standard YAML format
separator	the character in between multi-word dictionary values. This defaults to " ".
tolower	if TRUE, convert all dictionary values to lowercase
encoding	additional optional encoding value for reading in imported dictionaries. This uses the iconv labels for encoding. See the "Encoding" section of the help for file.

Details

Dictionaries can be subsetting using `[` and `[[`, operating the same as the equivalent [list](#) operators.

Dictionaries can be coerced from lists using `as.dictionary()`, coerced to named lists of characters using `as.list()`, and checked using `is.dictionary()`.

Value

A dictionary class object, essentially a specially classed named list of characters.

References

WordStat dictionaries page, from Provalis Research <https://provalisresearch.com/products/content-analysis-software/wordstat-dictionary/>.

Pennebaker, J.W., Chung, C.K., Ireland, M., Gonzales, A., & Booth, R.J. (2007). The development and psychometric properties of LIWC2007. [Software manual]. Austin, TX (<https://liwc.net>).

Yoshikoder page, from Will Lowe <https://conjugateprior.org/software/yoshikoder/>.
Lexicoder format, <http://www.snsoroka.com/data-lexicoder/>

See Also

[dfm](#), [as.dictionary\(\)](#), [as.list\(\)](#), [is.dictionary\(\)](#)

Examples

```
corp <- corpus_subset(data_corpus_inaugural, Year>1900)
dict <- dictionary(list(christmas = c("Christmas", "Santa", "holiday"),
                      opposition = c("Opposition", "reject", "notinacorus"),
                      taxing = "taxing",
                      taxation = "taxation",
                      taxregex = "tax*",
                      country = "america"))
head(dfm(tokens(corp), dictionary = dict))

# subset a dictionary
dict[1:2]
dict[c("christmas", "opposition")]
dict[["opposition"]]

# combine dictionaries
c(dict["christmas"], dict["country"])

## Not run:
# import the Laver-Garry dictionary from Provalis Research
dictfile <- tempfile()
download.file("https://provalisresearch.com/Download/LaverGarry.zip",
             dictfile, mode = "wb")
unzip(dictfile, exdir = (td <- tempdir()))
dictlg <- dictionary(file = paste(td, "LaverGarry.cat", sep = "/"))
head(dfm(data_corpus_inaugural, dictionary = dictlg))

# import a LIWC formatted dictionary from http://www.moralfoundations.org
download.file("http://bit.ly/37cV95h", tf <- tempfile())
dictliwc <- dictionary(file = tf, format = "LIWC")
head(dfm(data_corpus_inaugural, dictionary = dictliwc))

## End(Not run)
```

docfreq

Compute the (weighted) document frequency of a feature

Description

For a [dfm](#) object, returns a (weighted) document frequency for each term. The default is a simple count of the number of documents in which a feature occurs more than a given frequency threshold. (The default threshold is zero, meaning that any feature occurring at least once in a document will be counted.)

Usage

```
docfreq(
  x,
  scheme = c("count", "inverse", "inversemax", "inverseprob", "unary"),
  base = 10,
  smoothing = 0,
  k = 0,
  threshold = 0
)
```

Arguments

x	a dfm
scheme	type of document frequency weighting, computed as follows, where N is defined as the number of documents in the dfm and s is the smoothing constant: count df_j , the number of documents for which $n_{ij} > threshold$ inverse
	$\log_{base} \left(s + \frac{N}{k + df_j} \right)$
	inversemax
	$\log_{base} \left(s + \frac{\max(df_j)}{k + df_j} \right)$
	inverseprob
	$\log_{base} \left(\frac{N - df_j}{k + df_j} \right)$
	unary 1 for each feature
base	the base with respect to which logarithms in the inverse document frequency weightings are computed; default is 10 (see Manning, Raghavan, and Schütze 2008, p123).
smoothing	added to the quotient before taking the logarithm
k	added to the denominator in the "inverse" weighting types, to prevent a zero document count for a term
threshold	numeric value of the threshold <i>above which</i> a feature will considered in the computation of document frequency. The default is 0, meaning that a feature's document frequency will be the number of documents in which it occurs greater than zero times.

Value

a numeric vector of document frequencies for each feature

References

Manning, C. D., Raghavan, P., & Schütze, H. (2008). *Introduction to Information Retrieval*. Cambridge: Cambridge University Press. <https://nlp.stanford.edu/IR-book/pdf/irbookonlinereading.pdf>

Examples

```
dfmat1 <- dfm(data_corpus_inaugural[1:2])
docfreq(dfmat1[, 1:20])

# replication of worked example from
# https://en.wikipedia.org/wiki/Tf-idf#Example_of_tf.E2.80.93idf
dfmat2 <-
  matrix(c(1,1,2,1,0,0, 1,1,0,0,2,3),
        byrow = TRUE, nrow = 2,
        dimnames = list(docs = c("document1", "document2"),
                          features = c("this", "is", "a", "sample",
                                       "another", "example"))) %>%
  as.dfm()
dfmat2
docfreq(dfmat2)
docfreq(dfmat2, scheme = "inverse")
docfreq(dfmat2, scheme = "inverse", k = 1, smoothing = 1)
docfreq(dfmat2, scheme = "unary")
docfreq(dfmat2, scheme = "inversemax")
docfreq(dfmat2, scheme = "inverseprob")
```

docnames

Get or set document names

Description

Get or set the document names of a [corpus](#), [tokens](#), or [dfm](#) object.

Usage

```
docnames(x)
```

```
docnames(x) <- value
```

```
docid(x)
```

Arguments

x the object with docnames

value a character vector of the same length as x

Value

docnames returns a character vector of the document names

docnames <- assigns new values to the document names of an object. docnames can only be character, so any non-character value assigned to be a docname will be coerced to mode character.

docid returns an internal variable denoting the original "docname" from which a document came. Unless an object has been reshaped (e.g. `corpus_reshape()`), split (e.g. `tokens_split()`), or segmented (e.g. `corpus_segment()`), `docid(x)` will return the docnames.

Note

`docid` is designed primarily for developers, not for end users. In most cases, you will want `docnames` instead. It is, however, the default for `groups`, so that documents that have been previously reshaped (e.g. `corpus_reshape()`), split (e.g. `tokens_split()`), or segmented (e.g. `corpus_segment()`) will be regrouped into their original docnames when `groups = docid(x)`.

See Also

[featnames\(\)](#)

Examples

```
# get and set document names to a corpus
corp <- data_corpus_inaugural
docnames(corp) <- char_tolower(docnames(corp))

# get and set document names to a tokens
toks <- tokens(data_corpus_inaugural)
docnames(toks) <- char_tolower(docnames(toks))

# get and set document names to a dfm
dfmat <- dfm(data_corpus_inaugural[1:5])
docnames(dfmat) <- char_tolower(docnames(dfmat))

# reassign the document names of the inaugural speech corpus
docnames(data_corpus_inaugural) <- paste("Speech", 1:ndoc(data_corpus_inaugural), sep="")

# docid
corp <- corpus(c(textone = "This is a sentence. Another sentence. Yet another.",
                texttwo = "Sentence 1. Sentence 2.))
corpsent <- corp %>%
  corpus_reshape(to = "sentences")
docnames(corpsent)
docid(corpsent)
docid(tokens(corpsent))
docid(dfm(tokens(corpsent)))
```

 docvars

Get or set document-level variables

Description

Get or set variables associated with a document in a [corpus](#), [tokens](#) or [dfm](#) object.

Usage

```
docvars(x, field = NULL)

docvars(x, field = NULL) <- value

## S3 method for class 'corpus'
x$name

## S3 replacement method for class 'corpus'
x$name <- value

## S3 method for class 'tokens'
x$name

## S3 replacement method for class 'tokens'
x$name <- value

## S3 method for class 'dfm'
x$name

## S3 replacement method for class 'dfm'
x$name <- value
```

Arguments

x	corpus , tokens , or dfm object whose document-level variables will be read or set
field	string containing the document-level variable name
value	a vector of document variable values to be assigned to name
name	a literal character string specifying a single docvars name

Value

docvars returns a data.frame of the document-level variables, dropping the second dimension to form a vector if a single docvar is returned.

docvars<- assigns value to the named field

Accessing or assigning docvars using the \$ operator

As of [quanteda](#) v2, it is possible to access and assign a docvar using the \$ operator. See Examples.

Note

Reassigning document variables for a `tokens` or `dfm` object is allowed, but discouraged. A better, more reproducible workflow is to create your docvars as desired in the `corpus`, and let these continue to be attached "downstream" after tokenization and forming a document-feature matrix. Recognizing that in some cases, you may need to modify or add document variables to downstream objects, the assignment operator is defined for `tokens` or `dfm` objects as well. Use with caution.

Examples

```
# retrieving docvars from a corpus
head(docvars(data_corpus_inaugural))
tail(docvars(data_corpus_inaugural, "President"), 10)
head(data_corpus_inaugural$President)

# assigning document variables to a corpus
corp <- data_corpus_inaugural
docvars(corp, "President") <- paste("prez", 1:ndoc(corp), sep = "")
head(docvars(corp))
corp$fullname <- paste(data_corpus_inaugural$FirstName,
                      data_corpus_inaugural$President)
tail(corp$fullname)

# accessing or assigning docvars for a corpus using "$"
data_corpus_inaugural$Year
data_corpus_inaugural$century <- floor(data_corpus_inaugural$Year / 100)
data_corpus_inaugural$century

# accessing or assigning docvars for tokens using "$"
toks <- tokens(corpus_subset(data_corpus_inaugural, Year <= 1805))
toks$Year
toks$Year <- 1991:1995
toks$Year
toks$nonexistent <- TRUE
docvars(toks)

# accessing or assigning docvars for a dfm using "$"
dfmat <- dfm(toks)
dfmat$Year
dfmat$Year <- 1991:1995
dfmat$Year
dfmat$nonexistent <- TRUE
docvars(dfmat)
```

Description

Create a sparse feature co-occurrence matrix, measuring co-occurrences of features within a user-defined context. The context can be defined as a document or a window within a collection of documents, with an optional vector of weights applied to the co-occurrence counts.

Usage

```
fcm(
  x,
  context = c("document", "window"),
  count = c("frequency", "boolean", "weighted"),
  window = 5L,
  weights = NULL,
  ordered = FALSE,
  tri = TRUE,
  ...
)
```

Arguments

<code>x</code>	a tokens , or dfm object from which to generate the feature co-occurrence matrix
<code>context</code>	the context in which to consider term co-occurrence: "document" for co-occurrence counts within document; "window" for co-occurrence within a defined window of words, which requires a positive integer value for window. Note: if <code>x</code> is a <code>dfm</code> object, then context can only be "document".
<code>count</code>	how to count co-occurrences: "frequency" count the number of co-occurrences within the context "boolean" count only the co-occurrence or not within the context, irrespective of how many times it occurs. "weighted" count a weighted function of counts, typically as a function of distance from the target feature. Only makes sense for <code>context = "window"</code> .
<code>window</code>	positive integer value for the size of a window on either side of the target feature, default is 5, meaning 5 words before and after the target feature
<code>weights</code>	a vector of weights applied to each distance from 1:window, strictly decreasing by default; can be a custom-defined vector of the same length as window
<code>ordered</code>	if TRUE, count only the forward co-occurrences for each target token for bigram models, so that the <code>i, j</code> cell of the <code>fcm</code> is the number of times that token <code>j</code> occurs before the target token <code>i</code> within the window. Only makes sense for <code>context = "window"</code> , and when <code>ordered = TRUE</code> , the argument <code>tri</code> has no effect.
<code>tri</code>	if TRUE return only upper triangle (including diagonal). Ignored if <code>ordered = TRUE</code> .
<code>...</code>	not used here

Details

The function `fcm()` provides a very general implementation of a "context-feature" matrix, consisting of a count of feature co-occurrence within a defined context. This context, following Momtazi et. al. (2010), can be defined as the *document*, *sentences* within documents, *syntactic relationships* between features (nouns within a sentence, for instance), or according to a *window*. When the context is a window, a weighting function is typically applied that is a function of distance from the target word (see Jurafsky and Martin 2015, Ch. 16) and ordered co-occurrence of the two features is considered (see Church & Hanks 1990).

`fcm` provides all of this functionality, returning a $V * V$ matrix (where V is the vocabulary size, returned by `nfeat()`). The `tri = TRUE` option will only return the upper part of the matrix.

Unlike some implementations of co-occurrences, `fcm` counts feature co-occurrences with themselves, meaning that the diagonal will not be zero.

`fcm` also provides "boolean" counting within the context of "window", which differs from the counting within "document".

i.e. `fcm(x)` returns TRUE if and only if its `x` is an object of type `fcm`.

Author(s)

Kenneth Benoit (R), Haiyan Wang (R, C++), Kohei Watanabe (C++)

References

Momtazi, S., Khudanpur, S., & Klakow, D. (2010). "A comparative study of word co-occurrence for term clustering in language model-based sentence retrieval." *Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the ACL*, Los Angeles, California, June 2010, 325-328.

Jurafsky, D. & Martin, J.H. (2018). From *Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition*. Draft of September 23, 2018 (Chapter 6, Vector Semantics). Available at <https://web.stanford.edu/~jurafsky/slp3/>.

Church, K. W. & P. Hanks (1990). *Word association norms, mutual information, and lexicography*. *Computational Linguistics*, 16(1), 22-29.

Examples

```
# see http://bit.ly/29b2z0A
toks1 <- tokens(c("A D A C E A D F E B A C E D"))
fcm(tok1, context = "window", window = 2)
fcm(tok1, context = "window", count = "weighted", window = 3)
fcm(tok1, context = "window", count = "weighted", window = 3,
    weights = c(3, 2, 1), ordered = TRUE, tri = FALSE)

# with multiple documents
toks2 <- tokens(c("a a a b b c", "a a c e", "a c e f g"))
fcm(tok2, context = "document", count = "frequency")
fcm(tok2, context = "document", count = "boolean")
fcm(tok2, context = "window", window = 2)
```

```
txt3 <- c("The quick brown fox jumped over the lazy dog.",
         "The dog jumped and ate the fox.")
toks3 <- tokens(char_to_lower(txt3), remove_punct = TRUE)
fcm(tok3, context = "document")
fcm(tok3, context = "window", window = 3)
```

fcm_sort

Sort an fcm in alphabetical order of the features

Description

Sorts an [fcm](#) in alphabetical order of the features.

Usage

```
fcm_sort(x)
```

Arguments

x [fcm](#) object

Value

A [fcm](#) object whose features have been alphabetically sorted. Differs from [fcm_sort\(\)](#) in that this function sorts the fcm by the feature labels, not the counts of the features.

Author(s)

Kenneth Benoit

Examples

```
# with tri = FALSE
fcmat1 <- fcm(tokens(c("A X Y C B A", "X Y C A B B")), tri = FALSE)
rownames(fcmat1)[3] <- colnames(fcmat1)[3] <- "Z"
fcmat1
fcm_sort(fcmat1)

# with tri = TRUE
fcmat2 <- fcm(tokens(c("A X Y C B A", "X Y C A B B")), tri = TRUE)
rownames(fcmat2)[3] <- colnames(fcmat2)[3] <- "Z"
fcmat2
fcm_sort(fcmat2)
```

featfreq	<i>Compute the frequencies of features</i>
----------	--

Description

For a [dfm](#) object, returns a frequency for each feature, computed across all documents in the dfm. This is equivalent to `colSums(x)`.

Usage

```
featfreq(x)
```

Arguments

x a [dfm](#)

Value

a (named) numeric vector of feature frequencies

See Also

[dfm_tfidf\(\)](#), [dfm_weight\(\)](#)

Examples

```
dfmat <- dfm(data_char_sampletext)
featfreq(dfmat)
```

featnames	<i>Get the feature labels from a dfm</i>
-----------	--

Description

Get the features from a document-feature matrix, which are stored as the column names of the [dfm](#) object.

Usage

```
featnames(x)
```

Arguments

x the dfm whose features will be extracted

Value

character vector of the feature labels

Examples

```
dfmat <- dfm(data_corpus_inaugural)

# first 50 features (in original text order)
head(featnames(dfmat), 50)

# first 50 features alphabetically
head(sort(featnames(dfmat)), 50)

# contrast with descending total frequency order from topfeatures()
names(topfeatures(dfmat, 50))
```

index

Locate a pattern in a tokens object

Description

Locates a [pattern](#) within a tokens object, returning the index positions of the beginning and ending tokens in the pattern.

Usage

```
index(
  x,
  pattern,
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE
)

is.index(x)
```

Arguments

x	an input tokens object
pattern	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
valuetype	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
case_insensitive	logical; if TRUE, ignore case when matching a pattern or dictionary values

Value

a data.frame consisting of one row per pattern match, with columns for the document name, index positions from and to, and the pattern matched.

is.index returns TRUE if the object was created by `index()`; FALSE otherwise.

Examples

```
toks <- tokens(data_corpus_inaugural[1:8])
index(toks, pattern = "secure*")
index(toks, pattern = c("secure*", phrase("united states"))) %>% head()
```

is.collocations	<i>Check if an object is collocations</i>
-----------------	---

Description

Function to check if an object is a collocations object, created by `quanteda.textstats::textstat_collocations()`.

Usage

```
is.collocations(x)
```

Arguments

x object to be checked

Value

TRUE if the object is of class collocations, FALSE otherwise

kwic	<i>Locate keywords-in-context</i>
------	-----------------------------------

Description

For a text or a collection of texts (in a quanteda corpus object), return a list of a keyword supplied by the user in its immediate context, identifying the source text and the word index number within the source text. (Not the line number, since the text may or may not be segmented using end-of-line delimiters.)

Usage

```

kwic(
  x,
  pattern,
  window = 5,
  valuetype = c("glob", "regex", "fixed"),
  separator = " ",
  case_insensitive = TRUE,
  index = NULL,
  ...
)

is.kwic(x)

## S3 method for class 'kwic'
as.data.frame(x, ...)

```

Arguments

<code>x</code>	a character, corpus , or tokens object
<code>pattern</code>	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
<code>window</code>	the number of context words to be displayed around the keyword
<code>valuetype</code>	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
<code>separator</code>	a character to separate words in the output
<code>case_insensitive</code>	logical; if TRUE, ignore case when matching a pattern or dictionary values
<code>index</code>	an index object to specify keywords
<code>...</code>	unused

Value

A `kwic` classed `data.frame`, with the document name (`docname`) and the token index positions (from and to, which will be the same for single-word patterns, or a sequence equal in length to the number of elements for multi-word phrases).

Note

`pattern` will be a keyword pattern or phrase, possibly multiple patterns, that may include punctuation. If a pattern contains whitespace, it is best to wrap it in [phrase\(\)](#) to make this explicit. However if `pattern` is a [collocations](#) or [dictionary](#) object, then the collocations or multi-word dictionary keys will automatically be considered phrases where each whitespace-separated element matches a token in sequence.

See Also[print-methods](#)**Examples**

```
# single token matching
toks <- tokens(data_corpus_inaugural[1:8])
kwic(toks, pattern = "secure*", valuetype = "glob", window = 3)
kwic(toks, pattern = "secur", valuetype = "regex", window = 3)
kwic(toks, pattern = "security", valuetype = "fixed", window = 3)

# phrase matching
kwic(toks, pattern = phrase("secur* against"), window = 2)
kwic(toks, pattern = phrase("war against"), valuetype = "regex", window = 2)

# use index
idx <- index(toks, phrase("secur* against"))
kwic(toks, index = idx, window = 2)
kw <- kwic(tokens(data_corpus_inaugural[1:20]), "provident*")
is.kwic(kw)
is.kwic("Not a kwic")
is.kwic(kw[, c("pre", "post")])

toks <- tokens(data_corpus_inaugural[1:8])
kw <- kwic(toks, pattern = "secure*", valuetype = "glob", window = 3)
as.data.frame(kw)
```

meta

*Get or set object metadata***Description**

Get or set the object metadata in a [corpus](#), [tokens](#), [dfm](#), or [dictionary](#) object. With the exception of dictionaries, this will be corpus-level metadata.

Usage

```
meta(x, field = NULL, type = c("user", "object", "system", "all"))
```

```
meta(x, field = NULL) <- value
```

Arguments

x	an object for which the metadata will be read or set
field	metadata field name(s); if NULL (default), return all metadata names
type	"user" for user-provided corpus-level metadata; "system" for metadata set automatically when the corpus is created; or "all" for all metadata.
value	new value of the metadata field

Value

For `meta`, a named list of the metadata fields in the corpus.

For `meta <-`, the corpus with the updated user-level metadata. Only user-level metadata may be assigned.

Examples

```
meta(data_corpus_inaugural)
meta(data_corpus_inaugural, "source")
meta(data_corpus_inaugural, "citation") <- "Presidential Speeches Online Project (2014)."
```

ndoc

Count the number of documents or features

Description

Get the number of documents or features in an object.

Usage

```
ndoc(x)
```

```
nfeat(x)
```

Arguments

`x` a **quanteda** object: a [corpus](#), [dfm](#), or [tokens](#) object, or a `readtext` object from the **readtext** package.

Details

`ndoc` returns the number of documents in an object whose texts are organized as "documents" (a [corpus](#), [dfm](#), or [tokens](#) object, a `readtext` object from the **readtext** package).

`nfeat` returns the number of features from a `dfm`; it is an alias for `ntype` when applied to `dfm` objects. This function is only defined for `dfm` objects because only these have "features". (To count tokens, see `ntoken`.)

Value

an integer (count) of the number of documents or features

See Also

[n_{token}](#)()

Examples

```
# number of documents
ndoc(data_corpus_inaugural)
ndoc(corpus_subset(data_corpus_inaugural, Year > 1980))
ndoc(tokens(data_corpus_inaugural))
ndoc(dfm(tokens(corpus_subset(data_corpus_inaugural, Year > 1980))))

# number of features
toks1 <- tokens(corpus_subset(data_corpus_inaugural, Year > 1980), remove_punct = FALSE)
toks2 <- tokens(corpus_subset(data_corpus_inaugural, Year > 1980), remove_punct = TRUE)
nfeat(dfm(tok1))
nfeat(dfm(tok2))
```

nsentence

Count the number of sentences

Description

Return the count of sentences in a corpus or character object.

Usage

```
nsentence(x)
```

Arguments

x a character or [corpus](#) whose sentences will be counted

Value

count(s) of the total sentences per text

Note

nsentence() relies on the boundaries definitions in the **stringi** package (see [stri_opts_brkiter](#)). It does not count sentences correctly if the text has been transformed to lower case, and for this reason nsentence() will issue a warning if it detects all lower-cased text.

Examples

```
# simple example
txt <- c(text1 = "This is a sentence: second part of first sentence.",
        text2 = "A word. Repeated repeated.",
        text3 = "Mr. Jones has a PhD from the LSE. Second sentence.")
nsentence(txt)
```

ntoken	<i>Count the number of tokens or types</i>
--------	--

Description

Get the count of tokens (total features) or types (unique tokens).

Usage

```
ntoken(x, ...)
```

```
ntype(x, ...)
```

Arguments

x	a quanteda object: a character, corpus , tokens , or dfm object
...	additional arguments passed to tokens()

Details

The precise definition of "tokens" for objects not yet tokenized (e.g. [character](#) or [corpus](#) objects) can be controlled through optional arguments passed to [tokens\(\)](#) through ...

For [dfm](#) objects, `ntype` will only return the count of features that occur more than zero times in the `dfm`.

Value

named integer vector of the counts of the total tokens or types

Note

Due to differences between raw text tokens and features that have been defined for a [dfm](#), the counts may be different for `dfm` objects and the texts from which the `dfm` was generated. Because the method tokenizes the text in order to count the tokens, your results will depend on the options passed through to [tokens\(\)](#).

Examples

```
# simple example
txt <- c(text1 = "This is a sentence, this.", text2 = "A word. Repeated repeated.")
ntoken(txt)
ntype(txt)
ntoken(char_tolower(txt)) # same
ntype(char_tolower(txt)) # fewer types
ntoken(char_tolower(txt), remove_punct = TRUE)
ntype(char_tolower(txt), remove_punct = TRUE)

# with some real texts
```

```
ntoken(corpus_subset(data_corpus_inaugural, Year < 1806), remove_punct = TRUE)
ntype(corpus_subset(data_corpus_inaugural, Year < 1806), remove_punct = TRUE)
ntoken(dfm(tokens(corpus_subset(data_corpus_inaugural, Year < 1800))))
ntype(dfm(tokens(corpus_subset(data_corpus_inaugural, Year < 1800))))
```

 phrase

Declare a pattern to be a sequence of separate patterns

Description

Declares that a character expression consists of multiple patterns, separated by an element such as whitespace. This is typically used as a wrapper around [pattern\(\)](#) to make it explicit that the pattern elements are to be used for matches to multi-word sequences, rather than individual, unordered matches to single words.

Usage

```
phrase(x, separator = " ")
```

```
as.phrase(x)
```

```
is.phrase(x)
```

Arguments

x	character, dictionary , list, collocations, or tokens object; the compound patterns to be treated as a sequence separated by separator. For list, collocations, or tokens objects, use <code>as.phrase()</code> .
separator	character; the character in between the patterns. This defaults to " ". For <code>phrase()</code> only.

Value

`phrase()` and `as.phrase()` return a specially classed list whose elements have been split into separate character (pattern) elements.

`is.phrase` returns TRUE if the object was created by [phrase\(\)](#); FALSE otherwise.

See Also

[as.phrase\(\)](#)

Examples

```

# make phrases from characters
phrase(c("natural language processing"))
phrase(c("natural_language_processing", "text_analysis"), separator = "_")

# from a dictionary
phrase(dictionary(list(catone = c("a b"), cattwo = "c d e", catthree = "f")))

# from a list
as.phrase(list(c("natural", "language", "processing")))

# from tokens
as.phrase(tokens("natural language processing"))

```

print-methods

Print methods for quanteda core objects

Description

Print method for **quanteda** objects. In each `max_n*` option, 0 shows none, and -1 shows all.

Usage

```

## S3 method for class 'corpus'
print(
  x,
  max_ndoc = quanteda_options("print_corpus_max_ndoc"),
  max_nchar = quanteda_options("print_corpus_max_nchar"),
  show_summary = quanteda_options("print_corpus_summary"),
  ...
)

## S4 method for signature 'dfm'
print(
  x,
  max_ndoc = quanteda_options("print_dfm_max_ndoc"),
  max_nfeat = quanteda_options("print_dfm_max_nfeat"),
  show_summary = quanteda_options("print_dfm_summary"),
  ...
)

## S4 method for signature 'dictionary2'
print(
  x,
  max_nkey = quanteda_options("print_dictionary_max_nkey"),
  max_nval = quanteda_options("print_dictionary_max_nval"),
  show_summary = quanteda_options("print_dictionary_summary"),

```



```

    ...
)

## S4 method for signature 'fcm'
print(
  x,
  max_nfeat = quanteda_options("print_dfm_max_nfeat"),
  show_summary = TRUE,
  ...
)

## S3 method for class 'kwic'
print(
  x,
  max_nrow = quanteda_options("print_kwic_max_nrow"),
  show_summary = quanteda_options("print_kwic_summary"),
  ...
)

## S3 method for class 'tokens'
print(
  x,
  max_ndoc = quanteda_options("print_tokens_max_ndoc"),
  max_ntoken = quanteda_options("print_tokens_max_ntoken"),
  show_summary = quanteda_options("print_tokens_summary"),
  ...
)

```

Arguments

x	the object to be printed
max_ndoc	max number of documents to print; default is from the <code>print*_max_ndoc</code> setting of quanteda_options()
max_nchar	max number of tokens to print; default is from the <code>print_corpus_max_nchar</code> setting of quanteda_options()
show_summary	print a brief summary indicating the number of documents and other characteristics of the object, such as docvars or sparsity.
...	not used
max_nfeat	max number of features to print; default is from the <code>print_dfm_max_nfeat</code> setting of quanteda_options()
max_nkey	max number of keys to print; default is from the <code>print_dictionary_max_max_nkey</code> setting of quanteda_options()
max_nval	max number of values to print; default is from the <code>print_dictionary_max_nval</code> setting of quanteda_options()
max_nrow	max number of documents to print; default is from the <code>print_kwic_max_nrow</code> setting of quanteda_options()

max_ntoken max number of tokens to print; default is from the print_tokens_max_ntoken setting of `quanteda_options()`

See Also

`quanteda_options()`

Examples

```
corp <- corpus(data_char_ukimmig2010)
print(corp, max_ndoc = 3, max_nchar = 40)

toks <- tokens(corp)
print(toks, max_ndoc = 3, max_ntoken = 6)

dfmat <- dfm(toks)
print(dfmat, max_ndoc = 3, max_nfeat = 10)
```

quanteda_options *Get or set package options for quanteda*

Description

Get or set global options affecting functions across **quanteda**.

Usage

```
quanteda_options(..., reset = FALSE, initialize = FALSE)
```

Arguments

... options to be set, as key-value pair, same as `options()`. This may be a list of valid key-value pairs, useful for setting a group of options at once (see examples).

reset logical; if TRUE, reset all **quanteda** options to their default values

initialize logical; if TRUE, reset only the **quanteda** options that are not already defined. Used for setting initial values when some have been defined previously, such as in `.Rprofile`.

Details

Currently available options are:

verbose logical; if TRUE then use this as the default for all functions with a verbose argument

threads integer; specifies the number of threads to use in parallelized functions; defaults to `RcppParallel::defaultNumThreads`
the number of threads can be changed only once in a session

print_dfm_max_ndoc integer; specifies the number of documents to display when using the defaults for printing a dfm

`print_dfm_max_nfeat` integer; specifies the number of features to display when using the defaults for printing a dfm

`base_docname` character; stem name for documents that are unnamed when a corpus, tokens, or dfm are created or when a dfm is converted from another object

`base_featname` character; stem name for features that are unnamed when they are added, for whatever reason, to a dfm through an operation that adds features

`base_compname` character; stem name for components that are created by matrix factorization

`language_stemmer` character; language option for `char_wordstem()`, `tokens_wordstem()`, and `dfm_wordstem()`

`pattern_hashtag`, `pattern_username` character; regex patterns for (social media) hashtags and usernames respectively, used to avoid segmenting these in the default internal "word" tokenizer

`tokens_block_size` integer; specifies the number of documents to be tokenized at a time in blocked tokenization. When the number is large, tokenization becomes faster but also memory-intensive.

`tokens_locale` character; specify locale in stringi boundary detection in tokenization and corpus reshaping. See `stringi::stri_opts_brkiter()`.

Value

When called using a key = value pair (where key can be a label or quoted character name)), the option is set and TRUE is returned invisibly.

When called with no arguments, a named list of the package options is returned.

When called with `reset = TRUE` as an argument, all arguments are options are reset to their default values, and TRUE is returned invisibly.

Examples

```
(opt <- quanteda_options())

quanteda_options(verbose = TRUE)
quanteda_options("verbose" = FALSE)
quanteda_options("threads")
quanteda_options(print_dfm_max_ndoc = 50L)
# reset to defaults
quanteda_options(reset = TRUE)
# reset to saved options
quanteda_options(opt)
```

readtext-methods *Extensions for readtext objects*

Description

These functions provide **quanteda** methods for **readtext** objects.

Arguments

x an object returned by `spacy_parse`, or (for `spacy_parse`) a [corpus](#) object
 ... not used for these functions

Details

`texts(x)` returns the texts from a `readtext` object
`docnames(x)` returns the document names from a `readtext` object
`docvars(x, field = NULL)` returns a `data.frame` of the document variables from a `readtext` object
`ndoc(x)` returns the number of documents from a `readtext` object

spacyr-methods *Extensions for and from spacy_parse objects*

Description

These functions provide **quanteda** methods for **spacyr** objects, and also extend [spacy_parse](#) and [spacy_tokenize](#) to work directly with [corpus](#) objects.

Arguments

x an object returned by `spacy_parse`, or (for `spacy_parse`) a [corpus](#) object
 ... not used for these functions

Details

`spacy_parse(x, ...)` and `spacy_tokenize(x, ...)` work directly on **quanteda corpus** objects.
`docnames(x)` returns the document names
`ndoc(x)` returns the number of documents
`ntoken(x, ...)` returns the number of tokens by document
`ntype(x, ...)` returns the number of types (unique tokens) by document
`nsentence(x)` returns the number of sentences by document

Examples

```
## Not run:
library("spacyr")
spacy_initialize()

corp <- corpus(c(doc1 = "And now, now, now for something completely different.",
                 doc2 = "Jack and Jill are children.))
spacy_tokenize(corp)
(parsed <- spacy_parse(corp))

ntype(parsed)
ntoken(parsed)
ndoc(parsed)
docnames(parsed)

## End(Not run)
```

sparsity

Compute the sparsity of a document-feature matrix

Description

Return the proportion of sparseness of a document-feature matrix, equal to the proportion of cells that have zero counts.

Usage

```
sparsity(x)
```

Arguments

x the document-feature matrix

Examples

```
dfmat <- dfm(data_corpus_inaugural)
sparsity(dfmat)
sparsity(dfm_trim(dfmat, min_termfreq = 5))
```

textmodels

Models for scaling and classification of textual data

Description

The `textmodel_*`() functions formerly in **quanteda** have now been moved to the **quanteda.textmodels** package.

See Also

`quanteda.textmodels::quanteda.textmodels-package`

textplots

Plots for textual data

Description

The `textplot_*`() functions formerly in **quanteda** have now been moved to the **quanteda.textplots** package.

See Also

`quanteda.textplots::quanteda.textplots-package`

textstats

Statistics for textual data

Description

The `textstat_*`() functions formerly in **quanteda** have now been moved to the **quanteda.textstats** package.

See Also

`quanteda.textstats::quanteda.textstats-package`

tokens	<i>Construct a tokens object</i>
--------	----------------------------------

Description

Construct a tokens object, either by importing a named list of characters from an external tokenizer, or by calling the internal **quanteda** tokenizer.

Usage

```
tokens(
  x,
  what = "word",
  remove_punct = FALSE,
  remove_symbols = FALSE,
  remove_numbers = FALSE,
  remove_url = FALSE,
  remove_separators = TRUE,
  split_hyphens = FALSE,
  include_docvars = TRUE,
  padding = FALSE,
  verbose = quanteda_options("verbose"),
  ...
)
```

Arguments

x	the input object to the tokens constructor, one of: a (uniquely) named list of characters; a tokens object; or a corpus or character object that will be tokenized
what	character; which tokenizer to use. The default what = "word" is the version 2 quanteda tokenizer. Legacy tokenizers (version < 2) are also supported, including the default what = "word1". See the Details and quanteda Tokenizers below.
remove_punct	logical; if TRUE remove all characters in the Unicode "Punctuation" [P] class, with exceptions for those used as prefixes for valid social media tags if preserve_tags = TRUE
remove_symbols	logical; if TRUE remove all characters in the Unicode "Symbol" [S] class
remove_numbers	logical; if TRUE remove tokens that consist only of numbers, but not words that start with digits, e.g. 2day
remove_url	logical; if TRUE find and eliminate URLs beginning with http(s)
remove_separators	logical; if TRUE remove separators and separator characters (Unicode "Separator" [Z] and "Control" [C] categories)
split_hyphens	logical; if TRUE, split words that are connected by hyphenation and hyphenation-like characters in between words, e.g. "self-aware" becomes c("self", "-", "aware")

<code>include_docvars</code>	if TRUE, pass docvars through to the tokens object. Does not apply when the input is a character data or a list of characters.
<code>padding</code>	if TRUE, leave an empty string where the removed tokens previously existed. This is useful if a positional match is needed between the pre- and post-selected tokens, for instance if a window of adjacency needs to be computed.
<code>verbose</code>	if TRUE, print timing messages to the console
<code>...</code>	used to pass arguments among the functions

Details

`tokens()` works on tokens class objects, which means that the removal rules can be applied post-tokenization, although it should be noted that it will not be possible to remove things that are not present. For instance, if the tokens object has already had punctuation removed, then `tokens(x, remove_punct = TRUE)` will have no additional effect.

Value

quanteda tokens class object, by default a serialized list of integers corresponding to a vector of types.

Details

As of version 2, the choice of tokenizer is left more to the user, and `tokens()` is treated more as a constructor (from a named list) than a tokenizer. This allows users to use any other tokenizer that returns a named list, and to use this as an input to `tokens()`, with removal and splitting rules applied after this has been constructed (passed as arguments). These removal and splitting rules are conservative and will not remove or split anything, however, unless the user requests it.

Using external tokenizers is best done by piping the output from these other tokenizers into the `tokens()` constructor, with additional removal and splitting options applied at the construction stage. These will only have an effect, however, if the tokens exist for which removal is specified at in the `tokens()` call. For instance, it is impossible to remove punctuation if the input list to `tokens()` already had its punctuation tokens removed at the external tokenization stage.

To construct a tokens object from a list with no additional processing, call `as.tokens()` instead of `tokens()`.

Recommended tokenizers are those from the **tokenizers** package, which are generally faster than the default (built-in) tokenizer but always splits infix hyphens, or **spacyr**.

quanteda Tokenizers

The default word tokenizer `what = "word"` splits tokens using `stri_split_boundaries(x, type = "word")` but by default preserves infix hyphens (e.g. "self-funding"), URLs, and social media "tag" characters (#hashtags and @usernames), and email addresses. The rules defining a valid "tag" can be found at <https://www.hashtags.org/featured/what-characters-can-a-hashtag-include/> for hashtags and at <https://help.twitter.com/en/managing-your-account/twitter-username-rules> for usernames.

In versions < 2, the argument `remove_twitter` controlled whether social media tags were preserved or removed, even when `remove_punct = TRUE`. This argument is not longer functional in versions

`>= 2`. If greater control over social media tags is desired, you should use an alternative tokenizer, including non-**quanteda** options.

For backward compatibility, the following older tokenizers are also supported through what:

"word1" (legacy) implements similar behaviour to the version of what = "word" found in pre-version 2. (It preserves social media tags and infix hyphens, but splits URLs.) "word1" is also slower than "word".

"fasterword" (legacy) splits on whitespace and control characters, using `stringi::stri_split_charclass(x, "[\\p{Z}]")`

"fastestword" (legacy) splits on the space character, using `stringi::stri_split_fixed(x, " ")`

"character" tokenization into individual characters

"sentence" sentence segmenter based on [stri_split_boundaries](#), but with additional rules to avoid splits on words like "Mr." that would otherwise incorrectly be detected as sentence boundaries. For better sentence tokenization, consider using **spacyr**.

See Also

[tokens_ngrams\(\)](#), [tokens_skipgrams\(\)](#), [as.list.tokens\(\)](#), [as.tokens\(\)](#)

Examples

```
txt <- c(doc1 = "A sentence, showing how tokens() works.",
        doc2 = "@quantedainit and #textanalysis https://example.com?p=123.",
        doc3 = "Self-documenting code??",
        doc4 = "£1,000,000 for 50¢ is gr8 4ever \U0001f600")
tokens(txt)
tokens(txt, what = "word1")

# removing punctuation marks but keeping tags and URLs
tokens(txt[1:2], remove_punct = TRUE)

# splitting hyphenated words
tokens(txt[3])
tokens(txt[3], split_hyphens = TRUE)

# symbols and numbers
tokens(txt[4])
tokens(txt[4], remove_numbers = TRUE)
tokens(txt[4], remove_numbers = TRUE, remove_symbols = TRUE)

## Not run: # using other tokenizers
tokens(tokenizers::tokenize_words(txt[4]), remove_symbols = TRUE)
tokenizers::tokenize_words(txt, lowercase = FALSE, strip_punct = FALSE) %>%
  tokens(remove_symbols = TRUE)
tokenizers::tokenize_characters(txt[3], strip_non_alphanum = FALSE) %>%
  tokens(remove_punct = TRUE)
tokenizers::tokenize_sentences(
  "The quick brown fox. It jumped over the lazy dog.") %>%
  tokens()
```

```
## End(Not run)
```

tokens_chunk	<i>Segment tokens object by chunks of a given size</i>
--------------	--

Description

Segment tokens into new documents of equally sized token lengths, with the possibility of overlapping the chunks.

Usage

```
tokens_chunk(x, size, overlap = 0, use_docvars = TRUE)
```

Arguments

x	tokens object whose token elements will be segmented into chunks
size	integer; the token length of the chunks
overlap	integer; the number of tokens in a chunk to be taken from the last overlap tokens from the preceding chunk
use_docvars	if TRUE, repeat the docvar values for each chunk; if FALSE, drop the docvars in the chunked tokens

Value

A [tokens](#) object whose documents have been split into chunks of length size.

See Also

[tokens_segment\(\)](#)

Examples

```
txts <- c(doc1 = "Fellow citizens, I am again called upon by the voice of
my country to execute the functions of its Chief Magistrate.",
doc2 = "When the occasion proper for it shall arrive, I shall
endeavor to express the high sense I entertain of this
distinguished honor.")
toks <- tokens(txts)
tokens_chunk(toks, size = 5)
tokens_chunk(toks, size = 5, overlap = 4)
```

tokens_compound	<i>Convert token sequences into compound tokens</i>
-----------------	---

Description

Replace multi-token sequences with a multi-word, or "compound" token. The resulting compound tokens will represent a phrase or multi-word expression, concatenated with concatenator (by default, the "_" character) to form a single "token". This ensures that the sequences will be processed subsequently as single tokens, for instance in constructing a [dfm](#).

Usage

```
tokens_compound(
  x,
  pattern,
  valuetype = c("glob", "regex", "fixed"),
  concatenator = "_",
  window = 0L,
  case_insensitive = TRUE,
  join = TRUE
)
```

Arguments

x	an input tokens object
pattern	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
valuetype	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
concatenator	the concatenation character that will connect the words making up the multi-word sequences. The default _ is recommended since it will not be removed during normal cleaning and tokenization (while nearly all other punctuation characters, at least those in the Unicode punctuation class [P] will be removed).
window	integer; a vector of length 1 or 2 that specifies size of the window of tokens adjacent to pattern that will be compounded with matches to pattern. The window can be asymmetric if two elements are specified, with the first giving the window size before pattern and the second the window size after. If paddings (empty "" tokens) are found, window will be shrunk to exclude them.
case_insensitive	logical; if TRUE, ignore case when matching a pattern or dictionary values
join	logical; if TRUE, join overlapping compounds into a single compound; otherwise, form these separately. See examples.

Value

A `tokens` object in which the token sequences matching pattern have been replaced by new compounded "tokens" joined by the concatenator.

Note

Patterns to be compounded (naturally) consist of multi-word sequences, and how these are expected in pattern is very specific. If the elements to be compounded are supplied as space-delimited elements of a character vector, wrap the vector in `phrase()`. If the elements to be compounded are separate elements of a character vector, supply it as a list where each list element is the sequence of character elements.

See the examples below.

Examples

```
txt <- "The United Kingdom is leaving the European Union."
toks <- tokens(txt, remove_punct = TRUE)

# character vector - not compounded
tokens_compound(toks, c("United", "Kingdom", "European", "Union"))

# elements separated by spaces - not compounded
tokens_compound(toks, c("United Kingdom", "European Union"))

# list of characters - is compounded
tokens_compound(toks, list(c("United", "Kingdom"), c("European", "Union")))

# elements separated by spaces, wrapped in phrase() - is compounded
tokens_compound(toks, phrase(c("United Kingdom", "European Union")))

# supplied as values in a dictionary (same as list) - is compounded
# (keys do not matter)
tokens_compound(toks, dictionary(list(key1 = "United Kingdom",
                                     key2 = "European Union")))

# pattern as dictionaries with glob matches
tokens_compound(toks, dictionary(list(key1 = c("U* K*"))), valuetype = "glob")

# note the differences caused by join = FALSE
compounds <- list(c("the", "European"), c("European", "Union"))
tokens_compound(toks, pattern = compounds, join = TRUE)
tokens_compound(toks, pattern = compounds, join = FALSE)

# use window to form ngrams
tokens_remove(toks, pattern = stopwords("en")) %>%
  tokens_compound(pattern = "leav*", join = FALSE, window = c(0, 3))
```

tokens_group	<i>Combine documents in a tokens object by a grouping variable</i>
--------------	--

Description

Combine documents in a [tokens](#) object by a grouping variable, by concatenating the tokens in the order of the documents within each grouping variable.

Usage

```
tokens_group(x, groups = docid(x), fill = FALSE)
```

Arguments

x	tokens object
groups	grouping variable for sampling, equal in length to the number of documents. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for groups. See <code>news(Version >= "3.0", package = "quanteda")</code> for details.
fill	logical; if TRUE and groups is a factor, then use all levels of the factor when forming the new documents of the grouped object. This will result in a new "document" with empty content for levels not observed, but for which an empty document may be needed. If groups is a factor of dates, for instance, then <code>fill = TRUE</code> ensures that the new object will consist of one new "document" by date, regardless of whether any documents previously existed with that date. Has no effect if the groups variable(s) are not factors.

Value

a [tokens](#) object whose documents are equal to the unique group combinations, and whose tokens are the concatenations of the tokens by group. Document-level variables that have no variation within groups are saved in [docvars](#). Document-level variables that are lists are dropped from grouping, even when these exhibit no variation within groups.

Examples

```
corp <- corpus(c("a a b", "a b c c", "a c d d", "a c c d"),
              docvars = data.frame(grp = c("grp1", "grp1", "grp2", "grp2")))
toks <- tokens(corp)
tokens_group(toks, groups = grp)
tokens_group(toks, groups = c(1, 1, 2, 2))

# with fill
tokens_group(toks, groups = factor(c(1, 1, 2, 2), levels = 1:3))
tokens_group(toks, groups = factor(c(1, 1, 2, 2), levels = 1:3), fill = TRUE)
```

tokens_lookup	<i>Apply a dictionary to a tokens object</i>
---------------	--

Description

Convert tokens into equivalence classes defined by values of a dictionary object.

Usage

```
tokens_lookup(
  x,
  dictionary,
  levels = 1:5,
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  capkeys = !exclusive,
  exclusive = TRUE,
  nomatch = NULL,
  nested_scope = c("key", "dictionary"),
  verbose = quanteda_options("verbose")
)
```

Arguments

x	tokens object to which dictionary or thesaurus will be supplied
dictionary	the dictionary -class object that will be applied to x
levels	integers specifying the levels of entries in a hierarchical dictionary that will be applied. The top level is 1, and subsequent levels describe lower nesting levels. Values may be combined, even if these levels are not contiguous, e.g. levels = c(1:3) will collapse the second level into the first, but record the third level (if present) collapsed below the first (see examples).
valuetype	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
case_insensitive	logical; if TRUE, ignore case when matching a pattern or dictionary values
capkeys	if TRUE, convert dictionary keys to uppercase to distinguish them from other features
exclusive	if TRUE, remove all features not in dictionary, otherwise, replace values in dictionary with keys while leaving other features unaffected
nomatch	an optional character naming a new key for tokens that do not matched to a dictionary values If NULL (default), do not record unmatched tokens.
nested_scope	how to treat matches from different dictionary keys that are nested. When one value is nested within another, such as "a b" being nested within "a b c", the

tokens_lookup() will match the longer. When nested_scope = "key", this longer-match priority is applied only within the key, while "dictionary" applies it across keys, matching only the key with the longer pattern, not the matches nested within that longer pattern from other keys. See Details.

verbose print status messages if TRUE

Details

Dictionary values may consist of sequences, and there are different methods of counting key matches based on values that are nested or that overlap.

When two different keys in a dictionary are nested matches of one another, the nested_scope options provide the choice of matching each key's values independently (the "key") option, or just counting the longest match (the "dictionary" option). Values that are nested *within* the same key are always counted as a single match. See the last example below comparing the *New York* and *New York Times* for these two different behaviours.

Overlapping values, such as "a b" and "b a" are currently always considered as separate matches if they are in different keys, or as one match if the overlap is within the same key. *Overlapped*

See Also

tokens_replace

Examples

```
toks1 <- tokens(data_corpus_inaugural)
dict1 <- dictionary(list(country = "united states",
                        law=c("law*", "constitution"),
                        freedom=c("free*", "libert*")))
dfm(tokens_lookup(toks1, dict1, valuetype = "glob", verbose = TRUE))
dfm(tokens_lookup(toks1, dict1, valuetype = "glob", verbose = TRUE, nomatch = "NONE"))

dict2 <- dictionary(list(country = "united states",
                        law = c("law", "constitution"),
                        freedom = c("freedom", "liberty")))
# dfm(applyDictionary(toks1, dict2, valuetype = "fixed"))
dfm(tokens_lookup(toks1, dict2, valuetype = "fixed"))

# hierarchical dictionary example
txt <- c(d1 = "The United States has the Atlantic Ocean and the Pacific Ocean.",
        d2 = "Britain and Ireland have the Irish Sea and the English Channel.")
toks2 <- tokens(txt)
dict3 <- dictionary(list(US = list(Countries = c("States"),
                                oceans = c("Atlantic", "Pacific")),
                        Europe = list(Countries = c("Britain", "Ireland"),
                                oceans = list(west = "Irish Sea",
                                             east = "English Channel"))))

tokens_lookup(toks2, dict3, levels = 1)
tokens_lookup(toks2, dict3, levels = 2)
tokens_lookup(toks2, dict3, levels = 1:2)
tokens_lookup(toks2, dict3, levels = 3)
```

```

tokens_lookup(toks2, dict3, levels = c(1,3))
tokens_lookup(toks2, dict3, levels = c(2,3))

# show unmatched tokens
tokens_lookup(toks2, dict3, nomatch = "_UNMATCHED")

# nested matching differences
dict4 <- dictionary(list(paper = "New York Times", city = "New York"))
toks4 <- tokens("The New York Times is a New York paper.")
tokens_lookup(toks4, dict4, nested_scope = "key", exclusive = FALSE)
tokens_lookup(toks4, dict4, nested_scope = "dictionary", exclusive = FALSE)

```

tokens_ngrams

Create ngrams and skipgrams from tokens

Description

Create a set of ngrams (tokens in sequence) from already tokenized text objects, with an optional skip argument to form skipgrams. Both the ngram length and the skip lengths take vectors of arguments to form multiple lengths or skips in one pass. Implemented in C++ for efficiency.

Usage

```
tokens_ngrams(x, n = 2L, skip = 0L, concatenator = "_")
```

```
char_ngrams(x, n = 2L, skip = 0L, concatenator = "_")
```

```
tokens_skipgrams(x, n, skip, concatenator = "_")
```

Arguments

x	a tokens object, or a character vector, or a list of characters
n	integer vector specifying the number of elements to be concatenated in each ngram. Each element of this vector will define a n in the n -gram(s) that are produced.
skip	integer vector specifying the adjacency skip size for tokens forming the ngrams, default is 0 for only immediately neighbouring words. For skipgrams, skip can be a vector of integers, as the "classic" approach to forming skip-grams is to set $\text{skip} = k$ where k is the distance for which k or fewer skips are used to construct the n -gram. Thus a "4-skip- n -gram" defined as $\text{skip} = 0:4$ produces results that include 4 skips, 3 skips, 2 skips, 1 skip, and 0 skips (where 0 skips are typical n -grams formed from adjacent words). See Guthrie et al (2006).
concatenator	character for combining words, default is _ (underscore) character

Details

Normally, these functions will be called through `[tokens](x, ngrams = , ...)`, but these functions are provided in case a user wants to perform lower-level ngram construction on tokenized texts.

`tokens_skipgrams()` is a wrapper to `tokens_ngrams()` that requires arguments to be supplied for both `n` and `skip`. For k -skip skipgrams, set `skip` to $0:k$, in order to conform to the definition of skip-grams found in Guthrie et al (2006): A k skip-gram is an ngram which is a superset of all ngrams and each $(k - i)$ skipgram until $(k - i) == 0$ (which includes 0 skip-grams).

Value

a tokens object consisting a list of character vectors of ngrams, one list element per text, or a character vector if called on a simple character vector

Note

`char_ngrams` is a convenience wrapper for a (non-list) vector of characters, so named to be consistent with **quanteda**'s naming scheme.

References

Guthrie, David, Ben Allison, Wei Liu, Louise Guthrie, and Yorick Wilks. 2006. "[A Closer Look at Skip-Gram Modelling](#)."

Examples

```
# ngrams
tokens_ngrams(tokens(c("a b c d e", "c d e f g")), n = 2:3)

toks <- tokens(c(text1 = "the quick brown fox jumped over the lazy dog"))
tokens_ngrams(toks, n = 1:3)
tokens_ngrams(toks, n = c(2,4), concatenator = " ")
tokens_ngrams(toks, n = c(2,4), skip = 1, concatenator = " ")
# on character
char_ngrams(letters[1:3], n = 1:3)

# skipgrams
toks <- tokens("insurgents killed in ongoing fighting")
tokens_skipgrams(toks, n = 2, skip = 0:1, concatenator = " ")
tokens_skipgrams(toks, n = 2, skip = 0:2, concatenator = " ")
tokens_skipgrams(toks, n = 3, skip = 0:2, concatenator = " ")
```

Description

Substitute token types based on vectorized one-to-one matching. Since this function is created for lemmatization or user-defined stemming. It supports substitution of multi-word features by multi-word features, but substitution is fastest when pattern and replacement are character vectors and `valuetype = "fixed"` as the function only substitute types of tokens. Please use `tokens_lookup()` with `exclusive = FALSE` to replace [dictionary](#) values.

Usage

```
tokens_replace(
  x,
  pattern,
  replacement,
  valuetype = "glob",
  case_insensitive = TRUE,
  verbose = quanteda_options("verbose")
)
```

Arguments

<code>x</code>	tokens object whose token elements will be replaced
<code>pattern</code>	a character vector or list of character vectors. See pattern for more details.
<code>replacement</code>	a character vector or (if <code>pattern</code> is a list) list of character vectors of the same length as <code>pattern</code>
<code>valuetype</code>	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
<code>case_insensitive</code>	logical; if TRUE, ignore case when matching a pattern or dictionary values
<code>verbose</code>	print status messages if TRUE

See Also

`tokens_lookup`

Examples

```
toks1 <- tokens(data_corpus_inaugural, remove_punct = TRUE)

# lemmatization
taxwords <- c("tax", "taxing", "taxed", "taxed", "taxation")
lemma <- rep("TAX", length(taxwords))
toks2 <- tokens_replace(toks1, taxwords, lemma, valuetype = "fixed")
kwic(toks2, "TAX") %>%
  tail(10)

# stemming
type <- types(toks1)
```

```

stem <- char_wordstem(type, "porter")
toks3 <- tokens_replace(toks1, type, stem, valuetype = "fixed", case_insensitive = FALSE)
identical(toks3, tokens_wordstem(toks1, "porter"))

# multi-multi substitution
toks4 <- tokens_replace(toks1, phrase(c("Supreme Court")),
                        phrase(c("Supreme Court of the United States")))
kwic(toks4, phrase(c("Supreme Court of the United States")))

```

tokens_sample	<i>Randomly sample documents from a tokens object</i>
---------------	---

Description

Take a random sample of documents of the specified size from a corpus, with or without replacement, optionally by grouping variables or with probability weights.

Usage

```
tokens_sample(x, size = NULL, replace = FALSE, prob = NULL, by = NULL)
```

Arguments

x	a tokens object whose documents will be sampled
size	a positive number, the number of documents to select; when used with by, the number to select from each group or a vector equal in length to the number of groups defining the samples to be chosen in each category of by. By defining a size larger than the number of documents, it is possible to oversample when replace = TRUE.
replace	if TRUE, sample with replacement
prob	a vector of probability weights for obtaining the elements of the vector being sampled. May not be applied when by is used.
by	optional grouping variable for sampling. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for by. See <code>news(Version >= "2.9", package = "quanteda")</code> for details.

Value

a [tokens](#) object (re)sampled on the documents, containing the document variables for the documents sampled.

See Also

[sample](#)

Examples

```

set.seed(123)
toks <- tokens(data_corpus_inaugural[1:6])
toks
tokens_sample(toks)
tokens_sample(toks, replace = TRUE) %>% docnames()
tokens_sample(toks, size = 3, replace = TRUE) %>% docnames()

# sampling using by
docvars(toks)
tokens_sample(toks, size = 2, replace = TRUE, by = Party) %>% docnames()

```

tokens_select	<i>Select or remove tokens from a tokens object</i>
---------------	---

Description

These function select or discard tokens from a `tokens` object. For convenience, the functions `tokens_remove` and `tokens_keep` are defined as shortcuts for `tokens_select(x, pattern, selection = "remove")` and `tokens_select(x, pattern, selection = "keep")`, respectively. The most common usage for `tokens_remove` will be to eliminate stop words from a text or text-based object, while the most common use of `tokens_select` will be to select tokens with only positive pattern matches from a list of regular expressions, including a dictionary. `startpos` and `endpos` determine the positions of tokens searched for `pattern` and areas affected are expanded by `window`.

Usage

```

tokens_select(
  x,
  pattern,
  selection = c("keep", "remove"),
  valuetype = c("glob", "regex", "fixed"),
  case_insensitive = TRUE,
  padding = FALSE,
  window = 0,
  min_nchar = NULL,
  max_nchar = NULL,
  startpos = 1L,
  endpos = -1L,
  verbose = quanteda_options("verbose")
)

tokens_remove(x, ...)

tokens_keep(x, ...)

```

Arguments

x	tokens object whose token elements will be removed or kept
pattern	a character vector, list of character vectors, dictionary , or collocations object. See pattern for details.
selection	whether to "keep" or "remove" the tokens matching pattern
valuetype	the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See value-type for details.
case_insensitive	logical; if TRUE, ignore case when matching a pattern or dictionary values
padding	if TRUE, leave an empty string where the removed tokens previously existed. This is useful if a positional match is needed between the pre- and post-selected tokens, for instance if a window of adjacency needs to be computed.
window	integer of length 1 or 2; the size of the window of tokens adjacent to pattern that will be selected. The window is symmetric unless a vector of two elements is supplied, in which case the first element will be the token length of the window before pattern, and the second will be the token length of the window after pattern. The default is 0, meaning that only the pattern matched token(s) are selected, with no adjacent terms. Terms from overlapping windows are never double-counted, but simply returned in the pattern match. This is because tokens_select never redefines the document units; for this, see kwic() .
min_nchar, max_nchar	optional numerics specifying the minimum and maximum length in characters for tokens to be removed or kept; defaults are NULL for no limits. These are applied after (and hence, in addition to) any selection based on pattern matches.
startpos, endpos	integer; position of tokens in documents where pattern matching starts and ends, where 1 is the first token in a document. For negative indexes, counting starts at the ending token of the document, so that -1 denotes the last token in the document, -2 the second to last, etc. When the length of the vector is equal to ndoc, tokens in corresponding positions will be selected. Otherwise, only the first element in the vector is used.
verbose	if TRUE print messages about how many tokens were selected or removed
...	additional arguments passed by tokens_remove and tokens_keep to tokens_select. Cannot include selection.

Value

a [tokens](#) object with tokens selected or removed based on their match to pattern

Examples

```
## tokens_select with simple examples
toks <- as.tokens(list(letters, LETTERS))
tokens_select(toks, c("b", "e", "f"), selection = "keep", padding = FALSE)
```

```

tokens_select(toks, c("b", "e", "f"), selection = "keep", padding = TRUE)
tokens_select(toks, c("b", "e", "f"), selection = "remove", padding = FALSE)
tokens_select(toks, c("b", "e", "f"), selection = "remove", padding = TRUE)

# how case_insensitive works
tokens_select(toks, c("b", "e", "f"), selection = "remove", case_insensitive = TRUE)
tokens_select(toks, c("b", "e", "f"), selection = "remove", case_insensitive = FALSE)

# use window
tokens_select(toks, c("b", "f"), selection = "keep", window = 1)
tokens_select(toks, c("b", "f"), selection = "remove", window = 1)
tokens_remove(toks, c("b", "f"), window = c(0, 1))
tokens_select(toks, pattern = c("e", "g"), window = c(1, 2))

# tokens_remove example: remove stopwords
txt <- c(wash1 <- "Fellow citizens, I am again called upon by the voice of my
          country to execute the functions of its Chief Magistrate.",
        wash2 <- "When the occasion proper for it shall arrive, I shall
          endeavor to express the high sense I entertain of this
          distinguished honor.")
tokens_remove(tokens(txt, remove_punct = TRUE), stopwords("english"))

# token_keep example: keep two-letter words
tokens_keep(tokens(txt, remove_punct = TRUE), "??")

```

tokens_split

Split tokens by a separator pattern

Description

Replaces tokens by multiple replacements consisting of elements split by a separator pattern, with the option of retaining the separator. This function effectively reverses the operation of [tokens_compound\(\)](#).

Usage

```

tokens_split(
  x,
  separator = " ",
  valuetype = c("fixed", "regex"),
  remove_separator = TRUE
)

```

Arguments

x a [tokens](#) object

separator a single-character pattern match by which tokens are separated

valuetype the type of pattern matching: "glob" for "glob"-style wildcard expressions; "regex" for regular expressions; or "fixed" for exact matching. See [value-type](#) for details.

remove_separator if TRUE, remove separator from new tokens

Examples

```
# undo tokens_compound()
toks1 <- tokens("pork barrel is an idiomatic multi-word expression")
tokens_compound(tok1, phrase("pork barrel"))
tokens_compound(tok1, phrase("pork barrel")) %>%
  tokens_split(separator = "_")

# similar to tokens(x, remove_hyphen = TRUE) but post-tokenization
toks2 <- tokens("UK-EU negotiation is not going anywhere as of 2018-12-24.")
tokens_split(tok2, separator = "-", remove_separator = FALSE)
```

tokens_subset	<i>Extract a subset of a tokens</i>
---------------	-------------------------------------

Description

Returns document subsets of a tokens that meet certain conditions, including direct logical operations on docvars (document-level variables). `tokens_subset()` functions identically to `subset.data.frame()`, using non-standard evaluation to evaluate conditions based on the `docvars` in the tokens.

Usage

```
tokens_subset(x, subset, drop_docid = TRUE, ...)
```

Arguments

`x` [tokens](#) object to be subsetted

`subset` logical expression indicating the documents to keep: missing values are taken as false

`drop_docid` if TRUE, docid for documents are removed as the result of subsetting.

`...` not used

Value

[tokens](#) object, with a subset of documents (and docvars) selected according to arguments

See Also

[subset.data.frame\(\)](#)

Examples

```
corp <- corpus(c(d1 = "a b c d", d2 = "a a b e",
                d3 = "b b c e", d4 = "e e f a b"),
              docvars = data.frame(grp = c(1, 1, 2, 3)))
toks <- tokens(corp)
# selecting on a docvars condition
tokens_subset(toks, grp > 1)
# selecting on a supplied vector
tokens_subset(toks, c(TRUE, FALSE, TRUE, FALSE))
```

tokens_tolower	<i>Convert the case of tokens</i>
----------------	-----------------------------------

Description

tokens_tolower() and tokens_toupper() convert the features of a [tokens](#) object and re-index the types.

Usage

```
tokens_tolower(x, keep_acronyms = FALSE)
```

```
tokens_toupper(x)
```

Arguments

x the input object whose character/tokens/feature elements will be case-converted

keep_acronyms logical; if TRUE, do not lowercase any all-uppercase words (applies only to *_tolower() functions)

Examples

```
# for a document-feature matrix
toks <- tokens(c(txt1 = "b A A", txt2 = "C C a b B"))
tokens_tolower(toks)
tokens_toupper(toks)
```

tokens_wordstem	<i>Stem the terms in an object</i>
-----------------	------------------------------------

Description

Apply a stemmer to words. This is a wrapper to [wordStem](#) designed to allow this function to be called without loading the entire **SnowballC** package. [wordStem](#) uses Martin Porter's stemming algorithm and the C libstemmer library generated by Snowball.

Usage

```
tokens_wordstem(x, language = quanteda_options("language_stemmer"))
```

```
char_wordstem(  
  x,  
  language = quanteda_options("language_stemmer"),  
  check_whitespace = TRUE  
)
```

```
dfm_wordstem(x, language = quanteda_options("language_stemmer"))
```

Arguments

x	a character, tokens, or dfm object whose word stems are to be removed. If tokenized texts, the tokenization must be word-based.
language	the name of a recognized language, as returned by getStemLanguages , or a two- or three-letter ISO-639 code corresponding to one of these languages (see references for the list of codes)
check_whitespace	logical; if TRUE, stop with a warning when trying to stem inputs containing whitespace

Value

tokens_wordstem returns a [tokens](#) object whose word types have been stemmed.

char_wordstem returns a [character](#) object whose word types have been stemmed.

dfm_wordstem returns a [dfm](#) object whose word types (features) have been stemmed, and recombined to consolidate features made equivalent because of stemming.

References

<http://snowball.tartarus.org/>

http://www.iso.org/iso/home/standards/language_codes.htm for the ISO-639 language codes

See Also

[wordStem](#)

Examples

```
# example applied to tokens
txt <- c(one = "eating eater eaters eats ate",
        two = "taxing taxes taxed my tax return")
th <- tokens(txt)
tokens_wordstem(th)

# simple example
char_wordstem(c("win", "winning", "wins", "won", "winner"))

# example applied to a dfm
(origdfm <- dfm(tokens(txt)))
dfm_wordstem(origdfm)
```

topfeatures

Identify the most frequent features in a dfm

Description

List the most (or least) frequently occurring features in a [dfm](#), either as a whole or separated by document.

Usage

```
topfeatures(
  x,
  n = 10,
  decreasing = TRUE,
  scheme = c("count", "docfreq"),
  groups = NULL
)
```

Arguments

x	the object whose features will be returned
n	how many top features should be returned
decreasing	If TRUE, return the n most frequent features; otherwise return the n least frequent features
scheme	one of count for total feature frequency (within group if applicable), or docfreq for the document frequencies of features
groups	grouping variable for sampling, equal in length to the number of documents. This will be evaluated in the docvars data.frame, so that docvars may be referred to by name without quoting. This also changes previous behaviours for groups. See <code>news(Version >= "3.0", package = "quanteda")</code> for details.

Value

A named numeric vector of feature counts, where the names are the feature labels, or a list of these if `groups` is given.

Examples

```
dfmat1 <- corpus_subset(data_corpus_inaugural, Year > 1980) %>%
  tokens(remove_punct = TRUE) %>%
  dfm()
dfmat2 <- dfm_remove(dfmat1, stopwords("en"))

# most frequent features
topfeatures(dfmat1)
topfeatures(dfmat2)

# least frequent features
topfeatures(dfmat2, decreasing = FALSE)

# top features of individual documents
topfeatures(dfmat2, n = 5, groups = docnames(dfmat2))

# grouping by president last name
topfeatures(dfmat2, n = 5, groups = President)

# features by document frequencies
tail(topfeatures(dfmat1, scheme = "docfreq", n = 200))
```

types

Get word types from a tokens object

Description

Get unique types of tokens from a [tokens](#) object.

Usage

```
types(x)
```

Arguments

`x` a `tokens` object

See Also

[featnames](#)

Examples

```
toks <- tokens(data_corpus_inaugural)
types(toks)
```

Index

- * **bootstrap**
 - bootstrap_dfm, 12
 - * **character**
 - corpus_segment, 24
 - corpus_trim, 27
 - * **corpus**
 - corpus, 17
 - corpus_group, 20
 - corpus_reshape, 21
 - corpus_sample, 22
 - corpus_segment, 24
 - corpus_subset, 26
 - corpus_trim, 27
 - docnames, 56
 - docvars, 58
 - meta, 67
 - * **data**
 - data_char_sampletext, 28
 - data_char_ukimmig2010, 29
 - data_corpus_inaugural, 30
 - data_dfm_lbgexample, 31
 - data_dictionary_LSD2015, 31
 - * **dfm**
 - as.matrix.dfm, 11
 - bootstrap_dfm, 12
 - dfm, 33
 - dfm_lookup, 37
 - dfm_match, 38
 - dfm_sample, 40
 - dfm_select, 41
 - dfm_subset, 45
 - dfm_tfidf, 46
 - dfm_weight, 50
 - docfreq, 54
 - docnames, 56
 - featfreq, 63
 - print-methods, 72
 - * **experimental**
 - bootstrap_dfm, 12
 - * **tokens**
 - tokens, 79
 - tokens_chunk, 82
 - tokens_group, 85
 - tokens_lookup, 86
 - tokens_sample, 91
 - tokens_split, 94
 - tokens_subset, 95
 - * **weighting**
 - dfm_tfidf, 46
 - docfreq, 54
 - featfreq, 63
- [, 53
[.corpus(), 19
[[, 53
\$.corpus(docvars), 58
\$.dfm(docvars), 58
\$.tokens(docvars), 58
\$<- .corpus(docvars), 58
\$<- .dfm(docvars), 58
\$<- .tokens(docvars), 58
- as.character.corpus, 6
as.character.corpus(), 19
as.character.tokens(as.list.tokens), 9
as.corpus(as.character.corpus), 6
as.data.frame.dfm(), 7
as.data.frame.kwic(kwic), 65
as.dfm, 7
as.dictionary, 7
as.dictionary(), 53, 54
as.fcm, 9
as.list(), 53, 54
as.list.tokens, 9
as.list.tokens(), 81
as.matrix.dfm, 11
as.matrix.dfm(), 7
as.phrase(phrase), 71
as.phrase(), 71
as.tokens(as.list.tokens), 9

- as.tokens(), 80, 81
- as.yaml, 11

- base::tolower(), 14
- bootstrap_dfm, 12
- bootstrap_dfm(), 39

- c.tokens, 10
- cbind.dfm(), 34
- char_keep(char_select), 13
- char_ngrams(tokens_ngrams), 88
- char_remove(char_select), 13
- char_segment(corpus_segment), 24
- char_select, 13
- char_tolower, 14
- char_toupper(char_tolower), 14
- char_trim(corpus_trim), 27
- char_wordstem(tokens_wordstem), 97
- char_wordstem(), 75
- character, 6, 13, 14, 17, 70, 79, 97
- collocations, 66
- convert, 15
- convert(), 7
- corpus, 6, 12, 15, 17, 17, 19–21, 23, 24, 27, 28, 30, 33, 56, 58, 59, 66–70, 76, 79
- corpus_group, 20
- corpus_reshape, 21
- corpus_reshape(), 25, 26, 57
- corpus_sample, 22
- corpus_segment, 24
- corpus_segment(), 25, 57
- corpus_subset, 26
- corpus_trim, 27

- data.frame, 7, 17
- data_char_sampletext, 28
- data_char_ukimmig2010, 29
- data_corpus_inaugural, 30
- data_dfm_lbgexample, 31
- data_dictionary_LSD2015, 31
- descriptive statistics on text, 5
- dfm, 5, 7, 9, 11, 12, 15, 31, 33, 33, 34–36, 38–45, 49, 51, 54–56, 58–60, 63, 67, 68, 70, 83, 97, 98
- dfm(), 12, 44
- dfm_compress, 34
- dfm_group, 36
- dfm_group(), 34, 46, 51
- dfm_keep(dfm_select), 41
- dfm_lookup, 37
- dfm_lookup(), 10
- dfm_match, 38
- dfm_match(), 43
- dfm_remove(dfm_select), 41
- dfm_replace, 39
- dfm_sample, 40
- dfm_sample(), 49
- dfm_select, 41
- dfm_select(), 34, 39, 45, 49
- dfm_smooth(dfm_weight), 50
- dfm_sort, 44
- dfm_subset, 45
- dfm_tfidf, 46
- dfm_tfidf(), 63
- dfm_tolower, 47
- dfm_tolower(), 34
- dfm_toupper(dfm_tolower), 47
- dfm_trim, 48
- dfm_trim(), 43
- dfm_weight, 50
- dfm_weight(), 36, 46, 63
- dfm_wordstem(tokens_wordstem), 97
- dfm_wordstem(), 75
- dictionaries, 5
- dictionary, 8, 11, 13, 24, 31, 32, 37, 40, 42, 52, 64, 66, 67, 71, 83, 86, 90, 93
- dictionary(), 8
- docfreq, 46, 54
- docfreq(), 46, 52
- docid(docnames), 56
- docnames, 35, 56
- docnames(), 19
- docnames<-(docnames), 56
- DocumentTermMatrix, 7, 16
- docvars, 17, 21, 27, 35, 36, 45, 58, 58, 85, 95
- docvars(), 19
- docvars<-(docvars), 58

- fcm, 9, 34, 35, 41–43, 48, 59, 61, 62
- fcm(), 61
- fcm_compress(dfm_compress), 34
- fcm_keep(dfm_select), 41
- fcm_remove(dfm_select), 41
- fcm_select(dfm_select), 41
- fcm_sort, 62
- fcm_sort(), 62
- fcm_tolower(dfm_tolower), 47
- fcm_toupper(dfm_tolower), 47

- featfreq, 63
- featnames, 35, 63, 99
- featnames(), 39, 49, 57
- file, 53

- getStemLanguages, 97
- groups, 57

- iconv, 53
- index, 64, 66
- index(), 65
- is.collocations, 65
- is.corpus (as.character.corpus), 6
- is.dfm (as.dfm), 7
- is.dictionary (as.dictionary), 7
- is.dictionary(), 53, 54
- is.fcm (fcm), 59
- is.index (index), 64
- is.kwic (kwic), 65
- is.phrase (phrase), 71
- is.tokens (as.list.tokens), 9

- jsonlite::toJSON(), 16

- key-words-in-context, 5
- keywords, 5
- kwic, 17, 65
- kwic(), 17, 93

- lda.collapsed.gibbs.sampler, 15
- list, 53

- Matrix, 7, 9
- matrix, 7, 9
- meta, 17, 67
- meta(), 19
- meta<- (meta), 67

- ndoc, 68
- ndoc(), 19
- nfeat (ndoc), 68
- nfeat(), 61
- nsentence, 69
- ntoken, 70
- ntoken(), 68
- ntype (ntoken), 70

- options(), 74

- pattern, 13, 24, 40, 42, 64, 66, 83, 90, 93
- pattern matches, 32
- pattern(), 71
- phrase, 71
- phrase(), 66, 71, 84
- prettify, 16
- print,dfm-method (print-methods), 72
- print,dictionary2-method (print-methods), 72
- print,fcm-method (print-methods), 72
- print-methods, 67, 72
- print.corpus (print-methods), 72
- print.dfm (print-methods), 72
- print.dictionary (print-methods), 72
- print.kwic (print-methods), 72
- print.tokens (print-methods), 72

- quanteda (quanteda-package), 4
- quanteda-package, 4, 30
- quanteda.textstats::textstat_collocations(), 65
- quanteda_options, 74
- quanteda_options(), 73, 74
- quantile(), 49

- rbind.dfm(), 34
- readtext-methods, 76

- sample, 41, 91
- similarities, 5
- SimpleCorpus, 17
- spacy_parse, 76
- spacy_tokenize, 76
- spacyr-methods, 76
- sparsity, 77
- stri_opts_brkiter, 69
- stri_split_boundaries, 81
- stri_split_boundaries(x, type = word), 80
- stringi::stri_opts_brkiter(), 75
- subset.data.frame(), 27, 45, 95

- TermDocumentMatrix, 7, 16
- TermDocumentMatrix(), 16
- textmodels, 78
- textplots, 78
- textstats, 78
- tokens, 9, 10, 33, 56, 58–60, 64, 66–68, 70, 79, 79, 82–85, 90–97, 99
- tokens(), 22, 33, 34, 70

tokens_chunk, 82
tokens_compound, 83
tokens_compound(), 94
tokens_group, 85
tokens_keep(tokens_select), 92
tokens_lookup, 86
tokens_lookup(), 10, 38, 90
tokens_ngrams, 88
tokens_ngrams(), 81, 89
tokens_remove(tokens_select), 92
tokens_remove(), 33
tokens_replace, 89
tokens_sample, 91
tokens_segment(), 82
tokens_select, 92
tokens_skipgrams(tokens_ngrams), 88
tokens_skipgrams(), 81, 89
tokens_split, 94
tokens_split(), 57
tokens_subset, 95
tokens_tolower, 96
tokens_toupper(tokens_tolower), 96
tokens_wordstem, 97
tokens_wordstem(), 75
topfeatures, 98
types, 99

valuetype, 13, 24, 37, 42, 53, 64, 66, 83, 86,
90, 93, 95
VCorpus, 17

wordStem, 97