

# Package ‘statsExpressions’

January 14, 2022

**Type** Package

**Title** Tidy Dataframes and Expressions with Statistical Details

**Version** 1.3.0

**Maintainer** Indrajeet Patil <patilindrajeet.science@gmail.com>

**Description** Utilities for producing dataframes with rich details for the most common types of statistical approaches and tests: parametric, nonparametric, robust, and Bayesian t-test, one-way ANOVA, correlation analyses, contingency table analyses, and meta-analyses. The functions are pipe-friendly and provide a consistent syntax to work with tidy data. These dataframes additionally contain expressions with statistical details, and can be used in graphing packages. This package also forms the statistical processing backend for 'ggstatsplot'.

**License** GPL-3 | file LICENSE

**URL** <https://indrajeetpatil.github.io/statsExpressions/>,  
<https://github.com/IndrajeetPatil/statsExpressions>

**BugReports** <https://github.com/IndrajeetPatil/statsExpressions/issues>

**Depends** R (>= 4.0.0)

**Imports** BayesFactor (>= 0.9.12-4.3), correlation (>= 0.7.1), datawizard (>= 0.2.2), dplyr, effectsize (>= 0.6.0), glue, insight (>= 0.15.0), magrittr, parameters (>= 0.16.0), performance (>= 0.8.0), rlang, stats, tibble, tidyr, WRS2 (>= 1.1-3), zeallot

**Suggests** afex (>= 1.0-1), ggplot2, knitr, metaBMA, metafor, metaplust, purrr, rmarkdown, spelling, survival, testthat, utils

**VignetteBuilder** knitr

**Encoding** UTF-8

**Language** en-US

**LazyData** true

**RoxygenNote** 7.1.2

**Config/testthat/edition** 3**NeedsCompilation** no**Author** Indrajeet Patil [cre, aut, cph](<<https://orcid.org/0000-0003-1995-6531>>, @patilindrajeets)**Repository** CRAN**Date/Publication** 2022-01-14 16:50:02 UTC

## R topics documented:

statsExpressions-package . . . . .	2
add_expression_col . . . . .	3
bugs_long . . . . .	5
centrality_description . . . . .	6
contingency_table . . . . .	7
corr_test . . . . .	10
iris_long . . . . .	11
long_to_wide_converter . . . . .	12
meta_analysis . . . . .	14
movies_long . . . . .	16
movies_wide . . . . .	17
oneway_anova . . . . .	18
one_sample_test . . . . .	21
stats_type_switch . . . . .	24
tidy_model_expressions . . . . .	24
tidy_model_parameters . . . . .	25
two_sample_test . . . . .	26
<b>Index</b>	<b>30</b>

---

 statsExpressions-package

*statsExpressions: Tidy Dataframes and Expressions with Statistical Details*

---

## Description

Statistical packages exhibit substantial diversity in terms of their syntax and expected input type. This can make it difficult to switch from one statistical approach to another. For example, some functions expect vectors as inputs, while others expect dataframes. Depending on whether it is a repeated measures design or not, different functions might expect data to be in wide or long format. Some functions can internally omit missing values, while other functions error in their presence. Furthermore, if someone wishes to utilize the objects returned by these packages downstream in their workflow, this is not straightforward either because even functions from the same package can return a list, a matrix, an array, a dataframe, etc., depending on the function.

This is where {statsExpressions} comes in: It can be thought of as a unified portal through which most of the functionality in these underlying packages can be accessed, with a simpler interface and no requirement to change data format.

This package forms the statistical processing backend for `ggstatsplot` package.

For more documentation, see the dedicated [Website](#).

## Details

statsExpressions

## Author(s)

**Maintainer:** Indrajeet Patil <patilindrajeet.science@gmail.com> ([ORCID](#)) (@patilindrajeets)  
[copyright holder]

## See Also

Useful links:

- <https://indrajeetpatil.github.io/statsExpressions/>
- <https://github.com/IndrajeetPatil/statsExpressions>
- Report bugs at <https://github.com/IndrajeetPatil/statsExpressions/issues>

---

add\_expression\_col     *Template for expressions with statistical details*

---

## Description

Creates an expression from a dataframe containing statistical details. Ideally, this dataframe would come from having run `tidy_model_parameters` function on your model object.

This function is currently **not** stable and should not be used outside of this package context.

## Usage

```
add_expression_col(  
  data,  
  paired = FALSE,  
  statistic.text = NULL,  
  effsize.text = NULL,  
  top.text = NULL,  
  prior.type = NULL,  
  n = NULL,  
  n.text = ifelse(paired, list(quote(italic("n")["pairs"])),  
    list(quote(italic("n")["obs"]))),  
  conf.method = "HDI",  
  k = 2L,
```

```

k.df = 0L,
k.df.error = k.df,
...
)

```

## Arguments

data	<p>A dataframe containing details from the statistical analysis and should contain some or all of the the following columns:</p> <ul style="list-style-type: none"> <li>• <i>statistic</i>: the numeric value of a statistic.</li> <li>• <i>df.error</i>: the numeric value of a parameter being modeled (often degrees of freedom for the test); note that if there are no degrees of freedom (e.g., for non-parametric tests), this column will be irrelevant.</li> <li>• <i>df</i>: relevant only if the statistic in question has two degrees of freedom.</li> <li>• <i>p.value</i>: the two-sided <i>p</i>-value associated with the observed statistic.</li> <li>• <i>method</i>: method describing the test carried out.</li> <li>• <i>effectsize</i>: name of the effect size (if not present, same as method).</li> <li>• <i>estimate</i>: estimated value of the effect size.</li> <li>• <i>conf.level</i>: width for the confidence intervals.</li> <li>• <i>conf.low</i>: lower bound for effect size estimate.</li> <li>• <i>conf.high</i>: upper bound for effect size estimate.</li> <li>• <i>bf10</i>: Bayes Factor value (if <code>bayesian = TRUE</code>).</li> </ul>
paired	Logical that decides whether the experimental design is repeated measures/within-subjects or between-subjects. The default is FALSE.
statistic.text	A character that specifies the relevant test statistic. For example, for tests with <i>t</i> -statistic, <code>statistic.text = "t"</code> .
effsize.text	A character that specifies the relevant effect size.
top.text	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of <code>ggstatsplot</code> package functions.
prior.type	The type of prior.
n	An integer specifying the sample size used for the test.
n.text	A character that specifies the design, which will determine what the <i>n</i> stands for. It defaults to <code>quote(italic("n")["pairs"])</code> if <code>paired = TRUE</code> , and <code>quote(italic("n")["obs"])</code> if <code>paired = FALSE</code> . If you wish to customize this further, you will need to provide object of language type.
conf.method	The type of index used for Credible Interval. Can be "hdi" (default), "eti", or "si" (see <code>si()</code> , <code>hdi()</code> , <code>eti()</code> functions from <code>bayestestR</code> package).
k	Number of digits after decimal point (should be an integer) (Default: <code>k = 2L</code> ).
k.df, k.df.error	Number of decimal places to display for the parameters (default: <code>0L</code> ).
...	Currently ignored.

**Examples**

```
set.seed(123)

# creating a dataframe with stats results
stats_df <- cbind.data.frame(
  statistic = 5.494,
  df        = 29.234,
  p.value   = 0.00001,
  estimate  = -1.980,
  conf.level = 0.95,
  conf.low  = -2.873,
  conf.high = -1.088,
  method    = "Student's t-test"
)

# expression for *t*-statistic with Cohen's *d* as effect size
# note that the plotmath expressions need to be quoted
add_expression_col(
  data          = stats_df,
  statistic.text = list(quote(italic("t"))),
  effsize.text  = list(quote(italic("d"))),
  n             = 32L,
  n.text        = list(quote(italic("n")["no.obs"])),
  k             = 3L,
  k.df          = 3L
)
```

---

bugs\_long

*Tidy version of the "Bugs" dataset.*

---

**Description**

Tidy version of the "Bugs" dataset.

**Usage**

```
bugs_long
```

**Format**

A data frame with 372 rows and 6 variables

- subject. Dummy identity number for each participant.
- gender. Participant's gender (Female, Male).
- region. Region of the world the participant was from.
- education. Level of education.

- condition. Condition of the experiment the participant gave rating for (**LDLF**: low frighteningness and low disgustingness; **LFHD**: low frighteningness and high disgustingness; **HFHD**: high frighteningness and low disgustingness; **HFHD**: high frighteningness and high disgustingness).
- desire. The desire to kill an arthropod was indicated on a scale from 0 to 10.

### Details

This data set, "Bugs", provides the extent to which men and women want to kill arthropods that vary in frighteningness (low, high) and disgustingness (low, high). Each participant rates their attitudes towards all arthropods. Subset of the data reported by Ryan et al. (2013).

### Source

<https://www.sciencedirect.com/science/article/pii/S0747563213000277>

### Examples

```
dim(bugs_long)
head(bugs_long)
dplyr::glimpse(bugs_long)
```

---

centrality\_description

*Dataframe and expression for distribution properties*

---

### Description

Dataframe and expression for distribution properties

### Usage

```
centrality_description(data, x, y, type = "parametric", tr = 0.2, k = 2L, ...)
```

### Arguments

data	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
x	The grouping (or independent) variable from the dataframe data.
y	The response (or outcome or dependent) variable from the dataframe data.
type	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul>

You can specify just the initial letter.

tr	Trim level for the mean when carrying out robust tests. In case of an error, try reducing the value of tr, which is by default set to 0.2. Lowering the value might help.
k	Number of digits after decimal point (should be an integer) (Default: k = 2L).
...	Currently ignored.

### Details

This function describes a distribution for y variable for each level of the grouping variable in x by a set of indices (e.g., measures of centrality, dispersion, range, skewness, kurtosis). It additionally returns an expression containing a specified centrality measure. The function internally relies on `datawizard::describe_distribution` function.

### Examples

```
set.seed(123)

# parametric -----
centrality_description(iris, Species, Sepal.Length)

# non-parametric ----
centrality_description(mtcars, am, wt, type = "n")

# robust -----
centrality_description(ToothGrowth, supp, len, type = "r")

# Bayesian -----
centrality_description(sleep, group, extra, type = "b")
```

---

contingency\_table      *Contingency table analyses*

---

### Description

A dataframe containing results from for contingency table analysis or goodness of fit test.

To see details about functions which are internally used to carry out these analyses, see the following vignette- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

### Usage

```
contingency_table(
  data,
  x,
  y = NULL,
  paired = FALSE,
  type = "parametric",
```

```

counts = NULL,
ratio = NULL,
k = 2L,
conf.level = 0.95,
sampling.plan = "indepMulti",
fixed.margin = "rows",
prior.concentration = 1,
top.text = NULL,
...
)

```

### Arguments

data	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
x	The variable to use as the <b>rows</b> in the contingency table.
y	The variable to use as the <b>columns</b> in the contingency table. Default is NULL. If NULL, one-sample proportion test (a goodness of fit test) will be run for the x variable. Otherwise association test will be carried out.
paired	Logical indicating whether data came from a within-subjects or repeated measures design study (Default: FALSE). If TRUE, McNemar's test expression will be returned. If FALSE, Pearson's chi-square test will be returned.
type	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul> <p>You can specify just the initial letter.</p>
counts	A string naming a variable in data containing counts, or NULL if each row represents a single observation.
ratio	A vector of proportions: the expected proportions for the proportion test (should sum to 1). Default is NULL, which means the null is equal theoretical proportions across the levels of the nominal variable. This means if there are two levels this will be <code>ratio = c(0.5, 0.5)</code> or if there are four levels this will be <code>ratio = c(0.25, 0.25, 0.25, 0.25)</code> , etc.
k	Number of digits after decimal point (should be an integer) (Default: <code>k = 2L</code> ).
conf.level	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).
sampling.plan	Character describing the sampling plan. Possible options are "indepMulti" (independent multinomial; default), "poisson", "jointMulti" (joint multinomial), "hypergeom" (hypergeometric). For more, see <code>?BayesFactor::contingencyTableBF()</code> .
fixed.margin	For the independent multinomial sampling plan, which margin is fixed ("rows" or "cols"). Defaults to "rows".



prior.concentration      Specifies the prior concentration parameter, set to 1 by default. It indexes the expected deviation from the null hypothesis under the alternative, and corresponds to Gunel and Dickey's (1974) "a" parameter.

top.text                 Text to display on top of the Bayes Factor message. This is mostly relevant in the context of ggstatsplot package functions.

...                        Additional arguments (currently ignored).

## Examples

```
# for reproducibility
set.seed(123)
library(statsExpressions)
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)

# ----- non-Bayesian -----

# association test
contingency_table(
  data = mtcars,
  x     = am,
  y     = cyl,
  paired = FALSE
)

# goodness-of-fit test
contingency_table(
  data = as.data.frame(HairEyeColor),
  x     = Eye,
  counts = Freq,
  ratio = c(0.2, 0.2, 0.3, 0.3)
)

# ----- Bayesian -----

# association test
contingency_table(
  data = mtcars,
  x     = am,
  y     = cyl,
  paired = FALSE,
  type  = "bayes"
)

# goodness-of-fit test
contingency_table(
  data = as.data.frame(HairEyeColor),
  x     = Eye,
  counts = Freq,
  ratio = c(0.2, 0.2, 0.3, 0.3),
  type  = "bayes"
)
```

)

---

`corr_test`*Correlation analyses*

---

**Description**

A dataframe containing results from correlation test with confidence intervals for the correlation coefficient estimate.

**Usage**

```
corr_test(
  data,
  x,
  y,
  type = "parametric",
  k = 2L,
  conf.level = 0.95,
  tr = 0.2,
  bf.prior = 0.707,
  top.text = NULL,
  ...
)
```

**Arguments**

<code>data</code>	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
<code>x</code>	The column in <code>data</code> containing the explanatory variable to be plotted on the x-axis.
<code>y</code>	The column in <code>data</code> containing the response (outcome) variable to be plotted on the y-axis.
<code>type</code>	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul> <p>You can specify just the initial letter.</p>
<code>k</code>	Number of digits after decimal point (should be an integer) (Default: <code>k = 2L</code> ).
<code>conf.level</code>	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).

tr	Trim level for the mean when carrying out robust tests. In case of an error, try reducing the value of tr, which is by default set to 0.2. Lowering the value might help.
bf.prior	A number between 0.5 and 2 (default 0.707), the prior width to use in calculating Bayes factors and posterior estimates. In addition to numeric arguments, several named values are also recognized: "medium", "wide", and "ultrawide", corresponding to r scale values of 1/2, sqrt(2)/2, and 1, respectively. In case of an ANOVA, this value corresponds to scale for fixed effects.
top.text	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of ggstatsplot package functions.
...	Additional arguments (currently ignored).

## References

To see details about functions which are internally used to carry out these analyses, see the following vignette- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

## Examples

```
# for reproducibility
set.seed(123)
library(statsExpressions)
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)

# without changing defaults
corr_test(
  data = ggplot2::midwest,
  x = area,
  y = percblack
)

# changing defaults
corr_test(
  data = ggplot2::midwest,
  x = area,
  y = percblack,
  type = "robust"
)
```

---

iris\_long

*Edgar Anderson's Iris Data in long format.*

---

## Description

Edgar Anderson's Iris Data in long format.

**Usage**

```
iris_long
```

**Format**

A data frame with 600 rows and 5 variables

- id. Dummy identity number for each flower (150 flowers in total).
- Species. The species are *Iris setosa*, *versicolor*, and *virginica*.
- condition. Factor giving a detailed description of the attribute (Four levels: "Petal.Length", "Petal.Width", "Sepal.Length", "Sepal.Width").
- attribute. What attribute is being measured ("Sepal" or "Petal").
- measure. What aspect of the attribute is being measured ("Length" or "Width").
- value. Value of the measurement.

**Details**

This famous (Fisher's or Anderson's) iris data set gives the measurements in centimeters of the variables sepal length and width and petal length and width, respectively, for 50 flowers from each of 3 species of iris. The species are *Iris setosa*, *versicolor*, and *virginica*.

This is a modified dataset from `datasets` package.

**Examples**

```
dim(iris_long)
head(iris_long)
dplyr::glimpse(iris_long)
```

---

```
long_to_wide_converter
```

*Converts dataframe from long/tidy to wide format with NAs removed*

---

**Description**

This conversion is helpful mostly for repeated measures design, where removing NAs by participant can be a bit tedious.

It does not make sense to spread the dataframe to wide format when the measure is not repeated, so if `paired = TRUE`, `spread` argument will be ignored.

**Usage**

```
long_to_wide_converter(
  data,
  x,
  y,
  subject.id = NULL,
  paired = TRUE,
  spread = TRUE,
  ...
)
```

**Arguments**

data	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
x	The grouping (or independent) variable from the dataframe data. In case of a repeated measures or within-subjects design, if <code>subject.id</code> argument is not available or not explicitly specified, the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted, the results <i>can</i> be inaccurate when there are more than two levels in x and there are NAs present. The data is expected to be sorted by user in subject-1, subject-2, ..., pattern.
y	The response (or outcome or dependent) variable from the dataframe data.
subject.id	Relevant in case of a repeated measures or within-subjects design ( <code>paired = TRUE</code> , i.e.), it specifies the subject or repeated measures identifier. <b>Important:</b> Note that if this argument is <code>NULL</code> (which is the default), the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted and you leave this argument unspecified, the results <i>can</i> be inaccurate when there are more than two levels in x and there are NAs present.
paired	Logical that decides whether the experimental design is repeated measures/within-subjects or between-subjects. The default is <code>FALSE</code> .
spread	Logical that decides whether the dataframe needs to be converted from long/tidy to wide (default: <code>TRUE</code> ). Relevant only if <code>paired = TRUE</code> .
...	Currently ignored.

**Value**

A dataframe with NAs removed while respecting the between-or-within-subjects nature of the dataset.

**Examples**

```
# for reproducibility
library(statsExpressions)
set.seed(123)

# repeated measures design
```

```

long_to_wide_converter(
  data      = bugs_long,
  x         = condition,
  y         = desire,
  subject.id = subject,
  paired    = TRUE
)

# independent measures design
long_to_wide_converter(
  data = ggplot2::msleep,
  x    = vore,
  y    = brainwt,
  paired = FALSE
)

```

---

 meta\_analysis

*Random-effects meta-analyses*


---

## Description

A dataframe containing results from random-effects meta-analysis.

To see details about functions which are internally used to carry out these analyses, see the following vignette- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

## Usage

```

meta_analysis(
  data,
  type = "parametric",
  random = "mixture",
  k = 2L,
  conf.level = 0.95,
  top.text = NULL,
  ...
)

```

## Arguments

data	A dataframe. It <b>must</b> contain columns named estimate (effect sizes or outcomes) and std.error (corresponding standard errors). These two columns will be used: <ul style="list-style-type: none"> <li>• as yi and sei arguments in metafor::rma (for <b>parametric</b> test) or metaplus::metaplus (for <b>robust</b> test)</li> <li>• as y and SE arguments in metaBMA::meta_random (for <b>Bayesian</b> test).</li> </ul>
type	A character specifying the type of statistical approach:

- "parametric"
- "nonparametric"
- "robust"
- "bayes"

You can specify just the initial letter.

random	The type of random effects distribution. One of "normal", "t-dist", "mixture", for standard normal, <i>t</i> -distribution or mixture of normals respectively.
k	Number of digits after decimal point (should be an integer) (Default: k = 2L).
conf.level	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).
top.text	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of ggstatsplot package functions.
...	Additional arguments passed to the respective meta-analysis function.

### Note

**Important:** The function assumes that you have already downloaded the needed package (metafor, metaplust, or metaBMA) for meta-analysis. If they are not available, you will be asked to install them.

### Examples

```
# a dataframe with estimates and standard errors (`mag` dataset from `metaplust`)
df <- structure(list(
  study = structure(c(
    8L, 10L, 15L, 1L, 4L, 11L, 3L, 2L, 14L, 9L, 12L, 5L, 16L, 7L, 13L, 6L
  ), .Label = c(
    "Abraham", "Bertschat", "Ceremuzynski", "Feldstedt", "Golf",
    "ISIS-4", "LIMIT-2", "Morton", "Pereira", "Rasmussen", "Schechter", "Schechter 1",
    "Schechter 2", "Singh", "Smith", "Thogersen"
  ), class = "factor"),
  estimate = c(
    -0.8303483, -1.056053, -1.27834, -0.0434851, 0.2231435,
    -2.40752, -1.280934, -1.191703, -0.695748, -2.208274, -2.03816,
    -0.8501509, -0.7932307, -0.2993399, -1.570789, 0.0575873
  ),
  std.error = c(
    1.24701799987009, 0.41407060026039, 0.808139200261935,
    1.42950999996502, 0.489168400451215, 1.07220799987689, 1.1937340001022,
    1.66129199992054, 0.536177600240816, 1.10964800004326, 0.780726300312728,
    0.618448600127771, 0.625866199758383, 0.146572899950844,
    0.574039500383031, 0.0316420922190679
  )
), row.names = c(NA, -16L), class = "data.frame")

# setup
set.seed(123)
library(statsExpressions)
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)
```

```
meta_analysis(df) # parametric
# meta_analysis(df, type = "random", random = "normal") # robust
# meta_analysis(df, type = "bayes") # Bayesian
```

---

movies_long	<i>Movie information and user ratings from IMDB.com (long format).</i>
-------------	--

---

## Description

Movie information and user ratings from IMDB.com (long format).

## Usage

```
movies_long
```

## Format

A data frame with 1,579 rows and 8 variables

- title. Title of the movie.
- year. Year of release.
- budget. Total budget (if known) in US dollars
- length. Length in minutes.
- rating. Average IMDB user rating.
- votes. Number of IMDB users who rated this movie.
- mpaa. MPAA rating.
- genre. Different genres of movies (action, animation, comedy, drama, documentary, romance, short).

## Details

Modified dataset from ggplot2movies package.

The internet movie database, <https://imdb.com/>, is a website devoted to collecting movie data supplied by studios and fans. It claims to be the biggest movie database on the web and is run by amazon.

Movies were are identical to those selected for inclusion in movies\_wide but this dataset has been constructed such that every movie appears in one and only one genre category.

## Source

<https://CRAN.R-project.org/package=ggplot2movies>



**Examples**

```
dim(movies_long)
head(movies_long)
dplyr::glimpse(movies_long)
```

---

movies_wide	<i>Movie information and user ratings from IMDB.com (wide format).</i>
-------------	--

---

**Description**

Movie information and user ratings from IMDB.com (wide format).

**Usage**

```
movies_wide
```

**Format**

A data frame with 1,579 rows and 13 variables

- title. Title of the movie.
- year. Year of release.
- budget. Total budget in millions of US dollars
- length. Length in minutes.
- rating. Average IMDB user rating.
- votes. Number of IMDB users who rated this movie.
- mpaa. MPAA rating.
- action, animation, comedy, drama, documentary, romance, short. Binary variables representing if movie was classified as belonging to that genre.
- NumGenre. The number of different genres a film was classified in an integer between one and four.

**Details**

Modified dataset from ggplot2movies package.

The internet movie database, <https://imdb.com/>, is a website devoted to collecting movie data supplied by studios and fans. It claims to be the biggest movie database on the web and is run by amazon.

Movies were selected for inclusion if they had a known length and had been rated by at least one imdb user. Small categories such as documentaries and NC-17 movies were removed.

**Source**

<https://CRAN.R-project.org/package=ggplot2movies>

**Examples**

```
dim(movies_wide)
head(movies_wide)
dplyr::glimpse(movies_wide)
```

---

oneway\_anova

*One-way analysis of variance (ANOVA)*


---

**Description**

A dataframe containing results for one-way ANOVA.

To see details about functions which are internally used to carry out these analyses, see the following vignette- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

**Usage**

```
oneway_anova(
  data,
  x,
  y,
  subject.id = NULL,
  type = "parametric",
  paired = FALSE,
  k = 2L,
  conf.level = 0.95,
  effsize.type = "omega",
  var.equal = FALSE,
  bf.prior = 0.707,
  tr = 0.2,
  nboot = 100L,
  top.text = NULL,
  ...
)
```

**Arguments**

- |      |  |
|------|--|
| data | A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.   |
| x    | The grouping (or independent) variable from the dataframe data. In case of a repeated measures or within-subjects design, if <code>subject.id</code> argument is not available or not explicitly specified, the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted, the results <i>can</i> be inaccurate when there are more than two levels in x and there are NAs present. The data is expected to be sorted by user in subject-1, subject-2, ..., pattern. |

<code>y</code>	The response (or outcome or dependent) variable from the dataframe data.
<code>subject.id</code>	Relevant in case of a repeated measures or within-subjects design ( <code>paired = TRUE</code> , i.e.), it specifies the subject or repeated measures identifier. <b>Important:</b> Note that if this argument is <code>NULL</code> (which is the default), the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted and you leave this argument unspecified, the results <i>can</i> be inaccurate when there are more than two levels in <code>x</code> and there are NAs present.
<code>type</code>	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul> <p>You can specify just the initial letter.</p>
<code>paired</code>	Logical that decides whether the experimental design is repeated measures/within-subjects or between-subjects. The default is <code>FALSE</code> .
<code>k</code>	Number of digits after decimal point (should be an integer) (Default: <code>k = 2L</code> ).
<code>conf.level</code>	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).
<code>effsize.type</code>	Type of effect size needed for <i>parametric</i> tests. The argument can be "eta" (partial eta-squared) or "omega" (partial omega-squared).
<code>var.equal</code>	a logical variable indicating whether to treat the two variances as being equal. If <code>TRUE</code> then the pooled variance is used to estimate the variance otherwise the Welch (or Satterthwaite) approximation to the degrees of freedom is used.
<code>bf.prior</code>	A number between 0.5 and 2 (default 0.707), the prior width to use in calculating Bayes factors and posterior estimates. In addition to numeric arguments, several named values are also recognized: "medium", "wide", and "ultrawide", corresponding to <i>r</i> scale values of 1/2, sqrt(2)/2, and 1, respectively. In case of an ANOVA, this value corresponds to scale for fixed effects.
<code>tr</code>	Trim level for the mean when carrying out robust tests. In case of an error, try reducing the value of <code>tr</code> , which is by default set to 0.2. Lowering the value might help.
<code>nboot</code>	Number of bootstrap samples for computing confidence interval for the effect size (Default: 100L).
<code>top.text</code>	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of <code>ggstatsplot</code> package functions.
<code>...</code>	Additional arguments (currently ignored).

## Examples

```
# for reproducibility
set.seed(123)
library(statsExpressions)
```

```
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)

# ----- parametric -----

# between-subjects
oneway_anova(
  data = ggplot2::msleep,
  x     = vore,
  y     = sleep_rem
)

if (require("afex", quietly = TRUE)) {
  # within-subjects design
  oneway_anova(
    data      = iris_long,
    x         = condition,
    y         = value,
    subject.id = id,
    paired    = TRUE
  )
}

# ----- non-parametric -----

# between-subjects
oneway_anova(
  data = ggplot2::msleep,
  x     = vore,
  y     = sleep_rem,
  type = "np"
)

# within-subjects design
oneway_anova(
  data      = iris_long,
  x         = condition,
  y         = value,
  subject.id = id,
  paired    = TRUE,
  type      = "np"
)

# ----- robust -----

# between-subjects
oneway_anova(
  data = ggplot2::msleep,
  x     = vore,
  y     = sleep_rem,
  type = "r"
)

# within-subjects design
```

```
oneway_anova(  
  data      = iris_long,  
  x         = condition,  
  y         = value,  
  subject.id = id,  
  paired    = TRUE,  
  type      = "r"  
)  
  
# ----- Bayesian -----  
  
# between-subjects  
oneway_anova(  
  data = ggplot2::msleep,  
  x     = vore,  
  y     = sleep_rem,  
  type = "bayes"  
)  
  
# within-subjects design  
oneway_anova(  
  data      = iris_long,  
  x         = condition,  
  y         = value,  
  subject.id = id,  
  paired    = TRUE,  
  type      = "bayes"  
)
```

---

one\_sample\_test

*One-sample tests*

---

## Description

A dataframe containing results from a one-sample test.

## Usage

```
one_sample_test(  
  data,  
  x,  
  type = "parametric",  
  test.value = 0,  
  alternative = "two.sided",  
  k = 2L,  
  conf.level = 0.95,  
  tr = 0.2,  
  bf.prior = 0.707,
```

```

  effsize.type = "g",
  top.text = NULL,
  ...
)

```

## Arguments

data	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
x	A numeric variable from the dataframe data.
type	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul> <p>You can specify just the initial letter.</p>
test.value	A number indicating the true value of the mean (Default: 0).
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.
k	Number of digits after decimal point (should be an integer) (Default: k = 2L).
conf.level	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).
tr	Trim level for the mean when carrying out robust tests. In case of an error, try reducing the value of tr, which is by default set to 0.2. Lowering the value might help.
bf.prior	A number between 0.5 and 2 (default 0.707), the prior width to use in calculating Bayes factors and posterior estimates. In addition to numeric arguments, several named values are also recognized: "medium", "wide", and "ultrawide", corresponding to $r$ scale values of 1/2, $\sqrt{2}/2$ , and 1, respectively. In case of an ANOVA, this value corresponds to scale for fixed effects.
effsize.type	Type of effect size needed for <i>parametric</i> tests. The argument can be "d" (for Cohen's $d$ ) or "g" (for Hedge's $g$ ).
top.text	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of ggstatsplot package functions.
...	Currently ignored.

## Details

The exact test and the effect size details contained will depend on the type argument.

Internal function `.f` used to carry out statistical test:

- **parametric**: `stats::t.test`
- **nonparametric**: `stats::wilcox.test`
- **robust**: `WRS2::trimcibt`

- **bayes**: BayesFactor::ttestBF

Internal function `.f.es` used to compute effect size:

- **parametric**: effectsize::cohens\_d, effectsize::hedges\_g
- **nonparametric**: effectsize::rank\_biserial
- **robust**: WRS2::trimcibt
- **bayes**: bayestestR::describe\_posterior

For more, see- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

## Examples

```
# for reproducibility
set.seed(123)
library(statsExpressions)
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)

# ----- parametric -----

one_sample_test(
  data      = ggplot2::msleep,
  x         = brainwt,
  test.value = 0.275,
  type      = "parametric"
)

# ----- non-parametric -----

one_sample_test(
  data      = ggplot2::msleep,
  x         = brainwt,
  test.value = 0.275,
  type      = "nonparametric"
)

# ----- robust -----

one_sample_test(
  data      = ggplot2::msleep,
  x         = brainwt,
  test.value = 0.275,
  type      = "robust"
)

# ----- Bayesian -----

one_sample_test(
  data      = ggplot2::msleep,
  x         = brainwt,
```

```

test.value = 0.275,
type       = "bayes",
bf.prior   = 0.8
)

```

---

stats\_type\_switch      *Switch the type of statistics.*

---

### Description

Relevant mostly for {ggstatsplot} and {statsExpressions} packages, where different statistical approaches are supported via this argument: parametric, non-parametric, robust, and Bayesian. This switch function converts strings entered by users to a common pattern for convenience.

### Usage

```
stats_type_switch(type)
```

### Arguments

type                    A character specifying the type of statistical approach:

- "parametric"
- "nonparametric"
- "robust"
- "bayes"

You can specify just the initial letter.

### Examples

```

stats_type_switch("p")
stats_type_switch("bf")

```

---

tidy\_model\_expressions      *Expressions with statistics for tidy regression dataframes*

---

### Description

Expressions with statistics for tidy regression dataframes



**Usage**

```
tidy_model_expressions(
  data,
  statistic = NULL,
  k = 2L,
  effsize.type = "omega",
  ...
)
```

**Arguments**

<code>data</code>	A tidy dataframe from regression model object.
<code>statistic</code>	Which statistic is to be displayed (either "t" or "f" or "z" or "chi") in the label.
<code>k</code>	Number of digits after decimal point (should be an integer) (Default: k = 2L).
<code>effsize.type</code>	Type of effect size needed for <i>parametric</i> tests. The argument can be "eta" (partial eta-squared) or "omega" (partial omega-squared).
<code>...</code>	Currently ignored.

**Note**

This is an **experimental** function and may change in the future. Please do not use it yet in your workflow.

**Examples**

```
set.seed(123)

# tidy dataframe
df <- tidy_model_parameters(lm(wt ~ am * cyl, mtcars))

# create a column containing expressions
tidy_model_expressions(df, statistic = "t")
```

---

`tidy_model_parameters` *Convert parameters package output to tidyverse conventions*

---

**Description**

Convert parameters package output to tidyverse conventions

**Usage**

```
tidy_model_parameters(model, ...)
```

**Arguments**

model            Statistical Model.

...              Arguments passed to or from other methods. Non-documented arguments are `digits`, `p_digits`, `ci_digits` and `footer_digits` to set the number of digits for the output. `group` can also be passed to the `print()` method. See details in `print.parameters_model()` and 'Examples' in `model_parameters.default()`.

**Examples**

```
model <- lm(mpg ~ wt + cyl, data = mtcars)
tidy_model_parameters(model)
```

---

two_sample_test	<i>Two-sample tests</i>
-----------------	-------------------------

---

**Description**

A dataframe containing results from a two-sample test and effect size plus confidence intervals.

To see details about functions which are internally used to carry out these analyses, see the following vignette- [https://indrajeetpatil.github.io/statsExpressions/articles/stats\\_details.html](https://indrajeetpatil.github.io/statsExpressions/articles/stats_details.html)

**Usage**

```
two_sample_test(
  data,
  x,
  y,
  subject.id = NULL,
  type = "parametric",
  paired = FALSE,
  alternative = "two.sided",
  k = 2L,
  conf.level = 0.95,
  effsize.type = "g",
  var.equal = FALSE,
  bf.prior = 0.707,
  tr = 0.2,
  nboot = 100L,
  top.text = NULL,
  ...
)
```

**Arguments**

data	A dataframe (or a tibble) from which variables specified are to be taken. Other data types (e.g., matrix, table, array, etc.) will <b>not</b> be accepted.
x	The grouping (or independent) variable from the dataframe data. In case of a repeated measures or within-subjects design, if <code>subject.id</code> argument is not available or not explicitly specified, the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted, the results <i>can</i> be inaccurate when there are more than two levels in x and there are NAs present. The data is expected to be sorted by user in subject-1, subject-2, ..., pattern.
y	The response (or outcome or dependent) variable from the dataframe data.
subject.id	Relevant in case of a repeated measures or within-subjects design ( <code>paired = TRUE</code> , i.e.), it specifies the subject or repeated measures identifier. <b>Important:</b> Note that if this argument is NULL (which is the default), the function assumes that the data has already been sorted by such an id by the user and creates an internal identifier. So if your data is <b>not</b> sorted and you leave this argument unspecified, the results <i>can</i> be inaccurate when there are more than two levels in x and there are NAs present.
type	A character specifying the type of statistical approach: <ul style="list-style-type: none"> <li>• "parametric"</li> <li>• "nonparametric"</li> <li>• "robust"</li> <li>• "bayes"</li> </ul> <p>You can specify just the initial letter.</p>
paired	Logical that decides whether the experimental design is repeated measures/within-subjects or between-subjects. The default is FALSE.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.
k	Number of digits after decimal point (should be an integer) (Default: $k = 2L$ ).
conf.level	Scalar between 0 and 1. If unspecified, the defaults return 95% confidence/credible intervals (0.95).
effsize.type	Type of effect size needed for <i>parametric</i> tests. The argument can be "d" (for Cohen's <i>d</i> ) or "g" (for Hedge's <i>g</i> ).
var.equal	a logical variable indicating whether to treat the two variances as being equal. If TRUE then the pooled variance is used to estimate the variance otherwise the Welch (or Satterthwaite) approximation to the degrees of freedom is used.
bf.prior	A number between 0.5 and 2 (default 0.707), the prior width to use in calculating Bayes factors and posterior estimates. In addition to numeric arguments, several named values are also recognized: "medium", "wide", and "ultrawide", corresponding to <i>r</i> scale values of 1/2, $\sqrt{2}/2$ , and 1, respectively. In case of an ANOVA, this value corresponds to scale for fixed effects.
tr	Trim level for the mean when carrying out robust tests. In case of an error, try reducing the value of <code>tr</code> , which is by default set to 0.2. Lowering the value might help.

nboot	Number of bootstrap samples for computing confidence interval for the effect size (Default: 100L).
top.text	Text to display on top of the Bayes Factor message. This is mostly relevant in the context of ggstatsplot package functions.
...	Currently ignored.

## Examples

```
# for reproducibility
set.seed(123)
library(statsExpressions)
options(tibble.width = Inf, pillar.bold = TRUE, pillar.neg = TRUE)

# parametric -----

# between-subjects design
two_sample_test(
  data = sleep,
  x    = group,
  y    = extra,
  type = "p"
)

# within-subjects design
two_sample_test(
  data      = dplyr::filter(bugs_long, condition %in% c("HDHF", "HDLF")),
  x         = condition,
  y         = desire,
  paired    = TRUE,
  subject.id = subject,
  type     = "p"
)

# non-parametric -----

# between-subjects design
two_sample_test(
  data = sleep,
  x    = group,
  y    = extra,
  type = "np"
)

# within-subjects design
two_sample_test(
  data      = dplyr::filter(bugs_long, condition %in% c("HDHF", "HDLF")),
  x         = condition,
  y         = desire,
  paired    = TRUE,
  subject.id = subject,
  type     = "np"
)
```

```
)

# robust -----

# between-subjects design
two_sample_test(
  data = sleep,
  x     = group,
  y     = extra,
  type = "r"
)

# within-subjects design
two_sample_test(
  data      = dplyr::filter(bugs_long, condition %in% c("HDHF", "HDLF")),
  x         = condition,
  y         = desire,
  paired    = TRUE,
  subject.id = subject,
  type     = "r"
)

#' # Bayesian -----

# between-subjects design
two_sample_test(
  data = sleep,
  x     = group,
  y     = extra,
  type = "bayes"
)

# within-subjects design
two_sample_test(
  data      = dplyr::filter(bugs_long, condition %in% c("HDHF", "HDLF")),
  x         = condition,
  y         = desire,
  paired    = TRUE,
  subject.id = subject,
  type     = "bayes"
)
```

# Index

- \* **datasets**
  - bugs\_long, 5
  - iris\_long, 11
  - movies\_long, 16
  - movies\_wide, 17
- \_PACKAGE (statsExpressions-package), 2
- add\_expression\_col, 3
- bugs\_long, 5
- centrality\_description, 6
- contingency\_table, 7
- corr\_test, 10
- iris\_long, 11
- long\_to\_wide\_converter, 12
- meta\_analysis, 14
- model\_parameters.default(), 26
- movies\_long, 16
- movies\_wide, 17
- one\_sample\_test, 21
- oneway\_anova, 18
- print.parameters\_model(), 26
- stats\_type\_switch, 24
- statsExpressions
  - (statsExpressions-package), 2
- statsExpressions-package, 2
- tidy\_model\_expressions, 24
- tidy\_model\_parameters, 25
- two\_sample\_test, 26