

QUESTIONNAIRE FOR CHILDREN UNDER FIVE

Multiple Indicator Cluster Survey Punjab 2017



UNDER-FIVE CHILD INFORMATION PANEL		UF
UF1. Cluster number:	UF2. Household number:	
UF3. Child's name and line number:	UF4. Mother's / Caretaker's name	and line number:
NAME	NAME	
UF5. Interviewer's name and number:	UF6. Supervisor's name and number	
NAME	NAME	
UF7. Day / Month / Year of interview:	NAME UF8. Record the time:	HOURS : MINUTES
// <u>2 0 1</u>		:
Check respondent's age in HL6 in LIST OF HOUSEHOLD ME If age 15-17, verify that adult consent for interview is obtain needed and not obtained, the interview must not commence least 15 years old.	ned (HH33 or HH39) or not necesson and '06' should be recorded in UFI	ary (HL20=90). If consent is 7. The respondent must be at
UF9 . Check completed questionnaires in this household: Have or another member of your team interviewed this respondent y another questionnaire?		
UF10A . Assalam o alaikum, my name is (<i>your name</i>). We are Bureau of Statistics, Planning & Development Depart Government of the Punjab, Lahore. We are conducting a sabout the situation of children, families and households. It like to talk to you about (<i>child's name from UF3</i>)'s healt well-being. This interview will take about 30 minutes. A information we obtain will remain strictly confidential anonymous. If you wish not to answer a question or wish to the interview, please let me know. May I start now?	ment, name from UF3)'s health a turvey would information we obtain will the wish to stop the interview start now?	to talk to you about (<i>child's</i> and well-being in more detail. out 30 minutes. Again, all the ll remain strictly confidential sh not to answer a question or to please let me know. May I
YESNO / NOT ASKED		ROUND Module
	COLUMN FILLE	
UF17 . Result of interview for children under 5	NOT AT HOME	
Codes refer to mother/caretaker.	REFUSED	03
Discuss any result not completed with Supervisor.	PARTLY COMPLETED	04
	INCAPACITATED (specify)	05
	NO ADULT CONSENT FOR MO	гнек/
	CARETAKER AGE 15-17	06
	OTHER (specify)	96

UNDER-FIVE'S BACKGROUND		UB
UB0 . Before I begin the interview, could you please bring (<i>name</i>)'s Birth Certificate, Form-B/Vaccination Card, and any immunisation record from a private health provider? We will need to refer to those documents.		
UB1. On what day, month and year was (name) born?		
Probe: What is (his/her) birthday? If the mother/caretaker knows the exact date of birth, also record the day; otherwise, record '98' for day. Month and year must be recorded.	DATE OF BIRTH DAY	
IID? How old is (name)?		
UB2. How old is (name)? Probe: How old was (name) at (his/her) last birthday?	AGE (IN COMPLETED YEARS)	
How old was (name) at (ilis/fiet) last bittilday?		
Record age in completed years.		
Record '0' if less than 1 year.		
If responses to UB1 and UB2 are inconsistent, probe further and correct.		
UB3. Check UB2: Child's age?	AGE 0, 1, OR 2	1 <i>⇒UB</i> 9
UB4 . Check the respondent's line number (UF4) and the respondent to the HOUSEHOLD QUESTIONNAIRE (HH47):	RESPONDENT IS THE SAME, UF4=HH471 RESPONDENT IS NOT THE SAME, UF4≠HH472	2 <i>⇒UB</i> 6
UB5. Check ED10 in the EDUCATION MODULE in the HOUSEHOLD QUESTIONNAIRE: Is the child attending Pre-school/ Katchi/ ECE programme in the current school year?	YES, ED10=0	1 <i>⇒UB8B</i> 2 <i>⇒UB9</i>
UB6 . Has (<i>name</i>) ever attended any early childhood education programme, such as Pre-School/ Katchi/ Early Childhood Education Programme?	YES	2 <i>⇒UB</i> 9
UB7 . At any time since April, 2017, did (he/she) attend (programmes mentioned in UB6)?	YES	1 <i>⇒UB8A</i> 2 <i>⇒UB</i> 9
UB8A . Does (he/she) currently attend (<i>programmes mentioned in UB6</i>)?		
UB8B. You have mentioned that (<i>name</i>) has attended a Pre-school/ Katchi/ ECE Programme this school year. Does (he/she) currently attend this programme?	YES	
UB9 . Is (<i>name</i>) covered by any health insurance?	YES	2 <i>⇒End</i>

UB10 . What type of health insurance is (<i>name</i>) covered	PUBLIC HEALTH INSURANCEA	
by?	HEALTH INSURANCE THROUGH	
	EMPLOYERB	
Record all mentioned.	SOCIAL SECURITYC	
	OTHER PRIVATELY PURCHASED	
	COMMERCIAL HEALTH INSURANCED	
	OTHER (specify) X	

BIRTH REGISTRATION		BR
BR1 . Does (<i>name</i>) have a birth certificate?	YES, SEEN1	1 <i>⇒End</i>
	YES, NOT SEEN2	2 <i>⇒End</i>
If yes, ask:	NO3	
May I see it?		
	DK8	
BR2. Has (name)'s birth been registered with union	YES1	1 <i>⇒End</i>
council or NADRA?	NO2	
	DK8	
BR3 . Do you know how to register (<i>name</i>)'s birth?	YES1	
	NO2	

EARLY CHILDHOOD DEVELOPMENT		EC
EC1 . How many children's books or picture books do you have for (<i>name</i>)?	NONE00	
	NUMBER OF CHILDREN'S BOOKS <u>0</u>	
	TEN OR MORE BOOKS10	
EC2. I am interested in learning about the things that (<i>name</i>) plays with when (he/she) is at home.		
Does (he/she) play with:	Y N DK	
[A] Homemade toys, such as dolls, cars, or other toys made at home?	HOMEMADE TOYS1 2 8	
[B] Toys from a shop or manufactured toys?	TOYS FROM A SHOP1 2 8	
[C] Household objects, such as bowls or pots, or	HOUSEHOLD OBJECTS	
objects found outside, such as sticks, rocks, animal shells or leaves?	OR OUTSIDE OBJECTS 2 8	
EC3. Sometimes adults taking care of children have to		
leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.		
On how many days in the past week was (name):		
[A] Left alone for more than an hour?	NUMBER OF DAYS LEFT ALONE FOR	
	MORE THAN AN HOUR	
[B] Left in the care of another child, that is,	NUMBER OF DAYS LEFT WITH	
someone less than 10 years old, for more	ANOTHER CHILD FOR MORE	
than an hour?	THAN AN HOUR	
If 'None' record '0'. If 'Don't know' record '8'.		
EC4. Check UB2: Child's age?	AGE 0 OR 11	1 <i>⇒End</i>
	AGE 2, 3 OR 42	

EC5. In the past 3 days, did you or any household member age 15 or over engage in any of the following activities with (<i>name</i>):						
If 'Yes', ask: Who engaged in this activity with (name)?						
A foster/step mother or father living in the household who engaged with the child should be coded as mother or father.						
Record all that apply.						
'No one' cannot be recorded if any household member age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture books with (<i>name</i>)?	READ BOOKS	A	В	X	Y	
[B] Told stories to (name)?	TOLD STORIES	A	В	X	Y	
[C] Sang songs to or with (<i>name</i>), including lullabies?	SANG SONGS	A	В	X	Y	
[D] Took (<i>name</i>) outside the home?	TOOK OUTSIDE	A	В	X	Y	
[E] Played with (name)?	PLAYED WITH	A	В	X	Y	
[F] Named, counted, or drew things for or with (<i>name</i>)?	NAMED	A	В	X	Y	
EC5G. Check UB2: Child's age?	AGE 2AGE 3 OR 4					1 <i>⇒End</i>
EC6. I would like to ask you some questions about the health and development of (<i>name</i>). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of (<i>name</i>)'s development.						
several aspects of (name) s development.	YES				1	
Can (<i>name</i>) identify or name at least ten letters of the alphabet?	NO					
агришост.	DK				8	
EC7. Can (<i>name</i>) read at least four simple, popular words?	YES					
	DK					
EC8 . Does (<i>name</i>) know the name and recognize the symbol of all numbers from 1 to 10?	YES					
	DK					
EC9 . Can (<i>name</i>) pick up a small object with two fingers, like a stick or a rock from the ground?	YES					
	DK			•••••	8	

EC10 . Is (<i>name</i>) sometimes too sick to play?	YES1
	NO2
	DK8
EC11 . Does (<i>name</i>) follow simple directions on how to	YES1
do something correctly?	NO2
	DV
	DK8
EC12 . When given something to do, is (<i>name</i>) able to do	YES1
it independently?	NO2
	DK8
EC13. Does (<i>name</i>) get along well with other children?	YES1
	NO2
	DK8
EC14 . Does (<i>name</i>) kick, bite, or hit other children or	YES1
adults?	NO2
	DK8
EC15. Does (name) get distracted easily?	YES1
•	NO2
	DK8

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 0	1 <i>⇒End</i>
UCD2. Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or any other adult in your household has used this method with (name) in the past month.	YES NO	
[A] Took away privileges, forbade something (<i>name</i>) liked or did not allow (him/her) to leave the house.	TOOK AWAY PRIVILEGES1 2	
[B] Explained why (<i>name</i>)'s behaviour was wrong.	EXPLAINED WRONG BEHAVIOR1 2	
[C] Shook (him/her).	SHOOK HIM/HER 1 2	
[D] Shouted, yelled at or screamed at (him/her).	SHOUTED, YELLED, SCREAMED	
[E] Gave (him/her) something else to do.	GAVE SOMETHING ELSE TO DO1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND1 2	
[G] Hit (him/her) on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other hard object.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD OBJECT1 2	
[H] Called (him/her) dumb, lazy or another name like that.	CALLED DUMB, LAZY OR ANOTHER NAME1 2	
[I] Hit or slapped (him/her) on the face, head or ears.	HIT / SLAPPED ON THE FACE, HEAD OR EARS1 2	
[J] Hit or slapped (him/her) on the hand, arm, or leg.	HIT / SLAPPED ON HAND, ARM OR LEG1 2	
[K] Beat (him/her) up, that is hit (him/her) over and over as hard as one could.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD1 2	
UCD3. Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 <i>⇔UCD</i> 5
UCD4. Check UF4: Has this respondent already responded to the following question (UCD5 or FCD5) for another child?	YES	1 <i>⇒End</i>
UCD5 . Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES	
* 2 · · · · 2 x · · · · · · · · · · · · ·	DK / NO OPINION8	

CHILD FUNCTIONING		UCF
UCF1. Check UB2: Child's age?	AGE 0 OR 11	1 <i>⇒End</i>
Cerr. Check Obl. Child & age.	AGE 2, 3 OR 4	1 · Ena
UCF2. I would like to ask you some questions about	YES1	
difficulties (<i>name</i>) may have.	NO	
Does (name) wear glasses?		
UCF3 . Does (<i>name</i>) use a hearing aid?	YES1	
	NO2	
UCF4 . Does (<i>name</i>) use any equipment or receive	YES1	
assistance for walking?	NO2	
UCF5. In the following questions, I will ask you to		
answer by selecting one of four possible answers.		
For each question, would you say that (<i>name</i>) has:		
1) no difficulty, 2) some difficulty, 3) a lot of		
difficulty, or 4) that (he/she) cannot at all.		
Repeat the categories during the individual		
questions whenever the respondent does not use an		
answer category:		
Remember the four possible answers: Would you		
say that (<i>name</i>) has: 1) no difficulty, 2) some		
difficulty, 3) a lot of difficulty, or 4) that (he/she)		
cannot at all?		
UCF6. Check UCF2: Child wears glasses?	YES, UCF2=11	1 <i>⇒UCF7A</i>
	NO, UCF2=22	2 <i>⇒UCF7B</i>
UCF7A. When wearing (his/her) glasses, does	NO DIFFICULTY1	
(name) have difficulty seeing?	SOME DIFFICULTY2	
	A LOT OF DIFFICULTY3	
UCF7B . Does (<i>name</i>) have difficulty seeing?	CANNOT SEE AT ALL4	
UCF8. Check UCF3: Child uses a hearing aid?	YES, UCF3=11	1 <i>⇒UCF9A</i>
	NO, UCF3=22	2 <i>⇒UCF9B</i>
UCF9A. When using (his/her) hearing aid(s), does		
(name) have difficulty hearing sounds like	NO DIFFICULTY1	
peoples' voices or music?	SOME DIFFICULTY2	
	A LOT OF DIFFICULTY3	
UCF9B. Does (<i>name</i>) have difficulty hearing sounds	CANNOT HEAR AT ALL4	
like peoples' voices or music?		
UCF10. Check UCF4: Child uses equipment or	YES, UCF4=1	1 <i>⇒UCF11</i>
receives assistance for walking?	NO, UCF4=22	2 <i>⇒UCF13</i>
UCF11. Without (his/her) equipment or assistance,	SOME DIFFICULTY2	
does (<i>name</i>) have difficulty walking?	A LOT OF DIFFICULTY3	
	CANNOT WALK AT ALL4	
UCF12. With (his/her) equipment or assistance, does	NO DIFFICULTY1	1 <i>⇒UCF14</i>
(name) have difficulty walking?	SOME DIFFICULTY2	2 <i>⇒UCF14</i>
	A LOT OF DIFFICULTY3	3 <i>⇔UCF14</i>
	CANNOT WALK AT ALL4	4 <i>⇒UCF14</i>

UCF13. Compared with children of the same age, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY
UCF14. Compared with children of the same age, does (<i>name</i>) have difficulty picking up small objects with (his/her) hand?	NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT PICK UP AT ALL 4
UCF15. Does (<i>name</i>) have difficulty understanding you?	NO DIFFICULTY
UCF16. When (<i>name</i>) speaks, do you have difficulty understanding (him/her)?	NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT BE UNDERSTOOD AT ALL 4
UCF17. Compared with children of the same age, does (<i>name</i>) have difficulty learning things?	NO DIFFICULTY
UCF18. Compared with children of the same age, does (<i>name</i>) have difficulty playing?	NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT PLAY AT ALL 4
UCF19. The next question has five different options for answers. I am going to read these to you after the question.	
Compared with children of the same age, how much does (<i>name</i>) kick, bite or hit other children or adults?	NOT AT ALL
Would you say: not at all, less, the same, more or a lot more?	MORE4 A LOT MORE5

BREASTFEEDING AND DIETARY INTAKE					
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2			1	
	AGE 3 OR 4			2	2 <i>⇒Er</i>
BD2. Has (name) ever been breastfed?	YES				2 <i>⇒BL</i>
	DK			8	8 <i>⇔BI</i>
BD3 . Is (<i>name</i>) still being breastfed?	YES			1	
	NO			2	
	DK				
BD3A. Check UB2: Child's age?	AGE 0 OR 1				2 <i>⇒En</i>
BD4 . Yesterday, during the day or night, did (<i>name</i>)	YES				2 / []
drink anything from a bottle with a nipple?	NO				
	DK			o	
PD5 Did (norm) ded On Data 1 de Otto 1 de					
BD5. Did (<i>name</i>) <u>drink Oral Rehydration Salt solution</u> (ORS) yesterday, during the day or night?	YES				
	DK			8	
BD6. Did (name) drink or eat vitamin or mineral	YES			1	
supplements or any medicines yesterday, during the	NO			2	
day or night?	DK			8	
BD7 . Now I would like to ask you about all other liquids that (<i>name</i>) may have had yesterday during the day or the night.					
Please include liquids consumed outside of your home.					
Did (name) drink (name of item) yesterday during					
the day or the night:		YES	NO	DK	<u> </u> -
[A] Plain water?	PLAIN WATER	1	2	8	-
[B] Juice or juice drinks?	JUICE OR JUICE DRINKS	1	2	8	
[C] Clear broth or clear soup?	CLEAR BROTH OR CLEAR SOUP	1	2	8	
[D] Infant formula, such as BF, Meiji, Lactogen, Cow & Gate, etc?	INFANT FSORMULA	1	2 \(\Delta \) BD7[E]	8 \(\D7 \) BD7 [E]	
[D1] How many times did (<i>name</i>) drink infant			[-]	. [2]	1
formula? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK INFANT FORMULA				
[E] Milk from animals, such as fresh, tinned, or powdered milk?	MILK	1	2 \\ BD7[X]	8 ₪ BD7[X]	
[E1] How many times did (<i>name</i>) drink milk? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK MILK				

[X] Any other liquids?	OTHER LIQUIDS	1	2 \(\Delta \) BD8	8 か <i>BD</i> 8
[X1] Record all other liquids mentioned.	(Specify)			
 BD8. Now I would like to ask you about everything the include foods consumed outside of your home. Think about when (name) woke up yesterday. Did (has afternoon of the start of the s	ne/she) eat anything at that time? that time. <i>Probe:</i> Anything else? hing at that time?			
For each food group not mentioned after completing the above ask: Just to make sure, did (name) eat (food group items) yesterday during the day or the night		YES	NO	DK
[A] Yogurt made from animal milk? Note that liquid/drinking yogurt should be captured in BD7[E] or BD7[X], depending on milk content.	YOGURT	1	2 ₪ BD8[B]	8 ☆ BD8[B]
[A1] How many times did (<i>name</i>) eat yogurt? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES ATE YOGURT			······ <u>—</u>
[B] Any baby food, such as Cerelac, etc?	ANYBABY FOOD	1	2	8
[C] Bread, rice, noodles, porridge, or other foods made from grains?	FOODS MADE FROM GRAINS	1	2	8
[D] Pumpkin, carrots, squash, or sweet potatoes that are yellow or orange inside?	PUMPKIN, CARROTS, SQUASH, ETC.	1	2	8
[E] White potatoes, white yams, cassava, or any other foods made from roots?	FOODS MADE FROM ROOTS	1	2	8
[F] Any dark green, leafy vegetables, such as Spinach?	DARK GREEN, LEAFY VEGETABLES	1	2	8
[G] Ripe mangoes, papayas, apricots etc.?	RIPE MANGO, PAPAYA, APRICOT ETC.	1	2	8
[H] Cherry, Lychee, Plum, Watermelon, Corn etc?	CHERRY, LYCHEE, PLUM ETC.	1	2	8
[I] Liver, kidney, heart or other organ meats?	ORGAN MEATS	1	2	8
[J] Any other meat, such as beef, lamb, goat, chicken, duck etc. or sausages made from these meats?	OTHER MEATS	1	2	8
[K] Eggs?	EGGS	1	2	8
[L] Fish or shellfish, either fresh or dried?	FRESH OR DRIED FISH	1	2	8
[M] Beans, peas, lentils or nuts, including any foods made from these?	FOODS MADE FROM BEANS, PEAS, NUTS, ETC.	1	2	8
[N] Cheese or other food made from animal	CHEESE OR OTHER FOOD	1	2	8

MADE FROM MILK

milk?

[X] Other solid, semi-solid, or soft food?	OTHER SOLID, SEMI- 1 2 分 8 分 SOLID, OR SOFT FOOD BD9 BD9
[X1] Record all other solid, semi-solid, or soft food that do not fit food groups above.	(Specify)
BD9 . How many times did (<i>name</i>) eat any solid, semisolid or soft foods yesterday during the day or night?	NUMBER OF TIMES
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK8
If 7 or more times, record '7'.	

IMMUNISATION										IM
IM1. Check UB2: Child's age?				2						2 <i>⇒</i> End
IM2 . Do you have a Vaccination C immunisation records from a priv or any other document where (<i>na</i> are written down?	ate health provider	YES, YES, DOO YES, DOO NO, H	HAS OF HAS OF CUMENTAS COMEN	NLY CANLY OT ARD(S)	ARD(S) THER AND C	THER	THER		2	1 \$\Rightarrow\$IM5
IM3 . Did you ever have a Vaccinat immunisation records from a priv for (<i>name</i>)?										
IM4. Check IM2:		HAS	NO CA	OTHER RDS AN	ID NO	OTHER	₹			2 <i>⇒IM11</i>
IM5. May I see the card(s) (and/or)	other document?	YES, YES, OTI NO C	ONLY CARD(HER DO ARDS	CARD() OTHER S) AND OCUME AND R DOCU	DOCU NT SEE	MENT	SEEN		2	4 <i>⇔IM11</i>
IM6.(a) Copy dates for each vaccination documents.(b) Write '44' in day column if documents vaccination was given but no date.	cuments show that	D	D AY	ATE O		UNISA	ATION YE.			
BCG	BCG					2	0	1		
Polio (OPV) (at birth)	OPV0					2	0	1		
Polio (OPV) 1	OPV1		,			2	0	1		
Polio (OPV) 2	OPV2					2	0	1		
Polio (OPV) 3	OPV3					2	0	1		
Polio (IPV)	IPV					2	0	1		
Pentavalent (DPTHibHepB) 1	Penta1					2	0	1		
Pentavalent (DPTHibHepB) 2	Penta2					2	0	1		
Pentavalent (DPTHibHepB) 3	Penta3					2	0	1		
Pneumococcal (Conjugate) 1	PCV1					2	0	1		
Pneumococcal (Conjugate) 2	PCV2					2	0	1		
Pneumococcal (Conjugate) 3	PCV3					2	0	1		
Measles-I	Measles-I					2	0	1		
Measles-II	Measles-II					2	0	1		

IM7. Check IM6: Are all vaccines (BCG to Measles-	YES	1 <i>⇒End</i>
II) recorded?	NO	1 - Lna
<u>'</u>		
IM8. Did (<i>name</i>) participate in any of the previous	YES1	
polio campaigns?	NO2	
	DV 0	
	DK 8	
IM9 . In addition to what is recorded on the	YES1	
document(s) you have shown me, did (name)	NO2	2 <i>⇒End</i>
receive any other vaccinations including		
vaccinations received during the campaigns,	DK8	8 <i>⇒End</i>
immunisation days or child health days just		
mentioned?		
IM10. Go back to IM6 and probe for these		
vaccinations.		
Record '66' in the corresponding day column for		
each vaccine received.		<i>⇒</i> End
For vaccinations <u>not</u> received record '00'.		
<u></u>		
When <u>finished</u> , go to End of module.		
IM11. Has (<i>name</i>) ever received any vaccinations to	YES	
prevent (him/her) from getting diseases, including	NO 2	
vaccinations received in a campaign, immunisation	2	
day or child health day?	DK8	
•		
IM12 . Did (<i>name</i>) participate in any of the previous	YES	
polio campaigns?	NO2	
	DK	
IM13. Check IM11 and IM12:	ALL NO OR DK1	1 <i>⇒End</i>
	AT LEAST ONE YES2	
IM14. Has (<i>name</i>) ever received a BCG vaccination	YES1	
against tuberculosis – that is, an injection in the arm	NO2	
or shoulder that usually causes a scar?		
,	DK 8	
IM16. Has (<i>name</i>) ever received any vaccination	YES	
drops in the mouth to protect (him/her) from polio?	NO2	2 <i>⇒IM20</i>
, , , , , , , , , , ,		
Probe by indicating that the first drop is usually	DK8	8 <i>⇒IM20</i>
given at birth and later at the same time as		
injections to prevent other diseases.		
*	YES	
IM17 . Were the first polio drops received in the first two weeks after birth?	NO 2	
two weeks after diffil!	2	
	DK8	
7540 **		
IM18. How many times were the polio drops	NUMBER OF TIMES	
received?	DV.	
	DK 8	

IM19. The last time (name) received the polio drops, did (he/she) also get an injection to protect against polio?Probe to ensure that both were given, drops and injection.	YES	
IM20. Has (name) ever received a Pentavalent vaccination – that is, an injection in the thigh to prevent (him/her) from getting tetanus, whooping cough, diphtheria, Hepatitis B disease, and Haemophilus influenzae type b? Probe by indicating that Pentavalent vaccination is sometimes given at the same time as the polio drops.	YES	2 <i>⇒IM</i> 22 8 <i>⇒IM</i> 22
IM21. How many times was the Pentavalent vaccine received?	NUMBER OF TIMES 8	
IM22. Has (<i>name</i>) ever received a Pneumococcal Conjugate vaccination – that is, an injection to prevent (him/her) from getting pneumococcal disease, including ear infections and meningitis caused by pneumococcus?	YES	2 <i>⇒IM</i> 26 8 <i>⇒IM</i> 26
Probe by indicating that Pneumococcal Conjugate vaccination is sometimes given at the same time as the Pentavalent vaccination.		
IM23. How many times was the Pneumococcal vaccine received?	NUMBER OF TIMES 8	
IM26 . Has (<i>name</i>) ever received a Measles vaccine – that is, a shot in the arm at the age of 9 months or older - to prevent (him/her) from getting measles?	YES	2 ⇔End 8 ⇔End
IM26A. How many times was the Measles vaccine received?	NUMBER OF TIMES	

VITAMIN A SUPPLIMENTATION		VS
VS1. Has (name) received a vitamin a dose like (this/any of these) within the last 6 months? Show common types of ampoules/capsules	YES	

CARE OF ILLNESS		CA
CA1. In the last two weeks, has (<i>name</i>) had diarrhoea?	YES	2 <i>⇔CA14</i>
	DK8	8 <i>⇔CA14</i>
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK	1 ⇔CA3A 2 ⇔CA3B
CA3A. I would like to know how much (<i>name</i>) was given to drink during the diarrhoea. This includes breastmilk, Oral Rehydration Salt solution (ORS) and other liquids given with medicine. During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to drink, about the same amount, or more than usual? If 'less', probe: Was (he/she) given much less than usual to drink, or somewhat less? CA3B. I would like to know how much (<i>name</i>) was given to drink during the diarrhoea. This includes Oral Rehydration Salt solution (ORS) and other liquids given with medicine. During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to drink, about the same amount, or more than usual? If 'less', probe: Was (he/she) given much less than usual to drink, or somewhat less?	MUCH LESS	
CA4. During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to eat, about the same amount, more than usual, or nothing to eat? If 'less', probe: Was (he/she) given much less than usual to eat or somewhat less?	MUCH LESS 1 SOMEWHAT LESS 2 ABOUT THE SAME 3 MORE 4 STOPPED FOOD 5 NEVER GAVE FOOD 7 DK 8	
CA5. Did you seek any advice or treatment for the diarrhoea from any source?	YES	2 <i>⇒CA</i> 7
	DK8	8 <i>⇔CA7</i>

		$\overline{}$
CA6. Where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
<i>Probe:</i> Anywhere else?	GOVERNMENT HEALTH CENTREB	
	GOVERNMENT HEALTH POST /	
Record all providers mentioned, but do <u>not</u> prompt	DISPENSARYC	
with any suggestions.	LADY HEALTH WORKER (LHW)D	
	MOBILE / OUTREACH CLINIC E	
Probe to identify each type of provider.	OTHER PUBLIC MEDICAL	
	(specify)H	
If unable to determine if public or private sector,		
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR	
record 'X' until you learn the appropriate category	PRIVATE HOSPITAL / CLINIC I	
for the response.	PRIVATE PHYSICIAN J	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
,		
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
CA7 . During the time (<i>name</i>) had diarrhoea, was		
(he/she) given:	Y N DK	
[A] A fluid made from a special packet called	FLUID FROM ORS PACKET 2 8	
ORS Packet?		
[B] A pre-packaged ORS fluid?	PRE-PACKAGED ORS FLUID1 2 8	
[C] Zinc tablets or syrup?	ZINC TABLETS OR SYRUP 2 8	
• •		
[D] Homemade fluid (Government recommended)?	HOMEMADE FLUID1 2 8	
CA8. Check CA7[A] and CA7[B]: Was child given any	YES, YES IN CA7[A] OR CA7[B]1	
ORS?	NO (MO) OR (DIV)	
	NO, 'NO' OR 'DK'	
	IN BOTH CA7[A] AND CA7[B]2 2 <i>⇒CA10</i>	

CA9 . Where did you get the (<i>ORS mentioned in</i>	PUBLIC MEDICAL SECTOR	
CA7[A] and/or CA7[B])?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTREB	
Probe to identify the type of source.	GOVERNMENT HEALTH POST /	
	DISPENSARYC	
If 'Already had at home', probe to learn if the source	LADY HEALTH WORKER (LHW)D	
is known.	MOBILE / OUTREACH CLINICE	
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(specify)H	
write the name of the place and then temporarily		
record 'X' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINIC I	
	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
(Name of place)	OTHER PRIVATE MEDICAL	
, , ,	(specify)O	
	(1 00)	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
CA10. Check CA7[C]: Was child given any zinc?	YES, CA7[C]=11	
CA10. Check CA7[C]. was child given any zinc:	NO, CA7[C] $\neq 1$	
	$1 \text{ NO. CA/ICI} \neq 1 \dots 2 2 \text{CAIZ}$	
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR	
	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITALA	
CA11. Where did you get the zinc? Probe to identify the type of source.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITALA GOVERNMENT HEALTH CENTREB	
Probe to identify the type of source.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITALA GOVERNMENT HEALTH CENTREB GOVERNMENT HEALTH POST /	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITALA GOVERNMENT HEALTH CENTREB GOVERNMENT HEALTH POST / DISPENSARY	
Probe to identify the type of source.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	
Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	

TES	CA12 W d' 1	VEC 1	
DK	CA12. Was anything else given to treat the diarrhoea?	YES1	2500114
PILL OR SYRUP		NO2	25/CA14
ANTIBIOTIC		DK8	8 <i>⇔CA14</i>
Probe: Anything else? ANTIMOTILITY (ANTI-DIARRHOEA)	CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
Anything else? Contempt Con		ANTIBIOTICA	
UNKNOWN PILL OR SYRUP	Probe:	` '	
NJECTION NTIBIOTIC L NON-ANTIBIOTIC M UNKNOWN INJECTION NTRAVENOUS (IV) O	Anything else?		
NJECTION ANTIBIOTIC L NON-ANTIBIOTIC M UNKNOWN INJECTION N INTRAVENOUS (IV) O HOME REMEDY / HERBAL MEDICINE Q OTHER (specify) X X CA14. At any time in the last two weeks, has (name) been ill with a fever? DK 8 8 ≈ CA16 CA15. At any time during the illness, did (name) have blood taken from (his/her) finger or heel for testing? DK 8 CA16. At any time in the last two weeks, has (name) had an illness with a cough? YES 1 NO 2 CA16. At any time in the last two weeks, has (name) had an illness with a cough? YES 1 NO 2 CA16. At any time in the last two weeks, has (name) YES 1 NO 2 CA16. At any time in the last two weeks, has (name) YES 1 NO 2 CA16. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 NO 2 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name) YES 1 CA17. At any time in the last two weeks, has (name		UNKNOWN PILL OR SYRUPH	
ANTIBIOTIC	•	NAME OF THE PARTY	
NON-ANTIBIOTIC M UNKNOWN INJECTION N N N N N N N N N	all medicines mentioned.		
UNKNOWN INJECTION			
(Name of brand) INTRAVENOUS (IV)			
INTRAVENOUS (IV)	(Name of brand)	UNKNOWN INJECTION	
(Name of brand) HOME REMEDY / HERBAL MEDICINE	(Ivane of France)	INTRAVENOUS (IV)O	
HERBAL MEDICINE		, ,	
OTHER (specify) X CA14. At any time in the last two weeks, has (name) been ill with a fever? YES 1 DK 8 8 ≠ CA16 CA15. At any time during the illness, did (name) have blood taken from (his/her) finger or heel for testing? YES 1 DK 8 CA16. At any time in the last two weeks, has (name) had an illness with a cough? YES 1 DK 8 CA17. At any time in the last two weeks, has (name) YES 1 DK 8	(Name of brand)		
CA14. At any time in the last two weeks, has (name) been ill with a fever? DK		HERBAL MEDICINEQ	
been ill with a fever? NO		OTHER (specify)X	
been ill with a fever? NO	CA14. At any time in the last two weeks, has (name)	YES1	
CA15. At any time during the illness, did (name) have blood taken from (his/her) finger or heel for testing? DK	· · · · · · · · · · · · · · · · · · ·	NO2	2 <i>⇔CA16</i>
blood taken from (his/her) finger or heel for testing? DK		DK8	8 <i>⇔CA16</i>
DK	CA15 . At any time during the illness, did (<i>name</i>) have	YES	
CA16. At any time in the last two weeks, has (name) had an illness with a cough? DK	blood taken from (his/her) finger or heel for testing?	NO2	
had an illness with a cough? NO		DK8	
DK	CA16. At any time in the last two weeks, has (<i>name</i>)	YES1	
CA17. At any time in the last two weeks, has (name) YES	had an illness with a cough?	NO2	
		DK8	
had fast, short, rapid breaths or difficulty breathing? NO	CA17. At any time in the last two weeks, has (<i>name</i>)	YES1	
	had fast, short, rapid breaths or difficulty breathing?	NO2	2 <i>⇔CA19</i>
DK		DK8	8 <i>⇒CA19</i>
CA18. Was the fast or difficult breathing due to a PROBLEM IN CHEST ONLY	CA18. Was the fast or difficult breathing due to a	PROBLEM IN CHEST ONLY1	1 <i>⇒</i> CA20
problem in the chest or a blocked or runny nose? BLOCKED OR RUNNY NOSE ONLY			2 <i>⇔CA20</i>
BOTH		BOTH3	3 <i>⇒</i> CA20
OTHER (specify)		OTHER (specify)	6 <i>5</i> >CA20
DK			
CA19. Check CA14: Did child have fever? YES, CA14=1	CA19 Check CA14: Did child have fever?	YES CA14=1 1	
NO OR DK, CA14=2 OR 8	C.127. Sheek C.11 i. Did child have jever.		2 <i>⇒CA30</i>
CA20. Did you seek any advice or treatment for the YES	CA20. Did you seek any advice or treatment for the	YES1	
illness from any source? NO	illness from any source?	NO2	2 <i>⇒</i> CA22
DK		DK8	8 <i>⇔CA22</i>

CA21. From where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe: Anywhere else?	GOVERNMENT HEALTH CENTREB	
	GOVERNMENT HEALTH POST /	
Record all providers mentioned, but do not prompt	DISPENSARYC	
with any suggestions.	LADY HEALTH WORKER (LHW)D	
	MOBILE / OUTREACH CLINIC E	
Probe to identify each type of provider.	OTHER PUBLIC MEDICAL	
	(specify)H	
If unable to determine if public or private sector,		
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR	
record 'X' until you learn the appropriate category	PRIVATE HOSPITAL / CLINIC I	
for the response.	PRIVATE PHYSICIAN	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
CA22. At any time during the illness, was (<i>name</i>)	YES1	
given any medicine for the illness?	NO2	2 <i>⇔</i> CA30
	DK8	8 <i>⇔CA30</i>

CA23. What medicine was (name) given?	ANTI-MALARIALS
	ARTEMISININ COMBINATION
Probe:	THERAPY (ACT)A
Any other medicine?	SP / FANSIDARB
	CHLOROQUINEC
Record all medicines given.	AMODIAQUINED
	QUININE
If unable to determine type of medicine, write the	PILLS E
brand name and then temporarily record 'X' until	INJECTION/IVF
you learn the appropriate category for the response.	ARTESUNATE
	RECTALG
	INJECTION/IVH
	OTHER ANTI-MALARIAL
(Name of brand)	(specify)K
	ANTIBIOTICS
(Name of brand)	AMOXICILLINL
,	COTRIMOXAZOLEM
	OTHER ANTIBIOTIC
	PILL/SYRUPN
	OTHER ANTIBIOTIC
	INJECTION/IVO
	OTHER MEDICATIONS
	PARACETAMOL/PANADOL/
	ACETAMINOPHENR
	ASPIRINS
	IBUPROFENT
	OTHER (specify)X
	DKZ
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED,
	CA23=L-O

CA25. Where did you get the (name of medicine from	PUBLIC MEDICAL SECTOR	
CA23, codes L to O)?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTREB	
Probe to identify the type of source.	GOVERNMENT HEALTH POST /	
	DISPENSARYC	
If 'Already had at home', probe to learn if the source	LADY HEALTH WORKER (LHW)D	
is known.	MOBILE / OUTREACH CLINIC E	
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(specify)H	
write the name of the place and then temporarily	(5) (5)	
record 'X' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINIC I	
jor me response.	PRIVATE PHYSICIAN	
	PRIVATE PHARMACYK	
	MOBILE CLINIC	
(Name of place)	OTHER PRIVATE MEDICAL	
(Name of place)		
	(specify)O	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
CA26. Check CA23: Anti-malarials mentioned?	YES, ANTI-MALARIALS MENTIONED,	
	CA23=A-K1	
	NO, ANTI-MALARIALS NOT	
	NO, ANTI-MALARIALS NOT MENTIONED2	2 <i>⇒</i> CA30
CA27. Where did you get the (name of medicine from	MENTIONED2	2 <i>⇔CA30</i>
CA27. Where did you get the (name of medicine from CA23, codes A to K)?	MENTIONED2 PUBLIC MEDICAL SECTOR	2 <i>⇒CA30</i>
CA27. Where did you get the (name of medicine from CA23, codes A to K)?	MENTIONED2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒CA30</i>
CA23, codes A to K)?	MENTIONED	2 <i>⇒CA30</i>
	MENTIONED	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source.	MENTIONED	2 <i>⇒CA30</i>
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source	MENTIONED	2 <i>⇒CA30</i>
CA23, codes A to K)? Probe to identify the type of source.	MENTIONED	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	MENTIONED	2 <i>⇔</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private.	MENTIONED	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	MENTIONED	2 <i>⇔CA30</i>
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	MENTIONED	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K MOBILE CLINIC M	2 ⇒CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒</i> CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K MOBILE CLINIC M	2 ⇔CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇒CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K MOBILE CLINIC M OTHER PRIVATE MEDICAL (specify) O OTHER SOURCE	2 ⇒CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇔CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K MOBILE CLINIC MM OTHER PRIVATE MEDICAL (specify) O OTHER SOURCE RELATIVE / FRIEND P SHOP / MARKET / STREET Q	2 ⇒CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇒CA30
CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL / CLINIC I PRIVATE PHYSICIAN J PRIVATE PHARMACY K MOBILE CLINIC MM OTHER PRIVATE MEDICAL (specify) O OTHER SOURCE RELATIVE / FRIEND P SHOP / MARKET / STREET Q	2 ⇔CA30

CA28. Check CA23: More than one antimalarial recorded in codes A to K?	YES, MULTIPLE ANTI-MALARIALS MENTIONED	1 <i>⇔CA29A</i> 2 <i>⇔CA29B</i>
CA29A. How long after the fever started did (name) first take the first of the (name all anti-malarials recorded in CA23, codes A to K)? CA29B. How long after the fever started did (name) first take (name of anti-malarial from CA23, codes	SAME DAY 0 NEXT DAY 1 2 DAYS AFTER FEVER STARTED 2 3 OR MORE DAYS AFTER FEVER STARTED 3	
A to K)?	DK8	
CA30. Check UB2: Child's age?	AGE 0, 1 OR 2	2 <i>⇒End</i>
CA31. The last time (<i>name</i>) passed stools, what was done to dispose of the stools?	CHILD USED TOILET / LATRINE	
	OTHER (<i>specify</i>) 96 DK	

UF11. Record the time.	HOURS AND MINUTES : : : :		
UF12. Language of the Questionnaire.	ENGLISH 1 URDU 2		
UF13. Language of the Interview.	ENGLISH 1 URDU 2 PUNJABI/ POTOHARI 3 SARAIKI 4 OTHER LANGUAGE 6		
UF14. Native language of the Respondent.	URDU 2 PUNJABI/ POTOHARI 3 SARAIKI 4 OTHER LANGUAGE 6 (specify) 6		
UF15 . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE		
 UF16. Tell the respondent that you will need to measure the weight and height of the child before you leave the household and a colleague will come to lead the measurement. Issue the ANTHROPOMETRY MODULE FORM for this child and complete the Information Panel on that Form. Check columns HL10 and HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of another child age 0-4 living in this household? □ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and recorded '01'. Then go to the next QUESTIONNAIRE FOR CHILDREN UNDER FIVE to be administered to the same respondent. □ No ⇒ Check HL6 and column HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of a child age 5-17 selected for Questionnaire for Children Age 5-17 in this 			
QUESTIONNAIRE FOR CHILDR $\square \ No \Rightarrow Go \ to \ UF17 \ on \ the \ UNDER-FIVE$	INFORMATION PANEL and record '01'. Then go to the EN AGE 5-17 to be administered to the same respondent. INFORMATION PANEL and record '01'. Then end the thanking her/him for her/his cooperation. Check to see if there are stered in this household.		

INTERVIEWER'S OBSERVATIONS	
SUPERVISOR'S OBSERVATIONS	

ANTHROPOMETRY MODULE INFORMATION PANEL	AN
AN1. Cluster number:	AN2. Household number:
AN3. Child's name and line number:	AN4. Child's age from UB2:
NAME	AGE (IN COMPLETED YEARS)
AN5. Mother's / Caretaker's name and line number:	AN6. Interviewer's name and number:
NAME	NAME

ANTHROPOMETRY		
AN7. Measurer's name and number:	NAME	
AN8. Record the result of weight measurement as read out by the Measurer:	KILOGRAMS (KG)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD NOT PRESENT .99.3 CHILD REFUSED .99.4 RESPONDENT REFUSED .99.5 OTHER (specify) .99.6	99.3 <i>⇒</i> AN13 99.4 <i>⇒</i> AN10 99.5 <i>⇒</i> AN10
AN9. Was the child undressed to the minimum?	YES	7710 11110
AN10. Check AN4: Child's age?	AGE 0 OR 1	1 <i>⇔AN11A</i> 2 <i>⇔AN11B</i>
AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length measurement as read out by the Measurer:	LENGTH / HEIGHT (CM)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD REFUSED	999.4 <i>⇔</i> AN13 999.5 <i>⇔</i> AN13
AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer:	OTTIER (specify)999.0	999.0~AIVI3
Read the record back to the Measurer and also ensure that he/she verifies your record.		
AN12. How was the child actually measured? Lying down or standing up?	LYING DOWN	
AN13. Today's date: Day / Month / Year: / / 2 0 1		
AN14. Is there another child under age 5 in the household who has not yet been measured?	YES	1 ⇔Next Child
AN15. Thank the respondent for his/her cooperation and the measurements in this household.	inform your Supervisor that the Measurer and you have c	ompleted all

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		
MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		