



The *bidi* Package

Source documentation for [version 41.1](#)

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/xepersian/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/xepersian/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2025 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain T_EX and L^AT_EX, using XeT_EX engine

Source documentation for [version 41.1](#)

Vafa Khalighi*

January 5, 2025

Contents

1 File amsart-xetex-bidi.def	5	18 File beamerbasecompatibility-xetex-bidi.def 44
2 File adjmulticol-xetex-bidi.def	7	19 File beamerbaseframecomponents-xetex-bidi.def 44
3 File algorithm2e-xetex-bidi.def	8	20 File beamerbaseframesize-xetex-bidi.def 51
4 File amsbook-xetex-bidi.def	8	21 File beamerbaselocalstructure-xetex-bidi.def 54
5 File amsmath-xetex-bidi.def	11	22 File beamerbasemisc-xetex-bidi.def 55
6 File amstext-xetex-bidi.def	11	23 File beamerbasenavigation-xetex-bidi.def 56
7 File amsthm-xetex-bidi.def	11	24 File beamerbaseoverlay-xetex-bidi.def 58
8 File array-xetex-bidi.def	12	25 File beamerinnerthemedefault-xetex-bidi.def 58
9 File article-xetex-bidi.def	13	26 File beamerinnerthemecircles-xetex-bidi.def 62
10 File artikel1-xetex-bidi.def	17	27 File beamerinnerthemefocus-xetex-bidi.def 62
11 File artikel2-xetex-bidi.def	22	28 File beamerinnerthememainmargin-xetex-bidi.def 63
12 File artikel3-xetex-bidi.def	26	29 File beamerinnerthememetropolis-xetex-bidi.def 65
13 File arydshln-xetex-bidi.def	31	30 File beamerinnerthemerectangles-xetex-bidi.def 67
14 File beamer-xetex-bidi.def	34	31 File beamerinnerthemerounded-xetex-bidi.def 67
15 File beamerbaseauxtemplates-xetex-bidi.def	34	32 File beamerouterthemedefault-xetex-bidi.def 68
16 File beamerbaseboxes-xetex-bidi.def	40	33 File beamerouterthemefocus-xetex-bidi.def 69
17 File beamerbasecolor-xetex-bidi.def	42	34 File beamerouterthemefolines-xetex-bidi.def 71

*Thanks to the *bidi-tex* GitHub organization consisted of David Carlisle and other members of the L^AT_EX team for maintaining the package in the period 2018–2020.

35 File beamerouterthememetropolis-xetex- bidi .def	186
36 File beamerouterthememiniframes-xetex- bidi .def	190
37 File beamerouterthemesidebar-xetex- bidi .def	191
38 File beamerouterthemesplit-xetex- bidi .def	191
39 File beamerouterthemeshadow-xetex- bidi .def	192
40 File beamerouterthemesMOOTHbars-xetex- bidi .def	192
41 File beamerouterthemesMOOTHtree-xetex- bidi .def	192
42 File beamerouterthemetree-xetex- bidi .def	193
43 File beamertHEMEHannover-xetex- bidi .def	194
44 File beamertHEMEsingapore-xetex- bidi .def	196
45 File bidi.sty	82
46 File bidi.tex	89
47 File bidi2ini.sty	92
48 File bidicode.sty	93
49 File bidiftnxtra.sty	96
50 File bidimoderncv.cls	100
51 File bidi-perpage.sty	105
52 File biditools.sty	106
53 File bidituftefloat.sty	141
54 File biditufteidenote.sty	151
55 File bidituftetoc.sty	162
56 File bidituftegeneralstructure.sty	164
57 File bidituftehyperref.sty	167
58 File bidituftetitle.sty	167
59 File biditufte-handout.cls	170
60 File biditufte-book.cls	170
61 File bidipoem.sty	172
62 File boek3-xetex- bidi .def	178
63 File boek-xetex- bidi .def	182
64 File bookest-xetex- bidi .def	185
65 File filebox-xetex- bidi .def	192
66 File fileboxcaption-xetex- bidi .def	195
67 File fileboxtbl-xetex- bidi .def	197
68 File fileboxtblcaption-xetex- bidi .def	199
69 File fileboxtbltbl-xetex- bidi .def	200
70 File fileboxtbltblcaption-xetex- bidi .def	201
71 File fileboxtbltbltbl-xetex- bidi .def	202
72 File fileboxtbltbltblcaption-xetex- bidi .def	203
73 File fileboxtbltbltbltbl-xetex- bidi .def	204
74 File fileboxtbltbltbltblcaption-xetex- bidi .def	205
75 File fileboxtbltbltbltbltbl-xetex- bidi .def	206
76 File cvthemedibicasual.sty	205
77 File cvthemedibiclassic.sty	206
78 File dblfnote-xetex- bidi .def	208
79 File diagbox-xetex- bidi .def	212
80 Filedraftwatermark-xetex- bidi .def	214
81 File eso-pic-xetex- bidi .def	214
82 File empheq-xetex- bidi .def	215
83 File extarticle-xetex- bidi .def	218
84 File extbook-xetex- bidi .def	221
85 File extletter-xetex- bidi .def	225
86 File extrafootnotefeatures-xetex- bidi .def	225
87 File extreport-xetex- bidi .def	296
88 File fancybox-xetex- bidi .def	299
89 File fancyhdr-xetex- bidi .def	300
90 File fix2col-xetex- bidi .def	300
91 File fleqn-xetex- bidi .def	301
92 File float-xetex- bidi .def	302
93 File floatrow-xetex- bidi .def	302
94 File flowfram-xetex- bidi .def	302



95 File footnote-xetex-bidi.def	305	125File overpic-xetex-bidi.def	378
96 File footnotebackref-xetex-bidi.def	312	126File pdfbase-xetex-bidi.def	378
97 File framed-xetex-bidi.def	313	127File pdflandscape-xetex-bidi.def	379
98 File ftnright-xetex-bidi.def	316	128File pdfpages-xetex-bidi.def	379
99 File graphicx-xetex-bidi.def	321	129File pgfcorescopes.code-xetex-bidi.def	380
100File geometry-xetex-bidi.def	323	130File pgfsys.code-xetex-bidi.def	381
101File hfvfloat-xetex-bidi.def	324	131File picinpar-xetex-bidi.def	381
102File hyperref-xetex-bidi.def	330	132File plain-xetex-bidi.def	384
103File imsproc-xetex-bidi.def	341	133File pstricks-xetex-bidi.def	386
104File leqno-xetex-bidi.def	343	134File quotchap-xetex-bidi.def	387
105File letter-xetex-bidi.def	343	135File ragged2e-xetex-bidi.def	387
106File lettrine-xetex-bidi.def	343	136File rapport1-xetex-bidi.def	389
107File lineno-xetex-bidi.def	344	137File rapport3-xetex-bidi.def	394
108File listings-xetex-bidi.def	345	138File refrep-xetex-bidi.def	399
109File longtable-xetex-bidi.def	347	139File report-xetex-bidi.def	403
110File lscape-xetex-bidi.def	350	140File rotating-xetex-bidi.def	406
111File mathtools-xetex-bidi.def	350	141File scrartcl-xetex-bidi.def	409
112File mdframed-xetex-bidi.def	351	142File scrbook-xetex-bidi.def	423
113File media9-xetex-bidi.def	352	143File scrreprt-xetex-bidi.def	437
114File bidi-media9.sty	352	144File sidecap-xetex-bidi.def	451
115File memoir-xetex-bidi.def	363	145File soul-xetex-bidi.def	452
116File midfloat-xetex-bidi.def	366	146File stabular-xetex-bidi.def	453
117File minitoc-xetex-bidi.def	370	147File subfigure-xetex-bidi.def	454
118File multicol-xetex-bidi.def	371	148File tabls-xetex-bidi.def	454
119File multienum-xetex-bidi.def	374	149File tabularx-xetex-bidi.def	454
120File natbib-xetex-bidi.def	375	150File tabulary-xetex-bidi.def	456
121File newfloat-xetex-bidi.def	376	151File tc-xetex-bidi.def	456
122File nicematrix-xetex-bidi.def	377	152File tcolorbox-xetex-bidi.def	457
123File ntheorem-xetex-bidi.def	377	153File titlesec-xetex-bidi.def	457
124File ntheorem-hyper-xetex-bidi.def	377	154File titletoc-xetex-bidi.def	458



155 File tocbibind-xetex-bidi.def	459	160 File wrapfig-xetex-bidi.def	488
156 File tocloft-xetex-bidi.def	460	161 File xcolor-xetex-bidi.def	489
157 File tocbasic-xetex-bidi.def	466	162 File latex-xetex-bidi.def	491
158 File tocstyle-xetex-bidi.def	481	163 File xltextra-xetex-bidi.def	509
159 File todonotes-xetex-bidi.def	485	164 Index	509



1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for Xe
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \tempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \tempdima#4\relax
11     }%
12     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\leavevmode\hskip-\tempdima #6\nobreak\relax
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
15     \nobreak
16     \endgroup
17   \fi}
18 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
19 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
20 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
21 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
22 \def\part{\@startsection{part}{0}%
23   \z@\{.5\linespacing\@plus.5\linespacing\}\{.5\linespacing\}%
24   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
25 \def\right@footnoterule{%
26   \kern-.4\p@
27   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
28   \kern11\p@\kern-\footnotesep}
29 \def\left@footnoterule{\kern-.4\p@
30   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
31
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@\footnotetext\font% \normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \parboxrestore \parindent\normalparindent \sloppy
43     \protected\edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \makefntext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49   \insert\footins{%
50     \@RTLtrue%
51     \reset@font%
52     \bidi@\@RTLfootnotetext\font% \normalfont\footnotesize
```



```

53   \interlinepenalty\interfootnotelinepenalty
54   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55   \floatingpenalty\@MM \hsize\columnwidth
56   \parboxrestore \parindent\normalparindent \sloppy
57   \protected@edef\@currentlabel{%
58     \csname p@footnote\endcsname\@thefnmark}%
59   \@makefntext{%
60     \rule\z@\footnotesep\ignorespaces\#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \ifRTLfalse%
67     \reset@font%
68     \bidi@LTRfootnotetext\font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef\@currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \@makefntext{%
76       \rule\z@\footnotesep\ignorespaces\#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\biblio\labelsep .5em\relax
86   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
87   \ifRTL\if@LTRbibitems\ifRTLfalse\else\fi\else\if@RTLbibitems\ifRTLtrue\else\fi\fi
88   \bidi@thebibliography\font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth \advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
93   \sfcodes`.\.=\OM
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
99   \columnseprule\z@\columnsep 35\p@
100  \indextitlestyle
101  \thispagestyle{plain}%
102  \let\item\idxitem
103  \parindent\z@\parskip\z@\plus.3\p@\relax
104  \ifRTL\raggedleft\else\raggedright\fi
105  \hyphenpenalty\OM
106  \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111   \c@topnum\z@ % this prevents figures from falling at the top of page 1
112   \c@setcopyright
113   \thispagestyle{firstpage}% this sets first page specifications
114   \uppercase\nonmath\shorttitle
115   \ifx\c@empty\shortauthors \let\shortauthors\shorttitle
116   \else \andify\shortauthors
117   \fi
118   \c@maketitle@hook
119   \begingroup
120   \c@maketitle
121   \toks0@\xp{\shortauthors}\@temptokena\xp{\shorttitle}%
122   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
123   \edef\@tempa{%
124     \c@nx\markboth{\the\toks4}
125     \c@nx\MakeUppercase{\the\toks0}{\the\@temptokena}}%
126   \c@tempa
127   \endgroup
128   \c@footnote\z@
129   \c@cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133   \def\@tempa{#2}%
134   \ifx\@tempa\c@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135   \def\@tempa{#3}%
136   \ifx\@tempa\c@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137   \ifnum\col@number<\c@ne
138     \PackageWarning{adjmulticol}%
139     {Using `~\number`\col@number'%
140      columns doesn't seem a good idea.^^J
141      I therefore use one columns instead}%
142     \col@number\c@ne\fi
143   \ifnum\col@number>10
144     \PackageError{adjmulticol}%
145     {Too many columns}%
146     {Current implementation doesn't
147      support more than 10 columns.}%
148     \MessageBreak
149     {I therefore use 10 columns instead}%
150   \col@number10\fi
151   \ifx\c@footnotetext\mult@footnotetext\else
152     \let\orig@c@footnotetext\c@footnotetext
153     \let\c@footnotetext\mult@footnotetext
154   \fi
155   \ifx\c@LTRfootnotetext\mult@LTRfootnotetext\else
156     \let\orig@c@LTRfootnotetext\c@LTRfootnotetext
157     \let\c@LTRfootnotetext\mult@LTRfootnotetext

```



```

158     \fi
159     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160         \let\orig@RTLfootnotetext\@RTLfootnotetext
161         \let\@RTLfootnotetext\mult@RTLfootnotetext
162     \fi
163 \c@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
169 \fi
170 \ApplyPatchIfPackageLoadedF{color}{%
171   \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172     \bgroup
173     \if@RTL
174       \beginR
175     \else
176       \beginL
177     \fi
178   }{}{%
179   \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180     \if@RTL
181       \endR
182     \else
183       \endL
184     \fi
185     \egroup
186     \end{lrbox}%
187   }{}{%
188   \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189     \if@RTL
190       \hboxR
191     \else
192       \hboxL
193     \fi
194   }{}{%
195 }
196
197 \c@ifpackagewith{algorithm2e}{algonl}{%
198 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\@arabic\c@algocf}%
199 }{}%
200
201 \c@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
202
203 \c@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}%
204
205 \c@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%

```

4 File amsbook-xetex-bidi.def



```

206 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
207 \def\@tocline#1#2#3#4#5#6#7{\relax
208   \ifnum #1>\c@tocdepth % then omit
209   \else
210     \par \addpenalty\@secpenalty\addvspace{#2}%
211     \begingroup \hyphenpenalty\@M
212     \@ifempty{#4}{%
213       \tempdima\csname r@tocindent\endcsname#1\endcsname\relax
214     }{%
215       \tempdima#4\relax
216     }%
217     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
218     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
219     #5\leavevmode\hskip-\tempdima #6\nobreak\relax
220     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
221     \nobreak
222     \endgroup
223   \fi}
224 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
225 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
226 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
227 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
228 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
229   \columnseprule\z@ \columnsep 35\p@
230   \indextitlestyle
231   \thispagestyle{plain}%
232   \let\item\idxitem
233   \parindent\z@ \parskip\z@\@plus.3\p@\relax
234   \if@RTL\raggedleft\else\raggedright\fi
235   \hyphenpenalty\@M
236   \footnotesize}
237 \def\idxitem{\par\hangindent \if@RTL-\fi2em}
238 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
239 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
240 \def\right@footnoterule{%
241   \kern-.4\p@
242   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
243   \kern11\p@\kern-\footnotesep}
244 \def\left@footnoterule{\kern-.4\p@
245   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
246
247 \long\def\@footnotetext#1{%
248   \insert\footins{%
249     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi%
250     \reset@font%
251     \bidi@@footnotetext@font% \normalfont\footnotesize
252     \interlinepenalty\interfootnotelinepenalty
253     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
254     \floatingpenalty\@MM \hsize\columnwidth
255     \parboxrestore \parindent\normalparindent \sloppy
256     \protected\edef\@currentlabel{%
257       \csname p@footnote\endcsname\@thefnmark}%
258     \makefntext{%
259       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}}
```



```

260 \long\def\@RTLfootnotetext#1{%
261   \insert\footins{%
262     \@RTLtrue%
263     \reset@font%
264     \bidi@\@RTLfootnotetext@font% \normalfont\footnotesize
265     \interlinepenalty\interfootnotelinepenalty
266     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
267     \floatingpenalty\@MM \hsize\columnwidth
268     \parboxrestore \parindent\normalparindent \sloppy
269     \protected@edef\@currentlabel{%
270       \csname p@footnote\endcsname\@thefnmark}%
271     \makefntext{%
272       \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
273   \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}%
274
275
276 \long\def\@LTRfootnotetext#1{%
277   \insert\footins{%
278     \@RTLfalse%
279     \reset@font%
280     \bidi@\@LTRfootnotetext@font% \normalfont\footnotesize
281     \interlinepenalty\interfootnotelinepenalty
282     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
283     \floatingpenalty\@MM \hsize\columnwidth
284     \parboxrestore \parindent\normalparindent \sloppy
285     \protected@edef\@currentlabel{%
286       \csname p@footnote\endcsname\@thefnmark}%
287     \makefntext{%
288       \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
289   \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}%
290
291
292 \footdir@temp\footdir@ORG@\bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@\bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@\bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \bibttitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
300   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
301   \bidi@@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth \advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
306   \sfcode`\.=\@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{\xivpt}{18}\bfseries\centering

```



```

314     \ifnum\c@secnumdepth>\m@ne
315         \leavevemode \hskip-\if@RTL\rightskip\else\leftskip\fi
316         \rlap{\vbox to\z@\{\vss
317             \centerline{\normalsize\mdseries
318                 \uppercase\exp{\chaptername}\enspace\thechapter}
319             \vskip 3pc}\}\hskip\if@RTL\rightskip\else\leftskip\fi\fi\fi
320     #1\par \endgroup
321 \skip@34\p@ \advance\skip@-\normalbaselineskip
322 \vskip\skip@ }
323 \def\maketitle{\par
324 \@topnum\z@ % this prevents figures from falling at the top of page 1
325 \begingroup
326 \@maketitle
327 \endgroup
328 \c@footnote\z@
329 \def\do##1{\let##1\relax}%
330 \do\maketitle \do\@maketitle \do\title \do\xtitle \do\@title
331 \do\author \do\@xauthor \do\address \do\@xaddress
332 \do\email \do\@xemail \do\curraddr \do\@curraddr
333 \do\dedicator \do\@dedicator \do\thanks \do\thankses
334 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }

```

5 File amsmath-xetex-bidi.def

```

336 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
337 \let\veqno=\eqno
338 \iftagsleft@ \let\veqno=\leqno \fi
339 \renewcommand{\numberwithin}[3]{\arabic}{%
340   \ifundefined{c@#2}{\nocounterr{#2}}{%
341     \ifundefined{c@#3}{\nocounterr{#3}}{%
342       \addtoreset{#2}{#3}%
343       \exp\@xdef\csname the#2\endcsname{%
344         \exp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
345 }
346 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italicco
347
348 \bidi@patchcmd\math@cr@@@align\place@tag{%
349   \place@tag
350 } \else
351   \place@tag
352 }{}{}}
353

```

6 File amstext-xetex-bidi.def

```

354 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
355 \def\textdef@#1#2#3{\hbox{%
356   \everymath{#1}%
357   \let\f@size#2\selectfont
358   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}

```

7 File amsthm-xetex-bidi.def



```
359 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for  
360 \def\@thmcOUNTERsep{\@SepMark}
```

8 File array-xetex-bidi.def

```
361 \ProvidesFile{array-xetex-bidi.def}[2024/12/10 v0.5 bidi adaptations for array package for XeLaTeX  
362 \def\@testpach{\@chclass  
363 \ifnum \@lastchclass=6 \one \@chnum \one \else  
364 \ifnum \@lastchclass=7 5 \else  
365 \ifnum \@lastchclass=8 \tw@ \else  
366 \ifnum \@lastchclass=9 \thr@@  
367 \else \z@  
368 \ifnum \@lastchclass = 10 \else  
369 \edef\@nextchar{\expandafter\string\@nextchar}%  
370 \@chnum  
371 \if \@nextchar c\z@ \else  
372 \if \@nextchar \if@RTLtab r\else l\fi\one \else  
373 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else  
374 \z@ \@chclass  
375 \if\@nextchar |\one \else  
376 \if \@nextchar !6 \else  
377 \if \@nextchar @7 \else  
378 \if \@nextchar <8 \else  
379 \if \@nextchar >9 \else  
380 10  
381 \@chnum  
382 \if \@nextchar m\thr@@ \else  
383 \if \@nextchar p4 \else  
384 \if \@nextchar b5 \else  
385 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi  
386 \fi  
387 \def\@tabular{  
388 \leavevmode  
389 \hbox \bgroup\if@RTLtab\beginR \fi  
390 \UseTaggingSocket{tbl/hmode/begin}%  
391 $@col@sep\@tabcolsep \let\@llarbegin\begin{group}  
392 \let\@llarend\endgroup  
393 \@tabarray  
394 \def\@endtabular{\endarray\m@th $  
395 \UseTaggingSocket{tbl/hmode/end}%  
396 \if@RTLtab\endR\fi\egroup  
397 }  
398 \expandafter\let\csname endtabular*\endcsname=\endtabular  
399 \ExplSyntaxOn  
400 \def\@array[#1]#2{  
401 \tempdima \ht \strutbox  
402 \advance \tempdima by\extrarowheight  
403 \setbox \carstrutbox \hbox{\vrule  
404 \height \arraystretch \tempdima  
405 \depth \arraystretch \dp \strutbox  
406 \width \z@}%  
407 \tbl_save_outer_table_cols:  
408 \begingroup  
409 \omkpream{#2}%
```



```

410 \tbl_count_table_cols:
411 \xdef\@preamble{
412   \noexpand \ar@ialign
413   \@halignto
414   \bgroup \carstrut
415   \UseTaggingSocket{tbl/row/begin}
416   \tbl_init_cell_data_for_row:
417   \@preamble
418   \tabskip \z@ \cr}
419 \endgroup
420 \arrayleft
421 \if #1\top \else \if#1b\vbox \else \vcenter \fi \fi
422 \bgroup
423 \let \sharp ##\let \protect \relax
424 \lineskip \z@
425 \baselineskip \z@
426 \mathsurround \z@
427 \let\\@\arraycr \let\tabularnewline\\let\par\empty
428 \if@RTLtab\hbox\bgroup\beginR\hboxRconstructtrue\if #1\top \else \vbox \fi\bgroup\fi
429 \UseTaggingSocket{tbl/init}
430 \@preamble
431 }
432 \ExplSyntaxOff
433 \let\@@array\array
434 \ExplSyntaxOn
435 \def\endarray {
436   \tbl_crcr:n{endarray} \egroup
437   \UseTaggingSocket{tbl/finalize}
438   \tbl_restore_outer_cell_data:
439   \if@RTLtab\egroup\endR\egroup\fi
440   \egroup
441   \arrayright \gdef\@preamble{}%
442 }
443 \ExplSyntaxOff
444 \def\array{\col@sep\arraycolsep
445   \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\def\@halignto{}%
446   \if@RTLtabfalse\@tabarray}

```

9 File article-xetex-bidi.def

```

447 \ProvidesFile{article-xetex-bidi.def}[2025/01/03 v0.8 bidi adaptations for standard article
448 \IfClassLoadedT{svmult}{\endinput}
449 \if@titlepage
450   \renewcommand\maketitle{\begin{titlepage}%
451   \let\footnotesize\small
452   \let\right@footnoterule\relax
453   \let\left@footnoterule\relax
454   \let\textwidth@footnoterule\relax
455   \let\footnote\thanks
456   \let\LTRfootnote\LTRthanks
457   \let\RTLfootnote\RTLthanks
458   \null\vfil
459   \vskip 60\p@
460   \begin{center}}%

```



```

461      {\LARGE \@title \par}%
462      \vskip 3em%
463      {\large
464          \lineskip .75em%
465          \begin{tabular}[t]{c}%
466              \author
467          \end{tabular}\par}%
468          \vskip 1.5em%
469      {\large \@date \par}%
470          % Set date in \large size.
471      \end{center}\par
472      \thanks
473      \vfil\null
474      \end{titlepage}%
475      \setcounter{footnote}{0}%
476      \global\let\thanks\relax
477      \global\let\LTRthanks\relax
478      \global\let\RTLthanks\relax
479      \global\let\maketitle\relax
480      \global\let\@thanks\empty
481      \global\let\author\empty
482      \global\let\date\empty
483      \global\let\title\empty
484      \global\let\title\relax
485      \global\let\date\relax
486      \global\let\and\relax
487 }
488 \else
489 \renewcommand\maketitle{\par
490     \begingroup
491         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
492         \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
493         \long\def\@makefntext##1{\parindent 1em\noindent
494             \hb@xt@1.8em{%
495                 \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
496         \if@twocolumn
497             \ifnum \col@number=\@ne
498                 \@maketitle
499             \else
500                 \twocolumn[\@maketitle]%
501             \fi
502         \else
503             \newpage
504             \global\@topnum\z@    % Prevents figures from going at top of page.
505             \@maketitle
506         \fi
507         \thispagestyle{plain}\@thanks
508     \endgroup
509     \setcounter{footnote}{0}%
510     \global\let\thanks\relax
511     \global\let\LTRthanks\relax
512     \global\let\RTLthanks\relax
513     \global\let\maketitle\relax
514     \global\let\@maketitle\relax

```



```

515 \global\let\@thanks\@empty
516 \global\let\@author\@empty
517 \global\let\@date\@empty
518 \global\let\@title\@empty
519 \global\let\title\relax
520 \global\let\author\relax
521 \global\let\date\relax
522 \global\let\and\relax
523 }
524 \def\@maketitle{%
525   \newpage
526   \null
527   \vskip 2em%
528   \begin{center}%
529     \let \footnote \thanks
530     \let \LTRfootnote \LTRthanks
531     \let \RTLfootnote \RTLthanks
532     {\LARGE \@title \par}%
533     \vskip 1.5em%
534     {\large
535       \lineskip .5em%
536       \begin{tabular}[t]{c}%
537         \@author
538       \end{tabular}\par}%
539     \vskip 1em%
540     {\large \@date}%
541   \end{center}%
542   \par
543   \vskip 1.5em}
544 \fi
545 \renewcommand*\l@part[2]{%
546   \ifnum \c@tocdepth >-2\relax
547     \addpenalty\@secpenalty
548     \addvspace{2.25em \oplus \p@}%
549     \setlength\@tempdima{3em}%
550     \begingroup
551       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
552       \parfillskip -\pnumwidth
553       {\leavevmode
554         \large \bfseries #1\hfil \hb@xt{\pnumwidth}{\hss #2}\par
555         \nobreak
556         \if@compatibility
557           \global\@nobreaktrue
558           \everypar{\global\@nobreakfalse\everypar{}}%
559         \fi
560       \endgroup
561     \fi
562   \renewcommand*\l@section[2]{%
563     \ifnum \c@tocdepth >\z@
564       \addpenalty\@secpenalty
565       \addvspace{1.0em \oplus \p@}%
566       \setlength\@tempdima{1.5em}%
567       \begingroup
568         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth

```



```

569      \parfillskip -\@pnumwidth
570      \leavevmode \bfseries
571      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
572      \hskip -\if@RTL\rightskip\else\leftskip\fi
573      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
574      \endgroup
575      \fi}
576 \renewcommand\left@footnoterule{%
577   \kern-3\p@
578   \hrule\@width.4\columnwidth
579   \kern2.6\p@}
580 \renewcommand\right@footnoterule{%
581   \kern-3\p@
582   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
583   \kern2.6\p@}
584 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
585 \renewcommand\thesubsubsection{\thesubsection\@SepMark\arabic\c@subsubsection}
586 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
587 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
588 \def\@part[#1]#2{%
589   \ifnum \c@secnumdepth >\m@ne
590     \refstepcounter{part}%
591     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
592   \else
593     \addcontentsline{toc}{part}{#1}%
594   \fi
595   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
596   \interlinepenalty \OM
597   \normalfont
598   \ifnum \c@secnumdepth >\m@ne
599     \Large\bfseries \partname\nobreakspace\thepart
600     \par\nobreak
601   \fi
602   \huge \bfseries #2%
603   \markboth{}{}\par}%
604   \nobreak
605   \vskip 3ex
606   \afterheading
607 \bidi@patchcmd\@spart\raggedright{%
608   \if@RTL\raggedleft\else\raggedright\fi
609 }{}{\bidi@warning{Oops! patching `string@\spart' failed}}
610 \renewenvironment{thebibliography}[1]
611   {\section*{\refname}%
612   \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
613   \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
614   \bidi@thebibliography@font@hook%
615   \list{\@biblabel{\arabic\c@enumiv}}%
616     {\settowidth\labelwidth{\@biblabel{#1}}%
617     \leftmargin\labelwidth
618     \advance\leftmargin\labelsep
619     \openbib@code
620     \usecounter{enumiv}%
621     \let\p@enumiv\empty
622     \renewcommand\theenumiv{\arabic\c@enumiv}%

```



```

623     \sloppy
624     \clubpenalty4000
625     \@clubpenalty \clubpenalty
626     \widowpenalty4000%
627     \sfcode`.\@m}
628     {\def\@noitemerr
629      {\@latex@warning{Empty `thebibliography' environment}}%
630      \endlist}
631 \renewenvironment{theindex}
632     {\if@twocolumn
633      \restonecolfalse
634     \else
635      \restonecoltrue
636     \fi
637     \columnseprule \z@
638     \columnsep 35\p@
639     \twocolumn[\section*{\indexname}]%
640     \mkboth{\MakeUppercase{\indexname}}%
641     {\MakeUppercase{\indexname}}%
642     \thispagestyle{plain}\parindent\z@
643     \parskip\z@ \plus .3\p@\relax
644     \let\item\@idxitem
645     {\if@restonecol\onecolumn\else\clearpage\fi}}

```

10 File artikel1-xetex-bidi.def

```

646 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
647 \renewenvironment{theindex}{%
648   \if@twocolumn
649     \restonecolfalse
650   \else
651     \restonecoltrue
652   \fi
653   \columnseprule \z@
654   \columnsep 35\p@
655   \twocolumn[\section*{\indexname}]%
656   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
657   \thispagestyle{plain}\parindent\z@
658   \parskip\z@ \plus .3\p@\relax
659   \let\item\@idxitem
660 }{%
661   \if@restonecol\onecolumn\else\clearpage\fi}
662 \renewcommand*\head@style{%
663   \interlinepenalty \zM
664   \hyphenpenalty=\zM \exhyphenpenalty=\zM
665   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
666 \if@titlepage
667   \renewenvironment{abstract}{%
668     \titlepage
669     \null\vfil
670     \section*{\SectFont\abstractname}
671     \noindent\ignorespaces
672     {\par\vfil\null\endtitlepage}
673 \else

```



```

674 \renewenvironment{abstract}{%
675     \if@twocolumn
676         \section*{\abstractname}%
677     \else
678         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
679         \section*{\small\SectFont\abstractname}%
680         \noindent\ignorespaces
681     \fi}
682 {\if@twocolumn\else\par\egroup\fi}
683 \fi
684 \renewcommand*\@regtocline[3]{%
685     \ifnum #1>\c@tocdepth
686     \else
687         \vskip\z@\@plus.2\p@
688         \hangindent\z@\@afterindenttrue \interlinepenalty\@M
689         \if@RTL\rightskip\else\leftskip\fi\unitindent
690         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
691         \parfillskip\z@
692         \tempdima\unitindent
693         \parindent\z@
694         \leavevmode
695         \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
696         \hskip 1em \nobreak{\slshape #3}\par
697     }%
698 \fi}
699 \if@oldtoc
700 \renewcommand*\l@part [2]{%
701     \ifnum \c@tocdepth >-2\relax
702         \addpenalty\@secpenalty
703         \addvspace{2.25em \@plus\p@}%
704         \begingroup
705             \setlength\tempdima{3em}%
706             \parindent\z@\if@RTL\leftskip\else\rightskip\fi\tempdima\@pnumwidth
707             \parfillskip -\tempdima\@pnumwidth
708             \leavevmode
709             \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
710             \nobreak
711             \if@compatibility
712                 \global\@nobreaktrue
713                 \everypar{\global\@nobreakfalse\everypar{}}%
714             \fi
715         \endgroup
716     \fi}
717 \else
718     \renewcommand*\l@part{%
719         \ifnum \c@tocdepth >-2\relax
720             \addpenalty\@secpenalty
721             \addvspace{2.25em \@plus\p@}%
722             \@regtocline{0}%
723         \fi}
724 \fi
725 \if@oldtoc
726 \renewcommand*\l@section[2]{%
727     \addpenalty\@secpenalty

```



```

728     \addvspace{1.0em \@plus\p@}%
729     \setlength\@tempdima{1.5em}%
730     \begingroup
731     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
732     \parfillskip -\@pnumwidth
733     \leavevmode \bfseries
734     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
735     \hskip -\if@RTL\rightskip\else\leftskip\fi
736     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
737     \endgroup}
738 \else
739     \renewcommand*\l@section{\@regtocline{1}}
740 \fi
741 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic \c@section}
742 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic \c@subsection}
743 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic \c@paragraph}
744 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic \c@subparagraph}
745 \renewenvironment{thebibliography}[1]
746     {\section*{\refname}%
747      \Qmboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
748      \if@RTL\if@LTrbitems@\RTLfalse\else\fi\else\if@RTLbitems@\RTLtrue\else\fi\fi
749      \bidi@thebibliography\font@hook%
750      \list{\@biblabel{\@arabic \c@enumiv}}%
751      {\settowidth\labelwidth{\@biblabel{#1}}%
752       \leftmargin\labelwidth
753       \advance\leftmargin\labelsep
754       \openbib@code
755       \usecounter{enumiv}%
756       \let\p@enumiv\empty
757       \renewcommand*\theenumiv{\@arabic \c@enumiv}%
758       \sloppy\clubpenalty4000\widowpenalty4000%
759       \sfcode`.\@m}
760      {\def\@noitemerr
761       {\@latex@warning{Empty `thebibliography' environment}}%
762      \endlist}
763 \renewcommand*\left@footnoterule{%
764     \kern-3\p@
765     \kern.5\baselineskip
766     \hrule\@width\unitindent
767     \kern.4\baselineskip
768 }
769 \renewcommand*\right@footnoterule{%
770     \kern-3\p@
771     \kern.5\baselineskip
772     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
773     \kern.4\baselineskip}
774 \if@titlepage
775 \renewcommand*\TitleFont{\rmfamily}
776 \renewcommand*\maketitle{%
777   \begin{titlepage}%
778     \let\footnotesize\small
779     \let\right@footnoterule\relax
780     \let\left@footnoterule\relax
781     \let\textwidth@footnoterule\relax

```



```

782     \let \footnote \thanks
783     \long\def\@makefntext##1{\parindent\z@
784         \def\labelitemi{\textendash}\relax\labeltrue
785         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
786     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
787     \if@compatibility\setcounter{page}{0}\fi
788     \null\vfil
789     \vskip 60\p@
790     \begin{center}%
791         \TitleFont
792         {\LARGE \def\\{\penalty -\@M}
793          \if@allcaps
794              \expandafter\uc@nothanks\@title\thanks\relax
795          \else
796              \atitle
797              \fi\par}%
798     \vskip 3em%
799     {\large
800         \lineskip .75em \parindent\z@
801     \begin{tabular}[t]{c}%
802         \if@allcaps
803             \expandafter\uc@authornothanks\@author\and\relax
804         \else
805             \author
806             \fi
807         \end{tabular}\par}%
808     \vskip 1.5em%
809     {\large
810         \if@allcaps
811             \uppercase\expandafter{\@date}%
812         \else
813             \@date
814             \fi\par}%
815     \end{center}\par
816     \thanks
817     \vfil\null
818     \end{titlepage}%
819     \setcounter{footnote}{0}%
820     \global\let\thanks\relax
821     \global\let\maketitle\relax
822     \global\let\@thanks\empty
823     \global\let\@author\empty
824     \global\let\@title\empty
825     \global\let\@date\empty
826     \global\let\title\relax
827     \global\let\author\relax
828     \global\let\date\relax
829     \global\let\and\relax
830 }
831 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
832 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
833     \futurelet\@tempa\uc@ax}
834 \def\uc@ax{%
835     \ifx\@tempa\relax

```



```

836 \else
837   \\ \andname \\ \expandafter\uc@authornothanks
838 \fi}
839 \def\uc@tx{\ifx\@tempa\relax
840   \else \expandafter\uc@ty \fi}
841 \def\uc@ty#1{\thanks{\uc@nothanks}}
842 \else
843 \renewcommand*\maketitle{\par
844   \begingroup
845     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
846     \def\@makefnmark{\rlap{%
847       \textsuperscript{\normalfont\@thefnmark}}}%
848     \long\def\@makefntext{\xmakefntext{%
849       \textsuperscript{\normalfont\@thefnmark}}}%
850     \if@twocolumn
851       \ifnum \col@number=\@ne
852         \maketitle
853       \else
854         \twocolumn[\maketitle]%
855       \fi
856     \else
857       \newpage
858       \global\@topnum\z@
859       \maketitle
860     \fi
861     \thispagestyle{plain}\@thanks
862   \endgroup
863   \setcounter{footnote}{0}%
864   \global\let\thanks\relax
865   \global\let\maketitle\relax
866   \global\let\@maketitle\relax
867   \global\let\@thanks\@empty
868   \global\let\@author\@empty
869   \global\let\@title\@empty
870   \global\let\@date\@empty
871   \global\let\title\relax
872   \global\let\author\relax
873   \global\let\date\relax
874   \global\let\and\relax
875 }
876 \def\@maketitle{%
877   \newpage
878   \null
879   \vskip 2em%
880   \begin{center}%
881     \let \footnote \thanks
882     {\LARGE \TitleFont \@title \par}%
883     \vskip 1.5em%
884     {\large \TitleFont
885       \lineskip .5em%
886       \begin{tabular}[t]{c}%
887         \author
888       \end{tabular}\par}%
889     \vskip 1em%

```



```

890     {\large \TitleFont \@date}%
891   \end{center}%
892   \par
893   \vskip 1.5em}
894 \fi

```

11 File artikel2-xetex-bidi.def

```

895 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
896 \renewenvironment{theindex}{%
897   \if@twocolumn
898     \c@restonecolfalse
899   \else
900     \c@restonecoltrue
901   \fi
902   \columnseprule \z@
903   \columnsep 35\p@
904   \twocolumn[\section*{\indexname}]%
905   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
906   \thispagestyle{plain}\parindent\z@
907   \parskip\z@ \c@plus .3\p@\relax
908   \let\item\@idxitem
909 }{%
910   \if@restonecol\onecolumn\else\clearpage\fi}
911 \renewcommand*\@regtocline[3]{%
912   \ifnum #1>\c@tocdepth
913   \else
914     \vskip\z@\c@plus.2\p@
915     \hangindent\z@ \c@afterindenttrue \interlinepenalty\@M
916     \if@RTL\rightskip\else\leftskip\fi\unitindent
917     \if@RTL\leftskip\else\rightskip\fi\unitindent\c@plus 1fil
918     \parfillskip\z@
919     \c@tempdima\unitindent
920     \advance\c@tempdima by \othermargin
921     \parindent\z@
922     \leavevmode
923     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
924     \hskip 1em \nobreak\slshape \#3\par
925   }%
926   \fi}
927 \if@oldtoc
928 \renewcommand*\l@section[2]{%
929   \addpenalty\@secpenalty
930   \addvspace{1.0em \c@plus\p@}%
931   \setlength\c@tempdima{1.5em}%
932   \begingroup
933   \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\c@pnumwidth
934   \parfillskip -\c@pnumwidth
935   \leavevmode \bfseries
936   \advance\c@tempdima\if@RTL\rightskip\else\leftskip\fi\c@tempdima
937   \hskip -\if@RTL\rightskip\else\leftskip\fi\c@tempdima
938   \#1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss \#2}\par
939   \endgroup}
940 \else

```



```

941   \renewcommand*\l@section{\@regtocline{1}}
942 \fi
943 \if@oldtoc
944 \renewcommand*\l@part[2]{%
945   \ifnum \c@tocdepth >-2\relax
946     \addpenalty\@secpenalty
947     \addvspace{2.25em \oplus \p@}%
948     \begingroup
949       \setlength\@tempdima{3em}%
950       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
951       \parfillskip -\pnumwidth
952       {\leavevmode
953         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
954         \nobreak
955         \if@compatibility
956           \global\nobreaktrue
957           \everypar{\global\nobreakfalse\everypar{}}
958         \fi
959       \endgroup
960     \fi}
961 \else
962   \renewcommand*\l@part{%
963     \ifnum \c@tocdepth >-2\relax
964     \addpenalty\@secpenalty
965     \addvspace{2.25em \oplus \p@}%
966     \@regtocline{0}%
967   \fi}
968 \fi
969 \renewcommand*\head@style{%
970   \interlinepenalty \OM
971   \hyphenpenalty=\OM \exhyphenpenalty=\OM
972   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
973 \if@titlepage
974   \ renewenvironment{abstract}{%
975     \titlepage
976     \null\vfil
977     \section*{\SectFont\abstractname}%
978     \noindent\ignorespaces
979     {\par\vfil\null\endtitlepage}
980 \else
981   \ renewenvironment{abstract}{%
982     \if@twocolumn
983       \section*{\abstractname}%
984     \else
985       \section*{\hskip\unitindent\small\SectFont\abstractname}%
986       \list{}{\setlength\listparindent{\unitindent}%
987         \setlength\parindent {\z@}%
988         \setlength\leftmargin {\unitindent}%
989         \setlength\rightmargin {\unitindent}%
990         \setlength\parsep {\z@}%
991         \item[]}
992     \fi}
993   {\if@twocolumn\else\par\endlist\fi}
994 \fi

```



```

995 \renewcommand*\thesubsection{\thesection\c@subsection}
996 \renewcommand*\thesubsubsection{\thesubsection\c@subsection\c@subsubsection}
997 \renewcommand*\theparagraph{\thesubsubsection\c@paragraph}
998 \renewcommand*\thesubparagraph{\theparagraph\c@paragraph\c@subparagraph}
999 \renewcommand*\left@footnoterule{%
1000   \kern-3\p@
1001   \hrule\@width 3\unitindent
1002   \kern 2.6\p@
1003 }
1004 \renewcommand*\right@footnoterule{%
1005   \kern-3\p@
1006   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
1007   \kern 2.6\p@}
1008 \renewenvironment{thebibliography}[1]
1009   {\section*{\refname}%
1010    \omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1011    \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
1012    \bidi@thebibliography\font@hook\%
1013    \list{\@biblabel{\@arabic\c@enumiv}}%
1014    {\settowidth\labelwidth{\@biblabel{#1}}%
1015     \leftmargin\labelwidth
1016     \advance\leftmargin\labelsep
1017     \openbib@code
1018     \usecounter{enumiv}%
1019     \let\p@enumiv\empty
1020     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1021     \sloppy\clubpenalty4000\widowpenalty4000%
1022     \sfcode`.\@m}
1023   {\def\@noitemerr
1024     {\@latex@warning{Empty `thebibliography' environment}}%
1025   \endlist}
1026 \if@titlepage
1027 \renewcommand*\TitleFont{\rmfamily}
1028 \renewcommand*\maketitle{%
1029   \begin{titlepage}%
1030     \let\footnotesize\small
1031     \let\right@footnoterule\relax
1032     \let\left@footnoterule\relax
1033     \let\textwidth@footnoterule\relax
1034     \let\footnote\thanks
1035     \long\def\@makefntext##1{\par\indent\z@
1036       \def\labelitemi{\textendash}\revlabeltrue
1037       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1038     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1039     \if@compatibility\setcounter{page}{0}\fi
1040     \null\vfil
1041     \vskip 60\p@
1042     \begin{center}%
1043       \TitleFont
1044       {\LARGE \def\\{\penalty -\OM}
1045        \if@allcaps
1046          \expandafter\uc@nothanks\@title\thanks\relax
1047        \else
1048          \@title

```



```

1049      \fi\par}%
1050      \vskip 3em%
1051      {\large
1052          \lineskip .75em \parindent\z@
1053          \begin{tabular}[t]{c}%
1054              \if@allcaps
1055                  \expandafter\uc@authornothanks\@author\and\relax
1056              \else
1057                  \@author
1058                  \fi
1059          \end{tabular}\par}%
1060          \vskip 1.5em%
1061          {\large
1062              \if@allcaps
1063                  \uppercase\expandafter{\@date}%
1064              \else
1065                  \@date
1066                  \fi\par}%
1067          \end{center}\par
1068          \@thanks
1069          \vfil\null
1070      \end{titlepage}%
1071      \setcounter{footnote}{0}%
1072      \global\let\thanks\relax
1073      \global\let\maketitle\relax
1074      \global\let\@thanks\empty
1075      \global\let\@author\empty
1076      \global\let\@title\empty
1077      \global\let\@date\empty
1078      \global\let\title\relax
1079      \global\let\author\relax
1080      \global\let\date\relax
1081      \global\let\and\relax
1082  }%
1083 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}%
1084 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1085     \futurelet\@tempa\uc@ax}
1086 \def\uc@ax{%
1087     \ifx\@tempa\relax
1088     \else
1089         \\ \andname \\ \expandafter\uc@authornothanks
1090         \fi}
1091 \def\uc@tx{\ifx\@tempa\relax
1092     \else \expandafter\uc@ty \fi}
1093 \def\uc@ty#1{\thanks{#1}\uc@nothanks}%
1094 \else
1095 \renewcommand*\maketitle{\par
1096     \begingroup
1097         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1098         \long\def\@makefntext##1{\parindent\z@
1099             \def\labelitemi{\textendash}%
1100             \leavevmode\hb@xt@.5\unitindent{%
1101                 \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1102         \if@twocolumn

```



```

1103 \ifnum \col@number=\@ne
1104   \@maketitle
1105 \else
1106   \twocolumn[\@maketitle]%
1107 \fi
1108 \else
1109   \newpage
1110   \global\@topnum\z@
1111   \@maketitle
1112 \fi
1113 \thispagestyle{plain}\@thanks
1114 \endgroup
1115 \setcounter{footnote}{0}%
1116 \global\let\thanks\relax
1117 \global\let\maketitle\relax
1118 \global\let\@maketitle\relax
1119 \global\let\@thanks\@empty
1120 \global\let\@author\@empty
1121 \global\let\@title\@empty
1122 \global\let\@date\@empty
1123 \global\let\title\relax
1124 \global\let\author\relax
1125 \global\let\date\relax
1126 \global\let\and\relax
1127 }
1128 \def\@maketitle{%
1129   \newpage
1130   \null
1131   \vskip 2em%
1132   \begin{center}%
1133     \let \footnote \thanks
1134     {\LARGE \TitleFont \@title \par}%
1135     \vskip 1.5em%
1136     {\large \TitleFont
1137       \lineskip .5em%
1138       \begin{tabular}[t]{c}%
1139         \author
1140       \end{tabular}\par}%
1141     \vskip 1em%
1142     {\large \TitleFont \@date}%
1143   \end{center}%
1144   \par
1145   \vskip 1.5em}
1146 \fi

```

12 File artikel3-xetex-bidi.def

```

1147 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f
1148 \renewenvironment{theindex}{%
1149   \if@twocolumn
1150     \@restonecolfalse
1151   \else
1152     \@restonecoltrue
1153   \fi

```



```

1154 \columnseprule \z@  

1155 \columnsep 35\p@  

1156 \twocolumn[\section*{\indexname}]{%  

1157 @mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%  

1158 \thispagestyle{plain}\parindent\z@  

1159 \parskip\z@ \oplus .3\p@\relax  

1160 \let\item\@idxitem  

1161 }%  

1162 \if@restonecol\onecolumn\else\clearpage\fi}  

1163 \renewcommand*\head@style{%
1164   \interlinepenalty \OM  

1165   \hyphenpenalty=\OM \exhyphenpenalty=\OM  

1166   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}  

1167 \renewcommand*\@regtocline[3]{%
1168   \ifnum #1>\c@tocdepth
1169   \else
1170     \vskip\z@\oplus.2\p@
1171     {\hangindent\z@ \oafterindenttrue \interlinepenalty\OM
1172      \if@RTL\rightskip\else\leftskip\fi\unitindent
1173      \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
1174      \parfillskip\z@
1175      \tempdima\unitindent
1176      \parindent\z@
1177      \leavevmode
1178      \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1179      \hskip 1em \nobreak{\slshape #3}\par
1180    }%
1181   \fi}
1182 \if@oldtoc
1183 \renewcommand*\l@part[2]{%
1184   \ifnum \c@tocdepth >-2\relax
1185     \addpenalty\@secpenalty
1186     \addvspace{2.25em \oplus \p@}%
1187     \begingroup
1188       \setlength\tempdima{3em}%
1189       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1190       \parfillskip -\pnumwidth
1191       {\leavevmode
1192         \large \bfseries #1\hfil \hbox{\pnumwidth{\hss #2}}\par
1193         \nobreak
1194         \if@compatibility
1195           \global\nobreaktrue
1196           \everypar{\global\nobreakfalse\everypar{}}
1197         \fi
1198       \endgroup
1199     }%
1200   \else
1201     \renewcommand*\l@part{%
1202       \ifnum \c@tocdepth >-2\relax
1203         \addpenalty\@secpenalty
1204         \addvspace{2.25em \oplus \p@}%
1205         \@regtocline{0}%
1206       \fi}
1207     \fi

```



```

1208 \if@oldtoc
1209 \renewcommand*\l@section[2]{%
1210   \addpenalty\@secpenalty
1211   \addvspace{1.0em \@plus\p@}%
1212   \setlength\@tempdima{1.5em}%
1213   \begingroup
1214   \parindent \z@\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1215   \parfillskip -\@pnumwidth
1216   \leavevmode \bfseries
1217   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1218   \hskip -\if@RTL\rightskip\else\leftskip\fi
1219   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1220   \endgroup}
1221 \else
1222   \renewcommand*\l@section{\@regtocline{1}}
1223 \fi
1224 \if@titlepage
1225   \renewenvironment{abstract}{%
1226     \titlepage
1227     \null\vfil
1228     \section*{\SectFont\abstractname}%
1229     \noindent\ignorespaces
1230     {\par\vfil\null\endtitlepage}
1231   }{\par\vfil\null\endtitlepage}
1232 \else
1233   \renewenvironment{abstract}{%
1234     \if@twocolumn
1235       \section*{\abstractname}%
1236     \else
1237       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1238       \section*{\small\SectFont\abstractname}%
1239       \noindent\ignorespaces
1240     \fi}
1241   {\if@twocolumn\else\par\egroup\fi}
1242 \fi
1243 \renewcommand*\left@footnoterule{%
1244   \kern-3\p@
1245   \kern.5\baselineskip
1246   \hrule\@width\unitindent
1247   \kern.4\baselineskip
1248 }
1249 \renewcommand*\right@footnoterule{%
1250   \kern-3\p@
1251   \kern.5\baselineskip
1252   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1253   \kern.4\baselineskip}
1254 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1255 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1256 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1257 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1258 \renewenvironment{thebibliography}[1]
1259   {\section*{\refname}%
1260    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1261    \if@RTL\ifOLTRbibitems\@RTLfalse\else\fi\else\if@RTL\@RTLtrue\else\fi\fi

```



```

1262      \bidi@@thebibliography@font@hook%
1263      \list{\@biblabel{\@arabic\c@enumiv}}%
1264          {\settowidth\labelwidth{\@biblabel{#1}}%
1265             \leftmargin\labelwidth
1266             \advance\leftmargin\labelsep
1267             \openbib@code
1268             \usecounter{enumiv}%
1269             \let\p@enumiv\empty
1270             \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1271             \sloppy\clubpenalty4000\widowpenalty4000%
1272             \sfcode`.\@m}
1273             {\def\noitemerr
1274                 {\@latex@warning{Empty `thebibliography' environment}}%
1275             \endlist}
1276 \if@titlepage
1277 \renewcommand*\TitleFont{\rmfamily}
1278 \renewcommand*\maketitle{%
1279     \begin{titlepage}%
1280         \let\footnotesize\small
1281         \let\right@footnoterule\relax
1282         \let\left@footnoterule\relax
1283         \let\textwidth@footnoterule\relax
1284         \let\footnote\thanks
1285         \long\def\makefntext##1{\par\indent\z@
1286             \def\labelitemi{\textendash}\revlabeltrue
1287             \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1}
1288         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1289         \if@compatibility\setcounter{page}{0}\fi
1290         \null\vfil
1291         \vskip 60\p@
1292         \begin{center}%
1293             \TitleFont
1294             {\LARGE \def\{\penalty -\@M}
1295                 \if@allcaps
1296                     \expandafter\uc@nothanks\@title\thanks\relax
1297                 \else
1298                     \atitle
1299                 \fi\par}%
1300             \vskip 3em%
1301             {\large
1302                 \lineskip .75em \par\indent\z@
1303             \begin{tabular}[t]{c}%
1304                 \if@allcaps
1305                     \expandafter\uc@authornothanks\@author\and\relax
1306                 \else
1307                     \author
1308                 \fi
1309             \end{tabular}\par}%
1310             \vskip 1.5em%
1311             {\large
1312                 \if@allcaps
1313                     \uppercase\expandafter{\@date}%
1314                 \else
1315                     \@date

```



```

1316      \fi\par}%
1317      \end{center}\par
1318      \@thanks
1319      \vfil\null
1320      \end{titlepage}%
1321      \setcounter{footnote}{0}%
1322      \global\let\thanks\relax
1323      \global\let\maketitle\relax
1324      \global\let\@thanks\@empty
1325      \global\let\@author\@empty
1326      \global\let\@title\@empty
1327      \global\let\@date\@empty
1328      \global\let\title\relax
1329      \global\let\author\relax
1330      \global\let\date\relax
1331      \global\let\and\relax
1332 }
1333 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1334 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1335     \futurelet\@tempa\uc@ax}
1336 \def\uc@ax{%
1337     \ifx\@tempa\relax
1338     \else
1339     \\ \andname \\ \expandafter\uc@authornothanks
1340     \fi}
1341 \def\uc@tx{\ifx\@tempa\relax
1342     \else \expandafter\uc@ty \fi}
1343 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1344 \else
1345 \renewcommand*\maketitle{\par
1346   \begingroup
1347     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1348     \def\@makefnmark{\rlap{%
1349       \textsuperscript{\normalfont\@thefnmark}}}%
1350     \long\def\@makefntext{\xmakefntext{%
1351       \textsuperscript{\normalfont\@thefnmark}}}%
1352     \if@twocolumn
1353       \ifnum \col@number=\@ne
1354         \@maketitle
1355       \else
1356         \twocolumn[\@maketitle]%
1357       \fi
1358     \else
1359       \newpage
1360       \global\@topnum\z@
1361       \@maketitle
1362     \fi
1363     \thispagestyle{plain}\@thanks
1364   \endgroup
1365   \setcounter{footnote}{0}%
1366   \global\let\thanks\relax
1367   \global\let\maketitle\relax
1368   \global\let\@maketitle\relax
1369   \global\let\@thanks\@empty

```



```

1370 \global\let\@author\@empty
1371 \global\let\@title\@empty
1372 \global\let\@date\@empty
1373 \global\let\title\relax
1374 \global\let\author\relax
1375 \global\let\date\relax
1376 \global\let\and\relax
1377 }
1378 \def\@maketitle{%
1379   \newpage
1380   \null
1381   \vskip 2em%
1382 \if@titlecentered
1383   \begin{center}%
1384     \let \footnote \thanks
1385     {\LARGE \TitleFont \@title \par}%
1386     \vskip 1.5em%
1387     {\large \TitleFont
1388       \lineskip .5em%
1389       \begin{tabular}[t]{c}%
1390         \author
1391       \end{tabular}\par}%
1392     \vskip 1em%
1393     {\large \TitleFont \@date}%
1394   \end{center}%
1395 \else
1396   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1397   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1398     \def\and{\% \begin{tabular} has already started
1399       \end{tabular}\hskip 1em plus .17fil
1400       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
1401       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}%
1402     \vskip 1em {\large \TitleFont \@date}
1403   \fi
1404   \par
1405   \vskip 1.5em}
1406 \fi

```

13 File arydshln-xetex-bidi.def

```

1407 \ProvidesFile{arydshln-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for arydshln package]
1408 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egrou
1409 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1410 \expandafter\let\csname endtabular*\endcsname\endtabular
1411 \let\adl@array\@array
1412 \def\@array{\adl@everyvbox\everyvbox
1413   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1414   \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1415   \let\adl@noalign\noalign
1416   \adl@array}
1417 \ifadl@usingarypkg
1418 \def\@testpach{\@chclass
1419 \ifnum \lastchclass=6 \one \chnum \one \else
1420 \ifnum \lastchclass=7 5 \else

```



```

1421 \ifnum \@lastchclass=8 \tw@ \else
1422   \ifnum \@lastchclass=9 \thr@@
1423   \else \z@
1424   \ifnum \@lastchclass = 10 \else
1425     \edef\@nextchar{\expandafter\string\@nextchar}%
1426     \chnum
1427     \if \@nextchar c\z@ \else
1428       \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1429         \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1430         \z@ \chclass
1431       \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1432       \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1433       \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1434         \if \@nextchar !6 \else
1435           \if \@nextchar @7 \else
1436             \if \@nextchar <8 \else
1437               \if \@nextchar >9 \else
1438               10
1439               \chnum
1440               \if \@nextchar m\thr@@\else
1441                 \if \@nextchar p4 \else
1442                   \if \@nextchar b5 \else
1443                     \z@ \chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi
1444                     \fi \fi
1445
1446 \def\@classz{\@classx
1447   \tempcnta \count@
1448   \prepnext@tok
1449   \addtopreamble{\ifcase \chnum
1450     \hfil
1451     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1452     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1453     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1454     \setbox\adl@box\hbox {\adl@startmbox{\@nextchar}\insert@column
1455       \adl@endmbox}\or
1456     \setbox\adl@box\vtop {\startpbox{\@nextchar}\insert@column \endpbox}\or
1457     \setbox\adl@box\vbox {\startpbox{\@nextchar}\insert@column \endpbox
1458       \fi}\prepnext@tok}
1459 \def\adl@class@start{4}
1460 \def\adl@class@iiiorvii{7}
1461
1462 \else
1463 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1464   \ifnum \@lastchclass=\thr@@ 5\relax \else
1465     \z@ \if #1\chnum \z@ \else
1466       \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1467         \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1468         \chclass
1469           \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1470             \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1471               \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1472                 \if #1@\tw@ \else
1473                   \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1474                     \fi \fi

```



```

1475 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1476   \or \or \addamp \or
1477   \acolampacol \or \firststampfalse \acol \fi
1478 \edef\@preamble{\@preamble
1479   \ifcase \chnum
1480     \hfil\adl@putlrc{$\relax\sharp}\hfil
1481     \or \adl@putlrc{$\relax\sharp}\hfil
1482     \or \hfil\adl@putlrc{$\relax\sharp}\fi}
1483 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1484   \or \or \addamp \or
1485   \acolampacol \or \firststampfalse \acol \fi
1486 \edef\@preamble{\@preamble
1487   \ifcase \chnum
1488     \hfil\adl@putlrc{\sharp\unskip}\hfil
1489     \or \adl@putlrc{\sharp\unskip}\hfil
1490     \or \hfil\hskip\z@\adl@putlrc{\sharp\unskip}\fi}}
1491 \def\adl@class@start{6}
1492 \def\adl@class@iiiorvii{3}
1493 \fi
1494 \ApplyPatchCodeToPackage{colortbl}{%
1495 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1496 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1497   \let\@endpbox\adl@org@endpbox}
1498 \let\adl@CT@setup\CT@setup
1499 \def\CT@setup{\adl@CT@setup
1500   \tempdima\ht\z@\advance\tempdima\minrowclearance
1501   \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1502   \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1503 \let\adl@act@CT@setup\CT@setup
1504 \def\@classz{\@classx
1505   \tempcpta\count@\prepnext@tok
1506   \expandafter\CT@extract\the\toks\tempcpta\columncolor!\@nil
1507   \expandafter\adl@extract@arc\the\toks\tempcpta\arrayrulecolor!\@nil
1508   \expandafter\adl@extract@drsc
1509     \the\toks\tempcpta\doublerulesepcolor!\@nil
1510   \expandafter\adl@extract@dgc\the\toks\tempcpta\dashgapcolor!\@nil
1511   \addtopreamble{\if@RTL\beginL\fi%
1512     \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1513     \ifcase \chnum
1514       \hskip\stretch{.5}\kern\z@
1515       \d@llarbegin
1516         \insert@column
1517         \d@llarend\hskip\stretch{.5}%
1518       \or \d@llarbegin \insert@column \d@llarend \hfill
1519       \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1520       \or \$\vcenter
1521         \startpbox{@nextchar}\insert@column \endpbox $%
1522       \or \vtop \startpbox{@nextchar}\insert@column \endpbox
1523       \or \vbox \startpbox{@nextchar}\insert@column \endpbox
1524     \fi
1525     \if@RTL\endR\fi\egroup\egroup
1526   \begingroup
1527     \CT@setup
1528   }

```



```

1529          \CT@column@color
1530          \CT@row@color
1531          \CT@cell@color
1532          \CT@do@color
1533      \endgroup
1534      \tempdima\ht\z@
1535      \advance\tempdima\minrowclearance
1536      \vrule\height\tempdima\width\z@
1537      \unhbox\z@\if@RTL\endL\fi}%
1538      \prepnext@tok}
1539 \let\adl@act@classz\@classz
1540 \let\adl@org@classz\@classz
1541 }

```

14 File beamer-xetex-bidi.def

```

1542 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for XeLaTeX]
1543 \AtBeginDocument{%
1544     \if@RTLmain
1545         \raggedleft
1546     \else
1547         \raggedright
1548     \fi
1549 }
1550
1551 \renewcommand*\bidi@beamer@ragged}{%
1552     \if@RTL
1553         \raggedleft
1554     \else
1555         \raggedright
1556     \fi
1557 }
1558
1559

```

15 File beamerbaseauxtemplates-xetex-bidi.def

```

1560 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for beamerbaseauxtemplates]
1561 \bidi@csundef{beamer@@tmpop@subsection in toc@sections numbered}
1562
1563 \bidi@csundef{beamer@@tmpop@subsubsection in toc@sections numbered}
1564
1565 \bidi@csundef{beamer@@tmpop@section in toc@subsections numbered}
1566
1567 \bidi@csundef{beamer@@tmpop@subsection in toc@subsections numbered}
1568
1569 \bidi@csundef{beamer@@tmpop@subsubsection in toc@subsections numbered}
1570
1571 \defbeamertemplate{subsection in toc}{sections numbered}
1572 {\leavevmode\bidi@beamer@leftskip=2.5em\inserttocsubsection\par}
1573
1574 \defbeamertemplate{subsubsection in toc}{sections numbered}
1575 {\leavevmode\normalsize\usebeamertemplate{subsection in toc}\bidi@beamer@leftskip=3.5em\usebeamertemplate{subsubsection in toc}}
1576 \inserttocsubsubsection\par

```



```

1577 \defbeamertemplate{section in toc}{subsections numbered}
1578 {\leavevemode\bidi@beamer@leftskip=2em\inserttocsection\par}
1579
1580 \defbeamertemplate{subsection in toc}{subsections numbered}
1581 {\leavevemode\bidi@beamer@leftskip=2em\rloop{\hskip-2em\inserttocsectionnumber.\inserttocsubsection}
1582
1583 \defbeamertemplate{subsubsection in toc}{subsections numbered}
1584 {\leavevemode\normalsize\usebeamertfont{subsection in
1585 toc}\bidi@beamer@leftskip=3em\usebeamertfont{subsubsection in toc}%
1586 \inserttocsubsubsection\par}
1587
1588 \bidi@csundef{beamer@@tmpop@section in toc@circle}
1589
1590 \bidi@csundef{beamer@@tmpop@subsection in toc@circle}
1591
1592 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1593
1594 \defbeamertemplate{section in toc}{circle}
1595 {\leavevemode\bidi@beamer@leftskip=2ex%
1596 \llap{%
1597 \usebeamertfont*{section number projected}%
1598 \usebeamercolor{section number projected}%
1599 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1600 \color{bg}
1601 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1602 \pgfusepath{fill}
1603 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1604 \end{pgfpicture}\kern1.25ex%
1605 }%
1606 }%
1607 \inserttocsection\par}
1608
1609 \defbeamertemplate{subsection in toc}{circle}
1610 {\leavevemode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1611
1612 \defbeamertemplate{subsubsection in toc}{circle}
1613 {\leavevemode\normalsize\usebeamertfont{subsection in
1614 toc}\bidi@beamer@leftskip=3em\usebeamertfont{subsubsection in toc}%
1615 \inserttocsubsubsection\par}
1616
1617 \bidi@csundef{beamer@@tmpop@section in toc@square}
1618
1619 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1620
1621 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1622
1623 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1624
1625 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1626
1627 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1628
1629 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1630

```



```

1631 \defbeamertemplate{section in toc}{square}
1632 {\leavevmode\bidi@beamer@leftskip=3ex%
1633   \llap{%%
1634     \usebeamertemplate*{section number projected}%
1635     \usebeamercolor[bg]{section number projected}%
1636     \if@RTL
1637     \else
1638       \vrule width2.25ex height1.85ex depth.4ex%
1639       \hspace{-2.25ex}%
1640     \fi
1641   \hbox to2.25ex{%
1642     \hfil\color{fg}\inserttocsectionnumber\hfil}%
1643   \if@RTL
1644     \hspace{-2.25ex}%
1645     \vrule width2.25ex height1.85ex depth.4ex%
1646   \kern1.25ex}%
1647 \inserttocsection\par}
1648
1649 \defbeamertemplate{subsection in toc}{square}
1650 {\leavevmode\bidi@beamer@leftskip=5ex\llap{%%
1651   \usebeamercolor[bg]{subsection number projected}%
1652   \vrule width1ex height1ex\kern1ex}\inserttocsubsection\par}
1653
1654 \defbeamertemplate{subsubsection in toc}{square}
1655 {\leavevmode\normalsize\usebeamertemplate{subsection in
1656   toc}\bidi@beamer@leftskip=7ex\usebeamertemplate{subsubsection in toc}%
1657   \llap{%%
1658     \usebeamercolor[bg]{subsubsection number projected}%
1659     \vrule width0.75ex height0.75ex\kern1ex}\inserttocsubsubsection\par}
1660
1661 \defbeamertemplate{enumerate item}{square}
1662 {
1663   \hbox{%%
1664     \usebeamertemplate*{item projected}%
1665     \usebeamercolor[bg]{item projected}%
1666     \if@RTL
1667     \else
1668       \vrule width2.25ex height1.85ex depth.4ex%
1669       \hspace{-2.25ex}%
1670     \fi
1671   \hbox to2.25ex{%%
1672     \hfil\color{fg}\insertenumlabel\hfil}%
1673   \if@RTL
1674     \hspace{-2.25ex}%
1675     \vrule width2.25ex height1.85ex depth.4ex%
1676   \kern1.25ex}%
1677   \if@RTL
1678     \hspace{-2.25ex}%
1679   \fi
1680 }%%
1681 [action]
1682 {\setbeamertemplate{item projected}{size=\scriptsize}}
1683
1684 \defbeamertemplate{enumerate subitem}{square}

```



```

1685 {
1686   \hbox{%%
1687     \usebeamerfont*{subitem projected}%
1688     \usebeamercolor[bg]{subitem projected}%
1689     \if@RTL
1690     \else
1691       \vrule width2.25ex height1.85ex depth.4ex%
1692       \hspace{-2.25ex}%
1693     \fi
1694   \hbox to2.25ex{%%
1695     \hfil%
1696     \color{fg}\insertsubenumlabel%
1697     \hfil}%%
1698   \if@RTL
1699     \hspace{-2.25ex}%
1700     \vrule width2.25ex height1.85ex depth.4ex%
1701   \fi
1702 }%%
1703 }
1704
1705 \defbeamertemplate{enumerate subsubitem}{square}
1706 {
1707   \hbox{%%
1708     \usebeamerfont*{subitem projected}%
1709     \usebeamercolor[bg]{subsubitem projected}%
1710     \if@RTL
1711     \else
1712       \vrule width2.25ex height1.85ex depth.4ex%
1713       \hspace{-2.25ex}%
1714     \fi
1715   \hbox to2.25ex{%%
1716     \hfil%
1717     \color{fg}\insertsubsubenumlabel%
1718     \hfil}%%
1719   \if@RTL
1720     \hspace{-2.25ex}%
1721     \vrule width2.25ex height1.85ex depth.4ex%
1722   \fi
1723 }%%
1724 }
1725
1726 \defbeamertemplate{enumerate mini template}{square}
1727 {
1728   \hbox{%%
1729     \usebeamerfont*{\beameritemnestingprefix item projected}%
1730     \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1731     \if@RTL
1732     \else
1733       \vrule width2.25ex height1.85ex depth.4ex%
1734       \hspace{-2.25ex}%
1735     \fi
1736   \hbox to2.25ex{%%
1737     \hfil%
1738     \color{fg}\insertenumlabel%

```



```

1739      \hfil}}%
1740      \if@RTL
1741          \hskip-2.25ex%
1742          \vrule width2.25ex height1.85ex depth.4ex%
1743      \fi
1744  }}%
1745 }
1746
1747 \bidi@csundef{beamer@@tmpop@section in toc@ball unnumbered}
1748
1749 \bidi@csundef{beamer@@tmpop@subsection in toc@ball unnumbered}
1750
1751 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball unnumbered}
1752
1753 \defbeamertemplate{section in toc}{ball unnumbered}
1754 {\leavevmode\bidi@beamer@leftskip=2.25ex%
1755   \llap{%
1756     \raise0.1ex\beamer@usesphere{section number projected}{bigsphere}\kern1.25ex}%
1757   \inserttocsection\par}
1758
1759 \defbeamertemplate{subsection in toc}{ball unnumbered}
1760 {\leavevmode\bidi@beamer@leftskip=5.1ex\llap{%
1761   \raise0.2ex\beamer@usesphere{subsection number projected}{smallsphere}\kern1ex}\inserttoc%
1762
1763 \defbeamertemplate{subsubsection in toc}{ball unnumbered}
1764 {\leavevmode\normalsize\usebeamertemplate{subsection in
1765   toc}\bidi@beamer@leftskip=8.2ex\usebeamertemplate{subsubsection in toc}%
1766   \llap{%
1767     \beamer@usesphere{subsubsection number projected}{smallsphere}\kern0.75ex}\inserttocsub%
1768
1769 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1770
1771 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1772
1773 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1774
1775 \defbeamertemplate{section in toc}{ball}
1776 {\leavevmode\bidi@beamer@leftskip=2.75ex%
1777   \llap{%
1778     \normalsize%
1779     \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1780       \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1781       \pgftext{%
1782         \usebeamertemplate{section number projected}%
1783         \usebeamercolor{section number projected}%
1784         \color{fg!90!bg}%
1785         \inserttocsectionnumber}
1786     \end{pgfpicture}%
1787     \kern1.25ex}%
1788   \inserttocsection\par
1789 }
1790 [action]
1791 {\setbeamertemplate{section number projected}{size=\scriptsize}}
1792

```



```

1793 \defbeamertemplate{subsection in toc}{ball}
1794 {\leavevemode\bidi@beamer@leftskip=5ex%
1795   \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1796   \inserttocsubsection\par%
1797 }
1798
1799 \defbeamertemplate{subsubsection in toc}{ball}
1800 {\leavevemode\normalsize\usebeamertfont{subsection in
1801   toc}\bidi@beamer@leftskip=7ex\usebeamertfont{subsubsection in toc}%
1802   \llap{\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1803   \inserttocsubsubsection\par%
1804 }
1805
1806 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1807
1808 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1809
1810 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1811
1812 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1813 {%
1814   \par\vskip\medskipamount%
1815   \begin{beamertboxesrounded}[upper=block title,lower=block body,#1]%
1816     {\raggedright\usebeamertfont*{block title}\insertblocktitle}%
1817     \bidi@beamer@ragged%
1818     \usebeamertfont{block body}%
1819 }
1820
1821 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1822 {%
1823   \par\vskip\medskipamount%
1824   \begin{beamertboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1825     {\raggedright\usebeamertfont*{block title alerted}\insertblocktitle}%
1826     \bidi@beamer@ragged%
1827     \usebeamertfont{block body alerted}%
1828 }%
1829
1830 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]
1831 {%
1832   \par\vskip\medskipamount%
1833   \begin{beamertboxesrounded}[upper=block title example,lower=block body example,#1]%
1834     {\raggedright\usebeamertfont*{block title example}\insertblocktitle}%
1835     \bidi@beamer@ragged%
1836     \usebeamertfont{block body example}%
1837 }%
1838
1839 \bidi@csundef{beamer@@tmpop@caption@numbered}
1840
1841 \defbeamertemplate{caption}{numbered}
1842 {%
1843   \leavevemode
1844   \bidi@beamer@ragged
1845   {%
1846     \usebeamercolor[fg]{caption name}%

```



```

1847     \usebeamertemplate{caption name}%
1848     \insertcaptionname\insertcaptionnumber
1849     \usebeamertemplate{caption label separator}%
1850   }%
1851   \insertcaption\par
1852 }
1853
1854 \bidi@csundef{beamer@@tmpop@caption@caption name own line}
1855
1856 \defbeamertemplate{caption}{caption name own line}%
1857 {%
1858   \begin{minipage}{\textwidth}
1859     \leavevmode
1860     \bidi@beamer@ragged
1861   }%
1862   \usebeamercolor[fg]{caption name}%
1863   \usebeamertemplate{caption name}%
1864   \insertcaptionname%
1865   }\\
1866   \insertcaption
1867 \end{minipage}
1868 }
1869
1870 \ApplyPatchCodeToPackage{caption}{%
1871   \DeclareCaptionFont{beamer@font}{%
1872     \usebeamertemplate{caption}%
1873     \usebeamercolor[fg]{caption}%
1874   }
1875   \SetCaptionDefault{font}{beamer@font}
1876   \DeclareCaptionJustification{bidi@beamer@ragged}{\bidi@beamer@ragged}
1877   \SetCaptionDefault{justification}{bidi@beamer@ragged}
1878 }
1879

```

16 File beamerbaseboxes-xetex-bidi.def

```

1880 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbaseboxes]
1881 \renewcommand\beamerboxesrounded[2][]{%
1882   \global\let\beamer@firstlineitemizeunskip=\relax%
1883   \vbox\bgroup%
1884   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1885   \setkeys{beamerboxes}{#1}%
1886   {%
1887     \usebeamercolor{\bmb@lower}%
1888     \globalcolorstrue%
1889     \colorlet{lower.bg}{bg}%
1890   }%
1891   {%
1892     \usebeamercolor{\bmb@upper}%
1893     \globalcolorstrue%
1894     \colorlet{upper.bg}{bg}%
1895   }%
1896   %
1897   % Typeset head

```



```

1898 %
1899 \vskip4bp
1900 \setbox\bmb@box=\hbox{%
1901   \begin{minipage}[b]{\bmb@width}%
1902     \usebeamercolor[fg]{\bmb@upper}%
1903     #2%
1904   \end{minipage}}%
1905 \ifdim\wd\bmb@box=0pt%
1906   \setbox\bmb@box=\hbox{}%
1907   \ht\bmb@box=1.5pt%
1908   \bmb@prevheight=-4.5pt%
1909 \else%
1910   \wd\bmb@box=\bmb@width%
1911   \bmb@temp=\dp\bmb@box%
1912   \ifdim\bmb@temp<1.5pt%
1913     \bmb@temp=1.5pt%
1914   \fi%
1915   \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1916   \dp\bmb@box=0pt%
1917   \bmb@prevheight=\ht\bmb@box%
1918 \fi%
1919 \bmb@temp=\bmb@width%
1920 \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1921 \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1922 \hbox{%
1923   \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1924     \ifdim\wd\bmb@box=0pt%
1925       \color{lower.bg}%
1926     \else%
1927       \color{upper.bg}%
1928     \fi%
1929     \pgfpathqmoveto{-4bp}{-1bp}
1930     \pgfpathqcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1931     \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1932     \pgfpathcurveto%
1933     {\pgfpoint{\bmb@dima}{3bp}}%
1934     {\pgfpoint{\bmb@dimb}{1.2bp}}%
1935     {\pgfpoint{\bmb@dimb}{-1bp}}%
1936     \bmb@dima=-\ht\bmb@box%
1937     \advance\bmb@dima by-2pt%
1938     \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1939     \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1940     \pgfusepath{fill}
1941   \end{pgfpicture}%
1942   \copy\bmb@box%
1943 }%
1944 \nointerlineskip%
1945 \vskip-1pt%
1946 \ifdim\wd\bmb@box=0pt%
1947 \else%
1948 \hbox{%
1949   \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}
1950     \bmb@dima=\bmb@width%
1951     \advance\bmb@dima by8bp%

```



```

1952      \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1953      \pgfusepath{clip}
1954      {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuseshading{\bmb@transi
1955      \end{pgfpicture}%
1956  }%
1957  \nointerlineskip%
1958  \vskip-0.5pt%
1959  \fi%
1960  \setbox\bmb@colorbox=\hbox{\pgfpicturetrue\pgfsetcolor{lower.bg}}}%
1961  \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1962    \vskip2pt%
1963    \usebeamercolor[fg]{\bmb@lower}%
1964    \colorlet{beamerstructure}{upper.bg}%
1965    \colorlet{structure}{upper.bg}%
1966    \%{\color{.} }%
1967    \@bidi@list@minipage@parboxfalse
1968  }
1969
1970 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1971   \begingroup
1972   \ifRTL
1973 \}{}}{%
1974
1975

```

17 File beamerbasecolor-xetex-bidi.def

```

1976 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1977 \renewenvironment{beamercolorbox}[2][]{%
1978   \def\beamer@vmode{\leavevmode}%
1979   \setkeys{beamercolbox}{wd=\textwidth,ht={},dp={},%
1980     leftskip=0pt,rightskip=0pt plus1fil,%
1981     sep=0pt,colsep=0pt,colsep*=0pt,%
1982     shadow=false,rounded=false,ignorebg=false}%
1983   \ifRTL
1984     \setkeys{beamercolbox}{rightskip=0pt,leftskip=0pt plus1fil}%
1985   \else
1986     \setkeys{beamercolbox}{leftskip=0pt,rightskip=0pt plus1fil}%
1987   \fi
1988   \setkeys{beamercolbox}{#1}%
1989   \ifbeamercolorempty[bg]{#2}{\iftempswafalse{\iftempswatrue}{}}
1990   \ifbeamercolbox@ignorebg\iftempswafalse\fi%
1991   \def\beamer@colbox@color{#2}%
1992   \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
1993     \ifbeamercolbox@ignorebg%
1994       \colorlet{beamer@temp@color}{bg}%
1995       \usebeamercolor[fg]{#2}%
1996       \colorlet{bg}{beamer@temp@color}%
1997     \else%
1998       \usebeamercolor[fg]{#2}%
1999     \fi%
2000   \beginL
2001   \vbox\bgroup%
2002     \hspace{\beamercolbox@wd}%

```



```

2003  \Oarrayparboxrestore%
2004  \leftskip=\beamer@colbox@ls%
2005  \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
2006  \rightskip=\beamer@colbox@rs%
2007  \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
2008  \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
2009    \advance\leftskip by\beamer@colbox@colsep%
2010    \advance\rightskip by\beamer@colbox@colsep%
2011    \vskip\beamer@colbox@colsep%
2012  \fi%
2013  \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2014  \fi%
2015  \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2016  \beamer@vmode\ignorespaces}%
2017  \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2018  \if@tempswa
2019    \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
2020    \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2021  \fi%
2022 \egroup\endL\color@endgroup\egroup%
2023 \wd\beamer@tempbox=\beamer@colbox@wd%
2024 \ifx\beamer@colbox@ht\empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
2025 \ifx\beamer@colbox@dp\empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
2026 \ifbeamer@colbox@rounded%
2027   \if@tempswa%
2028     \begin{beamercolorbox}[%]
2029       shadow=\beamer@colbox@shadow,%
2030       lower=\beamer@colbox@color,%
2031       upper=normal text,%
2032       width=\beamer@colbox@wd]{}%
2033     \box\beamer@tempbox%
2034   \end{beamercolorbox}%
2035   \else%
2036     \ifdim\wd\beamer@tempbox>\textwidth%
2037       \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
2038     \fi%
2039     \box\beamer@tempbox%
2040   \fi%
2041 \else%
2042   \if@tempswa\setbox\beamer@tempbox=\hbox{%
2043     \usebeamercolor{\beamer@colbox@color}%
2044     \hspace{-\beamer@colbox@colseps}%
2045     \fboxsep=\z@\colorbox{bg}{%
2046       \hspace{-\beamer@colbox@colseps}%
2047       \box\beamer@tempbox%
2048       \hspace{-\beamer@colbox@colseps}%
2049     }%
2050     \hspace{-\beamer@colbox@colseps}%
2051   }\fi%
2052   \ifdim\wd\beamer@tempbox>\textwidth%
2053     \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box\beamer@tempbox}%
2054   \fi%
2055   \box\beamer@tempbox%
2056 \fi%

```



```
2057 }  
2058  
2059
```

18 File beamerbasecompatibility-xetex-bidi.def

```
2060 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b  
2061 \def\insertvrule#1#2{\hbox{{\color{#2}\hskip-\Gm@lmargin\vrule width \paperwidth height #1\h  
2062  
2063
```

19 File beamerbaseframecomponents-xetex-bidi.def

```
2064 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2024/12/28 v0.7 bidi adaptations for b  
2065 \renewcommand{\setbeamersize}[1]{%  
2066   \beamer@dogeometryfalse%  
2067   \setkeys{beamer@margin}{#1}%  
2068   \ifbeamer@dogeometry%  
2069     % Reset left margin now  
2070     \beamer@tempdim=\beamer@leftmargin%  
2071     \advance\beamer@tempdim by\beamer@leftsidebar%  
2072     \if@RTLmain  
2073       \geometry{right=\the\beamer@tempdim}%;  
2074     \else  
2075       \geometry{left=\the\beamer@tempdim}%;  
2076     \fi  
2077     % Reset right margin now  
2078     \beamer@tempdim=\beamer@rightmargin%  
2079     \advance\beamer@tempdim by\beamer@rightsidebar%  
2080     \if@RTLmain  
2081       \geometry{left=\the\beamer@tempdim}%;  
2082     \else  
2083       \geometry{right=\the\beamer@tempdim}%;  
2084     \fi  
2085   \fi%;  
2086 }  
2087  
2088 \newcommand*{\bidi@beamer@Gm@lmargin}{%  
2089   \if@RTLmain  
2090     \Gm@rmargin  
2091   \else  
2092     \Gm@lmargin  
2093   \fi  
2094 }  
2095  
2096 \newcommand*{\bidi@beamer@Gm@rmargin}{%  
2097   \if@RTLmain  
2098     \Gm@lmargin  
2099   \else  
2100     \Gm@rmargin  
2101   \fi  
2102 }  
2103  
2104 \def\ps@navigationf
```



```

2105 \def\@oddhead{%
2106   \begingroup%
2107   \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti%
2108   \beamer@tempdim=\ht\beamer@tempbox%
2109   \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2110   \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2111   \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2112   \beamer@tempdim=\ht\@tempboxa%
2113   \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2114   \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2115   \vbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}%
2116   \hbox{%
2117     {%
2118       \setbox\beamer@tempbox=\hbox{\hspace{-\bidi@beamer@Gm@lmargin}%
2119       \if@RTLmain
2120         {%
2121           \vbox to \sidebarheight{%
2122             \usebeamertemplate***{sidebar left}%
2123             \vfil%
2124           }%
2125           \ApplyPatchIfPackageLoadedF{beamerinnerthememinmargin}{%
2126             \hspace{-\textwidth}%
2127           }%
2128         \fi
2129         {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2130           \usebeamercolor*{sidebar left}%
2131           \usebeamertemplate{sidebar canvas left}%
2132             \vss%
2133           }%
2134           \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2135           \box\beamer@tempbox}%
2136           \if@RTLmain
2137             \else
2138               {%
2139                 \vbox to \sidebarheight{%
2140                   \usebeamertemplate***{sidebar left}%
2141                     \vfil%
2142                   }%
2143                 \beamer@tempdim=\ht\beamer@tempbox%
2144                 \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2145                 \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2146                 \box\beamer@tempbox}%
2147               }%
2148               \print right sidebar first, since it should be overwritten by headline
2149               \setbox\beamer@tempbox=\hbox{\hspace{-\textwidth}\hspace{-\beamer@rightmargin}%
2150               \if@RTLmain
2151                 {%
2152                   \vbox to \sidebarheight{%
2153                     \usebeamertemplate***{sidebar right}%
2154                       \vfil%
2155                     }%
2156                   \hspace{-\textwidth}
2157                 \fi
2158               {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%

```



```

2159         \usebeamercolor*[sidebar right]%
2160         \usebeamertemplate{sidebar canvas right}%
2161         \vss%
2162     }%
2163     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2164     \box\beamer@tempbox}%
2165     \if@RTLmain
2166     \else
2167     {%
2168         \vbox to \sidebarheight{%
2169             \usebeamertemplate***{sidebar right}%
2170             \vfil%
2171         }{}\fi}%
2172     \beamer@tempdim=\ht\beamer@tempbox%
2173     \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2174     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2175     \box\beamer@tempbox%
2176 }%
2177     \beamer@typesettheadorfoot{headline}%
2178 }%
2179     \hfil}%
2180     \endgroup}
2181 \def\@oddfoot{%
2182     \vbox{\offinterlineskip\hbox{\beamer@typesettheadorfoot{footline}%
2183         \hfil}\hbox{} }\hfil
2184 }%
2185 \let\@evenhead\@oddhead
2186 \let\@evenfoot\@oddfoot}
2187
2188 \AtBeginDocument{%
2189     \pagestyle{navigation}%
2190 }
2191
2192 \def\beamer@typesettheadorfoot#1{%
2193     \parskip0pt\offinterlineskip%
2194     \hbox{%
2195         \hskip-\bidi@beamer@Gm@lmargin%
2196         \hbox{%
2197             \vbox{%
2198                 \tempdima=\textwidth%
2199                 \textwidth=\paperwidth%
2200                 \hsize=\textwidth%
2201                 \def\\{,}%
2202                 \usebeamertemplate***{#1}%
2203             }%
2204             \hskip-\bidi@beamer@Gm@rmargin%
2205         }{}\hfil%
2206     }
2207
2208 \def\ps@empty{%
2209     \let\mkboth\gobbletwo%
2210     \def\@oddhead{\begingroup%
2211         \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti%
2212         \beamer@tempdim=\ht\beamer@tempbox}%

```



```

2213 \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2214 \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2215 \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2216 \beamer@tempdim=\ht\@tempboxa%
2217 \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2218 \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2219 \vbox{\hskip-\Gm@lmargin\raise\headheight\box\beamer@tempbox\raise\headheight\box\@tempboxa}%
2220 \endgroup%
2221 }
2222 \def\@oddfoot{{\normalcolor\hfil%
2223   \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hskip-\bidi@beamer@tempdim\hbox{\box\beamer@tempbox}}%
2224   \ht\beamer@tempbox=0pt%
2225   \dp\beamer@tempbox=0pt%
2226   \box\beamer@tempbox}}}
2227 \let\evenhead\@oddhead\let\evenfoot\@oddfoot}
2228
2229 \renewenvironment<>{beamer@columnenv}[2][\beamer@colmode]{%
2230   \beamer@colclose\def\beamer@colclose{}%
2231   \begin{actionenv}#3%
2232     \setkeys{beamer@col}{#1}%
2233     \begin{minipage}[\beamer@colalign]{#2}%
2234       \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}%
2235     \end{minipage}\hfill\end{actionenv}\ignorespaces}
2236 \let\endcolumn\endbeamer@columnenv
2237
2238 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2239   \beamer@colclose%
2240   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2241 \begin{actionenv}#3%
2242   \setkeys{beamer@col}{#1}%
2243   \begin{minipage}[\beamer@colalign]{#2}%
2244     \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}%
2245
2246 \renewenvironment<>{columns}[1][]{%
2247   \begin{actionenv}#2%
2248   \ifbeamer@onlytextwidth
2249     \def\beamer@colentrycode{\hbox to\textwidth\bgroun\ignorespaces}%
2250     \def\beamer@colexitcode{\unskip\egroup}%
2251   \else%
2252     \def\beamer@colentrycode{%
2253       \hbox to\textwidth\bgroun\ignorespaces}%
2254     \leavevmode%
2255     \hskip-\beamer@leftmargin\ignorespaces}%
2256     \nobreak%
2257     \beamer@tempdim=\textwidth%
2258     \advance\beamer@tempdim by\beamer@leftmargin%
2259     \advance\beamer@tempdim by\beamer@rightmargin%
2260     \hbox to\beamer@tempdim\bgroun\ignorespaces}%
2261     \hbox{}\hfill\ignorespaces}%
2262   \def\beamer@colexitcode{\egroup\ignorespaces}%
2263   \nobreak%
2264   \hskip-\beamer@rightmargin\egroup}%
2265 \fi%
2266 \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%

```



```

2267 \setkeys{beamer@col}{#1}%
2268 \par%
2269 \leavevmodo
2270 \beamer@colentrycode%
2271 \def\beamer@colclose{}{\ignorespaces}%
2272 {\beamer@colclose\def\beamer@colclose{}{\beamer@colexitcode\end{actionenv}}}%
2273
2274
2275 \def\@makeRTLfntext#1{%
2276   \def\insertfootnotetext{#1}%
2277   \def\insertfootnotemark{\@makefnmark}%
2278   \usebeamertemplate***{RTLfootnote}}%
2279
2280 \def\@makeLTRfntext#1{%
2281   \def\insertfootnotetext{#1}%
2282   \def\insertfootnotemark{\@makefnmark}%
2283   \usebeamertemplate***{LTRfootnote}}%
2284
2285 \renewcommand<>\beamer@framefootnotetext[1]{%
2286   \global\setbox\beamer@footins\vbox{%
2287     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2288     \hsize\framewidth
2289     \textwidth\hsize
2290     \columnwidth\hsize
2291     \unvbox\beamer@footins
2292     \reset@font
2293     \bidi@@footnotetext@font
2294     \parboxrestore
2295     \protected@edef\@currentlabel
2296       {\csname p@footnote\endcsname\@thefnmark}%
2297     \color@begingroup
2298       \uncover#2{\@makefntext{%
2299         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}}%
2300     \color@endgroup}}
2301
2302 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2303   \global\setbox\beamer@footins\vbox{%
2304     \@RTLtrue
2305     \hsize\framewidth
2306     \textwidth\hsize
2307     \columnwidth\hsize
2308     \unvbox\beamer@footins
2309     \reset@font
2310     \bidi@@RTLfootnotetext@font
2311     \parboxrestore
2312     \protected@edef\@currentlabel
2313       {\csname p@footnote\endcsname\@thefnmark}%
2314     \color@begingroup
2315       \uncover#2{\@makeRTLfntext{%
2316         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}}%
2317     \color@endgroup}}
2318
2319 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2320   \global\setbox\beamer@footins\vbox{%

```



```

2321   \@RTLfalse
2322   \hsize\framewidth
2323   \textwidth\hsize
2324   \columnwidth\hsize
2325   \unvbox\beamer@footins
2326   \reset@font
2327   \bidi@@LTRfootnotetext@font
2328   \parboxrestore
2329   \protected@edef@\currentlabel
2330     {\csname p@footnote\endcsname\@thefnmark}%
2331   \color@begingroup
2332     \uncover#2{\@makeLTRfntext{%
2333       \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}{}}%
2334   \color@endgroup}%
2335
2336 \renewcommand<>\@mpfootnotetext[1]{%
2337 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footnoterule\else\left@footnoterule\fi
2338 \global\setbox\@mpfootins\vbox{%
2339   \unvbox\@mpfootins
2340   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
2341   \reset@font
2342   \bidi@@footnotetext@font
2343   \hsize\columnwidth
2344   \parboxrestore
2345   \protected@edef@\currentlabel
2346     {\csname p@mpfootnote\endcsname\@thefnmark}%
2347   \color@begingroup
2348     \uncover#2{\@makefntext{%
2349       \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}{}}%
2350   \color@endgroup}%
2351
2352 \renewcommand<>\@mpRTLfootnotetext[1]{%
2353 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnoterule\else\left@footnoterule\fi
2354 \global\setbox\@mpfootins\vbox{%
2355   \unvbox\@mpfootins
2356   \@RTLtrue
2357   \reset@font
2358   \bidi@@RTLfootnotetext@font
2359   \hsize\columnwidth
2360   \parboxrestore
2361   \protected@edef@\currentlabel
2362     {\csname p@mpfootnote\endcsname\@thefnmark}%
2363   \color@begingroup
2364     \uncover#2{\@makeRTLfntext{%
2365       \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}{}}%
2366   \color@endgroup}%
2367
2368 \renewcommand<>\@mpLTRfootnotetext[1]{%
2369 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule\else\right@footnoterule\fi
2370 \global\setbox\@mpfootins\vbox{%
2371   \unvbox\@mpfootins
2372   \@RTLfalse
2373   \reset@font
2374   \bidi@@LTRfootnotetext@font

```



```

2375   \hsize\columnwidth
2376   \parboxrestore
2377   \protected@edef\@currentlabel
2378     {\csname p@mpfootnote\endcsname\@thefnmark}%
2379   \color@begingroup
2380     \uncover#2{\@makeLTRfntext{%
2381       \rule{z@\footnotesep}{ignorespaces#1\@finalstrut\strutbox}}}
2382   \color@endgroup}
2383
2384 \let\@footnotetext=\beamer@framefootnotetext
2385 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2386 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2387
2388 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\bidi@footdir@footnote}%
2389 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2390 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2391
2392 \renewcommand<>{\footnote}[1][]{%
2393   \let\beamer@footnotetext=\@footnotetext%
2394   \let\beamer@mpfn=\@mpfn%
2395   \let\beamer@thempfn=\thempfn%
2396   \let\beamer@kvorig=\KV@errx%
2397   \let\beamer@xkvorig=\XKV@err
2398   \def\beamer@footarg{}%
2399   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2400   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2401   \setkeys{beamerfootnote}{#1}%
2402   \let\KV@errx=\beamer@kvorig%
2403   \let\XKV@errx=\beamer@xkvorig
2404   \ifx\beamer@footarg\@empty%
2405     \def\beamer@next{\stepcounter{beamer@mpfn}%
2406       \protected@xdef\@thefnmark{\beamer@thempfn}%
2407       \@footnotemark\beamer@footnotetext{2}}%
2408   \else%
2409     \def\beamer@next{%
2410       \begingroup
2411         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2412         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2413       \endgroup
2414       \@footnotemark\beamer@footnotetext{2}}%
2415   \fi%
2416   \beamer@next}
2417
2418 \renewcommand<>{\RTLfootnote}[1][]{%
2419   \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2420   \let\beamer@mpfn=\@mpfn%
2421   \let\beamer@thempfn=\thempfn%
2422   \let\beamer@kvorig=\KV@errx%
2423   \let\beamer@xkvorig=\XKV@err
2424   \def\beamer@footarg{}%
2425   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2426   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2427   \setkeys{beamerfootnote}{#1}%
2428   \let\KV@errx=\beamer@kvorig%

```



```

2429 \let\XKV@errx=\beamer@xkvorig
2430 \ifx\beamer@footarg\empty%
2431   \def\beamer@next{\stepcounter{beamer@mpfn}%
2432     \protected@xdef\@thefnmark{\beamer@thempfn}%
2433     \footnotemark\beamer@RTLfootnotetext#2}%
2434 \else%
2435   \def\beamer@next{%
2436     \begingroup
2437       \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2438       \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2439     \endgroup
2440     \footnotemark\beamer@RTLfootnotetext#2}%
2441 \fi%
2442 \beamer@next}
2443
2444 \renewcommand<>{\LTRfootnote}[1][]{%
2445   \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2446   \let\beamer@mpfn=\@mpfn%
2447   \let\beamer@thempfn=\thempfn%
2448   \let\beamer@kvorig=\KV@errx%
2449   \let\beamer@xkvorig=\XKV@err
2450   \def\beamer@footarg{}%
2451   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2452   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2453   \setkeys{beamerfootnote}{##1}%
2454   \let\KV@errx=\beamer@kvorig%
2455   \let\XKV@errx=\beamer@xkvorig
2456   \ifx\beamer@footarg\empty%
2457     \def\beamer@next{\stepcounter{beamer@mpfn}%
2458       \protected@xdef\@thefnmark{\beamer@thempfn}%
2459       \footnotemark\beamer@LTRfootnotetext#2}%
2460   \else%
2461     \def\beamer@next{%
2462       \begingroup
2463         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2464         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2465       \endgroup
2466       \footnotemark\beamer@LTRfootnotetext#2}%
2467   \fi%
2468 \beamer@next}
2469
2470

```

20 File beamerbaseframesize-xetex-bidi.def

```

2471 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beame
2472 \def\beamer@framezoom<#1><#2>[#3](#4,#5)(#6,#7){%
2473   \par\nointerlineskip%
2474   \global\beamer@slidehaszoomtrue%
2475   \advance\beamer@zoomcount by1\relax%
2476   \def\beamer@zoomborderwidth{0}%
2477   \edef\beamer@labelzoomed{\beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomco
2478   \setkeys{beamerzoom}{#3}%
2479   \only<#1>{%

```



```

2480 {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}%
2481 \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2482 \expandafter\ifx\csname XeTeXrevision\endcsname\relax
2483 \vbox to #7{%
2484 \hbox to#6{\hfil}%
2485 \vfil%
2486 }%
2487 \else%
2488 \begingroup%
2489 \normalsize%
2490 \begin{pgfpicture}{Opt}{Opt}{#6}{#7}%
2491 \pgfsetfillcolor{0}
2492 \pgftext[x=0cm,y=3pt]{.}
2493 \pgftext[x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}
2494 \end{pgfpicture}%
2495 \endgroup%
2496 \fi%
2497 }}}%
2498 \ht\@tempboxa=Opt%
2499 \wd\@tempboxa=Opt%
2500 \dp\@tempboxa=Opt%
2501 \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@te
2502 \ht\@tempboxa=Opt%
2503 \wd\@tempboxa=Opt%
2504 \dp\@tempboxa=Opt%
2505 \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2506 }%
2507 \only<#2>{%
2508 \@ifundefined{\beamer@labelzoomed}{%
2509 {%
2510 \hypertarget{\beamer@labelzoomed}{}}%
2511 \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}%
2512 }{}}%
2513 \gdef\beamer@zoomer{%
2514 % compute zoom factor
2515 \tempdima=\beamer@frametextheight%
2516 \tempdimb=#7\relax%
2517 \tempcpta=\tempdimb%
2518 \divide\tempcpta by4096\relax%
2519 \multiply\tempdima by16\relax%
2520 \divide\tempdima by\tempcpta%
2521 \tempdimb=paperwidth%
2522 \ifbeamer@plainframe%
2523 \else%
2524 \advance\tempdimb by-\beamer@leftsidebar%
2525 \advance\tempdimb by-\beamer@rightsidebar\relax%
2526 \fi%
2527 \tempdimc=#6\relax%
2528 \tempcntb=\tempdimc%
2529 \divide\tempcntb by4096\relax%
2530 \multiply\tempdimb by16\relax%
2531 \divide\tempdimb by\tempcntb%
2532 \ifdim\tempdimb<\tempdima%
2533 \tempdima=\tempdimb%

```



```

2534 \fi%
2535 \edef\beamer@temp{\strip@pt\@tempdima}%
2536 \tempdimc=\beamer@frametextheight%
2537 \advance\@tempdime by4pt%
2538 \tempdimb=\paperwidth%
2539 \ifbeamer@plainframe%
2540 \else%
2541   \advance\@tempdime by-\beamer@leftsidebar%
2542   \advance\@tempdime by-\beamer@rightsidebar\relax%
2543 \fi%
2544 \setbox\@tempboxa=\vbox{\hspace{=\@tempdime}\Acrobatmenu{GoBack}{\vbox to
2545   \beamer@frametextheight{\hbox to\@tempdime{\hfil}\vfil}}}}%
2546 \ht\@tempboxa=0pt%
2547 \wd\@tempboxa=0pt%
2548 \dp\@tempboxa=0pt%
2549 \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%
2550   \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2551   \if@RTL%
2552     \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\paper
2553       \pgftext[right,top]{\box\@tempboxa}
2554       \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdime}}{\pgfpoint{\@tempdime}{-\@tempdime}}%
2555       \pgfusepath{clip}
2556     \begingroup%
2557       \pgftransformscale{\beamer@temp}
2558       \tempdima=#4\relax%
2559       \tempdime=#5\relax%
2560       {\pgftransformshift{\pgfpoint{\@tempdima+#6}{\@tempdime}}%
2561         \pgftext[right,top]{\vbox{\vbox{}{\nointerlineskip\unvbox\beamer@framebox}}}%
2562       \endgroup
2563     \end{pgfpicture}%
2564   \else%
2565     \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargin
2566       \pgftext[left,top]{\box\@tempboxa}
2567       \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdime}}{\pgfpoint{\@tempdime}{-\@tempdime}}%
2568       \pgfusepath{clip}
2569     \begingroup%
2570       \pgftransformscale{\beamer@temp}
2571       \tempdima=#4\relax%
2572       \tempdime=#5\relax%
2573       {\pgftransformshift{\pgfpoint{-\@tempdima}{\@tempdime}}%
2574         \pgftext[left,top]{\vbox{\vbox{}{\nointerlineskip\unvbox\beamer@framebox}}}%
2575       \endgroup
2576     \end{pgfpicture}%
2577   \fi
2578 }%
2579 \setbox\beamer@framebox=\vbox{%
2580   \nobreak\vbox{}\nobreak\par\nobreak\beamer@entrycode\nobreak%
2581   \nointerlineskip\unvbox\beamer@frametitlebox%
2582   \nobreak%
2583   \box\beamer@framebox%
2584   \nobreak%
2585   \vss%
2586   \beamer@exitcode%
2587 }%

```



```

2588     \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2589   }%
2590 }%
2591 }%
2592 }%
2593 }%

```

21 File beamerbaselocalstructure-xetex-bidi.def

```

2594 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2595 \def\beamer@enum@{%
2596   \beamer@computepref{\itemdepth}% sets \beameritemnestingprefix
2597   \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body}%
2598   \bgroup
2599   \usebeamercolor[fg]{itemize/enumerate}{\beameritemnestingprefix body}%
2600   \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body begin}%
2601   \egroup
2602   \expandafter
2603     \list
2604       {\usebeamertemplate{\beamer@enumtempl}%
2605       {\usecounter{\enumctr}%
2606         \def\makelabel##1{{\hss\llap{%
2607           \usebeamercolor*{enumerate}{\beameritemnestingprefix item}%
2608           \usebeamercolor[fg]{enumerate}{\beameritemnestingprefix item}##1}}}}}}%
2609   \beamer@cramped%
2610   \bidi@beamer@ragged%
2611   \beamer@firstlineitemizeunskip%
2612 }
2613
2614 \renewcommand{\itemize}[1][]{%
2615   \ifblank{#1}{}{\def\beamer@defaultospec{#1}}%
2616   \ifnum \itemdepth > 2 \relax \atodeep \else
2617     \advance \itemdepth \cne
2618     \beamer@computepref{\itemdepth}% sets \beameritemnestingprefix
2619     \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body}%
2620     \bgroup
2621     \usebeamercolor[fg]{itemize/enumerate}{\beameritemnestingprefix body}%
2622     \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body begin}%
2623     \egroup
2624     \list
2625       {\usebeamertemplate{itemize}{\beameritemnestingprefix item}%
2626       {\def\makelabel##1{%
2627         {%
2628           \hss\llap{%
2629             \usebeamercolor*{itemize}{\beameritemnestingprefix item}%
2630             \usebeamercolor[fg]{itemize}{\beameritemnestingprefix item}##1}}}}%
2631         }%
2632       }%
2633     }
2634   \fi%
2635   \beamer@cramped%
2636   \bidi@beamer@ragged%
2637   \beamer@firstlineitemizeunskip%
2638 }

```



```

2639 \def\@@description{%
2640   \advance\beamer@descdefault by \labelsep%
2641   \usebeamertemplate{description body}%
2642   \bgroup
2643   \usebeamercolor[fg]{description body}%
2644   \usebeamertemplate{description body begin}%
2645   \egroup
2646   \list
2647   {}
2648   {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2649   \beamer@cramped%
2650   \bidi@beamer@ragged
2651   \beamer@firstlineitemizeunskip%
2652 }
2653 }
2654
2655 \renewenvironment{thebibliography}[1]
2656 {%\leavevmode\unskip%
2657 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2658 \bidi@@thebibliography@font@hook%
2659   \list{\@biblabel{\@arabic\c@enumiv}}%
2660   {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{\#1}}}}%
2661   \leftmargin\labelwidth
2662   \advance\leftmargin\labelsep
2663   \itemsep=0pt%
2664   \partopsep=0pt%
2665   \topsep=0pt%
2666   \usecounter{enumiv}%
2667   \let\p@enumiv\empty
2668   \renewcommand\theenumiv{\@arabic\c@enumiv}
2669   \let\makelabel\beamer@biblabeltemplate}%
2670   \sloppy\bidi@beamer@ragged
2671   \clubpenalty10000
2672   \clubpenalty \clubpenalty
2673   \widowpenalty10000%
2674   \sfcodes`\. \@m}
2675   {\def\@noitemerr
2676     {\@latex@warning{Empty `thebibliography' environment}}%
2677     \ifhmode\unskip\fi\endlist}
2678
2679

```

22 File beamerbasemisc-xetex-bidi.def

```

2680 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2681 \define@key{beamerst}{width}{%
2682   \def\beamer@ststart{%
2683     \begin{minipage}[t]{#1}%
2684       \bidi@beamer@ragged
2685       \beamer@stalign
2686       \beamer@stlinebreakrule
2687     }%
2688   \def\beamer@stend{\end{minipage}}}
2689

```



2690

23 File beamerbasenavigation-xetex-bidi.def

```
2691 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beam
2692 \def\slideentry#1#2#3#4#5#6{%
2693   %section number, subsection number, slide number, first/last frame, page number, part numbe
2694   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2695     \ifbeamer@compress%
2696       \advance\beamer@xpos by1\relax%
2697     \else%
2698       \ifnum#2=0%
2699         \beamer@ypos@offset=1\relax%
2700       \fi
2701       \beamer@xpos=#3\relax%
2702       \beamer@ypos=#2\relax%
2703       \advance\beamer@ypos by \beamer@ypos@offset\relax
2704     \fi%
2705   \hbox to 0pt{%
2706     \beamer@tempdim=-\beamer@vboxoffset%
2707     \advance\beamer@tempdim by-\beamer@boxsize%
2708     \multiply\beamer@tempdim by\beamer@ypos%
2709     \advance\beamer@tempdim by -.05cm%
2710     \raise\beamer@tempdim\hbox{%
2711       \beamer@tempdim=\beamer@boxsize%
2712       \multiply\beamer@tempdim by\beamer@xpos%
2713       \advance\beamer@tempdim by -\beamer@boxsize%
2714       \advance\beamer@tempdim by 1pt%
2715       \kern\beamer@tempdim
2716       \global\beamer@section@min@dim\beamer@tempdim
2717       \hbox{\beamer@link(#4){%
2718         \usebeamertemplate{mini frame}%
2719         \ifnum\c@section=#1%
2720           \ifnum\c@subsection=#2%
2721             \usebeamercolor[fg]{mini frame}%
2722             \ifnum\c@subsectionslide=#3%
2723               \usebeamertemplate{mini frame}{}\beamer@minislidetitle%
2724             \else%
2725               \usebeamertemplate{mini frame in current subsection}{}\beamer@minisliderowhil
2726             \fi%
2727           \else%
2728             \usebeamercolor{mini frame}%
2729             \%color{fg!50!bg}%
2730             \usebeamertemplate{mini frame in other subsection}{}\beamer@minislidetitle%
2731           \fi%
2732         \else%
2733           \usebeamercolor{mini frame}%
2734           \%color{fg!50!bg}%
2735           \usebeamertemplate{mini frame in other subsection}{}\beamer@minislidetitle%
2736         \fi%
2737       }}}}\hskip-10cm plus 1fil%
2738   }\fi\fi%
2739 \else%
2740 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%

```



```

2741   \fi\ignorespaces
2742 }
2743
2744 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2745 {
2746   \pgfpathqmoveto{3.5bp}{0.5bp}
2747   \pgfpathqlineto{1.5bp}{2bp}
2748   \pgfpathqlineto{3.5bp}{3.5bp}
2749   \pgfusepathqfill
2750 }
2751
2752 \def\insertgotosymbol{%
2753 \if@RTL
2754   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2755     \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2756   \end{pgfpicture}%
2757 \else
2758   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2759     \pgfuseobject{beamergotosymbol}%
2760   \end{pgfpicture}%
2761 \fi
2762 }
2763
2764 \pgfdefobject{bidi@beamer@RTL@skipsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2765 {
2766   \pgfpathqmoveto{5.5bp}{0.5bp}
2767   \pgfpathqlineto{3.5bp}{2bp}
2768   \pgfpathqlineto{5.5bp}{3.5bp}
2769   \pgfpathqmoveto{3.5bp}{0.5bp}
2770   \pgfpathqlineto{1.5bp}{2bp}
2771   \pgfpathqlineto{3.5bp}{3.5bp}
2772   \pgfusepathqfill
2773 }
2774
2775 \def\insertskipsymbol{%
2776 \if@RTL
2777   \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2778     \pgfuseobject{bidi@beamer@RTL@skipsymbol}%
2779   \end{pgfpicture}%
2780 \else
2781   \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2782     \pgfuseobject{beamerskipsymbol}%
2783   \end{pgfpicture}%
2784 \fi
2785 }
2786
2787 \pgfdefobject{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2788 {
2789   \pgfpathqmoveto{1.5bp}{0.5bp}
2790   \pgfpathqlineto{3.5bp}{2bp}
2791   \pgfpathqlineto{1.5bp}{3.5bp}
2792   \pgfusepathqfill
2793 }
2794

```



```

2795 \def\insertreturnsymbol{%
2796 \if@RTL
2797   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2798     \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2799   \end{pgfpicture}%
2800 \else
2801   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2802     \pgfuseobject{beamerreturnsymbol}%
2803   \end{pgfpicture}%
2804 \fi
2805 }
2806
2807

```

24 File beamerbaseoverlay-xetex-bidi.def

```

2808 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamerb
2809 \renewcommand*{\color}{\alt{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2810
2811

```

25 File beamerinnerthemedefault-xetex-bidi.def

```

2812 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for b
2813 \newcommand*{\bidi@beamer@leftskip}{%
2814   \if@RTL
2815     \rightskip
2816   \else
2817     \leftskip
2818   \fi
2819 }
2820
2821 \newcommand*{\bidi@beamer@rightskip}{%
2822   \if@RTL
2823     \leftskip
2824   \else
2825     \rightskip
2826   \fi
2827 }
2828
2829 \bidi@csundef{beamer@@tmpop@subsection in toc@default}
2830
2831 \bidi@csundef{beamer@@tmpop@subsubsection in toc@default}
2832
2833 \defbeamertemplate*{subsection in toc}{default}
2834 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2835
2836 \defbeamertemplate*{subsubsection in toc}{default}
2837 {\leavevmode\normalsize\usebeamertemplate{subsection in toc}{\bidi@beamer@leftskip=3em\par}
2838   \usebeamertemplate{subsubsection in toc}{\inserttocsubsubsection\par}
2839
2840 \newcommand*{\bidi@beamer@blacktriangle}{%
2841   \if@RTL
2842     $\blacktriangleleft$%

```



```

2843     \else
2844     \$\blacktriangleright\$%
2845     \fi
2846 }
2847
2848 \bidi@csundef{beamer@@tmpop@itemize item@default}
2849
2850 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2851
2852 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2853
2854 \defbeamertemplate*{itemize item}{default}{\usebeamertemplate{itemize item}\raise1.25pt\hbox{\d
2855 \defbeamertemplate*{itemize subitem}{default}{\usebeamertemplate{itemize subitem}\raise1.5pt\h
2856 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamertemplate{itemize subsubitem}\raise1.
2857
2858 \bidi@undef\beamer@@tmpop@footnote@default
2859
2860 \defbeamertemplate*{footnote}{default}{%
2861 {
2862   \parindent 1em\noindent%
2863   \bidi@beamer@ragged
2864   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2865 }
2866
2867 \defbeamertemplate*{RTLfootnote}{default}{%
2868 {
2869   \parindent 1em\noindent%
2870   \raggedleft
2871   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2872 }
2873
2874 \defbeamertemplate*{LTRfootnote}{default}{%
2875 {
2876   \parindent 1em\noindent%
2877   \raggedright
2878   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2879 }
2880
2881 \bidi@undef\beamer@@tmpop@caption@default
2882
2883 \defbeamertemplate*{caption}{default}{%
2884 {%
2885   \bidi@beamer@ragged
2886   {%
2887     \leavevmode
2888     \usebeamercolor[fg]{caption name}%
2889     \usebeamertemplate{caption name}%
2890     \insertcaptionname
2891     \usebeamertemplate{caption label separator}%
2892   }%
2893   \insertcaption\par
2894 }
2895
2896 \bidi@csundef{beamer@@tmpop@block begin@default}

```



```

2897 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2898
2899 \bidi@csundef{beamer@@tmpop@block example begin@default}
2900
2901 \defbeamertemplate*{block begin}{default}
2902 {
2903   \par\vskip\medskipamount%
2904   \begin{beamercolorbox}[colsep*=.75ex]{block title}
2905     \usebeamertemplate{block title}{\insertblocktitle}%
2906   \end{beamercolorbox}%
2907   {\parskip0pt\par}%
2908   \ifbeamercolorempty[bg]{block title}
2909   {}
2910   \ifbeamercolorempty[bg]{block body}{}{\nointerlineskip\vskip-0.5pt}%
2911   \usebeamertemplate{block body}{\usebeamertemplate{block body}{}}%
2912   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2913     \ifbeamercolorempty[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2914   \end{beamercolorbox}%
2915 }
2916
2917 \defbeamertemplate*{block alerted begin}{default}
2918 {
2919   \par\vskip\medskipamount%
2920   \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}
2921     \usebeamertemplate{block title alerted}{\insertblocktitle}%
2922   \end{beamercolorbox}%
2923   {\parskip0pt\par}%
2924   \ifbeamercolorempty[bg]{block title alerted}
2925   {}
2926   \ifbeamercolorempty[bg]{block body alerted}{}{\nointerlineskip\vskip-0.5pt}%
2927   \usebeamertemplate{block body alerted}{\usebeamertemplate{block body alerted}{}}%
2928   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2929     \ifbeamercolorempty[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e}
2930   \end{beamercolorbox}%
2931
2932 \defbeamertemplate*{block example begin}{default}
2933 {
2934   \par\vskip\medskipamount%
2935   \begin{beamercolorbox}[colsep*=.75ex]{block title example}
2936     \usebeamertemplate{block title example}{\insertblocktitle}%
2937   \end{beamercolorbox}%
2938   {\parskip0pt\par}%
2939   \ifbeamercolorempty[bg]{block title example}
2940   {}
2941   \ifbeamercolorempty[bg]{block body example}{}{\nointerlineskip\vskip-0.5pt}%
2942   \usebeamertemplate{block body example}{\usebeamertemplate{block body example}{}}%
2943   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2944     \ifbeamercolorempty[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e}
2945   \end{beamercolorbox}%
2946
2947 \bidi@csundef{beamer@@tmpop@abstract begin@default}
2948
2949 \defbeamertemplate*{abstract begin}{default}
2950 {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fil

```



```

2951 \bidi@undef\beamer@@tmpop@button@default
2953
2954 \defbeamertemplate*{button}{default}
2955 {%
2956   \setbox\beamer@tempbox=\hbox{\insertbuttonontext}%
2957   \ht\beamer@tempbox=6pt%
2958   \dp\beamer@tempbox=0pt%
2959   \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2960   \beamer@tempdim=\wd\beamer@tempbox%
2961   \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt
2962   \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt
2963   \if@RTL
2964     \kern4pt%
2965     \box\beamer@tempbox%
2966     \hskip-\beamer@tempdim%
2967   \fi
2968 \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}
2969   \color{bg}
2970   \pgfsetlinewidth{0.8pt}
2971   \pgfpathqmoveto{0pt}{0pt}
2972   \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2973   \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2974   \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2975   \pgfpathcurveto%
2976   {\pgfpoint{\the\beamer@dima}{8pt}}%
2977   {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2978   {\pgfpoint{\the\beamer@dimb}{4pt}}
2979   \pgfpathcurveto%
2980   {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2981   {\pgfpoint{\the\beamer@dima}{0pt}}%
2982   {\pgfpoint{\the\beamer@tempdim}{0pt}}
2983   \pgfpathclose
2984   \pgfusepathqfill
2985   \colorlet{bg}{parent.bg}
2986   \usebeamercolor[fg]{button border}
2987   \pgfpathqmoveto{0pt}{0pt}
2988   \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2989   \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2990   \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2991   \pgfpathcurveto%
2992   {\pgfpoint{\the\beamer@dima}{8pt}}%
2993   {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2994   {\pgfpoint{\the\beamer@dimb}{4pt}}
2995   \pgfpathcurveto%
2996   {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2997   {\pgfpoint{\the\beamer@dima}{0pt}}%
2998   {\pgfpoint{\the\beamer@tempdim}{0pt}}
2999   \pgfpathclose
3000   \pgfusepathqstroke
3001 \end{pgfpicture}%
3002 \if@RTL
3003 \else
3004   \hskip-\beamer@tempdim%

```



```

3005     \box\beamer@tempbox%
3006     \kern4pt%
3007   \fi
3008 }
3009
3010

```

26 File beamerinnerthemecircles-xetex-bidi.def

```

3011 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
3012 \setbeamertemplate{sections/subsections in toc}{circle}
3013

```

27 File beamerinnerthemefocus-xetex-bidi.def

```

3014 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3015 \setbeamertemplate{section in toc}{square}
3016 \setbeamertemplate{subsection in toc}{square}
3017
3018 \setbeamertemplate{itemize items}{square}
3019 \setbeamertemplate{itemize subitem}{triangle}
3020
3021 \bidi@csundef{beamer@@tmpop@title page@focus}
3022
3023 \defbeamertemplate*{title page}{focus}{%
3024   {%
3025     \usebeamercolor{frametitle}\colorlet{focus@@temp}{bg}%
3026     \begin{tikzpicture}[overlay, remember picture]
3027       \fill[color=focus@@temp] (current page.north west) rectangle ([shift = {(0, -0.4
3028     \end{tikzpicture}
3029   }
3030
3031   \vspace{-1.65\baselineskip}
3032   \begin{minipage}[b][0.35\paperheight]{\textwidth}
3033     \vspace{\baselineskip}
3034     \usebeamertfont{title}
3035     \usebeamercolor[fg]{frametitle}
3036     \inserttitle
3037   \end{minipage}
3038
3039   \begin{minipage}[t][0.1\paperheight]{\textwidth}
3040     \usebeamertfont{subtitle}
3041     \usebeamercolor[fg]{frametitle}
3042     \insertsubtitle
3043   \end{minipage}
3044
3045   % Set the title graphic in a zero-height box, so that
3046   % the position of other elements is not affected.
3047   {\vbox{%
3048     \if@RTL
3049       \raggedright
3050     \else
3051       \raggedleft
3052     \fi

```



```

3053     \inserttitlegraphic
3054 }
3055
3056 \begin{minipage}[t]{\textwidth}
3057     \usebeamerfont{author}
3058     \insertauthor
3059 \end{minipage}
3060
3061 \vspace*{\baselineskip}
3062 \begin{minipage}[t]{\textwidth}
3063     \usebeamerfont{institute}
3064     \insertinstitute
3065 \end{minipage}
3066
3067 \vspace*{\baselineskip}
3068 \begin{minipage}[t]{\textwidth}
3069     \usebeamerfont{date}
3070     \insertdate
3071 \end{minipage}
3072
3073 \vspace*{0pt plus 100fill}
3074
3075 \addtocounter{framenumber}{-1}
3076 \addtocounter{realframenumber}{-1}
3077 }
3078
3079
3080

```

28 File beamerinnerthemainmargin-xetex-bidi.def

```

3081 \ProvidesFile{beamerinnerthemainmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3082 \AtBeginDocument{%
3083   \setbeamersize{sidebar width left=.25\paperwidth}%
3084 }
3085
3086 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
3087
3088 \bidi@csundef{beamer@@tmpop@title page@inmargin}
3089
3090 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
3091
3092 \bidi@csundef{beamer@@tmpop@block end@inmargin}
3093
3094 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
3095
3096 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
3097
3098 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
3099
3100 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
3101
3102 \defbeamertemplate*{section in toc}{inmargin}
3103 {\leavevmode

```



```

3104   \beamer@putleft{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}
3105
3106 \defbeamertemplate*{title page}{inmargin}
3107 {
3108   \begin{block}{\inserttitleindicator}
3109     \bgroup\usebeamercolor[fg]{title}\usebeamertfont{title}\inserttitle\egroup\par
3110     \usebeamercolor[fg]{subtitle}\usebeamertfont{subtitle}\insertsubtitle
3111   \end{block}
3112   \vfill
3113   \ifx\insertauthor\empty
3114   \else
3115     \begin{block}{\insertauthorindicator}
3116       \bgroup\usebeamercolor[fg]{author}\usebeamertfont{author}\insertauthor\egroup\par
3117     \end{block}
3118   \fi
3119   \ifx\insertinstitute\empty
3120   \else
3121     \begin{block}{\insertinstituteindicator}
3122       \bgroup\usebeamercolor[fg]{institute}\usebeamertfont{institute}\insertinstitute\egroup\par
3123     \end{block}
3124   \fi
3125   \ifx\insertdate\empty
3126   \else
3127     \begin{block}{\insertdateindicator}
3128       \bgroup\usebeamercolor[fg]{date}\usebeamertfont{date}\insertdate\egroup\par
3129     \end{block}
3130   \fi
3131 }
3132
3133 \defbeamertemplate*{block begin}{inmargin}
3134 {
3135   \par\vskip\medskipamount%
3136   \leavevmode%
3137   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title}\usebeamertfont*{block title}\i
3138   \beginL\beamer@putright
3139   \%usebeamercolor[fg]{block body}%
3140 } to be done!
3141
3142 \defbeamertemplate*{block end}{inmargin}
3143 {\endbeamer@putright\endL\vskip\smallskipamount}
3144
3145 \defbeamertemplate*{block alerted begin}{inmargin}
3146 {
3147   \par\vskip\medskipamount%
3148   \leavevmode%
3149   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title alerted}\usebeamertfont*{block
3150   \beginL\beamer@putright
3151   \%usebeamercolor[fg]{block body alerted}%
3152 } to be done!
3153
3154 \defbeamertemplate*{block alerted end}{inmargin}
3155 {\endbeamer@putright\endL\vskip\smallskipamount}
3156
3157 \defbeamertemplate*{block example begin}{inmargin}

```



```

3158 {
3159   \par\vskip\medskipamount%
3160   \leavevmode%
3161   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title example}\usebeamerfont*{block}
3162   \beginL\beamer@putright
3163   \%{\usebeamercolor[fg]{block body example}}% to be done
3164 }
3165
3166 \defbeamertemplate*{block example end}{inmargin}
3167 {\endbeamer@putright\endL\vskip\smallskipamount}
3168
3169 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3170   \setbeamertemplate{section in toc}{inmargin}%
3171   \setbeamertemplate{subsection in toc}{inmargin}%
3172   \setbeamertemplate{subsubsection in toc}{inmargin}%
3173 }
3174
3175

```

29 File beamerinnerthememetropolis-xetex-bidi.def

```

3176 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3177 \setbeamertemplate{title}{%
3178   \bidi@beamer@ragged%
3179   \linespread{1.0}%
3180   \inserttitle%
3181   \par%
3182   \vspace*{0.5em}%
3183 }
3184
3185 \setbeamertemplate{subtitle}{%
3186   \bidi@beamer@ragged%
3187   \insertsubtitle%
3188   \par%
3189   \vspace*{0.5em}%
3190 }
3191
3192 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3193
3194 \defbeamertemplate{section page}{progressbar}{%
3195   \centering
3196   \begin{minipage}{22em}
3197     \bidi@beamer@ragged
3198     \usebeamercolor[fg]{section title}
3199     \usebeamerfont{section title}
3200     \insertsectionhead\\[-1ex]
3201     \usebeamertemplate*{progress bar in section page}
3202     \par
3203     \ifx\insertsubsectionhead\empty\else%
3204       \usebeamercolor[fg]{subsection title}%
3205       \usebeamerfont{subsection title}%
3206       \insertsubsectionhead
3207     \fi
3208   \end{minipage}

```



```

3209   \par
3210   \vspace{\baselineskip}
3211 }
3212
3213 \setbeamertemplate{progress bar in section page}{
3214   \setlength{\metropolis@progressonsectionpage}{%
3215     \textwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}%
3216   }%
3217   \begin{tikzpicture}
3218     \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3219   \if@RTLmain
3220     \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3221   \else
3222     \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsectionpage@linewidth);
3223   \fi
3224   \end{tikzpicture}%
3225 }
3226
3227 \renewcommand{\metropolis@block}[1]{
3228   \par\vskip\medskipamount%
3229   \setlength{\parskip}{0pt}
3230   \ifbeamercolorempty[bg]{block title#1}{%
3231     \if@RTL
3232       \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3233     \else
3234       \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3235     \fi
3236   }%
3237   \ifbeamercolorempty[bg]{block title}{%
3238     \if@RTL
3239       \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3240     \else
3241       \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3242     \fi
3243   }%
3244   {%
3245     \if@RTL
3246       \begin{beamercolorbox}[
3247         sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3248         rightskip=\metropolis@blockadjust,
3249         leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3250       ]{block title#1}%
3251     \else
3252       \begin{beamercolorbox}[
3253         sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3254         leftskip=\metropolis@blockadjust,
3255         rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3256       ]{block title#1}%
3257     \fi
3258   }%
3259   \usebeamertfont*{block title#1}%
3260   \metropolis@strut%
3261   \insertblocktitle%
3262   \metropolis@strut%

```



```

3263 \end{beamercolorbox}%
3264 \nointerlineskip%
3265 \ifbeamercolorempty[bg]{block body#1}{%
3266   \begin{beamercolorbox}[vmode]{block body#1}{}{%
3267     \ifbeamercolorempty[bg]{block body}{}{%
3268       \begin{beamercolorbox}[vmode]{block body#1}{}{%
3269         }{%
3270         \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}{}{%
3271           \vspace{-\metropolis@parskip}%
3272         }{%
3273           \usebeamertemplate{block body#1}{}{%
3274             \setlength{\parskip}{\metropolis@parskip}%
3275           }{%
3276         }{%
3277       }{%
3278       \setbeamertemplate{footnote}{}{%
3279         \parindent 0em\noindent\%{%
3280           \bidi@beamer@ragged%
3281           \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3282         }{%
3283       }{%
3284       \setbeamertemplate{RTLfootnote}{}{%
3285         \parindent 0em\noindent\%{%
3286           \raggedleft%
3287           \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3288         }{%
3289       }{%
3290       \setbeamertemplate{LTRfootnote}{}{%
3291         \parindent 0em\noindent\%{%
3292           \raggedright%
3293           \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3294         }{%
3295       }{%
3296       \setbeamertemplate{itemize items}{\textbullet}%
3297     }{%
3298     \setbeamertemplate{section page}{progressbar}%
3299   }{%
3300 }
```

30 File beamerinnerthemerectangles-xetex-bidi.def

```

3301 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
3302 \setbeamertemplate{sections/subsections in toc}{square}
3303 \setbeamertemplate{items}{square}
3304 
```

31 File beamerinnerthemerounded-xetex-bidi.def

```

3305 \ProvidesFile{beamerinnerthemerounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
3306 \setbeamertemplate{blocks}{rounded}[shadow=\beamer@themerounded@shadow]
3307 \setbeamertemplate{items}{ball}
3308 \setbeamertemplate{sections/subsections in toc}{ball}
3309 
```



32 File beamerouterthemedefault-xetex-bidi.def

```
3310 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3311 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by 1.
3312 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by 1.
3313 \def\beamer@AtBeginDocument{%
3314   \if@RTLmain
3315     \setbeamertemplate{frametitle}[default][right]
3316   \fi
3317 }
3318 \def\beamer@AtBeginDocument{%
3319 }
3320 \def\beamer@csundef{\beamer@ttmpop@note page@default}
3321 \def\beamer@newcommand*{\bidi@beamer@today}{%
3322   \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3323 \def\beamer@defbeamertemplate*{\note page}{default}
3324 \def\beamer@defbeamertemplate*{\note page}{default}
3325 \def\beamer@defbeamertemplate*{\note page}{default}
3326 \def\beamer@defbeamertemplate*{\note page}{default}
3327 \def\beamer@defbeamertemplate*{\note page}{default}
3328 \def\beamer@defbeamertemplate*{\note page}{default}
3329 \def\beamer@defbeamertemplate*{\note page}{default}
3330 \def\beamer@defbeamertemplate*{\note page}{default}
3331 \def\beamer@defbeamertemplate*{\note page}{default}
3332 \def\beamer@defbeamertemplate*{\note page}{default}
3333 \def\beamer@defbeamertemplate*{\note page}{default}
3334 \def\beamer@defbeamertemplate*{\note page}{default}
3335 \def\beamer@defbeamertemplate*{\note page}{default}
3336 \def\beamer@defbeamertemplate*{\note page}{default}
3337 \def\beamer@defbeamertemplate*{\note page}{default}
3338 \def\beamer@defbeamertemplate*{\note page}{default}
3339 \def\beamer@defbeamertemplate*{\note page}{default}
3340 \def\beamer@defbeamertemplate*{\note page}{default}
3341 \def\beamer@defbeamertemplate*{\note page}{default}
3342 \def\beamer@defbeamertemplate*{\note page}{default}
3343 \def\beamer@defbeamertemplate*{\note page}{default}
3344 \def\beamer@defbeamertemplate*{\note page}{default}
3345 \def\beamer@defbeamertemplate*{\note page}{default}
3346 \def\beamer@defbeamertemplate*{\note page}{default}
3347 \def\beamer@defbeamertemplate*{\note page}{default}
3348 \def\beamer@defbeamertemplate*{\note page}{default}
3349 \def\beamer@defbeamertemplate*{\note page}{default}
3350 \def\beamer@defbeamertemplate*{\note page}{default}
3351 \def\beamer@defbeamertemplate*{\note page}{default}
3352 \def\beamer@defbeamertemplate*{\note page}{default}
3353 \def\beamer@defbeamertemplate*{\note page}{default}
3354 \def\beamer@defbeamertemplate*{\note page}{default}
3355 \def\beamer@defbeamertemplate*{\note page}{default}
3356 \def\beamer@defbeamertemplate*{\note page}{default}
3357 \def\beamer@defbeamertemplate*{\note page}{default}
3358 \def\beamer@defbeamertemplate*{\note page}{default}
3359 \def\beamer@defbeamertemplate*{\note page}{default}
3360 \def\beamer@defbeamertemplate*{\note page}{default}
3361 \def\beamer@defbeamertemplate*{\note page}{default}
```



```

3362 \if@RTL
3363   \moveright\dimexpr0.29\textwidth-14pt\relax
3364   \fi
3365   \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip4pt\raise3pt\hbox{\vrule
3366   width0.4pt height7pt\vrule width 9pt
3367   height0.4pt}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}\
3368   \if@RTL\endR\fi}%
3369   \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3370   \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3371 \if@RTL
3372   \moveright\dimexpr0.29\textwidth-27.4pt\relax
3373   \fi   \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip17.4pt\raise3pt\hbox{\vrule
3374   width0.4pt height7pt\vrule width 9pt
3375   height0.4pt}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}\
3376   \if@RTL\endR\fi}%
3377   \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3378 \if@RTL
3379   \moveright\dimexpr0.33\textwidth-40.8pt\relax
3380 \fi   \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip30.8pt\raise3pt\hbox{\vrule
3381   width0.4pt height7pt\vrule width 9pt
3382   height0.4pt}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi}%
3383   \if@RTL\endR\fi}%
3384   \vfil}%
3385 }%
3386 \ifbeamercolorempty[bg]{note page}{}{%
3387   \nointerlineskip%
3388   \insertvrule{.75\paperheight}{note page.bg}%
3389   \vskip-.75\paperheight%
3390 }%
3391 \vskip.25em
3392 \nointerlineskip
3393 \insertnote
3394 }%
3395 }%
3396 }%
3397 }%
3398 }%
3399 }%

```

33 File beamerouterthemefocus-xetex-bidi.def

```

3400 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3401 \bidi@undef\beamer@tmpop@footline@progressbar
3402
3403 \defbeamertemplate*{footline}{progressbar}{%
3404   % If not appendix.
3405   \ifnum\mainend<0% From package appendixnumberbeamer.
3406     %
3407     \settowidth{\focus@pbar@leftoffset}{1}%
3408     \addtolength{\focus@pbar@leftoffset}{1.5em}%
3409     %
3410     \ifx\beamer@focus@totalframenumbering\no%
3411       \settowidth{\focus@pbar@rightoffset}{}%
3412       \addtolength{\focus@pbar@rightoffset}{0.5em}%

```



```

3413     \else%
3414         \settowidth{\focus@pbar@rightoffset}{\inserttotalframenumber}%
3415         \addtolength{\focus@pbar@rightoffset}{1.5em}%
3416     \fi%
3417     %
3418     % If not title page.
3419     \ifnum\value{realframenumber}>0%
3420         \ifnum\value{framenumber}<\inserttotalframenumber%
3421             \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]\usebeamertfont{footline}%
3422                 \pgfmathsetmacro{\focus@pbar@progress}{%
3423                     {(\paperwidth-\focus@pbar@leftoffset-\focus@pbar@rightoffset)*(\inse%
3424                         \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3425 \if@RTLmain
3426             \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@leftoff%
3427             \fill[footline.bg] (\paperwidth-\the\focus@pbar@leftoffset,0) rectangle %
3428                     ++(0,{-.5*\the\focus@pbar@height}) node[anchor=west,
3429
3430 \else
3431             \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@leftoffset,\the\fo%
3432             \fill[footline.bg] (\the\focus@pbar@leftoffset,0) rectangle ++(\focus@pb%
3433                     ++(0,{-.5*\the\focus@pbar@height}) node[anchor=east,
3434 \fi
3435     \ifx\beamer@focus@totalframenumbering\no%
3436     \else%
3437 \if@RTLmain
3438             \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@rightoffset,\t%
3439                     ++(0,{-.5*\the\focus@pbar@height}) node[anchor=east,
3440 \else
3441             \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@rig%
3442                     ++(0,{-.5*\the\focus@pbar@height}) node[anchor=west,
3443 \fi
3444     \fi%
3445     \end{tikzpicture}%
3446     \else%
3447         \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]
3448             \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3449             \fill[footline.bg] (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3450 \if@RTLmain
3451             \node[anchor=west, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\the\fo%
3452 \else
3453             \node[anchor=east, footline.fg] at ({\paperwidth-\the\focus@pbar@rightof%
3454 \fi
3455     \ifx\beamer@focus@totalframenumbering\no%
3456     \else%
3457 \if@RTLmain
3458             \node[footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\the\fo%
3459             \node[anchor=east, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\the\fo%
3460 \else
3461             \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\the\fo%
3462             \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rightof%
3463 \fi
3464     \fi%
3465     \end{tikzpicture}%
3466 \fi%

```



```

3467      \fi%
3468      \fi%
3469 }
3470
3471

```

34 File beamerouterthemefolines-xetex-bidi.def

```

3472 \ProvidesFile{beamerouterthemefolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
3473 \bidi@csundef{beamer@tmpop@footline@folines theme}
3474
3475 \defbeamertemplate*{footline}{folines theme}
3476 {%
3477   \leavevmode%
3478   \hbox{%
3479     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}%
3480       \usebeamertemplate{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{%
3481         \end{beamercolorbox}}%
3482     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3483       \usebeamertemplate{title in head/foot}\insertshorttitle
3484     \end{beamercolorbox}}%
3485     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,%
3486       \hfill%
3487       \usebeamertemplate{date in head/foot}%
3488       \insertshortdate{}}%
3489       \hfill%
3490       \bgroup
3491         \usebeamercolor[fg]{page number in head/foot}%
3492         \usebeamertemplate{page number in head/foot}%
3493       \end{beamercolorbox}}%
3494     \egroup
3495   \end{beamercolorbox}}%
3496   \vskip0pt%
3497 }
3498
3499 \bidi@csundef{beamer@tmpop@headline@folines theme}
3500
3501 \defbeamertemplate*{headline}{folines theme}
3502 {%
3503   \leavevmode%
3504   \hbox{%
3505     \if@RTL
3506       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3507     \else
3508       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3509     \fi
3510       \usebeamertemplate{section in head/foot}\insertsectionhead\hspace*{2ex}
3511     \end{beamercolorbox}}%
3512   \if@RTL
3513     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
3514   \else
3515     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3516   \fi
3517     \usebeamertemplate{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead

```



```

3518 \end{beamercolorbox}}%
3519 \vskip0pt%
3520 }
3521 \bidi@AfterFile{beamerouterthememetropolis-xetex-bidi.def}{%
3522 \setbeamertemplate{footline}[infolines theme]%
3523 }
3524 }
3525

```

35 File beamerouterthememetropolis-xetex-bidi.def

```

3526 \ProvidesFile{beamerouterthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for
3527 \setbeamertemplate{progress bar in head/foot}{%
3528 \nointerlineskip
3529 \setlength{\metropolis@progressinheadfoot}{%
3530 \paperwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}%
3531 }%
3532 \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}
3533 \begin{tikzpicture}
3534 \fill[bg] (0,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);
3535 \if@RTLmain
3536 \fill[fg] (\paperwidth-\metropolis@progressinheadfoot,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);
3537 \else
3538 \fill[fg] (0,0) rectangle (\metropolis@progressinheadfoot, \metropolis@progressinheadfoot@linewidth);
3539 \fi
3540 \end{tikzpicture}%
3541 \end{beamercolorbox}
3542 }
3543
3544 \AtBeginDocument{%
3545 \setbeamertemplate{frametitle}[plain]%
3546 }
3547
3548

```

36 File beamerouterthememiniframes-xetex-bidi.def

```

3549 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3550 \bidi@csundef{beamer@@tmpop@headline@miniframes theme}
3551
3552 \defbeamertemplate*{headline}{miniframes theme}%
3553 {%
3554 \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3555 \end{beamercolorbox}
3556 \begin{beamercolorbox}{section in head/foot}
3557 \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
3558 \end{beamercolorbox}%
3559 \ifbeamer@theme@section%
3560 \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3561 \end{beamercolorbox}
3562 \if@RTL
3563 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3564 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3565 \else

```



```

3566   \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3567     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3568   \fi
3569   \usebeamertfont{subsection in head/foot}\insertsubsectionhead
3570   \end{beamercolorbox}%
3571 \fi%
3572 \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3573 \end{beamercolorbox}
3574 }
3575
3576

```

37 File beamerouterthemeshidebar-xetex-bidi.def

```

3577 \ProvidesFile{beamerouterthemeshidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3578 \bidi@csundef{beamer@@tmpop@frametitle@sidebar theme}
3579
3580 \bidi@csundef{beamer@@tmpop@headline@sidebar theme}
3581
3582 \bidi@csundef{beamer@@tmpop@sidebar left@sidebar theme}
3583
3584 \bidi@csundef{beamer@@tmpop@sidebar right@sidebar theme}
3585
3586 \ifdim\beamer@headheight>0pt
3587
3588 \defbeamertemplate*{frametitle}{sidebar theme}
3589 {%
3590   \nointerlineskip%
3591   \ifbeamer@plainframe%
3592     \hbox{\usebeamercolor[bg]{frametitle}%
3593       \tempdima\paperwidth\advance\tempdima-\beamer@sidebarwidth
3594       \hskip-\beamer@leftmargin\vrule height\beamer@headheight width\tempdima\hskip-\beamer@leftmargin}
3595   \nointerlineskip%
3596 \fi%
3597 \vskip-\beamer@headheight%
3598 \vbox to \beamer@headheight{%
3599   \vfil
3600   \bidi@beamer@leftskip=-\beamer@leftmargin%
3601   \advance\bidi@beamer@leftskip by0.3cm%
3602   \bidi@beamer@rightskip=-\beamer@rightmargin%
3603   \advance\bidi@beamer@rightskip by0.3cm plus1fil%
3604   {\usebeamercolor[fg]{frametitle}\usebeamertfont{frametitle}\strut\insertframetitle\par}
3605   \ifx\insertframesubtitle\empty\else%
3606     {\usebeamercolor[fg]{framesubtitle}\usebeamertfont{framesubtitle}\strut\insertframesubtitle\par}
3607   \fi%
3608   \vbox{}%
3609   \vskip-1em%
3610   \vfil
3611 }%
3612 }
3613
3614 \AtBeginDocument{%
3615   \setbeamertemplate{frametitle}{sidebar theme}%
3616 }

```



```

3617 \defbeamertemplate*{headline}{sidebar theme}
3618 {%
3619   \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3620     \ifx\beamer@sidebarside\beamer@lefttext%
3621     \else%
3622       \hfill%
3623     \fi%
3624   \ifdim\beamer@sidebarwidth>0pt%
3625     \bgroup
3626     \usebeamercolor[bg]{logo}%
3627     \if@RTLmain
3628     \else
3629       \vrule width\beamer@sidebarwidth height \beamer@headheight%
3630       \hskip-\beamer@sidebarwidth%
3631     \fi
3632   \hbox to \beamer@sidebarwidth{\hss\vbox to
3633     \beamer@headheight{\vss\hbox{f\color{fg}\insertlogo}\vss}\hss}%
3634   \if@RTLmain
3635     \hskip-\beamer@sidebarwidth%
3636     \vrule width\beamer@sidebarwidth height \beamer@headheight%
3637   \fi
3638 \fi
3639 \egroup
3640 \else%
3641   \vrule width0pt height \beamer@headheight%
3642 \fi%
3643 \end{beamercolorbox}
3644 }
3645 \fi
3646
3647 \def\beamer@sidebarformat#1#2#3{%
3648 \if@RTL
3649   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#2}
3650 \else
3651   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#2}
3652 \fi
3653   \vbox{}%
3654   #3\par%
3655   \vbox{}%
3656   \vskip-1.5ex%
3657 \end{beamercolorbox}
3658 }
3659
3660 \ifdim\beamer@sidebarwidth>0pt
3661
3662 \AtBeginDocument{%
3663   \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3664 }
3665
3666 \defbeamertemplate*{sidebar \beamer@sidebarside}{sidebar theme}
3667 {
3668   \beamer@tempdim=\beamer@sidebarwidth%
3669   \advance\beamer@tempdim by -6pt%
3670   {\usebeamertitle{title in sidebar}}%

```



```

3671     \vskip1.5em%
3672     \hskip3pt%
3673     \bgroup
3674     \usebeamercolor[fg]{title in sidebar}%
3675     \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3676     \vskip1.25em%
3677   }%
3678   {%
3679     \hskip3pt%
3680     \bgroup
3681     \usebeamercolor[fg]{author in sidebar}%
3682     \usebeamertfont{author in sidebar}%
3683     \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3684     \vskip1.25em%
3685   }%
3686   \insertverticalnavigation{\beamer@sidebarwidth}%
3687   \vfill
3688   \ifx\beamer@sidebarside\beamer@lefttext%
3689   \else%
3690     \usebeamercolor{normal text}%
3691     \llap{\usebeamertemplate***{navigation symbols}\hskip0.1cm}%
3692     \vskip2pt%
3693   \fi%
3694 }%
3695 \fi
3696

```

38 File beamerouterthemessplit-xetex-bidi.def

```

3697 \ProvidesFile{beamerouterthemessplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3698 \bidi@csundef{beamer@tmpop@footline@split theme}
3699
3700 \defbeamertemplate*{footline}{split theme}
3701 {%
3702   \leavevmode%
3703   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
3704 \else
3705 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightski
3706 \fi
3707   \usebeamertfont{author in head/foot}\insertshortauthor
3708   \end{beamercolorbox}%
3709 \if@RTL
3710   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
3711 \else
3712   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
3713 \fi
3714   \usebeamertfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[
3715   \end{beamercolorbox}}%
3716   \vskip0pt%
3717 }
3718
3719

```



39 File beamerouterthemeshadow-xetex-bidi.def

```
3720 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for be  
3721 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitleshade}{  
3722   color(Opt)=(frametitle right.bg);  
3723   color(paperwidth)=(frametitle.bg)  
3724 }  
3725  
3726 \newcommand*\bidi@beamer@frametitleshade{}%  
3727   \if@RTLmain  
3728     \pgfuseshading{bidi@beamer@RTL@frametitleshade}%;  
3729   \else  
3730     \pgfuseshading{beamer@frametitleshade}%;  
3731   \fi  
3732 }  
3733  
3734 \bidi@csundef{beamer@@tmpop@frametitle@shadow theme}  
3735  
3736 \defbeamertemplate*{frametitle}{shadow theme}  
3737 {}%  
3738   \nointerlineskip%  
3739   \vskip-2pt%  
3740   \hbox{\leavevmode  
3741     \advance\beamer@leftmargin by -12bp%  
3742     \advance\beamer@rightmargin by -12bp%  
3743     \beamer@tempdim=\textwidth%  
3744     \advance\beamer@tempdim by \beamer@leftmargin%  
3745     \advance\beamer@tempdim by \beamer@rightmargin%  
3746     \hskip-\Gm@lmargin\hbox{}%  
3747     \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}}%  
3748       \vbox{}\vskip-.75ex%  
3749       \bidi@beamer@leftskip0.3cm%  
3750       \bidi@beamer@rightskip0.3cm plus1fil\leavevmode  
3751       \bgroup\usebeamercolor{fg}{frametitle}\usebeamertfont{frametitle}\strut\insertframe  
3752       \ifx\insertframesubtitle\empty\else%  
3753         {\usebeamertfont*{framesubtitle}{\usebeamercolor{fg}{framesubtitle}}\insertframesu  
3754       \fi%  
3755       \nointerlineskip  
3756       \vbox{}%  
3757       \end{minipage}}%  
3758   \beamer@tempdim=\ht\beamer@tempbox%  
3759   \advance\beamer@tempdim by 2pt%  
3760   \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}  
3761     \begin{pgfscope}  
3762       \pgfsetfillcolor{black}%  
3763       \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%  
3764       \pgfsetfading{beamer@topshadowmask}{}%  
3765       \pgfusepath{fill}%;  
3766     \end{pgfscope}  
3767     \begin{pgfscope}  
3768       \usebeamercolor{frametitle right}%  
3769       \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%  
3770       \pgfusepath{clip}%;  
3771       \pgftext[left,base]{\bidi@beamer@frametitleshade}%;
```



```

3772     \end{pgfscope}
3773     \end{pgfpicture}
3774     \hskip-\paperwidth%
3775     \box\beamer@tempbox%
3776   }%
3777   \hskip-\Gm@rmargin%
3778 }%
3779 \vskip-2pt
3780 }
3781
3782 \AtBeginDocument{%
3783   \setbeamertemplate{frametitle}[shadow theme]%
3784 }
3785
3786

```

40 File beamerouterthemeshoothbars-xetex-bidi.def

```

3787 \ProvidesFile{beamerouterthemeshoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3788 \bidi@csundef{beamer@@tmpop@headline@smoothbars theme}
3789
3790 \bidi@csundef{beamer@@tmpop@frametitle@smoothbars theme}
3791
3792 \defbeamertemplate*{headline}{smoothbars theme}%
3793 {%
3794   \pgfuseshading{beamer@barshade}%
3795   \vskip-0.05ex%
3796   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3797     \begin{pgfpicture}
3798       \begin{pgfscope}%
3799         \ifbeamer@sb@subsection%
3800           \pgfsetfillcolor{subsection in head/foot.bg}%
3801         \else%
3802           \pgfsetfillcolor{section in head/foot.bg}%
3803         \fi%
3804         \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3805         \pgfsetfading{beamer@belowframetitlemask}{0}%
3806         \pgfusepath{fill}%
3807       \end{pgfscope}%
3808     \end{pgfpicture}%
3809   \end{beamercolorbox}%
3810   \ifbeamer@sb@subsection%
3811     \vskip-9.75ex%
3812   \else%
3813     \vskip-6.85ex%
3814   \fi%
3815   \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/foot}%
3816     \insertnavigation{\paperwidth}%
3817   \end{beamercolorbox}%
3818   \ifbeamer@sb@subsection%
3819     \if@RTL%
3820       \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3821         rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}%
3822     \else%

```



```

3823   \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3824     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3825   \fi
3826   \usebeamerfont{subsection in head/foot}\insertsubsectionhead
3827   \end{beamercolorbox}%
3828 \fi%
3829 }%
3830
3831 \defbeamertemplate*{frametitle}{smoothbars theme}%
3832 {%
3833   \nointerlineskip%
3834   \vskip-0.19ex%
3835   \usebeamerfont{headline}%
3836   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}%
3837     \pgfuseshading{beamer@aboveframetitle}%
3838   \end{beamercolorbox}%
3839   \vskip-1ex%
3840   \nointerlineskip%
3841   \if@RTL%
3842   \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti%
3843   \else%
3844   \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti%
3845   \fi%
3846   \vskip0.5ex%
3847   \usebeamerfont*{frametitle}\strut\insertframetitle%
3848   \ifx\insertframesubtitle\empty%
3849     \strut\par%
3850   \else%
3851     \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertfr%
3852   \fi%
3853   \usebeamerfont{headline}%
3854   \vskip0.05ex%
3855   \end{beamercolorbox}%
3856   \nointerlineskip%
3857   \vskip-0.05ex%
3858   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}%
3859   \begin{pgfpicture}%
3860     \begin{pgfscope}%
3861       \pgfsetfillcolor{frametitle.bg}%
3862       \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3863       \pgfsetfading{beamer@belowframetitlemask}{0}%
3864       \pgfusepath{fill}%
3865     \end{pgfscope}%
3866   \end{pgfpicture}%
3867   \end{beamercolorbox}%
3868 }%
3869
3870 \AtBeginDocument{%
3871   \setbeamertemplate{frametitle}{smoothbars theme}%
3872 }%
3873
3874

```



41 File beamerouterthemeshoothtree-xetex-bidi.def

```
3875 \ProvidesFile{beamerouterthemeshoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3876 \bidi@csundef{beamer@tmpop@headline@smoothtree theme}
3877 \bidi@csundef{beamer@tmpop@frametitle@smoothtree theme}
3879
3880 \defbeamertemplate*{headline}{smoothtree theme}
3881 {%
3882   \pgfuseshading{beamer@treeshade}%
3883   \vskip-0.05ex%
3884   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3885     \begin{pgfpicture}
3886       \begin{pgfscope}%
3887         \pgfsetfillcolor{subsection in head/foot.bg}%
3888         \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3889         \pgfsetfading{beamer@belowframetitlemask}{0}%
3890         \pgfusepath{fill}%
3891       \end{pgfscope}%
3892     \end{pgfpicture}%
3893   \end{beamercolorbox}%
3894   \vskip-9.15ex%
3895   \if@RTL
3896     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3897       rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3898   \else
3899     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3900       leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3901   \fi
3902   \usebeamertfont{title in head/foot}\insertshorttitle
3903 \end{beamercolorbox}
3904 \if@RTL
3905   \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3906     rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3907 \else
3908   \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3909     leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3910 \fi
3911   \usebeamertfont{section in head/foot}%
3912   \hspace{6pt}\insertsectionhead
3913 \end{beamercolorbox}
3914 \if@RTL
3915   \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3916     rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3917 \else
3918   \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3919     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3920 \fi
3921   \usebeamertfont{subsection in head/foot}%
3922   \hspace{12pt}\insertsubsectionhead
3923 \end{beamercolorbox}
3924 \vskip-0.4ex%
3925 }
3926 }
```



```

3927 \defbeamertemplate*[frametitle]{smoothtree theme}
3928 {%
3929   \nointerlineskip%
3930   \vskip-0.05ex%
3931   \usebeamerfont{headline}%
3932   \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}%
3933     \pgfuseshading{beamer@aboveframetitle}%
3934   \end{beamercolorbox}%
3935   \nointerlineskip%
3936   \if@RTL%
3937     \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}%
3938   \else%
3939     \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}%
3940   \fi%
3941   \vskip-1.2ex%
3942   \usebeamerfont*[frametitle]\strut\insertframetitle%
3943   \ifx\insertframesubtitle\empty%
3944     \strut\par%
3945   \else%
3946     \par{\usebeamerfont*[framesubtitle]{\usebeamercolor[fg]{framesubtitle}}\strut\inserttf%
3947   \fi%
3948   \usebeamerfont{headline}%
3949   \end{beamercolorbox}%
3950   \nointerlineskip%
3951   \vskip-0.2ex%
3952   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}%
3953   \begin{pgfpicture}%
3954     \begin{pgfscope}%
3955       \pgfsetfillcolor{frametitle.bg}%
3956       \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3957       \pgfsetfading{beamer@belowframetitlemask}{0}%
3958       \pgfusepath{fill}%
3959     \end{pgfscope}%
3960   \end{pgfpicture}%
3961   \end{beamercolorbox}%
3962 }%
3963 %
3964 %
3965 \AtBeginDocument{%
3966   \setbeamertemplate{frametitle}[smoothtree theme]%
3967 }%
3968 %
3969

```

42 File beamerouterthemetree-xetex-bidi.def

```

3970 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3971 \bidi@csundef{beamer@tmpop@headline@tree theme}%
3972 %
3973 \defbeamertemplate*[headline]{tree theme}%
3974 {%
3975   \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}%
3976   \end{beamercolorbox}%
3977   \if@RTL%

```



```

3978 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3979   rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3980 \else
3981 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3982   leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3983 \fi
3984   \usebeamertfont{title in head/foot}\insertshorttitle
3985 \end{beamercolorbox}
3986 \if@RTL
3987 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3988   rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3989 \else
3990 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3991   leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3992 \fi
3993   \usebeamertfont{section in head/foot}%
3994 \ifbeamer@tree@showhooks
3995   \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
3996   \ifdim\wd\beamer@tempbox>1pt%
3997     \hspace{2pt}\raisebox{1.9pt}{\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.4pt}}
3998     \hspace{1pt}%
3999   \fi%
4000 \else%
4001   \hspace{6pt}%
4002 \fi%
4003   \insertsectionhead
4004 \end{beamercolorbox}
4005 \if@RTL
4006 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4007   rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
4008 \else
4009 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4010   leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
4011 \fi
4012   \usebeamertfont{subsection in head/foot}%
4013 \ifbeamer@tree@showhooks
4014   \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%
4015   \ifdim\wd\beamer@tempbox>1pt%
4016     \hspace{9.4pt}\raisebox{1.9pt}{\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.4pt}}
4017     \hspace{1pt}%
4018   \fi%
4019 \else%
4020   \hspace{12pt}%
4021 \fi%
4022   \insertsubsectionhead
4023 \end{beamercolorbox}
4024 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
4025 \end{beamercolorbox}
4026 }
4027
4028

```

43 File beamerthemeHannover-xetex-bidi.def



```

4029 \ProvidesFile{beamertHEMEHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beam
4030 \AtBeginDocument{%
4031   \if@RTLmain
4032     \setbeamertemplate{frametitle}{[default][left]}%
4033   \else
4034     \setbeamertemplate{frametitle}{[default][right]}%
4035   \fi
4036 }
4037
4038

```

44 File `beamertHEMESingapore-xetex-bidi.def`

```

4039 \ProvidesFile{beamertHEMESingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
4040 \addtoheadtemplate{\pgfuseshading{beamer@headfade}\vskip-1.25cm}{}%
4041
4042 \beamertemplatedotitem
4043
4044 \AtBeginDocument{%
4045   \setbeamertemplate{frametitle}{[default][center]}%
4046 }
4047
4048

```

45 File `bidi.sty`

```

4049 \NeedsTeXFormat{LaTeX2e}
4050 \def\bididate{2025/01/05}
4051 \def\bidi@version{41.1}
4052 \def\bidi@releasename{Maryam Mirzakhani}
4053 \newcommand*\bidi@releasename{\bidi@releasename}
4054 \ProvidesPackage{bidi}[\bidi@space v\bidi@version\space (Release \bidi@releasename)\space
4055 Bidirectional typesetting in plain TeX and LaTeX]
4056 \newif\if@bidi@banner
4057 \newif\if@bidi@pdfbanner
4058 \newif\iffootdir@debug
4059 \newif\if@extrafootnotefeatures
4060 \newif\if@nonlatin
4061 \newif\if@bidi@pdfm@mark
4062 \newif\if@bidi@perpage@footnote
4063 \ExplSyntaxOn
4064 \keys_define:nn { bidi }
4065   {
4066     banner .choice: ,
4067     banner / on .code:n = \bidi@bannertrue ,
4068     banner / off .code:n = \bidi@bannerfalse ,
4069     banner .default:n = on
4070   }
4071 \keys_define:nn { bidi }
4072   {
4073     PDFbanner .choice: ,
4074     PDFbanner / on .code:n = \bidi@pdfbannertrue ,
4075     PDFbanner / off .code:n = \bidi@pdfbannerfalse ,
4076     PDFbanner .default:n = on

```



```

4077  }
4078 \keys_define:nn { bidi }
4079  {
4080    RTLdocument .choice: ,
4081    RTLdocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4082    RTLdocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4083    RTLdocument .default:n = on
4084  }
4085 \keys_define:nn { bidi }
4086  {
4087    rldocument .choice: ,
4088    rldocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4089    rldocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4090    rldocument .default:n = on
4091  }
4092 \keys_define:nn { bidi }
4093  {
4094    documentdirection .choice: ,
4095    documentdirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtrue} ,
4096    documentdirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfalse}
4097  }
4098 \keys_define:nn { bidi }
4099  {
4100    tableddirection .choice: ,
4101    tableddirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtabtrue} ,
4102    tableddirection / lefttoright .code:n = \AtEndOfPackage{\@RTLtabfalse}
4103  }
4104 \keys_define:nn { bidi }
4105  {
4106    footnotedirection .choice: ,
4107    footnotedirection / righttoleft .code:n = \AtEndOfPackage{\@RTLfootnotetrue} ,
4108    footnotedirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfootnotefalse}
4109  }
4110 \keys_define:nn { bidi }
4111  {
4112    debugfootnotedirection .choice: ,
4113    debugfootnotedirection / on .code:n = \footdir@debugtrue ,
4114    debugfootnotedirection / off .code:n = \footdir@debugfalse ,
4115    debugfootnotedirection .default:n = on
4116  }
4117 \keys_define:nn { bidi }
4118  {
4119    footnoterule .choice: ,
4120    footnoterule / automatic .code:n = \AtEndOfPackage{\autofootnoterule} ,
4121    footnoterule / left .code:n = \AtEndOfPackage{\leftfootnoterule} ,
4122    footnoterule / right .code:n = \AtEndOfPackage{\rightfootnoterule} ,
4123    footnoterule / split .code:n = \AtEndOfPackage{\SplitFootnoteRule} ,
4124    footnoterule / textwidth .code:n = \AtEndOfPackage{\textwidthfootnoterule}
4125  }
4126 \keys_define:nn { bidi }
4127  {
4128    extrafootnotefeatures .choice: ,
4129    extrafootnotefeatures / on .code:n = \extrafootnotefeaturestrue ,
4130    extrafootnotefeatures / off .code:n = \extrafootnotefeaturesfalse ,

```



```

4131     extrafootnotefeatures .default:n = on
4132   }
4133 \keys_define:nn { bidi }
4134   {
4135     script .choice: ,
4136     script / latin .code:n = \@nonlatinfalse ,
4137     script / nonlatin .code:n = \@nonlatintrue ,
4138     script .default:n = latin
4139   }
4140 \keys_define:nn { bidi }
4141   {
4142     DetectColumn .choice: ,
4143     DetectColumn / on .code:n =
4144       \def\bidi@firstcolumn@status@write{%
4145         \protected@write\@auxout{}{%
4146           {\string\bidi@column@status
4147             {1}}}}
4148       \def\bidi@lastcolumn@status@write{%
4149         \protected@write\@auxout{}{%
4150           {\string\bidi@column@status{2}}}} ,
4151     DetectColumn / off .code:n =
4152       \let\bidi@firstcolumn@status@write\relax
4153       \let\bidi@lastcolumn@status@write\relax ,
4154     DetectColumn .default:n = on
4155   }
4156 \keys_define:nn { bidi }
4157   {
4158     logo .choice: ,
4159     logo / on .code:n = \AtEndOfPackage{\AtBeginDocument{\@bidi@inslogo@}} ,
4160     logo / off .code:n = \let\@bidi@logo@\empty\let\@bidi@inslogo@\empty ,
4161     logo .default:n = on
4162   }
4163 \keys_define:nn { bidi }
4164   {
4165     pdfinfo .choice: ,
4166     pdfinfo / on .code:n = \@bidi@pdfm@marktrue ,
4167     pdfinfo / off .code:n = \@bidi@pdfm@markfalse ,
4168     pdfinfo .default:n = on
4169   }
4170 % The `perpagefootnote' option is documented in UK TeX FAQ at
4171 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
4172 \keys_define:nn { bidi }
4173   {
4174     perpagefootnote .choice: ,
4175     perpagefootnote / on .code:n = \@bidi@perpage@footnotetrue ,
4176     perpagefootnote / off .code:n = \@bidi@perpage@footnotefalse ,
4177     perpagefootnote .default:n = on
4178   }
4179 \keys_set:nn { bidi }
4180   {
4181     banner = on ,
4182     PDFbanner = on ,
4183     DetectColumn = off
4184

```



```

4185  }
4186 \ExplSyntaxOff
4187 \ProcessKeyOptions
4188 \edef\@bidi@info{*****^~^J%
4189 * ^~^J%
4190 * bidi package (Bidirectional typesetting in^~^J%
4191 * plain TeX and LaTeX, using XeTeX engine)^~^J%
4192 * ^~^J%
4193 * Description: A convenient interface for^~^J%
4194 * typesetting bidirectional texts in plain TeX^~^J%
4195 * and LaTeX. The package includes adaptations^~^J%
4196 * for use with many other commonly-used packages.^~^J%
4197 * ^~^J%
4198 * Copyright (c) 2007--2025 Vafa Khalighi^~^J%
4199 * Copyright (c) 2018--2020 bidi-tex GitHub organization^~^J%
4200 * ^~^J%
4201 * v\bidi@version\space (Release \bidi@releasename), \bididate^~^J%
4202 * ^~^J%
4203 * License: LaTeX Project Public License, version^~^J%
4204 * 1.3c or higher (your choice)^~^J%
4205 * ^~^J%
4206 * Location on CTAN: /macros/xetex/latex/bidi^~^J%
4207 * ^~^J%
4208 * Issue tracker: https://github.com/xepersian/bidi/issues^~^J%
4209 * ^~^J%
4210 * Discussions: https://github.com/xepersian/bidi/discussions^~^J%
4211 * ^~^J%
4212 * Primary author of bidi package: Vafa Khalighi.^~^J%
4213 * ^~^J%
4214 ****}
4215 \edef\bidi@everyjob{\the\everyjob}
4216 \if@bidi@banner
4217   \typeout{@bidi@info}
4218   \everyjob{\bidi@everyjob\typeout{@bidi@info}}
4219 \fi
4220 \newcommand*{\bidiversion}{\ensuremath{\bidi@version}}
4221 \newcommand*{\IfbidiPackageVersionLater}[1]{%
4222   \ifdim\bidi@version pt > #1 pt %
4223     \expandafter\@firstoftwo
4224   \else
4225     \expandafter\@secondoftwo
4226   \fi}
4227 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
4228   \ifdim\bidi@version pt < #1 pt %
4229     \expandafter\@firstoftwo
4230   \else
4231     \expandafter\@secondoftwo
4232   \fi}
4233 \newcommand*{\IfbidiPackageVersion}[1]{%
4234   \ifdim\bidi@version pt = #1 pt %
4235     \expandafter\@firstoftwo
4236   \else
4237     \expandafter\@secondoftwo
4238   \fi}

```



```

4239 \RequirePackage{iftex}
4240 \RequireXeTeX
4241 \RequirePackage{biditools}
4242 \RequirePackage{zref-abspage}
4243 \RequirePackage{auxhook}
4244 \RequirePackage{ltxcmds}
4245 \eqnewif{\if@RTLmain}{\if@rlmain}
4246 \eqnewif{\if@RTL}{\if@rl}
4247 \newcommand*{\setlatin}{\nonlatinfalse}
4248 \newcommand*{\setnonlatin}{\nonlatintrue}
4249 \eqnewif{\if@RTLtab}{\if@tab@rl}
4250 \newif\if@hboxRconstruct
4251 \newif\if@bidi@pdfencrypt
4252 \newcommand*{\setRTLtable}{\@RTLtabtrue}
4253 \newcommand*{\setLTRtable}{\@RTLtabfalse}
4254 \newif\if@RTLmarginpar
4255 \newif\if@LTRmarginpar
4256 \newif\if@LTRbibitems
4257 \newif\if@RTLbibitems
4258 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
4259 \newif\if@bidi@list@minipage@parbox
4260 \newif\if@bidi@list@minipage@parbox@not@nob
4261 \newcommand*{\@bidi@pdfcreator}%
4262   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bidi@date
4263 }
4264 \newcommand*{\@bidi@pdfproducer}%
4265   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bidi@date
4266 }
4267 \newcommand*{\@bidi@pdfcustomproperties}%
4268   This is the bidi package, Version \bidi@version\space (Release \bidi@releasename),
4269   Released January 5, 2025.
4270 }
4271 \newcommand*{\bidi@beamer@ragged}{}%
4272 \@RTLmainfalse
4273 \AtBeginDocument{%
4274   \if@RTLmain
4275     \if@RTL\@RTLmaintrue%
4276     \else\@RTLmainfalse%
4277     \fi%
4278   \fi%
4279 }
4280 \let\n@xt=\
4281 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
4282 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4283 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
4284 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4285 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4286   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4287 \newinsert\@bidi@copyins@
4288 \skip\@bidi@copyins@=12\p@
4289 \dimen\@bidi@copyins@=40pc
4290 \count\@bidi@copyins@=1000
4291 \newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@\{\@bidi@logo@\}}
4292 \newcommand*{\@bidi@logo@h@xt@columnwidth}%

```



```

4293 \if@RTLmain
4294   \if@twocolumn
4295     \hboxR to \columnwidth
4296   \else
4297     \hboxR to \textwidth
4298   \fi
4299 \else
4300   \if@twocolumn
4301     \hboxL to \columnwidth
4302   \else
4303     \hboxL to \textwidth
4304   \fi
4305 \fi
4306 }
4307 \newcommand*{\@bidi@logo}[1]{%
4308   \toks@{%
4309     \setbox\z@\hbox{%
4310       \special{%
4311         pdf:image width 50pt height 50pt (#1)}%
4312       }%
4313     }%
4314   \dp\z@\z@
4315   \ht\z@=50pt
4316   \wd\z@=50pt
4317   \beginL
4318     \lower20pt\box\z@
4319   \endL
4320 }%
4321 \the\toks@
4322 }
4323 \newcount\bidi@typesethour
4324 \newcount\bidi@typesetminute
4325 \bidi@typesethour=\time
4326 \divide\bidi@typesethour 60
4327 \bidi@typesetminute=\bidi@typesethour
4328 \multiply\bidi@typesetminute 60
4329 \advance\bidi@typesetminute \time
4330 \newcommand*{\TypesetHour}{\two@digits\bidi@typesethour}
4331 \newcommand*{\TypesetMinute}{\two@digits\bidi@typesetminute}
4332 \newcommand*{\TypesetTime}{\TypesetHour:\TypesetMinute}
4333 \newcommand*{\@bidi@logo@}{%
4334   \bidi@logo@hb@xt@columnwidth
4335   {\hss\LR{\bfseries Typeset \today at \TypesetTime by the \textsf{bidi}%
4336   package\quad\bidi@logo{bidi-logo.pdf}}}}
4337 \ExplSyntaxOn
4338 \keys_define:nn { bidi / pdfencrypt }
4339 {
4340   userpassword .code:n = \def\bidi@pdfencrypt@userpassword{#1} ,
4341   userpassword .default:n =
4342 }
4343 \keys_define:nn { bidi / pdfencrypt }
4344 {
4345   ownerpassword .code:n = \def\bidi@pdfencrypt@ownerpassword{#1} ,
4346   ownerpassword .default:n =

```



```

4347 }
4348 \keys_define:nn { bidi / pdfencrypt }
4349 {
4350     keylength .code:n = \def\bidi@pdfencrypt@keylength{#1} ,
4351     keylength .default:n = 128
4352 }
4353 \keys_define:nn { bidi / pdfencrypt }
4354 {
4355     permissionflags .code:n = \def\bidi@pdfencrypt@permissionflags{#1} ,
4356     permissionflags .default:n = 2052
4357 }
4358 \NewDocumentCommand \pdfencryptsetup {m} { \keys_set:nn { bidi / pdfencrypt } {#1} }
4359 \ExplSyntaxOff
4360 \onlypreamble\pdfencryptsetup
4361 \input{latex-xetex-bidi.def}
4362
4363 \pdfencryptsetup{%
4364     userpassword,%
4365     ownerpassword,%
4366     keylength,%
4367     permissionflags%
4368 }
4369
4370 \if@extrafootnotefeatures
4371     \input{extrafootnotefeatures-xetex-bidi.def}
4372 \fi
4373 \newcount\bidi@digits
4374 \XeTeXinterchartokenstate=\@ne
4375 \newXeTeXintercharclass\bidi@digits@charclass
4376 \newXeTeXintercharclass\bidi@sepmark@charclass
4377 \XeTeXcharclass `.\.\bidi@sepmark@charclass
4378 \XeTeXcharclass `~- \bidi@sepmark@charclass
4379 \bidi@digits=\z@ \loop \XeTeXcharclass \bidi@digits@charclass \ifnum\bidi@digits<=9 \repeat
4380 \bidi@digits=\z@ \loop \XeTeXcharclass \bidi@digits@charclass \ifnum\bidi@digits<=9 \repeat
4381 \bidi@digits=\z@ \loop \XeTeXcharclass \bidi@digits@charclass \ifnum\bidi@digits<=9 \repeat
4382 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharClass}
4383 \newcommand*\{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
4384 \bidi@AtEndPreamble{%
4385     \if@bidi@perpage@footnote
4386         \RequirePackage{bidi-perpage}%
4387         \ResetCounterPerPage{footnote}%
4388     \fi
4389     \ifx\bidi@pdfencrypt@ownerpassword\empty
4390         \ifx\bidi@pdfencrypt@userpassword\empty
4391             \bidi@pdfencryptfalse
4392         \else
4393             \bidi@pdfencrypttrue
4394         \fi
4395     \else
4396         \bidi@pdfencrypttrue
4397     \fi
4398     \if@bidi@pdfencrypt
4399         \special{pdf:encrypt
4400             userpw (\bidi@pdfencrypt@userpassword)

```



```

4401     ownerpw (\bidi@pdfencrypt@ownerpassword)
4402     length \bidi@pdfencrypt@keylength
4403     perm \bidi@pdfencrypt@permissionflags
4404   }%
4405   \fi
4406 }
4407 \if@bidi@pdfbanner
4408   \if@bidi@pdfm@mark
4409     \AtEndDocument{%
4410       \special{pdf:%
4411         docinfo<<%
4412           /Creator(\@bidi@pdfcreator)%
4413           /Producer(\@bidi@pdfproducer)%
4414           /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4415           \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4416             /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4417           }{}%
4418         >>%
4419       }%
4420     }
4421   \else
4422     \AtEndDocument{%
4423       \special{pdf:%
4424         docinfo<<%
4425           /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4426           \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4427             /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4428           }{}%
4429         >>%
4430       }%
4431     }
4432   \fi
4433 \else
4434   \if@bidi@pdfm@mark
4435     \AtEndDocument{%
4436       \special{pdf:%
4437         docinfo<<%
4438           /Creator(\@bidi@pdfcreator)%
4439           /Producer(\@bidi@pdfproducer)%
4440         >>%
4441       }%
4442     }
4443   \fi
4444 \fi

```

46 File `bidi.tex`

```

4445 \def\bididate{2025/01/05}
4446 \catcode`@=11
4447 \def\bidi@version{41.1}
4448 \def\bidi@releasename{Maryam Mirzakhani}
4449 \def\bidi@direleasename{\bidi@releasename}
4450 \let \protect \relax
4451 \newlinechar`\^^J

```



```

4452 \edef\@bidi@info{*****}
4453 * ^~J%
4454 * bidi package (Bidirectional typesetting in^~J%
4455 * plain TeX and LaTeX, using XeTeX engine)^~J%
4456 * ^~J%
4457 * Description: A convenient interface for^~J%
4458 * typesetting bidirectional texts in plain TeX^~J%
4459 * and LaTeX. The package includes adaptations^~J%
4460 * for use with many other commonly-used packages.^~J%
4461 * ^~J%
4462 * Copyright (c) 2007--2025 Vafa Khalighi^~J%
4463 * Copyright (c) 2018--2020 bidi-tex GitHub organization^~J%
4464 * ^~J%
4465 * v\bidi@version\space (Release \bidi@releasename), \bididate^~J%
4466 * ^~J%
4467 * License: LaTeX Project Public License, version^~J%
4468 * 1.3c or higher (your choice)^~J%
4469 * ^~J%
4470 * Location on CTAN: /macros/xetex/latex/bidi^~J%
4471 * ^~J%
4472 * Issue tracker: https://github.com/xepersian/bidi/issues^~J%
4473 * ^~J%
4474 * Discussions: https://github.com/xepersian/bidi/discussions^~J%
4475 * ^~J%
4476 * Primary author of bidi package: Vafa Khalighi.^~J%
4477 * ^~J%
4478 ****}
4479 \edef\bidi@everyjob{\the\everyjob}
4480 \message{\@bidi@info}
4481 \everyjob{\bidi@everyjob\message{\@bidi@info}}
4482 \def\bidi diversion{%
4483   \relax
4484   \ifmmode
4485     \bidi@version
4486   \else
4487     \$\bidi@version$
4488   \fi
4489 }
4490 \input iftex.sty
4491 \RequireXeTeX
4492 \newif\if@bidi@pdfm@mark
4493 \newif\if@RTLmain
4494 \newif\if@RTL
4495 \newif\if@hboxRconstruct
4496 \newif\if@sentrdir
4497 \newif\if@RTL@footnote
4498 \if@RTLmainfalse
4499 \def\setRTLmain{%
4500   \if@RTLmain\else
4501     \if@RTL\if@RTLmaintrue%
4502     \else\if@RTLmainfalse%
4503     \fi%
4504   \fi%
4505 }

```



```

4506 \let\n@xt=\
4507 \protected\def\LRE{\protect\pLRE}%
4508 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4509 \protected\def\RLE{\protect\pRLE}%
4510 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4511 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4512   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4513 \newinsert@\bidi@copyins@
4514 \skip@\bidi@copyins@=12\p@
4515 \dimen@\bidi@copyins@=40pc
4516 \count@\bidi@copyins@=1000
4517 \def@\bidi@inslogo@{\insert@\bidi@copyins@{\@bidi@logo@}}
4518 \def@\bidi@logo@hb@xt@{%
4519   \if@RTLmain
4520     \hboxR to
4521   \else
4522     \hboxL to
4523   \fi
4524 }
4525 \def@\bidi@logo#1{%
4526   \toks@{%
4527     \setbox\z@\hbox{%
4528       \special{%
4529         pdf:image width 50pt height 50pt (#1)}%
4530     }%
4531   }%
4532   \dp\z@\z@
4533   \ht\z@=50pt
4534   \wd\z@=50pt
4535   \beginL
4536     \lower20pt\box\z@
4537   \endL
4538 }%
4539 \the\toks@
4540 }
4541 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}
4542 \newcount\bidi@typesethour
4543 \newcount\bidi@typesetminute
4544 \bidi@typesethour=\time
4545 \divide\bidi@typesethour 60
4546 \bidi@typesetminute=-\bidi@typesethour
4547 \multiply\bidi@typesetminute 60
4548 \advance\bidi@typesetminute \time
4549 \def\TypesetHour{\two@digits\bidi@typesethour}
4550 \def\TypesetMinute{\two@digits\bidi@typesetminute}
4551 \def\TypesetTime{\TypesetHour:\TypesetMinute}
4552 \def@\bidi@logo@{\@bidi@logo@hb@xt@\hsize{\bf Typeset \{\today\} at {\TypesetTime} by
4553 \def\nobidilogo{\let@\bidi@logo@{\empty\let@\bidi@inslogo@{\empty}
4554 \def@\bidi@pdfcreator{%
4555   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bididate
4556 }
4557 \def@\bidi@pdfproducer{%
4558   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bididate
4559 }

```



```

4560 \def\bidi@pdfcustomproperties{%
4561   This is the bidi package, Version \bidi@version\space (Release \bidi@releasename),
4562   Released January 5, 2025.
4563 }
4564 \def\bidi@pdfm@mark{%
4565   \special{pdf:%
4566     docinfo<<%
4567     \if@bidi@pdfm@mark
4568       /Creator(\@bidi@pdfcreator)%
4569       /Producer(\@bidi@pdfproducer)%
4570     \fi
4571     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4572     >>%
4573   }%
4574 }
4575 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
4576 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
4577 \input plain-xetex-bidi.def
4578 \@bidi@inslogo@
4579 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
4580 \catcode`@=12
4581 \bidipdfinfoon

```

47 File `bidi2in1.sty`

```

4582 \NeedsTeXFormat{LaTeX2e}
4583 \ProvidesPackage{bidi2in1}
4584 \pagestyle{plain}
4585 \newcount\evenpage
4586 \newcount\oddpage
4587 \twocolumn
4588 \def\@oddfoot{\evenpage=\thepage%
4589 \multiply\evenpage by 2%
4590 \oddpage=\the\evenpage%
4591 \advance\oddpage by -1%
4592 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
4593 \def\@evenfoot{\evenpage=\thepage%
4594 \multiply\evenpage by 2%
4595 \oddpage=\the\evenpage%
4596 \advance\oddpage by -1%
4597 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
4598 \textwidth 9.49in
4599 \textheight 6.7in
4600 \columnsep 0.9in
4601 \columnseprule 0.125pt
4602 \headheight 0cm
4603 \topmargin 0in
4604 \marginparwidth 0in
4605 \marginparsep 0in
4606 \hoffset 0.05in % Corrected
4607 \voffset -0.5in % top margin space is 1.0in by default
4608 \oddsidemargin 0in
4609 \evensidemargin 0in
4610 \headsep 0cm

```



```

4611 \topskip 0cm
4612 \parskip 0.15in      %
4613 \headsep Opt
4614 \special{papersize=11.69in,8.26in}
4615 \renewcommand\maketitle{\par
4616 \begingroup
4617 \renewcommand\thefootnote{\@fnsymbol{c@footnote}}%
4618 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4619 \long\def\@makefntext##1{\parindent 1em\noindent
4620 \hb@xt@1.8em{%
4621 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4622 \@maketitle
4623 \@thanks
4624 \endgroup
4625 \setcounter{footnote}{0}%
4626 \global\let\thanks\relax
4627 \global\let\maketitle\relax
4628 \global\let\@maketitle\relax
4629 \global\let\@thanks\empty
4630 \global\let\@author\empty
4631 \global\let\@date\empty
4632 \global\let\@title\empty
4633 \global\let\title\relax
4634 \global\let\author\relax
4635 \global\let\date\relax
4636 \global\let\and\relax
4637 }

```

48 File `bidicode.sty`

```

4638 \NeedsTeXFormat{LaTeX2e}
4639 \ProvidesPackage{bidicode}
4640 \RequirePackage{xcolor}
4641 \RequirePackage{showexpl}
4642 \definecolor{hellgelb}{rgb}{1,1,0.85}
4643 \definecolor{colKeys}{rgb}{0.2,0.4,0.8}
4644 \definecolor{colCS}{rgb}{0.2,0.4,0.8}
4645 \definecolor{colIdentifier}{rgb}{0,0,0}
4646 \definecolor{colComments}{rgb}{1,0,0}
4647 \definecolor{colString}{rgb}{0,0.5,0}
4648 \lstset{%
4649   language=[LaTeX]TeX,%
4650   float=hbp,%
4651   basicstyle=\ttfamily\small,%
4652   identifierstyle=\color{colIdentifier},%
4653   keywordstyle=\color{colKeys},%
4654   texcsstyle=\color{colCS},%
4655   stringstyle=\color{colString},%
4656   commentstyle=\color{colComments},%
4657   backgroundcolor=\color{hellgelb},%
4658   columns=flexible,%
4659   tabsize=4,%
4660   extendedchars=true,%
4661   showspaces=false,%

```



```

4662    showstringspaces=false,%
4663    numbers=left,%
4664    numbersep=0.9em,%
4665    numberstyle=\tiny,%
4666    frame=single,%
4667    captionpos=b,%
4668    xleftmargin=1em,%
4669    breaklines=true,%
4670    breakautoindent=false,%
4671    breakindent=0pt,%
4672    escapeinside=**,%
4673    pos=r,%
4674    explpreset={%
4675        xleftmargin=1em,%
4676        columns=flexible,%
4677        language=[LaTeX]TeX%
4678    },%
4679    moretexcs={%
4680        bididate,%
4681        bidiversion,%
4682        deflatinfont,%
4683        defpersianfont,%
4684        ding,%
4685        endLTR,%
4686        endRTL,%
4687        false,%
4688        falsesymbol,%
4689        junicode,%
4690        lr,%
4691        LR,%
4692        LRE,%
4693        LTR,%
4694        maketitle,%
4695        Nastaliq,%
4696        newfontfamily,%
4697        Parsifont,%
4698        part,%
4699        RL,%
4700        RLE,%
4701        RTL,%
4702        RTLcases,%
4703        SepMark,%
4704        setLR,%
4705        setLTR,%
4706        setRL,%
4707        setRTL,%
4708        settextfont,%
4709        subsection,%
4710        subsubsection,%
4711        tableofcontents,%
4712        text,%
4713        theequation,%
4714        thesection,%
4715        true,%

```



```

4716      truesymbol,%
4717      XePersian,%
4718      xepersiandate,%
4719      xepersianversion%
4720      }%
4721 }
4722 \newcommand\HLON{%
4723   \gdef\lst@alloverstyle##1{%
4724     \fboxrule=0pt
4725     \fboxsep=0pt
4726     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4727   }%
4728 \newcommand\HLOFF{%
4729   \xdef\lst@alloverstyle##1{##1}%
4730 }%
4731 \newcommand\Larg [1]{{\normalfont\itshape#1\!}}
4732 \newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
4733 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
4734 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
4735 \newcommand\Lagr[1]{\lrb\Larg{#1}\rrb}
4736 \newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
4737 \newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}
4738
4739 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
4740 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\\}}
4741 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\\}}
4742 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
4743 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
4744 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
4745 \DeclareRobustCommand\rrb{{\normalfont\ttfamily()}}
4746
4747 \def\Lcs#1{\nxLcs{#1}}
4748 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
4749 \def\nxLcs#1{\texttt{\symbol{92}#1}}
4750
4751 \def\Coordx#1{$x_{\#1}$}
4752 \def\Coordy#1{$y_{\#1}$}
4753 \def\Coordz#1{$z_{\#1}$}
4754 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4755 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4756 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4757 \def\cAny{\Coordx{},\kern 1pt\Coordy{}}
4758 \def\cIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
4759 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
4760 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
4761 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
4762 \def\coordx#1{($x_{\#1}$)}
4763 \def\coordy#1{($y_{\#1}$)}
4764 \def\coordz#1{($z_{\#1}$)}
4765 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
4766 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
4767
4768 \newsavebox{\boxdef}
4769 \newenvironment{BDef}

```



```

4770  {\begin{lrbox}\boxdef
4771    \def\arraystretch{1.0}
4772    \begin{tabular}{@{}l@{}l@{}l@{}}
4773    }
4774  {\end{tabular}\end{lrbox}}
4775
4776  {\BCmd\fbox{\usebox\boxdef}\endBCmd}
4777  \aftergroup\@afterindentfalse\aftergroup\@afterheading
4778 }
4779
4780 \newenvironment{BDef*}
4781  {\begin{lrbox}\boxdef
4782    \def\arraystretch{1.0}
4783    \begin{tabular}{@{}l@{}l@{}l@{}}
4784    }
4785  {\end{tabular}\end{lrbox}}
4786  {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
4787  \aftergroup\@afterindentfalse\aftergroup\@afterheading
4788 }
4789 \newenvironment{BCmd}{
4790  \@beginparpenalty-\@lowpenalty
4791  \topsep\BDefaboveskip
4792  \fboxsep3pt
4793  \flushleft}
4794 {\@endparpenalty\@M
4795  \topsepadd\BDefbelowskip
4796  \endflushleft}
4797
4798 \newenvironment{BCmd*} {
4799  \@beginparpenalty\@M
4800  \topsep\BDefinlineskip
4801  \fboxsep3pt
4802  \flushleft}
4803 {\@endparpenalty5000
4804  \endflushleft}
4805
4806 \newskip\BDefaboveskip
4807 \newskip\BDefbelowskip
4808 \newskip\BDefinlineskip
4809 \setlength\BDefaboveskip{10pt plus 4pt}
4810 \setlength\BDefbelowskip{6pt}
4811 \setlength\BDefinlineskip{6pt}
4812
4813 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
4814 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
4815 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}
4816 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

49 File `bidiftnxtra.sty`

```

4817 \NeedsTeXFormat{LaTeX2e}
4818 \ProvidesPackage{bidiftnxtra}
4819 \newtoks\bidi@p@ftn
4820 \let\FN@sf@footnote\footnote

```



```

4821 \let\FN@sf@@LTRfootnote\LTRfootnote
4822 \let\FN@sf@@RTLfootnote\RTLfootnote
4823 \def\footnote{\ifx\protect\@typeset@protect
4824     \expandafter\FN@sf@@footnote
4825     \else
4826     \expandafter\FN@sf@gobble@opt
4827     \fi
4828 }
4829 \def\LTRfootnote{\ifx\protect\@typeset@protect
4830     \expandafter\FN@sf@@LTRfootnote
4831     \else
4832     \expandafter\FN@sf@gobble@opt
4833     \fi
4834 }
4835 \def\RTLfootnote{\ifx\protect\@typeset@protect
4836     \expandafter\FN@sf@@RTLfootnote
4837     \else
4838     \expandafter\FN@sf@gobble@opt
4839     \fi
4840 }
4841 \edef\FN@sf@gobble@opt{\noexpand\protect
4842     \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
4843 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
4844     \@ifnextchar[%]
4845         \FN@sf@gobble@twobracket
4846         \gobble
4847 }
4848 \def\FN@sf@gobble@twobracket[#1]#2{%
4849 \let\FN@sf@@footnotemark\footnotemark
4850 \def\footnotemark{\ifx\protect\@typeset@protect
4851     \expandafter\FN@sf@@footnotemark
4852     \else
4853     \expandafter\FN@sf@gobble@optionally
4854     \fi
4855 }
4856 \edef\FN@sf@gobble@optionally{\noexpand\protect
4857     \expandafter\noexpand\csname FN@sf@gobble@optionally \endcsname}
4858 \expandafter\def\csname FN@sf@gobble@optionally \endcsname{%
4859     \@ifnextchar[%]
4860         \FN@sf@gobble@bracket
4861         {}%
4862 }
4863 \def\FN@sf@gobble@bracket[#1]{}
4864 \def\@tabular{%
4865     \leavevmode \hbox \bgroup
4866     \let\@footnotetext\bidi@p@ftntext
4867     \let\@LTRfootnotetext\bidi@p@LTRftntext
4868     \let\@RTLfootnotetext\bidi@p@RTLftntext
4869     \let\@xfootnotenext\bidi@p@xftntext
4870     \let\@xfootnote\bidi@p@xfootnote
4871     \let\@xLTRfootnotenext\bidi@p@xLTRftntext
4872     \let\@xLTRfootnote\bidi@p@xLTRfootnote
4873     \let\@xRTLfootnotenext\bidi@p@xRTLftntext
4874     \let\@xRTLfootnote\bidi@p@xRTLfootnote

```



```

4875     \if@RTLtab\beginR \fi
4876     \$\let\@acol\@tabacol
4877     \let\@classz\@tabclassz
4878     \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
4879 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
4880             \egroup \$\if@RTLtab\endR\fi\egroup
4881             \vifx\@captype\@undefined
4882             \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
4883 \long\def\bidi@p@ftntext#1{%
4884   \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
4885   \global\bidi@p@ftn\expandafter{\@tempy{#1}}%
4886 \long\def\bidi@p@LTRftntext#1{%
4887   \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4888   \global\bidi@p@ftn\expandafter{\@tempyi{#1}}%
4889 \long\def\bidi@p@RTLftntext#1{%
4890   \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4891   \global\bidi@p@ftn\expandafter{\@tempyii{#1}}%
4892
4893 \long\def\bidi@p@xftntext[#1]#2{%
4894   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}
4895
4896 \long\def\bidi@p@xLTRftntext[#1]#2{%
4897   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
4898
4899 \long\def\bidi@p@xRTLftntext[#1]#2{%
4900   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
4901
4902
4903 \def\bidi@p@xfootnote[#1]{%
4904   \begingroup
4905     \csname c@\@mpfn\endcsname #1\relax
4906     \unrestored@protected\xdef\@thefnmark{\thempfn}%
4907   \endgroup
4908   \footnotemark\bidi@p@xftntext[#1]}
4909
4910
4911 \def\bidi@p@xLTRfootnote[#1]{%
4912   \begingroup
4913     \csname c@\@mpfn\endcsname #1\relax
4914     \unrestored@protected\xdef\@thefnmark{\thempfn}%
4915   \endgroup
4916   \footnotemark\bidi@p@xLTRftntext[#1]}
4917
4918
4919 \def\bidi@p@xRTLfootnote[#1]{%
4920   \begingroup
4921     \csname c@\@mpfn\endcsname #1\relax
4922     \unrestored@protected\xdef\@thefnmark{\thempfn}%
4923   \endgroup
4924   \footnotemark\bidi@p@xRTLftntext[#1]}
4925
4926
4927 \def\xfloat #1[#2]{%
4928   \nodocument

```



```

4929 \def \@capttype {\#1}%
4930 \def \@fps {\#2}%
4931 \@onellevel@sanitize \@fps
4932 \def \reserved@b {!}%
4933 \ifx \reserved@b \@fps
4934   \@fpsadddefault
4935 \else
4936   \ifx \@fps \empty
4937     \@fpsadddefault
4938   \fi
4939 \fi
4940 \ifhmode
4941   \@bsphack
4942   \@floatpenalty -\@Mii
4943 \else
4944   \@floatpenalty-\@Miii
4945 \fi
4946 \ifinner
4947   \parmoderr\@floatpenalty\z@
4948 \else
4949   \next\currbox\freelist
4950   {%
4951     \tempcnta \sixt@n
4952     \expandafter \tfor \expandafter \reserved@a
4953       \expandafter :\expandafter =\@fps
4954     \do
4955     {%
4956       \if \reserved@a h%
4957         \ifodd \tempcnta
4958           \else
4959             \advance \tempcnta \one
4960           \fi
4961           \if \reserved@a t%
4962             \setfpsbit \tw@
4963           \fi
4964           \if \reserved@a b%
4965             \setfpsbit 4%
4966           \fi
4967           \if \reserved@a p%
4968             \setfpsbit 8%
4969           \fi
4970           \if \reserved@a !%
4971             \ifnum \tempcnta>15
4972               \advance\tempcnta -\sixt@n\relax
4973             \fi
4974           \fi
4975         }%
4976       }%
4977       \tempcntb \csname ftype@\@capttype \endcsname
4978       \multiply \tempcntb \xxxii
4979       \advance \tempcnta \tempcntb
4980       \global \count\currbox \tempcnta
4981     }%
4982   \filovf

```



```

4983 \fi
4984 \global \setbox\@currbox
4985 \color@vbox
4986 \normalcolor
4987 \vbox \bgroup
4988 \let\@footnotetext\bidi@p@ftntext
4989 \let\@LTRfootnotetext\bidi@p@LTRftntext
4990 \let\@RTLfootnotetext\bidi@p@RTLftntext
4991 \let\@xfootnotenext\bidi@p@xftntext
4992 \let\@xfootnote\bidi@p@xfootnote
4993 \let\@xLTRfootnotenext\bidi@p@xLTRftntext
4994 \let\@xLTRfootnote\bidi@p@xLTRfootnote
4995 \let\@xRTLfootnotenext\bidi@p@xRTLftntext
4996 \let\@xRTLfootnote\bidi@p@xRTLfootnote
4997 \hsize\columnwidth
4998 \parboxrestore
4999 \floatboxreset
5000 }
5001 \def \cendfloatbox{%
5002     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
5003     \minipagetrue
5004     \outer@nobreak
5005     \egroup               %% end of vbox
5006     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
5007     \color@endbox
5008 }

```

50 File `bidimoderncv.cls`

```

5009 \NeedsTeXFormat{LaTeX2e}
5010 \ProvidesClass{bidimoderncv}
5011 \newif\if@DEBUG\@DEBUGfalse
5012 \DeclareOption{a4paper}{%
5013     \setlength\paperheight{297mm}%
5014     \setlength\paperwidth{210mm}%
5015 } \DeclareOption{a5paper}{%
5016     \setlength\paperheight{210mm}%
5017     \setlength\paperwidth{148mm}%
5018 } \DeclareOption{b5paper}{%
5019     \setlength\paperheight{250mm}%
5020     \setlength\paperwidth{176mm}%
5021 } \DeclareOption{letterpaper}{%
5022     \setlength\paperheight{11in}%
5023     \setlength\paperwidth{8.5in}%
5024 } \DeclareOption{legalpaper}{%
5025     \setlength\paperheight{14in}%
5026     \setlength\paperwidth{8.5in}%
5027 } \DeclareOption{executivepaper}{%
5028     \setlength\paperheight{10.5in}%
5029     \setlength\paperwidth{7.25in}%
5030 } \DeclareOption{landscape}{%
5031     \setlength\@tempdima{\paperheight}%
5032     \setlength\paperheight{\paperwidth}%
5033     \setlength\paperwidth{\@tempdima}%

```



```

5034 \newcommand{\@ptsize}{}
5035 \DeclareOption{10pt}{\renewcommand{\@ptsize}{0}}
5036 \DeclareOption{11pt}{\renewcommand{\@ptsize}{1}}
5037 \DeclareOption{12pt}{\renewcommand{\@ptsize}{2}}
5038 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
5039 \DeclareOption{final}{\setlength\overfullrule{0pt}}
5040 \newif\if@colour\@colourtrue
5041 \DeclareOption{nocolour}{\@colourfalse}
5042 \ExecuteOptions{a4paper,11pt,colour,final}
5043 \ProcessOptions\relax
5044 \input{size1@\@ptsize.clo}
5045 \RequirePackage{color}
5046 \RequirePackage{graphicx}
5047 \RequirePackage{ifthen}
5048 \RequirePackage{marvosym}
5049 \addtolength{\oddsidemargin}{-54pt}
5050 \addtolength{\textwidth}{109pt}
5051 \addtolength{\topmargin}{-70pt}
5052 \addtolength{\textheight}{122pt}
5053 \addtolength{\marginparsep}{-5pt}
5054 \addtolength{\marginparwidth}{-10pt}
5055 \RequirePackage{url}
5056 \RequirePackage{hyperref}
5057 \hypersetup{%
5058   breaklinks,
5059   baseurl      = http://,%
5060   pdfborder    = 0 0 0,%
5061   pdfpagemode  = UseNone,%
5062   pdfstartpage = 1}
5063 \AtEndOfClass{%
5064   \AtBeginDocument{%
5065     \hypersetup{%
5066       pdfauthor    = \@firstname~\@familyname,%
5067       pdftitle     = \@title,%
5068       pdfsubject   = \@firstname~\@familyname,%
5069       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
5070 \urlstyle{tt}
5071 \RequirePackage{fancyhdr}
5072 \fancypagestyle{plain}{%
5073   \renewcommand{\headrulewidth}{0pt}
5074   \renewcommand{\footrulewidth}{0pt}
5075   \fancyhf{}}
5076 \pagestyle{plain}
5077 \setlength{\lineskip}{1\p@}
5078 \setlength{\normallineskip}{1\p@}
5079 \renewcommand{\baselinestretch}{}
5080 \setlength{\parindent}{0pt}
5081 \setlength{\parskip}{0pt}
5082 \setlength{\columnsep}{10\p@}
5083 \setlength{\columnseprule}{0\p@}
5084 \pagestyle{empty}
5085 \pagenumbering{arabic}
5086 \raggedbottom
5087 \onecolumn

```



```

5088 \providecommand*{\listitemsymbol}{\textbullet}
5089 \providecommand*{\addresssymbol}{}
5090 \providecommand*{\mobilesymbol}{\Mobilefone}
5091 \providecommand*{\phonesymbol}{\Telefon}
5092 \providecommand*{\faxesymbol}{\FAX}
5093 \providecommand*{\emailsymbol}{\Letter}
5094 \definecolor{firstnamecolor}{rgb}{0,0,0}
5095 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
5096 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
5097 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
5098 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
5099 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
5100 \def\sectontitlecolour#1{\gdef\@sectontitlecolour{\addfontfeature{Color=#1}}}
5101 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
5102 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
5103 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
5104 \providecommand*{\firstnamefont}{}
5105 \providecommand*{\familynamefont}{}
5106 \providecommand*{\titlefont}{}
5107 \providecommand*{\addressfont}{}
5108 \providecommand*{\quotefont}{}
5109 \providecommand*{\sectionfont}{}
5110 \providecommand*{\subsectionfont}{}
5111 \providecommand*{\hintfont}{\small}
5112 \providecommand*{\firstnamestyle}[1]{\{\@firstnamefont\@firstnamecolour#1\}}
5113 \providecommand*{\familynamestyle}[1]{\{\@familynamefont\@familynamecolour#1\}}
5114 \providecommand*{\titlestyle}[1]{\{\@titlefont\@titlecolour#1\}}
5115 \providecommand*{\addressstyle}[1]{\{\@addressfont\@addresscolour#1\}}
5116 \providecommand*{\quotestyle}[1]{\{\@quotefont\@quotecolour#1\}}
5117 \providecommand*{\sectionstyle}[1]{\{\@sectionfont\@sectontitlecolour#1\}}
5118 \providecommand*{\subsectionstyle}[1]{\{\@subsectionfont\@subsectioncolour#1\}}
5119 \providecommand*{\hintstyle}[1]{\{\@hintfont\@hintcolour#1\}}
5120 \newcommand*{\cvtheme}[2][]{%
5121   \def\@cvtheme{#2}%
5122   \def\@cvthemedoptions{#1}%
5123 \cvtheme{bidi-casual}%
5124 \AtBeginDocument{\RequirePackage[\@cvthemedoptions]{cvtheme}\@cvtheme}%
5125 \newcommand*{\resumename}{\def\@resumename{#1}}%
5126 \newcommand*{\firstname}{\def\@firstname{#1}}%
5127 \newcommand*{\familynamen}{\def\@familynamen{#1}}%
5128 \renewcommand*{\title}{\def\@title{#1}}%
5129 \newcommand*{\address}{\def\@address{#1}}%
5130 \newcommand*{\mobile}{\def\@mobile{#1}}%
5131 \newcommand*{\phone}{\def\@phone{#1}}%
5132 \renewcommand*{\fax}{\def\@fax{#1}}%
5133 \newcommand*{\email}{\def\@email{#1}}%
5134 \newcommand*{\extrainfo}{\def\@extrainfo{#1}}%
5135 \def\@photowidth{opt}%
5136 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}%
5137 \newcommand*{\quote}{\def\@quote{#1}}%
5138 \newlength{\quotewidth}%
5139 \newlength{\hintscolumnwidth}%
5140 \newlength{\separatorcolumnwidth}%
5141 \setlength{\separatorcolumnwidth}{0.025\textwidth}

```



```

5142 \newlength{\maincolumnwidth}
5143 \newlength{\doubleitemmaincolumnwidth}
5144 \newlength{\listitemsymbolwidth}
5145 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
5146 \newlength{\listitemmaincolumnwidth}
5147 \newlength{\listdoubleitemmaincolumnwidth}
5148 \newcommand*{\recomputethemelengths}){}
5149 \newcommand*{\recalculatelengths}(){}
5150 \setlength{\quotewidth}{0.65\textwidth}%
5151 \setlength{\maincolumnwidth}{\textwidth}%
5152 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
5153 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
5154 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
5155 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
5156 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
5157 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
5158 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
5159 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
5160 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
5161 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
5162 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
5163 \renewcommand{\headwidth}{\textwidth}%
5164 \recomputethemelengths}
5165 \setlength{\hintscolumnwidth}{0.15\textwidth}%
5166 \recalculatelengths
5167 \title{}
5168 \renewcommand*{\maketitle}){}
5169 \newcommand*{\section}[1]{%
5170 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
5171 \phantomsection}%
5172 \addcontentsline{toc}{part}{#1}%
5173 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\rule{#1}{0pt}}\phantom{#1}}%
5174 \hspace{\separatorcolumnwidth}%
5175 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}\rule[1ex]{#1}{0pt}}%
5176 \newcommand*{\subsection}[1]{%
5177 \cvline[0.45em]{}{\subsectionstyle{#1}}}%
5178 \newcommand*{\cvline}[3][.25em]{%
5179 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}}
5180 \bidi@raggedleft\hintfont{#2} & #3}%
5181 \end{tabular}\rule[1ex]{#1}{0pt}}%
5182 \newcommand*{\cvdoubleitem}[4]{%
5183 \cvline[#1]{\begin{minipage}[t]{\doubleitemmaincolumnwidth}\#2\end{minipage}}% 
5184 \hfill}%
5185 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{%
5186 \newcommand*{\cvlistitem}[2]{[\listitemsymbol{}]}{%
5187 \cvline[Opt]{\listitemsymbol{}~\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}}}%
5188 \newcommand*{\cvlistdoubleitem}[3]{[\listitemsymbol{}]}{%
5189 \cvline[Opt]{\listitemsymbol{}~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}}}%
5190 \hfill}%
5191 \ifthenelse{\equal{#3}{}}{%
5192 }{%
5193 {#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}}}%
5194 \newcommand*{\cventry}[6]{%
5195 \cvline[#1]{%

```



```

5196   {\bfseries#2}%
5197   \ifx#3\else{, {\slshape#3}}\fi%
5198   \ifx#4\else{, #4}\fi%
5199   \ifx#5\else{, #5}\fi%
5200   .%
5201   \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
5202   }%
5203 \newcommand*{\cvlanguage}[3]{%
5204   \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\#3\end{minipage}}%
5205 \newcommand*{\cvcomputer}[4]{%
5206   \cvdoubleitem{\#1}{\small#2}{\#3}{\small#4}%
5207 \newcommand*{\link}[2][]{%
5208   \ifthenelse{\equal{\#1}{}}{%
5209     {\href{\#2}{\#2}}%
5210     {\href{\#2}{\#1}}}%
5211 \newcommand*{\httplink}[2][]{%
5212   \ifthenelse{\equal{\#1}{}}{%
5213     {\href{http://\#2}{\#2}}%
5214     {\href{http://\#2}{\#1}}}%
5215 \newcommand*{\emaillink}[2][]{%
5216   \ifthenelse{\equal{\#1}{}}{%
5217     {\href{mailto:\#2}{\#2}}%
5218     {\href{mailto:\#2}{\#1}}}%
5219 \newif\if@displaypagenumbers\@displaypagenumberstrue
5220 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
5221 \AtBeginDocument{%
5222   \if@displaypagenumbers%
5223     \@ifundefined{r@lastpage}{}{%
5224       \ifthenelse{\pageref{lastpage} > 1}{%
5225         \fancypagestyle{plain}{%
5226           \fancyfoot[r]{\begin{addressfont}\@quotecolour\footnotesize\thepage\beginL\endL\pagestyle{plain}}}}%
5227       \pagestyle{plain}}%
5228   \AtEndDocument{\label{lastpage}}%
5229   \fi}%
5230 \newlength{\bibindent}
5231 \setlength{\bibindent}{1.5em}
5232 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
5233 \newenvironment{thebibliography}[1]{%
5234   {%
5235     \section{\refname}%
5236     \small%
5237     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5238     \bidi@@thebibliography\font@hook\%
5239     \begin{list}{\bibliographyitemlabel}{%
5240       {%
5241         \setlength{\topsep}{0pt}%
5242         \setlength{\labelwidth}{\hintscolumnwidth}%
5243         \setlength{\labelsep}{\separatorcolumnwidth}%
5244         \leftmargin\labelwidth%
5245         \advance\leftmargin\labelsep%
5246         \openbib@code%
5247         \usecounter{enumiv}%
5248         \let\p@enumiv\empty%
5249         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
```



```

5250     \sloppy\clubpenalty4000\widowpenalty4000%
5251   }%
5252   {%
5253     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
5254     \end{list}%
5255   }
5256 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
5257 \let\openbib@code\empty

```

51 File bidi-perpage.sty

```

5258 \NeedsTeXFormat{LaTeX2e}
5259 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
5260 \newcount\bidi@page@count
5261 \bidi@page@count\one
5262 \newcommand*\ResetCounterPerPage[2]{\z@}{%
5263   \if@bidi@csundef{bidi@stepcounterhook@@#2}{%
5264     \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
5265   }{%
5266   \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
5267     \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
5268   }{%
5269   \if@bidi@csundef{bidi@#2@count}{%
5270     \expandafter\newcount\csname bidi@#2@count\endcsname
5271   }{%
5272   \csname bidi@#2@count\endcsname\z@
5273   \if@bidi@csundef{bidi@previous@page@@#2@count}{%
5274     \expandafter\newcount\csname
5275     bidi@previous@page@@#2@count\endcsname
5276   }{%
5277   \csname bidi@previous@page@@#2@count\endcsname\z@
5278   \if@bidi@csundef{bidi@reset@#2@perpage}{%
5279     \bidi@AfterEndDocumentCheckLabelsRerun{%
5280       \csname if@bidi@reset@#2@rerun\endcsname
5281       \PackageWarningNoLine{bidi-perpage}{%
5282         Counter `#2' may not have been reset per page.
5283         Rerun to reset counter `#2' per page%
5284       }%
5285     \fi
5286   }{%
5287 }{%
5288 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
5289   \global\advance\csname bidi@#2@count\endcsname\one
5290   \if@filesw
5291     \edef@\tempaf{%
5292       \write\auxout{%
5293         \string\bidi@counter@page{#2}%
5294         {\number\csname bidi@#2@count\endcsname}%
5295         {\noexpand\number\noexpand\bidi@page@count}%
5296       }%
5297     }{%
5298       \tempa
5299     \fi
5300 \begingroup\expandafter\expandafter\expandafter\endgroup

```



```

5301 \expandafter\ifx\csname bidi@#2@@number\csname
5302 bidi@#2@count\endcsname\endcsname\relax
5303   \global\csname @bidi@reset@#2@reruntrue\endcsname
5304 \else
5305   \global\csname @bidi@reset@#2@rerunfalse\endcsname
5306   \expandafter\@tempcnta\csname bidi@#2@@number
5307   \csname bidi@#2@count\endcsname\endcsname\relax
5308   \ifnum@\tempcnta=\csname
5309     bidi@previous@page@@#2@count\endcsname
5310   \else
5311     \global\csname
5312       bidi@previous@page@@#2@count\endcsname\@tempcnta
5313     \global\csname c@#2\endcsname#1\relax
5314   \fi
5315 \fi
5316 }%
5317 \expandafter\bidi@gappto\csname
5318 bidi@stepcounterhook@@#2\endcsname{%
5319   \csname bidi@reset@#2@perpage\endcsname
5320 }%
5321 }
5322 \def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
5323 \bidi@AtEndOutputPage{%
5324   \global\advance\bidi@page@count@ne
5325 }

```

52 File `biditools.sty`

```

5326 \NeedsTeXFormat{LaTeX2e}
5327 \ProvidesPackage{biditools}[2025/01/03 v2.6 Programming tools for bidi package]
5328 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\ \relax
5329   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
5330   \ifx\@tempa\@tempb \global\let#2#1%
5331   \else
5332     \edef\@tempb{\meaning#2}%
5333     \ifx\@tempa\@tempb
5334     \else
5335       \Olatex@error{Unable to properly define \string#2; primitive
5336         \noexpand#1 no longer primitive}\@eha
5337     \fi
5338   \fi
5339 \endgroup}
5340 \newtoks\@bidi@envbody
5341 \newtoks\@bidi@emptytoks
5342 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5343 \def\bidi@collect@body#1{%
5344   \Obidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5345   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{@currenvir}}%
5346   \Obidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5347   \begingroup
5348   \expandafter\let\csname@currenvir\endcsname\bidi@collect@body
5349   \edef\bidi@process@envbody{\expandafter\noexpand\csname@currenvir\endcsname}%
5350   \bidi@process@envbody
5351 }

```



```

5352 \def\bidi@push@begins#1\begin#2{%
5353   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
5354 }
5355 \def\bidi@collect@@body#1\end#2{%
5356   \edef\begin@\bidi@stack{\bidi@push@begins#1\begin\end \expandafter@gobble\begin@\bidi@stack
5357   \ifx@\empty\begin@\bidi@stack
5358     \endgroup
5359     \checkend{#2}%
5360     \bidi@addto@envbody{#1}%
5361   \else
5362     \bidi@addto@envbody{#1\end{#2}}%
5363   \fi
5364   \bidi@process@envbody % A little tricky! Note the grouping
5365 }
5366 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}%
5367 \long\def\bidi@collect@long@body#1{%
5368   \bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5369   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
5370   \bidi@envbody\@bidi@emptytoks \def\begin@\bidi@stack{b}%
5371   \begingroup
5372   \expandafter\let\csname\currenvir\endcsname\bidi@collect@long@@body
5373   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
5374   \bidi@process@envbody
5375 }
5376 \long\def\bidi@push@long@begins#1\begin#2{%
5377   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
5378 }
5379 \long\def\bidi@collect@long@@body#1\end#2{%
5380   \edef\begin@\bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter@gobble\begin@\bidi@stack
5381   \ifx@\empty\begin@\bidi@stack
5382     \endgroup
5383     \checkend{#2}%
5384     \bidi@addto@long@envbody{#1}%
5385   \else
5386     \bidi@addto@long@envbody{#1\end{#2}}%
5387   \fi
5388   \bidi@process@envbody % A little tricky! Note the grouping
5389 }
5390 \long\def\bidi@new@ifnextchar#1#2#3{%
5391   \let\reserved@d= #1%
5392   \def\reserved@a{#2}\def\reserved@b{#3}%
5393   \futurelet@\let@token\bidi@new@ifnch
5394 }
5395 \def\bidi@new@ifnch{%
5396   \ifx@\let@token\reserved@d \let\reserved@b\reserved@a \fi
5397   \reserved@b
5398 }
5399 \def\bidi@matrix@check#1{%
5400   \expandafter\ifx\csname\currenvir\endcsname#1%
5401   \else\bidi@matrix@error#1%
5402     \expandafter\gobble
5403   \fi
5404 }
5405 \def\bidi@matrix@error#1{%

```



```

5406  \PackageError{biditools}{%
5407 Old form `string#1' should be \string\begin{\expandafter\@gobble\string#1}%
5408 }{%
5409 `string#1{...}' is old bidi package syntax whose use is
5410 ill-advised in the old versions of bidi package.%}
5411 }%
5412 }%
5413 \def\eqnewif#1#2{%
5414   \count@\escapechar \escapechar\m@ne
5415   \let#1\iffalse
5416   \let#2\iffalse
5417   \eq@if#1#2\iftrue
5418   \eq@if#1#2\iffalse
5419   \escapechar\count@}
5420 \def\eq@if#1#2#3{%
5421   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5422                           \expandafter\@gobbletwo\string#3\endcsname
5423                           {\let#1#3%
5424                           \let#2#3}%
5425   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5426                           \expandafter\@gobbletwo\string#3\endcsname
5427                           {\let#2#3%
5428                           \let#1#3}%
5429 \def\noteqnewif#1#2{%
5430   \count@\escapechar \escapechar\m@ne
5431   \let#1\iffalse
5432   \let#2\iffalse
5433   \not@eq@if#1#2\iftrue\iffalse
5434   \escapechar\count@}
5435 \def\not@eq@if#1#2#3#4{%
5436   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5437                           \expandafter\@gobbletwo\string#3\endcsname
5438                           {\let#1#3%
5439                           \let#2#4}%
5440   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5441                           \expandafter\@gobbletwo\string#4\endcsname
5442                           {\let#1#4%
5443                           \let#2#3}%
5444   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5445                           \expandafter\@gobbletwo\string#3\endcsname
5446                           {\let#2#3%
5447                           \let#1#4}%
5448   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5449                           \expandafter\@gobbletwo\string#4\endcsname
5450                           {\let#2#4%
5451                           \let#1#3}%
5452 \newcommand*\SetBoolean[2]{%
5453   \lowercase{\def\@tempa{#2}}%
5454   \@ifundefined{\@tempswa\@tempa}{%
5455     {\PackageError{biditools}{%
5456       {You can only set a boolean to `true' or `false'}\@ehc}%
5457     \@ifundefined{#1\@tempa}{%
5458       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5459       {\csname#1\@tempa\endcsname}}}%

```



```

5460 \newcommand*{\GlobalSetBoolean}[2]{%
5461   \lowercase{\def\@tempa{#2}}%
5462   \@ifundefined{@tempswa\@tempa}{%
5463     {\PackageError{biditools}{%
5464       {You can only set a boolean to `true' or `false'}\@ehc}}%
5465     {\@ifundefined{#1\@tempa}{%
5466       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}}%
5467       {\global\csname#1\@tempa\endcsname}}}%
5468 \newcommand*{\SetatBoolean}[2]{%
5469   \lowercase{\def\@tempa{#2}}%
5470   \@ifundefined{@tempswa\@tempa}{%
5471     {\PackageError{biditools}{%
5472       {You can only set a boolean to `true' or `false'}\@ehc}}%
5473     {\@ifundefined{@#1\@tempa}{%
5474       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}}%
5475       {\csname @#1\@tempa\endcsname}}}%
5476 \newcommand*{\GlobalSetatBoolean}[2]{%
5477   \lowercase{\def\@tempa{#2}}%
5478   \@ifundefined{@tempswa\@tempa}{%
5479     {\PackageError{biditools}{%
5480       {You can only set a boolean to `true' or `false'}\@ehc}}%
5481     {\@ifundefined{@#1\@tempa}{%
5482       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}}%
5483       {\global\csname @#1\@tempa\endcsname}}}%
5484 \def\@bidi@removefromreset#1#2{%
5485   \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
5486   \def\@elt##1{%
5487     \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
5488     \else
5489       \noexpand\@elt{##1}%
5490     \fi}%
5491   \expandafter\xdef\csname cl@#2\endcsname{%
5492     \csname cl@#2\endcsname}}}
5493 \newcommand*{\ifRtoL}{%
5494   \if@RTL
5495     \expandafter\@firstoftwo
5496   \else
5497     \expandafter\@secondoftwo
5498   \fi}
5499 \newcommand*{\ifLtoR}{%
5500   \if@RTL
5501     \expandafter\@secondoftwo
5502   \else
5503     \expandafter\@firstoftwo
5504   \fi}
5505 \newcommand*{\ifRtoLtable}{%
5506   \if@RTLtab
5507     \expandafter\@firstoftwo
5508   \else
5509     \expandafter\@secondoftwo
5510   \fi}
5511 \newcommand*{\ifLtoRtable}{%
5512   \if@RTLtab
5513     \expandafter\@secondoftwo

```



```

5514 \else
5515   \expandafter\@firstoftwo
5516 \fi}
5517 \newcommand*{\ifRtoLhboxconstruct}{%
5518   \if@hboxRconstruct
5519     \expandafter\@firstoftwo
5520   \else
5521     \expandafter\@secondoftwo
5522   \fi}
5523 \newcommand*{\ifLtoRhboxconstruct}{%
5524   \if@hboxRconstruct
5525     \expandafter\@secondoftwo
5526   \else
5527     \expandafter\@firstoftwo
5528   \fi}
5529 \newcommand*{\iflatin}{%
5530   \if@nonlatin
5531     \expandafter\@secondoftwo
5532   \else
5533     \expandafter\@firstoftwo
5534   \fi}
5535 \newcommand*{\ifnonlatin}{%
5536   \if@nonlatin
5537     \expandafter\@firstoftwo
5538   \else
5539     \expandafter\@secondoftwo
5540   \fi}
5541
5542 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
5543   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5544
5545 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
5546   \dimexpr #1*65536/\dimexpr 1pt\relax}
5547
5548 \newcommand*{\if@bidi@csdef}[1]{%
5549   \ifcsname#1\endcsname
5550     \expandafter\@firstoftwo
5551   \else
5552     \expandafter\@secondoftwo
5553   \fi}
5554 \newcommand*{\if@bidi@csundef}[1]{%
5555   \ifcsname#1\endcsname
5556     \expandafter\ifx\csname#1\endcsname\relax
5557       \expandafter\expandafter
5558       \expandafter\@firstoftwo
5559     \else
5560       \expandafter\expandafter
5561       \expandafter\@secondoftwo
5562     \fi
5563   \else
5564     \expandafter\@firstoftwo
5565   \fi}
5566 \newcommand{\if@bidi@def}[1]{%
5567   \ifdefined#1%

```



```

5568      \expandafter\@firstoftwo
5569  \else
5570      \expandafter\@secondoftwo
5571  \fi}
5572 \newcommand{\if@bidi@undef}[1]{%
5573  \ifdefined#1%
5574      \ifx#1\relax
5575          \expandafter\expandafter
5576          \expandafter\@firstoftwo
5577  \else
5578      \expandafter\expandafter
5579      \expandafter\@secondoftwo
5580  \fi
5581  \else
5582      \expandafter\@firstoftwo
5583  \fi}
5584 \newcommand{\if@bidi@blank}[1]{% from url.sty
5585  \bidi@ifblank{i#1&&\@secondoftwo\@firstoftwo:}
5586 \long\def\bidi@ifblank{i#1#2#3#4#5:{#4}
5587 \newcommand{\bidi@notblank}[1]{%
5588  \bidi@ifblank{i#1&&\@firstoftwo\@secondoftwo:}
5589 \newcommand{\if@bidi@defmacro}{}
5590 \long\edef\if@bidi@defmacro#1{%
5591  \noexpand\expandafter\noexpand\bidi@ifdefmacro
5592  \noexpand\meaning#1\detokenize{macro}:&}
5593 \edef\bidi@ifdefmacro{%
5594  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:###2&}
5595 \bidi@ifdefmacro{\bidi@notblank{#2}}
5596 \newcommand*\{\if@bidi@csmacro}[1]{%
5597  \if@bidi@csdef{#1}
5598      {\expandafter\if@bidi@defmacro\csname#1\endcsname}
5599      {\@secondoftwo}
5600 \newcommand{\if@bidi@defprimitive}[1]{%
5601  \ifprimitive#1%
5602      \expandafter\@firstoftwo
5603  \else
5604      \expandafter\@secondoftwo
5605  \fi}
5606 \newcommand{\if@bidi@csprimitive}[1]{%
5607 \begingroup\expandafter\expandafter\expandafter\endgroup%
5608  \expandafter\ifprimitive\csname#1\endcsname%
5609  \expandafter\@firstoftwo
5610  \else
5611  \expandafter\@secondoftwo
5612  \fi}
5613 \newcommand*\{\bidi@csdefcs}[2]{%
5614 \expandafter\@ifdefinable \csname#1\endcsname{%
5615 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
5616 \newcommand*\{\bidi@csletcs}[2]{%
5617 \expandafter\@ifdefinable \csname#1\endcsname{%
5618 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5619 \newcommand*\{\bidi@cslet}[2]{%
5620 \expandafter\@ifdefinable \csname#1\endcsname{%
5621 \expandafter\let\csname#1\endcsname#2}}

```



```

5622 \newcommand{\bidi@namelongdef}[1]{%
5623   \long\expandafter\def\csname #1\endcsname}%
5624 \newcommand{\bidi@namelonggdef}[1]{%
5625   \long\expandafter\gdef\csname #1\endcsname}%
5626 \newcommand{\bidi@namelongedef}[1]{%
5627   \long\expandafter\edef\csname #1\endcsname}%
5628 \newcommand{\bidi@namelongxdef}[1]{%
5629   \long\expandafter\xdef\csname #1\endcsname}%
5630 \def\bidi@ensure@newcommand{\star@or@long\bidi@ensure@new@command}%
5631 \def\bidi@ensure@new@command#1{%
5632   \begingroup \escapechar`m@ne\xdef\@tempa{\string#1}\endgroup
5633   \expandafter\if@bidi@csundef\@tempa
5634     {\new@command#1}\relax%
5635   \let\@ifdefinable\@rc@ifdefinable%
5636   \new@command#1}%
5637 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
5638
5639 \protected\def\bidi@error{\PackageError{bidi}}
5640 \protected\def\bidi@warning{\PackageWarning{bidi}}
5641 \protected\def\bidi@warningnoline{\PackageWarningNoLine{bidi}}
5642 \protected\def\bidi@info{\PackageInfo{bidi}}
5643
5644 \def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@@#2@#3}{#4}}
5645
5646 \newcount\bidi@poscount
5647
5648 \newcommand*\WriteStartXPostoaux{%
5649   \global\advance\bidi@poscount\@ne
5650   \edef\@tempa{%
5651     \write\@auxout{%
5652       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5653     }%
5654   }%
5655   \ifvmode
5656     \leavevmode
5657   \fi
5658   \if@RTL
5659     \if@filesw
5660       \@tempa
5661     \fi
5662   \pdfsavepos
5663   \else
5664   \pdfsavepos
5665   \if@filesw
5666     \@tempa
5667   \fi
5668   \fi
5669   \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
5670     \PackageWarningNoLine{biditools}{%
5671       The start x position `'\number\bidi@poscount' is not known yet.
5672       Rerun to get this x position}%
5673   }%
5674 }{}%
5675 }

```



```

5676 \newcommand*{\WriteEndXPostoaux}{%
5677     \edef\@tempa{%
5678         \write\@auxout{%
5679             \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\number\noexpand\pdflastx
5680             }%
5681         }%
5682     }%
5683     \if@RTL
5684         \if@filesw
5685             \@tempa
5686         \fi
5687         \pdfsavepos
5688     \else
5689         \pdfsavepos
5690     \if@filesw
5691         \@tempa
5692     \fi
5693     \fi
5694     \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5695         \PackageWarningNoLine{biditools}{%
5696             The end x position `'\number\bidi@poscount' is not known yet.
5697             Rerun to get this x position%
5698         }%
5699     }{}}%
5700 }
5701
5702 \newcommand*{\WriteStartYPostoaux}{%
5703     \global\advance\bidi@poscount@ne
5704     \edef\@tempa{%
5705         \write\@auxout{%
5706             \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\number\noexpand\pdflasty
5707             }%
5708         }%
5709     \ifvmode
5710         \leavevmode
5711     \fi
5712     \if@RTL
5713         \if@filesw
5714             \@tempa
5715         \fi
5716         \pdfsavepos
5717     \else
5718         \pdfsavepos
5719     \if@filesw
5720         \@tempa
5721     \fi
5722     \fi
5723     \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
5724         \PackageWarningNoLine{biditools}{%
5725             The start y position `'\number\bidi@poscount' is not known yet.
5726             Rerun to get this y position%
5727         }%
5728     }{}}%
5729 }

```



```

5730 \newcommand*{\WriteEndYPostoaux}{%
5731   \edef\@tempa{%
5732     \write\@auxout{%
5733       \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5734     }%
5735   }%
5736   \if@RTL
5737     \if@filesw
5738       \@tempa
5739     \fi
5740   \pdfsavepos
5741   \else
5742   \pdfsavepos
5743   \if@filesw
5744     \@tempa
5745   \fi
5746   \fi
5747   \fi
5748   \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5749     \PackageWarningNoLine{biditools}{%
5750       The end y position `\\number\\bidi@poscount' is not known yet.
5751       Rerun to get this y position%
5752     }%
5753   }{}}%
5754 }
5755
5756 \newcommand*{\WriteStartXYPostoaux}{%
5757   \global\advance\bidi@poscount@ne
5758   \edef\@tempa{%
5759     \write\@auxout{%
5760       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5761     }%
5762     \write\@auxout{%
5763       \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5764     }%
5765   }%
5766   \ifvmode
5767     \leavevmode
5768   \fi
5769   \if@RTL
5770     \if@filesw
5771       \@tempa
5772     \fi
5773   \pdfsavepos
5774   \else
5775   \pdfsavepos
5776   \if@filesw
5777     \@tempa
5778   \fi
5779   \fi
5780   \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
5781     \PackageWarningNoLine{biditools}{%
5782       The start x position `\\number\\bidi@poscount' is not known yet.
5783       Rerun to get this x position%
5784     }%
5785   }{}}%

```



```

5784      }%
5785  }{ }%
5786 \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
5787     \PackageWarningNoLine{biditools}{%
5788         The start y position `'\number\bidi@poscount' is not known yet.
5789         Rerun to get this y position%
5790     }%
5791 }{ }%
5792 }
5793
5794 \newcommand*{\WriteEndXYPostoaux}{%
5795     \edef\@tempa{%
5796         \write\@auxout{%
5797             \string\bidi@pos{x}{end}\{\number\bidi@poscount\}\{\noexpand\number\noexpand\pdflastx
5798             }%
5799             \write\@auxout{%
5800                 \string\bidi@pos{y}{end}\{\number\bidi@poscount\}\{\noexpand\number\noexpand\pdflasty
5801                 }%
5802             }%
5803     \if@RTL
5804         \if@filesw
5805             \@tempa
5806         \fi
5807         \pdfsavepos
5808     \else
5809         \pdfsavepos
5810     \if@filesw
5811         \@tempa
5812     \fi
5813     \fi
5814     \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5815         \PackageWarningNoLine{biditools}{%
5816             The end x position `'\number\bidi@poscount' is not known yet.
5817             Rerun to get this x position%
5818         }%
5819     }{ }%
5820     \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5821         \PackageWarningNoLine{biditools}{%
5822             The end y position `'\number\bidi@poscount' is not known yet.
5823             Rerun to get this y position%
5824         }%
5825     }{ }%
5826 }
5827
5828 \newcommand*{\currentposxwidth}{%
5829     \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{\z@}
5830     {%
5831         \ifnum\cscname bidi@xpos@@start@\number\bidi@poscount
5832             \endcscname < \cscname    bidi@xpos@@end@\number\bidi@poscount
5833             \endcscname
5834             \dimexpr \cscname bidi@xpos@@end@\number\bidi@poscount
5835             \endcscname sp - \cscname    bidi@xpos@@start@\number\bidi@poscount
5836             \endcscname sp\relax
5837     \else

```



```

5838     \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
5839     \endcsname sp - \csname    bidi@xpos@@end@\number\bidi@poscount
5840     \endcsname sp\relax
5841   \fi
5842 }%
5843 }
5844 \newcommand*\currentposyheight{%
5845   \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
5846   {%
5847     \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
5848     \endcsname sp - \csname    bidi@ypos@@end@\number\bidi@poscount
5849     \endcsname sp\relax
5850   }%
5851 }
5852 }
5853
5854
5855 \newcommand*\setbaselineskip[1]{%
5856   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax}
5857   \selectfont
5858 }
5859 }
5860
5861 \newcommand*\bidi@newrobustcmd{}%
5862 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}%
5863
5864 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}%
5865
5866 \def\bidi@newcommand#1[#2]{%
5867   \@ifnextchar[%]
5868     {\bidi@xargdef#1[#2]}
5869     {\ifx\l@ngrel@x\relax
5870       \let\l@ngrel@x\protected
5871     \else
5872       \protected\def\l@ngrel@x{\protected\long}%
5873     \fi
5874   \gargdef#1[#2]}%
5875
5876 \long\def\bidi@xargdef#1[#2] [#3] #4{%
5877   \@ifdefinable#1{%
5878     \expandafter\protected
5879     \expandafter\def
5880     \expandafter#1%
5881     \expandafter{%
5882       \expandafter\@testopt
5883       \csname\string#1\endcsname{#3}}%
5884     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
5885
5886 \bidi@newrobustcmd*\bidi@renewrobustcmd{\@star@or@long\bidi@renew@command}%
5887
5888 \def\bidi@renew@command#1{%
5889   \if@bidi@undef{#1}
5890     {\bidi@error{\string#1 undefined}\@ehc}

```



```

5892      {}%
5893  \let\@ifdefinable\@rc@ifdefinable
5894  \bidi@new@command#1}
5895
5896
5897
5898 \bidi@newrobustcmd*\{ \bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
5899
5900 \def\bidi@provide@command#1{%
5901   \if@bidi@undef{#1}
5902     {\def\reserved@a{\bidi@new@command#1}}
5903     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
5904   \reserved@a}
5905
5906 \newcommand*\{ \bidi@csuse}[1]{%
5907   \ifcsname#1\endcsname
5908   \csname#1\expandafter\endcsname
5909   \fi}
5910
5911 \newcommand{\bidi@expandonce}[1]{%
5912   \unexpanded\expandafter{#1}}
5913
5914 \def\bidi@protected{%
5915   \let\@@protect\protect
5916   \let\protect\@unexpandable@protect
5917   \afterassignment\restore@protect}
5918
5919 \bidi@newrobustcmd{\bidi@appto}[2]{%
5920   \if@bidi@undef{#1}
5921     {\edef#1{\unexpanded{#2}}}
5922     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5923 \bidi@newrobustcmd{\bidi@eappto}[2]{%
5924   \if@bidi@undef{#1}
5925     {\edef#1{#2}}
5926     {\edef#1{\bidi@expandonce#1#2}}}
5927 \bidi@newrobustcmd{\bidi@gappto}[2]{%
5928   \if@bidi@undef{#1}
5929     {\xdef#1{\unexpanded{#2}}}
5930     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5931 \bidi@newrobustcmd{\bidi@xappto}[2]{%
5932   \if@bidi@undef{#1}
5933     {\xdef#1{#2}}
5934     {\xdef#1{\bidi@expandonce#1#2}}}
5935
5936 \bidi@newrobustcmd*\{ \bidi@protected@eappto}{\bidi@protected\bidi@eappto}
5937 \bidi@newrobustcmd*\{ \bidi@protected@xappto}{\bidi@protected\bidi@xappto}
5938
5939
5940
5941 \bidi@newrobustcmd{\bidi@preto}[2]{%
5942   \if@bidi@undef{#1}
5943     {\edef#1{\unexpanded{#2}}}
5944     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5945 \bidi@newrobustcmd{\bidi@epreto}[2]{%

```



```

5946 \if@bidi@undef{#1}
5947   {\edef#1{#2}}
5948   {\edef#1{#2\bidi@expandonce#1}}}
5949 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5950   \if@bidi@undef{#1}
5951     {\xdef#1{\unexpanded{#2}}}
5952     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5953 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5954   \if@bidi@undef{#1}
5955     {\xdef#1{#2}}
5956     {\xdef#1{#2\bidi@expandonce#1}}}
5957
5958 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5959 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
5960
5961
5962 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5963 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5964 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5965 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5966 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5967 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5968
5969
5970
5971 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5972 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5973 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5974 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5975 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5976 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5977
5978
5979
5980 \bidi@newrobustcmd{\if@bidi@patchable}{%
5981   \bidi@dbg@trce\if@bidi@patchable
5982     \begingroup
5983       @makeother\#%
5984     \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5985
5986
5987 \long\def\bidi@ifpatchable#1#2{%
5988   \endgroup
5989   \bidi@dbg@init#1%
5990   \if@bidi@undef{#1}
5991     {\bidi@dbg@fail{def}\@secondoftwo}
5992     {\bidi@dbg@info{def}}%
5993   \if@bidi@defmacro{#1}
5994     {\bidi@dbg@info{mac}}%
5995     \bidi@ifscanable{#1}
5996     {\bidi@ifhashcheck{#2}}
5997     {\bidi@dbg@info{tok}}%
5998     \bidi@ifpattern#1{#2}
5999     {\bidi@dbg@info{pat}}%

```



```

6000          \bidi@dbg@info{pos}\@firsoftwo}
6001          {\bidi@dbg@fail{pat}\@secondoftwo}
6002          {\bidi@dbg@fail{hsh}\@secondoftwo}}
6003          {\bidi@dbg@fail{tok}\@secondoftwo}}
6004          {\bidi@dbg@fail{mac}\@secondoftwo}}}
6005
6006 \long\def\bidi@ifpatchable@i#1{%
6007   \endgroup
6008   \bidi@dbg@init#1%
6009   \if@bidi@undef{#1}
6010     {\bidi@dbg@fail{def}\@secondoftwo}
6011     {\bidi@dbg@info{def}}%
6012     \if@bidi@defmacro{#1}
6013       {\bidi@dbg@info{mac}}%
6014       \if@bidi@defparam{#1}
6015         {\bidi@dbg@info{prm}}%
6016         \bidi@ifscanable{#1}
6017           {\bidi@dbg@info{tok}}%
6018           \bidi@dbg@info{pos}\@firsoftwo}
6019           {\bidi@dbg@fail{tok}\@secondoftwo}}
6020         {\bidi@dbg@info{prl}}%
6021         \if@bidi@defprotected{#1}
6022           {\bidi@dbg@info{pro}}%
6023           {}%
6024           \bidi@dbg@info{pos}\@firsoftwo}}
6025           {\bidi@dbg@fail{mac}\@secondoftwo}}}
6026
6027 \bidi@newrobustcmd*\{\bidi@patchcmd\}%
6028   \bidi@dbg@trce\bidi@patchcmd
6029   \begingroup
6030   \makeother\#%
6031   \bidi@@patchcmd}
6032
6033 \newcommand{\bidi@patchcmd}[4] [#####1]{%
6034   \bidi@ifpatchable#2{#3}
6035   {\bidi@dbg@succ{ret}}%
6036   \begin{group}
6037   \edef\bidi@resrvda{%
6038     \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
6039       #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
6040     \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
6041       ####1\detokenize{#4}####2}%
6042     \edef\noexpand\bidi@resrvda{%
6043       \noexpand\bidi@resrvda\meaning#2&}}%
6044     \bidi@resrvda
6045     \bidi@patchcmd@scantoks\bidi@resrvda
6046     \let#2\bidi@resrvda
6047     \bidi@undef\bidi@resrvda
6048     \@firsoftwo}
6049   {\@\secondoftwo}}}
6050
6051 \def\bidi@patchcmd@scantoks#1{%
6052   \edef\bidi@resrvda{\endgroup
6053     \unexpanded{\makeatletter\scantokens}{#1}}%

```



```

6054     \catcode\number`@=\the\catcode`\@\\relax}%
6055 \bidi@resrvda}
6056
6057 \protected\def\bidi@ifscanable#1{%
6058   \begingroup
6059   \edef\bidi@resrvda{%
6060     \def\noexpand\bidi@resrvda###1\detokenize{macro}:####2->####3&{%
6061       ####1\def\string\bidi@resrvda####2{####3}}%
6062     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
6063 \bidi@resrvda
6064 \makeatletter
6065 \scantokens\expandafter{\bidi@resrvda}%
6066 \expandafter\endgroup\ifx#1\bidi@resrvda
6067   \expandafter\@firstoftwo
6068 \else
6069   \expandafter\@secondoftwo
6070 \fi}
6071
6072
6073 \protected\long\def\bidi@ifhashcheck#1{%
6074   \begingroup
6075   \edef\bidi@resrvda{\detokenize{#1}}%
6076   \expandafter\endgroup
6077   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
6078
6079 \edef\bidi@ifhashcheck@i#1&{%
6080   \noexpand\expandafter
6081   \noexpand\bidi@ifhashcheck@ii
6082   \noexpand\strip@prefix#1\string#\string##&}
6083
6084 \edef\bidi@ifhashcheck@ii{%
6085   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string##2&{%
6086 \bidi@ifhashcheck@ii{\if@bidi@blank{##2}}}
6087
6088
6089 \protected\long\def\bidi@ifpattern#1#2{%
6090   \begingroup
6091   \edef\bidi@resrvda{%
6092     \def\noexpand\bidi@resrvda###1\detokenize{#2}####2&{%
6093       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
6094     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
6095       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
6096     \noexpand\bidi@resrvda}
6097 \bidi@resrvda\@secondoftwo\@firstoftwo}
6098
6099
6100 \newcommand{\if@bidi@defparam}{}
6101 \long\edef\if@bidi@defparam#1{%
6102   \noexpand\expandafter\expandafter\expandafter\bidi@ifdefparam
6103   \noexpand\meaning#1\detokenize{macro}:->&}
6104 \edef\bidi@ifdefparam{%
6105   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
6106 \bidi@ifdefparam{\bidi@notblank{##2}}
6107

```



```

6108
6109 \newcommand{\if@bidi@defprotected}{}%
6110 \long\edef\if@bidi@defprotected#1{%
6111   \noexpand\expandafter\noexpand\bidi@ifdefprotected
6112   \noexpand\meaning#1\string\protected&}
6113 \edef\bidi@ifdefprotected{%
6114   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
6115 \bidi@ifdefprotected{\bidi@notblank{#2}}
6116
6117
6118 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
6119 \bidi@newrobustcmd{\bidi@csundef}[1]{%
6120   \expandafter\let\csname #1\endcsname\bidi@undefined
6121 }
6122
6123 \let\bidi@dbg@trce\gobble
6124 \let\bidi@dbg@init\gobble
6125 \let\bidi@dbg@info\gobble
6126 \let\bidi@dbg@succ\gobble
6127 \let\bidi@dbg@fail\gobble
6128
6129
6130
6131 \bidi@newrobustcmd*{\bidi@apptocmd}{%
6132   \bidi@dbg@trce\bidi@apptocmd
6133   \begingroup
6134   \@makeother\#%
6135   \bidi@hooktocmd\bidi@append}
6136
6137
6138
6139 \bidi@newrobustcmd*{\bidi@pretocmd}{%
6140   \bidi@dbg@trce\bidi@pretocmd
6141   \begingroup
6142   \@makeother\#%
6143   \bidi@hooktocmd\bidi@prepend}
6144
6145 \long\def\bidi@hooktocmd#1#2#3{%
6146   \endgroup
6147   \bidi@dbg@init#2%
6148   \if@bidi@undef{#2}
6149     {\bidi@dbg@fail{def}\@secondoftwo}
6150     {\bidi@dbg@info{def}}%
6151     \if@bidi@defmacro{#2}
6152       {\bidi@dbg@info{mac}}%
6153       \if@bidi@defparam{#2}
6154         {\bidi@dbg@info{prm}}%
6155         \bidi@ifscanable{#2}
6156           {\bidi@ifhashcheck{#3}}
6157             {\bidi@dbg@info{tok}}%
6158             \bidi@dbg@succ{ret}%
6159             \bidi@hooktocmd{i#1#2{#3}}%
6160             \@firstoftwo
6161             {\bidi@dbg@fail{hsh}\@secondoftwo}}

```



```

6162      {\bidi@dbg@fail{tok}\@secondoftwo}}
6163      {\bidi@dbg@info{pr1}%
6164      \if@bidi@defprotected{#2}
6165          {\bidi@dbg@info{pro}%
6166              \bidi@dbg@succ{red}%
6167                  \protected}
6168          {\bidi@dbg@succ{red}}%
6169      \edef#2{\bidi@expandonce#2}{\unexpanded{#3}}}%
6170      \@firstoftwo}}
6171      {\bidi@dbg@fail{mac}\@secondoftwo}}}

6172 \long\def\bidi@hooktocmd@i#1#2#3{%
6173   \begingroup
6174     \edef\bidi@resrvda{%
6175       \def\noexpand\bidi@resrvda####1{\detokenize{macro}:####2->####3&{%
6176         ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
6177       \edef\noexpand\bidi@resrvda{%
6178         \noexpand\bidi@resrvda\meaning#2&}}%
6179     \bidi@resrvda
6180     \bidi@patchcmd@scantoks\bidi@resrvda
6181     \let#2\bidi@resrvda
6182     \bidi@undef\bidi@resrvda}
6183   }

6184 \long\def\bidi@append#1#2{#1#2}
6185 \long\def\bidi@prepend#1#2{#2#1}
6186
6187 %\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
6188 %\newcommand*{\bidi@endpreamblehook}{}}
6189
6190 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%
6191
6192 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
6193 \newcommand*{\bidi@beforeoutputpageshipouthook}{}}
6194
6195 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
6196 \newcommand*{\bidi@beforeheaderhook}{}}
6197
6198 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpage}
6199 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}}
6200
6201 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpage}
6202 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}}
6203
6204 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
6205 \newcommand*{\bidi@beforefooterhook}{}}
6206
6207 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
6208 \newcommand*{\bidi@afterfooterhook}{}}
6209
6210
6211 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
6212 \newcommand*{\bidi@afteroutputpageshipouthook}{}}
6213
6214 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
6215

```



```

6216 \newcommand*{\bidi@atendoutputpagehook}{}%
6217 %
6218 %\bidi@preto\document{%
6219 % \endgroup
6220 % \let\bidi@AtEndPreamble\@firstofone
6221 % \bidi@endpreamblehook
6222 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6223 % \bidi@undef\bidi@endpreamblehook
6224 % \begingroup}
6225
6226 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6227 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6228
6229 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
6230 %\newcommand*{\bidi@afterendpreamblehook}{}%
6231
6232 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6233
6234 %\bidi@appto\document{%
6235 % \let\bidi@AfterEndPreamble\@firstofone
6236 % \bidi@afterendpreamblehook
6237 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6238 % \bidi@undef\bidi@afterendpreamblehook
6239 % \ignorespaces}
6240
6241 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocument}
6242 %\newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}%
6243
6244 \bidi@patchcmd\enddocument
6245 {\fi}
6246 {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
6247 \bidi@afterenddocumentchecklabelsrerunhook
6248 \fi}
6249 {}
6250 {\PackageWarning{biditools}{Patching `string\enddocument' failed}}
6251
6252 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
6253
6254 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
6255 %\newcommand*{\bidi@afterlastshipouthook}{}%
6256
6257 \bidi@patchcmd\enddocument
6258 {\clearpage}
6259 {\clearpage
6260 \let\bidi@AfterLastShipout\@firstofone
6261 \bidi@afterlastshipouthook}
6262 {}
6263 {\let\bidi@clearpage\clearpage
6264 \def\clearpage{%
6265 \bidi@clearpage
6266 \let\bidi@AfterLastShipout\@firstofone
6267 \bidi@afterlastshipouthook}}
6268
6269 %\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}

```



```

6270 \%newcommand*\bidi@afterenddocumenthook(){}
6271 \bidi@newrobustcmd*\bidi@AfterEndDocument{\AddToHook{enddocument/end}}%
6273
6274 \%bidi@patchcmd\enddocument
6275 % {\deadcycles}
6276 % {\let\bidi@AfterEndDocument\@firstofone
6277 % \bidi@afterenddocumenthook
6278 % \deadcycles}
6279 % {}
6280 % {\let\bidi@@end\@@end
6281 % \def@@end{%
6282 %     \let\bidi@AfterEndDocument\@firstofone
6283 %     \bidi@afterenddocumenthook
6284 %     \bidi@@end}}
6285
6286 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
6287 \bidi@csgappto{@bidi@begin@#1@hook}}
6288
6289 % Patch \begin<space> and \end<space> in newer LaTeX releases
6290 % \begin and \end in older ones.
6291 \expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6292 {\csname #1\endcsname}
6293 {\bidi@csuse{@bidi@begin@#1@hook}%
6294 \csname #1\endcsname}
6295 {}
6296 {\bidi@warning{%
6297 Patching '\string\begin' failed!\MessageBreak
6298 '\string\bidi@AtBeginEnvironment' will not work\@gobble}}
6299
6300
6301
6302 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
6303 \bidi@csgappto{@bidi@end@#1@hook}}
6304
6305 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6306 {\csname end#1\endcsname}
6307 {\bidi@csuse{@bidi@end@#1@hook}%
6308 \csname end#1\endcsname}
6309 {}
6310 {\bidi@warning{%
6311 Patching '\string\end' failed!\MessageBreak
6312 '\string\bidi@AtEndEnvironment' will not work\@gobble}}
6313
6314
6315
6316 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
6317 \bidi@csgappto{@bidi@beforebegin@#1@hook}}
6318
6319 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6320 {\bidi@csuse{@bidi@beforebegin@#1@hook}}
6321 {}
6322 {\bidi@warning{%
6323 Patching '\string\begin' failed!\MessageBreak

```



```

6324      '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
6325
6326 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
6327   \bidi@csgappto{\bidi@afterend@#1@hook}}
6328
6329 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6330 {\if@ignore}
6331 {\bidi@csuse{@bidi@afterend@#1@hook}%
6332 \if@ignore}
6333 {}
6334 {\bidi@warning{%
6335   Patching '\string\end' failed!\MessageBreak
6336   '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
6337
6338 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
6339 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
6340 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
6341 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
6342
6343 % From David Carlisle:
6344 % The \cstpelt redefinition below belongs to Heiko Oberdiek
6345 % See also https://github.com/ho-tex/oberdiek/issues/26
6346
6347 \let\bidi@stepcounter\stepcounter
6348 \let\bidi@\cstpelt\cstpelt
6349
6350 \def\cstpelt#1{%
6351   \ifcsname bidi@reset@#1@perpage\endcsname
6352     \begingroup
6353       \let\stepcounter\bidi@stepcounter
6354       \bidi@cstpelt{#1}%
6355     \endgroup
6356     \expandafter\cstpelttwo
6357   \fi
6358   \bidi@cstpelt{#1}%
6359 }
6360
6361 \bidi@pretocmd\stepcounter
6362 {%
6363   \if@bidi@csundef{bidi@stepcounterhook@@#1}{%{%
6364     \csname bidi@stepcounterhook@@#1\endcsname
6365   }%
6366 }{%
6367 {\PackageWarning{biditools}{Patching `'\string\stepcounter' failed}}
6368
6369 \chardef\bidi@backslash`\\
6370 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
6371
6372 % anonymous control sequences
6373 \newcount\bidi@tempcountb
6374 \newtoks\bidi@temptoksa
6375 \newtoks\bidi@temptoksb
6376
6377 % Catcode (re)storing

```



```

6378 %
6379 \def\bidi@storecatcode#1%
6380   {\escapechar`m@ne
6381     \bidi@csarg\edef{\bidi@restorecatcode\string#1}%
6382       {\catcode`\string#1=
6383         \the\catcode\expandafter`\string#1}%
6384       \catcode\expandafter`\string#1=12\relax
6385       \escapechar`\\relax}
6386 \def\bidi@restorecatcode#1%
6387   {\escapechar`m@ne
6388     \csname bidi@restorecatcode\string#1\endcsname
6389     \escapechar`\\relax}
6390
6391 % Construct a control sequence inside \edef
6392 %
6393 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6394
6395 % Construct a control sequence out of #2, and give it to #1
6396 %
6397 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6398
6399 % Pick an escapecharacter
6400 % this presumes that its argument is a character.
6401 %
6402 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6403
6404 % Equality of strings.
6405 % the fast approach: does not work in expansion-only environment.
6406 %
6407 \def\bidi@EqualString#1#2{0\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
6408   \ifx\bidi@eqs@a\bidi@eqs@b}
6409
6410 % Test by expansion only
6411 %
6412 \def\bidi@EqualStringX#1#2{0\fi
6413   \csname if@\bidi@EqualStringX#1&#2&\endcsname}
6414 \def@\bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
6415   \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2#4$\fi
6416   \else false\fi}
6417 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
6418
6419 % Lexicographic ordering
6420 % note the use of \def
6421 % also note the characters 0,127,255 that are used,
6422 % these are not supposed to appear in the strings
6423 %
6424 {\catcode0=12 \catcode255=12 \catcode127=12
6425 \gdef\bidi@StringBeforeNC#1#2{0\fi
6426   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6427 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
6428   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6429   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6430     \else\ifnum\lccode`#1<\lccode`#3
6431       \def\bidi@next{\csname iftrue\endcsname}%

```



```

6432           \else\ifnum\lccode`#1>\lccode`#3
6433             \def\bidi@next{\csname ifffalse\endcsname}%
6434             \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6435   \fi \fi \fi \fi
6436   \bidi@next}
6437 \gdef\bidi@StringBefore#1#2{00\fi
6438   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6439 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
6440   \ifnum`#1<`#3
6441     \def\bidi@next{\csname iftrue\endcsname}%
6442   \else\ifnum`#1>`#3
6443     \def\bidi@next{\csname ifffalse\endcsname}%
6444     \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6445   \fi\fi
6446   \bidi@next}
6447 }
6448
6449 % Null argument test
6450 %
6451 \def\bidi@empty{}
6452 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6453 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6454 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
6455 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
6456
6457 % Next character test
6458 %
6459 \def\bidi@NextChar#1#2#3{00\fi
6460   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6461   \futurelet\bidi@nxt@c\@bidi@ifnxtc}
6462 \def\bidi@ifNextChar#1#2#3{%
6463   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6464   \futurelet\bidi@nxt@c\@bidi@ifnxtc}
6465 \def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
6466   \else \expandafter\bidi@nxt@b \fi}
6467
6468 % Test for defined-ness of string as control sequence.
6469 % works inside \edef
6470 %
6471 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
6472
6473 % Define uniquely defined dummy macros,
6474 % usually to serve as bumper blocks at the end of a list
6475 %
6476 \newcount\bidi@dummies
6477 \def\DefNewDummy#1{
6478   \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{\bidi@dum\the\bidi@dummies}
6479     \advance\bidi@dummies\@ne
6480   \else
6481     \bidi@error{Attempt at second definition of `#1'}
6482   \fi}
6483
6484 % string case statement
6485 % use: \bidi@switch \iftest{...} in:

```



```

6486%      item1 action1
6487%      ...
6488%      itemn actionn
6489%      default defaultaction [optional]
6490%      \endbidi@switch
6491% inspired by Jonathan Fine: Some Basic Control Macros
6492% Tugboat 12 #4
6493%
6494\let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
6495\def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
6496\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6497 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6498 \bidi@switch {#1}
6499}
6500% this version puts the test object in {}
6501\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6502 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6503 \bidi@switch #1 in:
6504}
6505% this version assumes that the test object is just one character
6506\def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6507 #1#2\bidi@switch@exit #3 \@bidi@fi
6508 \bidi@csswitch #1 in:
6509}
6510% this version assumes that the test object can have an optional space
6511\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6512 #1#2 \bidi@switch@exit #3 \@bidi@fi
6513 \bidi@bswitch #1 in:
6514}
6515% this version can cope with significant spaces at the start of #3;
6516% #2 is macro argument
6517\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6518 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6519 \bidi@mswitch #1 in:
6520}
6521% idem; #2 does not have to be enclosed in braces
6522\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6523 #1#2 \bidi@switch@exit #3 \@bidi@fi
6524 \bidi@fswitch #1 in:
6525}
6526
6527% Routines for taking the value of a string:
6528% if the string is defined as control sequence
6529% take the value of that, otherwise take the string itself
6530
6531% String or value of control sequence
6532%
6533\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6534
6535% String or control sequence
6536%
6537\def@\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6538
6539% String or \noexpand-ed control sequence;

```



```

6540 % for use in \edef
6541 %
6542 \newif\ifbidi@in@label
6543 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
6544         \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6545 \newtoks\bidi@are@these@correct
6546 \def\bidi@t@w@w#1{%
6547     \if\bidi@undefinedcs{#1}#1%
6548         \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
6549     \else
6550         \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6551 %
6552 % List Manipulation .....
6553 % this assumes that #1 is a list of tokens, #2 is the name of a list
6554 %
6555 % Names of lists (and of items to pop into) are given as strings;
6556 % not as control sequences.
6557 %
6558 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6559 % basic append/prepend macro
6560 \long\def\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6561   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@tok
6562 \long\def\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6563   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
6564 \def\bidi@append@to@list{\bidi@csarg\bidi@append@to@cslist}
6565 \def\bidi@prepend@to@list{\bidi@csarg\bidi@prepend@to@cslist}
6566 % variations:
6567 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
6568 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{}{#2}}
6569 \def\bidi@append@list@to@list#1#2{%
6570   \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\c
6571 \def\bidi@prepend@list@to@list#1#2{%
6572   \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\c
6573 \def\bidi@append@cslist@to@cslist#1#2{%
6574   \@bidi@append@to@cslist{#1}{\expandafter{\the#2}}
6575 \def\bidi@prepend@cslist@to@cslist#1#2{%
6576   \@bidi@prepend@to@cslist{#1}{\expandafter{\the#2}}
6577 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
6578 \def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}
6579 %
6580 \let\bidi@willbeunhskip\unhskip
6581 %
6582 % A few list macros for the user
6583 \def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
6584 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
6585 \long\def\AppendToTokenList:#1#2 {\@bidi@append@to@list{#1}{}{#2}}
6586 \long\def\PrependToTokenList:#1#2 {\@bidi@prepend@to@list{#1}{}{#2}}
6587 \def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty
6588   \if\bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
6589   \else\bidi@csarg\the{#1}\fi
6590   \let\bidi@willbeunhskip\bidi@oldwbuskip}
6591 %
6592 \def\bidi@del@tok@from@list#1#2{\begingroup
6593   \long\def\bidi@cs@liste##1##2##3\bidi@tok@SM

```





```

6648      \repeat% copy b to a
6649  #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6650 % invert a stack into a list
6651 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
6652   \bidi@tempcountb\z@\bidi@temptoksa\bidi@empty@toks
6653   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6654     \bidi@pop@into{\bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
6655     \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
6656 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6657
6658
6659 % General loop macro:
6660 % \looprepeat
6661 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<en
6662 %           \untilcondition{<cond>} \whilecondition{<cond>}
6663 %   \doloopbody { <loop body> }
6664 % where all control sequences in between \looprepeat and \doloopbody are optional.
6665 %
6666 % var: characters to form a control sequence;
6667 %     after \forvariable{index} you can access the loop counter as \index.
6668 %     This is a count register; to print it use \number\index.
6669 % start,step,end: integers with obvious relations to the loop counter;
6670 %     start and step have a default value of 1
6671 % cond: (sequence of commands ending in) any TeX \if... test.
6672 %
6673 % Count down instead of up with \downtovalue; the increment given in \bystep
6674 % is always positive, and is added or subtracted accordingly.
6675 %
6676 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
6677 % at the beginning of the loop body.
6678 %
6679 % Exit from middle of loop: \breaklooprepeat
6680 % use this at any place in the loop; in case of a conditional use
6681 %   \ifsomething ... \expandafter \breaklooprepeat \fi
6682 %
6683 % Note that the line ends do not cause spaces in the output.
6684 %
6685 % Technical details:
6686 % The loop body is not executed in a group: the braces are those
6687 % of a token list.
6688 % The 'forvariable' variable is \let to a \count register.
6689
6690
6691
6692 % Auxiliary stuff
6693 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6694 \def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
6695 \def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepe
6696
6697 \newcount\bidi@looprepeat@depth
6698 \let\endlooprepeat\relax \def\bidi@csprotect{}%
6699 % Trace switches may later be defined by PAC_utils
6700 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
6701

```



```

6702 % Main repeatloop macro
6703 % - go to next level and allocate unique counter/toks if this is the
6704 %   first time we visit this level
6705 % - setup: gather bounds and termination conditions
6706 % - scoop up body in token list; after the assignment define and
6707 %   execute body
6708 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
6709   \advance\bidi@looprepeat@depth\@ne\relax
6710   \bidi@looprepeat@csargromannumeral\ifx{\bidi@looprepeat@count}\relax
6711     \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{\bidi@looprepeat@count}
6712     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@toks}
6713     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@body}
6714     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@sign}
6715   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@looprepeat@tmp
6716   \edef\bidi@looprepeat@tmp
6717     {\def\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@body}}
6718   \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}
6719
6720 % Define and execute loop body
6721 % This is done with an \edef to construct the actual sequence
6722 \def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{\bidi@looprepeat@body}{%
6723   \bidi@looprepeat@csargromannumeral{\the{\bidi@looprepeat@wtest}}%
6724   \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@toks}}%
6725   \bidi@looprepeat@csargromannumeral{\the{\bidi@looprepeat@utest}}%
6726   \global\bidi@looprepeat@csargromannumeral\advance{\bidi@looprepeat@count} by \bidi@looprepeat@body
6727   \noexpand\endlooprepeat
6728   \bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}}}%
6729 \bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}\ignorespaces}
6730
6731 % Stop test
6732 %% In order to stop, issue a
6733 % \breaklooprepeat which scoops up the rest of the body and exits
6734 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral{%
6735   \advance\bidi@looprepeat@depth\@ne \bidi@looprepeat@traceexit
6736   }
6737
6738
6739 % Setup
6740 % gather bounds and termination conditions
6741 \def\bidi@looprepeat@setup#1{%
6742   \begingroup
6743     \def\forvariable##1{%
6744       \edef\bidi@looprepeat@tmp{%
6745         \global\let\bidi@looprepeat@csarg\noexpand{\##1}\bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}}%
6746       \bidi@looprepeat@tmp}%
6747     \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{\bidi@looprepeat@count}##1\ignorespaces}%
6748     \def\tovalue##1{%
6749       \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@body}}%
6750       {\bidi@looprepeat@csargromannumeral{\the{\bidi@looprepeat@wtest}}%}
6751       \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@count}\bidi@looprepeat@body
6752       \noexpand\expandafter\noexpand\breaklooprepeat
6753       \noexpand\fi\ignorespaces}%
6754     \bidi@looprepeat@tmp}%
6755   \def\downvalue##1{%

```



```

6756      \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{\#\#1}\ignorespaces}%
6757      \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}%
6758          \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{-\#\#1}\else
6759          \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{\#\#1}\fi\ignorespaces}%
6760      \def\untilcondition##1{%
6761          \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop%
6762              {\noexpand{\#\#1}\relax
6763                  \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6764          \bidi@looprepeat@tmp}%
6765      \def\whilecondition##1{%
6766          \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop%
6767              {\noexpand{\#\#1}\relax \noexpand\else
6768                  \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6769          \bidi@looprepeat@tmp}%
6770          \fromvalue{\@ne}\bystep{\@ne}\#1%
6771      \endgroup}
6772 \def\bidi@looprepeat@zero
6773   {\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{bidi@looprepeat@body}{}}
6774
6775
6776 %\tracingmacros2
6777 %\newcount\tmpcount % used in some examples below
6778
6779 %\looprepeat \forvariable{i}
6780 %    \bystep{2}
6781 %    \doloopbody {%
6782 %        \ifnum\i=13 \expandafter\breaklooprepeat \fi
6783 %        \number\i{} %
6784 %}%
6785
6786 %\looprepeat \forvariable{iii}
6787 %    \tovalue{8}
6788 %    \doloopbody {}%
6789 %After loop: \number\iii%
6790
6791 %\looprepeat \forvariable{i}
6792 %    \fromvalue{10}
6793 %    \bystep{2}
6794 %    \downtovalue{0}
6795 %    \doloopbody {\number\i{} }%
6796
6797 %\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
6798 %    \doloopbody {\number\x{} }%
6799
6800 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
6801
6802 %\looprepeat \forvariable{j}
6803 %    \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6804 %    \doloopbody {\number\j{} }%
6805
6806 %\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6807 %    {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}}
6808 %    \doloopbody {(\number\i.\number\j) }%
6809 }%

```



```

6810
6811% infinite loop
6812%\looprepeat \doloopbody {}
6813
6814\ExplSyntaxOn
6815\NewDocumentCommand \bidi@AfterClass { s m o +m }
6816 {
6817     \IfBooleanTF { #1 }
6818     {
6819         \@ifclassloaded{ #2 }
6820         { #4 }
6821         {
6822             \hook_gput_code:nnn
6823             { file / #2.\@clsextension / after }
6824             { #3 }
6825             { #4 }
6826         }
6827     }
6828     {
6829         \hook_gput_code:nnn { file / #2.\@clsextension / after } { #3 } { #4 }
6830     }
6831 }
6832
6833\seq_new:N \g__biditools_input_file_seq
6834
6835\prg_new_protected_conditional:Npnn \__bidi_if_loading:n #1 { T, F, TF }
6836 {
6837     \str_set:Nx \l_tmpa_str { #1 }
6838     \seq_if_in:NxF \g__biditools_input_file_seq { \str_use:N \l_tmpa_str }
6839     { \prg_return_true: }
6840     { \prg_return_false: }
6841 }
6842
6843\prg_new_protected_conditional:Npnn \bidi_if_class_loaded:n #1 { T, F, TF }
6844 {
6845     \@ifclassloaded { #1 }
6846     {
6847         \__bidi_if_loading:nTF { #1.\@clsextension }
6848         { \prg_return_false: }
6849         { \prg_return_true: }
6850     }
6851     {
6852         \prg_return_false:
6853     }
6854 }
6855
6856\prg_new_protected_conditional:Npnn \bidi_if_package_loaded:n #1 { T, F, TF }
6857 {
6858     \@ifpackageloaded { #1 }
6859     {
6860         \__bidi_if_loading:nTF { #1.\@pkgextension }
6861         { \prg_return_false: }
6862         { \prg_return_true: }
6863     }

```



```

6864      {
6865          \prg_return_false:
6866      }
6867  }
6868
6869 \NewDocumentCommand \bidi@AfterAtEndOfClass { s m o +m }
6870  {
6871      \IfBooleanTF { #1 }
6872      {
6873          \bidi_if_class_loaded:nTF { #2 }
6874          { #4 }
6875          { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6876      }
6877      {
6878          \bidi_if_class_loaded:nF
6879          { #2 }
6880          { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6881      }
6882  }
6883
6884 \NewDocumentCommand \bidi@AfterPackage { s m o +m }
6885  {
6886      \IfBooleanTF { #1 }
6887      {
6888          \@ifpackageloaded{ #2 }
6889          { #4 }
6890          {
6891              \hook_gput_code:nnn
6892              { file / #2.\@pkext / after }
6893              { #3 }
6894              { #4 }
6895          }
6896      }
6897      {
6898          \hook_gput_code:nnn { file / #2.\@pkext / after } { #3 } { #4 }
6899      }
6900  }
6901
6902 \NewDocumentCommand \bidi@AfterAtEndOfPackage { s m o +m }
6903  {
6904      \IfBooleanTF { #1 }
6905      {
6906          \bidi_if_package_loaded:nTF { #2 }
6907          { #4 }
6908          { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }
6909      }
6910      {
6911          \bidi_if_package_loaded:nF
6912          { #2 }
6913          { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }
6914      }
6915  }
6916
6917 \clist_new:N \l__biditools_package_clist

```



```

6918 \msg_new:nnn { biditools } { cannot-prevent-for-already-loaded-package }
6919  {
6920      Can-not~prevent~package~`#1'~from~being~loaded,~
6921      since~it~has~been~loaded~already~before~line~\msg_line_number:
6922  }
6923 \clist_new:N \g__biditools_prevent_clist
6924
6925 \NewDocumentCommand \bidi@PreventPackageFromLoading { s +o m }
6926  {
6927      \clist_set:Nx \l__biditools_package_clist { #3 }
6928      \clist_map_inline:Nn \l__biditools_package_clist
6929      {
6930          \@ifpackageloaded { ##1 }
6931          {
6932              \IfBooleanTF { #1 } { \msg_info:nnn } { \msg_warning:nnn }
6933              { biditools } { cannot-prevent-for-already-loaded-package } { ##1 }
6934          }
6935          {
6936              \clist_if_in:NnF \g__biditools_prevent_clist { ##1 }
6937              { \clist_gput_right:Nn \g__biditools_prevent_clist { ##1 } }
6938              \tl_if_exist:cF { g__biditools_exclude_package_##1_tl }
6939              {
6940                  \tl_new:c { g__biditools_exclude_package_##1_tl }
6941              }
6942              \IfValueT { #2 }
6943              {
6944                  \tl_gput_right:cn { g__biditools_exclude_package_##1_tl } { #2 }
6945              }
6946              \disable@package@load { ##1 }
6947              { \tl_use:c { g__biditools_exclude_package_##1_tl } }
6948          }
6949      }
6950      \clist_clear:N \l__biditools_package_clist
6951  }
6952
6953 \NewDocumentCommand \bidi@ResetPreventPackageFromLoading {}
6954  {
6955      \clist_map_function:NN \g__biditools_prevent_clist \reenable@package@load
6956      \clist_gclear:N \g__biditools_prevent_clist
6957  }
6958
6959 \NewDocumentCommand \bidi@StorePreventPackageFromLoading { m }
6960  { \edef #1 { \clist_use:Nn \g__biditools_prevent_clist { , } } }
6961
6962 \NewDocumentCommand \bidi@UnPreventPackageFromLoading { s m }
6963  {
6964      \clist_set:Nx \l__biditools_package_clist { #2 }
6965      \clist_map_inline:Nn \l__biditools_package_clist
6966      {
6967          \clist_if_in:NnT \g__biditools_prevent_clist { ##1 }
6968          {
6969              \clist_gremove_all:Nn \g__biditools_prevent_clist { ##1 }
6970              \reenable@package@load { ##1 }
6971              \IfBooleanT { #1 }

```



```

6972           { \cs_undefine:c { g__biditools_exclude_package_##1_tl } }
6973       }
6974   }
6975 }
6976
6977 \NewDocumentCommand \bidi@BeforeClosingMainAux { o m }
6978 {
6979   \hook_gput_code:nnn { enddocument / afterlastpage } { #1 }
6980   {
6981     \debug_suspend:
6982     \RenewDocumentCommand \bidi@BeforeClosingMainAux { m } { ##1 }
6983     \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
6984     \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
6985     #2
6986     \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn
6987     \debug_resume:
6988   }
6989 }
6990
6991 \NewDocumentCommand \bidi@AfterReadingMainAux { o m }
6992 {
6993   \hook_gput_code:nnn { enddocument / afteraux } { #1 }
6994   {
6995     \debug_suspend:
6996     \RenewDocumentCommand \bidi@AfterReadingMainAux { m } { ##1 }
6997     \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
6998     \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
6999     #2
7000     \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn
7001     \debug_resume:
7002   }
7003 }
7004
7005 \clist_new:N \l__biditools_file_patch_clist
7006
7007 \NewDocumentCommand \ApplyPatchToFiles { m O{def} O{bidi} }
7008 {
7009   \clist_set:Nx \l__biditools_file_patch_clist { #1 }
7010   \clist_map_inline:Nn \l__biditools_file_patch_clist
7011   {
7012     \ApplyPatchToFile { ##1 } [ #2 ] [ #3 ]
7013   }
7014   \clist_clear:N \l__biditools_file_patch_clist
7015 }
7016
7017 \clist_new:N \l__biditools_package_patch_clist
7018
7019 \NewDocumentCommand \ApplyPatchToPackages { m O{bidi} }
7020 {
7021   \clist_set:Nx \l__biditools_package_patch_clist { #1 }
7022   \clist_map_inline:Nn \l__biditools_package_patch_clist
7023   {
7024     \ApplyPatchToPackage { ##1 } [ #2 ]
7025   }

```



```

7026     \clist_clear:N \l__biditools_package_patch_clist
7027 }
7028
7029 \clist_new:N \l__biditools_class_patch_clist
7030
7031 \NewDocumentCommand \ApplyPatchToClasses { m O{bidi} }
7032 {
7033     \clist_set:Nx \l__biditools_class_patch_clist { #1 }
7034     \clist_map_inline:Nn \l__biditools_class_patch_clist
7035     {
7036         \ApplyPatchToClass { ##1 } [ #2 ]
7037     }
7038     \clist_clear:N \l__biditools_class_patch_clist
7039 }
7040
7041 \NewDocumentCommand \ApplyPatchToClassesIfPackageLoadedF { m m O{bidi} }
7042 {
7043     \clist_set:Nx \l__biditools_class_patch_clist { #1 }
7044     \clist_map_inline:Nn \l__biditools_class_patch_clist
7045     {
7046         \ApplyPatchToClassIfPackageLoadedF { ##1 } { #2 } [ #3 ]
7047     }
7048     \clist_clear:N \l__biditools_class_patch_clist
7049 }
7050 \ExplSyntaxOff
7051
7052 \newcommand*{\bidi@ReplaceInput}{\declare@file@substitution}
7053 \newcommand*{\bidi@UnReplaceInput}{\undeclare@file@substitution}
7054 \newcommand*{\bidi@ReplacePackage}[2]{%
7055     \declare@file@substitution{#1.\@pkgextension}{#2.\@pkgextension}%
7056 }
7057 \newcommand*{\bidi@UnReplacePackage}[1]{%
7058     \undeclare@file@substitution{#1.\@pkgextension}%
7059 }
7060 \newcommand*{\bidi@ReplaceClass}[2]{%
7061     \declare@file@substitution{#1.\@clsextension}{#2.\@clsextension}%
7062 }
7063 \newcommand*{\bidi@UnReplaceClass}[1]{%
7064     \undeclare@file@substitution{#1.\@clsextension}%
7065 }
7066 \newcommand*{\bidi@BeforeFile}[1]{%
7067     \AddToHook{file/#1/before}%
7068 }
7069 \newcommand*{\bidi@AfterFile}[1]{%
7070     \AddToHook{file/#1/after}%
7071 }
7072 \newcommand*{\bidi@BeforeClass}[1]{%
7073     \bidi@BeforeFile{#1.\@clsextension}%
7074 }
7075 \newcommand*{\bidi@BeforePackage}[1]{%
7076     \bidi@BeforeFile{#1.\@pkgextension}%
7077 }
7078
7079

```



```

7080 \long\def\bidi@protected@immediate@write#1#2#3{%
7081   \begingroup
7082     #2%
7083   \let\protect\@unexpandable@protect
7084   \edef\reserved@a{\immediate\write#1{#3}}%
7085   \reserved@a
7086 \endgroup
7087 \if@nobreak\ifvmode\nobreak\fi\fi
7088 }
7089
7090 \def\bidi@patch@AfterPackage#1{%
7091   \@ifpackageloaded{#1}{%
7092     \@firstofone
7093   }{%
7094     \AddToHook{package/#1/after}%
7095   }%
7096 }
7097
7098 \def\bidi@patch@AfterFile#1{%
7099   \IfFileLoadedTF{#1}{%
7100     \@firstofone
7101   }{%
7102     \AddToHook{file/#1/after}%
7103   }%
7104 }
7105
7106 \NewDocumentCommand \ApplyPatchToFile { m O{def} O{bidi} }
7107 {
7108   \bidi@patch@AfterFile{#1.#2}{%
7109     \ifnum\catcode`@=11
7110       \input{#1-xetex-#3.def}%
7111     \else
7112       \bidi@storecatcode@\@%
7113       \makeatletter
7114       \input{#1-xetex-#3.def}%
7115       \bidi@restorecatcode@\@%
7116     \fi
7117   }%
7118 }
7119
7120 \NewDocumentCommand \ApplyPatchCodeToFile { m +m O{def} }
7121 {
7122   \bidi@patch@AfterFile{#1.#3}{#2}%
7123 }
7124
7125 \NewDocumentCommand \ApplyPatchToFilesIfPackageLoadedF { m m O{def} O{bidi} }
7126 {
7127   \AddToHook{begindocument/before}{%
7128     \IfPackageLoadedF{#1}{%
7129       \ApplyPatchToFiles{#2}[#3][#4]%
7130     }%
7131   }%
7132 }
7133

```



```

7134 \NewDocumentCommand \ApplyPatchToClassIfPackageLoadedF { m m O{bidi} }
7135   {
7136     \AddToHook{begindocument/before}{%
7137       \IfPackageLoadedF{#2}{%
7138         \ifnum\catcode`@=11
7139           @ifclassloaded{#1}{%
7140             \input{#1-xetex-#3.def}%
7141           }{}%
7142         \else
7143           \bidi@storecatcode@
7144           \makeatletter
7145           @ifclassloaded{#1}{%
7146             \input{#1-xetex-#3.def}%
7147           }{}%
7148           \bidi@restorecatcode@
7149         \fi
7150       }%
7151     }
7152   }
7153
7154 \NewDocumentCommand \ApplyPatchToPackageIfPackageLoadedF { m m O{bidi} }
7155   {
7156     \AddToHook{begindocument/before}{%
7157       \IfPackageLoadedF{#2}{%
7158         \IfPackageLoadedT{#1}{%
7159           \ifnum\catcode`@=11
7160             \input{#1-xetex-#3.def}%
7161           \else
7162             \bidi@storecatcode@
7163             \makeatletter
7164             \input{#1-xetex-#3.def}%
7165             \bidi@restorecatcode@
7166           \fi
7167         }%
7168       }%
7169     }
7170   }
7171
7172 \NewDocumentCommand \ApplyPatchIfPackageLoaded { m +m +m }
7173   {
7174     \AddToHook{begindocument/before}{%
7175       \ifnum\catcode`@=11
7176         @ifpackageloaded{#1}{#2}{#3}%
7177       \else
7178         \bidi@storecatcode@
7179         \makeatletter
7180         @ifpackageloaded{#1}{#2}{#3}%
7181         \bidi@restorecatcode@
7182       \fi
7183     }
7184   }
7185
7186 \NewDocumentCommand \ApplyPatchIfPackageLoadedT { m +m }
7187   {

```



```

7188     \ApplyPatchIfPackageLoaded{#1}{#2}{%}
7189 }
7190 \NewDocumentCommand \ApplyPatchIfPackageLoadedF { m +m }
7192 {
7193     \ApplyPatchIfPackageLoaded{#1}{}{#2}{%}
7194 }
7195 \NewDocumentCommand \ApplyPatchToPackage { m O{bidi} }
7197 {
7198     \bidi@patch@AfterPackage{#1}{\input{#1-xetex-#2.def}}{%
7199 }
7200 \NewDocumentCommand \ApplyPatchCodeToPackage { m +m }
7202 {
7203     \bidi@patch@AfterPackage{#1}{#2}{%
7204 }
7205 \NewDocumentCommand \ApplyPatchToClass { m O{bidi} }
7207 {
7208     @ifclassloaded{#1}{\input{#1-xetex-#2.def}}{}{%
7209 }

```

53 File `budituftefloat.sty`

```

7210 \NeedsTeXFormat{LaTeX2e}
7211 \ProvidesPackage{budituftefloat}[2025/01/03 v0.3
7212 bidi implementation of tufte float]
7213 \RequirePackage{xifthen}
7214 \newcommand{\@budituftefloat@pkgname}{budituftefloat}
7215 \newcommand{\budituftefloatError}[2]{\PackageError{\budituftefloat@pkgname}{#1}{#2}}
7216 \newcommand{\budituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{\budituftefloat@debug}}{\budituftefloatInfoNL}{#1}}
7217 \newcommand{\budituftefloatInfoNL}[1]{\PackageInfo{\budituftefloat@pkgname}{#1\gobble}}
7218 \newboolean{\budituftefloat@reversegeometry}
7219 \setboolean{\budituftefloat@reversegeometry}{false}
7220 \DeclareOption{reversegeometry}{\setboolean{\budituftefloat@reversegeometry}{true}}
7221 \newboolean{\budituftefloat@afourpaper}
7222 \DeclareOption{a4paper}{\setboolean{\budituftefloat@afourpaper}{true}}
7223 \newboolean{\budituftefloat@bfivepaper}
7224 \DeclareOption{b5paper}{\setboolean{\budituftefloat@bfivepaper}{true}}
7225 \newboolean{\budituftefloat@symmetric}
7226 \newboolean{\budituftefloat@twoside}
7227 \DeclareOption{twoside}{%
7228 @twosidetrue \c@mparswitchtrue%
7229 \setboolean{\budituftefloat@twoside}{true}%
7230 \setboolean{\budituftefloat@symmetric}{true}%
7231 }
7232 \DeclareOption{oneside}{%
7233 @twosidefalse \c@mparswitchfalse%
7234 \setboolean{\budituftefloat@twoside}{false}%
7235 \setboolean{\budituftefloat@symmetric}{false}%
7236 }
7237 \IfClassLoadedT{book}{\ExecuteOptions{twoside}}
7238 \newboolean{\budituftefloat@debug}

```



```

7239 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodec
7240 \ProcessOptions
7241 %% Globally sets the length
7242 \newcommand*{\gsetlength}[2]{%
7243   \setlength{#1}{#2}%
7244   \global#1=#1\relax%
7245 }
7246
7247 %% Set the font sizes and baselines to match bidituftefloat's books
7248 \renewcommand\normalsize{%
7249   \@setfontsize\normalsize\@xpt{14}%
7250   \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
7251   \abovedisplayshortskip \z@ \oplus3\p@
7252   \belowdisplayshortskip 6\p@ \oplus3\p@ \minus3\p@
7253   \belowdisplayskip \abovedisplayskip
7254   \let\@listi\@listI}
7255 \normalbaselineskip=14pt
7256 \normalsize
7257 \renewcommand\footnotesize{%
7258   \@setfontsize\footnotesize\@viiipt{10}%
7259   \abovedisplayskip 6\p@ \oplus2\p@ \minus4\p@
7260   \abovedisplayshortskip \z@ \oplus\p@
7261   \belowdisplayshortskip 3\p@ \oplus\p@ \minus2\p@
7262   \def\@listi{\leftmargin\leftmargini
7263     \topsep 3\p@ \oplus\p@ \minus\p@
7264     \parsep 2\p@ \oplus\p@ \minus\p@
7265     \itemsep \parsep}%
7266   \belowdisplayskip \abovedisplayskip
7267 }
7268 %% Paragraph indentation and separation for marginal text
7269 \newcommand{\@bidituftefloat@margin@par}{%
7270   \setlength{\RaggedRightParindent}{0.5pc}%
7271   \setlength{\JustifyingParindent}{0.5pc}%
7272   \setlength{\parindent}{0.5pc}%
7273   \setlength{\parskip}{0pt}%
7274 }
7275 \RequirePackage{ragged2e}
7276 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
7277 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpa
7278 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
7279   {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginpa
7280   {}}
7281 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7282   {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm
7283   {}}{}%
7284 \RequirePackage[letterpaper, left=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginpa
7285 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
7286   {\geometry{a4paper, left=24.8mm, top=27.4mm, headsep=2\baselineskip, textwidth=107mm, marginpa
7287   {}}
7288 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7289   {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm, top=13.88mm, textwidth=102.66mm,
7290   {}}
7291 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7292   {}}

```



```

7293  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
7294 \setlength\marginparpush{10pt}
7295 %% Font for margin items
7296 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
7297 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
7298 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
7299 \newcommand{\@bidituftefloat@justification}{\justifying}%
7300 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7301 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7302 \newboolean{@bidituftefloat@changepage}
7303 \IfFileExists{changepage.sty}{%
7304   \bidituftefloatDebugInfoNL{Found changepage.sty}
7305   \RequirePackage[strict]{changepage}
7306   \setboolean{@bidituftefloat@changepage}{true}
7307 }{%
7308   \bidituftefloatDebugInfoNL{Found chngpage.sty}
7309   \RequirePackage[strict]{chngpage}
7310   \setboolean{@bidituftefloat@changepage}{false}
7311 }
7312 \newboolean{@bidituftefloat@odd@page}
7313 \setboolean{@bidituftefloat@odd@page}{true}
7314 \newcommand*{\@bidituftefloat@checkoddpage}{%
7315   \checkoddpage%
7316   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
7317     \ifoddpage%
7318       \setboolean{@bidituftefloat@odd@page}{true}%
7319     \else%
7320       \setboolean{@bidituftefloat@odd@page}{false}%
7321     \fi%
7322   }{%
7323     \ifcpoddpage%
7324       \setboolean{@bidituftefloat@odd@page}{true}%
7325     \else%
7326       \setboolean{@bidituftefloat@odd@page}{false}%
7327     \fi%
7328   }%
7329 }
7330 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
7331 \newlength{\@bidituftefloat@fullwidth}
7332 \newlength{\@bidituftefloat@caption@fill}
7333 \newcommand{\bidituftefloatRecalculate}{%
7334   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
7335   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
7336
7337   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
7338   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
7339   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
7340
7341   \setlength{\@bidituftefloat@caption@fill}{\textwidth}
7342   \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
7343 }
7344 \AtBeginDocument{\bidituftefloatRecalculate}
7345 \RequirePackage{optparams}% provides multiple optional arguments for commands
7346 \RequirePackage{placeins}

```



```

7347 \newsavebox{\@bidituftefloat@margin@floatbox}
7348 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
7349   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order
7350   \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
7351   \begin{minipage}{\marginparwidth}%
7352     \@bidituftefloat@caption@font%
7353     \def\@capttype{\#2}%
7354     \hbox{}\vspace*{\#1}%
7355     \@bidituftefloat@caption@justification%
7356     \@bidituftefloat@margin@par%
7357     \noindent%
7358   }%
7359   \end{minipage}%
7360   \end{lrbox}%
7361   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
7362 }
7363 \newenvironment{marginfigure}[1][-1.2ex]%
7364   {\begin{@bidituftefloat@margin@float}[\#1]{figure}}%
7365   {\end{@bidituftefloat@margin@float}}%
7366 \newenvironment{margintable}[1][-1.2ex]%
7367   {\begin{@bidituftefloat@margin@float}[\#1]{table}}%
7368   {\end{@bidituftefloat@margin@float}}%
7369 \newcommand*\@bidituftefloat@justification@autodetect{\justifying}%
7370
7371 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float is processed
7372 \newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
7373   \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}{%
7374     \def\@bidituftefloat@float@debug@info{\#1}%
7375     \g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak\#1}%
7376   }%
7377 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7378 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{\#1}\@bidituftefloat@float@debug@info}%
7379 \newboolean{@bidituftefloat@float@recto}%
7380 \newcommand{\forcecorrectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug@info}%
7381 \newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug@info}%
7382 \newsavebox{\@bidituftefloat@figure@box}%
7383 \newsavebox{\@bidituftefloat@caption@box}%
7384 \let\@bidituftefloat@orig@float\@float
7385 \let\@bidituftefloat@orig@endfloat\end@float
7386 \newlength{\@bidituftefloat@caption@vertical@offset}%
7387 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}%
7388 \newcommand{\@bidituftefloat@stored@shortcaption}{}%
7389 \newcommand{\@bidituftefloat@stored@caption}{}%
7390 \newcommand{\@bidituftefloat@stored@label}{}%
7391 \long\def\@bidituftefloat@caption[#1][#2]#3{%
7392   \ifthenelse{\isempty{\#1}}{%
7393     \gdef\@bidituftefloat@stored@shortcaption{\#3}%
7394     \gdef\@bidituftefloat@stored@shortcaption{\#1}%
7395     \gsetlength{\@bidituftefloat@caption@vertical@offset}{-\#2}%
7396     \gdef\@bidituftefloat@stored@caption{\#3}%
7397   }%
7398   \newcommand{\@bidituftefloat@label}[1]{%
7399     \gdef\@bidituftefloat@stored@label{\#1}%
7400   }%

```



```

7401 \newcommand{\@bidituftefloat@fps}{}
7402 \newboolean{@bidituftefloat@float@star}
7403 \newlength{\@bidituftefloat@float@contents@width}
7404 \newenvironment{@bidituftefloat@float}[3][htbp]{%
7405   {%
7406     % Should this float be full-width or just text-width?
7407     \ifthenelse{\equal{#3}{star}}{%
7408       {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
7409       {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
7410     % Check page side (recto/verso) and store detected value -- can be overriden in environment
7411     \@bidituftefloat@checkoddpage%
7412     \ifthenelse{\boolean{@bidituftefloat@odd@page}}{%
7413       {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}}\@bidituftefloat@float@debug[Detected odd page]%
7414       {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}}\@bidituftefloat@float@debug[Detected even page]%
7415     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7416     \renewcommand{@bidituftefloat@fps}{#1}%
7417     \@bidituftefloat@float@debug{Allowed positions: [#1]}%
7418     \ifthenelse{\equal{#1}{b} \OR \equal{#1}{B}}{%
7419       {\renewcommand{\floatalignment}{b}}\@bidituftefloat@float@debug{Presumed position: [bottom]}%
7420       {\renewcommand{\floatalignment}{t}}\@bidituftefloat@float@debug{Presumed position: [top]}%
7421     % Capture the contents of the \caption and \label commands to use later
7422     \global\let@\bidituftefloat@orig@caption\caption%
7423     \global\let@\bidituftefloat@orig@label\label%
7424     \renewcommand{\caption}{\optparams{\bidituftefloat@caption}{}[] [Opt]}%
7425     \renewcommand{\label}[1]{\bidituftefloat@label{##1}}%
7426     % Handle subfigure package compatibility
7427     \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
7428       \bidi@patchcmd{\subfigure}{%
7429         \let\subfig@oldlabel=\label
7430       }{%
7431         \let\subfig@oldlabel=\bidituftefloat@orig@label
7432       }
7433       {}
7434       {}
7435       \let\subtable=\subfigure
7436     }{%
7437       % subfigure package is not loaded
7438       \bidituftefloat@orig@float{#2}{#1}%
7439       \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
7440         {\setlength{\bidituftefloat@float@contents@width}{\bidituftefloat@fullwidth}}%
7441         {\setlength{\bidituftefloat@float@contents@width}{\textwidth}}%
7442       \begin{lrbox}{\bidituftefloat@figure@box}%
7443         \begin{minipage}{\floatalignment}{\bidituftefloat@float@contents@width}\hbox{}%
7444       }{%
7445         \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}%
7446         \end{minipage}%
7447       \end{lrbox}%
7448       % build the caption box
7449       \begin{lrbox}{\bidituftefloat@caption@box}%
7450         \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{}%
7451         \ifthenelse{\NOT\equal{\bidituftefloat@stored@caption}{}{\bidituftefloat@orig@caption}}{%
7452           \ifthenelse{\NOT\equal{\bidituftefloat@stored@label}{}{\bidituftefloat@orig@label}}{%
7453             \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
7454           \end{minipage}%
7455         }{%
7456       }%
7457     }%
7458   }%
7459 }
```



```

7455 % now typeset the stored boxes
7456 \begin{fullwidth}%
7457   \begin{minipage}[\floatalignment]{\linewidth}%
7458     \ifthenelse{\boolean{@biditufefloat@float@star}}{%
7459       {\@biditufefloat@float@fullwidth[\@biditufefloat@caption@vertical@offset]{\@biditufefloat@textwidth[\@biditufefloat@caption@vertical@offset]{\@biditufefloat@label}}}}{%
7460       {\@biditufefloat@float@textwidth[\@biditufefloat@caption@vertical@offset]{\@biditufefloat@label}}}}%
7461   \end{minipage}%
7462 \end{fullwidth}%
7463 \@biditufefloat@orig@endfloat% end original LaTeX float environment
7464 % output debug info
7465 \ifthenelse{\boolean{@biditufefloat@debug}}{%
7466   \typeout{^^J^^J----- biditufefloat package float information -----}%
7467   \ifthenelse{\equal{\@biditufefloat@stored@label}{}}{%
7468     {\typeout{Warning: Float unlabeled!}}%
7469     {\typeout{Float label: [\@biditufefloat@stored@label]}}%
7470   \typeout{Page number: [\thepage]}%
7471   \def\MessageBreak{^^J}%
7472   \typeout{\@biditufefloat@float@debug@info}%
7473   \ifthenelse{\boolean{@biditufefloat@symmetric}}{%
7474     {\typeout{Symmetric: [true]}}%
7475     {\typeout{Symmetric: [false]}}%
7476     \typeout{-----^J^^J}%
7477   }{%
7478     % reset commands and temp boxes and captions
7479     \gdef\@biditufefloat@float@debug@info{}%
7480     \let\caption\@biditufefloat@orig@caption%
7481     \let\label\@biditufefloat@orig@label%
7482     \begin{lrbox}{\@biditufefloat@figure@box}\hbox{}\end{lrbox}%
7483     \begin{lrbox}{\@biditufefloat@caption@box}\hbox{}\end{lrbox}%
7484     \gdef\@biditufefloat@stored@shortcaption{}%
7485     \gdef\@biditufefloat@stored@caption{}%
7486     \gdef\@biditufefloat@stored@label{}%
7487     \gsetlength{\@biditufefloat@caption@vertical@offset}{0pt}% reset caption offset
7488   }%
7489 \newcommand{\@biditufefloat@float@textwidth}[3][0pt]{%
7490   \ifthenelse{\NOT\boolean{@biditufefloat@symmetric}\OR\boolean{@biditufefloat@float@recto}}{%
7491     % asymmetric or page is odd, so caption is on the right
7492     \hbox{%
7493       \usebox{#2}%
7494       \hspace{\marginparsep}%
7495       \smash{\raisebox{#1}{\usebox{#3}}}%
7496     }%
7497     \@biditufefloat@float@debug{Caption position: [right]}%
7498   }{%
7499     % symmetric pages and page is even, so caption is on the left
7500     \hbox{%
7501       \smash{\raisebox{#1}{\usebox{#3}}}%
7502       \hspace{\marginparsep}%
7503       \usebox{#2}%
7504     }%
7505     \@biditufefloat@float@debug{Caption position: [left]}%
7506   }%
7507 \newcommand{\@biditufefloat@float@fullwidth}[3][0pt]{%
7508   \ifthenelse{\equal{\floatalignment}{b}}{%

```



```

7509  {%
7510    \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@r}
7511      {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug}
7512      {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug}
7513  }% place caption below figure
7514    \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@r}
7515      {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug}
7516      {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug}
7517  }%
7518 }
7519 \renewenvironment{figure}[1][htbp]{%
7520   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
7521   {\end{@bidituftefloat@float}}
7522 \renewenvironment{table}[1][htbp]{%
7523   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
7524   {\end{@bidituftefloat@float}}
7525 \renewenvironment{figure*}[1][htbp]{%
7526   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
7527   {\end{@bidituftefloat@float}}
7528 \renewenvironment{table*}[1][htbp]{%
7529   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
7530   {\end{@bidituftefloat@float}}
7531 \newenvironment{fullwidth}{%
7532   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
7533     \ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}{%
7534       \begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
7535   }%
7536   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
7537     \ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}%
7538     \end{adjustwidth}%
7539   }
7540 \long\def\@caption#1[#2]#3{%
7541   \par%
7542   \addcontentsline{\csname ext@#1\endcsname}{#1}%
7543     {\protect\numberline{\csname the#1\endcsname}\ignorespaces #2}%
7544 \begingroup%
7545   \parboxrestore%
7546   \ifminipage%
7547     \setminipage%
7548   \fi%
7549   \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
7550   \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
7551   \%@\makecaption{\csname fnum@\#1\endcsname}\ignorespaces #3\par
7552 \endgroup}
7553 %%%
7554 % Turns newlines into spaces. Based on code from the `titlesec' package.
7555 \DeclareRobustCommand{\@biditufteheading@newlinetospace}{%
7556   \@ifstar{\@biditufteheading@newlinetospace@i}{\@biditufteheading@newlinetospace@i}{}%
7557 }
7558 \def\@biditufteheading@newlinetospace@i{%
7559   \ifdim\lastskip>\z@\else\space\fi
7560   \ignorespaces%
7561 }
7562 \DeclareRobustCommand{\newlinetospace}[1]{%

```



```

7563 \let\@biditufteheading@orig@cr\\% save the original meaning of \\
7564 \def\\{\@biditufteheading@newlineinspace}% turn \\ and \\* into \space
7565 \let\newline\\% turn \newline into \space
7566 #1%
7567 \let\\@\biditufteheading@orig@cr% revert to original meaning of \\
7568 }
7569 \RequirePackage{fancyhdr}
7570 \pagestyle{fancy}
7571 \AtBeginDocument{%
7572   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7573     {\fancyhf[LE,RO]{\@bidituftefloat@overhang}}%
7574     {\fancyhf[RE,RO]{\@bidituftefloat@overhang}}%
7575 }
7576 % The running heads/feet don't have rules
7577 \renewcommand{\headrulewidth}{0pt}
7578 \renewcommand{\footrulewidth}{0pt}
7579 % The 'fancy' page style is the default style for all pages.
7580 \fancyhf{} % clear header and footer fields
7581   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7582     {\fancyhead[LE]{\thepage\quad\textsl{\newlineinspace{\plainauthor}}}}%
7583     {\fancyhead[RO]{\textsl{\newlineinspace{\plaintitle}}\quad\thepage}}%
7584     {\fancyhead[RE,RO]{\textsl{\newlineinspace{\plaintitle}}\quad\thepage}}%
7585 % The 'plain' page style is used on chapter opening pages.
7586 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7587 % bottom of pages -- the folios are unexpressed.
7588 \fancypagestyle{plain}{%
7589   \fancyhf{} % clear header and footer fields
7590   % Uncomment the following five lines of code if you want the opening page
7591   % of the chapter to express the folio in the lower outside corner.
7592   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7593   % {\fancyfoot[LE,RO]{\thepage}}
7594   % {\fancyfoot[RE,RO]{\thepage}}%
7595 }
7596 % The 'empty' page style suppresses all headers and footers.
7597 % It's used on title pages and 'intentionally blank' pages.
7598 \fancypagestyle{empty}{%
7599   \fancyhf{} % clear header and footer fields
7600 }
7601 \def\morefloats{%
7602   \ifthenelse{\isundefined{\bx@S}}{%
7603     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}%
7604     \newinsert\bx@S
7605     \newinsert\bx@T
7606     \newinsert\bx@U
7607     \newinsert\bx@V
7608     \newinsert\bx@W
7609     \newinsert\bx@X
7610     \newinsert\bx@Y
7611     \newinsert\bx@Z
7612     \newinsert\bx@a
7613     \newinsert\bx@b
7614     \newinsert\bx@c
7615     \newinsert\bx@d
7616     \newinsert\bx@e

```



```

7617   \newinsert\bx@f
7618   \newinsert\bx@g
7619   \newinsert\bx@h
7620   \newinsert\bx@i
7621   \newinsert\bx@j
7622   \newinsert\bx@k
7623   \newinsert\bx@l
7624   \newinsert\bx@m
7625   \newinsert\bx@n
7626   \newinsert\bx@o
7627   \newinsert\bx@p
7628   \newinsert\bx@q
7629   \newinsert\bx@r
7630   \newinsert\bx@s
7631   \newinsert\bx@t
7632   \newinsert\bx@u
7633   \newinsert\bx@v
7634   \newinsert\bx@w
7635   \newinsert\bx@x
7636   \newinsert\bx@y
7637   \newinsert\bx@z
7638 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7639           \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7640           \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7641           \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7642           \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7643           \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7644           \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7645           \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7646           \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7647           \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7648           \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7649           \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
7650 }% we've already added another 34 floats, so we'll add 26 more, but that's it!
7651 \ifthenelse{\isundefined{\bx@AA}}{%
7652     \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
7653     \newinsert\bx@AA
7654     \newinsert\bx@BB
7655     \newinsert\bx@CC
7656     \newinsert\bx@DD
7657     \newinsert\bx@EE
7658     \newinsert\bx@FF
7659     \newinsert\bx@GG
7660     \newinsert\bx@HH
7661     \newinsert\bx@II
7662     \newinsert\bx@JJ
7663     \newinsert\bx@KK
7664     \newinsert\bx@LL
7665     \newinsert\bx@MM
7666     \newinsert\bx@NN
7667     \newinsert\bx@OO
7668     \newinsert\bx@PP
7669     \newinsert\bx@QQ
7670     \newinsert\bx@RR

```



```

7671      \newinsert\bx@SS
7672      \newinsert\bx@TT
7673      \newinsert\bx@UU
7674      \newinsert\bx@VV
7675      \newinsert\bx@WW
7676      \newinsert\bx@XX
7677      \newinsert\bx@YY
7678      \newinsert\bx@ZZ
7679      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7680          \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7681          \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7682          \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7683          \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7684          \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7685          \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7686          \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7687          \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7688          \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7689          \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7690          \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7691          \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7692          \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7693          \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7694          \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7695          \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
7696          \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7697      }{%
7698          \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message
7699              {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or
7700          }%
7701      }%
7702  }%
7703 \newboolean{@bidituftefloat@packages@subfigure}
7704 \setboolean{@bidituftefloat@packages@subfigure}{false}
7705 \AtBeginDocument{%
7706     \@ifpackageloaded{subfigure}
7707         {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
7708         {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
7709 }
7710 \AtBeginDocument{%
7711     \@ifpackageloaded{float}{%
7712         % Save the redefined float environment (instead of the LaTeX float environment)
7713         \let\@bidituftefloat@orig@float\@float
7714         \let\@bidituftefloat@orig@endfloat\end@float
7715
7716         % Define Tuftian float styles (with the caption in the margin)
7717         \newcommand{\floatc@bidituftefloatplain}[2]{%
7718             \begin{lrbox}{\@bidituftefloat@caption@box}%
7719                 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7720                     \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
7721                     \end{minipage}%
7722             \end{lrbox}%
7723             \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
7724         }%

```



```

7725 \newcommand{\fs@bidituftefloatplain}{%
7726   \def\@fs@cfont{\@bidituftefloat@caption@font}%
7727   \let\@fs@capt\floatc@bidituftefloatplain%
7728   \def\@fs@pre{}%
7729   \def\@fs@post{}%
7730   \def\@fs@mid{}%
7731   \let\@fs@iftopcapt\iftrue%
7732 }
7733 \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
7734 \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
7735 \newcommand\floatc@bidituftefloatruled[2]{%
7736   {\@fs@cfont #1} #2\par%
7737 }
7738 \newcommand\fs@bidituftefloatruled{%
7739   \def\@fs@cfont{\@bidituftefloat@caption@font}%
7740   \let\@fs@capt\floatc@bidituftefloatplain%
7741   \def\@fs@pref{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
7742   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
7743   \def\@fs@mid{}%
7744   \let\@fs@iftopcapt\iftrue%
7745 }
7746 \newcommand\fs@bidituftefloatboxed{%
7747   \def\@fs@cfont{}%
7748   \let\@fs@capt\floatc@bidituftefloatplain%
7749   \def\@fs@pre{%
7750     \setbox\@currbox\vbox{\hbadness10000
7751     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
7752       \hrule\hbox to\hsize{\vrule\kern3pt
7753         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}%
7754   }%
7755   \def\@fs@mid{\kern2pt}%
7756   \def\@fs@post{}%
7757   \let\@fs@iftopcapt\iftrue%
7758 }
7759 }{%
7760   % Nothing to do
7761 }
7762 }
7763 \AtBeginDocument{%
7764   \@ifpackageloaded{algorithm}{%
7765     % Set the float style to the Tuftian version
7766     \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\ALG@floatstyle}{MessageBreak}}
7767     \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
7768     \floatstyle{bidituftefloat\ALG@floatstyle}%
7769     \restylefloat{algorithm}%
7770   }{}%
7771 }{%
7772   % Nothing to do
7773 }
7774 }
7775 \PassOptionsToPackage[caption=false]{subfig}

```

54 File bidituftesidenote.sty



```

7776 \NeedsTeXFormat{LaTeX2e}
7777 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
7778 bidi implementation of tufte sidenote]
7779 \RequirePackage{xifthen}
7780 \RequirePackage{ragged2e}
7781 \RequirePackage{setspace}
7782 \RequirePackage{biditools}
7783 \def\budituftesidenotemarginpar{%
7784   \ifhmode
7785     \obspshack
7786     \floatpenalty -\Mii
7787   \else
7788     \floatpenalty-\Miii
7789   \fi
7790   \ifinner
7791     \parmoderr
7792     \floatpenalty\z@
7793   \else
7794     \next\currbox\freelist{}{%
7795       \next\marbox\freelist{\global\count\marbox\m@ne}{%
7796         \floatpenalty\z@
7797         \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}{%
7798       \fi
7799       \ifnextchar [\budituftesidenotexmpar\budituftesidenoteypar]{%
7800         \long\def\budituftesidenotexmpar[#1]{%
7801           \budituftesidenotesavemarbox\marbox[#1]{%
7802             \budituftesidenotesavemarbox\currbox[#2]{%
7803               \xympar
7804             \long\def\budituftesidenoteypar#1{%
7805               \budituftesidenotesavemarbox\marbox[#1]{%
7806                 \global\setbox\currbox\copy\marbox
7807                 \xympar
7808             \long\def\budituftesidenotesavemarbox #1{%
7809               \global\setbox #1{%
7810                 \color@vbox
7811                   \vtop{%
7812                     \hsize\marginparwidth
7813                     \parboxrestore
7814                     \budituftesidenotemarginparreset
7815                     #2%
7816                     \minipagetrue
7817                     \outer@nobreak
7818                   }%
7819                 \color@endbox
7820             }%
7821             \def\budituftesidenotemarginparreset {%
7822               \reset@font
7823               \normalsize
7824               \minipagetrue
7825               \everypar{\minipagetrue\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
7826             }%
7827             \def\LTRbudituftesidenotemarginpar{%
7828               \ifhmode
7829                 \obspshack

```



```

7830      \@floatpenalty -\@Mii
7831  \else
7832      \@floatpenalty-\@Miii
7833  \fi
7834  \ifinner
7835      \@parmoderr
7836      \@floatpenalty\z@
7837  \else
7838      \next@\currbox\@freelist{}{}%
7839      \next@\marbox\@freelist{\global\count\marbox\m@ne}%
7840      {\@floatpenalty\z@
7841          \@fltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
7842  \fi
7843  \ifnextchar [\@LTrbiditufteidenotexmpar@\LTrbiditufteidenoteypar}
7844 \long\def\@LTrbiditufteidenotexmpar[#1]#2{%
7845     \@LTrbiditufteidenotesavemarbox\@marbox{#1}%
7846     \@LTrbiditufteidenotesavemarbox\@currbox{#2}%
7847     \xympar}
7848 \long\def\@LTrbiditufteidenoteypar#1{%
7849     \@LTrbiditufteidenotesavemarbox\@marbox{#1}%
7850     \global\setbox\currbox\copy\marbox
7851     \xympar}
7852 \long\def\@LTrbiditufteidenotesavemarbox #1#2{%
7853     \global\setbox #1%
7854     \color@vbox
7855         \vtop{%
7856             \hsize\marginparwidth
7857             \parboxrestore
7858             \@LTrbiditufteidenotemarginparreset
7859             #2%
7860             \minipagetrue
7861             \outer@nobreak
7862             }%
7863     \color@endbox
7864 }
7865 \def \@LTrbiditufteidenotemarginparreset {%
7866     \reset@font
7867     \normalsize
7868     \minipagetrue
7869     \everypar{\minipagetrue\everypar{}\beginL}%
7870 }
7871 \def\RTLbiditufteidenotemarginpar{%
7872     \ifhmode
7873         \bsphack
7874         \@floatpenalty -\@Mii
7875     \else
7876         \@floatpenalty-\@Miii
7877     \fi
7878     \ifinner
7879         \@parmoderr
7880         \@floatpenalty\z@
7881     \else
7882         \next@\currbox\@freelist{}{}%
7883         \next@\marbox\@freelist{\global\count\marbox\m@ne}%

```



```

7884      {\@floatpenalty\z@
7885          \@fltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
7886 \fi
7887 \ifnextchar [\@RTLbidituftesidenotexmpar@\RTLbidituftesidenoteypar}%
7888 \long\def\@RTLbidituftesidenotexmpar[#1]\#2{%
7889   \@RTLbidituftesidenotesavemarbox\marbox{#1}%
7890   \@RTLbidituftesidenotesavemarbox\currbox{#2}%
7891   \xympar}%
7892 \long\def\@RTLbidituftesidenoteypar#1{%
7893   \@RTLbidituftesidenotesavemarbox\marbox{#1}%
7894   \global\setbox\currbox\copy\marbox
7895   \xympar}%
7896 \long\def \@RTLbidituftesidenotesavemarbox #1\#2{%
7897   \global\setbox #1%
7898   \color@vbox
7899   \vtop{%
7900     \hsize\marginparwidth
7901     \parboxrestore
7902     \@RTLbidituftesidenotemarginparreset
7903     #2%
7904     \minipagetrue
7905     \outer@nobreak
7906   }%
7907   \color@endbox
7908 }
7909 \def \@RTLbidituftesidenotemarginparreset {%
7910   \reset@font
7911   \normalsize
7912   \minipagetrue
7913   \everypar{\minipagetrue\everypar{}{\beginR}}%
7914 }
7915 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
7916 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
7917 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
7918 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
7919 \newcommand*{\@bidituftesidenote@LTrsidenote@font}{\@bidituftesidenote@LTRmarginfont}
7920 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
7921 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
7922 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
7923 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
7924 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
7925 \newcommand*{\@bidituftesidenote@LTrcitation@font}{\@bidituftesidenote@LTRmarginfont}
7926 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
7927 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
7928 \newcommand*{\setLTrsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrsidenote@font}{#1}}
7929 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
7930 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
7931 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}
7932 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
7933 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
7934 \newcommand*{\setLTrcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTrcitation@font}{#1}}
7935 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
7936 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@a}
7937 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@b}

```



```

7938 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@%
7939 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
7940 \newcommand{\@bidituftesidenote@margin@par}{%
7941   \setlength{\RaggedRightParindent}{0.5pc}%
7942   \setlength{\JustifyingParindent}{0.5pc}%
7943   \setlength{\parindent}{0.5pc}%
7944   \setlength{\parskip}{0pt}%
7945 }
7946 %%
7947 % Globally sets the length
7948 \ifundefined{gsetlength}{%
7949   \newcommand*{\gsetlength}[2]{%
7950     \setlength{#1}{#2}%
7951     \global#1=#1\relax%
7952   }%
7953 }{}%
7954 %%
7955 %% A function that removes leading and trailing spaces from the supplied macro.
7956 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
7957 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
7958 % being trimmed of leading and trailing white space.
7959 %
7960 \catcode`\Q=3
7961 \def\@bidituftesidenote@trim@spaces#1{%
7962   % Use grouping to emulate a multi-token afterassignment queue
7963   \begingroup%
7964   % Put `\\toks 0 {' into the afterassignment queue
7965   \aftergroup\toks\aftergroup0\aftergroup{%
7966   % Apply \\trimb to the replacement text of #1, adding a leading
7967   % \\noexpand to prevent brace stripping and to serve another purpose
7968   % later.
7969   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
7970   % Transfer the trimmed text back into #1.
7971   \edef#1{\the\toks}%
7972 }
7973 % \\trimb removes a trailing space if present, then calls \\@bidituftesidenote@trim@c to
7974 % clean up any leftover bizarre Qs, and trim a leading space. In
7975 % order for \\trimc to work properly we need to put back a Q first.
7976 \def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
7977 % Execute \\vfuzz assignment to remove leading space; the \\noexpand
7978 % will now prevent unwanted expansion of a macro or other expandable
7979 % token at the beginning of the trimmed text. The \\endgroup will feed
7980 % in the \\aftergroup tokens after the \\vfuzz assignment is completed.
7981 \def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \\vfuzz\the\\vfuzz#1}
7982 \catcode`\Q=11
7983 %%
7984 % Citations should go in the margin as sidenotes
7985 %
7986 \RequirePackage{natbib}
7987 \RequirePackage{bibentry}          % allows bibitems to be typeset outside thebibliography env
7988 % Redefine the \\BR@b@bibitem command to fix a bug with bibentry+chicago style
7989 \renewcommand{\BR@b@bibitem}[2][]{%
7990   \ifthenelse{\isempty{#1}}{%
7991     {\BR@b@bibitem{#2}}%

```



```

7992     {\BR@bibitem[#1]{#2}}%
7993     \BR@c@bibitem{#2}%
7994 }
7995 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
7996 %%
7997 % Normal \cite behavior
7998 \newcounter{@bidituftesidenote@num@bibkeys}%
7999 \newcommand{@bidituftesidenote@normal@cite}[2][0pt]{%
8000   % Snag the last bibentry in the list for later comparison
8001   \let\@temp@last@bibkey\empty%
8002   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8003   \sidenote[] [#1]{%
8004     % Loop through all the bibentries, separating them with semicolons and spaces
8005     \normalsize\normalfont\@bidituftesidenote@citation@font%
8006     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8007     \@for\@temp@bibkeyx:=#2\do{%
8008       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8009         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
8010         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8011         \bibentry{\@temp@bibkeyx}%
8012         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8013           \bibentry{\@temp@bibkeyx};\ }%
8014         \stepcounter{@bidituftesidenote@num@bibkeys}%
8015       }%
8016     }%
8017   }%
8018 \newcommand{@biditufteLTRsidenote@normal@cite}[2][0pt]{%
8019   % Snag the last bibentry in the list for later comparison
8020   \let\@temp@last@bibkey\empty%
8021   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8022   \LTRsidenote[] [#1]{%
8023     % Loop through all the bibentries, separating them with semicolons and spaces
8024     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
8025     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8026     \@for\@temp@bibkeyx:=#2\do{%
8027       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8028         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
8029         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8030         \bibentry{\@temp@bibkeyx}%
8031         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8032           \bibentry{\@temp@bibkeyx};\ }%
8033         \stepcounter{@bidituftesidenote@num@bibkeys}%
8034       }%
8035     }%
8036   }%
8037 \newcommand{@biditufteRTLsidenote@normal@cite}[2][0pt]{%
8038   % Snag the last bibentry in the list for later comparison
8039   \let\@temp@last@bibkey\empty%
8040   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8041   \RTLsidenote[] [#1]{%
8042     % Loop through all the bibentries, separating them with semicolons and spaces
8043     \normalsize\normalfont\@bidituftesidenote@citation@font%
8044     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8045     \@for\@temp@bibkeyx:=#2\do{%

```



```

8046      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
8047          {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
8048              \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8049              \bibentry{\@temp@bibkeyx}}%
8050          {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8051              \bibentry{\@temp@bibkeyx};\ }%
8052          \stepcounter{@bidituftesidenote@num@bibkeys}%
8053      }%
8054  }%
8055 }%
8056 %%%
8057 % Macros for holding the list of cite keys until after the \sidenote
8058 \gdef\@bidituftesidenote@citations{}% list of cite keys
8059 \newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
8060   \ifx\@bidituftesidenote@citations\empty\else
8061     \g@addto@macro\@bidituftesidenote@citations{\,}%
8062   \fi
8063   \g@addto@macro\@bidituftesidenote@citations{#1}
8064 }
8065 \newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin no
8066   % Snag the last bibentry in the list for later comparison
8067   \let\@temp@last@bibkey\empty%
8068   \for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
8069   \marginpar{%
8070     \hbox{}\vspace*{#1}%
8071     \@bidituftesidenote@citation@font%
8072     \@bidituftesidenote@citation@justification%
8073     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
8074     \vspace*{-1\baselineskip}%
8075     % Loop through all the bibentries, separating them with semicolons and spaces
8076     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8077     \for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
8078       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
8079           {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
8080               \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8081               \bibentry{\@temp@bibkeyx}}%
8082           {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8083               \bibentry{\@temp@bibkeyx};\ }%
8084           \stepcounter{@bidituftesidenote@num@bibkeys}%
8085       }%
8086     }%
8087   }%
8088 %%%
8089 % \cite behavior when executed within a sidenote
8090 \newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8091 \newcommand{\@bidituftesidenote@infofootnote@cite}[1]{%
8092   \@bidituftesidenote@add@citation{#1}
8093 }
8094 %%%
8095 % Set the default \cite style. This is set and reset by the \sidenote command.
8096 \let\cite\@bidituftesidenote@normal@cite
8097 \let\LTRcite\@biditufteLTRsidenote@normal@cite
8098 \let\RTLcite\@biditufteRTLsidenote@normal@cite
8099 %%%

```



```

8100 % Transform existing \footnotes into \sidenotes
8101 % Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
8102 \RequirePackage{optparams}%
8103 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote}
8104 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote}
8105 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8106 % sidenote's text block.
8107 \bidi@patch@AfterPackage{bidi}{\long\def\makefntext{\@textsuperscript{\@bidituftesidenote}}
8108 % Set the in-text footnote mark in the same typeface as the body text itself.
8109 \bidi@patch@AfterPackage{bidi}{\def\makefnmark{\hbox{\@textsuperscript{\normalfont\footnote{}}}}
8110 \providecommand*{\multiplefootnotemarker}{3sp}
8111 \providecommand*{\multfootsep}{,}
8112 \bidi@patch@AfterPackage{bidi}{%
8113 \renewcommand{\@footnotemark}{%
8114   \leavevmode%
8115   \ifhmode%
8116     \edef\x@sf{\the\spacefactor}%
8117     \nobreak%
8118     \nobreak%
8119   \fi%
8120   \makefnmark%
8121   \ifhmode\spacefactor\x@sf\fi%
8122   \relax%
8123 }%
8124 }
8125 \newcommand{\@bidituftesidenote@check@multiplesidenotes}{%
8126   \ifdim\lastkern=\multiplefootnotemarker\relax%
8127     \edef\x@sf{\the\spacefactor}%
8128     \unkern%
8129     \textsuperscript{\multfootsep}%
8130     \spacefactor\x@sf\relax%
8131   \fi
8132 }
8133 \bidi@patch@AfterPackage{bidi}{%
8134 \renewcommand{\footnotetext}[2][0pt]{%
8135   \bidituftesidenotemarginpar{%
8136     \hbox{}\vspace*{\#1}%
8137     \def\baselinestretch{\setlength{\lineskip}{0pt}\setlength{\lineheight}{1.2}\relax}%
8138     \reset@font%
8139     \bidi@@footnotetext@font\reset@font\footnotesize%
8140     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
8141     \vspace*{-1\baselineskip}\noindent%
8142     \protected@edef{\currentlabel}{%
8143       \csname p@footnote\endcsname\@thefnmark%
8144     }%
8145     \color@begingroup%
8146     \makefntext{%
8147       \ignorespaces#2%
8148     }%
8149     \color@endgroup%
8150   }%
8151 }%
8152 \renewcommand{\LTRfootnotetext}[2][0pt]{%
8153   \LTRbidituftesidenotemarginpar{%

```



```

8154   \hbox{}\vspace*{#1}%
8155   \def\baselinestretch {\setlength{\baselineskip}{\lineheight{#1}}}
8156   \reset@font%
8157   \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
8158   \bidi@margin@par% use parindent and parskip settings for marginal text
8159   \vspace*{-1\baselineskip}\noindent%
8160   \protected@edef\@currentlabel{%
8161     \csname p@footnote\endcsname\@thefnmark%
8162   }%
8163   \color@begingroup%
8164     \makefntext{%
8165       \ignorespaces#2%
8166     }%
8167   \color@endgroup%
8168 }%
8169 }%
8170 \renewcommand\@RTLfootnotetext[2][0pt]{%
8171   \RTLbidi@margin@par{%
8172     \hbox{}\vspace*{#1}%
8173     \def\baselinestretch {\setlength{\baselineskip}{\lineheight{#1}}}
8174     \reset@font%
8175     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
8176     \bidi@margin@par% use parindent and parskip settings for marginal text
8177     \vspace*{-1\baselineskip}\noindent%
8178     \protected@edef\@currentlabel{%
8179       \csname p@footnote\endcsname\@thefnmark%
8180     }%
8181     \color@begingroup%
8182       \makefntext{%
8183         \ignorespaces#2%
8184       }%
8185     \color@endgroup%
8186   }%
8187 }%
8188 }%
8189 %
8190 % Define \sidenote command. Can handle \cite.
8191 \newlength{\bidi@sidenote@vertical@offset}
8192 \setlength{\bidi@sidenote@vertical@offset}{0pt}
8193 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
8194 \long\def\bidi@sidenote[#1][#2][#3]{%
8195   \let\cite\bidi@sidenote@infofootnote@cite% use the in-sidenote \cite command
8196   \gdef\@bidi@sidenote@citations{}% clear out any old citations
8197   \ifthenelse{\NOT\isempty{#2}}{%
8198     \gsetlength{\bidi@sidenote@vertical@offset}{#2}%
8199   }{%
8200     \gsetlength{\bidi@sidenote@vertical@offset}{0pt}%
8201   }%
8202   \ifthenelse{\isempty{#1}}{%
8203     % no specific footnote number provided
8204     \stepcounter\thefn%
8205     \protected@xdef\@thefnmark{\thefn}%
8206     \footnotemark\footnotetext[\bidi@sidenote@vertical@offset]{#3}%
8207   }{%

```



```

8208     % specific footnote number provided
8209     \begingroup%
8210         \csname c@\@mpfn\endcsname #1\relax%
8211         \unrestored@protected@xdef\@thefnmark{\thempfn}%
8212     \endgroup%
8213     \footnotemark\footnotetext[\bidiutfesidenote@sidenote@vertical@offset]{#3}%
8214 }%
8215 \bidiutfesidenote@print@citations%           print any citations
8216 \let\cite\bidiutfesidenote@normal@cite%       go back to using normal in-text \cite command
8217 \let\LTRcite\bidiutfteLTrsidenote@normal@cite%   go back to using normal in-text \LTR
8218 \let\RTLcite\bidiutfteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8219 \unskip\ignorespaces%                         remove extra white space
8220 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
8221 \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
8222 }%
8223 \long\def\@LTRbidiutfesidenote[#1][#2]{%
8224     \let\cite\bidiutfesidenote@infofootnote@cite%   use the in-sidenote \cite command
8225     \gdef\@bidiutfesidenote@citations{}%           clear out any old citations
8226     \ifthenelse{\NOT\isempty{#2}}{%
8227         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{#2}%
8228     }{%
8229         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{0pt}%
8230     }%
8231     \ifthenelse{\isempty{#1}}{%
8232         % no specific footnote number provided
8233         \stepcounter\@mpfn%
8234         \protected@xdef\@thefnmark{\thempfn}%
8235         \footnotemark\@LTRfootnotetext[\bidiutfesidenote@sidenote@vertical@offset]{#3}%
8236     }{%
8237         % specific footnote number provided
8238         \begingroup%
8239             \csname c@\@mpfn\endcsname #1\relax%
8240             \unrestored@protected@xdef\@thefnmark{\thempfn}%
8241         \endgroup%
8242         \footnotemark\@LTRfootnotetext[\bidiutfesidenote@sidenote@vertical@offset]{#3}%
8243     }%
8244     \bidiutfesidenote@print@citations%           print any citations
8245     \let\cite\bidiutfesidenote@normal@cite%       go back to using normal in-text \cite command
8246     \let\LTRcite\bidiutfteLTrsidenote@normal@cite%   go back to using normal in-text \LTR
8247     \let\RTLcite\bidiutfteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8248     \unskip\ignorespaces%                         remove extra white space
8249     \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
8250     \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
8251 }%
8252 \long\def\@RTLbidiutfesidenote[#1][#2]{%
8253     \let\cite\bidiutfesidenote@infofootnote@cite%   use the in-sidenote \cite command
8254     \gdef\@bidiutfesidenote@citations{}%           clear out any old citations
8255     \ifthenelse{\NOT\isempty{#2}}{%
8256         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{#2}%
8257     }{%
8258         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{0pt}%
8259     }%
8260     \ifthenelse{\isempty{#1}}{%
8261         % no specific footnote number provided

```



```

8262   \stepcounter{\mpfn}
8263   \protected@xdef{\thefnmark{\thempfn}}
8264   \footnotemark[\RTLfootnotetext[\bidiutfesidenote@sidenote@vertical@offset]{#3}]
8265 }{%
8266   % specific footnote number provided
8267   \begingroup%
8268     \csname c@\mpfn\endcsname #1\relax%
8269     \unrestored@protected@xdef{\thefnmark{\thempfn}}%
8270   \endgroup%
8271   \footnotemark[\RTLfootnotetext[\bidiutfesidenote@sidenote@vertical@offset]{#3}]
8272 }%
8273 \bidiutfesidenote@print@citations%           print any citations
8274 \let\cite{\bidiutfesidenote@normal@cite}%      go back to using normal in-text \cite command
8275 \let\LTRcite{\bidiutufeLTrsidenote@normal@cite}% go back to using normal in-text \LTRcite
8276 \let\RTLcite{\bidiutufeRTLsidenote@normal@cite}% go back to using normal in-text \RTLcite
8277 \unskip\ignorespaces%                         remove extra white space
8278 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
8279 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
8280 }
8281 \newcommand{\sidenote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}
8282 \newcommand{\LTRsidenote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}
8283 \newcommand{\RTLsidenote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}
8284 \bidi@patch@AfterPackage{bidi}{%
8285 \renewcommand{\footnote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}%
8286 \renewcommand{\LTRfootnote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}%
8287 \renewcommand{\RTLfootnote}{\optparams{\bidiutfesidenote@sidenote}{}[0pt]}%
8288 }
8289 %%%
8290 % Sidenote without the footnote mark
8291 \newcommand\marginnote[2][0pt]{%
8292   \let\cite{\bidiutfesidenote@infofootnote@cite}% use the in-sidenote \cite command
8293   \gdef{\bidiutfesidenote@citations}{}% clear out any old citations
8294   \bidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\bidiutfesidenote@marginnote@font\bidiutfesidenote@font}%
8295   \bidiutfesidenote@print@citations%           print any citations
8296   \let\cite{\bidiutfesidenote@normal@cite}%      go back to using normal in-text \cite command
8297   \let\LTRcite{\bidiutufeLTrsidenote@normal@cite}% go back to using normal in-text \LTRcite
8298   \let\RTLcite{\bidiutufeRTLsidenote@normal@cite}% go back to using normal in-text \RTLcite
8299 }
8300 \newcommand\LTRmarginnote[2][0pt]{%
8301   \let\cite{\bidiutfesidenote@infofootnote@cite}% use the in-sidenote \cite command
8302   \gdef{\bidiutfesidenote@citations}{}% clear out any old citations
8303   \bidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\bidiutfesidenote@LTRmarginnote@font\bidiutfesidenote@font}%
8304   \bidiutfesidenote@print@citations%           print any citations
8305   \let\cite{\bidiutfesidenote@normal@cite}%      go back to using normal in-text \cite command
8306   \let\LTRcite{\bidiutufeLTrsidenote@normal@cite}% go back to using normal in-text \LTRcite
8307   \let\RTLcite{\bidiutufeRTLsidenote@normal@cite}% go back to using normal in-text \RTLcite
8308 }
8309 \newcommand\RTLmarginnote[2][0pt]{%
8310   \let\cite{\bidiutfesidenote@infofootnote@cite}% use the in-sidenote \cite command
8311   \gdef{\bidiutfesidenote@citations}{}% clear out any old citations
8312   \bidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\bidiutfesidenote@RTLmarginnote@font\bidiutfesidenote@font}%
8313   \bidiutfesidenote@print@citations%           print any citations
8314   \let\cite{\bidiutfesidenote@normal@cite}%      go back to using normal in-text \cite command
8315   \let\LTRcite{\bidiutufeLTrsidenote@normal@cite}% go back to using normal in-text \LTRcite

```



```
8316 \let\RTLcite\@biditufteRTLsidenote@normal@cite%      go back to using normal in-text \RTL  
8317 }
```

55 File `bidituftetoc.sty`

```
8318 \NeedsTeXFormat{LaTeX2e}  
8319 \ProvidesPackage{bidituftetoc}[2011/06/17 v0.1  
8320 bidi implementation of tufte toc]  
8321 \RequirePackage{titlesec,titletoc,xifthen,biditools}  
8322 \newcommand{\@bidituftetoc@pkgname}{\bidituftetoc}  
8323 \newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}  
8324 %%  
8325 % Turn off section numbering  
8326 \setcounter{secnumdepth}{-1}  
8327 \newboolean{@bidituftetoc@toc}  
8328 \setboolean{@bidituftetoc@toc}{true}  
8329 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}  
8330 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}  
8331 \ProcessOptions  
8332 %%  
8333 % Make Tuftian-style section headings and TOC formatting  
8334 \bidi@patch@AfterPackage{bidi}{%  
8335 \titleformat{\chapter}{%  
8336 [display]{ shape  
8337 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}{}{}}% format  
8338 {\itshape\huge\thechapter}{ label  
8339 {0pt}{ horizontal separation between label and title body  
8340 {\huge\rmfamily\itshape}{ before the title body  
8341 [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}{}]{ after the title  
8342 \titleformat{\section}{%  
8343 [hang]{ shape  
8344 {\normalfont\Large\itshape}{ format applied to label+text  
8345 {\thesection}{ label  
8346 {1em}{ horizontal separation between label and title body  
8347 {}{ before the title body  
8348 []{ after the title body  
8349 \titleformat{\subsection}{%  
8350 [hang]{ shape  
8351 {\normalfont\large\itshape}{ format applied to label+text  
8352 {\thesubsection}{ label  
8353 {1em}{ horizontal separation between label and title body  
8354 {}{ before the title body  
8355 []{ after the title body  
8356 \titleformat{\paragraph}{%  
8357 [runin]{ shape  
8358 {\normalfont\itshape}{ format applied to label+text  
8359 {\theparagraph}{ label  
8360 {1em}{ horizontal separation between label and title body  
8361 {}{ before the title body  
8362 []{ after the title body  
8363 \titlespacing*{\chapter}{0pt}{50pt}{40pt}  
8364 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}  
8365 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}  
8366 }
```



```

8367 % Subsubsection and following section headings shouldn't be used.
8368 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
8369 \renewcommand\subsubsection{%
8370   \bidiuftetocError{\noexpand\subsubsection is undefined by this class.%}
8371   \MessageBreak See Robert Bringhurst's _The Elements of
8372   \MessageBreak Typographic Style_, section 4.2.2.
8373   \MessageBreak \noexpand\subsubsection was used}
8374   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8375   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8376   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
8377 }
8378 \renewcommand\subparagraph{%
8379   \bidiuftetocError{\noexpand\subparagraph is undefined by this class.%}
8380   \MessageBreak See Robert Bringhurst's _The Elements of
8381   \MessageBreak Typographic Style_, section 4.2.2.
8382   \MessageBreak \noexpand\subparagraph was used}
8383   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8384   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8385   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
8386 }
8387 % Formatting for main TOC (printed in front matter)
8388 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
8389 \ifthenelse{\boolean{@bidiuftetoc@toc}}{%
8390   \bidi@patch@AfterPackage{bidi}{%
8391     \titlecontents{part}%
8392       [0em] % distance from left margin
8393       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8394       {\contentslabel{2em}} % before w/label (label = ``II'')
8395       {} % before w/o label
8396       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8397       [\end{fullwidth}] % after
8398     \titlecontents{chapter}%
8399       [0em] % distance from left margin
8400       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8401       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8402       {\hspace*{0em}} % before w/o label
8403       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8404       [\end{fullwidth}] % after
8405     \titlecontents{section}%
8406       [0em] % distance from left margin
8407       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8408       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8409       {\hspace*{2em}} % before w/o label
8410       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8411       [\end{fullwidth}] % after
8412     \titlecontents{subsection}%
8413       [0em] % distance from left margin
8414       {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8415       {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8416       {\hspace*{4em}} % before w/o label
8417       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8418       [\end{fullwidth}] % after
8419     \titlecontents{paragraph}%
8420       [0em] % distance from left margin

```



```

8421      {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8422      {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8423      {\hspace*{6em}} % before w/o label
8424      {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8425      [\end{fullwidth}] % after
8426 }%
8427 }{%
8428 %%
8429 % Format lists of figures/tables
8430 \renewcommand\listoffigures{%
8431   \@ifundefined{chapter}{%
8432     {\section*{\listfigurename}}%
8433     {\chapter*{\listfigurename}}%
8434   }% \begin{fullwidth}%
8435   \@starttoc{lof}%
8436 }% \end{fullwidth}%
8437 }
8438 \renewcommand\listoftables{%
8439   \@ifundefined{chapter}{%
8440     {\section*{\listtablename}}%
8441     {\chapter*{\listtablename}}%
8442   }% \begin{fullwidth}%
8443   \@starttoc{lot}%
8444 }% \end{fullwidth}%
8445 }
8446 \newcommand{\@bidituftetoc@lof@line}[2]{%
8447   % #1 is the figure/table number and its caption text
8448   % #2 is the page number on which the figure/table appears
8449   \leftskip 0.0em
8450   \rightskip 0em
8451   \parfillskip 0em plus 1fil
8452   \parindent 0.0em
8453   \@afterindenttrue
8454   \interlinepenalty\@M
8455   \leavevmode
8456   \tempdima 2.0em
8457   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
8458   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8459   {#1}\nobreak\qquad\nobreak#2%
8460   \par%
8461 }
8462 \renewcommand*\l@figure{\@bidituftetoc@lof@line}
8463 \let\l@table\l@figure

```

56 File `bidituftegeneralstructure.sty`

```

8464 \NeedsTeXFormat{LaTeX2e}
8465 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
8466 bidi implementation of tufte general structure]
8467 \renewcommand\small{%
8468   \@setfontsize\small\@ixpt{12}%
8469   \abovedisplayskip 8.5\p@ \oplus3\p@ \minus4\p@
8470   \abovedisplayshortskip \z@ \oplus2\p@
8471   \belowdisplayshortskip 4\p@ \oplus2\p@ \minus2\p@

```



```

8472 \def\@listi{\leftmargin\leftmargini
8473         \topsep 4\p@ \plus2\p@ \minus2\p@
8474         \parsep 2\p@ \plus\p@ \minus\p@
8475         \itemsep \parsep}%
8476 \belowdisplayskip \abovedisplayskip
8477 }
8478 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
8479 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
8480 \renewcommand\large{\@setfontsize\large\@xipt{15}}
8481 \renewcommand\Large{\@setfontsize\Large\@xipt{16}}
8482 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
8483 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
8484 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
8485 \setlength\leftmargini {1pc}
8486 \setlength\leftmarginii {1pc}
8487 \setlength\leftmarginiii {1pc}
8488 \setlength\leftmarginiv {1pc}
8489 \setlength\leftmarginv {1pc}
8490 \setlength\leftmarginvi {1pc}
8491 \setlength\labelsep {.5pc}
8492 \setlength\labelwidth {\leftmargini}
8493 \addtolength\labelwidth{-\labelsep}
8494 \setlength\parindent{1.0pc}%
8495 \setlength\parskip{0pt}%
8496 \RequirePackage{ragged2e}
8497 \setlength\RaggedRightRightskip{\z@ plus 0.08\hsize}
8498 % Paragraph indentation and separation for normal text
8499 \newcommand{\@bidituftegeneralstructure@reset@par}{%
8500   \setlength\RaggedRightParindent{1.0pc}%
8501   \setlength\JustifyingParindent{1.0pc}%
8502   \setlength\parindent{1pc}%
8503   \setlength\parskip{0pt}%
8504 }
8505 \@bidituftegeneralstructure@reset@par
8506 % Require paralist package for tighter lists
8507 \RequirePackage{paralist}
8508 % Add rightmargin to compactenum
8509 \def\@compactenum{%
8510   \expandafter\list\csname label\@enumctr\endcsname{%
8511     \usecounter{\@enumctr}%
8512     \rightmargin=2em% added this
8513     \parsep\plparsep
8514     \itemsep\plitemsep
8515     \topsep\pltopsep
8516     \partopsep\plpartopsep
8517     \def\makelabel##1{\hss\llap{##1}}}%
8518 %%
8519 % An environment for paragraph-style section
8520 \providecommand\newthought[1]{%
8521   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
8522   \noindent\textbf{#1}}%
8523 }
8524 %%
8525 % Redefine the display environments (quote, quotation, etc.)

```



```

8526 \renewenvironment{verse}
8527     {\let\\@centercr
8528         \list{}{\itemsep      \z@
8529             \itemindent    -1pc%
8530             \listparindent\itemindent
8531             \rightmargin \leftmargin
8532             \advance\leftmargin 1pc}%
8533             \small%
8534             \item\relax}
8535     {\endlist}
8536 \renewenvironment{quotation}
8537     {\list{}{\listparindent 1pc%
8538             \itemindent    \listparindent
8539             \rightmargin \leftmargin
8540             \parsep       \z@ \cplus\p@}%
8541             \small%
8542             \item\relax\noindent\ignorespaces}
8543     {\endlist}
8544 \renewenvironment{quote}
8545     {\list{}{\rightmargin\leftmargin}%
8546             \small%
8547             \item\relax}
8548     {\endlist}
8549 % Italicize description run-in headings (instead of the default bold)
8550 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
8551 %%
8552 % Redefine \bibsection to not mark the running heads.
8553 % (Code modified from natbib.sty.)
8554 \ifundefined{chapter}%
8555     {\renewcommand\bibsection{\section*\{\refname\}}}
8556     {\@ifundefined{NAT@sectionbib}%
8557         {\renewcommand\bibsection{\chapter{\bibname}}}
8558         {\renewcommand\bibsection{\section*\{\bibname\}}}}
8559 \RequirePackage{multicol}
8560 \renewenvironment{theindex}{%
8561 \ifundefined{chapter}%
8562     {\section*\{\indexname\}}%
8563     {\chapter{\indexname}}%
8564     \begin{fullwidth}%
8565     \small%
8566     \parskip0pt%
8567     \parindent0pt%
8568     \let\item@\idxitem%
8569     \begin{multicols}{3}%
8570 }{%
8571     \end{multicols}%
8572     \end{fullwidth}%
8573 }
8574 \AtBeginDocument{%
8575 \renewcommand@\idxitem{\par\hangindent \if@RTL-\fi2em}%
8576 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8577 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
8578 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8579 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```



57 File `budituftehyperref.sty`

```
8580 \NeedsTeXFormat{LaTeX2e}
8581 \ProvidesPackage{budituftehyperref}[2011/06/18 v0.1
8582 bidi implementation of tufte hyperref]
8583 %%
8584 % Color
8585 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8586 \newboolean{@budituftehyperref@loadhyper}
8587 \setboolean{@budituftehyperref@loadhyper}{true}
8588 \DeclareOption{hyper}{\setboolean{@budituftehyperref@loadhyper}{true}}
8589 \DeclareOption{nohyper}{\setboolean{@budituftehyperref@loadhyper}{false}}
8590 \ProcessOptions
8591 %% Loads the hyperref package and sets some default options.
8592 \newcommand{\budituftehyperrefLoadHyperref}{%
8593 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
8594   \hypersetup{%
8595     bookmarksdepth = section,
8596     citecolor = DarkGreen,
8597     linkcolor = DarkBlue,
8598     pagecolor = DarkBlue,
8599     urlcolor = DarkGreen,
8600   }%
8601 }
8602 \ifthenelse{\boolean{@budituftehyperref@loadhyper}}{%
8603   \budituftehyperrefLoadHyperref%
8604 }{%
8605   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
8606 }
```

58 File `budituftetitle.sty`

```
8607 \NeedsTeXFormat{LaTeX2e}
8608 \ProvidesPackage{budituftetitle}[2011/06/18 v0.1
8609 bidi implementation of tufte title]
8610 \RequirePackage{biditools}
8611 %%
8612 % `titlepage' option -- creates a full title page with \maketitle
8613 \newboolean{@budituftetitle@titlepage}
8614 \DeclareOption{titlepage}{\setboolean{@budituftetitle@titlepage}{true}}
8615 \DeclareOption{notitlepage}{\setboolean{@budituftetitle@titlepage}{false}}
8616 % Default `book' and `handout' options
8617 \@ifclassloaded{book}{%
8618 \ExecuteOptions{titlepage}%
8619 \@ifclassloaded{article}{%
8620 \ExecuteOptions{notitlepage}%
8621 {}}
8622 \ProcessOptions
8623 %%
8624 % Modified \title, \author, and \date commands. These store the
8625 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
8626 \newcommand{\plaintitle}{}% plain-text-only title
8627 \newcommand{\plainauthor}{}% plain-text-only author
8628 \newcommand{\plainpublisher}{}% plain-text-only publisher
```



```

8629 \newcommand{\thanklessitle}{\%      full title text minus \thanks{}}
8630 \newcommand{\thanklessauthor}{\%      full author text minus \thanks{}}
8631 \newcommand{\thanklesspublisher}{\% full publisher minus \thanks{}}
8632 \newcommand{@publisher}{\% full publisher with \thanks{}}
8633 \newcommand{\thedate}{\today}
8634 \bidi@patch@AfterPackage{bidi}{%
8635 \renewcommand{\thanks}[1]{\footnote{\#1}}
8636 \renewcommand{\LTrthanks}[1]{\LTrfootnote{\#1}}
8637 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
8638 }
8639 \renewcommand{\title}[2][]{%
8640   \gdef\@title{\#2}%
8641   \begingroup%
8642     % TODO store contents of \thanks command
8643     \renewcommand{\thanks}[1]{\% swallow \thanks contents}
8644     \renewcommand{\LTrthanks}[1]{\% swallow \LTrthanks contents}
8645     \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents}
8646     \protected@xdef\thanklessitle{\#2}%
8647   \endgroup%
8648   \ifthenelse{\isempty{\#1}}{%
8649     {\renewcommand{\plaintitle}{\thanklessitle}}% use thankless title
8650     {\renewcommand{\plaintitle}{\#1}}% use provided plain-text title
8651   \ifundefined{hypersetup}{%
8652     {}% hyperref is not loaded; do nothing
8653     {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
8654   }%
8655 \let\@author\empty% suppress default latex.ltx ``no author'' warning
8656 \renewcommand{\author}[2][]{%
8657   \ifthenelse{\isempty{\#2}}{%
8658     \gdef\@author{\#2}%
8659     \begingroup%
8660       % TODO store contents of \thanks command
8661       \renewcommand{\thanks}[1]{\% swallow \thanks contents}
8662       \renewcommand{\LTrthanks}[1]{\% swallow \LTrthanks contents}
8663       \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents}
8664     \endgroup%
8665     \ifthenelse{\isempty{\#1}}{%
8666       {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
8667       {\renewcommand{\plainauthor}{\#1}}% use provided plain-text author
8668     \ifundefined{hypersetup}{%
8669       {}% hyperref is not loaded; do nothing
8670       {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
8671     }%
8672   \renewcommand{\date}[1]{%
8673     \gdef\@date{\#1}%
8674     \begingroup%
8675       % TODO store contents of \thanks command
8676       \renewcommand{\thanks}[1]{\% swallow \thanks contents}
8677       \renewcommand{\LTrthanks}[1]{\% swallow \LTrthanks contents}
8678       \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents}
8679     \protected@xdef\thedate{\#1}%
8680   \endgroup%
8681 }%
8682 %%
```



```

8683 % Provides a \publisher command to set the publisher
8684 \newcommand{\publisher}[2][]{%
8685   \gdef\@publisher{#2}%
8686   \begingroup%
8687     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8688     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8689     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8690     \protected@xdef\thanklesspublisher{#2}%
8691   \endgroup%
8692   \ifthenelse{\isempty{#1}}%
8693     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
8694     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
8695 }
8696 %%
8697 % Produces a full title page
8698 \newcommand{\maketitlepage}[0]{%
8699   \cleardoublepage%
8700   {%
8701     \bfseries%
8702     \begin{fullwidth}%
8703       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8704       \vspace{11.5pc}%
8705       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8706       \vfill%
8707       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8708     \end{fullwidth}%
8709   }
8710   \thispagestyle{empty}%
8711   \clearpage%
8712 }
8713 %%
8714 % Title block
8715 \bidi@AfterEndPreamble{%
8716   \renewcommand{\maketitle}{%
8717     \newpage%
8718     \global\@topnum\z@% prevent floats from being placed at the top of the page
8719     \begingroup%
8720       \setlength{\parindent}{0pt}%
8721       \setlength{\parskip}{4pt}%
8722       \let\@title\@empty%
8723       \let\@author\@empty%
8724       \let\@date\@empty%
8725         \gdef\@@title{\LARGE\itshape\@title\par}%
8726         \gdef\@@author{\Large\itshape\@author\par}%
8727         \gdef\@@date{\Large\itshape\@date\par}%
8728       \@@title%
8729       \@@author%
8730       \@@date%
8731     \endgroup%
8732     \thispagestyle{plain}% suppress the running head
8733   }%
8734 }
8735 %%
8736 % Title page (if the `titlepage' option was passed to the biditufetitle-handout

```



```

8737 % class.)
8738 \bidi@AfterEndPreamble{%
8739 \ifthenelse{\boolean{@buditufetitle@titlepage}}%
8740 {\renewcommand{\maketitle}{\maketitlepage}}%
8741 {}%
8742 }%
8743 %%%
8744 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8745 % without headers and footers
8746 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8747 \hbox{}%
8748 \%vspace*\{\fill\}%
8749 \%begin{center}%
8750 % This page intentionally contains only this sentence.
8751 \%end{center}%
8752 \%vspace*\{\fill\}%
8753 \thispagestyle{empty}%
8754 \newpage
8755 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

59 File `buditufte-handout.cls`

```

8756 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8757 \ProvidesClass{buditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
8758 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8759 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
8760 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
8761 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
8762 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{buditufetitle}}
8763 \ProcessOptions\relax
8764 \LoadClass{article}
8765 \RequirePackage{budituftefloat}
8766 \RequirePackage{budituftesidenote}
8767 \RequirePackage{budituftetoc}
8768 \RequirePackage{budituftegeneralstructure}
8769 \RequirePackage{budituftehyperref}
8770 \RequirePackage{buditufetitle}
8771 \renewenvironment{abstract}%
8772 {\begin{quotation}}%
8773 {\end{quotation}}%
8774 \AtBeginDocument{%
8775 \IfFileExists{buditufte-handout.cfg}%
8776 {\input{buditufte-handout.cfg}}%
8777 \ClassInfo{buditufte-handout}{Loading biditufte-handout configuration file \@gobble}%
8778 {}%
8779 }

```

60 File `buditufte-book.cls`

```

8780 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8781 \ProvidesClass{buditufte-book}[2011/06/18 v0.1 biditufte-book class]
8782 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8783 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
8784 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}

```



```

8785 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
8786 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
8787 \ProcessOptions\relax
8788 \LoadClass{book}
8789 \RequirePackage{bidituftefloat}
8790 \RequirePackage{bidituftesidenote}
8791 \RequirePackage{bidituftetoc}
8792 \RequirePackage{bidituftegeneralstructure}
8793 \RequirePackage{bidituftehyperref}
8794 \RequirePackage{bidituftetitle}
8795 %%
8796 % Set up any book-specific stuff now
8797 %%
8798 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8799 % to the opening page of Chapter 1. The running heads, when they appear,
8800 % contain only the (arabic) page number in the outside corner.
8801 \%newif\if@mainmatter \@mainmattertrue
8802 \renewcommand\frontmatter{%
8803   \cleardoublepage%
8804   \@mainmatterfalse%
8805   \pagenumbering{arabic}%
8806   \%pagestyle{plain}%
8807   \fancyhf{}%
8808   \ifthenelse{\boolean{bidituftefloat@twoside}}{%
8809     {\fancyhead[LE,RO]{\thepage}}%
8810     {\fancyhead[RE,RO]{\thepage}}%
8811   }%
8812 %%
8813 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8814 % numbering---it continues where it left off in the front matter.
8815 \renewcommand\mainmatter{%
8816   \cleardoublepage%
8817   \@mainmattertrue%
8818   \fancyhf{}%
8819   \ifthenelse{\boolean{bidituftefloat@twoside}}{%
8820     {\renewcommand\chaptermark[1]{\markboth{\#\#1}{}}}%
8821     {\fancyhead[LE]{\thepage\quad\smallcaps{\newlineinspace{\plaintitle}}}}% book title
8822     {\fancyhead[RO]{\smallcaps{\newlineinspace{\leftmark}}\quad\thepage}}% chapter title
8823     {\fancyhead[RE,RO]{\smallcaps{\newlineinspace{\plaintitle}}\quad\thepage}}% book title
8824 }%
8825 %%
8826 % The back matter contains appendices, indices, glossaries, endnotes,
8827 % bibliographies, list of contributors, illustration credits, etc.
8828 \renewcommand\backmatter{%
8829   \if@openright%
8830     \cleardoublepage%
8831   \else%
8832     \clearpage%
8833   \fi%
8834   \@mainmatterfalse%
8835 }%
8836 %%
8837 % Only show the chapter titles in the table of contents
8838 \setcounter{tocdepth}{0}

```



```

8839 \AtBeginDocument{%
8840 \IfFileExists{biditufte-book.cfg}%
8841   {\input{biditufte-book.cfg}%
8842     \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
8843   }%
8844 }

```

61 File `bidipoem.sty`

```

8845 \NeedsTeXFormat{LaTeX2e}
8846 \ProvidesPackage{bidipoem}%
8847 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8848
8849 % Usage:
8850 %
8851 % \Setversedim #1#2 % define the layout (within a group):
8852 % #1 = length of both half-verses
8853 % #2 = separation distance = length of a connection, if present
8854 % Variant:
8855 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8856 % #1 = length of first (=right) half-verse
8857 % #2 = length of second (=left) half-verse
8858 % #3 = separation distance = length of a connection, if present
8859 %
8860 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8861 % #1 = text of first (=right) half-verse
8862 % #2 = text of second (=left) half-verse
8863 % Variant:
8864 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8865 % #1 = text of first (=right) half-verse
8866 % #2 = text of connection
8867 % #3 = text of second (=left) half-verse
8868 %
8869 % Alternative (if preferred):
8870 %
8871 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8872
8873
8874 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
8875
8876 % define the layout, verses will be centered
8877
8878 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8879 \newdimen \bidipoem@hvind \newdimen \bidipoem@hvlen
8880
8881 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8882 \bidipoem@hvind \textwidth
8883 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8884 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
8885 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@set@verseI []
8886
8887 \def \bidipoem@set@verseI [#1]{% optional parameter
8888 \bidipoem@hvlen #1\relax \bidipoem@set@verse }
8889

```



```

8890 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8891 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
8892 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8893
8894 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8895 \ifdim Opt > \bidipoem@hvind %
8896 \bidipoem@spreadbox \bidipoem@hvlen {#1}\hfill % first block
8897 \else
8898 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8899 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8900 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
8901 \par }
8902
8903 % macro for two half verses
8904 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8905 \ifx [#2]\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}
8906 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8907 \bidipoem@half@verses@next}
8908
8909 \def \bidipoem@half@verses #1[#2]#3{%
8910 \traditionalconnverses {#1}{#2}{#3}}
8911
8912
8913 {\catcode`^^M=\active % these lines must end with %
8914 \gdef\traditionalpoem@obeylines{\catcode`^^M\active \let^^M\traditionalpoem@par}%
8915 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
8916 {\catcode`^^M=\active % these lines must end with %
8917 \gdef\modernpoem@obeylines{\catcode`^^M\active \let^^M\modernpoem@par}%
8918 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
8919 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
8920 \def\poemmarginskip{1em plus 1fil minus 1em}
8921 \def\poemextrabaselineskip{0\baselineskip}
8922 \def\poemskip{\medskip}
8923 \newcommand{\bidipoem@openbox}{\leavevmode
8924 \hbox to .77778em{%
8925 \hfil\vrule
8926 \vbox to .675em{\hrule width .6em\vfil\hrule}%
8927 \vrule\hfil}}
8928 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
8929 \newdimen\versewidth
8930 \newtoks\bidipoem@p@ftn
8931 \def\poem@verse#1{%
8932 \ifdim\wd#1>\new@poem@width
8933 \xdef\new@poem@width{\the\wd#1}%
8934 \ifdim\new@poem@width>\poem@width
8935 \xdef\poem@width{\new@poem@width}%
8936 \global\let\poem@needrun\relax
8937 \fi
8938 \fi
8939 \hbox to \poem@width{\unhbox#1}%
8940 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
8941 }
8942 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
8943 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}

```



```

8944 \def\poem@lineversesep{%
8945 \nobreak
8946 \hskip\z@ plus 1filll%
8947 \penalty600%
8948 \hskip\poemcolsep skip
8949 \hskip\z@ plus -2filll%
8950 \vadjust{}%
8951 \nobreak
8952 \hskip\z@ plus 1filll%
8953 }
8954 \def\poem@lineparsebegin{%
8955 \halign\bggroup
8956 \global\setbox\verse@i=\hbox{%
8957 \let\@footnotetext\bidipoem@p@ftnttext%
8958 \let\@LTRfootnotetext\bidipoem@p@LTRftnttext%
8959 \let\@RTLfootnotetext\bidipoem@p@RTLftnttext%
8960 \let\@xfootnotenext\bidipoem@p@xftnttext%
8961 \let\@xfootnote\bidipoem@p@xfootnote%
8962 \let\@xLTRfootnotenext\bidipoem@p@xLTRftnttext%
8963 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8964 \let\@xRTLfootnotenext\bidipoem@p@xRTLftnttext%
8965 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8966 \ignorespaces##\unskip}%%
8967 \global\setbox\verse@ii=\hbox{%
8968 \let\@footnotetext\bidipoem@p@ftnttext%
8969 \let\@LTRfootnotetext\bidipoem@p@LTRftnttext%
8970 \let\@RTLfootnotetext\bidipoem@p@RTLftnttext%
8971 \let\@xfootnotenext\bidipoem@p@xftnttext%
8972 \let\@xfootnote\bidipoem@p@xfootnote%
8973 \let\@xLTRfootnotenext\bidipoem@p@xLTRftnttext%
8974 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8975 \let\@xRTLfootnotenext\bidipoem@p@xRTLftnttext%
8976 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8977 \ignorespaces##\unskip}
8978 \cr
8979 }
8980 \def\poem@lineparseend{%
8981 \crcr\egroup
8982 \vskip-\baselineskip
8983 }
8984 \def\traditionalpoem@cr{%
8985   \cr\poem@line
8986 }
8987 \newbox\verse@i
8988 \newbox\verse@ii
8989 \newif\ifpoem@started
8990
8991 \def\poem@line{%
8992 \poem@lineparseend
8993 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
8994 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
8995 \ifpoem@started
8996   \ifdim\wd\verse@ii>\z@\else
8997     \nopagebreak[3]

```



```

8998  \fi
8999  \leavevmode
9000  \poem@linebegin
9001  \poem@verse\verse@i
9002  \ifdim\wd\verse@i>\z@
9003  \poem@lineversesep
9004  \poem@verse\verse@ii
9005  \fi
9006  \poem@lineend
9007 % \nopagebreak
9008  \par
9009  \vskip\poemextrabaselineskip
9010 \fi
9011 \poem@lineparsebegin
9012 }
9013 \def\@traditionalpoem{%
9014 \stepcounter{poem@no}
9015 \ifnum\max@poem@no<\number\c@poem@no%
9016 \xdef\poem@width{\z@}%
9017 \else
9018 \xdef\poem@width{\poem@prop{poem@width}}%
9019 \fi
9020 \xdef\new@poem@width{\z@}%
9021 \global\versewidth=\poem@width
9022 \poemskip\par
9023 \begingroup
9024 \tabskip=\z@
9025 \parskip=\z@
9026 \parindent=\z@
9027 \parfillskip=\z@
9028 \rightskip=\z@
9029 \leftskip=\z@
9030 \widowpenalty=10000% No break between verses of the same line.
9031 \clubpenalty=10000% Same as above. Not really needed.
9032 \def\newblock{\hfil\poemblocksep\hfil\null}%
9033 \def\@traditionalpoem@par{\@traditionalpoem@cr}%
9034 \def\\{\global\poem@startedtrue\@traditionalpoem@cr}%
9035 \global\poem@startedfalse
9036 \csname poem@obeylines\endcsname
9037 \let\poem@obeylines\relax
9038 \poem@lineparsebegin
9039 }
9040 \def\@endtraditionalpoem{%
9041 \cr
9042 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
9043 \noalign{%
9044 \skip0=\poemextrabaselineskip
9045 \vskip-\skip0
9046 \vskip-\baselineskip
9047 }%
9048 \fi\fi
9049 \poem@lineparseend
9050 \endgroup
9051 \par

```



```

9052 \vskip\baselineskip
9053 \poemskip
9054 \ifdim\new@poem@width<\poem@width
9055 \global\let\poem@needrun\relax
9056 \fi
9057     \poem@write@aux{\poem@width}{\romannumeral{c@poem@no}}{\new@poem@width}%
9058 \ifx\AtEndDocument\undefined\poem@finish\fi
9059 \endparentv
9060 }
9061
9062
9063 \long\def\bidi poem@p@ftntext#1{%
9064   \edef@\tempx{\the\bidi poem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
9065   \global\bidi poem@p@ftn\expandafter{\@tempx{#1}}% 
9066 \long\def\bidi poem@p@LTRftntext#1{%
9067   \edef@\tempxi{\the\bidi poem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
9068   \global\bidi poem@p@ftn\expandafter{\@tempxi{#1}}% 
9069 \long\def\bidi poem@p@RTLftntext#1{%
9070   \edef@\tempxii{\the\bidi poem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
9071   \global\bidi poem@p@ftn\expandafter{\@tempxii{#1}}% 
9072
9073 \long\def\bidi poem@p@xftntext[#1]#2{%
9074   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\footnotetext[#1]{#2}}}
9075
9076 \long\def\bidi poem@p@xLTRftntext[#1]#2{%
9077   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\LTRfootnotetext[#1]{#2}}}
9078
9079 \long\def\bidi poem@p@xRTLftntext[#1]#2{%
9080   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\RTLfootnotetext[#1]{#2}}}
9081
9082 \def\bidi poem@p@xfootnote[#1]{%
9083   \begingroup
9084     \csname c@\@mpfn\endcsname #1\relax
9085     \unrestored@protected\xdef\@thefnmark{\thempfn}%
9086   \endgroup
9087   \footnotemark\bidi poem@p@xftntext[#1]}
9088
9089 \def\bidi poem@p@xLTRfootnote[#1]{%
9090   \begingroup
9091     \csname c@\@mpfn\endcsname #1\relax
9092     \unrestored@protected\xdef\@thefnmark{\thempfn}%
9093   \endgroup
9094   \footnotemark\bidi poem@p@xLTRftntext[#1]}
9095
9096 \def\bidi poem@p@xRTLfootnote[#1]{%
9097   \begingroup
9098     \csname c@\@mpfn\endcsname #1\relax
9099     \unrestored@protected\xdef\@thefnmark{\thempfn}%
9100   \endgroup
9101   \footnotemark\bidi poem@p@xRTLftntext[#1]}
9102
9103
9104
9105 \newenvironment{traditionalpoem}{\traditionalpoem}{\endtraditionalpoem}

```



```

9106 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
9107 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9108 \def\poem@finish{%
9109 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
9110 \ifx\poem@needrun\relax
9111 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
9112 \global\let\poem@needrun\undefined
9113 \fi
9114 }
9115 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9116 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9117 \ifx\max@poem@no\undefined
9118     \def\max@poem@no{0}%
9119 \fi
9120 \newcommand{\poem@prop}[1]{\@nameuse{\#1@\roman{numeral}\c@poem@no}}
9121 \newcommand{\poem@write@aux}[2]{%
9122     \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{\#1}{\#2}}}}%
9123     \@x
9124 }
9125 \def\@modernpoem{%
9126 \par
9127 \begingroup
9128 \parskip=\z@
9129 \parindent=\z@
9130 \def\[{\@settab\@tabplus\ignorespaces}%
9131 \def\]{{\@tabminus\ignorespaces}}%
9132 \def\newblock{\poemblocksep}%
9133 \let\newpoem\tabcr\@tabcr
9134 \def\modernpoem@par{\% Redefine \par for possible \obeylines
9135 \ifpoem@started\else
9136     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9137         \@stopfield
9138     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9139         \@contfield
9140     \fi
9141 \fi
9142 \ifpoem@started\newpoem\tabcr\fi}%
9143 \def\@tabcr{\global\poem@startedtrue\newpoem\tabcr}%
9144 \global\poem@startedfalse
9145 \csname poem@obeylines\endcsname
9146 \let\poem@obeylines\relax
9147 \begin{tabbing}%
9148 }
9149 \def\@endmodernpoem{%
9150 \global\poem@startedfalse
9151 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9152     \@stopfield
9153     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9154     \@contfield
9155 \fi
9156 \ifpoem@started\else\let\@stopline\@stopfield\fi
9157 \end{tabbing}%
9158 \endgroup
9159 \par

```



```

9160 \if@nopallist \else
9161   \ifdim\lastskip >\z@
9162     \tempskipa\lastskip \vskip -\lastskip
9163     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
9164     \vskip\tempskipa
9165   \fi
9166   \endparenv
9167 \fi
9168 }
9169 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9170 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
9171 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9172 \gdef\@startfield{%
9173 \global\setbox\@curfield\hbox\bgroup%
9174 \let\footnotetext\bidipoem@p@ftntext%
9175 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9176 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9177 \let\xfootnotenext\bidipoem@p@xftntext%
9178 \let\xfootnote\bidipoem@p@xfootnote%
9179 \let\xLTRfootnotenext\bidipoem@p@xLTRftntext%
9180 \let\xLTRfootnote\bidipoem@p@xLTRfootnote%
9181 \let\xRTLfootnotenext\bidipoem@p@xRTLftntext%
9182 \let\xRTLfootnote\bidipoem@p@xRTLfootnote%
9183 \color@begingroup}
9184 \gdef\@stopfield{%
9185 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
9186 \gdef\@contfield{%
9187 \global\setbox\@curfield\hbox\bgroup%
9188 \let\footnotetext\bidipoem@p@ftntext%
9189 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9190 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9191 \let\xfootnotenext\bidipoem@p@xftntext%
9192 \let\xfootnote\bidipoem@p@xfootnote%
9193 \let\xLTRfootnotenext\bidipoem@p@xLTRftntext%
9194 \let\xLTRfootnote\bidipoem@p@xLTRfootnote%
9195 \let\xRTLfootnotenext\bidipoem@p@xRTLftntext%
9196 \let\xRTLfootnote\bidipoem@p@xRTLfootnote%
9197 \color@begingroup\unhbox\@curfield}

```

62 File boek3-xetex-bidi.def

```

9198 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
9199 \renewenvironment{theindex}{%
9200   \if@twocolumn
9201     \restonecolfalse
9202   \else
9203     \restonecoltrue
9204   \fi
9205   \columnseprule \z@
9206   \columnsep 35\p@
9207   \twocolumn[\makeschapterhead{\indexname}]%
9208   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9209   \thispagestyle{plain}\parindent\z@
9210   \parskip\z@\relax

```



```

9211 \let\item\@idxitem
9212 }{%
9213 \if@restonecol\onecolumn\else\clearpage\fi}
9214 \renewcommand*\head@style{%
9215   \interlinepenalty \OM
9216   \hyphenpenalty=\OM \exhyphenpenalty=\OM
9217   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9218 \renewcommand*\@regtocline[3]{%
9219   \ifnum #1>\c@tocdepth
9220   \else
9221     \vskip\z@\@plus.2\p@
9222     {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
9223       \if@RTL\rightskip\else\leftskip\fi\unitindent
9224       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9225       \parfillskip\z@
9226       \tempdima\unitindent
9227       \parindent\z@
9228       \leavevmode
9229       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9230       \hskip 1em \nobreak{\slshape #3}\par
9231     }%
9232   \fi}
9233 \if@oldtoc
9234 \renewcommand*\l@part[2]{%
9235   \ifnum \c@tocdepth >-2\relax
9236     \addpenalty{-\highpenalty}%
9237     \addvspace{2.25em \@plus\p@}%
9238     \begingroup
9239       \setlength\tempdima{3em}%
9240       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
9241       \parfillskip -\@pnumwidth
9242       \leavevmode
9243       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
9244       \nobreak
9245       \global\nobreaktrue
9246       \everypar{\global\nobreakfalse\everypar{}}
9247     \endgroup
9248   \fi}
9249 \else
9250   \renewcommand*\l@part{%
9251     \ifnum \c@tocdepth >-2\relax
9252       \addpenalty{-\highpenalty}%
9253       \addvspace{2.25em \@plus\p@}%
9254       \@regtocline{0}%
9255     \fi}
9256 \fi
9257 \if@oldtoc
9258 \renewcommand*\l@chapter[2]{%
9259   \addpenalty{-\highpenalty}%
9260   \vskip 1.0em \@plus\p@
9261   \setlength\tempdima{1.5em}%
9262   \begingroup
9263   \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
9264   \parfillskip -\@pnumwidth

```



```

9265   \leavevmode \bfseries
9266   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9267   \hskip -\if@RTL\rightskip\else\leftskip\fi
9268   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
9269   \penalty\@highpenalty
9270   \endgroup}
9271 \else
9272   \renewcommand*\l@chapter{\@regtocline{0}}
9273 \fi
9274 \renewenvironment{abstract}{%
9275   \titlepage
9276   \null\vfil
9277   \section*{\SectFont \abstractname}
9278   \noindent\ignorespaces
9279   {\par\vfil\null\endtitlepage}
9280 \renewenvironment{thebibliography}[1]
9281   {\chapter*{\bibname}%
9282     \Omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9283     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9284     \bidi@thebibliography@font@hook%
9285     \list{\@biblabel{\@arabic\c@enumiv}}%
9286       {\settowidth\labelwidth{\@biblabel{#1}}%
9287        \leftmargin\labelwidth
9288        \advance\leftmargin\labelsep
9289        \openbib@code
9290        \usecounter{enumiv}%
9291        \let\p@enumiv\empty
9292        \renewcommand*\theenumiv{\@arabic\c@enumiv}%
9293        \sloppy\clubpenalty4000\widowpenalty4000%
9294        \sfcode`.\@m}
9295     {\def\@noitemerr
9296       {\@latex@warning{Empty `thebibliography' environment}}%
9297     \endlist}
9298 \renewcommand*\left@footnoterule{%
9299   \kern-3\p@
9300   \kern.5\baselineskip
9301   \hrule\@width\unitindent
9302   \kern.4\baselineskip
9303 }
9304 \renewcommand*\right@footnoterule{%
9305   \kern-3\p@
9306   \kern.5\baselineskip
9307   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9308   \kern.4\baselineskip}
9309 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
9310 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@subsection}
9311 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@subsubsection}
9312 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
9313 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
9314 \renewcommand*\theequation{%
9315   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
9316 \renewcommand*\thefigure{%
9317   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
9318 \renewcommand*\thetable{%

```



```

9319  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
9320 \renewcommand*\maketitle{%
9321   \begin{titlepage}%
9322     \let\footnotesize\small
9323     \let\right@footnoterule\relax
9324     \let\left@footnoterule\relax
9325     \let\textwidth@footnoterule\relax
9326     \let\footnote\thanks
9327     \long\def\@makefntext##1{\par\indent\z@
9328       \def\labelitemi{\textendash}\@revlabeltrue
9329       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9330     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9331     \if@compatibility\setcounter{page}{0}\fi
9332     \null\vfil
9333     \vskip 60\p@
9334     \begin{center}%
9335       \TitleFont
9336       {\LARGE \def\penalty -\OM}
9337       \if@allcaps
9338         \expandafter\uc@nothanks\@title\thanks\relax
9339       \else
9340         \@title
9341       \fi\par}%
9342     \vskip 3em%
9343     {\large
9344       \lineskip .75em \par\indent\z@
9345       \begin{tabular}[t]{c}%
9346         \if@allcaps
9347           \expandafter\uc@authornothanks\@author\and\relax
9348         \else
9349           \@author
9350           \fi
9351         \end{tabular}\par}%
9352     \vskip 1.5em%
9353     {\large
9354       \if@allcaps
9355         \uppercase\expandafter{\@date}%
9356       \else
9357         \@date
9358       \fi\par}%
9359     \end{center}\par
9360     \@thanks
9361     \vfil\null
9362   \end{titlepage}%
9363   \setcounter{footnote}{0}%
9364   \global\let\thanks\relax
9365   \global\let\maketitle\relax
9366   \global\let\@thanks\empty
9367   \global\let\@author\empty
9368   \global\let\@title\empty
9369   \global\let\@date\empty
9370   \global\let\title\relax
9371   \global\let\author\relax
9372   \global\let\date\relax

```



```
9373 \global\let\and\relax
9374 }
```

63 File boek-xetex-bidi.def

```
9375 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
9376 \renewenvironment{theindex}{%
9377   \if@twocolumn
9378     \c@restonecolfalse
9379   \else
9380     \c@restonecoltrue
9381   \fi
9382   \columnseprule \z@
9383   \columnsep 35\p@
9384   \twocolumn[\@makeschapterhead{\indexname}]%
9385   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9386   \thispagestyle{plain}\parindent\z@
9387   \parskip\z@ \oplus .3\p@\relax
9388   \let\item@\idxitem
9389 }{%
9390   \if@restonecol\onecolumn\else\clearpage\fi}
9391 \renewcommand*\head@style{%
9392   \interlinepenalty \oM
9393   \hyphenpenalty=\oM \exhyphenpenalty=\oM
9394   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9395 \renewcommand*\@regtocline[3]{%
9396   \ifnum #1>\c@tocdepth
9397   \else
9398     \vskip\z@\oplus.2\p@
9399     {\hangindent\z@ \cafterindenttrue \interlinepenalty\oM
9400       \if@RTL\rightskip\else\leftskip\fi\unitindent
9401       \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
9402       \parfillskip\z@
9403       \tempdima\unitindent
9404       \parindent\z@
9405       \leavevmode
9406       \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
9407       \hspace{1em} \nobreak\slshape #3}\par
9408     }%
9409   \fi}
9410 \if@oldtoc
9411 \renewcommand*\l@part[2]{%
9412   \ifnum \c@tocdepth >-2\relax
9413     \addpenalty{-\highpenalty}%
9414     \addvspace{2.25em \oplus\p@}%
9415     \begingroup
9416       \setlength\tempdima{3em}%
9417       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\oPnumwidth
9418       \parfillskip -\oPnumwidth
9419       \leavevmode
9420       \large \bfseries #1\hfil \hb@xt@\oPnumwidth{\hss #2}\par
9421       \nobreak
9422       \global\onobreaktrue
9423       \everypar{\global\onobreakfalse\everypar{}}
9424 }
```



```

9424     \endgroup
9425   \fi}
9426 \else
9427   \renewcommand*\l@part{%
9428     \ifnum \c@tocdepth >-2\relax
9429       \addpenalty{-\highpenalty}%
9430       \addvspace{2.25em \oplus \p@}%
9431       \regtocline{0}%
9432     \fi}
9433 \fi
9434 \if@oldtoc
9435 \renewcommand*\l@chapter[2]{%
9436   \addpenalty{-\highpenalty}%
9437   \vskip 1.0em \oplus \p@
9438   \setlength{\tempdima{1.5em}}%
9439   \begingroup
9440     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9441     \parfillskip -\pnumwidth
9442     \leavevmode \bfseries
9443     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9444     \hskip -\if@RTL\rightskip\else\leftskip\fi
9445     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
9446     \penalty\highpenalty
9447   \endgroup}
9448 \else
9449   \renewcommand*\l@chapter{\regtocline{0}}
9450 \fi
9451 \renewcommand*\left@footnoterule{%
9452   \kern-3\p@
9453   \kern.5\baselineskip
9454   \hrule\@width\unitindent
9455   \kern.4\baselineskip
9456 }
9457 \renewcommand*\right@footnoterule{%
9458   \kern-3\p@
9459   \kern.5\baselineskip
9460   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9461   \kern.4\baselineskip}
9462 \ renewenvironment{abstract}{%
9463   \titlepage
9464   \null\vfil
9465   \section*{\SectFont \abstractname}
9466   \noindent\ignorespaces
9467   {\par\vfil\null\endtitlepage}
9468 \ renewenvironment{thebibliography}[1]
9469   {\chapter*{\bibname}{%
9470     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
9471     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
9472     \bidi@@thebibliography@font@hook%
9473     \list{\@biblabel{\@arabic\c@enumiv}}{%
9474       \settowidth\labelwidth{\@biblabel{#1}}%
9475       \leftmargin\labelwidth
9476       \advance\leftmargin\labelsep
9477       \openbib@code

```



```

9478     \usecounter{enumiv}%
9479     \let\p@enumiv\@empty
9480     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
9481     \sloppy\clubpenalty4000\widowpenalty4000%
9482     \sfcodes`.\@m}
9483     {\def\@noitemerr
9484       {\@latex@warning{Empty `thebibliography' environment}}%
9485     \endlist}
9486 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9487 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9488 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9489 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9490 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9491 \renewcommand*\theequation{%
9492   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9493 \renewcommand*\thefigure{%
9494   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
9495 \renewcommand*\thetable{%
9496   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
9497 \renewcommand*\maketitle{%
9498   \begin{titlepage}%
9499     \let\footnotesize\small
9500     \let\right@footnoterule\relax
9501     \let\left@footnoterule\relax
9502     \let\textwidth@footnoterule\relax
9503     \let\footnote\thanks
9504     \long\def\@makefntext##1{\par\indent\z@
9505       \def\labelitemi{\textdash}\@revlabeltrue
9506       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9507     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9508     \if@compatibility\setcounter{page}{0}\fi
9509     \null\vfil
9510     \vskip 60\p@
9511     \begin{center}%
9512       \TitleFont
9513       {\LARGE \def\\{\penalty -\@M}
9514         \if@allcaps
9515           \expandafter\uc@nothanks\@title\thanks\relax
9516         \else
9517           \@title
9518           \fi\par}%
9519     \vskip 3em%
9520     {\large
9521       \lineskip .75em \par\indent\z@
9522     \begin{tabular}[t]{c}}
9523       \if@allcaps
9524         \expandafter\uc@author\nothanks\@author\and\relax
9525       \else
9526         \@author
9527       \fi
9528     \end{tabular}\par}%
9529     \vskip 1.5em%
9530     {\large
9531       \if@allcaps

```



```

9532     \uppercase\expandafter{\@date}%
9533     \else
9534         \@date
9535     \fi\par}%
9536     \end{center}\par
9537     \@thanks
9538     \vfil\null
9539 \end{titlepage}%
9540 \setcounter{footnote}{0}%
9541 \global\let\thanks\relax
9542 \global\let\maketitle\relax
9543 \global\let\@thanks\@empty
9544 \global\let\@author\@empty
9545 \global\let\@title\@empty
9546 \global\let\@date\@empty
9547 \global\let\title\relax
9548 \global\let\author\relax
9549 \global\let\date\relax
9550 \global\let\and\relax
9551 }

```

64 File bookest-xetex-bidi.def

```

9552 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9553 \def\@makechapterhead#1{%
9554   \vspace*{20\p@}
9555   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9556     \ifnum \c@secnumdepth >\m@ne
9557       \if@mainmatter
9558         {\colorA\huge\scshape \chapapp\space \thechapter}
9559         \par\nobreak
9560         \vskip 10\p@
9561       \fi
9562     \fi
9563     \interlinepenalty\@M
9564   {\colorB\hrule}
9565   \vskip 15\p@
9566   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9567     {\colorA\Huge \bfseries #1}\par\nobreak
9568   \if@RTL\end{flushleft}\else\end{flushright}\fi
9569   \vskip 5\p@
9570   {\colorB\hrule}
9571   \vskip 30\p@
9572 }
9573 \def\@makeschapterhead#1{%
9574   \vspace*{20\p@}
9575   {\parindent \z@ \raggedright \normalfont
9576   {\colorB\hrule}
9577   \vskip 15\p@
9578   \begin{center}
9579     {\colorA\Huge \bfseries #1}\par\nobreak
9580   \end{center}
9581   \vskip 5\p@
9582   {\colorB\hrule}

```



```
9583 \vskip 30\p@  
9584 } }
```

65 File book-xetex-bidi.def

```
9585 \ProvidesFile{book-xetex-bidi.def}[2025/01/03 v1.1 bidi adaptations for standard book class  
9586 \renewenvironment{theindex}  
9587     {\if@twocolumn  
9588         \restonecolfalse  
9589     \else  
9590         \restonecoltrue  
9591     \fi  
9592     \columnseprule \z@  
9593     \columnsep 35\p@  
9594     \twocolumn[\@makeschapterhead{\indexname}]%  
9595     \mkboth{\MakeUppercase{\indexname}}%  
9596         {\MakeUppercase{\indexname}}%  
9597     \thispagestyle{plain}\parindent\z@  
9598     \parskip\z@ \relax  
9599     \let\item\@idxitem  
9600     {\if@restonecol\onecolumn\else\clearpage\fi}  
9601 \IfClassLoadedF{bookest}{%  
9602     \if@titlepage  
9603     \renewcommand{\maketitle}{\begin{titlepage}}%  
9604     \let\footnotesize\small  
9605     \let\right@footnoterule\relax  
9606     \let\left@footnoterule\relax  
9607     \let\textwidth@footnoterule\relax  
9608     \let\footnote\thanks  
9609     \let\LTRfootnote\LTRthanks  
9610     \let\RTLfootnote\RTLthanks  
9611     \null\vfil  
9612     \vskip 60\p@  
9613     \begin{center}}%  
9614     {\LARGE \title \par}%  
9615     \vskip 3em%  
9616     {\large  
9617         \lineskip .75em%  
9618         \begin{tabular}[t]{c}}%  
9619             \author  
9620         \end{tabular}\par}%  
9621         \vskip 1.5em%  
9622     {\large \date \par}        % Set date in \large size.  
9623 \end{center}\par  
9624 \thanks  
9625 \vfil\null  
9626 \end{titlepage}}%  
9627 \setcounter{footnote}{0}}%  
9628 \global\let\thanks\relax  
9629 \global\let\LTRthanks\relax  
9630 \global\let\RTLthanks\relax  
9631 \global\let\maketitle\relax  
9632 \global\let\@thanks\empty  
9633 \global\let\@author\empty
```



```

9634 \global\let@\date{\empty}
9635 \global\let@\title{\empty}
9636 \global\let\title\relax
9637 \global\let\author\relax
9638 \global\let\date\relax
9639 \global\let\and\relax
9640 }
9641 \else
9642 \renewcommand\maketitle{\par
9643   \begingroup
9644     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9645     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9646     \long\def\@makefntext{\par\indent 1em\noindent
9647       \hb@xt@1.8em{%
9648         \hss\@textsuperscript{\normalfont\@thefnmark}\#1}%
9649       \if@twocolumn
9650         \ifnum \col@number=\@ne
9651           \maketitle
9652         \else
9653           \twocolumn[\maketitle]%
9654         \fi
9655       \else
9656         \newpage
9657         \global\@topnum\z@    % Prevents figures from going at top of page.
9658         \maketitle
9659       \fi
9660       \thispagestyle{plain}\@thanks
9661     \endgroup
9662     \setcounter{footnote}{0}%
9663     \global\let\thanks\relax
9664     \global\let\LTRthanks\relax
9665     \global\let\RTLthanks\relax
9666     \global\let\maketitle\relax
9667     \global\let\@maketitle\relax
9668     \global\let\@thanks\empty
9669     \global\let\@author\empty
9670     \global\let\@date\empty
9671     \global\let\@title\empty
9672     \global\let\title\relax
9673     \global\let\author\relax
9674     \global\let\date\relax
9675     \global\let\and\relax
9676 }
9677 \def\@maketitle{%
9678   \newpage
9679   \null
9680   \vskip 2em%
9681   \begin{center}%
9682     \let \footnote \thanks
9683     \let \LTFootnote \LTRthanks
9684     \let \RTLFootnote \RTLthanks
9685     {\LARGE \@title \par}%
9686     \vskip 1.5em%
9687     {\large

```



```

9688     \lineskip .5em%
9689     \begin{tabular}[t]{c}%
9690         \author
9691         \end{tabular}\par}%
9692     \vskip 1em%
9693     {\large \@date}%
9694 \end{center}%
9695 \par
9696 \vskip 1.5em}
9697 \fi}
9698 \renewcommand*\l@part[2]{%
9699     \ifnum \c@tocdepth >-2\relax
9700         \addpenalty{-\@highpenalty}%
9701         \addvspace{2.25em \oplus \p@}%
9702         \setlength{\tempdima}{3em}%
9703         \begingroup
9704             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9705             \parfillskip -\pnumwidth
9706             \leavevmode
9707             \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
9708             \nobreak
9709                 \global\nobreaktrue
9710                 \everypar{\global\nobreakfalse\everypar{}}
9711         \endgroup
9712     \fi}
9713 \renewcommand*\l@chapter[2]{%
9714     \ifnum \c@tocdepth >\m@ne
9715         \addpenalty{-\@highpenalty}%
9716         \vskip 1.0em \oplus \p@
9717         \setlength{\tempdima}{1.5em}%
9718         \begingroup
9719             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9720             \parfillskip -\pnumwidth
9721             \leavevmode \bfseries
9722             \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9723             \hskip -\if@RTL\rightskip\else\leftskip\fi\tempdima
9724             #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
9725             \penalty\@highpenalty
9726         \endgroup
9727     \fi}
9728 \renewcommand{\left@footnoterule}{%
9729     \kern-3\p@
9730     \hrule\@width.4\columnwidth
9731     \kern2.6\p@}
9732 \renewcommand{\right@footnoterule}{%
9733     \kern-3\p@
9734     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9735     \kern2.6\p@}
9736 \renewcommand{\theequation}
9737     {\ifnum \c@chapter>\z@ \thechapter \@SepMark\fi \arabic{c@equation}}
9738 \renewcommand{\thefigure}
9739     {\ifnum \c@chapter>\z@ \thechapter \@SepMark\fi \arabic{c@figure}}
9740 \renewcommand{\thetable}
9741     {\ifnum \c@chapter>\z@ \thechapter \@SepMark\fi \arabic{c@table}}

```



```

9742 \renewcommand \thechapter {\@arabic\c@chapter}
9743 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9744 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9745 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9746 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9747 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9748 \def\@makechapterhead#1{%
9749   \vspace*{50\p@}%
9750   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9751     \ifnum \c@secnumdepth >\m@ne
9752       \if@mainmatter
9753         \huge\bfseries \chapapp\space \thechapter
9754         \par\nobreak
9755         \vskip 20\p@
9756       \fi
9757     \fi
9758     \interlinepenalty\@M
9759     \Huge \bfseries #1\par\nobreak
9760     \vskip 40\p@
9761   }%
9762 \def\@makeschapterhead#1{%
9763   \vspace*{50\p@}%
9764   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9765     \normalfont
9766     \interlinepenalty\@M
9767     \Huge \bfseries #1\par\nobreak
9768     \vskip 40\p@
9769   }%
9770 \renewcommand\backmatter{%
9771   \if@openright
9772     \cleardoublepage
9773   \else
9774     \clearpage
9775   \fi
9776   \mainmatterfalse
9777 \renewenvironment{thebibliography}[1]
9778   {\chapter*{\bibname}%
9779     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9780     \if@RTL\ifLT Rbibitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi\fi
9781     \bidi@thebibliography@font@hook%
9782     \list{\@biblabel{\@arabic\c@enumiv}}%
9783       {\settowidth\labelwidth{\@biblabel{#1}}%
9784         \leftmargin\labelwidth
9785         \advance\leftmargin\labelsep
9786         \openbib@code
9787         \usecounter{enumiv}%
9788         \let\p@enumiv\empty
9789         \renewcommand\theenumiv{\@arabic\c@enumiv}%
9790       \sloppy
9791       \clubpenalty4000
9792       \clubpenalty \clubpenalty
9793       \widowpenalty4000%
9794       \sfcode`\. \m}
9795   \def\@noitemerr

```



```
9796      {\@latex@warning{Empty `thebibliography' environment}}%
9797      \endlist}
```

66 File breqn-xetex-bidi.def

```
9798 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeLaTeX]
9799 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
9800   \everydisplay\expandafter{\the\everydisplay \display@setup}%
9801   \if@noskipsec \leavevmode \fi
9802   \if@inlabel \leavevmode \global\@inlabelfalse \fi
9803   \if\eq@group\else\eq@prelim\fi
9804   \setkeys{breqn}{#1}%
9805   \the\eqstyle
9806   \eq@setnumber
9807   \begingroup
9808   \eq@setup@a
9809   \eq@startup
9810 }
9811 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
9812   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9813   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
9814   \global\let\GRP@label\empty
9815   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9816   \global\grp@linewidth\z@\global\grp@wdNum\z@
9817   \global\let\grp@eqs@numbered\@False
9818   \global\let\grp@aligned\@True
9819   \global\let\grp@shiftnumber\@False
9820   \eq@prelim
9821   \setkeys{breqn}{#1}%
9822   \if\grp@hasNumber \grp@setnumber \fi
9823 }
9824 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
9825   \let\display@setup\dseries@display@setup
9826   % Question: should this be the default for dseries???
9827   \global\eq@wdCond\z@
9828   \@dmath[layout={M},#1]%
9829   \mathsurround\z@\@@math \penalty\@Mi
9830   \let\endmath\ends@math
9831   \def\premath{%
9832     \ifdim\lastskip<.3em \unskip
9833     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9834   }%
9835   \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
9836   \ignorespaces
9837 }
9838 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
9839 \renewenvironment{dsuspend}{%
9840   \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
9841   \parshape 1 \displayindent \displaywidth\relax
9842   \hsize=\columnwidth \noindent\ignorespaces
9843 }{%
9844   \par\egroup
9845   \global\setbox\GRP@box\vbox{%
9846     \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}}}
```



```

9847     \unvbox\GRP@box
9848 }%
9849 \global\GRP@queue\@xp{\the\GRP@queue
9850     \@elt{\let\eq@isIntertext\@True}%
9851 }%
9852 }

```

67 File `cals-xetex-bidi.def`

```

9853 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
9854 \renewcommand\cals@setup@alignment[1]{%
9855 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9856 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9857 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9858 }
9859 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9860 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9861 \if@RTLtab\cals@activate@rtl\fi
9862 \let\cals@thead@tokens=\relax
9863 \let\cals@tfoot@tokens=\relax
9864 \let\cals@tbreak@tokens=\relax
9865 \cals@tfoot@height=0pt \relax
9866 \let\cals@last@context=n%
9867 \let\cals@current@context=b%
9868 \parindent=0pt \relax%
9869 \cals@setup@alignment{#1}%
9870 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
9871 %% Alignment inside is independent on center/flushright outside
9872 \parfillskip=0pt plus1fil\relax
9873 \let\cals@borderL=\relax
9874 \let\cals@borderR=\relax
9875 \let\cals@borderT=\relax
9876 \let\cals@borderB=\relax
9877 \setbox\cals@backup@row=\box\voidb@x\relax
9878 \cals@AtBeginTable
9879 }% End of the table
9880 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9881 \renewcommand\alignL{%
9882 \if@RTLtab
9883   \cals@vfillAdd\cals@paddingL
9884 \else
9885   \cals@vfillDrop\cals@paddingL
9886 \fi
9887 \cals@vfillDrop\cals@paddingR}
9888 \renewcommand\alignR{%
9889 \if@RTLtab
9890   \cals@vfillDrop\cals@paddingL
9891 \else
9892   \cals@vfillAdd\cals@paddingL
9893 \fi
9894 \cals@vfillDrop\cals@paddingR}

```

68 File `caption-xetex-bidi.def`



```
9895 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9896 \let\@makecaption\caption\@makecaption
```

69 File caption3-xetex-bidi.def

```
9897 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9898 \renewcommand*\caption@par{%
9899   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

70 File colortbl-xetex-bidi.def

```
9900 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9901 \def\CT@setup{%
9902   \tempdimb\col@sep
9903   \tempdimc\col@sep
9904   \def\CT@color{%
9905     \global\let\CT@do@color\CT@@do@color
9906     \bidicolor}}
9907 \def\@classz{\@classx
9908   \tempcnta \count@
9909   \prepnext@tok
9910 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
9911   \addtopreamble{\if@RTLtab\beginL\fi%
9912     \setbox\z@\hbox\bgroup\beginR\fi
9913     \ifcase \chnum
9914       \hskip\stretch{.5}\kern\z@
9915       \d@llarbegin
9916       \insert@column
9917       \d@llarend\hskip\stretch{.5}\or
9918       \d@llarbegin \insert@column \d@llarend \hfill \or
9919       \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
9920       $vcenter
9921       \startpbox{@nextchar}\insert@column \endpbox $ \or
9922       \vtop \startpbox{@nextchar}\insert@column \endpbox \or
9923       \vbox \startpbox{@nextchar}\insert@column \endpbox
9924     \fi
9925   \if@RTLtab\endR\fi\egroup\egroup
9926 \begingroup
9927   \CT@setup
9928   \CT@column@color
9929   \CT@row@color
9930   \CT@cell@color
9931   \CT@do@color
9932 \endgroup
9933   \tempdima\ht\z@
9934   \advance\tempdima\minrowclearance
9935   \vrule@height\tempdima\width\z@
9936   \unhbox\z@\if@RTLtab\endL\fi}%
9937 \prepnext@tok}
```

71 File color-xetex-bidi.def

```
9938 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for X
9939 \long\def\color@bx#1#2#3{%
```



```

9940 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
9941 \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep%
9942 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
9943 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
9944 {\#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
9945 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi
9946 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\f
9947 \ DeclareRobustCommand\color{%
9948 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
9949 \def\@declaredcolor#1{%
9950 \ifundefined{\string\color @#1}%
9951 {\color@error{\`#1'}}%
9952 {\expandafter\let\expandafter\current@color
9953 \csname\string\color @#1\endcsname
9954 \set@color}%
9955 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9956 \def\@undeclaredcolor[#1]#2{%
9957 \ifundefined{\color@#1}%
9958 {\color@error{model `#1'}}%
9959 {\csname color@#1\endcsname\current@color{#2}%
9960 \set@color}%
9961 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9962 \ DeclareRobustCommand\bidi{%
9963 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
9964 \def\@bidiundeclaredcolor[#1]#2{%
9965 \ifundefined{\color@#1}%
9966 {\color@error{model `#1'}}%
9967 {\csname color@#1\endcsname\current@color{#2}%
9968 \set@color}%
9969 \ignorespaces}
9970 \def\@bidideclaredcolor#1{%
9971 \ifundefined{\string\color @#1}%
9972 {\color@error{\`#1'}}%
9973 {\expandafter\let\expandafter\current@color
9974 \csname\string\color @#1\endcsname
9975 \set@color}%
9976 \ignorespaces}
9977 \def\color@box#1#2{\color@b@x\relax\bidicolor#1{#2}}%
9978 \def\color@fbox#1#2#3{%
9979 \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}%
9980 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod

```

72 File `combine-xetex-bidi.def`

```

9981 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
9982 \renewcommand{\c@ll@chapsecii}[2]{%
9983 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
9984 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
9985 #1\nobreak\hfil \nobreak\hb@xt@0pt{\pnumwidth{\hss #2}\par
9986 }
9987 \renewcommand{\c@ll@chapseci}{%
9988 \setlength\@tempdima{0em}%
9989 \begingroup
9990 \parindent \z@\if@RTL\leftskip\else\rightskip\fi \pnumwidth

```



```

9991     \parfillskip -\@pnumwidth
9992     \leavevmode
9993 }
9994 \renewenvironment{tocindent}[1]{%
9995   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}

```

73 File crop-xetex-bidi.def

```

9996 \ProvidesFile{crop-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for crop package for XeT
9997 \IfClassLoadedT{memoir}{\endinput}
9998 \RequirePackage{graphicx}
9999 \renewcommand*\CROP@@ulc{%
10000   \if@RTLmain%
10001     \begin{picture}(0,0)
10002       \unitlength\p@\thinlines
10003       \put(-40,0){\circle{10}}
10004       \put(-30,-5){\line(0,1){10}}
10005       \put(-35,0){\line(1,0){30}}
10006       \put(-10,30){\circle{10}}
10007       \put(-5,30){\line(1,0){10}}
10008       \put(0,35){\line(0,-1){30}}
10009     \end{picture}%
10010   \else%
10011     \begin{picture}(0,0)
10012       \unitlength\p@\thinlines
10013       \put(-30,0){\circle{10}}
10014       \put(-30,-5){\line(0,1){10}}
10015       \put(-35,0){\line(1,0){30}}
10016       \put(0,30){\circle{10}}
10017       \put(-5,30){\line(1,0){10}}
10018       \put(0,35){\line(0,-1){30}}
10019     \end{picture}%
10020   \fi%
10021 }
10022 \renewcommand*\CROP@@urc{%
10023   \if@RTLmain%
10024     \begin{picture}(0,0)
10025       \unitlength\p@\thinlines
10026       \put(20,0){\circle{10}}
10027       \put(30,-5){\line(0,1){10}}
10028       \put(35,0){\line(-1,0){30}}
10029       \put(-10,30){\circle{10}}
10030       \put(-5,30){\line(1,0){10}}
10031       \put(0,35){\line(0,-1){30}}
10032     \end{picture}%
10033   \else%
10034     \begin{picture}(0,0)
10035       \unitlength\p@\thinlines
10036       \put(30,0){\circle{10}}
10037       \put(30,-5){\line(0,1){10}}
10038       \put(35,0){\line(-1,0){30}}
10039       \put(0,30){\circle{10}}
10040       \put(-5,30){\line(1,0){10}}
10041       \put(0,35){\line(0,-1){30}}

```



```

10042     \end{picture}%
10043     \fi%
10044 }
10045 \renewcommand*\CROP@llc{%
10046   \if@RTLmain%
10047     \begin{picture}(0,0)
10048       \unitlength\p@\thinlines
10049       \put(-40,0){\circle{10}}
10050       \put(-30,-5){\line(0,1){10}}
10051       \put(-35,0){\line(1,0){30}}
10052       \put(-10,-30){\circle{10}}
10053       \put(-5,-30){\line(1,0){10}}
10054       \put(0,-35){\line(0,1){30}}
10055   \end{picture}%
10056 \else%
10057   \begin{picture}(0,0)
10058     \unitlength\p@\thinlines
10059     \put(-30,0){\circle{10}}
10060     \put(-30,-5){\line(0,1){10}}
10061     \put(-35,0){\line(1,0){30}}
10062     \put(0,-30){\circle{10}}
10063     \put(-5,-30){\line(1,0){10}}
10064     \put(0,-35){\line(0,1){30}}
10065   \end{picture}%
10066 \fi%
10067 }
10068 \renewcommand*\CROP@lrc{%
10069   \if@RTLmain%
10070     \begin{picture}(0,0)
10071       \unitlength\p@\thinlines
10072       \put(20,0){\circle{10}}
10073       \put(30,-5){\line(0,1){10}}
10074       \put(35,0){\line(-1,0){30}}
10075       \put(-10,-30){\circle{10}}
10076       \put(-5,-30){\line(1,0){10}}
10077       \put(0,-35){\line(0,1){30}}
10078   \end{picture}%
10079 \else%
10080   \begin{picture}(0,0)
10081     \unitlength\p@\thinlines
10082     \put(30,0){\circle{10}}
10083     \put(30,-5){\line(0,1){10}}
10084     \put(35,0){\line(-1,0){30}}
10085     \put(0,-30){\circle{10}}
10086     \put(-5,-30){\line(1,0){10}}
10087     \put(0,-35){\line(0,1){30}}
10088   \end{picture}%
10089 \fi%
10090 }
10091 \@ifpackagewith{crop}{cam}{%
10092 \CROP@execpt{cam}%
10093 }{}}

```



74 File cutwin-xetex-bidi.def

```
10094 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeTeX]
10095 \renewcommand*{\c@twcompctr}[2]{%
10096   \def\c@twfirst{1}
10097   \loop\advance\c@twinlines\m@ne
10098   \setbox\c@twslicea=\vsplit#1 to\baselineskip
10099   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
10100   \c@twprune{\c@twslicea}{\c@twlftside}%
10101   \c@twprune{\c@twsliceb}{\c@twrtside}%
10102   \ifnum\c@twfirst=\@ne
10103     \setbox#2=\vbox{\unvbox#2\hbox
10104       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10105     \else
10106       \setbox#2=\vbox{\unvbox#2\hbox
10107         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10108     \fi
10109   \def\c@twfirst{2}
10110   \ifnum\c@twinlines>\z@\repeat}
10111 \renewcommand*{\c@twcomoddctr}[2]{%
10112   \def\c@twrounds{1}
10113   \def\c@twfirst{1}
10114   \c@for\c@twlspec:=\c@twb\do{%
10115     \ifnum\c@twrounds=1
10116       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10117       \c@twprune{\c@twslicea}{\c@twlspec}%
10118       \def\c@twrounds{2}
10119     \else
10120       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10121       \c@twprune{\c@twsliceb}{\c@twlspec}%
10122       \ifnum\c@twfirst=1
10123         \setbox#2=\vbox{\unvbox#2\hbox
10124           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10125         \def\c@twfirst{2}
10126       \else
10127         \setbox#2=\vbox{\unvbox#2\hbox
10128           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10129         \fi
10130       \def\c@twrounds{1}
10131     \fi}%
10132 }
```

75 File cuted-xetex-bidi.def

```
10132 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for XeTeX]
10133 \def\RTL@outputdblcol{%
10134   \if@firstcolumn
10135     \global\@firstcolumnfalse
10136     \global\setbox\@leftcolumn\copy\@outputbox
10137     \splitmaxdepth\maxdimen
10138     \vbadness\maxdimen
10139     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10140     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10141     \toks@\expandafter{\topmark}%
10142 }
```



```

10143 \xdef\@firstcoltopmark{\the\toks@}%
10144 \toks@\expandafter{\splitfirstmark}%
10145 \xdef\@firstcolfirstmark{\the\toks@}%
10146 \ifx\@firstcolfirstmark\empty
10147   \global\let\@setmarks\relax
10148 \else
10149   \gdef\@setmarks{%
10150     \let\firstmark\@firstcolfirstmark
10151     \let\topmark\@firstcoltopmark}%
10152   \fi
10153 \else
10154   \global\@firstcolumntrue
10155   \setbox\@outputbox\vbox{%
10156     \hb@xt@\textwidth{%
10157       \hskip \columnwidth
10158       \hfil
10159       {\normalcolor\vrule \width\columnseprule}}%
10160       \hfil
10161       \hb@xt@\columnwidth{%
10162         \bidi@firstcolumn@status@write}%
10163         \box\@leftcolumn \hss}%
10164         \hskip -\textwidth
10165         \hb@xt@\columnwidth{%
10166           \bidi@lastcolumn@status@write}%
10167           \box\@outputbox \hss}%
10168           \hskip \columnsep
10169           \hskip \columnwidth }}%
10170 \ifvoid\hold@viper
10171 \else
10172   \setbox\@outputbox \vbox to\textheight{%
10173     \box\hold@viper
10174     \box\@outputbox
10175     \vss
10176   }%
10177   \fi
10178 \@combinedblfloats
10179   \@setmarks
10180   \@outputpage
10181   \begingroup
10182     \@dblfloatplacement
10183     \@startdblcolumn
10184     \@whilesw\if@fcolmade \fi\{@outputpage
10185     \@startdblcolumn}%
10186     \ifvoid\@viper
10187     \else
10188       \global\setbox\@viper\vbox{%
10189         \vskip-\stripsep
10190         \unvbox\@viper
10191       }%
10192       \@viperoutput
10193     \fi
10194   \endgroup
10195 \fi}%
10196

```



```

10197 \def\LTR@outputdblcol{%
10198   \if@firstcolumn
10199     \global\@firstcolumnfalse
10200     \global\setbox\@leftcolumn\copy\@outputbox
10201     \splitmaxdepth\maxdimen
10202     \vbadness\maxdimen
10203     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10204     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10205     \toks@\expandafter{\topmark}%
10206     \xdef\@firstcoltopmark{\the\toks@}%
10207     \toks@\expandafter{\splitfirstmark}%
10208     \xdef\@firstcolfirstmark{\the\toks@}%
10209     \ifx\@firstcolfirstmark\empty
10210       \global\let\@setmarks\relax
10211     \else
10212       \gdef\@setmarks{%
10213         \let\firstmark\@firstcolfirstmark
10214         \let\topmark\@firstcoltopmark}%
10215     \fi
10216   \else
10217     \global\@firstcolumntrue
10218     \setbox\@outputbox\vbox{%
10219       \hb@xt@\textwidth{%
10220         \hb@xt@\columnwidth{%
10221           \bidi@firstcolumn@status@write}%
10222           \box\@leftcolumn \hss}%
10223         \hfil
10224         {\normalcolor\vrule \width\columnseprule}%
10225         \hfil
10226         \hb@xt@\columnwidth{%
10227           \bidi@lastcolumn@status@write}%
10228           \box\@outputbox \hss}}}}%
10229   \ifvoid\hold@viper
10230   \else
10231     \setbox\@outputbox \vbox to\textheight{%
10232       \box\hold@viper
10233       \box\@outputbox
10234       \vss
10235     }%
10236   \fi
10237   \combinedblfloats
10238   \@setmarks
10239   \outputpage
10240   \begingroup
10241     \dblfloatplacement
10242     \startdblcolumn
10243     \whilesw\if@fcolmade \fi{\outputpage
10244     \startdblcolumn}%
10245     \ifvoid\@viper
10246     \else
10247       \global\setbox\@viper\vbox{%
10248         \vskip-\stripsep
10249         \unvbox\@viper
10250       }%

```



```

10251      \@viperoutput
10252      \fi
10253  \endgroup
10254 \fi}%
10255
10256 \def\@addviper{%
10257   \cinsertfalse
10258   \def\var@@thecol@num{2}%
10259   \if@firstcolumn
10260     \def\var@@thecol@num{1}%
10261     \reqcolroom=.5\pageht
10262     \ht@viper=\reqcolroom
10263     \advance\reqcolroom by\ht@viper
10264     \advance\reqcolroom by\stripsep
10265   \else
10266     \reqcolroom=\colht
10267     \advance\reqcolroom by\pageht
10268     \ht@viper.5\reqcolroom
10269     \reqcolroom=\ht@viper
10270     \advance\reqcolroom by\ht@viper
10271     \advance\reqcolroom by\stripsep
10272     \global\setbox\holdpg\vbox{%
10273       \setbox\cuted@@tempbox@a\vbox{%
10274         \aftergroup\unvbox
10275         \unvcopy\leftcolumn
10276         \unskip\unkern\unpenalty
10277         \setbox\tempboxa\lastbox
10278         \ifdim\dimexpr\ht\tempboxa+\wd\tempboxa+\dp\tempboxa>\z@
10279           %% keeps lastbox
10280           \aftergroup\leftcolumn
10281         \else
10282           %% removes lastbox
10283           \aftergroup\cuted@@tempbox@a
10284         \fi
10285       }%
10286       \unskip\unkern\unpenalty
10287       \on@stripcols@break
10288       \the\At@ViperColsBreak
10289       \unvbox\holdpg
10290     }%
10291     \global\At@ViperColsBreak{}%
10292     \ht@viper=.5\ht\holdpg
10293     \ifdim\ht@viper>\colht
10294       \ht@viper=\colht
10295     \fi
10296   \fi
10297   %%
10298   %% calculations for breaking
10299   %%
10300   \ifvoid\hold@viper
10301     \ht@hold@viper=\z@
10302   \else
10303     \ht@hold@viper=\ht\hold@viper
10304   \fi

```



```

10305 \cuted@@tempdim@b\ht@viper
10306 \set@split@topskip@to\topskip
10307 \loop
10308   \xdef\saved@tempdimb{\the\cuted@@tempdim@b}%
10309   \setbox\cuted@@varbox@a\copy\@holdpg
10310   \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
10311   %% set leftcolumn boxes
10312   \setbox\cuted@@tempbox@c\vbox{\unvbox\cuted@@tempbox@a}%
10313   \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
10314   \xdef\var@leftcolumn@badness{\the\badness}%
10315   %% set rightcolumn boxes
10316   \setbox\cuted@@varbox@c\vbox{\unvbox\cuted@@varbox@a}%
10317   \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
10318   \xdef\var@rightcolumn@badness{\the\badness}%
10319   %% analyzing split goodness
10320   \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
10321   \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
10322   \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
10323   \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
10324   \cuted@@wlog@debug{CUTED [----]}
10325     ^^JLeft: \the\ht\cuted@@tempbox@c
10326     +\the\dp\cuted@@tempbox@c\space/\var@leftcolumn@badness
10327     ^^JRight: \the\ht\cuted@@varbox@c
10328     +\the\dp\cuted@@varbox@c\space/\var@rightcolumn@badness
10329     ^^JSplit: \the\cuted@@tempdim@b
10330     ^^JExtra height: \the\cuted@@tempdim@spread
10331   }%
10332   \ifnum\var@leftcolumn@badness<\cuted@@column@badness
10333     \ifnum\var@rightcolumn@badness<\cuted@@column@badness
10334       \cuted@@tempdim@spread=\z@
10335     \fi
10336   \fi
10337   \ifdim\cuted@@tempdim@spread<\z@
10338     \if@left@column@spread
10339       \if@right@column@shrink
10340         \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
10341           \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@sp
10342         \else
10343           \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\rela
10344         \fi
10345         \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbo
10346         \ifnum\badness<\cuted@@column@badness
10347           \cuted@@tempdim@b=\cuted@@tempdim@a
10348           \cuted@@tempdim@spread=\z@
10349         \fi
10350         \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
10351         \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c
10352         \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
10353       \else
10354         \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10355           \unvcopy\cuted@@tempbox@c
10356         }%
10357         \ifnum\badness<\cuted@@column@badness
10358           \cuted@@tempdimb=\ht\cuted@@varbox@c

```



```

10359           \cuted@@tempdim@spread=\z@
10360       \fi
10361       \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\h
10362           \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10363               \unvcopy\cuted@@varbox@c
10364           }%
10365           \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\h
10366       \fi
10367   \else
10368       \if@right@column@shrink
10369           \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10370           \else
10371               \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10372               \cuted@@tempdim@spread=\z@
10373           \fi
10374           \fi
10375       \fi
10376   \else
10377       \ifdim\cuted@@tempdim@spread>\z@
10378           \ifdim\dimexpr@tempdimb+\p@>\relax>\@colht
10379               \cuted@@tempdim@b=\@colht
10380               \cuted@@tempdim@spread=\z@
10381           \fi
10382           \fi
10383       \fi
10384       \ifdim\cuted@@tempdim@spread<\z@
10385           \advance\cuted@@tempdim@b 1\p@
10386   \repeat
10387 \wlog{CUTED [- LAST -]%
10388     ^^JExtra skip:\the\cuted@@tempdim@spread
10389     ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10390     ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10391     ^^JSplit: \saved@tempdimb
10392     ^^JOutput: \the\cuted@@tempdim@b
10393     ^^JPageshrink: \the\pageshrink
10394     ^^JPagestretch: \the\pagestretch
10395     ^^J@colht: \the\@colht
10396   }%
10397   %%%
10398   %% final construction of the cuted page above strip
10399   %%%
10400   \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10401   \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10402       \cuted@@tempdim@a=\dimexpr
10403           \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10404           \relax
10405           \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10406           \unvbox\cuted@@tempbox@c
10407           \ifdim\cuted@@tempdim@spread>\dp\strutbox
10408           \else
10409               \vskip-\cuted@@tempdim@spread
10410           \fi
10411           \prevdepth\z@
10412           \hrule\@height\cuted@@page@rule width\textwidth

```



```

10413   \vskip-\cuted@@page@rule
10414   \ifdim\cuted@@tempdim@a>\z@
10415     \if@left@column@spread
10416       \else
10417         \vss
10418       \fi
10419     \else
10420       \ifdim\cuted@@tempdim@a<\z@
10421         \if@left@column@shrink
10422           \else
10423             \vss
10424           \fi
10425         \fi
10426       \fi
10427     }%
10428   \wlog{CUTED [output]: \the\cuted@@tempdim@b
10429     ^~JCUTED [leftcolumn badness]: \number\badness
10430   }%
10431   \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
10432     \cuted@@tempdim@a=\dimexpr
10433       \cuted@@tempdim@b-\ht\@holdpg
10434     \relax
10435     \unvbox\@holdpg
10436     \ifdim\cuted@@tempdim@a>\z@
10437       \if@right@column@spread
10438         \else
10439           \vss
10440         \fi
10441       \else
10442         \ifdim\cuted@@tempdim@a<\z@
10443           \if@right@column@shrink
10444             \else
10445               \vss
10446             \fi
10447           \fi
10448         \fi
10449       }%
10450   \wlog{CUTED [rightcolumn badness]: \number\badness}%
10451   \setbox\cuted@@tempbox@var\vbox{%
10452     \hb@xt@\textwidth{%
10453       \if@RTLmain
10454         \hskip \columnwidth
10455         \hfil
10456         {\normalcolor\vrule \width\columnseprule}%
10457         \hfil
10458         \hb@xt@\columnwidth{%
10459           \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10460           \hss
10461         }%
10462         \hskip -\textwidth
10463         \hb@xt@\columnwidth{%
10464           \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10465           \hss
10466         }%

```



```

10467           \hskip \columnsep
10468           \hskip \columnwidth
10469     \else
10470       \hb@xt@\columnwidth{%
10471         \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10472         \hss
10473       }%
10474       \hfil
10475       {\normalcolor\vrule \width\columnseprule}%
10476       \hfil
10477       \hb@xt@\columnwidth{%
10478         \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10479         \hss
10480       }%
10481     \fi
10482   }%
10483 }%
10484 %%%
10485 %% finalize cuted page
10486 %%%
10487 \ifvoid\hold@viper
10488   \global\setbox\hold@viper\vbox{%
10489     \unvbox\cuted@@tempbox@var
10490     \penalty\interlinepenalty
10491     \vskip\stripsep
10492     \the\preCutedStrip
10493     \ifnum\outputpenalty<-\@Mii
10494       \vskip -\parskip
10495     \fi
10496     \outputpenalty\z@
10497   }%
10498 \else
10499   \global\setbox\hold@viper\vbox{%
10500     \unvbox\hold@viper
10501     \cuted@@tempbox@var
10502     \penalty\interlinepenalty
10503     \vskip\stripsep
10504     \the\preCutedStrip
10505     \ifnum\outputpenalty<-\@Mii
10506       \vskip -\parskip
10507     \fi
10508     \outputpenalty\z@
10509   }%
10510 \fi
10511 \ifdim\@colht>\@reqcolroom
10512   \global\setbox\hold@viper\vbox{%
10513     \unvbox\hold@viper
10514     \box\@viper
10515     \penalty\interlinepenalty
10516     \the\postCutedStrip
10517     \vskip\stripsep
10518     \ifnum\outputpenalty<-\@Mii
10519       \vskip -\parskip
10520     \fi

```



```

10521           \outputpenalty\z@
10522           }%
10523           \Qinserttrue
10524           \global\@firstcolumntrue
10525           \advance\ht@hold@viper by-\ht\hold@viper
10526           \global\advance\@colht by\ht\hold@viper
10527           \ifdim\@colht<2.5\baselineskip
10528               \Qlatex@warning@no@line {Optional argument of \noexpand\twocolumn
10529                           too tall on page \thepage (\var@@thecol@num column)}%
10530               \Qemptycol
10531               \if@firstcolumn
10532               \else
10533                   \Qemptycol
10534               \fi
10535               \global\@lastvipertrue
10536           \else
10537               \global\vsiz@\@colht
10538               \global\@colroom\@colht
10539               \check@floats\cuted@@tempdim@a
10540               \ifdim\cuted@@tempdim@a>\z@
10541                   \global\advance\@colroom by-\cuted@@tempdim@a
10542               \fi
10543               \ifdim\@colroom<\z@
10544                   \global\@colroom1\p@
10545                   \ifdim\cuted@@tempdim@a>\@colht
10546                       \Qlatex@warning@no@line{TOP and/or BOT FLOAT's
10547                           to large on \thepage (\var@@thecol@num column)}%
10548                   \fi
10549                   \Qemptycol
10550                   \if@firstcolumn
10551                   \else
10552                       \Qemptycol
10553                   \fi
10554                   \global\@lastvipertrue
10555               \fi
10556           \fi
10557       \if@insert
10558   \else
10559       \advance\ht@hold@viper by-\ht\hold@viper
10560       \global\advance\@colht by\ht\hold@viper
10561       \global\setbox\hold@viper\vbox{%
10562           \unvbox\hold@viper
10563           \set@split@topskip@to{\z@ plus2\p@}%
10564           \vsplit\@viper to\@colht
10565           \vss
10566           }%
10567       \vbox{}%
10568       \global\@firstcolumnfalse
10569       \newpage
10570   \fi
10571 }
10572 }
```



76 File cvthemedibicasual.sty

```
10573 \NeedsTeXFormat{LaTeX2e}
10574 \ProvidesPackage{cvthemedibicasual}
10575 \DeclareOption{blue}{}
10576 \newif\if@colourorange\@colourorangefalse
10577 \DeclareOption{orange}{\@colourorangetrue}
10578 \newif\if@colourgreen\@colourgreenfalse
10579 \DeclareOption{green}{\@colourgreentrue}
10580 \newif\if@colourred\@colourredfalse
10581 \DeclareOption{red}{\@colourredtrue}
10582 \newif\if@colourgrey\@colourgreyfalse
10583 \DeclareOption{grey}{\@colourgreytrue}
10584 \DeclareOption*{
10585   \PackageWarning{cvthemedibicasual}{Unknown option `\\CurrentOption'}
10586 \ExecuteOptions{colour}
10587 \ProcessOptions\relax
10588 \renewcommand*\listitemsymbol{\textbullet}
10589 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10590 \familynamecolour{808080}
10591 \firstnamecolour{A9A9A9}
10592 \quotecolour{696969}
10593 \addresscolour{696969}
10594 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10595 \sectiontitlecolour{1E90FF}
10596 \subsectioncolour{4682B4}
10597 \definecolor{rulecolour}{gray}{0.6}
10598 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10599 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10600 \if@colourorange
10601   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10602   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10603   \sectiontitlecolour{FF8C00}
10604   \subsectioncolour{FF8C00}
10605   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10606   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10607 \if@colourgreen
10608   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10609   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10610   \sectiontitlecolour{008000}
10611   \subsectioncolour{008000}
10612   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
10613   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10614 \if@colourred
10615   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10616   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10617   \sectiontitlecolour{FF0000}
10618   \subsectioncolour{FF0000}
10619   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10620   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10621 \if@colourgrey
10622   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10623   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10624   \sectiontitlecolour{808080}
```



```

10625 \subsectioncolour{808080}
10626 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10627 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10628 \renewcommand*\{\ttdefault\}{pcr}
10629 \renewcommand*\{\firstnamefont\}{\fontsize{38}{40}\mdseries\upshape}
10630 \renewcommand*\{\familynamefont\}{\firstnamefont}
10631 \renewcommand*\{\addressfont\}{\normalsize\mdseries\slshape}
10632 \renewcommand*\{\quotefont\}{\large\slshape}
10633 \renewcommand*\{\sectionfont\}{\Large\mdseries\upshape}
10634 \renewcommand*\{\subsectionfont\}{\large\mdseries\upshape}
10635 \renewcommand*\{\maketitle\}{%
10636   {%
10637     \ifthenelse{\isundefined{\@photo}}{%
10638       {}%
10639       {\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}{%
10640         \hfill%
10641         \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\hbox{-35em}%
10642         {\color{firstnamecolor}\rule{\textwidth}{.25ex}\hbox{[2.5em]}}%
10643       \ifthenelse{\isundefined{\@quote}}{%
10644         {}%
10645         {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}%
10646       }%
10647     \newif\if@firstfooterelement\@firstfooterelementtrue
10648     \providecommand*\{\footersymbol\}{}
10649     \renewcommand*\{\footersymbol\}{%
10650       \if@firstfooterelement%
10651       \else%
10652         { \color{footersymbolcolor}\textbullet~~}\fi}
10653     \providecommand*\{\makefooter\}{}
10654     \renewcommand*\{\makefooter\}{%
10655       \fancypagestyle{plain}{%
10656         \fancyfoot[c]{%
10657           \parbox{0.8\textwidth}{%
10658             \centering%
10659             \addressfont\@addresscolour%
10660             \ifthenelse{\isundefined{\@address}}{}{%
10661               \addresssymbol\@address\hbox{%
10662                 \if@firstfooterelementfalse}%
10663                 \ifthenelse{\isundefined{\@mobile}}{}{%
10664                   \ifthenelse{\isundefined{\@phone}}{}{%
10665                     \ifthenelse{\isundefined{\@fax}}{}{%
10666                       \ifthenelse{\isundefined{\@email}}{}{%
10667                         \ifthenelse{\isundefined{\@extrainfo}}{}{%
10668                           \pagestyle{plain}%
10669                         \AtBeginDocument{\makefooter}%
10670           \NeedsTeXFormat{LaTeX2e}
10672 \ProvidesPackage{cvthemediclassic}
10673 \DeclareOption{blue}{}
10674 \newif\if@colourorange\@colourorangefalse
10675 \DeclareOption{orange}{\@colourorangetrue}
```

77 File cvthemediclassic.sty

```

10671 \NeedsTeXFormat{LaTeX2e}
10672 \ProvidesPackage{cvthemediclassic}
10673 \DeclareOption{blue}{}
10674 \newif\if@colourorange\@colourorangefalse
10675 \DeclareOption{orange}{\@colourorangetrue}
```



```

10676 \newif\if@colourgreen\@colourgreenfalse
10677 \DeclareOption{green}{\@colourgreentrue}
10678 \newif\if@colourred\@colourredfalse
10679 \DeclareOption{red}{\@colourredtrue}
10680 \newif\if@colourgrey\@colourgreyfalse
10681 \DeclareOption{grey}{\@colourgreytrue}
10682 \DeclareOption*{
10683   \PackageWarning{cvthemedibidiclassic}{Unknown option `\\CurrentOption'}
10684 \ExecuteOptions{colour}
10685 \ProcessOptions\relax
10686 \renewcommand*{\listitemsymbol}{\\textbullet}
10687 \firstnamecolour{}
10688 \familynamecolour{}
10689 \titlecolour{808080}
10690 \quotecolour{696969}
10691 \addresscolour{696969}
10692 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
10693 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
10694 \sectiontitlecolour{1E90FF}
10695 \subsectioncolour{4682B4}
10696 \if@colourorange
10697   \addresscolour{FF8C00}
10698   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10699   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10700   \sectiontitlecolour{FF8C00}
10701   \subsectioncolour{FF8C00}\fi
10702 \if@colourgreen
10703   \addresscolour{008000}
10704   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10705   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10706   \sectiontitlecolour{008000}
10707   \subsectioncolour{008000}\fi
10708 \if@colourred
10709   \addresscolour{FF0000}
10710   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10711   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10712   \sectiontitlecolour{FF0000}
10713   \subsectioncolour{FF0000}\fi
10714 \if@colourgrey
10715   \addresscolour{808080}
10716   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10717   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10718   \sectiontitlecolour{808080}
10719   \subsectioncolour{808080}\fi
10720 \renewcommand*{\ttdefault}{pcr}
10721 \renewcommand*{\firstnamefont}{\\fontsize{34}{36}\\mdseries\\upshape}
10722 \renewcommand*{\titlefont}{\\LARGE\\mdseries\\slshape}
10723 \renewcommand*{\addressfont}{\\normalsize\\mdseries\\slshape}
10724 \renewcommand*{\familynamefont}{\\firstnamefont}
10725 \renewcommand*{\quotefont}{\\large\\slshape}
10726 \renewcommand*{\sectionfont}{\\Large\\mdseries\\upshape}
10727 \renewcommand*{\subsectionfont}{\\large\\mdseries\\upshape}
10728 \newlength{\\maketitlenamemaxwidth}
10729 \setlength{\\maketitlenamemaxwidth}{.525\\textwidth}

```



```

10730 \newlength{\maketitlenamefullwidth}
10731 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
10732 \newlength{\maketitlenamewidth}
10733 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
10734 \newlength{\maketitlepicturewidth}
10735 \setlength{\maketitlepicturewidth}{\@photowidth}
10736 \newlength{\maketitledetailswidth}
10737 \renewcommand*{\recomputethemelengths}{%
10738   \setlength{\maketitledetailswidth}{\textwidth}%
10739   \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
10740   \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
10741   \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}%
10742 \recomputethemelengths
10743 \newif\if@firstdetailselement\@firstdetailselementtrue
10744 \newcommand*{\maketitledetailsnewline}{%
10745   \if@firstdetailselement%
10746     \@\firstdetailselementfalse%
10747   \else%
10748     \\[.2em]\fi}
10749 \renewcommand*{\maketitle}{%
10750   % name and title
10751   \begin{minipage}[b]{\maketitlenamewidth}%
10752     \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
10753     \ifthenelse{\equal{\@title}{}{}}{\vbox{[1.25em]}\titlestyle{\@title}}{%
10754   \end{minipage}%
10755   % optional data
10756   \begin{minipage}[b]{\maketitledetailswidth}%
10757     \bidi@raggedleft\addressfont\addresscolour%
10758     \ifthenelse{\isundefined{\@address}}{%
10759       \maketitledetailsnewline%
10760       \addresssymbol~\\@\address}%
10761     \ifthenelse{\isundefined{\@mobile}}{%
10762       \ifthenelse{\isundefined{\@phone}}{%
10763         \ifthenelse{\isundefined{\@fax}}{%
10764           \ifthenelse{\isundefined{\@email}}{%
10765             \ifthenelse{\isundefined{\@extrainfo}}{%
10766               \end{minipage}%
10767               % optional photo
10768               \ifthenelse{\isundefined{\@photo}}{%
10769                 {}%
10770                 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=}}%
10771               % optional quote
10772               \ifthenelse{\isundefined{\@quote}}{%
10773                 {}%
10774                 {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}%
10775               }

```

78 File dblfnote-xetex-bidi.def

```

10776 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10777 \let\autofootnoterule\relax
10778 \let\rightfootnoterule\relax
10779 \let\leftfootnoterule\relax
10780 \let\textwidthfootnoterule\relax

```



```

10781 \let\LRfootnoterule\relax
10782 \def\footnoterule{\kern-3\p@
10783   \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
10784 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
10785 \let\@footnotetext\dfn@footnotetext}
10786 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
10787   \let\insert\dfn@gobble
10788   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10789   \def\@makefnmark{\smash{\dfn@makefnmark}}
10790   \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10791   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10792   \ifdim\dfn@dima>\z@\else
10793     \dfn@dima1sp\relax
10794     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10795   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10796     \ifvoid\dfn@ins\else
10797       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10798     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10799   \setbox\dfn@boxa\copy\dfn@ins
10800   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10801   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10802   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10803   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
10804   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
10805 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10806 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
10807 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
10808   \let\insert\dfn@gobble
10809   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10810   \def\@makefnmark{\smash{\dfn@makefnmark}}
10811   \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10812   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10813   \ifdim\dfn@dima>\z@\else
10814     \dfn@dima1sp\relax
10815     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10816   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10817     \ifvoid\dfn@ins\else
10818       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10819     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10820   \setbox\dfn@boxa\copy\dfn@ins
10821   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10822   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10823   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10824   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
10825   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
10826 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10827 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10828 \def\dfn@RTLmakecol{{\ifvoid\footins\else
10829   \dfn@dima\ht\footins
10830   \@tempcnta\z@ \dfn@countins
10831   \@tempdima\z@ \let\@elt\dfn@elt@getht
10832   \dfn@list\@nil
10833   \ifdim\@tempdima=\z@\else
10834   \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@}

```



```

10835 \global\setbox\dfn@ins\box\dfn@ins
10836 \@tempswatru
10837 \ifdfn@trysingle
10838     \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10839     \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10840     \advance\@tempdima-\skip\footins
10841     \advance\@tempdima-\ht\dfn@boxa
10842     \ifdim\@tempdima<\z@\else \tempswafalse
10843         \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10844             \footnoterule \unvbox\dfn@boxa}\fi\fi
10845 \if@tempswa
10846 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10847 \global\setbox\footins\vbox{\hbox{%
10848     \hskip \DFNcolumnwidth
10849     \hskip\DFNcolumnsep
10850     \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10851         \unvbox\dfn@boxb\vss}\hss}
10852     \hskip -\textwidth
10853     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10854         \vbox to\@tempdima{
10855             \setbox\@tempboxa\vbox{\footnoterule}
10856             \ifdfn@ruleboth \unvbox\@tempboxa
10857             \else \@tempdima\ht\@tempboxa
10858                 \advance\@tempdima\dp\@tempboxa
10859                 \vskip\@tempdima
10860                 \prevdepth\dp\@tempboxa \fi
10861                 \unvbox\dfn@boxa\vss}\fi\hss}
10862             \hskip \DFNcolumnsep
10863             \hskip \DFNcolumnwidth}}\fi\fi
10864 \global\dfn@fnht\z@
10865 \ifx\dfn@list\@empty\else
10866     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10867     \dfn@list \global\advance\dfn@fnht\dfn@dimb
10868     \let\@elt\relax
10869     \ifdim\dfn@dimb>\z@
10870         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10871         \insert\footins{\floatingpenalty\@MM
10872             \vbox to\dfn@dimb{}\fi
10873         \ifdim\dfn@fnht>\@tempdima
10874             \atempdimb\atempdima \advance\atempdimb-\dfn@fnht
10875             \global\dfn@fnht\atempdima
10876             \xdef\dfn@list{\dfn@list\@elt{0}{\number\atempdimb}}%
10877             \xdef\dfn@afteroutput{\insert\footins{
10878                 \floatingpenalty\@MM
10879                 \vbox to\number\atempdimb sp{}\}}%
10880             \global\let\noexpand\dfn@afteroutput\relax}%
10881         \fi\fi
10882     \fi}%
10883     \let\footnoterule\relax \dfn@latex@makecol
10884     \let\footnoterule\dfn@footnoterule}
10885 \def\dfn@LTRmakecol{{\ifvoid\footins\else
10886     \dfn@dima\ht\footins
10887     \atempcnta\z@ \dfn@countins
10888     \atempdima\z@ \let\@elt\dfn@elt@getht

```



```

10889 \dfn@list@nil
10890 \ifdim@\tempdima=\z@{ \else
10891 \dfn@split@\tempdima\dfn@ins\dfn@boxa\z@\z@
10892 \global\setbox\dfn@ins\box\dfn@ins
10893 \tempswatru
10894 \ifdfn@trysingle
10895     \setbox\dfn@boxb\vbox{\unvcopy\cclv}\tempdima@colroom
10896     \advance\tempdima-\ht\dfn@boxb \advance\tempdima-\dp\dfn@boxb
10897     \advance\tempdima-\skip\footins
10898     \advance\tempdima-\ht\dfn@boxa
10899     \ifdim@\tempdima<\z@{ \else \tempswafalse
10900         \global\setbox\footins\vbox{\boxmaxdepth\fnmaxdp
10901             \footnoterule \unvbox\dfn@boxa} \fi \fi
10902 \if@tempswa
10903 \dfn@split{\dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10904 \global\setbox\footins\vbox{\hbox{%
10905     \hbox to\DFNcolumnwidth\hbox to\tempdima{\footnoterule
10906         \unvbox\dfn@boxb\vss}\hskip\DFNcolumnsep
10907     \hbox to\DFNcolumnwidth\ifvoid\dfn@boxa\else
10908         \vbox to\tempdima{%
10909             \setbox\tempboxa\vbox{\footnoterule}
10910             \ifdfn@ruleboth \unvbox\tempboxa
10911                 \else \tempdima\ht\tempboxa
10912                     \advance\tempdima\dp\tempboxa
10913                     \vskip\tempdima
10914                     \prevdepth\dp\tempboxa \fi
10915             \unvbox\dfn@boxa\vss}\fi\hss}}\fi\fi
10916 \global\dfn@fnht\z@
10917 \ifx\dfn@list@\empty\else
10918     \let\elt\dfn@elt@adjust \dima\z@ \dfn@dimb\z@
10919     \dfn@list \global\advance\dfn@fnht\dfn@dimb
10920     \let\elt\relax
10921     \ifdim\dfn@dimb>\z@
10922         \xdef\dfn@list{@elt{0}{\number\dfn@dimb}\dfn@list}%
10923         \insert\footins{\floatingpenalty@MM
10924             \vbox to\dfn@dimb{} \fi
10925     \ifdim\dfn@fnht>\tempdima
10926         \tempdimb\tempdima \advance\tempdimb-\dfn@fnht
10927         \global\dfn@fnht\tempdima
10928         \xdef\dfn@list{\dfn@list@elt{0}{\number\tempdimb}}%
10929         \xdef\dfn@afteroutput{\insert\footins{
10930             \floatingpenalty@MM
10931             \vbox to\number\tempdimb sp{} \%}
10932             \global\let\noexpand\dfn@afteroutput\relax}%
10933         \fi\fi
10934     \fi}%
10935     \let\footnoterule\relax \dfn@latex@makecol
10936     \let\footnoterule\dfn@footnoterule
10937 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
10938 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
10939 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
10940 \DFNalwaysdouble

```



79 File diagbox-xetex-bidi.def

```
10941 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
10942 \bidi@patchcmd{\diagbox@double}{%
10943   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10944 }{\bidi@@diagbox@double@ii}{}
10945 \bidi@patchcmd{\diagbox@double}{%
10946   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{r}}}}
10947 }{\bidi@@diagbox@double@iii}{}
10948 \newcommand*{\bidi@@diagbox@double@ii}{%
10949   \if@RTL
10950     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{l}}}}
10951   \else
10952     \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10953   \fi
10954 }
10955 \newcommand*{\bidi@@diagbox@double@iii}{%
10956   \if@RTL
10957     \begin{tabular}{@{\hspace{\diagbox@insep{r}}}>{\diagbox@font}l@{}}
10958   \else
10959     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{r}}}}
10960   \fi
10961 }
10962 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10963   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10964 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
10965 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10966   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10967 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
10968 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10969   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{r}}}}
10970 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}
10971 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
10972   \if@RTL
10973     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{l}}}}
10974   \else
10975     \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10976   \fi
10977 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
10978   \if@RTL
10979     \begin{tabular}{@{\hspace{\diagbox@insep{r}}}>{\diagbox@font}l@{}}
10980   \else
10981     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{r}}}}
10982   \fi
10983 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
10984 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10985   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}
10986 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}
10987 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10988   \begin{tabular}{@{}>{\hspace{\diagbox@insep{r}}}}
10989 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}
10990 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10991   \begin{tabular}{@{}>{\hspace{\diagbox@insep{r}}}}
10992 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}
```



```

10993 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
10994   \if@RTL
10995     \begin{tabular}{@{}r@{\hspace{\diagbox@insepL}}}
10996   \else
10997     \begin{tabular}{@{\hspace{\diagbox@insepL}}l@{}}
10998   \fi
10999 }
11000 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
11001   \if@RTL
11002     \begin{tabular}{@{\hspace{\diagbox@insepR}}l@{}}
11003   \else
11004     \begin{tabular}{@{}r@{\hspace{\diagbox@insepR}}}
11005   \fi
11006 }
11007 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
11008 \bidi@patchcmd{\diagbox@double@pict@SE}{%
11009   \diagbox@setlinecolor
11010   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
11011 }{%
11012   {\diagbox@setlinecolor
11013   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
11014 }{%
11015 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
11016 \bidi@patchcmd{\diagbox@double@pict@NE}{%
11017   \diagbox@setlinecolor
11018   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
11019 }{%
11020   {\diagbox@setlinecolor
11021   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
11022 }{%
11023 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
11024 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
11025   \diagbox@setlinecolor
11026   \Line(0,\yym)(\x,0)
11027   \Line(\xm,\y)(\x,0)%
11028 }{%
11029   {\diagbox@setlinecolor
11030   \Line(0,\yym)(\x,0)
11031   \Line(\xm,\y)(\x,0)}%
11032 }{%
11033 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
11034   \diagbox@setlinecolor
11035   \Line(0,0)(\xxm,\y)
11036   \Line(0,0)(\x,\yym)%
11037 }{%
11038   {\diagbox@setlinecolor
11039   \Line(0,0)(\xxm,\y)
11040   \Line(0,0)(\x,\yym)}%
11041 }{%
11042 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
11043   \diagbox@setlinecolor
11044   \Line(0,\ym)(\x,\y)
11045   \Line(\xm,0)(\x,\y)%
11046 }{%

```



```

11047  {\diagbox@setlinecolor
11048  \Line(0,\ym)(\x,\y)
11049  \Line(\xm,0)(\x,\y)}%
11050 }{}{%
11051 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
11052  \diagbox@setlinecolor
11053  \Line(0,\y)(\xxm,0)
11054  \Line(0,\y)(\x,\ym)}%
11055 }{%
11056  {\diagbox@setlinecolor
11057  \Line(0,\y)(\xxm,0)
11058  \Line(0,\y)(\x,\ym)}%
11059 }{}{%

```

80 File `draftwatermark-xetex-bidi.def`

```

11060 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
11061 \renewcommand\SetWatermarkText[1]{%
11062  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}%

```

81 File `eso-pic-xetex-bidi.def`

```

11063 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
11064 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
11065  \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}}
11066
11067 \ESO@isMEMOIR{%
11068  \renewcommand\AtTextUpperLeft[1]{%
11069    \begingroup
11070      \ifodd\c@page
11071        \if@RTLmain
11072          \ESO@tempdima=\paperwidth
11073          \advance\ESO@tempdima-\textwidth
11074          \advance\ESO@tempdima-\spinemargin
11075        \else
11076          \ESO@tempdima=\spinemargin
11077        \fi
11078    \else
11079      \if@RTLmain
11080        \ESO@tempdima=\spinemargin
11081      \else
11082        \ESO@tempdima=\paperwidth
11083        \advance\ESO@tempdima-\textwidth
11084        \advance\ESO@tempdima-\spinemargin
11085      \fi
11086    \fi
11087    \ESO@tempdimb=-\uppermargin
11088    \AtPageUpperLeft{%
11089      \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11090    }%
11091  \endgroup
11092 }
11093 }{%
11094  \renewcommand\AtTextUpperLeft[1]{%

```



```

11095 \begingroup
11096   \ESO@tempdima=1in\relax
11097   \if@twoside
11098     \ifodd\c@page
11099       \if@RTLmain
11100         \advance\ESO@tempdima\evensidemargin
11101       \else
11102         \advance\ESO@tempdima\oddsidemargin
11103       \fi
11104     \else
11105       \if@RTLmain
11106         \advance\ESO@tempdima\oddsidemargin
11107       \else
11108         \advance\ESO@tempdima\evensidemargin
11109       \fi
11110     \fi
11111   \else
11112     \advance\ESO@tempdima\oddsidemargin
11113   \fi
11114   \ESO@tempdimb=-1in\relax
11115   \advance\ESO@tempdimb-\topmargin
11116   \advance\ESO@tempdimb-\headheight
11117   \advance\ESO@tempdimb-\headsep
11118   \AtPageUpperLeft{%
11119     \put(\if@RTLmain-\textwidth\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11120   }%
11121 \endgroup
11122 }
11123 }

```

82 File `empheq-xetex-bidi.def`

```

11124 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11125 VIMInternalSyntaxOn
11126 \def\EQ_tag_plus_endmark:{%
11127   \iftagsleft@
11128     \gdef\maketag@@@##1{%
11129       \hfuzz\displaywidth
11130       \if@RTL\makebox[\widthof{##1}][r]{%
11131         \hbox to \displaywidth{\m@th\normalfont##1\hss
11132           \raisebox{-\dp\EQ_mathdisplay_box}{%
11133             -\depthof{\EQ_outerbox:{{}}}}%
11134             \PotEndMark{\hss}}}%
11135       \else\makebox[\widthof{##1}][l]{%
11136         \hbox to \displaywidth{\m@th\normalfont##1\hss
11137           \raisebox{-\dp\EQ_mathdisplay_box}{%
11138             -\depthof{\EQ_outerbox:{{}}}}%
11139             \PotEndMark{\hss}}}%
11140     }%
11141     \gdef\maketag@@@##1{%
11142       \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11143         \settoheight{\@tempdima}{\nameuse{\InTheoType Symbol}}%
11144         \MH_addtolength:dn \@tempdima
11145         \g_EQ_bottomtag_depth_dim+\mintagvsep}}%
11146     }%
11147   }%
11148   \MH_else:
11149     \gdef\maketag@@@##1{%
11150       \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11151         \settoheight{\@tempdima}{\nameuse{\InTheoType Symbol}}%
11152         \MH_addtolength:dn \@tempdima
11153         \g_EQ_bottomtag_depth_dim+\mintagvsep}}%
11154     }%
11155   }%
11156 }
```



```

11146      \setlength{\@tempdimb}
11147          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}}
11148          +\depthof{\EQ_innerbox:[]}}
11149 \MH_if_dim:w \atempdima>\atempdimb
11150     \MH_setlength:dn \atempdima{-\dp\EQ_mathdisplay_box
11151         -\atempdima+\g_EQ_bottomrow_depth_dim}
11152     \addtolength{\atempdima}{\depthof{\EQ_innerbox:[]}}%
11153     \def\EQ_next:{\raisebox{\atempdima}{}}%
11154 \MH_else:
11155     \def\EQ_next:{\raisebox{-\dp\EQ_mathdisplay_box
11156         -\depthof{\EQ_outerbox:[]}}}{}
11157     \MH_fi:\EQ_next:}}}}%
11158 \MH_fi:}
11159 \def\EQ_post_process:{%
11160     \EQ_initialize:
11161     \EQ_begin_equation:
11162     \MH_if_boolean:nT {outer_mult} {
11163         \setkeys{\MT_options_name:}{%
11164             firstline-afterskip=0pt,
11165             lastline-preskip=0pt,
11166             multlined-width=0pt,
11167         }
11168     }
11169     \ifodd \l_EQ_alignmentmode_int
11170         \setkeys{\MT_options_name:}{multlined-pos=b}
11171     \MH_else:
11172         \setkeys{\MT_options_name:}{multlined-pos=t}
11173     \MH_fi:
11174         \g@addto@macro\EQ_complete_mathdisplay:{%
11175             \begin{MTmultlined}\relax
11176         }
11177         \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11178         \MH_if_boolean:nT {outer_mult} {
11179             \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11180         }
11181     \EQ_end_equation:
11182     \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11183     \savecounters@
11184     \EQ_typeset_tags:
11185     \edef\l_EQ_equation_fint{\number\c@equation}
11186     \restorecounters@
11187     \Hy@linkcounter=\EQ_hyperref_link_fint
11188     \settowidth\l_EQ_totalwidth_dim{%
11189         \$\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
11190     \MH_if_boolean:nTF {outer_mult} {
11191         { \def\EQ_next:{_mult} }
11192         { \def\EQ_next:{} }
11193     \nameuse{EQ_modify_linewidth_
11194         \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11195     \EQ_typeset_display:
11196     \nameuse{EQ_find_displaywidth_
11197         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11198     \MH_addtolength:dn
11199     \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}

```



```

11200 \savebox\l_EQ_mathdisplay_box[\l_EQ_totalwidth_dim] [c]{%
11201   $EQ_left_side:
11202   \EQ_innerbox:{%
11203     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11204       \makebox[\l_EQ_displaywidth_dim] [c]
11205         {\usebox{\EQ_mathdisplay_box}}%
11206     \MH_or:
11207       \makebox[\l_EQ_displaywidth_dim] [c]
11208         {\usebox{\EQ_mathdisplay_box}}%
11209   \MH_or:
11210     \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
11211       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11212         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11213           \kern-\@mathmargin
11214         \MH_fi:
11215       \MH_fi:
11216         \usebox{\EQ_mathdisplay_box}}%
11217   \else\makebox[\l_EQ_displaywidth_dim] [1]{%
11218     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11219       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11220         \kern-\@mathmargin
11221       \MH_fi:
11222     \MH_fi:
11223       \usebox{\EQ_mathdisplay_box}}\fi%
11224 \MH_or:
11225   \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
11226     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11227       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11228         \kern-\@mathmargin
11229       \MH_fi:
11230     \MH_fi:
11231       \usebox{\EQ_mathdisplay_box}}%
11232   \else\makebox[\l_EQ_displaywidth_dim] [1]{%
11233     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11234       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11235         \kern-\@mathmargin
11236       \MH_fi:
11237     \MH_fi:
11238       \usebox{\EQ_mathdisplay_box}}\fi%
11239     \MH_fi:}%
11240   \EQ_right_side:$}%
11241 \begin{AmSequation*}
11242 \nameuse{EQ_place_display_%
11243   \romannumeral\l_EQ_equationtype_int\l_EQ_next: :}
11244 \MH_if_dim:w \g_EQ_widesttag_dim>\z@%
11245 \MH_set_boolean_T:n {show_manual_tags}
11246   \MH_if_case:w \l_EQ_alignmentmode_int
11247     \MH_or: \if@RTL\l_EQ_place_tag:N l\else\l_EQ_place_tag:N r\fi %%1
11248     \MH_or: \if@RTL\l_EQ_place_tag:N r\else\l_EQ_place_tag:N l\fi %%2
11249     \MH_or: \if@RTL\l_EQ_place_tag:N l\else\l_EQ_place_tag:N r\fi %%3
11250     \MH_or: \if@RTL\l_EQ_place_tag:N r\else\l_EQ_place_tag:N l\fi %%4
11251   \MH_fi:
11252 \MH_fi:
11253 \end{AmSequation*}

```



```

11254   \global\c@equation=\l_EQ_equation_fint\relax
11255 }
11256 \AtBeginDocument{%
11257   \@ifpackageloaded{fancybox}{%
11258     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
11259       \renewcommand*\textcolor[2]{\normalcolor{#2}}{}}%
11260     \renewcommand*\shadowbox{%
11261       \@ifstar{\MH_set_boolean_T:n {shadowbox_star}%
11262         \VerbBox\EQ_shadowbox:n}%
11263         {\MH_set_boolean_F:n {shadowbox_star}%
11264           \VerbBox\EQ_shadowbox:n}%
11265       \def\EQ_shadowbox:n #1{%
11266         \sbox{\z@\fbox{#1}}{%
11267           \MH_if_boolean:nTF {shadowbox_star}{%
11268             \MH_setlength:dn \tempdima{\z@}%
11269           }{%
11270             \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
11271           }%
11272         \raisebox{\tempdima}{%
11273           \if@RTL\makebox[\z@][r]{%
11274             \kern\shadowsize \textcolor{shadowcolor}{%
11275               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11276             }%
11277           \else\makebox[\z@][1]{%
11278             \kern\shadowsize \textcolor{shadowcolor}{%
11279               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11280             }\fi%
11281           \usebox\z@\textcolor{shadowcolor}{%
11282             \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}{}}%
11283     }{}}%
11284 }
11285 \MHInternalSyntaxOff

```

83 File extarticle-xetex-bidi.def

```

11286 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
11287 \renewcommand*\l@section[2]{%
11288   \ifnum \c@tocdepth >\z@
11289     \addpenalty\secpenalty
11290     \addvspace{1.0em \@plus\p@}%
11291     \setlength\tempdima{1.5em}%
11292     \begingroup
11293       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \tempdima
11294       \parfillskip -\tempdima
11295       \leavevmode \bfseries
11296       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
11297       \hskip -\if@RTL\rightskip\else\leftskip\fi
11298       #1\nobreak\hfil \nobreak\hb@xt@\tempdima{hss #2}\par
11299     \endgroup
11300   \fi}
11301   \renewcommand*\l@part[2]{%
11302     \ifnum \c@tocdepth >-2\relax
11303       \addpenalty\secpenalty
11304       \addvspace{2.25em \@plus\p@}%

```



```

11305 \begingroup
11306   \setlength{\tempdima{3em}%
11307   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
11308   \parfillskip -\pnumwidth
11309   {\leavevmode
11310     \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
11311   \nobreak
11312   \endgroup
11313 \fi}
11314 \def\@part[#1]{%
11315   \ifnum \c@secnumdepth >\m@ne
11316     \refstepcounter{part}%
11317     \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
11318   \else
11319     \addcontentsline{toc}{part}{#1}%
11320   \fi
11321   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11322     \interlinepenalty \OM
11323     \normalfont
11324     \ifnum \c@secnumdepth >\m@ne
11325       \Large\bfseries \partname~\the\part
11326       \par\nobreak
11327     \fi
11328     \huge \bfseries #2%
11329     \markboth{}{}\par}%
11330   \nobreak
11331   \vskip 3ex
11332   \afterheading}
11333 \def\@spart#1{%
11334   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11335     \interlinepenalty \OM
11336     \normalfont
11337     \huge \bfseries #1\par}%
11338   \nobreak
11339   \vskip 3ex
11340   \afterheading}
11341 \renewenvironment{thebibliography}[1]
11342   {\section*{\refname
11343     \omkboth{\MakeUppercase{\refname}}{\MakeUppercase{\refname}}%
11344     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11345     \bidi@thebibliography@font@hook%
11346     \list{\@biblabel{\@arabic\c@enumiv}}%
11347       {\settowidth\labelwidth{\@biblabel{#1}}%
11348         \leftmargin\labelwidth
11349         \advance\leftmargin\labelsep
11350         \openbib@code
11351         \usecounter{enumiv}%
11352         \let\p@enumiv\empty
11353         \renewcommand\theenumiv{\@arabic\c@enumiv}%
11354         \sloppy\clubpenalty4000\widowpenalty4000%
11355         \sfcode`\. \empty
11356       \def\@noitemerr
11357         {\@latex@warning{Empty `thebibliography' environment}}%
11358       \endlist}

```



```

11359 \renewcommand{\left@footnoterule}{%
11360   \kern-3\p@
11361   \hrule\@width.4\columnwidth
11362   \kern2.6\p@}
11363 \renewcommand{\right@footnoterule}{%
11364   \kern-3\p@
11365   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11366   \kern2.6\p@}
11367   \if@titlepage
11368   \renewcommand{\maketitle}{\begin{titlepage}%
11369     \let\footnotesize\small
11370     \let\right@footnoterule\relax
11371     \let\left@footnoterule\relax
11372     \let\textwidth@footnoterule\relax
11373     \let \footnote \thanks
11374     \null\vfil
11375     \vskip 60\p@
11376     \begin{center}%
11377       {\LARGE \@title \par}%
11378       \vskip 3em%
11379       {\large
11380         \lineskip .75em%
11381         \begin{tabular}[t]{c}%
11382           \author
11383         \end{tabular}\par}%
11384         \vskip 1.5em%
11385         {\large \@date \par}%
11386       \end{center}\par
11387     \thanks
11388     \vfil\null
11389   \end{titlepage}%
11390   \setcounter{footnote}{0}%
11391   \global\let\thanks\relax
11392   \global\let\maketitle\relax
11393   \global\let\@thanks\empty
11394   \global\let\@author\empty
11395   \global\let\@date\empty
11396   \global\let\@title\empty
11397   \global\let\title\relax
11398   \global\let\author\relax
11399   \global\let\date\relax
11400   \global\let\and\relax
11401 }
11402 \else
11403 \renewcommand{\maketitle}{\par
11404   \begingroup
11405     \renewcommand{\thefootnote}{\fnsymbol{footnote}}%
11406     \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
11407     \long\def\@makefntext##1{\par\indent 1em\noindent
11408       \hb@xt@1.8em{%
11409         \hss\textsuperscript{\normalfont\@thefnmark}##1}%
11410     \if@twocolumn
11411       \ifnum \col@number=\@ne
11412         \maketitle

```



```

11413     \else
11414         \twocolumn[\@maketitle]%
11415     \fi
11416 \else
11417     \newpage
11418     \global\@topnum\z@    % Prevents figures from going at top of page.
11419     \@maketitle
11420     \fi
11421     \thispagestyle{plain}\@thanks
11422 \endgroup
11423 \setcounter{footnote}{0}%
11424 \global\let\thanks\relax
11425 \global\let\maketitle\relax
11426 \global\let\@maketitle\relax
11427 \global\let\@thanks\@empty
11428 \global\let\@author\@empty
11429 \global\let\@date\@empty
11430 \global\let\@title\@empty
11431 \global\let\title\relax
11432 \global\let\author\relax
11433 \global\let\date\relax
11434 \global\let\and\relax
11435 }
11436 \def\@maketitle{%
11437     \newpage
11438     \null
11439     \vskip 2em%
11440     \begin{center}%
11441     \let \footnote \thanks
11442         {\LARGE \@title \par}%
11443         \vskip 1.5em%
11444         {\large
11445             \lineskip .5em%
11446             \begin{tabular}[t]{c}%
11447                 \author
11448             \end{tabular}\par}%
11449         \vskip 1em%
11450         {\large \@date}%
11451     \end{center}%
11452     \par
11453     \vskip 1.5em}
11454 \fi
11455 \renewcommand\thesubsection{\thesection\@SepMark\@arabic\c@section}
11456 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@section}
11457 \renewcommand\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
11458 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}%

```

84 File extbook-xetex-bidi.def

```

11459 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11460   \if@titlepage
11461   \renewcommand\maketitle{\begin{titlepage}%
11462     \let\footnotesize\small
11463     \let\right@footnoterule\relax

```



```

11464 \let\left@footnoterule\relax
11465 \let\textwidth@footnoterule\relax
11466 \let \footnote \thanks
11467 \let \LTRfootnote \LRTLthanks
11468 \let \RTLfootnote \LRTLthanks
11469 \null\vfil
11470 \vskip 60\p@
11471 \begin{center}%
11472   {\LARGE \@title \par}%
11473   \vskip 3em%
11474   {\large
11475     \lineskip .75em%
11476     \begin{tabular}[t]{c}%
11477       \author
11478       \end{tabular}\par}%
11479   \vskip 1.5em%
11480   {\large \@date \par}%
11481   \end{center}\par
11482 \@thanks
11483 \vfil\null
11484 \end{titlepage}%
11485 \setcounter{footnote}{0}%
11486 \global\let\thanks\relax
11487 \global\let\LTRthanks\relax
11488 \global\let\RTLthanks\relax
11489 \global\let\maketitle\relax
11490 \global\let\@thanks\empty
11491 \global\let\author\empty
11492 \global\let\@date\empty
11493 \global\let\@title\empty
11494 \global\let\title\relax
11495 \global\let\author\relax
11496 \global\let\date\relax
11497 \global\let\and\relax
11498 }
11499 \else
11500 \renewcommand\maketitle{\par
11501   \begingroup
11502     \renewcommand\thefootnote{\fnsymbol{c}@\footnote}%
11503     \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
11504     \long\def\@makefntext##1{\parindent 1em\noindent
11505       \hb@xt@1.8em{%
11506         \hss\textsuperscript{\normalfont\@thefnmark}##1}%
11507     }\if@twocolumn
11508       \ifnum \col@number=\@ne
11509         \@maketitle
11510       \else
11511         \twocolumn[\@maketitle]%
11512       \fi
11513     \else
11514       \newpage
11515       \global\@topnum\z@    % Prevents figures from going at top of page.
11516       \@maketitle
11517     \fi

```



```

11518      \thispagestyle{plain}\@thanks
11519  \endgroup
11520  \setcounter{footnote}{0}%
11521  \global\let\thanks\relax
11522  \global\let\LTRthanks\relax
11523  \global\let\RTLthanks\relax
11524  \global\let\maketitle\relax
11525  \global\let\@maketitle\relax
11526  \global\let\@thanks\@empty
11527  \global\let\@author\@empty
11528  \global\let\@date\@empty
11529  \global\let\@title\@empty
11530  \global\let\title\relax
11531  \global\let\author\relax
11532  \global\let\date\relax
11533  \global\let\and\relax
11534 }
11535 \def\@maketitle{%
11536   \newpage
11537   \null
11538   \vskip 2em%
11539   \begin{center}%
11540   \let \footnote \thanks
11541   \let \LTrfootnote \LTrthanks
11542   \let \RTLfootnote \RTLthanks
11543   {\LARGE \@title \par}%
11544   \vskip 1.5em%
11545   {\large
11546     \lineskip .5em%
11547     \begin{tabular}[t]{c}%
11548       \author
11549     \end{tabular}\par}%
11550   \vskip 1em%
11551   {\large \@date}%
11552   \end{center}%
11553   \par
11554   \vskip 1.5em}
11555 \fi
11556 \renewcommand*\l@part[2]{%
11557   \ifnum \c@tocdepth >-2\relax
11558     \addpenalty{-\@highpenalty}%
11559     \addvspace{2.25em \oplus \p@}%
11560     \begingroup
11561       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
11562       \parfillskip -\pnumwidth
11563       \leavevmode
11564       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
11565       \nobreak
11566         \global\@nobreaktrue
11567         \everypar{\global\@nobreakfalse\everypar{}}
11568     \endgroup
11569   \fi}
11570 \renewcommand\theequation
11571  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{equation}}

```



```

11572 \renewcommand \thefigure
11573     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}
11574 \renewcommand \thetable
11575     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}
11576 \renewcommand \thechapter {\arabic{c@chapter}}
11577 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}
11578 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}
11579 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}
11580 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}
11581 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}
11582 \def\@makechapterhead#1{%
11583     \vspace*{50\p@}%
11584     {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
11585         \ifnum \c@secnumdepth >\m@ne
11586             \if@mainmatter
11587                 \huge\bfseries \chapapp\space \thechapter
11588                 \par\nobreak
11589                 \vskip 20\p@
11590             \fi
11591         \fi
11592         \interlinepenalty\@M
11593         \Huge\bfseries #1\par\nobreak
11594         \vskip 40\p@
11595     }%
11596 }
11597 \def\@makeschapterhead#1{%
11598     \vspace*{50\p@}%
11599     {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
11600         \normalfont
11601         \interlinepenalty\@M
11602         \Huge\bfseries #1\par\nobreak
11603         \vskip 40\p@
11604     }%
11605 \renewcommand \backmatter{%
11606     \if@openright
11607         \cleardoublepage
11608     \else
11609         \clearpage
11610     \fi
11611     \mainmatterfalse}
11612 \renewenvironment {thebibliography}[1]
11613     {\chapter*\{\bibname
11614         \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}\}%
11615         \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11616         \bidi@thebibliography@font@hook%
11617         \list{\@biblabel{\arabic{c@enumiv}}\}%
11618             \settowidth\labelwidth{\@biblabel{#1}}%
11619             \leftmargin\labelwidth
11620             \advance\leftmargin\labelsep
11621             \openbib@code
11622             \usecounter{enumiv}%
11623             \let\p@enumiv\empty
11624             \renewcommand \theenumiv{\arabic{c@enumiv}}%
11625     \sloppy

```



```

11626     \clubpenalty4000
11627     \clubpenalty \clubpenalty
11628     \widowpenalty4000%
11629     \sfcode`.\.\\@m}
11630     {\def\@noitemerr
11631       {\@latex@warning{Empty `thebibliography' environment}}%
11632     \endlist}

```

85 File extletter-xetex-bidi.def

```

11633 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
11634 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
11635   \thispagestyle{firstpage}%
11636   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11637 \else % home address
11638   \thispagestyle{empty}%
11639   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignorespaces
11640     \fromaddress \\*[2\parskip]%
11641     \@date \end{tabular}\par}%
11642 \fi
11643 \vspace{2\parskip}%
11644 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
11645 \vspace{2\parskip}%
11646 #1\par\nobreak}
11647 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
11648   \stopbreaks
11649   \noindent
11650   \ifx\empty\fromaddress\else
11651   \hspace*{\longindentation}\fi
11652   \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
11653     \ignorespaces #1\\[6\medskipamount]%
11654     \ifx\empty\fromsig
11655       \fromname
11656     \else \fromsig \fi\strut}%
11657   \par}
11658 \renewcommand\left@footnoterule{%
11659   \kern-\p@
11660   \hrule \@width .4\columnwidth
11661   \kern .6\p@}
11662 \renewcommand\right@footnoterule{%
11663   \kern-\p@
11664   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
11665   \kern .6\p@}

```

86 File extrafootnotefeatures-xetex-bidi.def

```

11666 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2025/01/03 v2.7 bidi extra footnote features
11667 \newdimen\bidi@columnwidth
11668 \def\bidi@floathook{%
11669   \bidi@columnwidth\columnwidth
11670 }
11671 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
11672 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11673 \if@bidi@csundef{HLTR@CLTRfootnotetext}{}{%

```



```

11674 \ifHy@hyperfootnotes
11675   \let\@@H@@footnotetext\@footnotetext
11676   \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
11677   \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
11678   \let\@@H@@mpfootnotetext\@mpfootnotetext
11679   \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11680   \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11681 \fi
11682 }%
11683 }%
11684 }
11685 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
11686 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11687 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
11688 \ifHy@hyperfootnotes
11689   \let\H@@footnotetext\@footnotetext
11690   \let\@footnotetext\@@H@@footnotetext
11691   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
11692   \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
11693   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
11694   \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
11695   \let\H@@mpfootnotetext\@mpfootnotetext
11696   \let\@mpfootnotetext\@@H@@mpfootnotetext
11697   \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11698   \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
11699   \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11700   \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
11701 \fi
11702 }%
11703 }%
11704 }
11705 \let\autofootnoterule\relax
11706 \let\rightfootnoterule\relax
11707 \let\leftfootnoterule\relax
11708 \let\textwidthfootnoterule\relax
11709 \let\LRfootnoterule\relax
11710 \def\footnoterule{\kern-3\p@
11711   \hrule \@width \columnwidth \kern 2.6\p@}
11712 \newcommand{\@preamnormalfmt}{%
11713   \parindent 1em%
11714   \noindent
11715 }
11716 \newcommand{\@normalfootfmt}[1]{%
11717   \preamnormalfmt
11718   \footfootmark
11719   \rule{z@\footnotesep\ignorespaces\foottextfont #1}%
11720   \finalstrut\strutbox
11721 }
11722 \newcommand{\@normalRTLfootfmt}[1]{%
11723   \preamnormalfmt
11724   \RTLfootfootmark
11725   \rule{z@\footnotesep\ignorespaces\RTLfoottextfont #1}%
11726   \finalstrut\strutbox
11727 }

```



```

11728 \newcommand{\@normalLTRfootfmt}[1]{%
11729   \@preamnormalfmt
11730   \LTRfootfootmark
11731   \rule{z@\footnotesep}{ignorespaces{\LTRfoottextfont #1}}%
11732   \@finalstrut\strutbox
11733 }
11734 \renewcommand{\@footnotetext}[1]{%
11735   \insert\footins{%
11736     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11737     \def\baselinestretch{\m@m@footnote@spacing}%
11738     \reset@font
11739     \foottextfont
11740     \@preamfntext
11741     \hsize\columnwidth
11742     \protected@edef{\currentlabel}{%
11743       \csname p@footnote\endcsname\@thefnmark}%
11744     \color@begingroup
11745       \@normalfootfmt{\#1}%
11746     \color@endgroup}%
11747     \m@mmp@prepare}
11748 \newcommand{\bidi@bidiold@footnotetext}[1]{%
11749   \bidi@step@absolutefootnote@count
11750   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11751   \insert\footins{%
11752     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11753     \def\baselinestretch{\m@m@footnote@spacing}%
11754     \reset@font
11755     \foottextfont
11756     \@preamfntext
11757     \hsize\columnwidth
11758     \protected@edef{\currentlabel}{%
11759       \csname p@footnote\endcsname\@thefnmark}%
11760     \color@begingroup
11761       \@normalfootfmt{\#1}%
11762     \color@endgroup}%
11763     \m@mmp@prepare
11764 }
11765 \renewcommand{\@RTLfootnotetext}[1]{%
11766   \insert\footins{%
11767     \@RTLtrue%
11768     \def\baselinestretch{\m@m@footnote@spacing}%
11769     \reset@font
11770     \RTLfoottextfont
11771     \@preamfntext
11772     \hsize\columnwidth
11773     \protected@edef{\currentlabel}{%
11774       \csname p@footnote\endcsname\@thefnmark}%
11775     \color@begingroup
11776       \@normalRTLfootfmt{\#1}%
11777     \color@endgroup}%
11778     \m@mmp@prepare}
11779 \newcommand{\bidi@bidiold@RTLfootnotetext}[1]{%
11780   \bidi@step@absolutefootnote@count
11781   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l

```



```

11782   \insert\footins{%
11783     \@RTLtrue%
11784     \def\baselinestretch{\m@m@footnote@spacing}%
11785     \reset@font
11786     \RTLfoottextfont
11787     \preamfntext
11788     \hsize\columnwidth
11789     \protected@edef\@currentlabel{%
11790       \csname p@footnote\endcsname\@thefnmark}%
11791     \color@begingroup
11792       \normalRTLfootfmt{#1}%
11793     \color@endgroup}%
11794     \m@mmf@prepare
11795 }
11796 \renewcommand{\@LTRfootnotetext}[1]{%
11797   \insert\footins{%
11798     \@RTLfalse%
11799     \def\baselinestretch{\m@m@footnote@spacing}%
11800     \reset@font
11801     \LTRfoottextfont
11802     \preamfntext
11803     \hsize\columnwidth
11804     \protected@edef\@currentlabel{%
11805       \csname p@footnote\endcsname\@thefnmark}%
11806     \color@begingroup
11807       \normalLTRfootfmt{#1}%
11808     \color@endgroup}%
11809     \m@mmf@prepare}
11810 \renewcommand{\@mpfootnotetext}[1]{%
11811   \global\setbox\@mpfootins\vbox{%
11812     \unvbox\@mpfootins
11813     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
11814     \def\baselinestretch{\m@m@footnote@spacing}%
11815     \reset@font%
11816     \foottextfont \hsize\columnwidth \parboxrestore
11817     \protected@edef\@currentlabel{%
11818       \csname p@mpfootnote\endcsname\@thefnmark}%
11819     \color@begingroup
11820       \normalfootfmt{#1}%
11821     \color@endgroup}}
11822 \newcommand{\bidi@bidiold@mpfootnotetext}[1]{%
11823   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11824   \global\setbox\@mpfootins\vbox{%
11825     \unvbox\@mpfootins
11826     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
11827     \def\baselinestretch{\m@m@footnote@spacing}%
11828     \reset@font%
11829     \foottextfont \hsize\columnwidth \parboxrestore
11830     \protected@edef\@currentlabel{%
11831       \csname p@mpfootnote\endcsname\@thefnmark}%
11832     \color@begingroup
11833       \normalfootfmt{#1}%
11834     \color@endgroup}}
11835 \renewcommand{\@mpLTRfootnotetext}[1]{%

```



```

11836 \global\setbox\@mpfootins\vbox{%
11837   \unvbox\@mpfootins
11838   \@RTLfalse
11839   \def\baselinestretch{\m@m@footnote@spacing}%
11840   \reset@font%
11841   \LTRfoottextfont \hsize\columnwidth \parboxrestore
11842   \protected@edef\@currentlabel{%
11843     \csname p@mpfootnote\endcsname\@thefnmark}%
11844   \color@begingroup
11845     \normalLTRfootfmt{#1}%
11846   \color@endgroup}%
11847 \renewcommand{\@mpRTLfootnotetext}[1]{%
11848   \global\setbox\@mpfootins\vbox{%
11849     \unvbox\@mpfootins
11850     \@RTLtrue
11851     \def\baselinestretch{\m@m@footnote@spacing}%
11852     \reset@font%
11853     \RTLfoottextfont \hsize\columnwidth \parboxrestore
11854     \protected@edef\@currentlabel{%
11855       \csname p@mpfootnote\endcsname\@thefnmark}%
11856     \color@begingroup
11857       \normalRTLfootfmt{#1}%
11858     \color@endgroup}%
11859 \newcommand{\bidi@bidiold@mpRTLfootnotetext}[1]{%
11860   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11861   \global\setbox\@mpfootins\vbox{%
11862     \unvbox\@mpfootins
11863     \@RTLtrue
11864     \def\baselinestretch{\m@m@footnote@spacing}%
11865     \reset@font%
11866     \RTLfoottextfont \hsize\columnwidth \parboxrestore
11867     \protected@edef\@currentlabel{%
11868       \csname p@mpfootnote\endcsname\@thefnmark}%
11869     \color@begingroup
11870       \normalRTLfootfmt{#1}%
11871     \color@endgroup}%
11872 \let\m@mold@footnotetext\@footnotetext
11873 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
11874 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11875 \let\m@mold@mpfootnotetext\@mpfootnotetext
11876 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
11877 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11878 \bidi@ensure@newcommand{\normalfootnotes}{%
11879   \bidi@before@Hy@hyperfootnotes
11880   \let\@footnotetext\m@mold@footnotetext
11881   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
11882   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11883   \let\@mpfootnotetext\m@mold@mpfootnotetext
11884   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11885   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11886   \bidi@after@Hy@hyperfootnotes
11887   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11888 }
11889 \IfClassLoadedT{memoir}{\let\plainfootnotes\normalfootnotes}

```



```

11890 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
11891   \def\m@m@singlespace{\#1}%
11892   \def\m@m@footnote@spacing{\#1}%
11893   \def\m@m@float@spacing{\#1} %
11894 }
11895 \setSingleSpace{1}
11896 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
11897 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
11898   \kern-\multiplefootnotemarker
11899   \kern\multiplefootnotemarker\relax}
11900 \bidi@ensure@newlength{\footmarkwidth}
11901 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{\#1}}
11902 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{\#1}}
11903 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{\#1}}
11904 \bidi@ensure@newcommand{\footfootmark}{%
11905   \ifdim\footmarkwidth < \z@%
11906     \llap{\hb@xt@ -\footmarkwidth{%
11907       \hss\normalfont\footscript{\@thefnmark}}}%%
11908     \hskip*\{-\footmarkwidth}\}%
11909   \else%
11910     \ifdim\footmarkwidth = \z@%
11911       {\normalfont\footscript{\@thefnmark}}%
11912     \else%
11913       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11914     \fi%
11915   \fi%
11916 \bidi@ensure@newcommand{\LTRfootfootmark}{%
11917   \ifdim\footmarkwidth < \z@%
11918     \llap{\hb@xt@ -\footmarkwidth{%
11919       \hss\normalfont\LTRfootscript{\@thefnmark}}}%%
11920     \hskip*\{-\footmarkwidth}\}%
11921   \else%
11922     \ifdim\footmarkwidth = \z@%
11923       {\normalfont\LTRfootscript{\@thefnmark}}%
11924     \else%
11925       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
11926     \fi%
11927   \fi%
11928 \bidi@ensure@newcommand{\RTLfootfootmark}{%
11929   \ifdim\footmarkwidth < \z@%
11930     \llap{\hb@xt@ -\footmarkwidth{%
11931       \hss\normalfont\RTLfootscript{\@thefnmark}}}%%
11932     \hskip*\{-\footmarkwidth}\}%
11933   \else%
11934     \ifdim\footmarkwidth = \z@%
11935       {\normalfont\RTLfootscript{\@thefnmark}}%
11936     \else%
11937       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
11938     \fi%
11939   \fi%
11940 \footmarkstyle{\textsuperscript{\#1}}
11941 \LTRfootmarkstyle{\textsuperscript{\#1}}
11942 \RTLfootmarkstyle{\textsuperscript{\#1}}
11943 \newcommand*{\bidi@normal@footmarkwidth}{%

```



```

11944 \setlength{\footmarkwidth}{1em plus .3em minus .3em}%
11945 }
11946 \newcommand*{\bidi@star@footmarkwidth}{%
11947 \setlength{\footmarkwidth}{0em plus .3em minus .3em}%
11948 }
11949 \bidi@normal@footmarkwidth
11950 \bidi@ensure@newcommand{\m@m@doextrafeet}{\extrafeetins}
11951 \bidi@ensure@newcommand*{\extrafeetins}{%
11952 \bidi@joinfootnotes{footinsv@r}@footstartv@r@footgroupv@r
11953 \bidi@joinfootnotes{footinsv@l}@footstartv@l@LTRfootgroupv@l
11954 \bidi@joinfootnotes{@bidi@copyins@{}{\unvbox@bidi@copyins@}}%
11955 \extrafeetinshook}
11956 \bidi@ensure@newcommand{\extrafeetinshook}{}
11957 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11958 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11959 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11960 \bidi@ensure@newlength{\footinsdim}
11961 \setlength{\footinsdim}{8in} % standard for \dimen\footins
11962 \bidi@ensure@newcommand{\@preamfntext}{%
11963 \interlinepenalty\interfootnotelinepenalty
11964 \floatingpenalty \z@MM
11965 \splittopskip=\footnotesep
11966 \splitmaxdepth=\dp\strutbox
11967 \parboxrestore}
11968 \def\bidi@ifmulticol#1#2{\@tempswafalse
11969 \ifnum\col@number>\@ne
11970 \ifnum\count\footins>1999 \@tempswatrue \fi
11971 \fi
11972 \if@tempswa #1\else #2\fi
11973 }
11974 \def\bidi@joinfootnotes#1#2#3{%
11975 \ifvoid#1
11976 \else
11977 \tempskipa\skip#1%
11978 \bidi@ifmulticol{\divide\tempskipa\col@number}%
11979 \edef\bidi@footskip{\vskip\the\tempskipa\relax}%
11980 \bidi@removexfootskip
11981 \ifvoid\footins
11982 \global\setbox\footins\vbox{#2#3}%
11983 \else
11984 \global\setbox\footins\vbox{%
11985 \unvbox\footins
11986 \bidi@footskip
11987 #2#3%
11988 }%
11989 \fi
11990 \fi
11991 }
11992 \def\bidi@reinsertfootnote#1#2#3{%
11993 \ifvoid#1%
11994 \else
11995 \insert\footins{#2#3}%
11996 \fi
11997 }

```



```

11998 \def\bidi@joinmpfootnotes#1#2#3{%
11999   \ifvoid#1
12000   \else
12001     \@tempskipa\skip#1%
12002     \bidi@ifmulticol{\divide@tempskipa\col@number}{}
12003     \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12004     \bidi@removexfootskip
12005     \ifvoid\@mpfootins
12006       \global\setbox\@mpfootins\vbox{#2#3}%
12007     \else
12008       \global\setbox\@mpfootins\vbox{%
12009         \unvbox\@mpfootins
12010         \bidi@footskip
12011         #2#3%
12012       }%
12013     \fi
12014   \fi
12015 }
12016 \newcount\bidi@absolutepage@count
12017 \bidi@absolutepage@count\@ne
12018 \newcount\bidi@absolutefootnote@count
12019 \bidi@AfterOutputBoxOutputPage{%
12020   \if@filesw
12021     \edef\@tempa{%
12022       \write\@auxout{%
12023         \string\bidi@finalfootnoteperpage%
12024         {\noexpand\number\noexpand\bidi@absolutepage@count}%
12025         {\noexpand\number\noexpand\bidi@absolutefootnote@count}%
12026       }%
12027     }%
12028     \@tempa
12029   \fi
12030 }
12031 \bidi@AtEndOutputPage{%
12032   \global\advance\bidi@absolutepage@count\@ne
12033 }
12034 \newcommand*{\bidi@finalfootnoteperpage}[2]{%
12035   \expandafter\gdef\csname bidi@currentpagefinalfootnote@@#1\endcsname{#2}%
12036 }
12037 \newif\if@bidi@finalfootnoteperpage
12038 \newcommand{\bidi@ifafterfinalfootnoteperpage}[2]{%
12039   \if@bidi@csundef\bidi@currentpagefinalfootnote@@\number\bidi@absolutepage@count}{%
12040   \global\@bidi@finalfootnoteperpagetrue
12041 }{%
12042   \global\@bidi@finalfootnoteperpagefalse
12043   \ifnum\bidi@absolutefootnote@count=\bidi@csuse{bidi@currentpagefinalfootnote@@\number\bidi@absolutepage@count}%
12044     #1%
12045   \else
12046     #2%
12047   \fi
12048 }%
12049 }
12050 \newcommand{\bidi@reinsertfinalfootnoteperpage}[3]{%
12051   \bidi@ifafterfinalfootnoteperpage{%

```



```

12052      \bidi@reinsertfootnote{#1}{#2}{#3}%
12053  }{%
12054  }%
12055 }
12056 \newcommand*\bidi@step@absolutefootnote@count}{%
12057   \global\advance\bidi@absolutefootnote@count\@ne
12058 }
12059 \bidi@AfterEndDocumentCheckLabelsRerun{%
12060   \if@bidi@finalfootnoteperpage
12061     \PackageWarningNoLine{bidi}{%
12062       The absolute final footnote is not
12063       known on every page of your
12064       document. Rerun TeX to get the
12065       absolute final footnote on every page
12066       of your document}%
12067   }%
12068   \fi
12069 }
12070 \bidi@ensure@newcommand{\m@ndoextrafeetmini}{%
12071   \extrafeetminihook}
12072 \bidi@ensure@newcommand{\extrafeetendmini}{%
12073 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12074 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12075 \extrafeetendminihook}
12076 \bidi@ensure@newcommand{\extrafeetendminihook}{}%
12077 \bidi@ensure@newcommand{\m@ndoextrafeetendmini}{\extrafeetendmini}
12078 \def\endminipage{%
12079   \par
12080   \unskip
12081   \m@ndoextrafeetendmini
12082   \ifvoid\@mpfootins
12083   \else
12084     \vskip\skip\@mpfootins
12085     \normalcolor
12086     \footnoterule
12087     \unvbox\@mpfootins
12088   \fi
12089   \minipagetrue
12090   \color@endgroup
12091   \egroup
12092   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}%
12093 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
12094   \cnamedef{@footstart#1}{%
12095     \leftskip=\z@
12096     \rightskip=\z@
12097     \parindent=\z@
12098   }%
12099 }
12100 \newinsert\footinsv@r
12101 \skip\footinsv@r\skip\footins
12102 \count\footinsv@r=1000 % no magnification
12103 \dimen\footinsv@r=\footinsdim
12104 \m@make@footstart{v@r}
12105 \newinsert\footinsv@l

```



```

12106 \skip\footinsv@l\skip\footins
12107 \count\footinsv@l=1000 % no magnification
12108 \dimen\footinsv@l=\footinsdim
12109 \m@make@footstart{v@l}
12110 \bidi@ensure@newcommand{\@footgroupv@r}{}
12111 \newinsert\@mpfootinsv@r
12112 \skip\@mpfootinsv@r\skip\@mpfootins
12113 \newinsert\@mpfootinsv@l
12114 \skip\@mpfootinsv@l\skip\@mpfootins
12115 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
12116 \newcount\m@m@k \newdimen\m@m@h
12117 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12118   \@@line{\beginR\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12119   \valign{##\vfill\cr\m@mdosplits}\endR}
12120 \newcommand*{\bidi@LTRrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12121   \@@line{\beginL\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12122   \valign{##\vfill\cr\m@mdosplits}\endL}
12123 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
12124   \global\advance\m@m@k-1\cr\m@mdosplits\fi}
12125 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
12126   \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
12127   \setbox2\vsplit0 to \dimen0
12128   \unvbox2 }
12129 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
12130   \@namedef{foottextfontv@r}{\foottextfont}%
12131   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12132   \bidi@before@Hy@hyperfootnotes
12133   \let\@footnotetext\@twocolfootnotetext
12134   \let\@LTRfootnotetext\@twocolLTRfootnotetext
12135   \let\@RTLfootnotetext\@twocolRTLfootnotetext
12136   \dimen\footinsv@r=2\footinsdim
12137   \count\footinsv@r=500\relax
12138   \m@make@twocol@footgroup{v@r}%
12139   \let\@footgroupv@r\@twocol@footgroupv@r
12140   \dimen\footinsv@l=2\footinsdim
12141   \count\footinsv@l=500\relax
12142   \bidi@make@twocol@LTRfootgroup{v@l}%
12143   \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12144   \let\@mpfootnotetext\@mptwocolfootnotetext
12145   \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
12146   \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
12147   \bidi@after@Hy@hyperfootnotes
12148   \m@make@mptwocol@footgroup{v@r}%
12149   \let\mp@footgroupv@r\@mptwocol@footgroupv@r
12150   \bidi@make@mptwocol@LTRfootgroup{v@l}%
12151   \let\mp@LTRfootgroupv@l\@mptwocol@LTRfootgroupv@l
12152   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12153 }
12154 \newcommand{\TwoColumnFootnotes}{%
12155   \@namedef{foottextfontv@r}{\foottextfont}%
12156   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12157   \bidi@before@Hy@hyperfootnotes
12158   \let\@footnotetext\@TwoColfootnotetext
12159   \let\@LTRfootnotetext\@TwoCollTRfootnotetext

```



```

12160 \let\@RTLfootnotetext\@TwoColRTLfootnotetext
12161 \dimen\footinsv@r=2\footinsdim
12162 \count\footinsv@r=500\relax
12163 \m@make@twocol@footgroup{v@r}%
12164 \let\@footgroupv@r\@twocol@footgroupv@r
12165 \dimen\footinsv@l=2\footinsdim
12166 \count\footinsv@l=500\relax
12167 \bidi@m@ke@twocol@LTRfootgroup{v@l}%
12168 \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12169 \let\@mpfootnotetext\@mpTwoColfootnotetext
12170 \let\@mpLTRfootnotetext\@mpTwoColLTRfootnotetext
12171 \let\@mpRTLfootnotetext\@mpTwoColRTLfootnotetext
12172 \bidi@after@Hy@hyperfootnotes
12173 \m@make@mp@twocol@footgroup{v@r}%
12174 \let\mp@footgroupv@r\@mp@twocol@footgroupv@r
12175 \bidi@m@ke@mp@twocol@LTRfootgroup{v@l}%
12176 \let\mp@LTRfootgroupv@l\@mp@twocol@LTRfootgroupv@l
12177 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12178 }
12179 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert
12180 \if@RTL@footnote
12181   \footinsv@r
12182 \else
12183   \footinsv@l
12184 \fi
12185 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12186 \def\baselinestretch{\m@m@footnote@spacing}%
12187 \reset@font\foottextfont
12188 \preamfntext
12189 \protected@edef\@currentlabel{%
12190   \csname p@footnote\endcsname\@thefnmark}%
12191 \color@begingroup
12192   \@twocolfootfmt{\#1}%
12193 \color@endgroup}%
12194 \m@mmf@prepare}
12195 \newcommand{\@TwoColfootnotetext}[1]{%
12196 \bidi@step@absolutefootnote@count
12197 \if@RTL@footnote
12198   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12199 \else
12200   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12201 \fi
12202 \global\setbox
12203 \if@RTL@footnote
12204   \footinsv@r
12205 \else
12206   \footinsv@l
12207 \fi
12208 \vbox{%
12209   \unvbox
12210 \if@RTL@footnote
12211   \footinsv@r
12212 \else
12213   \footinsv@l

```



```

12214 \fi
12215 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12216 \def\baselinestretch{\m@m@footnote@spacing}%
12217 \reset@font\foottextfont
12218 \@preamfntext
12219 \protected@edef\@currentlabel{%
12220   \csname p@footnote\endcsname\@thefnmark}%
12221 \color@begingroup
12222   \two@colfootfmt{\#1}%
12223 \color@endgroup}%
12224 \m@mmf@prepare
12225 \if@RTL@footnote
12226   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12227 \else
12228   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12229 \fi
12230 }
12231 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12232   \def\baselinestretch{\m@m@footnote@spacing}%
12233   \reset@font\LTRfoottextfont
12234   \@preamfntext
12235   \protected@edef\@currentlabel{%
12236     \csname p@footnote\endcsname\@thefnmark}%
12237   \color@begingroup
12238     \two@colLTRfootfmt{\#1}%
12239   \color@endgroup}%
12240   \m@mmf@prepare}
12241 \newcommand{\@TwoCollTRfootnotetext}[1]{%
12242   \bidi@step@absolutefootnote@count
12243 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12244   \global\setbox\footinsv@l\vbox{%
12245     \unvbox\footinsv@l
12246   \RTLfalse
12247   \def\baselinestretch{\m@m@footnote@spacing}%
12248   \reset@font\LTRfoottextfont
12249   \@preamfntext
12250   \protected@edef\@currentlabel{%
12251     \csname p@footnote\endcsname\@thefnmark}%
12252   \color@begingroup
12253     \two@colLTRfootfmt{\#1}%
12254   \color@endgroup}%
12255   \m@mmf@prepare
12256   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12257 }
12258 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12259   \def\baselinestretch{\m@m@footnote@spacing}%
12260   \reset@font\RTLfoottextfont
12261   \@preamfntext
12262   \protected@edef\@currentlabel{%
12263     \csname p@footnote\endcsname\@thefnmark}%
12264   \color@begingroup
12265     \two@colRTLfootfmt{\#1}%
12266   \color@endgroup}%
12267   \m@mmf@prepare}

```



```

12268 \newcommand{\@TwoColRTLfootnotetext}[1]{%
12269   \bidi@step@absolutefootnote@count
12270 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12271   \global\setbox\footinsv@r\vbox{%
12272   \unvbox\footinsv@r
12273   \bidi@true
12274   \def\baselinestretch{\m@m@footnote@spacing}%
12275   \reset@font\RTLfoottextfont
12276   \preamfntext
12277   \protected@edef\@currentlabel{%
12278     \csname p@footnote\endcsname\@thefnmark}%
12279   \color@begingroup
12280     \twocolRTLfootfmt{#1}%
12281   \color@endgroup}%
12282   \m@mmf@prepare
12283   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12284 }
12285 \bidi@ensure@newcommand{\@preamtwofmt}{%
12286   \hsize .45\hsize
12287   \parindent=\z@
12288   \tolerance=5000\relax
12289   \leavevmode}
12290 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
12291   \preamtwofmt
12292   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12293 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
12294   \preamtwofmt
12295   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12296 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
12297   \preamtwofmt
12298   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12299 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
12300   \global\setbox
12301   \if@RTL@footnote
12302     \mpfootinsv@r
12303   \else
12304     \mpfootinsv@l
12305   \fi
12306   \vbox{%
12307     \unvbox
12308     \if@RTL@footnote
12309       \mpfootinsv@r
12310     \else
12311       \mpfootinsv@l
12312     \fi
12313     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12314     \def\baselinestretch{\m@m@footnote@spacing}%
12315     \reset@font\foottextfont
12316     \hsize\columnwidth \parboxrestore
12317     \protected@edef\@currentlabel{%
12318       \csname p@mpfootnote\endcsname\@thefnmark}%
12319     \color@begingroup
12320       \twocolfootfmt{#1}%
12321     \color@endgroup}%

```



```

12322  \m@mmf@prepare}
12323 \newcommand{\@mpTwoColfootnotetext}[1]{%
12324   \if@RTL@footnote
12325     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12326   \else
12327     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12328   \fi
12329   \global\setbox
12330     \if@RTL@footnote
12331       \@mpfootinsv@r
12332   \else
12333     \@mpfootinsv@l
12334   \fi
12335   \vbox{%
12336     \unvbox
12337     \if@RTL@footnote
12338       \@mpfootinsv@r
12339     \else
12340       \@mpfootinsv@l
12341     \fi
12342   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12343     \def\baselinestretch{\m@m@footnote@spacing}%
12344     \reset@font\foottextfont
12345     \hsize\columnwidth \parboxrestore
12346     \protected@edef\@currentlabel{%
12347       \csname p@mpfootnote\endcsname\@thefnmark}%
12348   \color@begingroup
12349     \atwocolfootfmt{\#1}%
12350   \color@endgroup}%
12351   \m@mmf@prepare}
12352 \bidi@ensure@newcommand{\@mpTwoCollTRfootnotetext}[1]{%
12353   \global\setbox\@mpfootinsv@l\vbox{%
12354     \unvbox\@mpfootinsv@l
12355     \@RTLfalse
12356     \def\baselinestretch{\m@m@footnote@spacing}%
12357     \reset@font\LTRfoottextfont
12358     \hsize\columnwidth \parboxrestore
12359     \protected@edef\@currentlabel{%
12360       \csname p@mpfootnote\endcsname\@thefnmark}%
12361   \color@begingroup
12362     \atwocollTRfootfmt{\#1}%
12363   \color@endgroup}%
12364   \m@mmf@prepare}
12365 \newcommand{\@mpTwoCollTRfootnotetext}[1]{%
12366   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12367   \global\setbox\@mpfootinsv@l\vbox{%
12368     \unvbox\@mpfootinsv@l
12369     \@RTLfalse
12370     \def\baselinestretch{\m@m@footnote@spacing}%
12371     \reset@font\LTRfoottextfont
12372     \hsize\columnwidth \parboxrestore
12373     \protected@edef\@currentlabel{%
12374       \csname p@mpfootnote\endcsname\@thefnmark}%
12375   \color@begingroup

```



```

12376      \@twocolLTRfootfmt{#1}%
12377  \color@endgroup}%
12378  \m@mmf@prepare}%
12379 \bidi@ensure@newcommand{\@mpTwoColRTLfootnotetext}[1]{%
12380  \global\setbox\@mpfootinsv@r\vbox{%
12381  \unvbox\@mpfootinsv@r
12382  \RTLtrue
12383  \def\baselinestretch{\m@m@footnote@spacing}%
12384  \reset@font\RTLfoottextfont
12385  \hsize\columnwidth \parboxrestore
12386  \protected@edef\@currentlabel{%
12387    \csname p@mpfootnote\endcsname\@thefnmark}%
12388 \color@begingroup
12389  \@twocolRTLfootfmt{#1}%
12390 \color@endgroup}%
12391 \m@mmf@prepare}%
12392 \newcommand{\@mpTwoColRTLfootnotetext}[1]{%
12393  \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12394  \global\setbox\@mpfootinsv@r\vbox{%
12395  \unvbox\@mpfootinsv@r
12396  \RTLtrue
12397  \def\baselinestretch{\m@m@footnote@spacing}%
12398  \reset@font\RTLfoottextfont
12399  \hsize\columnwidth \parboxrestore
12400  \protected@edef\@currentlabel{%
12401    \csname p@mpfootnote\endcsname\@thefnmark}%
12402 \color@begingroup
12403  \@twocolRTLfootfmt{#1}%
12404 \color@endgroup}%
12405 \m@mmf@prepare}%
12406 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
12407  \namedef{@twocol@footgroup#1}{%
12408  \def\baselinestretch{\m@m@footnote@spacing}%
12409  \hsize\bidi@columnwidth
12410  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12411  \m@mrigidbalance{\nameuse{footins#1}\{\tw@}{\splittopskip}}}}
12412 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12413  \namedef{@twocol@LTRfootgroup#1}{%
12414  \def\baselinestretch{\m@m@footnote@spacing}%
12415  \hsize\bidi@columnwidth
12416  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12417  \bidi@LT Rigidbalance{\nameuse{footins#1}\{\tw@}{\splittopskip}}}}
12418 \bidi@ensure@newcommand{\m@make@mpTwoCol@footgroup}[1]{%
12419  \namedef{@mpTwoCol@footgroup#1}{%
12420  \def\baselinestretch{\m@m@footnote@spacing}%
12421  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12422  \m@mrigidbalance{\nameuse{@mpfootins#1}\{\tw@}{\splittopskip}}}}
12423 \newcommand{\bidi@make@mpTwoCol@LTRfootgroup}[1]{%
12424  \namedef{@mpTwoCol@LTRfootgroup#1}{%
12425  \def\baselinestretch{\m@m@footnote@spacing}%
12426  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12427  \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}\{\tw@}{\splittopskip}}}}
12428 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
12429  \namedef{foottextfontv@r}{\foottextfont} \% [RS]

```



```

12430  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12431  \@bidi@before@Hy@hyperfootnotes
12432  \let\@footnotetext\@threecolfootnotetext
12433  \let\@LTRfootnotetext\@threecolLTRfootnotetext
12434  \let\@RTLfootnotetext\@threecolRTLfootnotetext
12435  \dimen\footinsv@r=3\footinsdim
12436  \count\footinsv@r=333\relax
12437  \m@make@threecol@footgroup{v@r}%
12438  \let\@footgroupv@r\@threecol@footgroupv@r
12439  \dimen\footinsv@l=3\footinsdim
12440  \count\footinsv@l=333\relax
12441  \bidi@make@threecol@LTRfootgroup{v@l}%
12442  \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12443  \let\@mpfootnotetext\@mpthreecolfootnotetext
12444  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
12445  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
12446  \@bidi@after@Hy@hyperfootnotes
12447  \m@make@mpthreecol@footgroup{v@r}%
12448  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12449  \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12450  \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12451  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12452 }
12453 \newcommand{\ThreeColumnFootnotes}{%
12454  \@namedef{foottextfontv@r}{\foottextfont}%
12455  \% [RS]
12456  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12457  \@bidi@before@Hy@hyperfootnotes
12458  \let\@footnotetext\@ThreeColfootnotetext
12459  \let\@LTRfootnotetext\@ThreeColLTRfootnotetext
12460  \let\@RTLfootnotetext\@ThreeColRTLfootnotetext
12461  \dimen\footinsv@r=3\footinsdim
12462  \count\footinsv@r=333\relax
12463  \m@make@threecol@footgroup{v@r}%
12464  \let\@footgroupv@r\@threecol@footgroupv@r
12465  \dimen\footinsv@l=3\footinsdim
12466  \count\footinsv@l=333\relax
12467  \bidi@make@threecol@LTRfootgroup{v@l}%
12468  \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12469  \let\@mpfootnotetext\@mpThreeColfootnotetext
12470  \let\@mpLTRfootnotetext\@mpThreeColLTRfootnotetext
12471  \let\@mpRTLfootnotetext\@mpThreeColRTLfootnotetext
12472  \@bidi@after@Hy@hyperfootnotes
12473  \m@make@mpthreecol@footgroup{v@r}%
12474  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12475  \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12476  \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12477  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12478 \bidi@ensure@newcommand{@threecolfootnotetext}[1]{\insert
12479   \if@RTL@footnote
12480     \footinsv@r
12481   \else
12482     \footinsv@l
12483   \fi

```



```

12484 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12485   \def\baselinestretch{\m@m@footnote@spacing}%
12486   \reset@font\foottextfont
12487   \@preamfntext
12488   \protected@edef\@currentlabel{%
12489     \csname p@footnote\endcsname\@thefnmark}%
12490   \color@begingroup
12491     \threecolfootfmt{\#1}%
12492   \color@endgroup}\m@mmf@prepare}
12493 \newcommand{\@ThreeColfootnotetext}[1]{%
12494   \bidi@step@absolutefootnote@count
12495   \if@RTL@footnote
12496     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12497   \else
12498     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12499   \fi
12500   \global\setbox
12501   \if@RTL@footnote
12502     \footinsv@r
12503   \else
12504     \footinsv@l
12505   \fi
12506 \vbox{%
12507   \unvbox
12508   \if@RTL@footnote
12509     \footinsv@r
12510   \else
12511     \footinsv@l
12512   \fi
12513   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12514   \def\baselinestretch{\m@m@footnote@spacing}%
12515   \reset@font\foottextfont
12516   \@preamfntext
12517   \protected@edef\@currentlabel{%
12518     \csname p@footnote\endcsname\@thefnmark}%
12519   \color@begingroup
12520     \threecolfootfmt{\#1}%
12521   \color@endgroup}\m@mmf@prepare
12522   \if@RTL@footnote
12523     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12524   \else
12525     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12526   \fi
12527 }
12528 \bidi@ensure@newcommand{\@ThreeColLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse{%
12529   \def\baselinestretch{\m@m@footnote@spacing}%
12530   \reset@font\LTRfoottextfont
12531   \@preamfntext
12532   \protected@edef\@currentlabel{%
12533     \csname p@footnote\endcsname\@thefnmark}%
12534   \color@begingroup
12535     \threecolLTRfootfmt{\#1}%
12536   \color@endgroup}\m@mmf@prepare}}
12537 \newcommand{\@ThreeColLTRfootnotetext}[1]{%

```



```

12538 \bidi@step@absolutefootnote@count
12539 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12540 \global\setbox\footinsv@l\vbox{%
12541 \unvbox\footinsv@l
12542 \@RTLfalse
12543 \def\baselinestretch{\m@m@footnote@spacing}%
12544 \reset@font\LTRfoottextfont
12545 \preamfntext
12546 \protected@edef\@currentlabel{%
12547   \csname p@footnote\endcsname\@thefnmark}%
12548 \color@begingroup
12549   \@threecollTRfootfmt{#1}%
12550 \color@endgroup\m@mmf@prepare
12551 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12552 }
12553 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12554 \def\baselinestretch{\m@m@footnote@spacing}%
12555 \reset@font\RTLfoottextfont
12556 \preamfntext
12557 \protected@edef\@currentlabel{%
12558   \csname p@footnote\endcsname\@thefnmark}%
12559 \color@begingroup
12560   \@threecolRTLfootfmt{#1}%
12561 \color@endgroup\m@mmf@prepare}
12562 \newcommand{\@ThreeColRTLfootnotetext}[1]{%
12563 \bidi@step@absolutefootnote@count
12564 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12565 \global\setbox\footinsv@r\vbox{%
12566 \unvbox\footinsv@r
12567 \@RTLtrue
12568 \def\baselinestretch{\m@m@footnote@spacing}%
12569 \reset@font\RTLfoottextfont
12570 \preamfntext
12571 \protected@edef\@currentlabel{%
12572   \csname p@footnote\endcsname\@thefnmark}%
12573 \color@begingroup
12574   \@threecolRTLfootfmt{#1}%
12575 \color@endgroup\m@mmf@prepare
12576 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12577 }
12578 \bidi@ensure@newcommand{\@preamthreefmt}{%
12579   \hsize .3\hsize
12580   \parindent=\z@
12581   \tolerance=5000\relax
12582   \leavevmode}
12583 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12584   \preamthreefmt
12585   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12586 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
12587   \preamthreefmt
12588   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12589 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12590   \preamthreefmt
12591   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}

```



```

12592 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12593   \global\setbox
12594     \if@RTL@footnote
12595       \ompfootinsv@r
12596     \else
12597       \ompfootinsv@l
12598   \fi
12599   \vbox{%
12600     \unvbox
12601     \if@RTL@footnote
12602       \ompfootinsv@r
12603     \else
12604       \ompfootinsv@l
12605   \fi
12606   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12607   \def\baselinestretch{\m@m@footnote@spacing}%
12608   \reset@font\foottextfont
12609   \hsize\columnwidth \parboxrestore
12610   \protected@edef\@currentlabel{%
12611     \csname p@mpfootnote\endcsname\@thefnmark}%
12612   \color@begingroup
12613     \@threecolfootfmt{\#1}%
12614   \color@endgroup}\m@mmf@prepare}
12615 \newcommand{\@mpThreeColfootnotetext}[1]{%
12616   \if@RTL@footnote
12617     \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12618   \else
12619     \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
12620   \fi
12621   \global\setbox
12622     \if@RTL@footnote
12623       \ompfootinsv@r
12624     \else
12625       \ompfootinsv@l
12626   \fi
12627   \vbox{%
12628     \unvbox
12629     \if@RTL@footnote
12630       \ompfootinsv@r
12631     \else
12632       \ompfootinsv@l
12633   \fi
12634   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12635   \def\baselinestretch{\m@m@footnote@spacing}%
12636   \reset@font\foottextfont
12637   \hsize\columnwidth \parboxrestore
12638   \protected@edef\@currentlabel{%
12639     \csname p@mpfootnote\endcsname\@thefnmark}%
12640   \color@begingroup
12641     \@threecolfootfmt{\#1}%
12642   \color@endgroup}\m@mmf@prepare}
12643 \bidi@ensure@newcommand{\@mpthreecollTRfootnotetext}[1]{%
12644   \global\setbox\ompfootinsv@l\vbox{%
12645     \unvbox\ompfootinsv@l

```



```

12646   \@RTLfalse
12647   \def\baselinestretch{\m@m@footnote@spacing}%
12648   \reset@font\LTRfoottextfont
12649   \hsize\columnwidth \parboxrestore
12650   \protected@edef\@currentlabel{%
12651     \csname p@mpfootnote\endcsname\@thefnmark}%
12652   \color@begingroup
12653     \threecollTRfootfmt{#1}%
12654   \color@endgroup}\m@mmf@prepare}
12655 \newcommand{\@mpThreeCollTRfootnotetext}[1]{%
12656   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12657   \global\setbox\@mpfootinsv@l\vbox{%
12658     \unvbox\@mpfootinsv@l
12659     \@RTLfalse
12660     \def\baselinestretch{\m@m@footnote@spacing}%
12661     \reset@font\LTRfoottextfont
12662     \hsize\columnwidth \parboxrestore
12663     \protected@edef\@currentlabel{%
12664       \csname p@mpfootnote\endcsname\@thefnmark}%
12665     \color@begingroup
12666       \threecollTRfootfmt{#1}%
12667     \color@endgroup}\m@mmf@prepare}
12668 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12669   \global\setbox\@mpfootinsv@r\vbox{%
12670     \unvbox\@mpfootinsv@r
12671     \@RTLtrue
12672     \def\baselinestretch{\m@m@footnote@spacing}%
12673     \reset@font\RTLfoottextfont
12674     \hsize\columnwidth \parboxrestore
12675     \protected@edef\@currentlabel{%
12676       \csname p@mpfootnote\endcsname\@thefnmark}%
12677     \color@begingroup
12678       \threecolRTLfootfmt{#1}%
12679     \color@endgroup}\m@mmf@prepare}
12680 \newcommand{\@mpThreeColRTLfootnotetext}[1]{%
12681   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12682   \global\setbox\@mpfootinsv@r\vbox{%
12683     \unvbox\@mpfootinsv@r
12684     \@RTLtrue
12685     \def\baselinestretch{\m@m@footnote@spacing}%
12686     \reset@font\RTLfoottextfont
12687     \hsize\columnwidth \parboxrestore
12688     \protected@edef\@currentlabel{%
12689       \csname p@mpfootnote\endcsname\@thefnmark}%
12690     \color@begingroup
12691       \threecolRTLfootfmt{#1}%
12692     \color@endgroup}\m@mmf@prepare}
12693 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12694 \namedef{@threecol@footgroup#1}{{%
12695   \def\baselinestretch{\m@m@footnote@spacing}%
12696   \hsize\bidi@columnwidth
12697   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12698   \m@mrigidbalance{\nameuse{footins#1}}{\thr@@{\splittopskip}}}%
12699 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%

```



```

12700 \cnamedef{@threecol@LTRfootgroup#1}{%
12701   \def\baselinestretch{\m@m@footnote@spacing}%
12702   \hsize\bidi@columnwidth
12703   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12704   \bidi@LT Rrigidbalance{\nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12705 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12706 \cnamedef{@mpthreecol@footgroup#1}{%
12707   \def\baselinestretch{\m@m@footnote@spacing}%
12708   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12709   \m@mrigidbalance{\nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}
12710 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12711 \cnamedef{@mpthreecol@LTRfootgroup#1}{%
12712   \def\baselinestretch{\m@m@footnote@spacing}%
12713   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12714   \bidi@LT Rrigidbalance{\nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}
12715 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12716   \cnamedef{foottextfontv@r}{\foottextfont}{} % [RS]
12717   \cnamedef{foottextfontv@l}{\LTrfoottextfont}%
12718   \bidi@before@Hy@hyperfootnotes
12719   \let@\footnotetext@\fourcolfootnotetext
12720   \let@\LTrfootnotetext@\fourcolLTRfootnotetext
12721   \let@\RTLfootnotetext@\fourcolRTLfootnotetext
12722   \dimen\footinsv@r=4\footinsdim
12723   \count\footinsv@r=250\relax
12724   \m@make@fourcol@footgroup{v@r}%
12725   \let@\footgroupv@r@\fourcol@footgroupv@r
12726   \dimen\footinsv@l=4\footinsdim
12727   \count\footinsv@l=250\relax
12728   \bidi@make@fourcol@LTRfootgroup{v@l}%
12729   \let@\LTrfootgroupv@l@\fourcol@LTRfootgroupv@l
12730   \let@\mpfootnotetext@\mpfourcolfootnotetext
12731   \let@\mpLTRfootnotetext@\mpfourcolLTRfootnotetext
12732   \let@\mpRTLfootnotetext@\mpfourcolRTLfootnotetext
12733   \bidi@after@Hy@hyperfootnotes
12734   \m@make@mpfourcol@footgroup{v@r}%
12735   \let@\mp@footgroupv@r@\mpfourcol@footgroupv@r
12736   \bidi@make@mpfourcol@LTRfootgroup{v@l}%
12737   \let@\mp@LTrfootgroupv@l@\mpfourcol@LTRfootgroupv@l
12738   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12739 }
12740 \newcommand{\FourColumnFootnotes}{%
12741   \cnamedef{foottextfontv@r}{\foottextfont}{} % [RS]
12742   \cnamedef{foottextfontv@l}{\LTrfoottextfont}%
12743   \bidi@before@Hy@hyperfootnotes
12744   \let@\footnotetext@\FourColfootnotetext
12745   \let@\LTrfootnotetext@\FourColLTRfootnotetext
12746   \let@\RTLfootnotetext@\FourColRTLfootnotetext
12747   \dimen\footinsv@r=4\footinsdim
12748   \count\footinsv@r=250\relax
12749   \m@make@fourcol@footgroup{v@r}%
12750   \let@\footgroupv@r@\fourcol@footgroupv@r
12751   \dimen\footinsv@l=4\footinsdim
12752   \count\footinsv@l=250\relax
12753   \bidi@make@fourcol@LTRfootgroup{v@l}%

```



```

12754 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12755 \let\@mpfootnotetext\@mpFourColfootnotetext
12756 \let\@mpLTRfootnotetext\@mpFourCollTRfootnotetext
12757 \let\@mpRTLfootnotetext\@mpFourColRTLfootnotetext
12758 \@bidi@after@Hy@hyperfootnotes
12759 \m@make@mpfourcol@footgroup{v@r}%
12760 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12761 \bidi@make@mpfourcol@LTRfootgroup{v@l}%
12762 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12763 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12764 }
12765 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12766   \if@RTL@footnote
12767     \footinsv@r
12768   \else
12769     \footinsv@l
12770   \fi
12771 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12772   \def\baselinestretch{\m@m@footnote@spacing}%
12773   \reset@font\foottextfont
12774   \preamfntext
12775   \protected@edef\@currentlabel{%
12776     \csname p@footnote\endcsname\@thefnmark}%
12777   \color@begingroup
12778   \@fourcolfootfmt{#1}%
12779   \color@endgroup}%
12780   \m@mmf@prepare}
12781 \newcommand{\@FourColfootnotetext}[1]{%
12782   \bidi@step@absolutefootnote@count
12783   \if@RTL@footnote
12784     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12785   \else
12786     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12787   \fi
12788   \global\setbox
12789   \if@RTL@footnote
12790     \footinsv@r
12791   \else
12792     \footinsv@l
12793   \fi
12794 \vbox{%
12795   \unvbox
12796   \if@RTL@footnote
12797     \footinsv@r
12798   \else
12799     \footinsv@l
12800   \fi
12801   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12802   \def\baselinestretch{\m@m@footnote@spacing}%
12803   \reset@font\foottextfont
12804   \preamfntext
12805   \protected@edef\@currentlabel{%
12806     \csname p@footnote\endcsname\@thefnmark}%
12807   \color@begingroup

```



```

12808     \@fourcolfootfmt{#1}%
12809     \color@endgroup}%
12810     \m@mmf@prepare
12811     \if@RTL@footnote
12812       \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12813     \else
12814       \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12815     \fi
12816   }
12817 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12818   \def\baselinestretch{\m@m@footnote@spacing}%
12819   \reset@font\LTRfoottextfont
12820   \preamfntext
12821   \protected@edef\@currentlabel{%
12822     \csname p@footnote\endcsname\@thefnmark}%
12823   \color@begingroup
12824     \@fourcolLTRfootfmt{#1}%
12825   \color@endgroup}%
12826   \m@mmf@prepare}
12827 \newcommand{\@FourColLTRfootnotetext}[1]{%
12828   \bidi@step@absolutefootnote@count
12829   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12830   \global\setbox\footinsv@l\vbox{%
12831   \unvbox\footinsv@l
12832   \@\RTLfalse%
12833   \def\baselinestretch{\m@m@footnote@spacing}%
12834   \reset@font\LTRfoottextfont
12835   \preamfntext
12836   \protected@edef\@currentlabel{%
12837     \csname p@footnote\endcsname\@thefnmark}%
12838   \color@begingroup
12839     \@fourcolLTRfootfmt{#1}%
12840   \color@endgroup}%
12841   \m@mmf@prepare
12842   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12843 }
12844 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12845   \def\baselinestretch{\m@m@footnote@spacing}%
12846   \reset@font\RTLfoottextfont
12847   \preamfntext
12848   \protected@edef\@currentlabel{%
12849     \csname p@footnote\endcsname\@thefnmark}%
12850   \color@begingroup
12851     \@fourcolRTLfootfmt{#1}%
12852   \color@endgroup}%
12853   \m@mmf@prepare}
12854 \newcommand{\@FourColRTLfootnotetext}[1]{%
12855   \bidi@step@absolutefootnote@count
12856   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12857   \global\setbox\footinsv@r\vbox{%
12858   \unvbox\footinsv@r
12859   \@\RTLtrue
12860   \def\baselinestretch{\m@m@footnote@spacing}%
12861   \reset@font\RTLfoottextfont

```



```

12862  \@preamfntext
12863  \protected@edef{\currentlabel}{%
12864    \csname p@footnote\endcsname\thefnmark}%
12865  \color@begingroup
12866    \fourcolRTLfootfmt{#1}%
12867  \color@endgroup}%
12868  \m@mmf@prepare
12869  \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
12870 }%
12871 \bidi@ensure@newcommand{\@preamfourfmt}{%
12872   \hsize .25\hsize
12873   \parindent=\z@
12874   \tolerance=5000\relax
12875   \leavevmode}%
12876 \bidi@ensure@newcommand{\fourcolfootfmt}[1]{%
12877   \@preamfourfmt
12878   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}%
12879 \bidi@ensure@newcommand{\fourcolLTRfootfmt}[1]{%
12880   \@preamfourfmt
12881   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}%
12882 \bidi@ensure@newcommand{\fourcolRTLfootfmt}[1]{%
12883   \@preamfourfmt
12884   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}%
12885 \bidi@ensure@newcommand{\mpfourcolfootnotetext}[1]{%
12886   \global\setbox
12887     \if@RTL@footnote
12888       \ompfootinsv@r
12889     \else
12890       \ompfootinsv@l
12891     \fi
12892   \vbox{%
12893     \unvbox
12894     \if@RTL@footnote
12895       \ompfootinsv@r
12896     \else
12897       \ompfootinsv@l
12898     \fi
12899     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12900     \def\baselinestretch{\m@mmf@footnote@spacing}%
12901     \reset@font\foottextfont
12902     \hsize\columnwidth \parboxrestore
12903     \protected@edef{\currentlabel}{%
12904       \csname p@mpfootnote\endcsname\thefnmark}%
12905     \color@begingroup
12906       \fourcolfootfmt{#1}%
12907     \color@endgroup}%
12908     \m@mmf@prepare}%
12909 \newcommand{\mpFourColfootnotetext}[1]{%
12910   \if@RTL@footnote
12911     \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12912   \else
12913     \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
12914   \fi
12915   \global\setbox

```



```

12916      \if@RTL@footnote
12917          \@mpfootinsv@r
12918      \else
12919          \@mpfootinsv@l
12920      \fi
12921  \vbox{%
12922      \unvbox
12923      \if@RTL@footnote
12924          \@mpfootinsv@r
12925      \else
12926          \@mpfootinsv@l
12927      \fi
12928      \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12929      \def\baselinestretch{\m@m@footnote@spacing}%
12930      \reset@font\foottextfont
12931      \hsize\columnwidth \parboxrestore
12932      \protected@edef\@currentlabel{%
12933          \csname p@mpfootnote\endcsname\@thefnmark}%
12934  \color@begingroup
12935      \fourcolfootfmt{#1}%
12936  \color@endgroup}%
12937  \m@mmf@prepare}
12938 \bidi@ensure@newcommand{\@mpfourcollTRfootnotetext}[1]{%
12939  \global\setbox\@mpfootinsv@l\vbox{%
12940      \unvbox\@mpfootinsv@l
12941      \@RTLfalse
12942      \def\baselinestretch{\m@m@footnote@spacing}%
12943      \reset@font\LTRfoottextfont
12944      \hsize\columnwidth \parboxrestore
12945      \protected@edef\@currentlabel{%
12946          \csname p@mpfootnote\endcsname\@thefnmark}%
12947  \color@begingroup
12948      \fourcollTRfootfmt{#1}%
12949  \color@endgroup}%
12950  \m@mmf@prepare}
12951 \newcommand{\@mpFourCollTRfootnotetext}[1]{%
12952  \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
12953  \global\setbox\@mpfootinsv@l\vbox{%
12954      \unvbox\@mpfootinsv@l
12955      \@RTLfalse
12956      \def\baselinestretch{\m@m@footnote@spacing}%
12957      \reset@font\LTRfoottextfont
12958      \hsize\columnwidth \parboxrestore
12959      \protected@edef\@currentlabel{%
12960          \csname p@mpfootnote\endcsname\@thefnmark}%
12961  \color@begingroup
12962      \fourcollTRfootfmt{#1}%
12963  \color@endgroup}%
12964  \m@mmf@prepare}
12965 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
12966  \global\setbox\@mpfootinsv@r\vbox{%
12967      \unvbox\@mpfootinsv@r
12968      \@RTLtrue
12969      \def\baselinestretch{\m@m@footnote@spacing}%

```



```

12970   \reset@font\RTLfoottextfont
12971   \hsize\columnwidth \parboxrestore
12972   \protected@edef\@currentlabel{%
12973     \csname p@mpfootnote\endcsname\@thefnmark}%
12974   \color@begingroup
12975     \fourcolRTLfootfmt{\#1}%
12976   \color@endgroup}%
12977   \m@mmf@prepare}
12978 \newcommand{\@mpFourColRTLfootnotetext}[1]{%
12979   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12980   \global\setbox\@mpfootinsv@r\vbox{%
12981     \unvbox\@mpfootinsv@r
12982     \RTLtrue
12983     \def\baselinestretch{\m@m@footnote@spacing}%
12984     \reset@font\RTLfoottextfont
12985     \hsize\columnwidth \parboxrestore
12986     \protected@edef\@currentlabel{%
12987       \csname p@mpfootnote\endcsname\@thefnmark}%
12988   \color@begingroup
12989     \fourcolRTLfootfmt{\#1}%
12990   \color@endgroup}%
12991   \m@mmf@prepare}
12992 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
12993   \namedef{@fourcol@footgroup#1}{%
12994     \def\baselinestretch{\m@m@footnote@spacing}%
12995     \hsize\bidi@columnwidth
12996     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12997     \m@mrigidbalance{\nameuse{footins#1}{4}{\splittopskip}}}%
12998 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
12999   \namedef{@fourcol@LTRfootgroup#1}{%
13000     \def\baselinestretch{\m@m@footnote@spacing}%
13001     \hsize\bidi@columnwidth
13002     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13003     \bidi@LT Rigidbalance{\nameuse{footins#1}{4}{\splittopskip}}}%
13004 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
13005   \namedef{@mpfourcol@footgroup#1}{%
13006     \def\baselinestretch{\m@m@footnote@spacing}%
13007     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13008     \m@mrigidbalance{\nameuse{@mpfootins#1}{4}{\splittopskip}}}%
13009 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
13010   \namedef{@mpfourcol@LTRfootgroup#1}{%
13011     \def\baselinestretch{\m@m@footnote@spacing}%
13012     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13013     \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}{4}{\splittopskip}}}%
13014 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
13015   \namedef{foottextfont@r}{\foottextfont}%
13016   \namedef{foottextfont@l}{\LTRfoottextfont}%
13017   \bidi@before@Hy@hyperfootnotes
13018   \let\footnotetext\fivecolfootnotetext
13019   \let\LTRfootnotetext\fivecolLTRfootnotetext
13020   \let\RTLfootnotetext\fivecolRTLfootnotetext
13021   \dimen\footinsv@r=5\footinsdim
13022   \count\footinsv@r=200\relax
13023   \m@make@fivecol@footgroup{v@r}}%

```



```

13024 \let\@footgroupv@r\@fivecol@footgroupv@r
13025 \dimen\footinsv@l=5\footinsdim
13026 \count\footinsv@l=200\relax
13027 \bidi@make@fivecol@LTRfootgroup{v@l}%
13028 \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
13029 \let\@mpfootnotetext\@mpfivecolfootnotetext
13030 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
13031 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
13032 \bidi@after@Hy@hyperfootnotes
13033 \m@make@mpfivecol@footgroup{v@r}%
13034 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
13035 \bidi@make@mpfivecol@LTRfootgroup{v@l}%
13036 \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
13037 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13038 }
13039 \newcommand{\FiveColumnFootnotes}{%
13040   \c@namedef{foottextfontv@r}{\foottextfont}%
13041   \c@namedef{foottextfontv@l}{\LTRfoottextfont}%
13042   \bidi@before@Hy@hyperfootnotes
13043   \let\@footnotetext\@FiveColfootnotetext
13044   \let\@LTRfootnotetext\@FiveColLTRfootnotetext
13045   \let\@RTLfootnotetext\@FiveColRTLfootnotetext
13046   \dimen\footinsv@r=5\footinsdim
13047   \count\footinsv@r=200\relax
13048   \m@make@fivecol@footgroup{v@r}%
13049   \let\@footgroupv@r\@fivecol@footgroupv@r
13050   \dimen\footinsv@l=5\footinsdim
13051   \count\footinsv@l=200\relax
13052   \bidi@make@fivecol@LTRfootgroup{v@l}%
13053   \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
13054   \let\@mpfootnotetext\@mpFiveColfootnotetext
13055   \let\@mpLTRfootnotetext\@mpFiveColLTRfootnotetext
13056   \let\@mpRTLfootnotetext\@mpFiveColRTLfootnotetext
13057   \bidi@after@Hy@hyperfootnotes
13058   \m@make@mpfivecol@footgroup{v@r}%
13059   \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
13060   \bidi@make@mpfivecol@LTRfootgroup{v@l}%
13061   \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
13062   \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13063 }
13064 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert
13065   \if@RTL@footnote
13066     \footinsv@r
13067   \else
13068     \footinsv@l
13069   \fi
13070   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13071   \def\baselinestretch{\m@m@footnote@spacing}%
13072   \reset@font\foottextfont
13073   \preamfntext
13074   \protected@edef\@currentlabel{%
13075     \csname p@footnote\endcsname\@thefnmark}%
13076   \color@begingroup
13077     \@fivecolfootfmt{\#1}%

```



```

13078  \color@endgroup}%
13079  \m@mmf@prepare}
13080 \newcommand{\@FiveColfootnotetext}[1]{%
13081  \bidi@step@absolutefootnote@count
13082  \if@RTL@footnote
13083    \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13084  \else
13085    \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13086  \fi
13087  \global\setbox
13088  \if@RTL@footnote
13089    \footinsv@r
13090  \else
13091    \footinsv@l
13092  \fi
13093 \vbox{%
13094  \unvbox
13095  \if@RTL@footnote
13096    \footinsv@r
13097  \else
13098    \footinsv@l
13099  \fi
13100 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13101 \def\baselinestretch{\m@m@footnote@spacing}%
13102 \reset@font\foottextfont
13103 \@preamfntext
13104 \protected@edef\@currentlabel{%
13105   \csname p@footnote\endcsname\@thefnmark}%
13106 \color@begingroup
13107  \@fivecolfootfmt{#1}%
13108 \color@endgroup}%
13109 \m@mmf@prepare
13110 \if@RTL@footnote
13111  \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13112  \else
13113  \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13114  \fi
13115 }
13116 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
13117  \def\baselinestretch{\m@m@footnote@spacing}%
13118  \reset@font\LTRfoottextfont
13119  \@preamfntext
13120  \protected@edef\@currentlabel{%
13121    \csname p@footnote\endcsname\@thefnmark}%
13122  \color@begingroup
13123  \@fivecolLTRfootfmt{#1}%
13124  \color@endgroup}%
13125 \m@mmf@prepare}
13126 \newcommand{\@FiveColLTRfootnotetext}[1]{%
13127  \bidi@step@absolutefootnote@count
13128  \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13129  \global\setbox\footinsv@l\vbox{%
13130  \unvbox\footinsv@l
13131  \@RTLfalse

```



```

13132 \def\baselinestretch{\m@m@footnote@spacing}%
13133 \reset@font\LTRfoottextfont
13134 \@preamfntext
13135 \protected@edef{@currentlabel}{%
13136   \csname p@footnote\endcsname\@thefnmark}%
13137 \color@begingroup
13138 \fivectrlfootfmt{#1}%
13139 \color@endgroup}%
13140 \m@mmf@prepare
13141 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13142 }
13143 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13144 \def\baselinestretch{\m@m@footnote@spacing}%
13145 \reset@font\RTLfoottextfont
13146 \@preamfntext
13147 \protected@edef{@currentlabel}{%
13148   \csname p@footnote\endcsname\@thefnmark}%
13149 \color@begingroup
13150 \fivectrlfootfmt{#1}%
13151 \color@endgroup}%
13152 \m@mmf@prepare}
13153 \newcommand{\@FiveColRTLfootnotetext}[1]{%
13154 \bidi@step@absolutefootnote@count
13155 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13156 \global\setbox\footinsv@r\vbox{%
13157 \unvbox\footinsv@r
13158 \RTLtrue
13159 \def\baselinestretch{\m@m@footnote@spacing}%
13160 \reset@font\RTLfoottextfont
13161 \@preamfntext
13162 \protected@edef{@currentlabel}{%
13163   \csname p@footnote\endcsname\@thefnmark}%
13164 \color@begingroup
13165 \fivectrlfootfmt{#1}%
13166 \color@endgroup}%
13167 \m@mmf@prepare
13168 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13169 }
13170 \bidi@ensure@newcommand{\@preamfivefmt}{%
13171 \hsize .2\hsize
13172 \parindent=\z@
13173 \tolerance=5000\relax
13174 \leavevmode}
13175 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
13176 \@preamfivefmt
13177 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13178 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
13179 \@preamfivefmt
13180 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13181 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
13182 \@preamfivefmt
13183 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13184 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
13185 \global\setbox

```



```

13186      \if@RTL@footnote
13187          \@mpfootinsv@r
13188      \else
13189          \@mpfootinsv@l
13190      \fi
13191      \vbox{%
13192          \unvbox
13193          \if@RTL@footnote
13194              \@mpfootinsv@r
13195          \else
13196              \@mpfootinsv@l
13197          \fi
13198          \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13199          \def\baselinestretch{\m@m@footnote@spacing}%
13200          \reset@font\foottextfont
13201          \hsize\columnwidth \parboxrestore
13202          \protected@edef\@currentlabel{%
13203              \csname p@mpfootnote\endcsname\@thefnmark}%
13204          \color@begingroup
13205              \fivectfootfmt{#1}%
13206          \color@endgroup}%
13207          \m@mmf@prepare}
13208 \newcommand{\@mpFiveColfootnotetext}[1]{%
13209     \if@RTL@footnote
13210         \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13211     \else
13212         \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13213     \fi
13214     \global\setbox
13215         \if@RTL@footnote
13216             \@mpfootinsv@r
13217         \else
13218             \@mpfootinsv@l
13219         \fi
13220     \vbox{%
13221         \unvbox
13222         \if@RTL@footnote
13223             \@mpfootinsv@r
13224         \else
13225             \@mpfootinsv@l
13226         \fi
13227         \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13228         \def\baselinestretch{\m@m@footnote@spacing}%
13229         \reset@font\foottextfont
13230         \hsize\columnwidth \parboxrestore
13231         \protected@edef\@currentlabel{%
13232             \csname p@mpfootnote\endcsname\@thefnmark}%
13233         \color@begingroup
13234             \fivectfootfmt{#1}%
13235         \color@endgroup}%
13236         \m@mmf@prepare}
13237 \bidi@ensure@newcommand{\@mpfivecollTRfootnotetext}[1]{%
13238     \global\setbox\@mpfootinsv@l\vbox{%
13239         \unvbox\@mpfootinsv@l

```



```

13240   \oRTLfalse
13241   \def\baselinestretch{\m@m@footnote@spacing}%
13242   \reset@font\LTRfoottextfont
13243   \hsize\columnwidth \parboxrestore
13244   \protected@edef\@currentlabel{%
13245     \csname p@mpfootnote\endcsname\@thefnmark}%
13246   \color@begingroup
13247     \fivectrlRfootfmt{\#1}%
13248   \color@endgroup}%
13249   \m@mmf@prepare}
13250 \newcommand{\@mpFiveCollTRfootnotetext}[1]{%
13251   \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
13252   \global\setbox\@mpfootinsv@l\vbox{%
13253     \unvbox\@mpfootinsv@l
13254     \oRTLfalse
13255     \def\baselinestretch{\m@m@footnote@spacing}%
13256     \reset@font\LTRfoottextfont
13257     \hsize\columnwidth \parboxrestore
13258     \protected@edef\@currentlabel{%
13259       \csname p@mpfootnote\endcsname\@thefnmark}%
13260     \color@begingroup
13261       \fivectrlRfootfmt{\#1}%
13262     \color@endgroup}%
13263     \m@mmf@prepare}
13264 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
13265   \global\setbox\@mpfootinsv@r\vbox{%
13266     \unvbox\@mpfootinsv@r
13267     \oRTLtrue
13268     \def\baselinestretch{\m@m@footnote@spacing}%
13269     \reset@font\RTLfoottextfont
13270     \hsize\columnwidth \parboxrestore
13271     \protected@edef\@currentlabel{%
13272       \csname p@mpfootnote\endcsname\@thefnmark}%
13273     \color@begingroup
13274       \fivectrlRTLfootfmt{\#1}%
13275     \color@endgroup}%
13276     \m@mmf@prepare}
13277 \newcommand{\@mpFiveColRTLfootnotetext}[1]{%
13278   \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13279   \global\setbox\@mpfootinsv@r\vbox{%
13280     \unvbox\@mpfootinsv@r
13281     \oRTLtrue
13282     \def\baselinestretch{\m@m@footnote@spacing}%
13283     \reset@font\RTLfoottextfont
13284     \hsize\columnwidth \parboxrestore
13285     \protected@edef\@currentlabel{%
13286       \csname p@mpfootnote\endcsname\@thefnmark}%
13287     \color@begingroup
13288       \fivectrlRTLfootfmt{\#1}%
13289     \color@endgroup}%
13290     \m@mmf@prepare}
13291 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
13292   \namedef{@fivecol@footgroup\#1}{%
13293     \def\baselinestretch{\m@m@footnote@spacing}%

```



```

13294     \hsize\bidi@columnwidth
13295     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13296     \m@mrigidbalance{\@nameuse{footins#1}{5}{\splittopskip}}}
13297 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
13298   \@namedef{@fivecol@LTRfootgroup#1}{}%
13299   \def\baselinestretch{\m@m@footnote@spacing}%
13300   \hsize\bidi@columnwidth
13301   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13302   \bidi@LTrigidbalance{\@nameuse{footins#1}{5}{\splittopskip}}}}
13303 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
13304   \@namedef{@mpfivecol@footgroup#1}{}%
13305   \def\baselinestretch{\m@m@footnote@spacing}%
13306   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13307   \m@mrigidbalance{\@nameuse{@mpfootins#1}{5}{\splittopskip}}}
13308 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%
13309   \@namedef{@mpfivecol@LTRfootgroup#1}{}%
13310   \def\baselinestretch{\m@m@footnote@spacing}%
13311   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13312   \bidi@LTrigidbalance{\@nameuse{@mpfootins#1}{5}{\splittopskip}}}}
13313 \bidi@ensure@newcommand{\sixcolumnfootnotes}{}%
13314   \@namedef{foottextfontv@r}{\foottextfont}%
% [RS]
13315   \@namedef{foottextfontv@l}{\LTrfoottextfont}%
13316   \@bidi@before@Hy@hyperfootnotes
13317   \let\@footnotetext\@sixcolfootnotetext
13318   \let\@LTrfootnotetext\@sixcollTRfootnotetext
13319   \let\@RTLfootnotetext\@sixcolRTLfootnotetext
13320   \dimen\footinsv@r=6\footinsdim
13321   \count\footinsv@r=166\relax
13322   \m@make@sixcol@footgroup{v@r}%
13323   \let\@footgroupv@r\@sixcol@footgroupv@r
13324   \dimen\footinsv@l=6\footinsdim
13325   \count\footinsv@l=166\relax
13326   \bidi@make@sixcol@LTRfootgroup{v@l}%
13327   \let\@LTrfootgroupv@l\@sixcol@LTRfootgroupv@l
13328   \let\@mpfootnotetext\@mpsixcolfootnotetext
13329   \let\@mpLTrfootnotetext\@mpsixcollTRfootnotetext
13330   \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
13331   \@bidi@after@Hy@hyperfootnotes
13332   \m@make@mpsixcol@footgroup{v@r}%
13333   \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
13334   \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13335   \let\mp@LTrfootgroupv@l\@mpsixcol@LTRfootgroupv@l
13336   \c@ifstar{\bidi@star@footmarkwidth}{\bidi@normal@footmarkwidth}%
13337 }
13338 \newcommand{\SixColumnFootnotes}{}%
13339   \@namedef{foottextfontv@r}{\foottextfont}%
% [RS]
13340   \@namedef{foottextfontv@l}{\LTrfoottextfont}%
13341   \@bidi@before@Hy@hyperfootnotes
13342   \let\@footnotetext\@SixColfootnotetext
13343   \let\@LTrfootnotetext\@SixCollTRfootnotetext
13344   \let\@RTLfootnotetext\@SixColRTLfootnotetext
13345   \dimen\footinsv@r=6\footinsdim
13346   \count\footinsv@r=166\relax
13347   \m@make@sixcol@footgroup{v@r}%

```



```

13348 \let\@footgroupv@r\@sixcol@footgroupv@r
13349 \dimen\footinsv@l=6\footinsdim
13350 \count\footinsv@l=166\relax
13351 \bidi@make@sixcol@LTRfootgroup{v@l}%
13352 \let\@LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
13353 \let\@mpfootnotetext\@mpSixColfootnotetext
13354 \let\@mpLTRfootnotetext\@mpSixColLTRfootnotetext
13355 \let\@mpRTLfootnotetext\@mpSixColRTLfootnotetext
13356 \bidi@after@Hy@hyperfootnotes
13357 \m@make@mpsixcol@footgroup{v@r}%
13358 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
13359 \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13360 \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
13361 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13362 }
13363 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
13364 \if@RTL@footnote
13365 \footinsv@r
13366 \else
13367 \footinsv@l
13368 \fi
13369 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13370 \def\baselinestretch{\m@m@footnote@spacing}%
13371 \reset@font\foottextfont
13372 \preamfntext
13373 \protected@edef\@currentlabel{%
13374 \csname p@footnote\endcsname\@thefnmark}%
13375 \color@begingroup
13376 \@sixcolfootfmt{\#1}%
13377 \color@endgroup}%
13378 \m@mmf@prepare}
13379 \newcommand{\@SixColfootnotetext}[1]{%
13380 \bidi@step@absolutefootnote@count
13381 \if@RTL@footnote
13382 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13383 \else
13384 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13385 \fi
13386 \global\setbox
13387 \if@RTL@footnote
13388 \footinsv@r
13389 \else
13390 \footinsv@l
13391 \fi
13392 \vbox{%
13393 \unvbox
13394 \if@RTL@footnote
13395 \footinsv@r
13396 \else
13397 \footinsv@l
13398 \fi
13399 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13400 \def\baselinestretch{\m@m@footnote@spacing}%
13401 \reset@font\foottextfont

```



```

13402  \@preamfntext
13403  \protected@edef{\currentlabel}{%
13404    \csname p@footnote\endcsname\thefnmark}%
13405  \color@begingroup
13406    \sixcolfootfmt{#1}%
13407  \color@endgroup}%
13408  \m@mmf@prepare
13409  \if@RTL@footnote
13410    \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
13411  \else
13412    \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\LTRfootgroupv@l
13413  \fi
13414 }
13415 \bidi@ensure@newcommand{\@SixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13416  \def\baselinestretch{\m@m@footnote@spacing}%
13417  \reset@font\LTRfoottextfont
13418  \@preamfntext
13419  \protected@edef{\currentlabel}{%
13420    \csname p@footnote\endcsname\thefnmark}%
13421  \color@begingroup
13422    \sixcolLTRfootfmt{#1}%
13423  \color@endgroup}%
13424  \m@mmf@prepare}
13425 \newcommand{\@SixCollTRfootnotetext}[1]{%
13426  \bidi@step@absolutefootnote@count
13427  \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
13428  \global\setbox\footinsv@l\vbox{%
13429  \unvbox\footinsv@l
13430  \RTLfalse
13431  \def\baselinestretch{\m@m@footnote@spacing}%
13432  \reset@font\LTRfoottextfont
13433  \@preamfntext
13434  \protected@edef{\currentlabel}{%
13435    \csname p@footnote\endcsname\thefnmark}%
13436  \color@begingroup
13437    \sixcolLTRfootfmt{#1}%
13438  \color@endgroup}%
13439  \m@mmf@prepare
13440  \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\LTRfootgroupv@l
13441 }
13442 \bidi@ensure@newcommand{\@SixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13443  \def\baselinestretch{\m@m@footnote@spacing}%
13444  \reset@font\RTLfoottextfont
13445  \@preamfntext
13446  \protected@edef{\currentlabel}{%
13447    \csname p@footnote\endcsname\thefnmark}%
13448  \color@begingroup
13449    \sixcolRTLfootfmt{#1}%
13450  \color@endgroup}%
13451  \m@mmf@prepare}
13452 \newcommand{\@SixColRTLfootnotetext}[1]{%
13453  \bidi@step@absolutefootnote@count
13454  \bidi@reinsertfootnote\footinsv@l\footstartv@l\LTRfootgroupv@l
13455  \global\setbox\footinsv@r\vbox{%

```



```

13456 \unvbox\footinsv@r
13457 \@RTLtrue
13458 \def\baselinestretch{\m@m@footnote@spacing}%
13459 \reset@font\RTLfoottextfont
13460 \@preamfntext
13461 \protected@edef\@currentlabel{%
13462   \csname p@footnote\endcsname\@thefnmark}%
13463 \color@begingroup
13464   \csname sixcolRTLfootfmt{\#1}\%
13465 \color@endgroup}%
13466 \m@mmf@prepare
13467 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13468 }
13469 \bidi@ensure@newcommand{\@preamsixfmt}{%
13470   \hsize .16\hsize
13471   \parindent=\z@
13472   \tolerance=5000\relax
13473   \leavevmode}
13474 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
13475   \@preamsixfmt
13476   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13477 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
13478   \@preamsixfmt
13479   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13480 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
13481   \@preamsixfmt
13482   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13483 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{%
13484   \global\setbox
13485   \if@RTL@footnote
13486     \ompfootinsv@r
13487   \else
13488     \ompfootinsv@l
13489   \fi
13490   \vbox{%
13491     \unvbox
13492     \if@RTL@footnote
13493       \ompfootinsv@r
13494     \else
13495       \ompfootinsv@l
13496     \fi
13497     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13498     \def\baselinestretch{\m@m@footnote@spacing}%
13499     \reset@font\foottextfont
13500     \hsize\columnwidth \parboxrestore
13501     \protected@edef\@currentlabel{%
13502       \csname p@mpfootnote\endcsname\@thefnmark}%
13503     \color@begingroup
13504       \csname sixcolfootfmt{\#1}\%
13505     \color@endgroup}%
13506     \m@mmf@prepare}
13507 \newcommand{\@mpSixColfootnotetext}[1]{%
13508   \if@RTL@footnote
13509     \bidi@joinmpfootnotes\ompfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l

```



```

13510 \else
13511   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13512 \fi
13513 \global\setbox
13514   \if@RTL@footnote
13515     \@mpfootinsv@r
13516   \else
13517     \@mpfootinsv@l
13518   \fi
13519 \vbox{%
13520   \unvbox
13521   \if@RTL@footnote
13522     \@mpfootinsv@r
13523   \else
13524     \@mpfootinsv@l
13525   \fi
13526   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13527   \def\baselinestretch{\m@m@footnote@spacing}%
13528   \reset@font\foottextfont
13529   \hsize\columnwidth \parboxrestore
13530   \protected@edef\@currentlabel{%
13531     \csname p@mpfootnote\endcsname\@thefnmark}%
13532 \color@begingroup
13533   \@sixcolfootfmt{\#1}%
13534 \color@endgroup}%
13535 \m@mmf@prepare}
13536 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{%
13537   \global\setbox\@mpfootinsv@l\vbox{%
13538     \unvbox\@mpfootinsv@l
13539     \@RTLfalse
13540     \def\baselinestretch{\m@m@footnote@spacing}%
13541     \reset@font\LTRfoottextfont
13542     \hsize\columnwidth \parboxrestore
13543     \protected@edef\@currentlabel{%
13544       \csname p@mpfootnote\endcsname\@thefnmark}%
13545   \color@begingroup
13546     \@sixcollTRfootfmt{\#1}%
13547   \color@endgroup}%
13548 \m@mmf@prepare}
13549 \newcommand{\@mpSixCollTRfootnotetext}[1]{%
13550   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13551   \global\setbox\@mpfootinsv@l\vbox{%
13552     \unvbox\@mpfootinsv@l
13553     \@RTLfalse
13554     \def\baselinestretch{\m@m@footnote@spacing}%
13555     \reset@font\LTRfoottextfont
13556     \hsize\columnwidth \parboxrestore
13557     \protected@edef\@currentlabel{%
13558       \csname p@mpfootnote\endcsname\@thefnmark}%
13559   \color@begingroup
13560     \@sixcollTRfootfmt{\#1}%
13561   \color@endgroup}%
13562 \m@mmf@prepare}
13563 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{%

```



```

13564 \global\setbox\@mpfootinsv@r\vbox{%
13565   \unvbox\@mpfootinsv@r
13566   \@RTLtrue
13567   \def\baselinestretch{\m@m@footnote@spacing}%
13568   \reset@font\RTLfoottextfont
13569   \hsize\columnwidth \parboxrestore
13570   \protected@edef\@currentlabel{%
13571     \csname p@mpfootnote\endcsname\@thefnmark}%
13572   \color@begingroup
13573     \@sixcolRTLfootfmt{#1}%
13574   \color@endgroup}%
13575   \m@mmf@prepare}
13576 \newcommand{\@mpSixColRTLfootnotetext}[1]{%
13577   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13578   \global\setbox\@mpfootinsv@r\vbox{%
13579     \unvbox\@mpfootinsv@r
13580     \@RTLtrue
13581     \def\baselinestretch{\m@m@footnote@spacing}%
13582     \reset@font\RTLfoottextfont
13583     \hsize\columnwidth \parboxrestore
13584     \protected@edef\@currentlabel{%
13585       \csname p@mpfootnote\endcsname\@thefnmark}%
13586   \color@begingroup
13587     \@sixcolRTLfootfmt{#1}%
13588   \color@endgroup}%
13589   \m@mmf@prepare}
13590 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
13591   \namedef{@sixcol@footgroup#1}{%
13592     \def\baselinestretch{\m@m@footnote@spacing}%
13593     \hsize\bidi@columnwidth
13594     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13595     \m@mrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
13596 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
13597   \namedef{@sixcol@LTRfootgroup#1}{%
13598     \def\baselinestretch{\m@m@footnote@spacing}%
13599     \hsize\bidi@columnwidth
13600     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13601     \bidi@LTRrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
13602 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
13603 \namedef{@mpsixcol@footgroup#1}{%
13604   \def\baselinestretch{\m@m@footnote@spacing}%
13605   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13606   \m@mrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
13607 \newcommand{\bidi@make@mpsixcol@LTRfootgroup}[1]{%
13608 \namedef{@mpsixcol@LTRfootgroup#1}{%
13609   \def\baselinestretch{\m@m@footnote@spacing}%
13610   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13611   \bidi@LTRrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
13612 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
13613   \namedef{foottextfont@r}{\foottextfont}%
13614   \namedef{foottextfontv@l}{\LTFoottextfont}%
13615   \bidi@before@Hy@hyperfootnotes
13616   \let\footnotetext\sevencolfootnotetext
13617   \let\LTFootnotetext\sevencolLTRfootnotetext

```



```

13618 \let\@RTLfootnotetext\@sevencolRTLfootnotetext
13619 \dimen\footinsv@r=7\footinsdim
13620 \count\footinsv@r=142\relax
13621 \m@make@sevencol@footgroup{v@r}%
13622 \let\@footgroupv@r\@sevencol@footgroupv@r
13623 \dimen\footinsv@l=7\footinsdim
13624 \count\footinsv@l=142\relax
13625 \bidi@make@sevencol@LTRfootgroup{v@l}%
13626 \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13627 \let\@mpfootnotetext\@mpsevencolfootnotetext
13628 \let\@mpLTRfootnotetext\@mpsevencollTRfootnotetext
13629 \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
13630 \bidi@after@Hy@hyperfootnotes
13631 \m@make@mpsevencol@footgroup{v@r}%
13632 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13633 \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13634 \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13635 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13636 }
13637 \newcommand{\SevenColumnFootnotes}{%
13638 \namedef{foottextfontv@r}{\foottextfont}%
13639 \namedef{foottextfontv@l}{\LTrfoottextfont}%
13640 \bidi@before@Hy@hyperfootnotes
13641 \let\@footnotetext\@SevenColfootnotetext
13642 \let\@LTRfootnotetext\@SevenCollTRfootnotetext
13643 \let\@RTLfootnotetext\@SevenColRTLfootnotetext
13644 \dimen\footinsv@r=7\footinsdim
13645 \count\footinsv@r=142\relax
13646 \m@make@sevencol@footgroup{v@r}%
13647 \let\@footgroupv@r\@sevencol@footgroupv@r
13648 \dimen\footinsv@l=7\footinsdim
13649 \count\footinsv@l=142\relax
13650 \bidi@make@sevencol@LTRfootgroup{v@l}%
13651 \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13652 \let\@mpfootnotetext\@mpSevenColfootnotetext
13653 \let\@mpLTRfootnotetext\@mpSevenCollTRfootnotetext
13654 \let\@mpRTLfootnotetext\@mpSevenColRTLfootnotetext
13655 \bidi@after@Hy@hyperfootnotes
13656 \m@make@mpsevencol@footgroup{v@r}%
13657 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13658 \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13659 \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13660 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13661 }
13662 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert
13663 \if@RTL@footnote
13664 \footinsv@r
13665 \else
13666 \footinsv@l
13667 \fi
13668 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13669 \def\baselinestretch{\m@m@footnote@spacing}%
13670 \reset@font\foottextfont
13671 \preamfntext

```



```

13672 \protected@edef{\currentlabel}{%
13673   \csname p@footnote\endcsname\thefnmark}%
13674 \color@begingroup
13675   \sevencolfootfmt{#1}%
13676 \color@endgroup}%
13677 \m@mmf@prepare}%
13678 \newcommand{\@SevenColfootnotetext}[1]{%
13679   \bidi@step@absolutefootnote@count
13680   \if@RTL@footnote
13681     \bidi@reinsertfootnote\footinsv@l\footstartv@l\LTRfootgroupv@l
13682   \else
13683     \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
13684   \fi
13685   \global\setbox
13686   \if@RTL@footnote
13687     \footinsv@r
13688   \else
13689     \footinsv@l
13690   \fi
13691   \vbox{%
13692     \unvbox
13693     \if@RTL@footnote
13694       \footinsv@r
13695     \else
13696       \footinsv@l
13697     \fi
13698     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13699     \def\baselinestretch{\m@m@footnote@spacing}%
13700     \reset@font\foottextfont
13701     \preamfntext
13702     \protected@edef{\currentlabel}{%
13703       \csname p@footnote\endcsname\thefnmark}%
13704     \color@begingroup
13705       \sevencolfootfmt{#1}%
13706     \color@endgroup}%
13707     \m@mmf@prepare
13708     \if@RTL@footnote
13709       \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
13710     \else
13711       \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\LTRfootgroupv@l
13712     \fi
13713   }%
13714 \bidi@ensure@newcommand{\@sevencollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
13715   \def\baselinestretch{\m@m@footnote@spacing}%
13716   \reset@font\LTRfoottextfont
13717   \preamfntext
13718   \protected@edef{\currentlabel}{%
13719     \csname p@footnote\endcsname\thefnmark}%
13720   \color@begingroup
13721     \sevencollTRfootfmt{#1}%
13722   \color@endgroup}%
13723   \m@mmf@prepare}%
13724 \newcommand{\@SevenCollTRfootnotetext}[1]{%
13725   \bidi@step@absolutefootnote@count

```



```

13726 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13727 \global\setbox\footinsv@l\vbox{%
13728 \unvbox\footinsv@l
13729 \@RTLfalse
13730 \def\baselinestretch{\m@m@footnote@spacing}%
13731 \reset@font\LTRfoottextfont
13732 \preamfntext
13733 \protected@edef\@currentlabel{%
13734   \csname p@footnote\endcsname\@thefnmark}%
13735 \color@begingroup
13736   \sevencollTRfootfmt{#1}%
13737 \color@endgroup}%
13738 \m@mmf@prepare
13739 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13740 }
13741 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
13742 \def\baselinestretch{\m@m@footnote@spacing}%
13743 \reset@font\RTLfoottextfont
13744 \preamfntext
13745 \protected@edef\@currentlabel{%
13746   \csname p@footnote\endcsname\@thefnmark}%
13747 \color@begingroup
13748   \sevencolRTLfootfmt{#1}%
13749 \color@endgroup}%
13750 \m@mmf@prepare}
13751 \newcommand{\@SevenColRTLfootnotetext}[1]{%
13752   \bidi@step@absolutefootnote@count
13753   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13754   \global\setbox\footinsv@r\vbox{%
13755   \unvbox\footinsv@r
13756   \@RTLtrue
13757   \def\baselinestretch{\m@m@footnote@spacing}%
13758   \reset@font\RTLfoottextfont
13759   \preamfntext
13760   \protected@edef\@currentlabel{%
13761     \csname p@footnote\endcsname\@thefnmark}%
13762   \color@begingroup
13763     \sevencolRTLfootfmt{#1}%
13764   \color@endgroup}%
13765   \m@mmf@prepare
13766   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13767 }
13768 \bidi@ensure@newcommand{\@preamsevenfmt}{%
13769   \hsize .142\hsize
13770   \parindent=\z@
13771   \tolerance=5000\relax
13772   \leavevmode}
13773 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
13774   \preamsevenfmt
13775   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13776 \bidi@ensure@newcommand{\@sevencollTRfootfmt}[1]{%
13777   \preamsevenfmt
13778   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13779 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%

```



```

13780  \@preamsevenfmt
13781  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13782 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{%
13783  \global\setbox
13784  \if@RTL@footnote
13785  \ompfootinsv@r
13786  \else
13787  \ompfootinsv@l
13788  \fi
13789  \vbox{%
13790  \unvbox
13791  \if@RTL@footnote
13792  \ompfootinsv@r
13793  \else
13794  \ompfootinsv@l
13795  \fi
13796  \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13797  \def\baselinestretch{\m@m@footnote@spacing}%
13798  \reset@font\foottextfont
13799  \hsize\columnwidth \parboxrestore
13800  \protected@edef\@currentlabel{%
13801  \csname p@mpfootnote\endcsname\@thefnmark}%
13802  \color@begingroup
13803  \@sevencolfootfmt{\#1}%
13804  \color@endgroup}%
13805  \m@mmf@prepare}
13806 \newcommand{\@mpSevenColfootnotetext}[1]{%
13807  \if@RTL@footnote
13808  \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13809  \else
13810  \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
13811  \fi
13812  \global\setbox
13813  \if@RTL@footnote
13814  \ompfootinsv@r
13815  \else
13816  \ompfootinsv@l
13817  \fi
13818  \vbox{%
13819  \unvbox
13820  \if@RTL@footnote
13821  \ompfootinsv@r
13822  \else
13823  \ompfootinsv@l
13824  \fi
13825  \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13826  \def\baselinestretch{\m@m@footnote@spacing}%
13827  \reset@font\foottextfont
13828  \hsize\columnwidth \parboxrestore
13829  \protected@edef\@currentlabel{%
13830  \csname p@mpfootnote\endcsname\@thefnmark}%
13831  \color@begingroup
13832  \@sevencolfootfmt{\#1}%
13833  \color@endgroup}%

```



```

13834 \m@mmf@prepare}
13835 \bidi@ensure@newcommand{\@mpsevencollTRfootnotetext}[1]{%
13836 \global\setbox\@mpfootinsv@l\vbox{%
13837 \unvbox\@mpfootinsv@l
13838 \RTLfalse
13839 \def\baselinestretch{\m@m@footnote@spacing}%
13840 \reset@font\LTRfoottextfont
13841 \hsize\columnwidth \parboxrestore
13842 \protected@edef\@currentlabel{%
13843 \csname p@mpfootnote\endcsname\@thefnmark}%
13844 \color@begingroup
13845 \@sevencollTRfootfmt{#1}%
13846 \color@endgroup}%
13847 \m@mmf@prepare}
13848 \newcommand{\@mpSevenCollTRfootnotetext}[1]{%
13849 \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
13850 \global\setbox\@mpfootinsv@l\vbox{%
13851 \unvbox\@mpfootinsv@l
13852 \RTLfalse
13853 \def\baselinestretch{\m@m@footnote@spacing}%
13854 \reset@font\LTRfoottextfont
13855 \hsize\columnwidth \parboxrestore
13856 \protected@edef\@currentlabel{%
13857 \csname p@mpfootnote\endcsname\@thefnmark}%
13858 \color@begingroup
13859 \@sevencollTRfootfmt{#1}%
13860 \color@endgroup}%
13861 \m@mmf@prepare}
13862 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{%
13863 \global\setbox\@mpfootinsv@r\vbox{%
13864 \unvbox\@mpfootinsv@r
13865 \RTLtrue
13866 \def\baselinestretch{\m@m@footnote@spacing}%
13867 \reset@font\RTLfoottextfont
13868 \hsize\columnwidth \parboxrestore
13869 \protected@edef\@currentlabel{%
13870 \csname p@mpfootnote\endcsname\@thefnmark}%
13871 \color@begingroup
13872 \@sevencolRTLfootfmt{#1}%
13873 \color@endgroup}%
13874 \m@mmf@prepare}
13875 \newcommand{\@mpSevenColRTLfootnotetext}[1]{%
13876 \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13877 \global\setbox\@mpfootinsv@r\vbox{%
13878 \unvbox\@mpfootinsv@r
13879 \RTLtrue
13880 \def\baselinestretch{\m@m@footnote@spacing}%
13881 \reset@font\RTLfoottextfont
13882 \hsize\columnwidth \parboxrestore
13883 \protected@edef\@currentlabel{%
13884 \csname p@mpfootnote\endcsname\@thefnmark}%
13885 \color@begingroup
13886 \@sevencolRTLfootfmt{#1}%
13887 \color@endgroup}%

```



```

13888 \m@mmf@prepare}
13889 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
13890   \namedef{@sevencol@footgroup#1}{\%}
13891   \def\baselinestretch{\m@m@footnote@spacing}\%
13892   \hsize\bidi@columnwidth
13893   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13894   \m@mrigidbalance{\nameuse{footins#1}{7}\splittopskip}}}
13895 \newcommand{\bidi@make@sevencol@LTRfootgroup}[1]{%
13896   \namedef{@sevencol@LTRfootgroup#1}{\%}
13897   \def\baselinestretch{\m@m@footnote@spacing}\%
13898   \hsize\bidi@columnwidth
13899   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13900   \bidi@LTrrigidbalance{\nameuse{footins#1}{7}\splittopskip}}}
13901 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
13902   \namedef{@mpsevencol@footgroup#1}{\%}
13903   \def\baselinestretch{\m@m@footnote@spacing}\%
13904   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13905   \m@mrigidbalance{\nameuse{@mpfootins#1}{7}\splittopskip}}}
13906 \newcommand{\bidi@make@mpsevencol@LTRfootgroup}[1]{%
13907   \namedef{@mpsevencol@LTRfootgroup#1}{\%}
13908   \def\baselinestretch{\m@m@footnote@spacing}\%
13909   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13910   \bidi@LTrrigidbalance{\nameuse{@mpfootins#1}{7}\splittopskip}}}
13911 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
13912   \namedef{foottextfont@r}{\foottextfont}\% % [RS]
13913   \namedef{foottextfont@l}{\LTRfoottextfont}\%
13914   @bidi@before@Hy@hyperfootnotes
13915   \let\@footnotetext\@eightcolfootnotetext
13916   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
13917   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
13918   \dimen\footinsv@r=8\footinsdim
13919   \count\footinsv@r=125\relax
13920   \m@make@eightcol@footgroup{v@r}\%
13921   \let\@footgroupv@r\@eightcol@footgroupv@r
13922   \dimen\footinsv@l=8\footinsdim
13923   \count\footinsv@l=125\relax
13924   \bidi@make@eightcol@LTRfootgroup{v@l}\%
13925   \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
13926   \let\@mpfootnotetext\@mpeightcolfootnotetext
13927   \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
13928   \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
13929   @bidi@after@Hy@hyperfootnotes
13930   \m@make@mpeightcol@footgroup{v@r}\%
13931   \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
13932   \bidi@make@mpeightcol@LTRfootgroup{v@l}\%
13933   \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
13934   \cifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13935 }
13936 \newcommand{\EightColumnFootnotes}{%
13937   \namedef{foottextfont@r}{\foottextfont}\% % [RS]
13938   \namedef{foottextfont@l}{\LTRfoottextfont}\%
13939   @bidi@before@Hy@hyperfootnotes
13940   \let\@footnotetext\@EightColfootnotetext
13941   \let\@LTRfootnotetext\@EightColLTRfootnotetext

```



```

13942 \let\@RTLfootnotetext\@EightColRTLfootnotetext
13943 \dimen\footinsv@r=8\footinsdim
13944 \count\footinsv@r=125\relax
13945 \m@make@eightcol@footgroup{v@r}%
13946 \let\@footgroupv@r\@eightcol@footgroupv@r
13947 \dimen\footinsv@l=8\footinsdim
13948 \count\footinsv@l=125\relax
13949 \bidi@m@ke@eightcol@LTRfootgroup{v@l}%
13950 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
13951 \let\@mpfootnotetext\@mpEightColfootnotetext
13952 \let\@mpLTRfootnotetext\@mpEightColLTRfootnotetext
13953 \let\@mpRTLfootnotetext\@mpEightColRTLfootnotetext
13954 \bidi@after@Hy@hyperfootnotes
13955 \m@make@mpeightcol@footgroup{v@r}%
13956 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
13957 \bidi@m@ke@mpeightcol@LTRfootgroup{v@l}%
13958 \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
13959 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13960 }
13961 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert
13962 \if@RTL@footnote
13963 \footinsv@r
13964 \else
13965 \footinsv@l
13966 \fi
13967 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13968 \def\baselinestretch{\m@m@footnote@spacing}%
13969 \reset@font\foottextfont
13970 \preamfntext
13971 \protected@edef\@currentlabel{%
13972 \csname p@footnote\endcsname\@thefnmark}%
13973 \color@begingroup
13974 \@eightcolfootfmt{\#1}%
13975 \color@endgroup}%
13976 \m@mmf@prepare}
13977 \newcommand{\@EightColfootnotetext}[1]{%
13978 \bidi@step@absolutefootnote@count
13979 \if@RTL@footnote
13980 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13981 \else
13982 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13983 \fi
13984 \global\setbox
13985 \if@RTL@footnote
13986 \footinsv@r
13987 \else
13988 \footinsv@l
13989 \fi
13990 \vbox{%
13991 \unvbox
13992 \if@RTL@footnote
13993 \footinsv@r
13994 \else
13995 \footinsv@l

```



```

13996   \fi
13997   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13998   \def\baselinestretch{\m@m@footnote@spacing}%
13999   \reset@font\foottextfont
14000   \preamfntext
14001   \protected@edef\@currentlabel{%
14002     \csname p@footnote\endcsname\@thefnmark}%
14003   \color@begingroup
14004     \eightcolfootfmt{#1}%
14005   \color@endgroup}%
14006   \m@mmf@prepare
14007   \if@RTL@footnote
14008     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14009   \else
14010     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14011   \fi
14012 }
14013 \bidi@ensure@newcommand{\@EightcollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14014   \def\baselinestretch{\m@m@footnote@spacing}%
14015   \reset@font\LTRfoottextfont
14016   \preamfntext
14017   \protected@edef\@currentlabel{%
14018     \csname p@footnote\endcsname\@thefnmark}%
14019   \color@begingroup
14020     \eightcollTRfootfmt{#1}%
14021   \color@endgroup}%
14022   \m@mmf@prepare}
14023 \newcommand{\@EightCollTRfootnotetext}[1]{%
14024   \bidi@step@absolutefootnote@count
14025   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14026   \global\setbox\footinsv@l\vbox{%
14027     \unvbox\footinsv@l
14028     \RTLfalse
14029     \def\baselinestretch{\m@m@footnote@spacing}%
14030     \reset@font\LTRfoottextfont
14031     \preamfntext
14032     \protected@edef\@currentlabel{%
14033       \csname p@footnote\endcsname\@thefnmark}%
14034     \color@begingroup
14035       \eightcollTRfootfmt{#1}%
14036     \color@endgroup}%
14037     \m@mmf@prepare
14038     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14039 }
14040 \bidi@ensure@newcommand{\@EightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14041   \def\baselinestretch{\m@m@footnote@spacing}%
14042   \reset@font\RTLfoottextfont
14043   \preamfntext
14044   \protected@edef\@currentlabel{%
14045     \csname p@footnote\endcsname\@thefnmark}%
14046     \color@begingroup
14047       \eightcolRTLfootfmt{#1}%
14048     \color@endgroup}%
14049     \m@mmf@prepare}

```



```

14050 \newcommand{\@EightColRTLfootnotetext}[1]{%
14051   \bidi@step@absolutefootnote@count
14052   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14053   \global\setbox\footinsv@r\vbox{%
14054     \unvbox\footinsv@r
14055     \bidi@true%
14056     \def\baselinestretch{\m@m@footnote@spacing}%
14057     \reset@font\RTLfoottextfont
14058     \preamfntext
14059     \protected@edef\@currentlabel{%
14060       \csname p@footnote\endcsname\@thefnmark}%
14061     \color@begingroup
14062       \@eightcolRTLfootfmt{#1}%
14063     \color@endgroup}%
14064     \m@mmf@prepare
14065     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14066   }
14067 \bidi@ensure@newcommand{\@preameightfmt}{%
14068   \hsize .125\hsize
14069   \parindent=\z@
14070   \tolerance=5000\relax
14071   \leavevmode}
14072 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
14073   \preamfntext
14074   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14075 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
14076   \preamfntext
14077   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14078 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
14079   \preamfntext
14080   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14081 \bidi@ensure@newcommand{\@mpheightcolfootnotetext}[1]{%
14082   \global\setbox
14083     \if@RTL@footnote
14084       \mpfootinsv@r
14085     \else
14086       \mpfootinsv@l
14087     \fi
14088   \vbox{%
14089     \unvbox
14090     \if@RTL@footnote
14091       \mpfootinsv@r
14092     \else
14093       \mpfootinsv@l
14094     \fi
14095     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14096     \def\baselinestretch{\m@m@footnote@spacing}%
14097     \reset@font\foottextfont
14098     \hsize\columnwidth \parboxrestore
14099     \protected@edef\@currentlabel{%
14100       \csname p@mpfootnote\endcsname\@thefnmark}%
14101     \color@begingroup
14102       \@eightcolfootfmt{#1}%
14103     \color@endgroup}%

```



```

14104  \m@mmf@prepare}
14105  \newcommand{\@mpEightColfootnotetext}[1]{%
14106    \if@RTL@footnote
14107      \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14108    \else
14109      \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14110    \fi
14111    \global\setbox
14112      \if@RTL@footnote
14113        \@mpfootinsv@r
14114    \else
14115        \@mpfootinsv@l
14116    \fi
14117    \vbox{%
14118      \unvbox
14119      \if@RTL@footnote
14120        \@mpfootinsv@r
14121      \else
14122        \@mpfootinsv@l
14123      \fi
14124      \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14125      \def\baselinestretch{\m@m@footnote@spacing}%
14126      \reset@font\foottextfont
14127      \hsize\columnwidth \parboxrestore
14128      \protected@edef\@currentlabel{%
14129        \csname p@mpfootnote\endcsname\@thefnmark}%
14130      \color@begingroup
14131        \@eightcolfootfmt{#1}%
14132      \color@endgroup}%
14133    \m@mmf@prepare}
14134 \bidi@ensure@newcommand{\@mpEightcolLTRfootnotetext}[1]{%
14135   \global\setbox\@mpfootinsv@l\vbox{%
14136     \unvbox\@mpfootinsv@l
14137     \if@RTLfalse
14138       \def\baselinestretch{\m@m@footnote@spacing}%
14139       \reset@font\LTRfoottextfont
14140       \hsize\columnwidth \parboxrestore
14141       \protected@edef\@currentlabel{%
14142         \csname p@mpfootnote\endcsname\@thefnmark}%
14143       \color@begingroup
14144         \@eightcolLTRfootfmt{#1}%
14145       \color@endgroup}%
14146     \m@mmf@prepare}
14147 \newcommand{\@mpEightCollTRfootnotetext}[1]{%
14148   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14149   \global\setbox\@mpfootinsv@l\vbox{%
14150     \unvbox\@mpfootinsv@l
14151     \if@RTLfalse
14152       \def\baselinestretch{\m@m@footnote@spacing}%
14153       \reset@font\LTRfoottextfont
14154       \hsize\columnwidth \parboxrestore
14155       \protected@edef\@currentlabel{%
14156         \csname p@mpfootnote\endcsname\@thefnmark}%
14157     \color@begingroup

```



```

14158      \@eightcolLTRfootfmt{#1}%
14159  \color@endgroup}%
14160  \m@mmf@prepare}%
14161 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
14162  \global\setbox\@mpfootinsv@r\vbox{%
14163  \unvbox\@mpfootinsv@r
14164  \RTLtrue
14165  \def\baselinestretch{\m@m@footnote@spacing}%
14166  \reset@font\RTLfoottextfont
14167  \hsize\columnwidth \parboxrestore
14168  \protected@edef\@currentlabel{%
14169    \csname p@mpfootnote\endcsname\@thefnmark}%
14170  \color@begingroup
14171  \@eightcolRTLfootfmt{#1}%
14172  \color@endgroup}%
14173  \m@mmf@prepare}%
14174 \newcommand{\@mpEightColRTLfootnotetext}[1]{%
14175  \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14176  \global\setbox\@mpfootinsv@r\vbox{%
14177  \unvbox\@mpfootinsv@r
14178  \RTLtrue
14179  \def\baselinestretch{\m@m@footnote@spacing}%
14180  \reset@font\RTLfoottextfont
14181  \hsize\columnwidth \parboxrestore
14182  \protected@edef\@currentlabel{%
14183    \csname p@mpfootnote\endcsname\@thefnmark}%
14184  \color@begingroup
14185  \@eightcolRTLfootfmt{#1}%
14186  \color@endgroup}%
14187  \m@mmf@prepare}%
14188 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
14189  \namedef{@eightcol@footgroup#1}{%
14190  \def\baselinestretch{\m@m@footnote@spacing}%
14191  \hsize\bidi@columnwidth
14192  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14193  \m@mrigidbalance{\nameuse{footins#1}{8}{\splittopskip}}}%
14194 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
14195  \namedef{@eightcol@LTRfootgroup#1}{%
14196  \def\baselinestretch{\m@m@footnote@spacing}%
14197  \hsize\bidi@columnwidth
14198  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14199  \bidi@LT Rigidbalance{\nameuse{footins#1}{8}{\splittopskip}}}%
14200 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
14201  \namedef{@mpeightcol@footgroup#1}{%
14202  \def\baselinestretch{\m@m@footnote@spacing}%
14203  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14204  \m@mrigidbalance{\nameuse{@mpfootins#1}{8}{\splittopskip}}}%
14205 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
14206  \namedef{@mpeightcol@LTRfootgroup#1}{%
14207  \def\baselinestretch{\m@m@footnote@spacing}%
14208  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14209  \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}{8}{\splittopskip}}}%
14210 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
14211  \namedef{foottextfontv@r}{\foottextfont} \% [RS]

```



```

14212  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14213  \@bidi@before@Hy@hyperfootnotes
14214  \let\@footnotetext\@ninecolfootnotetext
14215  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
14216  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
14217  \dimen\footinsv@r=9\footinsdim
14218  \count\footinsv@r=111\relax
14219  \m@make@ninecol@footgroup{v@r}%
14220  \let\@footgroupv@r\@ninecol@footgroupv@r
14221  \dimen\footinsv@l=9\footinsdim
14222  \count\footinsv@l=111\relax
14223  \bidi@make@ninecol@LTRfootgroup{v@l}%
14224  \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
14225  \let\@mpfootnotetext\@mpninecolfootnotetext
14226  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
14227  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
14228  \@bidi@after@Hy@hyperfootnotes
14229  \m@make@mpninecol@footgroup{v@r}%
14230  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
14231  \bidi@make@mpninecol@LTRfootgroup{v@l}%
14232  \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@l
14233  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14234 }
14235 \newcommand{\NineColumnFootnotes}{%
14236  \@namedef{foottextfontv@r}{\foottextfont}%
14237  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14238  \@bidi@before@Hy@hyperfootnotes
14239  \let\@footnotetext\@NineColfootnotetext
14240  \let\@LTRfootnotetext\@NineColLTRfootnotetext
14241  \let\@RTLfootnotetext\@NineColRTLfootnotetext
14242  \dimen\footinsv@r=9\footinsdim
14243  \count\footinsv@r=111\relax
14244  \m@make@ninecol@footgroup{v@r}%
14245  \let\@footgroupv@r\@ninecol@footgroupv@r
14246  \dimen\footinsv@l=9\footinsdim
14247  \count\footinsv@l=111\relax
14248  \bidi@make@ninecol@LTRfootgroup{v@l}%
14249  \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
14250  \let\@mpfootnotetext\@mpNineColfootnotetext
14251  \let\@mpLTRfootnotetext\@mpNineColLTRfootnotetext
14252  \let\@mpRTLfootnotetext\@mpNineColRTLfootnotetext
14253  \@bidi@after@Hy@hyperfootnotes
14254  \m@make@mpninecol@footgroup{v@r}%
14255  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
14256  \bidi@make@mpninecol@LTRfootgroup{v@l}%
14257  \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@l
14258  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14259 }
14260 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert
14261  \if@RTL@footnote
14262    \footinsv@r
14263  \else
14264    \footinsv@l
14265  \fi

```



```

14266 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14267   \def\baselinestretch{\m@m@footnote@spacing}%
14268   \reset@font\foottextfont
14269   \@preamfntext
14270   \protected@edef\@currentlabel{%
14271     \csname p@footnote\endcsname\@thefnmark}%
14272   \color@begingroup
14273     \cneinecolfootfmt{#1}%
14274   \color@endgroup}%
14275   \m@mmf@prepare}
14276 \newcommand{\@NineColfootnotetext}[1]{%
14277   \bidi@step@absolutefootnote@count
14278   \if@RTL@footnote
14279     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14280   \else
14281     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14282   \fi
14283   \global\setbox
14284   \if@RTL@footnote
14285     \footinsv@r
14286   \else
14287     \footinsv@l
14288   \fi
14289   \vbox{%
14290     \unvbox
14291     \if@RTL@footnote
14292       \footinsv@r
14293     \else
14294       \footinsv@l
14295     \fi
14296     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14297     \def\baselinestretch{\m@m@footnote@spacing}%
14298     \reset@font\foottextfont
14299     \@preamfntext
14300     \protected@edef\@currentlabel{%
14301       \csname p@footnote\endcsname\@thefnmark}%
14302     \color@begingroup
14303       \cneinecolfootfmt{#1}%
14304     \color@endgroup}%
14305     \m@mmf@prepare
14306     \if@RTL@footnote
14307       \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14308     \else
14309       \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14310     \fi
14311   }
14312 \bidi@ensure@newcommand{\cneinecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse{%
14313   \def\baselinestretch{\m@m@footnote@spacing}%
14314   \reset@font\LTRfoottextfont
14315   \@preamfntext
14316   \protected@edef\@currentlabel{%
14317     \csname p@footnote\endcsname\@thefnmark}%
14318   \color@begingroup
14319     \cneinecolLTRfootfmt{#1}%

```



```

14320   \color@endgroup}%
14321   \m@mmf@prepare}
14322 \newcommand{\@NineCollTRfootnotetext}[1]{%
14323   \bidi@step@absolutefootnote@count
14324   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14325   \global\setbox\footinsv@l\vbox{%
14326   \unvbox\footinsv@l
14327   \RTLfalse
14328   \def\baselinestretch{\m@m@footnote@spacing}%
14329   \reset@font\LTRfoottextfont
14330   \preamfntext
14331   \protected@edef\@currentlabel{%
14332     \csname p@footnote\endcsname\@thefnmark}%
14333   \color@begingroup
14334     \@ninecollTRfootfmt{#1}%
14335   \color@endgroup}%
14336   \m@mmf@prepare
14337   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14338 }
14339 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14340   \def\baselinestretch{\m@m@footnote@spacing}%
14341   \reset@font\RTLfoottextfont
14342   \preamfntext
14343   \protected@edef\@currentlabel{%
14344     \csname p@footnote\endcsname\@thefnmark}%
14345   \color@begingroup
14346     \@ninecolRTLfootfmt{#1}%
14347   \color@endgroup}%
14348   \m@mmf@prepare}
14349 \newcommand{\@NineColRTLfootnotetext}[1]{%
14350   \bidi@step@absolutefootnote@count
14351   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14352   \global\setbox\footinsv@r\vbox{%
14353   \unvbox\footinsv@r
14354   \RTLtrue
14355   \def\baselinestretch{\m@m@footnote@spacing}%
14356   \reset@font\RTLfoottextfont
14357   \preamfntext
14358   \protected@edef\@currentlabel{%
14359     \csname p@footnote\endcsname\@thefnmark}%
14360   \color@begingroup
14361     \@ninecolRTLfootfmt{#1}%
14362   \color@endgroup}%
14363   \m@mmf@prepare
14364   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14365 }
14366 \bidi@ensure@newcommand{\@preamninefmt}{%
14367   \hspace .1\hspace
14368   \parindent=\z@
14369   \tolerance=5000\relax
14370   \leavevmode}
14371 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
14372   \preamninefmt
14373   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}

```



```

14374 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
14375   \preamninefmt
14376   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14377 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
14378   \preamninefmt
14379   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14380 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
14381   \global\setbox
14382     \if@RTL@footnote
14383       \ompfootinsv@r
14384     \else
14385       \ompfootinsv@l
14386     \fi
14387   \vbox{%
14388     \unvbox
14389     \if@RTL@footnote
14390       \ompfootinsv@r
14391     \else
14392       \ompfootinsv@l
14393     \fi
14394     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14395     \def\baselinestretch{\m@m@footnote@spacing}%
14396     \reset@font\foottextfont
14397     \hsize\columnwidth \parboxrestore
14398     \protected@edef\@currentlabel{%
14399       \csname p@mpfootnote\endcsname\@thefnmark}%
14400     \color@begingroup
14401       \@ninecolfootfmt{#1}%
14402     \color@endgroup}%
14403     \m@mmf@prepare}
14404 \newcommand{\@mpNineColfootnotetext}[1]{%
14405   \if@RTL@footnote
14406     \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
14407   \else
14408     \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
14409   \fi
14410   \global\setbox
14411     \if@RTL@footnote
14412       \ompfootinsv@r
14413     \else
14414       \ompfootinsv@l
14415     \fi
14416   \vbox{%
14417     \unvbox
14418     \if@RTL@footnote
14419       \ompfootinsv@r
14420     \else
14421       \ompfootinsv@l
14422     \fi
14423     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14424     \def\baselinestretch{\m@m@footnote@spacing}%
14425     \reset@font\foottextfont
14426     \hsize\columnwidth \parboxrestore
14427     \protected@edef\@currentlabel{%

```



```

14428      \csname p@mpfootnote\endcsname\@thefnmark}%
14429      \color@begingroup
14430      \@ninecolfootfmt{#1}%
14431      \color@endgroup}%
14432      \m@mmf@prepare}
14433 \bidi@ensure@newcommand{\@mpninecollTRfootnotetext}[1]{%
14434   \global\setbox\@mpfootinsv@l\vbox{%
14435     \unvbox\@mpfootinsv@l
14436     \@RTLfalse
14437     \def\baselinestretch{\m@m@footnote@spacing}%
14438     \reset@font\LTRfoottextfont
14439     \hsize\columnwidth \parboxrestore
14440     \protected@edef\@currentlabel{%
14441       \csname p@mpfootnote\endcsname\@thefnmark}%
14442     \color@begingroup
14443     \@ninecolLTRfootfmt{#1}%
14444     \color@endgroup}%
14445     \m@mmf@prepare}
14446 \newcommand{\@mpNineCollTRfootnotetext}[1]{%
14447   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14448   \global\setbox\@mpfootinsv@l\vbox{%
14449     \unvbox\@mpfootinsv@l
14450     \@RTLfalse
14451     \def\baselinestretch{\m@m@footnote@spacing}%
14452     \reset@font\LTRfoottextfont
14453     \hsize\columnwidth \parboxrestore
14454     \protected@edef\@currentlabel{%
14455       \csname p@mpfootnote\endcsname\@thefnmark}%
14456     \color@begingroup
14457     \@ninecolLTRfootfmt{#1}%
14458     \color@endgroup}%
14459     \m@mmf@prepare}
14460 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
14461   \global\setbox\@mpfootinsv@r\vbox{%
14462     \unvbox\@mpfootinsv@r
14463     \@RTLtrue
14464     \def\baselinestretch{\m@m@footnote@spacing}%
14465     \reset@font\RTLfoottextfont
14466     \hsize\columnwidth \parboxrestore
14467     \protected@edef\@currentlabel{%
14468       \csname p@mpfootnote\endcsname\@thefnmark}%
14469     \color@begingroup
14470     \@ninecolRTLfootfmt{#1}%
14471     \color@endgroup}%
14472     \m@mmf@prepare}
14473 \newcommand{\@mpNineColRTLfootnotetext}[1]{%
14474   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14475   \global\setbox\@mpfootinsv@r\vbox{%
14476     \unvbox\@mpfootinsv@r
14477     \@RTLtrue
14478     \def\baselinestretch{\m@m@footnote@spacing}%
14479     \reset@font\RTLfoottextfont
14480     \hsize\columnwidth \parboxrestore
14481     \protected@edef\@currentlabel{%

```



```

14482      \csname p@mpfootnote\endcsname\@thefnmark}%
14483  \color@begingroup
14484    \c@ninecolRTLfootfmt{#1}%
14485  \color@endgroup}%
14486  \m@mmf@prepare}
14487 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
14488   \c@namedef{\c@ninecol@footgroup#1}{%
14489     \def\baselinestretch{\m@m@footnote@spacing}%
14490     \hsize\bidi@columnwidth
14491       \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14492       \m@mrigidbalance{\c@nameuse{footins#1}}{9}{\splittopskip}}}%
14493 \newcommand{\bidi@make@ninecol@LTRfootgroup}[1]{%
14494   \c@namedef{\c@ninecol@LTRfootgroup#1}{%
14495     \def\baselinestretch{\m@m@footnote@spacing}%
14496     \hsize\bidi@columnwidth
14497       \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14498       \bidi@LT R rigidbalance{\c@nameuse{footins#1}}{9}{\splittopskip}}}%
14499 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
14500   \c@namedef{\c@mpninecol@footgroup#1}{%
14501     \def\baselinestretch{\m@m@footnote@spacing}%
14502     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14503     \m@mrigidbalance{\c@nameuse{\c@mpfootins#1}}{9}{\splittopskip}}}%
14504 \newcommand{\bidi@make@mpninecol@LTRfootgroup}[1]{%
14505   \c@namedef{\c@mpninecol@LTRfootgroup#1}{%
14506     \def\baselinestretch{\m@m@footnote@spacing}%
14507     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14508     \bidi@LT R rigidbalance{\c@nameuse{\c@mpfootins#1}}{9}{\splittopskip}}}%
14509 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
14510   \c@namedef{foottextfontv@r}{\foottextfont} \% [RS]
14511   \c@namedef{foottextfontv@l}{\LTRfoottextfont}%
14512   \c@bidi@before@Hy@hyperfootnotes
14513   \let\@footnotetext\tencolfootnotetext
14514   \let\@LTRfootnotetext\tencollTRfootnotetext
14515   \let\@RTLfootnotetext\tencolRTLfootnotetext
14516   \dimen\footinsv@r=10\footinsdim
14517   \count\footinsv@r=100\relax
14518   \m@make@tencol@footgroup{v@r}%
14519   \let\@footgroupv@r\tencol@footgroupv@r
14520   \dimen\footinsv@l=10\footinsdim
14521   \count\footinsv@l=100\relax
14522   \bidi@make@tencol@LTRfootgroup{v@l}%
14523   \let\@LTRfootgroupv@l\tencol@LTRfootgroupv@l
14524   \let\@mpfootnotetext\@mptencolfootnotetext
14525   \let\@mpLTRfootnotetext\@mptencollTRfootnotetext
14526   \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
14527   \c@bidi@after@Hy@hyperfootnotes
14528   \m@make@mptencol@footgroup{v@r}%
14529   \let\mp@footgroupv@r\@mptencol@footgroupv@r
14530   \bidi@make@mptencol@LTRfootgroup{v@l}%
14531   \let\mp@LTRfootgroupv@l\@mptencol@LTRfootgroupv@l
14532   \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14533 }%
14534 \newcommand{\TenColumnFootnotes}{%
14535   \c@namedef{foottextfontv@r}{\foottextfont} \% [RS]

```



```

14536  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14537  \bidi@before@Hy@hyperfootnotes
14538  \let\@footnotetext\@TenColfootnotetext
14539  \let\@LTRfootnotetext\@TenCollTRfootnotetext
14540  \let\@RTLfootnotetext\@TenColRTLfootnotetext
14541  \dimen\footinsv@r=10\footinsdim
14542  \count\footinsv@r=100\relax
14543  \m@make@tencol@footgroup{v@r}%
14544  \let\@footgroupv@r\@tencol@footgroupv@r
14545  \dimen\footinsv@l=10\footinsdim
14546  \count\footinsv@l=100\relax
14547  \bidi@make@tencol@LTRfootgroup{v@l}%
14548  \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
14549  \let\@mpfootnotetext\@mpTenColfootnotetext
14550  \let\@mpLTRfootnotetext\@mpTenCollTRfootnotetext
14551  \let\@mpRTLfootnotetext\@mpTenColRTLfootnotetext
14552  \bidi@after@Hy@hyperfootnotes
14553  \m@make@mptencol@footgroup{v@r}%
14554  \let\mp@footgroupv@r\@mptencol@footgroupv@r
14555  \bidi@make@mptencol@LTRfootgroup{v@l}%
14556  \let\mp@LTRfootgroupv@l\@mptencol@LTRfootgroupv@l
14557  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14558 }
14559 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
14560   \if@RTL@footnote
14561     \footinsv@r
14562   \else
14563     \footinsv@l
14564   \fi
14565 {\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
14566   \def\baselinestretch{\m@tfootnote@spacing}%
14567   \reset@font\foottextfont
14568   \preamfntext
14569   \protected@edef\@currentlabel{%
14570     \csname p@footnote\endcsname\@thefnmark}%
14571   \color@begingroup
14572     \@tencolfootfmt{\#1}%
14573   \color@endgroup}%
14574   \m@mmf@prepare}
14575 \newcommand{\@TenColfootnotetext}[1]{%
14576   \bidi@step@absolutefootnote@count
14577   \if@RTL@footnote
14578     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14579   \else
14580     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14581   \fi
14582   \global\setbox
14583   \if@RTL@footnote
14584     \footinsv@r
14585   \else
14586     \footinsv@l
14587   \fi
14588 \vbox{%
14589   \unvbox

```



```

14590 \if@RTL@footnote
14591   \footinsv@r
14592 \else
14593   \footinsv@l
14594 \fi
14595 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14596 \def\baselinestretch{\m@m@footnote@spacing}%
14597 \reset@font\foottextfont
14598 \@preamfntext
14599 \protected@edef\@currentlabel{%
14600   \csname p@footnote\endcsname\@thefnmark}%
14601 \color@begingroup
14602   \tencolfootfmt{#1}%
14603 \color@endgroup}%
14604 \m@mmf@prepare
14605 \if@RTL@footnote
14606   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14607 \else
14608   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14609 \fi
14610 }
14611 \bidi@ensure@newcommand{\tencollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse{%
14612   \def\baselinestretch{\m@m@footnote@spacing}%
14613   \reset@font\LTRfoottextfont
14614 \@preamfntext
14615 \protected@edef\@currentlabel{%
14616   \csname p@footnote\endcsname\@thefnmark}%
14617 \color@begingroup
14618   \tencollTRfootfmt{#1}%
14619 \color@endgroup}%
14620 \m@mmf@prepare}
14621 \newcommand{\TenCollTRfootnotetext}[1]{%
14622   \bidi@step@absolutefootnote@count
14623   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14624   \global\setbox\footinsv@l\vbox{%
14625     \unvbox\footinsv@l
14626   \@RTLfalse{%
14627     \def\baselinestretch{\m@m@footnote@spacing}%
14628     \reset@font\LTRfoottextfont
14629   \@preamfntext
14630 \protected@edef\@currentlabel{%
14631   \csname p@footnote\endcsname\@thefnmark}%
14632 \color@begingroup
14633   \tencollTRfootfmt{#1}%
14634 \color@endgroup}%
14635 \m@mmf@prepare
14636 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14637 }
14638 \bidi@ensure@newcommand{\tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue{%
14639   \def\baselinestretch{\m@m@footnote@spacing}%
14640   \reset@font\RTLfoottextfont
14641   \@preamfntext
14642 \protected@edef\@currentlabel{%
14643   \csname p@footnote\endcsname\@thefnmark}%

```



```

14644 \color@begingroup
14645   \atencolRTLfootfmt{#1}%
14646 \color@endgroup}%
14647 \m@mmf@prepare}
14648 \newcommand{\@TenColRTLfootnotetext}[1]{%
14649   \bidi@step@absolutefootnote@count
14650   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14651   \global\setbox\footinsv@r\vbox{%
14652   \unvbox\footinsv@r
14653   \RTLtrue
14654   \def\baselinestretch{\m@m@footnote@spacing}%
14655   \reset@font\RTLfoottextfont
14656   \preamfntext
14657   \protected@edef\@currentlabel{%
14658     \csname p@footnote\endcsname\@thefnmark}%
14659   \color@begingroup
14660     \atencolRTLfootfmt{#1}%
14661   \color@endgroup}%
14662   \m@mmf@prepare
14663   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14664 }
14665 \bidi@ensure@newcommand{\@preamtenfmt}{%
14666   \hsize .1\hsize
14667   \parindent=\z@
14668   \tolerance=5000\relax
14669   \leavevmode}
14670 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
14671   \preamtenfmt
14672   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14673 \bidi@ensure@newcommand{\@tencollTRfootfmt}[1]{%
14674   \preamtenfmt
14675   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14676 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
14677   \preamtenfmt
14678   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14679 \bidi@ensure@newcommand{\@mp tencolfootnotetext}[1]{%
14680   \global\setbox
14681   \if@RTL@footnote
14682     \omp footinsv@r
14683   \else
14684     \omp footinsv@l
14685   \fi
14686   \vbox{%
14687     \unvbox
14688     \if@RTL@footnote
14689       \omp footinsv@r
14690     \else
14691       \omp footinsv@l
14692     \fi
14693     \if@RTL@footnote\RTLtrue\else\RTLfalse\fi
14694     \def\baselinestretch{\m@m@footnote@spacing}%
14695     \reset@font\foottextfont
14696     \hsize\columnwidth \parboxrestore
14697     \protected@edef\@currentlabel{%

```



```

14698      \csname p@mpfootnote\endcsname\@thefnmark}%
14699      \color@begingroup
14700      \atencolfootfmt{\#1}%
14701      \color@endgroup}%
14702      \m@mmf@prepare}
14703 \newcommand{\@mpTenColfootnotetext}[1]{%
14704     \if@RTL@footnote
14705     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14706     \else
14707     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14708     \fi
14709     \global\setbox
14710     \if@RTL@footnote
14711     \@mpfootinsv@r
14712     \else
14713     \@mpfootinsv@l
14714     \fi
14715     \vbox{%
14716       \unvbox
14717       \if@RTL@footnote
14718       \@mpfootinsv@r
14719     \else
14720       \@mpfootinsv@l
14721     \fi
14722     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14723     \def\baselinestretch{\m@m@footnote@spacing}%
14724     \reset@font\foottextfont
14725     \hsize\columnwidth \parboxrestore
14726     \protected@edef\@currentlabel{%
14727       \csname p@mpfootnote\endcsname\@thefnmark}%
14728     \color@begingroup
14729     \atencolfootfmt{\#1}%
14730     \color@endgroup}%
14731     \m@mmf@prepare}
14732 \bidi@ensure@newcommand{\@ptencollTRfootnotetext}[1]{%
14733   \global\setbox\@mpfootinsv@l\vbox{%
14734     \unvbox\@mpfootinsv@l
14735     \@RTLfalse
14736     \def\baselinestretch{\m@m@footnote@spacing}%
14737     \reset@font\LTRfoottextfont
14738     \hsize\columnwidth \parboxrestore
14739     \protected@edef\@currentlabel{%
14740       \csname p@mpfootnote\endcsname\@thefnmark}%
14741     \color@begingroup
14742     \atencollTRfootfmt{\#1}%
14743     \color@endgroup}%
14744     \m@mmf@prepare}
14745 \newcommand{\@mpTenCollTRfootnotetext}[1]{%
14746   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14747   \global\setbox\@mpfootinsv@l\vbox{%
14748     \unvbox\@mpfootinsv@l
14749     \@RTLfalse
14750     \def\baselinestretch{\m@m@footnote@spacing}%
14751     \reset@font\LTRfoottextfont

```



```

14752     \hsize\columnwidth \parboxrestore
14753     \protected@edef\@currentlabel{%
14754         \csname p@mpfootnote\endcsname\@thefnmark}%
14755     \color@begingroup
14756         \tencollTRfootfmt{\#1}%
14757     \color@endgroup}%
14758     \m@mmf@prepare}
14759 \bidi@ensure@newcommand{\@mpTencolRTLfootnotetext}[1]{%
14760     \global\setbox\@mpfootinsv@r\vbox{%
14761         \unvbox\@mpfootinsv@r
14762         \RTLtrue
14763         \def\baselinestretch{\m@m@footnote@spacing}%
14764         \reset@font\RTLfoottextfont
14765     \hsize\columnwidth \parboxrestore
14766     \protected@edef\@currentlabel{%
14767         \csname p@mpfootnote\endcsname\@thefnmark}%
14768     \color@begingroup
14769         \tencolRTLfootfmt{\#1}%
14770     \color@endgroup}%
14771     \m@mmf@prepare}
14772 \newcommand{\@mpTenColRTLfootnotetext}[1]{%
14773     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14774     \global\setbox\@mpfootinsv@r\vbox{%
14775         \unvbox\@mpfootinsv@r
14776         \RTLtrue
14777         \def\baselinestretch{\m@m@footnote@spacing}%
14778         \reset@font\RTLfoottextfont
14779     \hsize\columnwidth \parboxrestore
14780     \protected@edef\@currentlabel{%
14781         \csname p@mpfootnote\endcsname\@thefnmark}%
14782     \color@begingroup
14783         \tencolRTLfootfmt{\#1}%
14784     \color@endgroup}%
14785     \m@mmf@prepare}
14786 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
14787     \namedef{@tencol@footgroup\#1}{%
14788         \def\baselinestretch{\m@m@footnote@spacing}%
14789         \hsize\bidi@columnwidth
14790         \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
14791         \m@mrigidbalance{\nameuse{footins\#1}\{10\}\{\splittopskip\}}}}
14792 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
14793     \namedef{@tencol@LTRfootgroup\#1}{%
14794         \def\baselinestretch{\m@m@footnote@spacing}%
14795         \hsize\bidi@columnwidth
14796         \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
14797         \bidi@LTTrigidbalance{\nameuse{footins\#1}\{10\}\{\splittopskip\}}}}
14798 \bidi@ensure@newcommand{\m@make@mpTencol@footgroup}[1]{%
14799     \namedef{@mpTencol@footgroup\#1}{%
14800         \def\baselinestretch{\m@m@footnote@spacing}%
14801         \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
14802         \m@mrigidbalance{\nameuse{@mpfootins\#1}\{10\}\{\splittopskip\}}}}
14803 \newcommand{\bidi@make@mpTencol@LTRfootgroup}[1]{%
14804     \namedef{@mpTencol@LTRfootgroup\#1}{%
14805         \def\baselinestretch{\m@m@footnote@spacing}}}

```



```

14806  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14807  \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}{10}{\splittopskip}}}}
14808 \bidi@ensure@newcommand{\m@munvh}[1]{%
14809  \setbox0=\vbox{\unvbox#1}%
14810  \global\setbox1=\lastbox}%
14811  \unhbox1
14812  \unskip
14813  \unskip
14814  \unpenalty
14815  \hskip\m@mipn@skip}
14816 \bidi@ensure@newcommand{\m@mungebox}{%
14817  \setbox0=\hbox{\m@munvh0}}%
14818  \dp0=\z@
14819  \ht0=\footfudgefactor\wd0
14820  \box0
14821  \penalty0}
14822 \newskip\m@mipn@skip
14823 \bidi@ensure@newcommand*\{\m@minterparanote glue}[1]{%
14824  {\foottextfont\global\m@mipn@skip=#1\relax}}
14825 \m@minterparanote glue{1em plus .3em minus .3em}
14826 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{%
14827  \setbox0=\hbox{}%
14828  \loop
14829  \unpenalty
14830  \setbox2=\lastbox
14831  \ifhbox2
14832  \setbox0=\hbox{\box2\unhbox0}
14833  \repeat}
14834 \bidi@ensure@newcommand*\{\m@mremovehboxes}{\setbox0=\lastbox
14835  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
14836 \newcommand*\AddExtraParaSkip[1]{%
14837  \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
14838 }
14839 \let\bidi@xparaskip\relax
14840 \onlypreamble\AddExtraParaSkip
14841 \onlypreamble\bidi@xparaskip
14842 \def\bidi@startparafootskip#1{%
14843  \global\advance\skip#1\bidi@paraskip
14844 }
14845 \onlypreamble\bidi@startparafootskip
14846 \bidi@ensure@newcommand{\paragraphfootnotes}{%
14847  \namedef{foottextfontv@r}{\foottextfont}%
14848  \namedef{foottextfontv@l}{\LTRfoottextfont}%
14849  \bidi@before@Hy@hyperfootnotes
14850  \let\@footnotetext\@parafootnotetext
14851  \let\@LTRfootnotetext\@paraLTRfootnotetext
14852  \let\@RTLfootnotetext\@paraRTLfootnotetext
14853  \dimen\footinsv@r=\footinsdim
14854  \count\footinsv@r=1000\relax
14855  \let\bidi@removexfootskip\bidi@removexparafootskip
14856  \m@make@para@footgroup{v@r}%
14857  \m@make@para@footstart{v@r}%
14858  \let\@footgroupv@r\@para@footgroupv@r
14859  \let\@footstartv@r\@para@footstartv@r

```



```

14860 \dimen\footinsv@l=\footinsdim
14861 \count\footinsv@l=1000\relax
14862 \bidi@make@para@LTRfootgroup{v@l}%
14863 \m@make@para@footstart{v@l}%
14864 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
14865 \let\@footstartv@l\@para@footstartv@l
14866 \let\@mpfootnotetext\@mparafootnotetext
14867 \let\@mpLTRfootnotetext\@mparaLTRfootnotetext
14868 \let\@mpRTLfootnotetext\@mparaRTLfootnotetext
14869 \bidi@after@Hy@hyperfootnotes
14870 \m@make@mppara@footgroup{v@r}%
14871 \bidi@make@mppara@LTRfootgroup{v@l}%
14872 \let\mp@footgroupv@r\@mpara@footgroupv@r
14873 \let\mp@LTRfootgroupv@l\@mpara@LTRfootgroupv@l
14874 \g@addto@macro\bidi@floathook{%
14875   \begingroup
14876     \foottextfont \tempdima\normalbaselineskip
14877     \multiply \tempdima \cclvi
14878     \tempdimb \columnwidth
14879     \divide \tempdimb \cclvi
14880     \divide \tempdima \tempdimb
14881     \xdef\footfudgefactor{\strip@pt\tempdima}%
14882   \endgroup
14883 }
14884 \AtBeginDocument{%
14885   \begingroup
14886     \foottextfont
14887     \tempdima\footnotesep
14888     \advance\tempdima -\ht\strutbox
14889     \ifdim\tempdima<\z@ \tempdima\z@ \fi
14890     \advance\tempdima.5\normalbaselineskip
14891     \bidi@xparaskip
14892     \xdef\bidi@paraskip{\the\tempdima\relax}%
14893   \endgroup
14894   \bidi@startparafootskip\footinsv@r
14895   \bidi@startparafootskip\footinsv@l
14896 }
14897 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14898 }
14899 \newcommand{\ParagraphFootnotes}{%
14900   \namedef{foottextfontv@r}{\foottextfont}%
14901   \namedef{foottextfontv@l}{\@LTRfoottextfont}%
14902   \bidi@before@Hy@hyperfootnotes
14903   \let\@footnotetext\@Parafootnotetext
14904   \let\@LTRfootnotetext\@ParaLTRfootnotetext
14905   \let\@RTLfootnotetext\@ParaRTLfootnotetext
14906   \dimen\footinsv@r=\footinsdim
14907   \count\footinsv@r=1000\relax
14908   \let\bidi@removexfootskip\bidi@removexparafootskip
14909   \m@make@para@footgroup{v@r}%
14910   \m@make@para@footstart{v@r}%
14911   \let\@footgroupv@r\@para@footgroupv@r
14912   \let\@footstartv@r\@para@footstartv@r
14913   \dimen\footinsv@l=\footinsdim

```



```

14914 \count\footinsv@l=1000\relax
14915 \bidi@make@para@LTRfootgroup{v@l}%
14916 \m@make@para@footstart{v@l}%
14917 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
14918 \let\@footstartv@l\@para@footstartv@l
14919 \let\@mpfootnotetext\@mpParafootnotetext
14920 \let\@mpLTRfootnotetext\@mpParaLTRfootnotetext
14921 \let\@mpRTLfootnotetext\@mpParaRTLfootnotetext
14922 \bidi@after@Hy@hyperfootnotes
14923 \m@make@mppara@footgroup{v@r}%
14924 \bidi@make@mppara@LTRfootgroup{v@l}%
14925 \let\mp@footgroupv@r\@mpara@footgroupv@r
14926 \let\mp@LTRfootgroupv@l\@mpara@LTRfootgroupv@l
14927 \g@addto@macro\bidi@floathook{%
14928   \begingroup
14929     \foottextfont \tempdima\normalbaselineskip
14930     \multiply \tempdima \cclvi
14931     \tempdimb \columnwidth
14932     \divide \tempdimb \cclvi
14933     \divide \tempdima \tempdimb
14934     \xdef\footfudgefactor{\strip@pt\tempdima}%
14935   \endgroup
14936 }
14937 \AtBeginDocument{%
14938   \begingroup
14939     \foottextfont
14940     \tempdima\footnotesep
14941     \advance\tempdima -\ht\strutbox
14942     \ifdim\tempdima<\z@ \tempdima\z@ \fi
14943     \advance\tempdima.5\normalbaselineskip
14944     \bidi@xparaskip
14945     \xdef\bidi@paraskip{\the\tempdima\relax}%
14946   \endgroup
14947   \bidi@startparafootskip\footinsv@r
14948   \bidi@startparafootskip\footinsv@l
14949 }
14950   @ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14951 }
14952 \newcommand{\normalRTLparaLTRfootnotes}{%
14953   \namedef{foottextfontv@l}{\LTRfoottextfont}%
14954   \bidi@before@Hy@hyperfootnotes
14955   \if@RTL@footnote
14956     \let\footnotetext\m@mold@footnotetext
14957   \else
14958     \let\footnotetext\@parafootnotetext
14959   \fi
14960   \let\@LTRfootnotetext\@paraLTRfootnotetext
14961   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
14962   \dimen\footinsv@l=\footinsdim
14963   \count\footinsv@l=1000\relax
14964   \let\bidi@removexfootskip\bidi@removexparafootskip
14965   \bidi@make@para@LTRfootgroup{v@l}%
14966   \m@make@para@footstart{v@l}%
14967   \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l

```



```

14968 \let\@footstartv@l\@para@footstartv@l
14969 \if@RTL@footnote
14970   \let\@mpfootnotetext\m@mold@mpfootnotetext
14971 \else
14972   \let\@mpfootnotetext\@mpparafootnotetext
14973 \fi
14974 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
14975 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
14976 \bidi@after@Hy@hyperfootnotes
14977 \bidi@make@mppara@LTRfootgroup{v@l}%
14978 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
14979 \g@addto@macro\bidi@floathook{%
14980   \begin{group}
14981     \LTRfoottextfont \tempdima\normalbaselineskip
14982     \multiply \tempdima \cclvi
14983     \tempdimb \columnwidth
14984     \divide \tempdimb \cclvi
14985     \divide \tempdima \tempdimb
14986     \xdef\footfudgefactor{\strip@pt\tempdima}%
14987   \end{group}
14988 }
14989 \AtBeginDocument{%
14990   \begin{group}
14991     \LTRfoottextfont
14992     \tempdima\footnotesep
14993     \advance\tempdima -\ht\strutbox
14994     \ifdim\tempdima<\z@ \tempdima\z@ \fi
14995     \advance\tempdima.5\normalbaselineskip
14996     \bidi@xparaskip
14997     \xdef\bidi@paraskip{\the\tempdima\relax}%
14998   \end{group}
14999   \bidi@startparafootskip\footinsv@l
15000 }
15001 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15002 }
15003 \newcommand{\NormalRTLParaLTRFootnotes}{%
15004   \namedef{foottextfontv@l}{\LTRfoottextfont}%
15005   \bidi@before@Hy@hyperfootnotes
15006   \if@RTL@footnote
15007     \let\footnotetext\bidi@bidiold@footnotetext
15008   \else
15009     \let\footnotetext\Parafootnotetext
15010   \fi
15011   \let\@LTRfootnotetext\@ParaLTRfootnotetext
15012   \let\@RTLfootnotetext\bidi@bidiold@RTLfootnotetext
15013   \dimen\footinsv@l=\footinsdim
15014   \count\footinsv@l=1000\relax
15015   \let\bidi@removexfootskip\bidi@removexparafootskip
15016   \bidi@make@para@LTRfootgroup{v@l}%
15017   \m@makenpara@footstart{v@l}%
15018   \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
15019   \let\@footstartv@l\@para@footstartv@l
15020   \if@RTL@footnote
15021     \let\mpfootnotetext\bidi@bidiold@mpfootnotetext

```



```

15022 \else
15023   \let\@mpfootnotetext\@mpParafootnotetext
15024 \fi
15025 \let\@mpLTRfootnotetext\@mpParaLTRfootnotetext
15026 \let\@mpRTLfootnotetext\bidi@bidiold\@mpRTLfootnotetext
15027 \@bidi@after@Hy@hyperfootnotes
15028 \bidi@make@mppara@LTRfootgroup{v@l}%
15029 \let\mp@LTRfootgroupv@l\@mp@LTRfootgroupv@l
15030 \g@addto@macro\bidi@floathook{%
15031   \begingroup
15032     \LTRfoottextfont \tempdima\normalbaselineskip
15033     \multiply \tempdima \cclvi
15034     \tempdimb \columnwidth
15035     \divide \tempdimb \cclvi
15036     \divide \tempdima \tempdimb
15037     \xdef\footfudgefactor{\strip@pt\tempdima}%
15038   \endgroup
15039 }
15040 \AtBeginDocument{%
15041   \begingroup
15042     \LTRfoottextfont
15043     \tempdima\footnotesep
15044     \advance\tempdima -\ht\strutbox
15045     \ifdim\tempdima<\z@ \tempdima\z@ \fi
15046     \advance\tempdima.5\normalbaselineskip
15047     \bidi@xparaskip
15048     \xdef\bidi@paraskip{\the\tempdima\relax}%
15049   \endgroup
15050   \bidi@startparafootskip\footinsv@l
15051 }
15052   \cifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15053 }
15054 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
15055   \if@RTL@footnote
15056     \footinsv@r
15057   \else
15058     \footinsv@l
15059   \fi
15060   {%
15061     \let\bidi@RTL@everypar\empty%
15062     \def\baselinestretch{\m@m@footnote@spacing}%
15063     \reset@font\foottextfont
15064     \preamfntext
15065     \protected@edef@\currentlabel{%
15066       \csname p@footnote\endcsname\@thefnmark}%
15067     \setbox0=\vbox{\hsize=\maxdimen
15068       \color@begingroup
15069         \noindent \parafootfmt{#1}%
15070       \color@endgroup}%
15071     \m@mungebox}\m@mff@prepare}
15072 \newcommand{\@Parafootnotetext}[1]{%
15073   \bidi@step@absolutefootnote@count
15074   \if@RTL@footnote
15075     \bidi@reinsertfootnote\footinsv@l\footstartv@l\OLTRfootgroupv@l

```



```

15076    \else
15077      \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
15078    \fi
15079  \global\setbox
15080  \if@RTL@footnote
15081    \footinsv@r
15082  \else
15083    \footinsv@l
15084  \fi
15085  \vbox{%
15086  \unvbox
15087  \if@RTL@footnote
15088    \footinsv@r
15089  \else
15090    \footinsv@l
15091  \fi
15092  \let\bidi@RTL@everypar\@empty%
15093  \def\baselinestretch{\m@m@footnote@spacing}%
15094  \reset@font\foottextfont
15095  \preamfntext
15096  \protected@edef@\currentlabel{%
15097    \csname p@footnote\endcsname\@thefnmark}%
15098  \setbox0=\vbox{\hsize=\maxdimen
15099    \color@begingroup
15100      \noindent \parafootfmt{#1}%
15101    \color@endgroup}%
15102  \m@mungebox}\m@mmf@prepare
15103  \if@RTL@footnote
15104    \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15105  \else
15106    \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15107  \fi
15108 }
15109 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
15110  \let\bidi@RTL@everypar\@empty%
15111  \def\baselinestretch{\m@m@footnote@spacing}%
15112  \reset@font\LTRfoottextfont
15113  \preamfntext
15114  \protected@edef@\currentlabel{%
15115    \csname p@footnote\endcsname\@thefnmark}%
15116  \setbox0=\vbox{\hsize=\maxdimen
15117    \color@begingroup
15118      \noindent \paraLTRfootfmt{#1}%
15119    \color@endgroup}%
15120  \m@mungebox}\m@mmf@prepare}
15121 \newcommand{\@ParaLTRfootnotetext}[1]{%
15122  \bidi@step@absolutefootnote@count
15123  \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
15124  \global\setbox\footinsv@l\vbox{%
15125  \unvbox\footinsv@l
15126  \let\bidi@RTL@everypar\@empty%
15127  \def\baselinestretch{\m@m@footnote@spacing}%
15128  \reset@font\LTRfoottextfont
15129  \preamfntext

```



```

15130 \protected@edef{\currentlabel}{%
15131   \csname p@footnote\endcsname\@thefnmark}%
15132 \setbox0=\vbox{\hsize=\maxdimen
15133   \color@begingroup
15134     \noindent \paraLTRfootfmt{#1}%
15135   \color@endgroup}%
15136 \m@mungebox}\m@mmf@prepare
15137 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15138 }%
15139 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
15140   \let\bidi@RTL@everypar\empty%
15141   \def\baselinestretch{\m@m@footnote@spacing}%
15142   \reset@font\RTLfoottextfont
15143   \preamfntext
15144   \protected@edef{\currentlabel}{%
15145     \csname p@footnote\endcsname\@thefnmark}%
15146   \setbox0=\vbox{\hsize=\maxdimen
15147     \color@begingroup
15148       \noindent \paraRTLfootfmt{#1}%
15149     \color@endgroup}%
15150   \m@mungebox}\m@mmf@prepare}
15151 \newcommand{\@ParaRTLfootnotetext}[1]{%
15152   \bidi@step@absolutefootnote@count
15153   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15154   \global\setbox\footinsv@r\vbox{%
15155     \unvbox\footinsv@r
15156     \let\bidi@RTL@everypar\empty%
15157     \def\baselinestretch{\m@m@footnote@spacing}%
15158     \reset@font\RTLfoottextfont
15159     \preamfntext
15160     \protected@edef{\currentlabel}{%
15161       \csname p@footnote\endcsname\@thefnmark}%
15162     \setbox0=\vbox{\hsize=\maxdimen
15163       \color@begingroup
15164         \noindent \paraRTLfootfmt{#1}%
15165       \color@endgroup}%
15166     \m@mungebox}\m@mmf@prepare
15167     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15168 }%
15169 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
15170   \parindent=\z@
15171   \parfillskip=0pt \plus 1fil
15172   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
15173 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
15174   \parindent=\z@
15175   \parfillskip=0pt \plus 1fil
15176   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
15177 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
15178   \parindent=\z@
15179   \parfillskip=0pt \plus 1fil
15180   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
15181 \bidi@ensure@newcommand{\@mparafootnotetext}[1]{%
15182   \global\setbox
15183   \if@RTL@footnote

```



```

15184     \ompfootinsv@r
15185     \else
15186     \ompfootinsv@l
15187     \fi
15188     \vbox{%
15189         \unvbox
15190         \if@RTL@footnote
15191             \ompfootinsv@r
15192         \else
15193             \ompfootinsv@l
15194         \fi
15195         \let\bidi@RTL@everypar\empty
15196         \def\baselinestretch{\m@m@footnote@spacing}%
15197         \reset@font\foottextfont
15198         \hsize\columnwidth \parboxrestore
15199         \protected@edef@\currentlabel{%
15200             \csname p@mpfootnote\endcsname\@thefnmark}%
15201         \setbox0=\vbox{\hsize=\maxdimen
15202             \color@begingroup
15203             \noindent \parfootfmt{#1}%
15204             \color@endgroup}%
15205     \m@mungebox}\m@mmf@prepare}
15206 \newcommand{\ompParafootnotetext}[1]{%
15207     \if@RTL@footnote
15208         \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@
15209     \else
15210         \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
15211     \fi
15212     \global\setbox
15213     \if@RTL@footnote
15214         \ompfootinsv@r
15215     \else
15216         \ompfootinsv@l
15217     \fi
15218     \vbox{%
15219         \unvbox
15220         \if@RTL@footnote
15221             \ompfootinsv@r
15222         \else
15223             \ompfootinsv@l
15224         \fi
15225         \let\bidi@RTL@everypar\empty
15226         \def\baselinestretch{\m@m@footnote@spacing}%
15227         \reset@font\foottextfont
15228         \hsize\columnwidth \parboxrestore
15229         \protected@edef@\currentlabel{%
15230             \csname p@mpfootnote\endcsname\@thefnmark}%
15231         \setbox0=\vbox{\hsize=\maxdimen
15232             \color@begingroup
15233             \noindent \parfootfmt{#1}%
15234             \color@endgroup}%
15235     \m@mungebox}\m@mmf@prepare}
15236 \bidi@ensure@newcommand{\ompparaLTRfootnotetext}[1]{%
15237     \global\setbox\ompfootinsv@l\vbox{%

```



```

15238   \unvbox\@mpfootinsv@l
15239   \let\bidi@RTL@everypar\@empty
15240   \def\baselinestretch{\m@m@footnote@spacing}%
15241   \reset@font\LTRfoottextfont
15242   \hsize\columnwidth \parboxrestore
15243   \protected@edef\@currentlabel{%
15244     \csname p@mpfootnote\endcsname\@thefnmark}%
15245   \setbox0=\vbox{\hsize=\maxdimen
15246     \color@begingroup
15247     \noindent \paraLTRfootfmt{#1}%
15248     \color@endgroup}%
15249   \m@mungebox}\m@mmf@prepare}
15250 \newcommand{\@mpParaLTRfootnotetext}[1]{%
15251   \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
15252   \global\setbox\@mpfootinsv@l\vbox{%
15253     \unvbox\@mpfootinsv@l
15254     \let\bidi@RTL@everypar\@empty
15255     \def\baselinestretch{\m@m@footnote@spacing}%
15256     \reset@font\LTRfoottextfont
15257     \hsize\columnwidth \parboxrestore
15258     \protected@edef\@currentlabel{%
15259       \csname p@mpfootnote\endcsname\@thefnmark}%
15260     \setbox0=\vbox{\hsize=\maxdimen
15261       \color@begingroup
15262       \noindent \paraLTRfootfmt{#1}%
15263       \color@endgroup}%
15264     \m@mungebox}\m@mmf@prepare}
15265 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
15266   \global\setbox\@mpfootinsv@r\vbox{%
15267     \unvbox\@mpfootinsv@r
15268     \let\bidi@RTL@everypar\@empty
15269     \def\baselinestretch{\m@m@footnote@spacing}%
15270     \reset@font\RTLfoottextfont
15271     \hsize\columnwidth \parboxrestore
15272     \protected@edef\@currentlabel{%
15273       \csname p@mpfootnote\endcsname\@thefnmark}%
15274     \setbox0=\vbox{\hsize=\maxdimen
15275       \color@begingroup
15276       \noindent \paraRTLfootfmt{#1}%
15277       \color@endgroup}%
15278     \m@mungebox}\m@mmf@prepare}
15279 \newcommand{\@mpParaRTLfootnotetext}[1]{%
15280   \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
15281   \global\setbox\@mpfootinsv@r\vbox{%
15282     \unvbox\@mpfootinsv@r
15283     \let\bidi@RTL@everypar\@empty
15284     \def\baselinestretch{\m@m@footnote@spacing}%
15285     \reset@font\RTLfoottextfont
15286     \hsize\columnwidth \parboxrestore
15287     \protected@edef\@currentlabel{%
15288       \csname p@mpfootnote\endcsname\@thefnmark}%
15289     \setbox0=\vbox{\hsize=\maxdimen
15290       \color@begingroup
15291       \noindent \paraRTLfootfmt{#1}}%

```



```

15292      \color@endgroup}%
15293  \m@mungebox}\m@mmf@prepare}
15294 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
15295 \cnamedef{@para@footgroup#1}{%
15296 \unvbox\cnameuse{footins#1}
15297 \cRTLtrue
15298 \m@mmakehboxofhboxes
15299 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15300 \hsize\bidi@columnwidth
15301 \parboxrestore
15302 \def\baselinestretch{\m@m@footnote@spacing}%
15303 \cnameuse{foottextfont#1}%
15304 \noindent\unhbox0\par}}
15305 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
15306 \cnamedef{@para@LTRfootgroup#1}{%
15307 \unvbox\cnameuse{footins#1}
15308 \cRTLfalse
15309 \m@mmakehboxofhboxes
15310 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15311 \hsize\bidi@columnwidth
15312 \parboxrestore
15313 \def\baselinestretch{\m@m@footnote@spacing}%
15314 \cnameuse{foottextfont#1}%
15315 \noindent\unhbox0\par}}
15316 \newcommand{\bidi@removexparafootskip}{%
15317 \advance\@tempskipa -\bidi@paraskip
15318 \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
15319 }
15320 \let\bidi@removexfootskip\relax
15321 \bidi@ensure@newcommand{\m@make@mpara@footgroup}[1]{%
15322 \cnamedef{@mpara@footgroup#1}{%
15323 \unvbox\cnameuse{@mpfootins#1}
15324 \cRTLtrue
15325 \m@mmakehboxofhboxes
15326 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15327 \def\baselinestretch{\m@m@footnote@spacing}%
15328 \cnameuse{foottextfont#1}%
15329 \noindent\unhbox0\par}}
15330 \bidi@ensure@newcommand{\bidi@make@mpara@LTRfootgroup}[1]{%
15331 \cnamedef{@mpara@LTRfootgroup#1}{%
15332 \unvbox\cnameuse{@mpfootins#1}
15333 \cRTLfalse
15334 \m@mmakehboxofhboxes
15335 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15336 \def\baselinestretch{\m@m@footnote@spacing}%
15337 \cnameuse{foottextfont#1}%
15338 \noindent\unhbox0\par}}
15339 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
15340 \cnamedef{@para@footstart#1}{%
15341 \leftskip=\z@%
15342 \rightskip=\z@%
15343 \parindent=\z@%
15344 }%
15345 }

```



```

15346 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
15347   \xdef\@freelist{\@freelist\@midlist}%
15348   \global\let\@midlist\@empty
15349   \@combinefloats}
15350 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
15351   \ifvbox\@kludgeins
15352     \makespecialcolbox
15353   \else
15354     \setbox\@outputbox \vbox to\@colht{%
15355       \atexttop
15356       \dimen@\dp\@outputbox
15357       \unvbox \@outputbox
15358       \vskip -\dimen@
15359       \atextbottom}%
15360   \fi}
15361 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
15362 \bidi@ensure@newcommand*{\m@m@mopfootnote}{\setbox\@outputbox \vbox{%
15363   \boxmaxdepth\@maxdepth
15364   \tempdima\dp\@cclv
15365   \unvbox\@cclv
15366   \vskip-\tempdima
15367   \bidi@mopfn@bottom
15368   \vskip \skip\footins
15369   \color@begingroup
15370     \normalcolor
15371     \footnoterule
15372     \unvbox \footins
15373   \color@endgroup
15374 }%
15375 }
15376 \newcommand*{\bidi@mopfootnotebf}{%
15377   \setbox\@outputbox \vbox{%
15378   \boxmaxdepth\@maxdepth
15379   \unvbox\@outputbox
15380   \bidi@mopfn@bottom
15381   \vskip\skip\footins
15382   \color@begingroup
15383     \normalcolor
15384     \footnoterule
15385     \unvbox \footins
15386   \color@endgroup
15387 }%
15388 }
15389 \gdef\mem@makedcol{%
15390   \m@m@makedcolintro
15391   \m@m@mdoextrafeet
15392   \ifvoid\footins
15393     \setbox\@outputbox \box\@cclv
15394   \else
15395     \m@m@mopfootnote
15396   \fi
15397   \m@m@makedcolfloats
15398   \m@m@makedcoltext
15399   \global \maxdepth \@maxdepth}

```



```

15400 \gdef\bidi@makecolbf{%
15401   \m@m@makecolintro
15402   \m@m@mdoextrafeet
15403   \setbox\@outputbox \box\@cclv
15404   \m@m@makecolfloats
15405   \ifvoid\footins
15406   \else
15407     \bidi@mopfootnotebf
15408   \fi
15409   \m@m@makecoltext
15410   \global \maxdepth \@maxdepth
15411 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
15412 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
15413 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
15414 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
15415 \FeetAboveFloat
15416 \FeetBelowRagged
15417 \def\bidi@reinserts#1{\ifvoid#1\else
15418   \ifnum\count\@currbox>\z@
15419     \advance\@pageht \ht#1%
15420     \advance\@pageht \skip#1%
15421     \advance\@pageht \dp#1%
15422   \fi
15423   \insert#1{\unvbox#1}%
15424 } \fi
15425 }
15426 \def\bidi@init@multi@footins#1{%
15427   \multiply\count#1\col@number
15428   \multiply\skip#1\col@number
15429 }
15430 \def\bidi@reinsert@footnotes#1{\ifvoid#1\else
15431   \insert#1{}\fi}
15432 \AtBeginDocument{%
15433   \bidi@preto\@doclearpage\m@m@mdoextrafeet
15434   \g@addto@macro\@reinserts{%
15435     \bidi@reinserts\footinsv@r
15436     \bidi@reinserts\footinsv@l
15437   }
15438   \bidi@floathook
15439   \g@addto@macro\@floatplacement{%
15440     \bidi@ifmulticol{}{\bidi@floathook}%
15441   }%
15442   \if\bidi@csundef{multi@column@out}{%
15443     \only@preamble\bidi@init@multi@footins
15444     \let\bidi@ifmulticol\@secondoftwo
15445   }{%
15446     \bidi@preto\multi@column@out\m@m@mdoextrafeet
15447     \g@addto@macro\@init@mult@footins{%
15448       \bidi@init@multi@footins\footinsv@r
15449       \bidi@init@multi@footins\footinsv@l
15450     }%
15451     \g@addto@macro\@reinsert@footnotes{%
15452       \bidi@reinsert@footnotes\footinsv@r
15453       \bidi@reinsert@footnotes\footinsv@l

```



```
15454     }%
15455   }%
15456 }
```

87 File extreport-xetex-bidi.def

```
15457 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class
15458 \renewcommand*\l@part[2]{%
15459   \ifnum \c@tocdepth >-2\relax
15460     \addpenalty{-\@highpenalty}%
15461     \addvspace{2.25em \oplus \p@}%
15462     \begingroup
15463       \setlength{\tempdima}{3em}%
15464       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15465       \parfillskip -\pnumwidth
15466       \leavevmode
15467       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
15468       \nobreak
15469         \global\nobreaktrue
15470         \everypar{\global\nobreakfalse\everypar{}}
15471     \endgroup
15472   \fi}
15473 \renewcommand*\l@chapter[2]{%
15474   \ifnum \c@tocdepth >\m@ne
15475     \addpenalty{-\@highpenalty}%
15476     \vskip 1.0em \oplus \p@
15477     \setlength{\tempdima}{1.5em}%
15478     \begingroup
15479       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15480       \parfillskip -\pnumwidth
15481       \leavevmode \bfseries
15482       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
15483       \hskip -\if@RTL\rightskip\else\leftskip\fi
15484       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15485       \penalty\@highpenalty
15486     \endgroup
15487   \fi}
15488 \def\@makechapterhead#1{%
15489   \vspace*{50\p@}%
15490   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
15491     \ifnum \c@sectiondepth >\m@ne
15492       \huge\bfseries \chapapp\space \thechapter
15493       \par\nobreak
15494       \vskip 20\p@
15495     \fi
15496     \interlinepenalty\@M
15497     \Huge\bfseries #1\par\nobreak
15498     \vskip 40\p@
15499   }%
15500 \def\@makeschapterhead#1{%
15501   \vspace*{50\p@}%
15502   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
15503     \normalfont
15504     \interlinepenalty\@M}
```



```

15505     \Huge \bfseries #1\par\nobreak
15506     \vskip 40\p@
15507   }}
15508 \renewcommand\left@footnoterule{%
15509   \kern-3\p@
15510   \hrule\@width.4\columnwidth
15511   \kern2.6\p@}
15512 \renewcommand\right@footnoterule{%
15513   \kern-3\p@
15514   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15515   \kern2.6\p@}
15516 \renewenvironment{thebibliography}[1]
15517   {\chapter*{\bibname
15518     \Gmkbboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
15519     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15520     \bidi@thebibliography\font@hook%
15521     \list{\@biblabel{\@arabic\c@enumiv}}%
15522       {\settowidth\labelwidth{\@biblabel{#1}}%
15523         \leftmargin\labelwidth
15524         \advance\leftmargin\labelsep
15525         \openbib@code
15526         \usecounter{enumiv}%
15527         \let\p@enumiv\empty
15528           \renewcommand\theenumiv{\@arabic\c@enumiv}%
15529           \sloppy\clubpenalty4000\widowpenalty4000%
15530           \sfcode`\. \om}
15531         {\def\@noitemerr
15532           {\@latex@warning{Empty `thebibliography' environment}}%
15533           \endlist}
15534   \if@titlepage
15535     \renewcommand\maketitle{\begin{titlepage}%
15536       \let\footnotesize\small
15537       \let\right@footnoterule\relax
15538       \let\left@footnoterule\relax
15539       \let\textwidth@footnoterule\relax
15540       \let \footnote \thanks
15541       \null\vfil
15542       \vskip 60\p@
15543       \begin{center}%
15544         {\LARGE \title \par}%
15545         \vskip 3em%
15546         {\large
15547           \lineskip .75em%
15548           \begin{tabular}[t]{c}%
15549             \author
15550           \end{tabular}\par}%
15551           \vskip 1.5em%
15552           {\large \date \par}%
15553           % Set date in \large size.
15554         \end{center}\par
15555         \thanks
15556         \vfildnull
15557         \end{titlepage}%
15558         \setcounter{footnote}{0}%
15559         \global\let\thanks\relax

```



```

15559 \global\let\maketitle\relax
15560 \global\let\@thanks\@empty
15561 \global\let\@author\@empty
15562 \global\let\@date\@empty
15563 \global\let\@title\@empty
15564 \global\let\title\relax
15565 \global\let\author\relax
15566 \global\let\date\relax
15567 \global\let\and\relax
15568 }
15569 \else
15570 \renewcommand\maketitle{\par
15571   \begingroup
15572     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15573     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
15574     \long\def\@makefntext##1{\par\indent 1em\noindent
15575       \hb@xt@1.8em{%
15576         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
15577     \if@twocolumn
15578       \ifnum \col@number=\@ne
15579         \@maketitle
15580       \else
15581         \twocolumn[\@maketitle]%
15582       \fi
15583     \else
15584       \newpage
15585       \global\@topnum\z@    % Prevents figures from going at top of page.
15586       \@maketitle
15587     \fi
15588     \thispagestyle{plain}\@thanks
15589   \endgroup
15590   \setcounter{footnote}{0}%
15591   \global\let\thanks\relax
15592   \global\let\maketitle\relax
15593   \global\let\@maketitle\relax
15594   \global\let\@thanks\@empty
15595   \global\let\@author\@empty
15596   \global\let\@date\@empty
15597   \global\let\@title\@empty
15598   \global\let\title\relax
15599   \global\let\author\relax
15600   \global\let\date\relax
15601   \global\let\and\relax
15602 }
15603 \def\@maketitle{%
15604   \newpage
15605   \null
15606   \vskip 2em%
15607   \begin{center}%
15608     \let \footnote \thanks
15609     {\LARGE \@title \par}%
15610     \vskip 1.5em%
15611     {\large
15612       \lineskip .5em%

```



```

15613 \begin{tabular}[t]{c}%
15614   \author%
15615   \end{tabular}\par}%
15616 \vskip 1em%
15617 {\large \@date}%
15618 \end{center}%
15619 \par
15620 \vskip 1.5em}
15621 \fi
15622 \renewcommand\thesection {\thechapter\@SepMark\arabic\c@section}
15623 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
15624 \renewcommand\thesubsubsection{\thesubsection \@SepMark\arabic\c@subsubsection}
15625 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
15626 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
15627 \renewcommand\theequation{%
15628   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\arabic\c@equation}
15629 \renewcommand\thefigure{%
15630   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \arabic\c@figure}
15631 \renewcommand\thetable{%
15632   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@table}

```

88 File fancybox-xetex-bidi.def

```

15633 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
15634 \def\fancy@oval#1#2#3{%
15635   \boxmaxdepth \maxdimen
15636   \ifovttrue \ovbtrue \ovltrue \ovrtrue
15637   \if@tempa :#3\do{\csname cov\@tempa false\endcsname}%
15638   \ovxx#1\relax
15639   \advance\ovxx-\wholewidth
15640   \ovyy#2\relax
15641   \advance\ovyy-\wholewidth
15642   \iftempdimb \ifdim \ovyy > \ovxx \ovxx\else \ovyy \fi
15643   \advance\tempdimb-2\p@
15644   \ifdim\tempdimb>\cornersize\relax
15645     \tempdimb=\cornersize
15646   \fi
15647   \getcirc\tempdimb
15648   \ovro\ht\tempboxa \ovri\dp\tempboxa
15649   \ovdx\ovxx \advance\ovdx-\tempdima \divide\ovdx\tw@
15650   \ovdy\ovyy \advance\ovdy-\tempdima \divide\ovdy\tw@
15651   \circleft
15652   \setbox\tempboxa\hbox{\beginL%
15653     \ifovr \ovvert32\kern -\tempdima \fi
15654     \ifovl \kern \ovxx \ovvert01\kern -\tempdima \kern -\ovxx \fi
15655     \ifovt \ovhorz \kern -\ovxx \fi
15656     \ifovb \raise \ovyy \ovhorz \fi\endL}%
15657   \advance\ovdx\ovro
15658   \advance\ovdy\ovro
15659   \advance\ovxx\wholewidth
15660   \wd\tempboxa=\ovxx
15661   \dp\tempboxa=z}

```



89 File fancyhdr-xetex-bidi.def

```
15662 \ProvidesFile{fancyhdr-xetex-bidi.def}[2024/12/07 v0.8 bidi adaptations for fancyhdr package]
15663
15664 \let\f@nch@everypar\everypar
15665
15666 \bidi@patchcmd\f@nch@head\raggedright\bidi@raggedright
15667 {}{\bidi@warning{Oops! patching `\\string\f@nch@head' failed}}
15668 \bidi@patchcmd\f@nch@head\raggedleft\bidi@raggedleft
15669 {}{\bidi@warning{Oops! patching `\\string\f@nch@head' failed}}
15670
15671 \bidi@patchcmd\f@nch@foot\raggedright\bidi@raggedright
15672 {}{\bidi@warning{Oops! patching `\\string\f@nch@foot' failed}}
15673 \bidi@patchcmd\f@nch@foot\raggedleft\bidi@raggedleft
15674 {}{\bidi@warning{Oops! patching `\\string\f@nch@foot' failed}}
15675
```

90 File fix2col-xetex-bidi.def

```
15676 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package f
15677 \def\RTL@outputdblcol{%
15678   \if@firstcolumn
15679     \global\@firstcolumnfalse
15680     \global\setbox\@leftcolumn\copy\@outputbox
15681     \splitmaxdepth\maxdimen
15682     \vbadness\maxdimen
15683     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15684     \toks@\expandafter{\topmark}%
15685     \xdef\@firstcoltopmark{\the\toks@}%
15686     \toks@\expandafter{\splitfirstmark}%
15687     \xdef\@firstcolfirstmark{\the\toks@}%
15688     \ifx\@firstcolfirstmark\empty
15689       \global\let\@setmarks\relax
15690     \else
15691       \gdef\@setmarks{%
15692         \let\firstmark\@firstcolfirstmark
15693         \let\topmark\@firstcoltopmark}%
15694     \fi
15695   \else \global\@firstcolumntrue
15696   \setbox\@outputbox\vbox {\hbox to\textwidth {%
15697     \hskip \columnwidth
15698     \hfil \vrule width\columnsep\hfil
15699     \hbox to\columnwidth {%
15700       \bidi@firstcolumn@status@write%
15701       \box\@leftcolumn \hss}%
15702       \hskip -\textwidth
15703       \hbox to\columnwidth {%
15704       \bidi@lastcolumn@status@write%
15705       \box\@outputbox \hss}%
15706       \hskip \columnsep
15707       \hskip \columnwidth }{}}%
15708     \combinedblfloats \@setmarks \@outputpage
15709     \begingroup \@dblfloatplacement \@startdblcolumn
15710     \@whilesw\if@fcolmade \fi}
```



```

15711 {\@outputpage \@startdblcolumn }\endgroup
15712 \fi}
15713 \def\LTR@outputdblcol{%
15714   \if@firstcolumn
15715     \global\@firstcolumnfalse
15716     \global\setbox\@leftcolumn\copy\@outputbox
15717     \splitmaxdepth\maxdimen
15718     \vbadness\maxdimen
15719     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15720     \toks@\expandafter{\topmark}%
15721     \xdef\@firstcoltopmark{\the\toks@}%
15722     \toks@\expandafter{\splitfirstmark}%
15723     \xdef\@firstcolfirstmark{\the\toks@}%
15724     \ifx\@firstcolfirstmark\empty
15725       \global\let\@setmarks\relax
15726     \else
15727       \gdef\@setmarks{%
15728         \let\firstmark\@firstcolfirstmark
15729         \let\topmark\@firstcoltopmark}%
15730     \fi
15731   \else
15732     \global\@firstcolumntrue
15733     \setbox\@outputbox\vbox{%
15734       \hb@xt@\textwidth{%
15735         \hb@xt@\columnwidth{%
15736           \bidi@firstcolumn@status@write}%
15737           \box\@leftcolumn \hss}%
15738         \hfil
15739         \vrule \width\columnseprule
15740         \hfil
15741         \hb@xt@\columnwidth{%
15742           \bidi@lastcolumn@status@write}%
15743           \box\@outputbox \hss}}}}%
15744   \combinedblfloats
15745     \@setmarks
15746     \@outputpage
15747     \begin{group}
15748       \@dblfloatplacement
15749       \@startdblcolumn
15750       \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
15751     \end{group}
15752 \fi}

```

91 File `fleqn-xetex-bidi.def`

```

15753 \ProvidesFile{fleqn-xetex-bidi.def}[2024/12/07 v0.2 bidi adaptations for fleqn tag for XeTeX]
15754 \DeclareRobustCommand\[\relax
15755   \ifmmode\@badmath
15756   \else
15757     \begin{trivlist}%
15758       \begin{parpenalty}\predisplaypenalty
15759       \end{parpenalty}\postdisplaypenalty
15760       \item[]\leavevmode
15761       \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%

```



```

15762           \hskip\mathindent\bgroup
15763           \fi}
15764 \DeclareRobustCommand[]{\relax
15765           \ifmmode
15766               \egroup $ \hfil% $
15767               \endL\egroup
15768               \end{trivlist}%
15769           \else \c@badmath
15770           \fi}
15771 \renewenvironment{equation}%
15772     {\c@beginparpenalty\predisplaypenalty
15773     \c@endparpenalty\postdisplaypenalty
15774     \refstepcounter{equation}%
15775     \trivlist \item[]\leavevmode
15776     \hb@xt@\linewidth\bgroup\beginL $ \m@th% $
15777     \displaystyle
15778     \hskip\mathindent}%
15779     {$ \hfil % $
15780     \displaywidth\linewidth\hbox{\c@eqnnum}%
15781     \endL\egroup
15782     \endtrivlist}

```

92 File float-xetex-bidi.def

```

15783 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
15784 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\c@fs@cfont #1:} #2}%
15785   \ifdim\wd\@tempboxa\hsize {\c@fs@cfont #1:} #2\par
15786   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
15787 \def\float@newx#1[#2]{\c@ifundefined{c@#1}{\newcounter{#1}[#2]}%
15788   \expandafter\edef\csname the#1\endcsname{%
15789     \expandafter\noexpand\csname
15790       the#2\endcsname\c@SepMark\noexpand\arabic{#1}}%
15791   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

93 File floatrow-xetex-bidi.def

```

15792 \ProvidesFile{floatrow-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for floatrow package]
15793 \RequirePackage{color}
15794 \renewcommand\flnew@within[1]{\c@addtoreset{\FB@capttype}{#1}%
15795   \expandafter\edef\csname the\FB@capttype\endcsname{%
15796     \expandafter\noexpand\csname
15797       the#1\endcsname\c@SepMark\noexpand\arabic{\FB@capttype}}}

```

94 File flowfram-xetex-bidi.def

```

15798 \ProvidesFile{flowfram-xetex-bidi.def}[2025/01/03 v0.6 bidi adaptations for flowfram package]
15799 \def\c@outputdblcol{%
15800 \c@nxtcol=\c@thisframe
15801 \c@curpg=\c@page
15802 \c@tnextcol{\c@nxtcol}%
15803 \if@ff@nwpg % next flow frame starts on new page
15804   \global\c@firstcolumntrue
15805   \c@setcolbox\c@thisframe
15806   \c@if@specialpage

```



```

15807      \global\@specialpagefalse
15808      \@nameuse{ps@\@specialstyle}\relax
15809  \fi
15810  \if@twoside
15811      \ifodd\count\z@
15812          \let\@thehead\@oddhead
15813          \let\@thefoot\@oddfoot
15814      \else
15815          \let\@thehead\@evenhead
15816          \let\@thefoot\@evenfoot
15817      \fi
15818  \else
15819      \let\@thehead\@oddhead
15820      \let\@thefoot\@oddfoot
15821  \fi
15822  \begindvi
15823  \dodynamicthehead\dodynamicthefoot
15824  \vbadness=\@M
15825  \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}%
15826  \combinedblfloats
15827  \outputpage
15828 \advance\c@curpg by -\c@page\relax
15829 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
15830 \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}%
15831 \outputpage}
15832 \begingroup
15833 \dblfloatplacement
15834 \startdblcolumn
15835 \whilesw \if@fcolmade \fi
15836 {\outputpage \startdblcolumn }\endgroup
15837 \resetst@tics
15838 \resetdyn@mics
15839 \else % still on same page, save contents of box255
15840 \global\@firstcolumnfalse
15841 \setcolbox\c@thisframe
15842 \fi
15843 \global\c@thisframe=\@xtncol
15844 \setcol{\c@thisframe}\relax
15845 \global\@colht\vsiz
15846 }
15847 \def\@outputpage{%
15848 \begingroup
15849 \let\protect\noexpand
15850 \resetactivechars
15851 \global\let\@if@newlist\if@newlist
15852 \global\@newlistfalse\parboxrestore
15853 \global\let\bidi@BeforeOutputPageShipOut\@firstofone
15854 \bidi@beforeoutputpageshipouthook
15855 \shipout\vbox{\set@typeset@protect
15856 \aftergroup
15857 \endgroup
15858 \aftergroup
15859 \set@typeset@protect
15860 \reset@font\normalsize

```



```

15861      \bidi@font@@outputpage
15862      \normalsfcodes
15863      \let\label\@gobble
15864      \let\index\@gobble
15865      \let\glossary\@gobble
15866      \baselineskip\z@skip
15867      \lineskip\z@skip
15868      \lineskiplimit\z@skip
15869      \vskip\topmargin\moveright\@themargin
15870      \vbox{%
15871          \global\let\bidi@BeforeHeader\@firstofone
15872          \bidi@beforeheaderhook
15873          \vskip\headheight
15874          \vskip\headsep
15875          \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
15876          \bidi@beforeoutputboxoutputpagehook
15877          \box\@outputbox
15878          \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
15879          \bidi@afteroutputboxoutputpagehook
15880      }{%
15881      \global\let\bidi@AfterOutputPageShipOut\@firstofone
15882      \bidi@afteroutputpageshipouthook
15883      \global\let\if@newlist\@if@newlist
15884      \stepcounter{page}%
15885      \setcounter{displayedframe}{0}%
15886      \let\firstmark\botmark
15887      \global\let\bidi@AtEndOutputPage\@firstofone
15888      \bidi@atendoutputpagehook
15889  }
15890
15891
15892 \newcommand*\bidi@s@tf{textcol}{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
15893 \expandafter\bidi@color\ff@txtcol}}
15894
15895 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
15896 {\hb@xt@ #1{\hss{\bidi@s@tf{textcol #3}\hss}\vss\kern\z@}}}}
15897
15898
15899 \renewcommand*{\docolbox}[1]{%
15900 \edef\ff@frametype{%
15901 \csname @ff@frametype@\romannumeral#1\endcsname}%
15902 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
15903 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
15904 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
15905 \ff@setoffset{#1}%
15906 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
15907 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
15908 \ff@fbox{\csname colwidth\romannumeral#1\endcsname}{%
15909 {\csname colheight\romannumeral#1\endcsname}{%
15910 \expandafter\box\csname column\romannumeral#1\endcsname}{%
15911 \csname @ff@frametype\endcsname}{%
15912 }{%
15913 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}{%
15914 {\csname colheight\romannumeral#1\endcsname}{%

```



```

15915 \expandafter\box\csname column\romannumeral#1\endcsname}%
15916 }}}}%
15917 \IfClassLoadedT{book}{%
15918 \renewcommand\theequation{%
15919 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@equation}}%
15920 \renewcommand \thefigure{%
15921 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}%
15922 \renewcommand \thetable{%
15923 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}%
15924 \renewcommand \thechapter {\arabic{c@chapter}}%
15925 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}%
15926 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}%
15927 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}%
15928 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}%
15929 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}%
15930 \renewcommand \IfClassLoadedT{report}{%
15931 \renewcommand\theequation{%
15932 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@equation}}%
15933 \renewcommand \thefigure{%
15934 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}%
15935 \renewcommand \thetable{%
15936 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}%
15937 \renewcommand \thechapter {\arabic{c@chapter}}%
15938 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}%
15939 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}%
15940 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}%
15941 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}%
15942 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}%
15943 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
15944 \rotatebox{\#1}{\if@RTL\beginL\fi\#2\if@RTL\endL\fi}}%
15945 \else
15946 #2\relax
15947 \fi}%

```

95 File `footnote-xetex-bidi.def`

```

15948 \ProvidesFile{footnote-xetex-bidi.def}[2024/12/14 v1.3 bidi footnote macros for XeTeX engine]
15949 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
15950 \newif\ifbidi\autofootnoterule
15951 \def\bidi@mpfootnoterule{\footnoterule}
15952 \newcounter{footdir@label}
15953 \renewcommand*\{the footdir@label\}{footdir@\the\value{footdir@label}}
15954 \newcommand*\{footdir@write\}{%
15955 \stepcounter{footdir@label}%
15956 \zref@labelbyprops{\the footdir@label}{abspage}%
15957 }
15958 \newcommand*\{debugfootnotedirection\}{\footdir@debugtrue}
15959 \newtoks\footdir@toks
15960 \newcommand*\{footdir@debug\}[1]{%
15961 \iffootdir@debug
15962 \typeout{[footdir] #1}%
15963 \fi
15964 }
15965 %\cifpackage{zref-abspage}{2012/10/27}{}%

```



```

15966 \% \newcommand*{\footdir@LeftRightElse}{%
15967 \%   \ltx@ifundefined{footdir@\the\value{zabspage}}{%
15968 \%     \footdir@debug{abspage} \the\value{zabspage}: else}%
15969 \%     \ltx@thirdofthree
15970 \% }{%
15971 \%   \if\csname footdir@\the\value{zabspage}\endcsname L%
15972 \%     \footdir@debug{abspage} \the\value{zabspage}: left}%
15973 \%     \expandafter\ltx@firstofthree
15974 \%   \else
15975 \%     \footdir@debug{abspage} \the\value{zabspage}: right}%
15976 \%     \expandafter\ltx@secondofthree
15977 \%   \fi
15978 \% }%
15979 \% }%
15980 \%}{%
15981 \providecommand*{\c@zabspage}{\c@abspage}%
15982 \newcommand*{\footdir@LeftRightElse}{%
15983   \footdir@write
15984   \zifrefundefined{\the\footdir@label}{%
15985     \footdir@debug{abspage ??: else}%
15986     \ltx@thirdofthree
15987 }{%
15988     \edef\footdir@abspage{%
15989       \zref@extractdefault{\the\footdir@label}{abspage}{0}}%
15990   }%
15991   \ltx@ifundefined{\footdir@\footdir@abspage}{%
15992     \footdir@debug{\footdir@abspage: else}%
15993     \ltx@thirdofthree
15994 }{%
15995     \if\csname footdir@\footdir@abspage\endcsname L%
15996       \footdir@debug{\footdir@abspage: left}%
15997       \expandafter\ltx@firstofthree
15998     \else
15999       \footdir@debug{\footdir@abspage: right}%
16000       \expandafter\ltx@secondofthree
16001     \fi
16002   }%
16003 }%
16004 }%
16005 }%
16006 \newcommand*{\footdir@fntext}[1]{%
16007   \zifrefundefined{\the\footdir@label}{%
16008 }{%
16009     \edef\footdir@name{%
16010       \footdir@\zref@extractdefault{\the\footdir@label}{abspage}{0}}%
16011   }%
16012   \@ifundefined{\footdir@name}{%
16013     \expandafter\gdef\csname\footdir@name\endcsname{\#1}}%
16014   }{%
16015 }%
16016 }%
16017 \newcommand*{\footdir@temp}[3]{%
16018   \@ifdefinable{\#1}{%

```



```

16020      \let#1#2%
16021      \renewcommand{#2}[1]{%
16022          \footdir@write
16023          \footdir@fntext{#3}%
16024          \stepcounter{footdir@label}%
16025          \footdir@fntext{#3}%
16026          \footdir@toks{##1}%
16027          \footdir@toks\expandafter{%
16028              \the\expandafter\footdir@toks
16029              \expandafter
16030              \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
16031          }%
16032          \expandafter#1\expandafter{\the\footdir@toks}%
16033      }%
16034  }%
16035 }
16036
16037 \def\right@footnoterule{%
16038   \kern-3\p@
16039   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
16040   \kern2.6\p@}
16041 \def\left@footnoterule{\kern-3\p@
16042   \hrule \width .4\columnwidth \kern 2.6\p@}
16043 \def\textwidth@footnoterule{\kern-3\p@
16044   \hrule \width \columnwidth \kern 2.6\p@}
16045 \def\leftfootnoterule{%
16046 \bidi@autofootnoterulefalse}%
16047 \def\footnoterule{\left@footnoterule}}
16048 \let\LRfootnoterule=\leftfootnoterule
16049 \def\rightfootnoterule{%
16050 \bidi@autofootnoterulefalse}%
16051 \def\footnoterule{\right@footnoterule}}
16052 \def\textwidthfootnoterule{%
16053 \bidi@autofootnoterulefalse}%
16054 \def\footnoterule{\textwidth@footnoterule}
16055
16056
16057
16058 \def\auto@footnoterule{%
16059 \footdir@LeftRightElse%
16060 \left@footnoterule%
16061 \right@footnoterule%
16062 \left@footnoterule}%
16063 }
16064
16065
16066
16067 \def\autofootnoterule{%
16068 \bidi@autofootnoteruletrue}%
16069 \def\footnoterule{\auto@footnoterule}%
16070 }
16071
16072 \newcommand*\SplitFootnoteRule{%
16073   \gdef\split@prev{0}

```



```

16074 \let\pagefootnoterule\footnoterule
16075 \let\mpfootnoterule\footnoterule
16076 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
16077 \def\footnoterule{\relax
16078   \ifx \@listdepth\@mplistdepth
16079     \mpfootnoterule
16080   \else
16081     \ifnum\split@prev=\z@
16082       \pagefootnoterule
16083     \else
16084       \splitfootnoterule
16085     \fi
16086     \xdef\split@prev{\the\insertpenalties}%
16087   \fi
16088 }%
16089 }
16090
16091
16092
16093
16094 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
16095   \protected\xdef\@thefnmark{\thempfn}%
16096   \footnotemark\@RTLfootnotetext}}
16097 \def\@xRTLfootnote[#1]{%
16098   \begingroup
16099     \csname c@\@mpfn\endcsname #1\relax
16100     \unrestored\protected\xdef\@thefnmark{\thempfn}%
16101   \endgroup
16102   \footnotemark\@RTLfootnotetext}
16103 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
16104   \protected\xdef\@thefnmark{\thempfn}%
16105   \footnotemark\@LTRfootnotetext}}
16106 \def\@xLTRfootnote[#1]{%
16107   \begingroup
16108     \csname c@\@mpfn\endcsname #1\relax
16109     \unrestored\protected\xdef\@thefnmark{\thempfn}%
16110   \endgroup
16111   \footnotemark\@LTRfootnotetext}
16112
16113
16114 \def\setfootnoteRL{\@RTL@footnotetrue}
16115 \def\unsetfootnoteRL{\@RTL@footnotefalse}
16116 \def\setfootnoteLR{\unsetfootnoteRL}
16117
16118 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
16119 \newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
16120 \newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}
16121
16122 \long\def\@footnotetext#1{\insert\footins{%
16123   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
16124   \reset@font%
16125   \bidi@@footnotetext@font% \reset@font\footnotesize
16126   \interlinepenalty\interfootnotelinepenalty
16127   \splittopskip\footnotesep

```



```

16128 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16129 \hsize\columnwidth \@parboxrestore
16130 \protected@edef\@currentlabel{%
16131     \csname p@footnote\endcsname\@thefnmark
16132 }%
16133 \color@begingroup
16134     \makefntext{%
16135         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16136     \color@endgroup}%
16137
16138 \long\def\@RTLfootnotetext#1{\insert\footins{%
16139     \@RTLtrue%
16140     \reset@font%
16141     \bidi@\@RTLfootnotetext@font% \reset@font\footnotesize
16142     \interlinepenalty\interfootnotelinepenalty
16143     \splittopskip\footnotesep
16144     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16145     \hsize\columnwidth \@parboxrestore
16146     \protected@edef\@currentlabel{%
16147         \csname p@footnote\endcsname\@thefnmark
16148     }%
16149     \color@begingroup
16150     \makefntext{%
16151         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16152     \color@endgroup}%
16153 }%
16154 \long\def\@LTRfootnotetext#1{\insert\footins{%
16155     \@RTLfalse%
16156     \reset@font%
16157     \bidi@\@LTRfootnotetext@font% \reset@font\footnotesize
16158     \interlinepenalty\interfootnotelinepenalty
16159     \splittopskip\footnotesep
16160     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16161     \hsize\columnwidth \@parboxrestore
16162     \protected@edef\@currentlabel{%
16163         \csname p@footnote\endcsname\@thefnmark
16164     }%
16165 }%
16166     \color@begingroup
16167     \makefntext{%
16168         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16169     \color@endgroup}%
16170
16171 \AtBeginDocument{%
16172 \if@RTL@footnote
16173     \newcommand*{\bidi@footdir@footnote}{R}
16174 \else
16175     \newcommand*{\bidi@footdir@footnote}{L}
16176 \fi%
16177 }
16178 \footdir@temp\footdir@ORG\bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
16180 \footdir@temp\footdir@ORG\bidi@RTLfootnotetext\@RTLfootnotetext{R}%
16181 \footdir@temp\footdir@ORG\bidi@LTRfootnotetext\@LTRfootnotetext{L}%

```



```

16182 \long\def\@mpRTLfootnotetext#1{%
16183   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno%
16184     \global\setbox\@mpfootins\vbox{%
16185       \unvbox\@mpfootins
16186       \c@RTLtrue
16187       \reset@font%
16188       \bidi@\@RTLfootnotetext@font% \reset@font\footnotesize
16189       \hsize\columnwidth
16190       \c@parboxrestore
16191       \protected@edef@\currentlabel
16192         {\csname p@mpfootnote\endcsname\thefnmark}%
16193       \color@begingroup
16194         \makefntext{%
16195           \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
16196           \color@endgroup}%
16197       \color@endgroup}%
16198 \long\def\@mpLTRfootnotetext#1{%
16199   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno%
16200     \global\setbox\@mpfootins\vbox{%
16201       \unvbox\@mpfootins
16202       \c@RTLfalse
16203       \reset@font%
16204       \bidi@\@LTRfootnotetext@font% \reset@font\footnotesize
16205       \hsize\columnwidth
16206       \c@parboxrestore
16207       \protected@edef@\currentlabel
16208         {\csname p@mpfootnote\endcsname\thefnmark}%
16209       \color@begingroup
16210         \makefntext{%
16211           \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
16212           \color@endgroup}%
16213 \long\def\@mpfootnotetext#1{%
16214   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnote\right@footno%
16215     \global\setbox\@mpfootins\vbox{%
16216       \unvbox\@mpfootins
16217       \if@RTL@footnote\c@RTLtrue\else\c@RTLfalse\fi
16218       \reset@font%
16219       \bidi@\@footnotetext@font% \reset@font\footnotesize
16220       \hsize\columnwidth
16221       \c@parboxrestore
16222       \protected@edef@\currentlabel
16223         {\csname p@mpfootnote\endcsname\thefnmark}%
16224       \color@begingroup
16225         \makefntext{%
16226           \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
16227           \color@endgroup}%
16228 \def\@iiminiipage#1#2[#3]{#4}{%
16229   \leavevmode
16230   \pboxswfalse
16231   \if@hboxRconstruct\bidi@list@minipage@parbox@not@nobtrue\fi
16232   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\%
16233   \setlength{\tempdima{#4}}%
16234   \def\@mpargs{{#1}{#2}[#3]{#4}}%
16235   \setbox\tempboxa\vbox\bgroup

```



```

16236      \color@begingroup
16237          \hsize\@tempdima
16238          \textwidth\hsize \columnwidth\hsize
16239          \parboxrestore
16240          \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
16241          \let\@footnotetext\@mpfootnotetext
16242          \let\@LTRfootnotetext\@mpLTRfootnotetext
16243          \let\@RTLfootnotetext\@mpRTLfootnotetext
16244          \let\@listdepth\@mplistdepth \c@mplistdepth\z@
16245          \minipagerestore
16246          \setminipage}
16247 \def\endminipage{%
16248     \par
16249     \unskip
16250     \ifvoid\@mpfootins\else
16251         \vskip\skip\@mpfootins
16252         \normalcolor
16253         \bidi@mpfootnoterule
16254         \unvbox\@mpfootins
16255     \fi
16256     \c@minipagefalse %% added 24 May 89
16257     \color@endgroup
16258     \egroup
16259     \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
16260 \def\LTRthanks#1{\footnotemark
16261     \protected@xdef\@thanks{\@thanks
16262         \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
16263 }
16264 \def\LTRfootnotetext{%
16265     \@ifnextchar [\@xLTRfootnotenext
16266         {\protected@xdef\@thefnmark{\thempfn}%
16267         \@LTRfootnotetext}}
16268 \def\@xLTRfootnotenext[#1]{%
16269     \begingroup
16270         \csname c@\@mpfn\endcsname #1\relax
16271         \unrestored@protected@xdef\@thefnmark{\thempfn}%
16272     \endgroup
16273     \@LTRfootnotetext}
16274 \def\RTLthanks#1{\footnotemark
16275     \protected@xdef\@thanks{\@thanks
16276         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
16277 }
16278 \let\@thanks\empty
16279 \def\RTLfootnotetext{%
16280     \@ifnextchar [\@xRTLfootnotenext
16281         {\protected@xdef\@thefnmark{\thempfn}%
16282         \@RTLfootnotetext}}
16283 \def\@xRTLfootnotenext[#1]{%
16284     \begingroup
16285         \csname c@\@mpfn\endcsname #1\relax
16286         \unrestored@protected@xdef\@thefnmark{\thempfn}%
16287     \endgroup
16288     \@RTLfootnotetext}
16289 \leftfootnoterule

```



96 File footnotebackref-xetex-bidi.def

```
16290 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnotebackref]
16291 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
16292 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
16293
16294 \renewcommand*\LTRfootnote{%
16295     \refstepcounter{BackrefHyperFootnoteCounter}%
16296     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16297     \label{\BackrefFootnoteTag}%
16298     \c@ifnextchar[\Backref@OptLTHyperFootnote\Backref@HyperLTFootnote]{%
16299
16300 \renewcommand*\RTLfootnote{%
16301     \refstepcounter{BackrefHyperFootnoteCounter}%
16302     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16303     \label{\BackrefFootnoteTag}%
16304     \c@ifnextchar[\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote]{%
16305 \newcommand\Backref@HyperLTFootnote[1]{%
16306     \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}%
16307
16308 \newcommand\Backref@HyperRTLFootnote[1]{%
16309     \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}%
16310
16311 \newcommand\Backref@OptHyperLTFootnote[2][\empty] {%
16312     \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}%
16313
16314 \newcommand\Backref@OptHyperRTLFootnote[2][\empty] {%
16315     \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}%
16316
16317 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
16318 \ifFootnoteBackref@numberlinked
16319 \renewcommand{\footfootmark}{%
16320     \ifdim\footmarkwidth < \z@%
16321         \llap{\hb@xt@ -\footmarkwidth{%
16322             \hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16323         \hspace*{-\footmarkwidth}}%
16324     \else%
16325         \ifdim\footmarkwidth = \z@%
16326             {\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16327     \else%
16328         \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16329     \fi%
16330     \fi}%
16331 \renewcommand{\LTRfootfootmark}{%
16332     \ifdim\footmarkwidth < \z@%
16333         \llap{\hb@xt@ -\footmarkwidth{%
16334             \hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16335         \hspace*{-\footmarkwidth}}%
16336     \else%
16337         \ifdim\footmarkwidth = \z@%
16338             {\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16339     \else%
16340         \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16341     \fi}
```



```

16342 \fi}
16343 \renewcommand{\RTLfootfootmark}{%
16344 \ifdim\footmarkwidth < \z@%
16345 \llap{\hb@xt@ -\footmarkwidth{%
16346 \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16347 \hspace*{-\footmarkwidth}}}%
16348 \else%
16349 \ifdim\footmarkwidth = \z@%
16350 {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16351 \else%
16352 \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16353 \fi%
16354 \fi}%
16355 \fi%
16356 }

```

97 File framed-xetex-bidi.def

```

16357 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
16358 \renewcommand\TitleBarFrame[3] [] {\begingroup
16359 \ifx\delimiter#1\delimiter
16360 \let\TF@conlab\empty
16361 \else
16362 \def\TF@conlab{\% continuation label
16363 \nointerlineskip
16364 \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
16365 \fi
16366 \% \let\TF@savecolor\current@color
16367 \textcolor{TFFrameColor}{%
16368 \CustomFBox
16369 {\TF@Title{#2}\{\TF@conlab\}%
16370 \fboxrule\fboxrule\fboxrule\fboxrule
16371 {\let\current@color\TF@savecolor\set@color #3}%
16372 {\normalcolor #3}%
16373 }\endgroup
16374 }
16375 \renewenvironment{titled-frame}[1]{%
16376 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
16377 \TitleBarFrame{\textbf{#1}}}%
16378 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
16379 \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\textbf{#1}}%
16380 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
16381 \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\textbf{#1}\ (cont)}%
16382 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
16383 \TitleBarFrame{\textbf{#1}\ (cont)}}%
16384 \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
16385 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
16386 % could interfere with the width measurement.
16387 {\endMakeFramed}
16388 \chardef\FrameRestore=\catcode`\| % for debug
16389 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
16390 \def\fb@put@frame#1#2{\relax
16391 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
16392 | \message{===== Entering putframe =====^J

```



```

16393 |     \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
16394 | \ifinner
16395 |   \fb@putboxa#1%
16396 |   \fb@afterframe
16397 | \else
16398 |   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
16399 |   \ifdim\dimen@<2\baselineskip % Too little room on page
16400 |   \message{Page has only \the\dimen@space room left; eject. }%
16401 |   \eject \fb@adjheight \fb@put@frame#1#2%
16402 | \else % there's appreciable room left on the page
16403 |   \fb@sizeofframe#1%
16404 |   \message{\string\pagetotal=\the\pagetotal,
16405 |     \string\pagegoal=\the\pagegoal,
16406 |     \string\pagestretch=\the\pagestretch,
16407 |     \string\pageshrink=\the\pageshrink,
16408 |     \string\fb@frh=\the\fb@frh. \space}
16409 |   \message{^^JBox of size \the\ht\@tempboxa\space}%
16410 |   \begingroup % temporarily set \dimen@ to be...
16411 |   \advance\dimen@.8\pageshrink % maximum space available on page
16412 |   \advance\dimen@-\fb@frh\relax % max space available for frame's contents
16413 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
16414 |   \expandafter\endgroup
16415 |   % expand \ifdim, then restore \dimen@ to real room left on page
16416 |   \ifdim\dimen@>\ht\@tempboxa % whole box does fit
16417 |   \message{fits in \the\dimen@. }%
16418 |   % ToDo: Change this to use vsplit anyway to capture the marks
16419 |   % MERGE THIS WITH THE else CLAUSE!!!
16420 |   \fb@putboxa#1%
16421 |   \fb@afterframe
16422 | \else % box must be split
16423 |   \message{must be split to fit in \the\dimen@. }%
16424 |   % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
16425 |   \fb@sizeofframe#2%
16426 |   \setbox\@tempboxa\vbox{ % simulate frame and flexibility of the page:
16427 |     \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink
16428 |     \kern137sp\kern-137sp\penalty-30
16429 |     \unvbox\@tempboxa}%
16430 |   \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
16431 |     \splittopskip\the\splittopskip}%
16432 |   \boxmaxdepth\z@\splittopskip\z@
16433 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
16434 | % Split box here
16435 |   \setbox\@vsplit\@tempboxa to\dimen@
16436 |   \toks99\expandafter{\splitfirstmark}%
16437 |   \toks98\expandafter{\splitbotmark}%
16438 |   \message{Marks are: \the\toks99, \the\toks98. }%
16439 |   \setbox\@vbox{\unvbox\@tw@} % natural-sized
16440 |   \message{Natural height of split box is \the\ht\@tw@, leaving
16441 |     \the\ht\@tempboxa\space remainder. }%
16442 |   % If the split-to size > (\vsize-\topskip), then set box to full size.
16443 |   \begingroup
16444 |   \advance\dimen@\topskip
16445 |   \expandafter\endgroup
16446 |   \ifdim\dimen@>\pagegoal

```



```

16447 |     \message{Frame is big -- Use up the full column. }%
16448 |     \dimen@ii\pagegoal
16449 |     \advance\dimen@ii -\topskip
16450 |     \advance\dimen@ii \FrameHeightAdjust\relax
16451 |     \else % suspect this is implemented incorrectly:
16452 |       \% If the split-to size > feasible room_on_page, rebox it smaller.
16453 |       \advance\dimen@.8\pageshrink
16454 |       \ifdim\ht\tw@>\dimen@
16455 |         \message{Box too tall; rebox it to \the\dimen@. }%
16456 |         \dimen@ii\dimen@
16457 |       \else % use natural size
16458 |         \dimen@ii\ht\tw@
16459 |       \fi
16460 |     \fi
16461 |     \% Re-box contents to desired size \dimen@ii
16462 |     \advance\dimen@ii -\fb@frh
16463 |     \setbox\tw@\vbox to\dimen@ii \bgroup
16464 |     \% remove simulated frame and page flexibility:
16465 |     \vskip -\fb@frh \oplus-\pagestretch \ominus-.8\pageshrink
16466 |     \unvbox\tw@ \unpenalty\unpenalty
16467 |     \ifdim\lastkern=-137sp \% whole box went to next page
16468 |       \message{box split at beginning! }%
16469 |       \% need work here???
16470 |       \egroup \fb@resto@set \eject \% (\vskip for frame size was discarded)
16471 |       \fb@adjheight
16472 |       \fb@put@frame#1#2% INSERTED ???
16473 |     \else \% Got material split off at the head
16474 |       \egroup \fb@resto@set
16475 |       \ifvoid\@tempboxa \% it all fit after all
16476 |         \message{box split at end! }%
16477 |         \setbox\@tempboxa\box\tw@
16478 |         \fb@putboxa#1%
16479 |         \fb@afterframe
16480 |       \else \% it really did split
16481 |         \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
16482 |         \ifdim\wd\tw@>\z@
16483 |           \wd\tw@\wd\@tempboxa
16484 |           \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
16485 |         \else
16486 |           \message{Zero width means likely blank. Don't frame it (guess)}%
16487 |           \box\tw@
16488 |         \fi
16489 |         \hrule \height\z@ \width\hsize
16490 |         \eject
16491 |         \fb@adjheight
16492 |         \fb@put@frame\LastFrameCommand\MidFrameCommand
16493 |       \fi\fi\fi\fi\fi
16494 }
16495 \def\fb@putboxa#1{%
16496   \ifvoid\@tempboxa
16497     \PackageWarning{framed}{Boxa is void -- discard it. }%
16498   \else
16499   \message{Frame and place boxa. }%
16500   \{\showoutput\showbox\@tempboxa\}%

```



```

16501     \centerline{\#1{\hboxL{\box\@tempboxa}}}\%
16502   \fi
16503 }
16504 \catcode`\\=\FrameRestore
16505 \def\FrameRestore{%
16506   \let\ifnobreak\iffalse
16507   \let\ifnoskipsec\iffalse
16508   \let\-\@dischyp
16509   \let'@\accii\let`@\accii\let=\@acciii
16510   % \message{FrameRestore:
16511   %   \totallleftmargin=\the\totallleftmargin,
16512   %   \rightmargin=\the\rightmargin,
16513   %   \listdepth=\the\listdepth. }%
16514   % Test if we are in a list (or list-like paragraph)
16515   \ifnum \ifdim\@totallleftmargin>z@ 1\fi
16516     \ifdim\rightmargin>z@ 1\fi
16517     \ifnum\@listdepth>z@ 1\fi 0>z@
16518     % \message{In a list: \ linewidth=\the\ linewidth, \totallleftmargin=\the\@totallleftm
16519     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \ hsize=\the\ hsize,
16520     %   \labelwidth=\the\labelwidth. }%
16521   \setminipage % snug fit around the item
16522   % Now try to propagate changes of width from \ hsize to list parameters.
16523   % This is deficient, but a more advanced way to indicate modification to text
16524   % dimensions is not (yet) provided; in particular, no separate left/right
16525   % adjustment.
16526   \advance\ linewidth-\columnwidth \advance\ linewidth\ hsize
16527   \parshape\@ne \totallleftmargin \ linewidth
16528 \else % Not in list
16529   \ linewidth=\ hsize
16530   %\message{No list, set \string\ linewidth=\the\ hsize. }%
16531 \fi
16532 \sloppy
16533 }

```

98 File ftnright-xetex-bidi.def

```

16534 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
16535
16536 \def\prepare@bidi@copyins{%
16537   \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@%
16538   \global\skip\@bidi@copyins@\z@
16539   \global\count\@bidi@copyins@\z@
16540   \global\dimen\@bidi@copyins@\textheight}
16541
16542 \newskip\bidi@rcol@copyinsskip
16543
16544 \def\LTR@outputdblcol{%
16545   \if@firstcolumn
16546     \global\@firstcolumnfalse
16547     \global\setbox\@leftcolumn\copy\@outputbox
16548     \global\count\footins\@m
16549     \global\skip\footins\rcol@footinsskip
16550     \global\count\@bidi@copyins@\@m
16551     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip

```



```

16552   \splitmaxdepth\maxdimen
16553   \vbadness\maxdimen
16554   \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16555   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16556   \toks@\expandafter{\topmark}%
16557   \xdef\@firstcoltopmark{\the\toks@}%
16558   \toks@\expandafter{\splitfirstmark}%
16559   \xdef\@firstcolfirstmark{\the\toks@}%
16560   \ifx\@firstcolfirstmark\empty
16561     \global\let\@setmarks\relax
16562   \else
16563     \gdef\@setmarks{%
16564       \let\firstmark\@firstcolfirstmark
16565       \let\topmark\@firstcoltopmark}%
16566   \fi
16567 \else
16568   \preparefootins
16569   \prepare@bidi@copyins
16570   \global\@firstcolumntrue
16571   \setbox\@outputbox\vbox{%
16572     \hb@xt@\textwidth{%
16573       \hb@xt@\columnwidth{%
16574         \bidi@firstcolumn@status@write}%
16575         \box\@leftcolumn \hss}%
16576         \hfil
16577         {\normalcolor\vrule \@width\columnseprule}%
16578         \hfil
16579       \hb@xt@\columnwidth{%
16580         \bidi@lastcolumn@status@write}%
16581         \box\@outputbox \hss}}}}%
16582 \@combinedblfloats
16583   \@setmarks
16584   \@outputpage
16585   \begingroup
16586     \@dblfloatplacement
16587     \@startdblcolumn
16588     \@whilesw\if@fcolmade \fi{\@outputpage
16589     \@startdblcolumn}%
16590   \endgroup
16591 \fi}%
16592
16593 \def\RTL@outputdblcol{%
16594   \if@firstcolumn
16595     \global\@firstcolumnfalse
16596     \global\setbox\@leftcolumn\copy\@outputbox
16597     \global\count\footins\@m
16598     \global\skip\footins\rcol@footinsskip
16599     \global\count\@bidi@copyins\@m
16600     \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
16601     \splitmaxdepth\maxdimen
16602     \vbadness\maxdimen
16603     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16604     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16605     \toks@\expandafter{\topmark}%

```



```

16606 \xdef\@firstcoltopmark{\the\toks@}%
16607 \toks@\expandafter{\splitfirstmark}%
16608 \xdef\@firstcolfirstmark{\the\toks@}%
16609 \ifx\@firstcolfirstmark\empty
16610   \global\let\@setmarks\relax
16611 \else
16612   \gdef\@setmarks{%
16613     \let\firstmark\@firstcolfirstmark
16614     \let\topmark\@firstcoltopmark}%
16615   \fi
16616 \else
16617   \preparefootins
16618   \prepare@bidi@copyins
16619   \global\@firstcolumntrue
16620   \setbox\@outputbox\vbox{%
16621     \hb@xt@\textwidth{%
16622       \hskip \columnwidth
16623       \hfil
16624       {\normalcolor\vrule \width\columnseprule}%
16625       \hfil
16626       \hb@xt@\columnwidth{%
16627         \bidi@firstcolumn@status@write%
16628         \box\@leftcolumn \hss}%
16629         \hskip -\textwidth
16630         \hb@xt@\columnwidth{%
16631           \bidi@lastcolumn@status@write%
16632           \box\@outputbox \hss}%
16633             \hskip \columnsep
16634             \hskip \columnwidth }%}
16635   \combinedblfloats
16636   \@setmarks
16637   \@outputpage
16638   \begingroup
16639     \dblfloatplacement
16640     \startdblcolumn
16641     \whilesw\if@fcollmade \fi{\@outputpage
16642     \startdblcolumn}%
16643   \endgroup
16644 \fi}%
16645
16646 \def\@startcolumn{%
16647   \ifx\@deferlist\empty
16648     \global\@fcollmadefalse
16649     \global\@colroom\@colht
16650   \else
16651     \ifvoid\footins\else
16652       \ftn@amount\ht\footins
16653       \advance\ftn@amount\dp\footins
16654       \advance\ftn@amount\skip\footins
16655     \fi
16656     \ifvoid\@bidi@copyins\else
16657       \bidi@copyins@amount\ht\@bidi@copyins@
16658       \advance\bidi@copyins@amount\dp\@bidi@copyins@
16659       \advance\bidi@copyins@amount\skip\@bidi@copyins@

```



```

16660   \fi
16661   \global\advance\@colht-\ftn@amount
16662   \global\advance\@colht-\bidi@copyins@amount
16663   \global\@colroom\@colht
16664   \xstartcol
16665   \global\advance\@colht\ftn@amount
16666   \global\advance\@colroom\ftn@amount
16667   \global\advance\@colht\bidi@copyins@amount
16668   \global\advance\@colroom\bidi@copyins@amount
16669   \fi
16670   \if@fcolmade
16671     \setbox\@cclv\box\@outputbox
16672     \makecol
16673   \else
16674     \ifvoid\footins\else
16675       \insert\footins{\unvbox\footins}\fi
16676     \ifvoid@\bidi@copyins@\else
16677       \insert@\bidi@copyins@{\unvbox\@bidi@copyins@\}\fi
16678   \fi}
16679
16680 \newdimen\bidi@copyins@amount
16681
16682 \def\makecol{\if@firstcolumn
16683   \setbox\@outputbox\box\@cclv
16684   \if@twocolumn \else
16685     \ifvoid\footins \else
16686       \@latexerr{ftnright package
16687         used in one-column mode}%
16688       {The ftnright package was designed to
16689         work with LaTeX's standard^Jtwocolumn
16690         option. It does *not* work with the
16691         multicol package.^JSo please specify
16692         `twocolumn' in the
16693         \noexpand\documentclass command.}%
16694       \shipout\box\footins \fi
16695     \ifvoid@\bidi@copyins@\else
16696       \@latexerr{ftnright package
16697         used in one-column mode}%
16698       {The ftnright package was designed to
16699         work with LaTeX's standard^Jtwocolumn
16700         option. It does *not* work with the
16701         multicol package.^JSo please specify
16702         `twocolumn' in the
16703         \noexpand\documentclass command.}%
16704       \shipout\box@\bidi@copyins@\fi\fi
16705 \ifnum\insertpenalties>\z@
16706   \@latexerr{ftnright package
16707     scrambled footnotes}%
16708     {There is too much footnote material in
16709       the first column and ftnright^Jis
16710       unable to cope with this.^JYou need
16711       to reduce the amount to get a properly
16712       formatted page.}%
16713 \fi

```



```

16714 \else
16715 \ifvoid\footins
16716 \ifvoid\@bidi@copyins@
16717 \setbox\@outputbox\box\@cclv
16718 \else
16719 \setbox\@outputbox\vbox
16720 {\ifvoid\@cclv \else
16721 \unvbox\@cclv
16722 \vskip \skip\@bidi@copyins@
16723 \fi
16724 \color@begingroup
16725 \normalcolor
16726 \unvbox \@bidi@copyins@
16727 \color@endgroup}%
16728 \fi
16729 \else
16730 \setbox\@outputbox\vbox
16731 {\ifvoid\@cclv \else
16732 \unvbox\@cclv
16733 \vskip\skip\footins\fi
16734 \color@begingroup
16735 \normalcolor
16736 \footnoterule\unvbox\footins
16737 \color@endgroup
16738 \ifvoid\@bidi@copyins@
16739 \else
16740 \vskip \skip\@bidi@copyins@
16741 \color@begingroup
16742 \normalcolor
16743 \unvbox \@bidi@copyins@
16744 \color@endgroup
16745 \fi
16746 }%
16747 \fi
16748 \fi
16749 \xdef\@freelist{\@freelist\@midlist}%
16750 \global \let \@midlist \empty
16751 \@combinefloats
16752 \ifvbox\@kludgeins
16753 \makespecialcolbox
16754 \else
16755 \setbox\@outputbox\vbox to\@colht
16756 {\@boxmaxdepth\maxdepth
16757 \atexttop
16758 \tempdima\dp\@outputbox
16759 \unvbox\@outputbox
16760 \vskip-\tempdima
16761 \atextbottom}%
16762 \fi
16763 \global\maxdepth\@maxdepth
16764
16765 \let\leftfootnoterule\empty
16766 \let\rightfootnoterule\empty
16767 \let\textwidthfootnoterule\empty

```



```

16768 \let\autofootnoterule\@empty
16769 \let\footnoterule\@empty
16770 \long\def\@makefntext#1{\parindent 1em
16771   \noindent\hbox to 2em{#1}%
16772   \llap{\@thefnmark\hbox{.},,}#1}
16773
16774 \setlength{\skip\@bidi@copyins@}
16775   {10pt plus 5pt minus 3pt}
16776 \AtBeginDocument{\prepare@bidi@copyins}

```

99 File graphicx-xetex-bidi.def

```

16777 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
16778 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
16779   \Grot@setangle{#1}%
16780   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL
16781   \Grot@x\z@
16782   \Grot@y\z@
16783   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}%
16784 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16785   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL
16786   \Grot@x\width \divide\Grot@x\tw@
16787   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
16788   \setkeys{Grot}{#1}%
16789   \setbox\z@\box\@tempboxa
16790   \Grot@setangle{#2}%
16791   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16792   \end@tempboxa}%
16793 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16794   \leavevmode
16795   \def\Gscale@x{#1}\def\Gscale@y{#2}%
16796   \setbox\z@\hbox{#3}%
16797   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
16798   \ifdim#2\p@<\z@
16799   \ht\tw@-#2\dp\z@
16800   \dp\tw@-#2\ht\z@
16801   \else
16802   \ht\tw@#2\ht\z@
16803   \dp\tw@#2\dp\z@
16804   \fi
16805   \ifdim#1\p@<\z@
16806   \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
16807   \else
16808   \wd\tw@#1\wd\z@
16809   \box\tw@
16810   \fi\ifmmode\else\if@RTL\endL\fi\fi}%
16811 \def\Gin@iii[#1,#2][#3,#4]#5{%
16812   \begingroup
16813   \ifmmode\else\if@RTL\beginL\fi\fi
16814   \Gin@bboxtrue
16815   \Gin@defaultbp\Gin@llx{#1}%
16816   \Gin@defaultbp\Gin@lly{#2}%
16817   \Gin@defaultbp\Gin@urx{#3}%
16818   \Gin@defaultbp\Gin@ury{#4}%

```



```

16819  \Ginclude@graphics{#5}%
16820  \ifmmode\else\if@RTL\endL\fi\fi
16821  \endgroup}
16822 \def\Gin@ii[#1]#2{%
16823   \def\@tempa{} \def\@tempb{#2}%
16824   \ifx\@tempa\@tempb
16825     \def\@tempa{\Gin@iii[#1] []}%
16826     \expandafter\@tempa
16827   \else
16828     \begingroup
16829       \ifmmode\else\if@RTL\beginL\fi\fi
16830       \tempswafalse
16831       \toks@\{\Ginclude@graphics{#2}}%
16832       \setkeys{Gin}{#1}%
16833       \Gin@esetsize
16834       \the\toks@
16835       \ifmmode\else\if@RTL\endL\fi\fi
16836     \endgroup
16837   \fi}
16838 \def\reflectbox{\bidiGscale@box-1[1]}
16839 \long\def\bidiGscale@box#1[#2]{\ifmmode\else\if@RTL\beginL\fi\fi%
16840   \leavevmode
16841   \def\Gscale@x{#1}\def\Gscale@y{#2}%
16842   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL
16843   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
16844   \ifdim#2\p@<\z@
16845     \ht\tw@-#2\dp\z@
16846     \dp\tw@-#2\ht\z@
16847   \else
16848     \ht\tw@#2\ht\z@
16849     \dp\tw@#2\dp\z@
16850   \fi
16851   \ifdim#1\p@<\z@
16852     \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
16853   \else
16854     \wd\tw@#1\wd\z@
16855     \box\tw@
16856   \fi\ifmmode\else\if@RTL\endL\fi\fi}
16857 \def\scalebox#1{%
16858   \ifnextchar[\bidiGscale@box{#1}]{\bidiGscale@box{#1}[#1]}%
16859 \def\resizebox{%
16860   \leavevmode
16861   \ifstar{\bidiGscale@box\totalheight}{\bidiGscale@box\height}%
16862 \def\bidiGscale@box#1#2#3{%
16863   \let\@tempa\Gin@exclamation
16864   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
16865   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
16866   \ifx\@tempb\@tempa
16867     \ifx\@tempc\@tempa
16868       \toks@\{\mbox}%
16869     \else
16870       \toks@\{\bidiGscale@box@dd{#3}#1}%
16871     \fi
16872   \else
```



```
16873 \ifx@\tempc@\tempa
16874   \toks@{\bidiGscale@box@dd{#2}\width}%
16875 \else
16876   \toks@{\bidiGscale@box@dddd{#2}\width{#3}{#1}}%
16877 \fi
16878 \fi
16879 \the\toks@
16880 \long\def\bidiGscale@box@dd#1#2#3{%
16881   \obegin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\endR\fi\fi}
16882   \setlength\@tempdima{#1}%
16883   \setlength\@tempdimb{#2}%
16884   \Gscale@div\@tempa\@tempdima\@tempdimb
16885   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
16886 \cend@tempboxa}
16887 \long\def\bidiGscale@box@dddd#1#2#3#4#5{%
16888   \obegin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\endR\fi\fi}
16889   \setlength\@tempdima{#1}%
16890   \setlength\@tempdimb{#2}%
16891   \Gscale@div\@tempa\@tempdima\@tempdimb
16892   \setlength\@tempdima{#3}%
16893   \setlength\@tempdimb{#4}%
16894   \Gscale@div\@tempb\@tempdima\@tempdimb
16895 \ifGin@iso
16896   \ifdim\@tempa\p@>\@tempb\p@
16897     \let\@tempa\@tempb
16898   \else
16899     \let\@tempb\@tempa
16900   \fi
16901 \fi
16902   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
16903 \cend@tempboxa}
```

100 File geometry-xetex-bidi.def

```
16904 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
16905 \renewcommand*{\Gm@vrules@mpi}{%
16906 \if@RTLmain%
16907     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
16908         \llap{\Gm@vrule}\ignorespaces
16909         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
16910         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}}%
16911 \else%
16912     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
16913         \hskip \textwidth\Gm@vrule\hskip \marginparsep
16914         \llap{\Gm@vrule}\hfil\Gm@vrule\fi}}%
16915 \renewcommand*{\Gm@vrules@mpi}{%
16916 \if@RTLmain%
16917     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
16918         \hskip \textwidth\Gm@vrule\hskip \marginparsep
16919         \llap{\Gm@vrule}\hfil\Gm@vrule}}%
16920 \else%
16921     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
16922         \llap{\Gm@vrule}\ignorespaces
16923         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
```



```

16924 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
16925 \bidi@patchcmd{\Gm@pageframes}{%
16926     \ifodd\count\z@%
16927         \let\@themargin\oddsidemargin%
16928     \else%
16929         \let\@themargin\evensidemargin%
16930     \fi%
16931 }{%
16932     \ifodd\count\z@%
16933         \if@RTLmain%
16934             \let\@themargin\evensidemargin%
16935         \else%
16936             \let\@themargin\oddsidemargin%
16937         \fi%
16938     \else%
16939         \if@RTLmain%
16940             \let\@themargin\oddsidemargin%
16941         \else%
16942             \let\@themargin\evensidemargin%
16943         \fi%
16944     \fi%
16945 }{}{%

```

101 File `hvffloat-xetex-bidi.def`

```

16946 \ProvidesFile{hvffloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvffloat package f%
16947 \def\do@hvFloat[#1]#2#3{%
16948   \def\hv@shortCap{#1}%
16949   \def\hv@longCap{#2}%
16950   \def\hv@label{#3}%
16951 \%newcommand*\hvFloat[5][]{%
16952 % [#1]: keyvalues%
16953 % #2: type figure | table | ...
16954 % #3: float contents%
16955 % [#4]: short caption%
16956 % #5: caption%
16957 % #6: label%
16958 \%setDefaults%
16959 \%def\@tempa{#1}%
16960 \%ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty%
16961 \def\@tempa{90}%
16962 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}%
16963 \else \setlength{\hvMaxCapWidth}{\linewidth}%
16964 \fi%
16965 %
16966 % First we save the object in \hvObjectBox%
16967 %
16968 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
16969   \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvObject}\else\hv@floatObject\fi}%
16970 \else%
16971   \savebox{\hvObjectBox}{%
16972     \rotatebox{\hvSet@objectAngle}{%
16973       \ifhv@useOBox\usebox{\hvObject}\else\hv@floatObject\fi}}%
16974 \fi

```



```

16975 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
16976 %
16977 % Now we save the caption with its defined \hvCapWidth
16978 %
16979 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
16980 \else
16981 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
16982 \else
16983 \setlength{\hvCapWidth}{\hvObjectWidth}
16984 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
16985 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
16986 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
16987 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
16988 \else
16989 \setlength{\hvCapWidth}{\hvMaxCapWidth}
16990 \fi
16991 \fi
16992 \fi
16993 %
16994 % now we have the object and the caption with the right
16995 % rotated angles saved in boxes
16996 %
16997 \def\fps@figure{\hvSet@floatPos}
16998 \ifhv@nonFloat\begin{group}% Start the nonfloat part
16999 \else \begin{\hv@floatType}% Start the floating environment
17000 \fi%
17001 \saveCaptionSkip% we put this space ourselves
17002 \ifx\hvSet@capAngle\hv@Width % need rotation?
17003 \sbox{\hvCaptionBox}%
17004 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17005 \ifhv@nonFloat%
17006 \ifhv@onlyText#2%
17007 \else%
17008 \ifx\hv@floatType\hv@figure
17009 \relax\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
17010 \else
17011 \relax\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
17012 \fi
17013 \fi
17014 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
17015 \fi%
17016 \label{#3}%
17017 \end{minipage}%
17018 }%
17019 \else%
17020 \sbox{\hvCaptionBox}%
17021 \rotatebox{\hvSet@capAngle}%
17022 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17023 \ifhv@nonFloat%
17024 \ifhv@onlyText#2%
17025 \else%
17026 \ifx\hv@floatType\hv@figure
17027 \relax\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
17028 \else

```



```

17029      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
17030      \fi
17031      \fi
17032 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
17033      \fi%
17034      \label{#3}%
17035      \end{minipage}%
17036      }%
17037      }%
17038 \fi%
17039 %%%
17040 \restoreCaptionSkip% save old values
17041 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
17042 \else%
17043     \ifx\hvSet@objectPos\hv@Center
17044         \ifhv@nonFloat\hspace*\{\fill\}\else\centering\fi%
17045     \fi%
17046 \fi%
17047 %
17048 % to rotate object and caption together, we save all in another box
17049 % the caption comes first, if its on the left or the top
17050 %
17051 \savebox{@tempboxa}{%
17052 \ifx\hvSet@capPos\hv@Left % caption on left side
17053 \if@RTL%
17054 \ifx\hvSet@capVPos\hv@Center%
17055     \ifhv@fbox
17056         \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
17057     \else
17058         \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17059     \fi%
17060     \hspace{\hvSet@floatCapSep pt}%
17061     \ifhv@fbox
17062         \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17063     \else
17064         \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
17065     \fi%
17066 \else%
17067     \ifx\hvSet@capVPos\hv@Top
17068         \ifhv@fbox
17069             \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17070         \else
17071             \raisebox{-\height}{\usebox{\hvObjectBox}}%
17072         \fi%
17073         \hspace{\hvSet@floatCapSep pt}%
17074         \ifhv@fbox
17075             \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17076         \else
17077             \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17078         \fi
17079     \else
17080         \ifhv@fbox
17081             \fbox{\usebox{\hvObjectBox}}%
17082     \else

```



```

17083      \usebox{\hvObjectBox}%
17084      \fi
17085      \hskip{\hvSet@floatCapSep pt}%
17086      \ifhv@fbox
17087          \fbox{\usebox{\hvCaptionBox}}%
17088      \else
17089          \usebox{\hvCaptionBox}%
17090      \fi%
17091      \fi%
17092 \fi%
17093 \else% not RTL
17094     \ifx\hvSet@capVPos\hv@Center%
17095         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17096         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17097         \fi%
17098     \hskip{\hvSet@floatCapSep pt}% capfloatsep
17099     \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17100     \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
17101     \fi%
17102 \else%
17103     \ifx\hvSet@capVPos\hv@Top % caption at top
17104         \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17105         \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17106         \fi
17107         \hskip{\hvSet@floatCapSep pt}% capfloatsep
17108         \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17109         \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
17110         \fi%
17111     \else% caption on bottom
17112         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17113             \else\usebox{\hvCaptionBox}
17114             \fi%
17115             \hskip{\hvSet@floatCapSep pt}%
17116             \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17117             \else     \usebox{\hvObjectBox}
17118             \fi%
17119         \fi%
17120 \fi% end of RTL
17121 \fi%
17122 \else
17123     \ifx\hvSet@capPos\hv@Top
17124         \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17125             \begin{minipage}{\wd\hvCaptionBox}
17126             \else
17127                 \begin{minipage}{\wd\hvObjectBox}
17128                 \fi
17129                 \centering
17130                 \ifhv@fbox
17131                     \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
17132                     \fbox{\usebox{\hvObjectBox}}
17133                 \else
17134                     \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
17135                     \usebox{\hvObjectBox}
17136                 \fi%

```



```

17137     \end{minipage}
17138 \else
17139   \ifx\hvSet@capPos\hv@Bottom
17140     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17141       \begin{minipage}{\wd\hvCaptionBox}
17142         \else
17143           \begin{minipage}{\wd\hvObjectBox}
17144             \fi
17145             \centering
17146             \ifhv@fbox
17147               \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
17148               \fbox{\usebox{\hvCaptionBox}}
17149             \else
17150               \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
17151               \usebox{\hvCaptionBox}
17152             \fi%
17153           \end{minipage}
17154         \else% the last option: put the caption on the right
17155 \if@RTL%
17156   \ifx\hvSet@capVPos\hv@Center%
17157     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17158     \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17159     \fi%
17160   \hspace{\hvSet@floatCapSep pt}%
17161   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17162   \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
17163   \fi%
17164 \else%
17165   \ifx\hvSet@capVPos\hv@Top % caption at top
17166     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17167     \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17168     \fi
17169   \hspace{\hvSet@floatCapSep pt}%
17170   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17171   \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
17172   \fi%
17173 \else% caption on bottom
17174   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17175     \else\usebox{\hvCaptionBox}
17176   \fi%
17177   \hspace{\hvSet@floatCapSep pt}%
17178   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17179   \else \usebox{\hvObjectBox}%
17180   \fi%
17181   \fi%
17182 \fi%
17183 \else% not RTL
17184   \ifx\hvSet@capVPos\hv@Center%
17185   \ifhv@fbox
17186     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17187   \else
17188     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
17189   \fi%
17190   \hspace{\hvSet@floatCapSep pt}%

```



```

17191 \ifhv@fbox
17192   \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17193 \else
17194   \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
17195 \fi%
17196 \else%
17197   \ifx\hvSet@capVPos\hv@Top
17198     \ifhv@fbox
17199       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17200     \else
17201       \raisebox{-\height}{\usebox{\hvObjectBox}}%
17202     \fi%
17203   \hskip{\hvSet@floatCapSep pt}%
17204   \ifhv@fbox
17205     \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17206   \else
17207     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17208   \fi
17209 \else
17210   \ifhv@fbox
17211     \fbox{\usebox{\hvObjectBox}}%
17212   \else
17213     \usebox{\hvObjectBox}%
17214   \fi
17215   \hskip{\hvSet@floatCapSep pt}%
17216   \ifhv@fbox
17217     \fbox{\usebox{\hvCaptionBox}}%
17218   \else
17219     \usebox{\hvCaptionBox}%
17220   \fi%
17221 \fi%
17222 \fi
17223 \fi% end of RTL
17224   \fi
17225   \fi
17226   \fi
17227 }% End savebox Object and caption
17228 %
17229 % now we rotate the object and caption, if needed
17230 %
17231 \ifx\hvSet@rotAngle\hv@Zero
17232   \usebox{\@tempboxa}
17233 \else
17234   \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
17235 \fi
17236 \ifhv@nonFloat
17237   \ifx\hvSet@objectPos\hv@Center
17238     \ifhv@nonFloat
17239       \hskip{\fill}
17240     \fi
17241   \fi
17242 \endgroup% End the nonfloat part
17243 \else
17244 \end{\hv@floatType}%

```



```
17245 \fi  
17246 }
```

102 File hyperref-xetex-bidi.def

```
17247 \ProvidesFile{hyperref-xetex-bidi.def}[2025/01/05 v1.3 bidi adaptations for hyperref package  
17248 \AtBeginDocument{  
17249 \def\contentsline#1#2#3#4{  
17250   \ifx\\#4\\%  
17251     \csname l@#1\endcsname{#2}{#3}%  
17252   \else  
17253     \ifcase\Hy@linktoc % none  
17254       \csname l@#1\endcsname{#2}{#3}%  
17255     \or % section  
17256       \csname l@#1\endcsname{  
17257         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend  
17258       }{#3}%  
17259     \or % page  
17260       \csname l@#1\endcsname{{#2}}{  
17261         \hyper@linkstart{link}{#4}{#3}\hyper@linkend  
17262       }%  
17263   \else % all  
17264     \csname l@#1\endcsname{  
17265       \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend  
17266     }%  
17267       \hyper@linkstart{link}{#4}{#3}\hyper@linkend  
17268     }%  
17269   \fi  
17270 \fi  
17271 }  
17272 \ifHy@hyperfootnotes  
17273   \let\H@footnotetext\@footnotetext  
17274   \let\HRTL@RTLfootnotetext\@RTLfootnotetext  
17275   \let\HLTR@LTRfootnotetext\@LTRfootnotetext  
17276   \def\@xfootnotenext[#1]{%  
17277     \begingroup  
17278       \csname c@\@mpfn\endcsname #1\relax  
17279       \unrestored@protected@xdef\@thefnmark{\thempfn}%">  
17280     \endgroup  
17281     \ifx\@footnotetext\@mpfootnotetext  
17282       \expandafter\H@mpfootnotetext  
17283     \else  
17284       \expandafter\H@mpfootnotetext  
17285     \fi  
17286   }%  
17287   \def\@xRTLfootnotenext[#1]{%  
17288   \begingroup  
17289     \csname c@\@mpfn\endcsname #1\relax  
17290     \unrestored@protected@xdef\@thefnmark{\thempfn}%">  
17291   \endgroup  
17292   \ifx\@RTLfootnotetext\@mpRTLfootnotetext  
17293     \expandafter\HRTL@mpRTLfootnotetext  
17294   \else  
17295     \expandafter\HRTL@RTLfootnotetext
```



```

17296     \fi
17297 }%
17298     \def\@xLTRfootnotenext[#1]{%
17299         \begingroup
17300             \csname c@\@mpfn\endcsname #1\relax
17301             \unrestored@protected@xdef\@thefnmark{\thempfn}%
17302         \endgroup
17303         \ifx\@LTRfootnotetext\@mpLTRfootnotetext
17304             \expandafter\HLTR@@mpLTRfootnotetext
17305         \else
17306             \expandafter\HLTR@@LTRfootnotetext
17307         \fi
17308 }%
17309     \def\@xfootnotemark[#1]{%
17310         \begingroup
17311             \c@footnote #1\relax
17312             \unrestored@protected@xdef\@thefnmark{\thefootnote}%
17313         \endgroup
17314         \H@@footnotemark
17315 }%
17316     \let\H@mpfootnotetext\@mpfootnotetext
17317     \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
17318     \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
17319     \long\def\@mpfootnotetext#1{%
17320         \H@@mpfootnotetext{%
17321             \ifHy@nesting
17322                 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17323             \else
17324                 \Hy@raisedlink{%
17325                     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17326                 }#1%
17327             \fi
17328         }%
17329     }%
17330     \long\def\@mpRTLfootnotetext#1{%
17331         \HRTL@mpRTLfootnotetext{%
17332             \ifHy@nesting
17333                 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17334             \else
17335                 \Hy@raisedlink{%
17336                     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17337                 }#1%
17338             \fi
17339         }%
17340     }%
17341     \long\def\@mpLTRfootnotetext#1{%
17342         \HLTR@mpLTRfootnotetext{%
17343             \ifHy@nesting
17344                 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17345             \else
17346                 \Hy@raisedlink{%
17347                     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17348                 }#1%
17349             \fi

```



```

17350      }%
17351  }%
17352  \long\def\@footnotetext#1{%
17353  \H@@footnotetext{%
17354    \ifHy@nesting
17355      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17356    \else
17357      \Hy@raisedlink{%
17358        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17359      }%
17360      \let\@currentHlabel\Hy@footnote@currentHlabel
17361      \let\@currentHref\Hy@footnote@currentHref
17362      \let\@currentlabelname\@empty
17363      #1%
17364    \fi
17365  }%
17366  }%
17367  \long\def\@RTLfootnotetext#1{%
17368  \HRTL@@RTLfootnotetext{%
17369    \ifHy@nesting
17370      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17371    \else
17372      \Hy@raisedlink{%
17373        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17374      }%
17375      \let\@currentHlabel\Hy@footnote@currentHlabel
17376      \let\@currentHref\Hy@footnote@currentHref
17377      \let\@currentlabelname\@empty
17378      #1%
17379    \fi
17380  }%
17381  }%
17382  \long\def\@LTRfootnotetext#1{%
17383  \HLTR@@LTRfootnotetext{%
17384    \ifHy@nesting
17385      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17386    \else
17387      \Hy@raisedlink{%
17388        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17389      }%
17390      \let\@currentHlabel\Hy@footnote@currentHlabel
17391      \let\@currentHref\Hy@footnote@currentHref
17392      \let\@currentlabelname\@empty
17393      #1%
17394    \fi
17395  }%
17396  }%
17397  \ApplyPatchCodeToPackage{tabularx}{%
17398  \let\HyOrg@TX@endtabularx\TX@endtabularx
17399  \def\Hy@tabularx@hook{%
17400    \let\@footnotetext\H@@footnotetext
17401    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
17402    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
17403    \let\@footnotemark\H@@footnotemark

```



```

17404     \let\@mpfootnotetext\H@mpfootnotetext
17405     \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
17406     \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
17407 }%
17408 \begingroup
17409   \toks@\expandafter{\TX@endtabularx}%
17410   \xdef\Hy@gtemp{%
17411     \noexpand\Hy@tabularx@hook
17412     \the\toks@
17413   }%
17414 \endgroup
17415 \let\TX@endtabularx\Hy@gtemp
17416 }%
17417 \ApplyPatchCodeToPackage{longtable}{%
17418 \CheckCommand*{\LT@p@LTRftntext}[1]{%
17419   \edef\@tempa{%
17420     \the\LT@p@ftn
17421     \noexpand\LTRfootnotetext[\the\c@footnote]%
17422   }%
17423   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17424 }%
17425 \long\def\LT@p@LTRftntext#1{%
17426   \edef\@tempa{%
17427     \the\LT@p@ftn
17428     \begingroup
17429       \noexpand\c@footnote=\the\c@footnote\relax
17430       \noexpand\protected\xdef\noexpand\@thefnmark{%
17431         \noexpand\thempfn
17432       }%
17433       \noexpand\Hy@LT@LTRfootnotetext{%
17434         \Hy@footnote@currentHref
17435       }%
17436     }%
17437     \global\LT@p@ftn\expandafter{%
17438       \@tempa{#1}%
17439     }%
17440   }%
17441 }%
17442 \long\def\Hy@LT@LTRfootnotetext#1#2{%
17443   \HLTR@LTRfootnotetext{%
17444     \ifHy@nesting
17445       \hyper@@anchor{#1}{#2}%
17446     \else
17447       \Hy@raisedlink{%
17448         \hyper@@anchor{#1}{\relax}%
17449       }%
17450       \def\@currentHref{#1}%
17451       \let\@currentlabelname\@empty
17452       #2%
17453     \fi
17454   }%
17455 }%
17456 \CheckCommand*{\LT@p@RTLftntext}[1]{%
17457   \edef\@tempa{%

```



```

17458     \the\LT@p@ftn
17459     \noexpand\RTLfootnotetext[\the\c@footnote]%
17460   }%
17461   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17462 }%
17463 \long\def\LT@p@RTLftntext#1{%
17464   \edef\@tempa{%
17465     \the\LT@p@ftn
17466     \begingroup
17467       \noexpand\c@footnote=\the\c@footnote\relax
17468       \noexpand\protected@xdef\noexpand\@thefnmark{%
17469         \noexpand\thempfn
17470       }%
17471       \noexpand\Hy@LT@RTLfootnotetext{%
17472         \Hy@footnote@currentHref
17473       }%
17474     }%
17475     \global\LT@p@ftn\expandafter{%
17476       \@tempa{#1}}%
17477     \endgroup
17478   }%
17479 }%
17480 \long\def\Hy@LT@RTLfootnotetext#1#2{%
17481   \HRTL@RTLfootnotetext{%
17482     \ifHy@nesting
17483       \hyper@@anchor{#1}{#2}%
17484     \else
17485       \Hy@raisedlink{%
17486         \hyper@@anchor{#1}{\relax}%
17487       }%
17488       \def\@currentHref{#1}%
17489       \let\@currentlabelname\@empty
17490       #2%
17491     \fi
17492   }%
17493 }%
17494 }%
17495 \ApplyPatchCodeToPackage{bidipoem}{%
17496 \long\def\bidiopem@p@ftntext#1{%
17497   \edef\@tempx{%
17498     \the\bidiopem@p@ftn
17499     \begingroup
17500       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17501       \noexpand\protected@xdef\noexpand\@thefnmark{%
17502         \noexpand\thempfn
17503       }%
17504       \noexpand\Hy@bidipoem@footnotetext{%
17505         \Hy@footnote@currentHref
17506       }%
17507     }%
17508     \global\bidiopem@p@ftn\expandafter{%
17509       \@tempx{#1}}%
17510     \endgroup
17511   }%

```



```

17512 }%
17513 \long\def\Hy@bidipoem@footnotetext#1#2{%
17514   \H@@footnotetext{%
17515     \ifHy@nesting
17516       \hyper@@anchor{#1}{#2}%
17517     \else
17518       \Hy@raisedlink{%
17519         \hyper@@anchor{#1}{\relax}%
17520       }%
17521     \def\@currentHref{#1}%
17522     \let\@currentlabelname\@empty
17523     #2%
17524   \fi
17525 }%
17526 }%
17527   \long\def\bidipoem@p@LTRftnttext#1{%
17528     \edef\@tempxi{%
17529       \the\bidipoem@p@ftn
17530       \begingroup
17531         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17532         \noexpand\protected@xdef\noexpand\@thefnmark{%
17533           \noexpand\thempfn
17534         }%
17535         \noexpand\Hy@bidipoem@LTRfootnotetext{%
17536           \Hy@footnote@currentHref
17537         }%
17538       }%
17539     \global\bidipoem@p@ftn\expandafter{%
17540       \@tempxi{#1}%
17541     \endgroup
17542   }%
17543 }%
17544 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
17545   \HLTR@@LTRfootnotetext{%
17546     \ifHy@nesting
17547       \hyper@@anchor{#1}{#2}%
17548     \else
17549       \Hy@raisedlink{%
17550         \hyper@@anchor{#1}{\relax}%
17551       }%
17552     \def\@currentHref{#1}%
17553     \let\@currentlabelname\@empty
17554     #2%
17555   \fi
17556 }%
17557 }%
17558   \long\def\bidipoem@p@RTLftnttext#1{%
17559     \edef\@tempxi{%
17560       \the\bidipoem@p@ftn
17561       \begingroup
17562         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17563         \noexpand\protected@xdef\noexpand\@thefnmark{%
17564           \noexpand\thempfn
17565         }%

```



```

17566     \noexpand\Hy@bidipoem@RTLfootnotetext{%
17567         \Hy@footnote@currentHref
17568     }%
17569 }%
17570 \global\bidipoem@p@ftn\expandafter{%
17571     \tempxii{#1}%
17572     \endgroup
17573 }%
17574 }%
17575 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
17576     \HRTL@RTLfootnotetext{%
17577         \ifHy@nesting
17578             \hyper@@anchor{#1}{#2}%
17579         \else
17580             \Hy@raisedlink{%
17581                 \hyper@@anchor{#1}{\relax}%
17582             }%
17583             \def\@currentHref{#1}%
17584             \let\@currentlabelname\@empty
17585             #2%
17586             \fi
17587         }%
17588     }%
17589 }%
17590 \let\HyOrg@maketitle\maketitle
17591 \def\maketitle{%
17592     \let\Hy@saved@footnotemark\@footnotemark
17593     \let\Hy@saved@footnotetext\@footnotetext
17594     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
17595     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
17596     \let\@footnotemark\H@@footnotemark
17597     \let\@footnotetext\H@@footnotetext
17598     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
17599     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
17600     \c@ifnextchar[\Hy@maketitle@optarg{%
17601         \HyOrg@maketitle
17602         \Hy@maketitle@end
17603     }%
17604 }%
17605 \def\Hy@maketitle@optarg[#1]{%
17606     \HyOrg@maketitle[{#1}]%
17607     \Hy@maketitle@end
17608 }%
17609 \def\Hy@maketitle@end{%
17610     \ifx\@footnotemark\H@@footnotemark
17611         \let\@footnotemark\Hy@saved@footnotemark
17612     \fi
17613     \ifx\@footnotetext\H@@footnotetext
17614         \let\@footnotetext\Hy@saved@footnotetext
17615     \fi
17616     \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
17617         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
17618     \fi
17619     \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext

```



```

17620      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
17621      \fi
17622  }%
17623 \def\realfootnote{%
17624   \@ifnextchar[\@footnote{%
17625     \stepcounter{\@mpfn}%
17626     \protected@xdef\@thefnmark{\thempfn}%
17627     \H@@footnotemark\H@@footnotetext
17628   }%
17629 }%
17630 \fi
17631 \def\Hy@BeginAnnot#1{%
17632   \ifmmode\else\beginL\fi%
17633   \global\advance\c@Hy@AnnotLevel\@ne
17634   \ifnum\c@Hy@AnnotLevel=\@ne
17635     #1%
17636   \fi
17637 }
17638 \def\Hy@EndAnnot{%
17639   \ifnum\c@Hy@AnnotLevel=\@ne
17640     \Hy@endcolorlink
17641     \pdf@mark{eann}%
17642   \fi
17643   \global\advance\c@Hy@AnnotLevel\m@ne
17644   \ifmmode\else\endL\fi%
17645 }
17646 \def\hyper@link#1#2#3{%
17647   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi\fi
17648 }
17649 \def\hyper@linkfile#1#2#3{%
17650   \leavevmode
17651   \Hy@BeginAnnot{%
17652     \def\Hy@pstringF{#2}%
17653     \Hy@CleanupFile\Hy@pstringF
17654     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
17655     \Hy@pstringdef\Hy@pstringD{#3}%
17656     \Hy@MakeRemoteAction
17657     \pdf@mark{%
17658       bann<<%
17659       /Type/Annot%
17660       /Subtype/Link%
17661       \ifHy@pdfa /F 4\fi
17662       \Hy@setpdfborder
17663       \ifx\@filebordercolor\relax
17664         \else
17665           /C[\@filebordercolor]%
17666         \fi
17667       /A<<%
17668         /S/GoToR%
17669         /F(\Hy@pstringF)%
17670         /D%
17671         \ifx\#3\%
17672           [\Hy@href@page\@pdfremotestartview]%
17673         \else

```



```

17674          (\Hy@pstringD)%
17675          \fi
17676          \Hy@SetNewWindow
17677          \Hy@href@nextactionraw
17678          >>%
17679          >>%
17680      }%
17681      \Hy@colorlink\@filecolor
17682  }%
17683 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17684 \Hy@EndAnnot
17685 }
17686 \def\@hyper@launch run:#1\\#2#3{%
17687   \leavevmode
17688   \Hy@BeginAnnot{%
17689     \Hy@pstringdef\Hy@pstringF{#1}%
17690     \Hy@pstringdef\Hy@pstringP{#3}%
17691     \pdfmark{%
17692       bann<<%
17693       /Type/Annot%
17694       /Subtype/Link%
17695       \ifHy@pdfa /F 4\fi
17696       \Hy@setpdfborder
17697       \ifx\@runbordercolor\relax
17698       \else
17699         /C[\@runbordercolor]%
17700       \fi
17701     /A<<%
17702       /F(\Hy@pstringF)%
17703       /S/Launch%
17704       \Hy@SetNewWindow
17705       \ifx\#3\%
17706       \else
17707         /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
17708       \fi
17709       \Hy@href@nextactionraw
17710       >>%
17711     >>%
17712   }%
17713   \Hy@colorlink\@uncolor
17714 }%
17715 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17716 \Hy@EndAnnot
17717 }
17718 \def\hyper@linkurl#1#2{%
17719   \leavevmode
17720   \Hy@BeginAnnot{%
17721     \Hy@pstringdef\Hy@pstringURI{#2}%
17722     \pdfmark{%
17723       bann<<%
17724       /Type/Annot%
17725       /Subtype/Link%
17726       \ifHy@pdfa /F 4\fi
17727       \Hy@setpdfborder

```



```

17728      \ifx\@urlbordercolor\relax
17729      \else
17730          /C[\@urlbordercolor]%
17731      \fi
17732  /A<<%
17733      /S/URI%
17734      /URI(\Hy@pstringURI)%
17735      \ifHy@href@ismap
17736          /IsMap true%
17737      \fi
17738      \Hy@href@nextactionraw
17739      >>%
17740      >>%
17741  }%
17742      \Hy@colorlink\@urlcolor
17743  }%
17744  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17745  \Hy@EndAnnot
17746 }
17747 \def\Acrobatmenu#1#2{%
17748     \Hy@Acrobatmenu{#1}{#2}{%
17749         \Hy@BeginAnnot{%
17750             \EdefEscapeName\Hy@temp@menu{#1}%
17751             \opdfm@mark{%
17752                 bann<<%
17753                 /Type/Annot%
17754                 /Subtype/Link%
17755                 \ifHy@pdflatex/F 4\fi
17756                 \Hy@setpdfborder
17757                 \ifx\@menubordercolor\relax
17758                 \else
17759                     /C[\@menubordercolor]%
17760                 \fi
17761                 /A<<%
17762                     /S/Named%
17763                     /N/\Hy@temp@menu
17764                     \Hy@href@nextactionraw
17765                 >>%
17766                 >>%
17767             }%
17768             \Hy@colorlink\@menucolor
17769         }%
17770         \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17771         \Hy@EndAnnot
17772     }%
17773 }
17774 \def\hyper@natlinkstart#1{%
17775     \Hy@backout{#1}%
17776     \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
17777     \def\hyper@nat@current{#1}%
17778 }
17779 \def\hyper@natlinkend{%
17780     \if@RTL\endR\fi\hyper@linkend
17781 }

```



```

17782 \def\hyper@natlinkbreak#1#2{%
17783   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.\#2}\if@RTL\beginR\fi%
17784 }%
17785 }%
17786 \pdfstringdefDisableCommands{%
17787 \let\LRE\@firstofone
17788 \let\LR\@firstofone
17789 \let\RLE\@firstofone
17790 \let\RL\@firstofone
17791 \def\XeTeX{\XeTeX}%
17792 \def\XeLaTeX{\XeLaTeX}%
17793 }%
17794 \bidi@patchcmd\@TextField{%
17795   \opdfm@mark
17796 }{%
17797   \if@RTL
17798     \hskip\Fld@width
17799   \fi
17800   \opdfm@mark
17801 }{}{%
17802 \bidi@patchcmd\@TextField{%
17803   \unhbox
17804 }{%
17805   \if@RTL
17806     \hskip-\Fld@width
17807   \fi
17808   \unhbox
17809 }{}{%
17810 \bidi@patchcmd\@@Radio{%
17811   \opdfm@mark
17812 }{%
17813   \if@RTL
17814     \hskip\Fld@width
17815   \fi
17816   \opdfm@mark
17817 }{}{%
17818 \bidi@patchcmd\@@Radio{%
17819   \unhcopy
17820 }{%
17821   \if@RTL
17822     \hskip-\Fld@width
17823   \fi
17824   \unhcopy
17825 }{}{%
17826 \bidi@patchcmd\@Submit{%
17827   \opdfm@mark
17828 }{%
17829   \if@RTL
17830     \null
17831     \hskip\wd\opdfm@box
17832   \fi
17833   \opdfm@mark
17834 }{}{%
17835 \bidi@patchcmd\@Submit{%

```



```

17836   \unhbox
17837 }{%
17838   \if@RTL
17839     \hskip-\wd\pdfm@box
17840   \fi
17841   \unhbox
17842 }{}{%
17843 \bidi@patchcmd\@Reset{%
17844   \pdfm@mark
17845 }{%
17846   \if@RTL
17847     \null
17848     \hskip\wd\pdfm@box
17849   \fi
17850   \pdfm@mark
17851 }{}{%
17852 \bidi@patchcmd\@Reset{%
17853   \unhbox
17854 }{%
17855   \if@RTL
17856     \hskip-\wd\pdfm@box
17857   \fi
17858   \unhbox
17859 }{}{%

```

103 File imsproc-xetex-bidi.def

```

17860 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
17861 \newenvironment{thebibliography}[1]{%
17862   \bibtilestyle
17863   \normalfont\biblio\labelsep .5em\relax
17864   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
17865   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17866   \bidi@thebibliography@font@hook
17867   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
17868     \leftmargin\labelwidth \advance\leftmargin\labelsep
17869     \usecounter{enumiv}}%
17870   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
17871   \sfcode`\.=\@m
17872 }{%
17873   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
17874   \endlist
17875 }
17876
17877 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
17878   \columnseprule\z@\columnsep 35\p@
17879   \indextitlestyle
17880   \thispagestyle{plain}%
17881   \let\item\idxitem
17882   \parindent\z@\parskip\z@\plus.3\p@\relax
17883   \if@RTL\raggedleft\else\raggedright\fi
17884   \hyphenpenalty\OM
17885   \footnotesize}
17886 \def\idxitem{\par\hangindent \if@RTL-\fi2em}

```



```

17887 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
17888 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
17889
17890 \def\right@footnoterule{%
17891   \kern-.4\p@
17892   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
17893   \kern11\p@\kern-\footnotesep}
17894 \def\left@footnoterule{\kern-.4\p@
17895   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
17896 \def\@makefnmark{%
17897   \leavevmode
17898   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
17899 }
17900
17901 \def\part{\@startsection{part}{0}%
17902   \z@\{ \linespacing\@plus\linespacing\}\.5\linespacing}%
17903   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
17904 \def\@tocline#1#2#3#4#5#6#7{\relax
17905   \ifnum #1>\c@tocdepth % then omit
17906   \else
17907     \par \addpenalty\@secpenalty\addvspace{#2}%
17908     \begingroup \hyphenpenalty\@M
17909     \@ifempty{#4}{%
17910       \tempdima\csname r@tocindent\number#1\endcsname\relax
17911     }{%
17912       \tempdima#4\relax
17913     }%
17914     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi\#\relax \advance\if@RTL\rightskip\else\leftskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
17915     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth\#5\leavevmode\hskip-\tempdima\#6\nobreak\relax
17916     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
17917     \nobreak
17918     \endgroup
17919   \fi}
17920 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
17921 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
17922 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
17923 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
17924 \def\maketitle{\par
17925   \topnum\z@ % this prevents figures from falling at the top of page 1
17926   \setcopyright
17927   \thispagestyle{firstpage}% this sets first page specifications
17928   \uppercaseonmath\shorttitle
17929   \ifx\empty\shortauthors \let\shortauthors\shorttitle
17930   \else \andify\shortauthors
17931   \fi
17932   \maketitle@hook
17933   \begingroup
17934   \maketitle
17935   \toks@{\xp{\shortauthors}\temptokena\xp{\shorttitle}%
17936   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
17937   \edef\tempa{%
17938     \nx\markboth{\the\toks4
17939     \nx\MakeUppercase{\the\toks@}\{\the\temptokena\}}%
17940

```



```

17941  \@tempa
17942  \endgroup
17943  \c@footnote\z@
17944  \@cleartopmattertags
17945 }

```

104 File leqno-xetex-bidi.def

```

17946 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX]
17947 \renewcommand*\eqnnum{\hb@xt@.01\p@{}%
17948           \rlap{\hskip -\displaywidth
17949           \normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR}

```

105 File letter-xetex-bidi.def

```

17950 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class]
17951 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
17952   \thispagestyle{firstpage}%
17953   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
17954 \else % home address
17955   \thispagestyle{empty}%
17956   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l}%
17957     \fromaddress \\*[2\parskip]%
17958     \@date \end{tabular}\par}%
17959 \fi
17960 \vspace{2\parskip}%
17961 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
17962 \vspace{2\parskip}%
17963 #1\par\nobreak}
17964 \renewcommand\left@footnoterule{%
17965   \kern-\p@
17966   \hrule \width .4\columnwidth
17967   \kern .6\p@}
17968 \renewcommand\right@footnoterule{%
17969   \kern-\p@
17970   \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }%
17971   \kern .6\p@}

```

106 File lettrine-xetex-bidi.def

```

17972 \ProvidesFile{lettrine-xetex-bidi.def}[2024/12/08 v0.9 bidi adaptations for lettrine package]
17973 \RemoveFromHook{begindocument}[lettrine]
17974 \AtBeginDocument[lettrine]{%
17975   \if\DefaultOptionsFile\relax
17976   \else
17977     \InputIfFileExists{\DefaultOptionsFile}%
17978     {}%
17979     {\PackageWarning{lettrine.sty}%
17980       {File \DefaultOptionsFile\space not found}%
17981     }%
17982   \fi
17983   \let\ifL@RTL\if@RTL
17984 }

```



107 File `lineno-xetex-bidi.def`

```
17985 \ProvidesFile{lineno-xetex-bidi.def}[2024/12/07 v0.3 bidi adaptations for lineno package for
17986 \bidi@patchcmd{\MakeLineNo}{%
17987   \hb@xt@\z@{\makeLineNumber}%
17988 }{%
17989   \hboxL to \z@{\makeLineNumber}%
17990 }{}{}%
17991 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
17993   \if@RTL
17994     \hb@xt@\linenumberwidth{\LineNumber\hss}%
17995   \else
17996     \LineNumber
17997   \fi
17998 }{}{}%
17999 \bidi@patchcmd{\makeLineNumberRight}{\LineNumber}{%
18001   \hb@xt@\linenumberwidth{\hss\LineNumber}%
18002 }{%
18003   \if@RTL
18004     \LineNumber
18005   \else
18006     \hb@xt@\linenumberwidth{\hss\LineNumber}%
18007   \fi
18008 }{}{}%
18009 \bidi@AfterPreamble{%
18011   \if@RTLmain
18012     \rightlinenumbers*
18013   \else
18014     \leftlinenumbers*
18015   \fi
18016   \@ifpackagewith{lineno}{left}{%
18017     \leftlinenumbers*
18018   }{%
18019   \@ifpackagewith{lineno}{right}{%
18020     \rightlinenumbers*
18021   }{%
18022   \@ifpackagewith{lineno}{switch}{%
18023     \if@RTLmain
18024       \switchlinenumbers*
18025     \else
18026       \switchlinenumbers
18027     \fi
18028   }{%
18029   \@ifpackagewith{lineno}{switch*}{%
18030     \if@RTLmain
18031       \switchlinenumbers
18032     \else
18033       \switchlinenumbers*
18034     \fi
18035   }{%
18036 }}
```



18037

108 File `listings-xetex-bidi.def`

```
18038 \ProvidesFile{listings-xetex-bidi.def}[2025/01/03 v1.6 bidi adaptations for listings package]
18039 \lst@Key{captiondirection}{textdirection}{%
18040     \lstKV@SwitchCases{#1}%
18041     {textdirection:\\%
18042         RTL:\chardef\bidi@lst@caption@direction\@ne\\%
18043         LTR:\chardef\bidi@lst@caption@direction\z@%
18044     }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18045
18046 \lst@Key{captionscript}{textscript}{%
18047     \lstKV@SwitchCases{#1}%
18048     {textscript:\\%
18049         latin:\chardef\bidi@lst@caption@script\@ne\\%
18050         nonlatin:\chardef\bidi@lst@caption@script\z@%
18051     }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18052
18053 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
18054     \@ifundefined{bidi@lst@caption@direction}{}{%
18055         \ifnum\bidi@lst@caption@direction=\z@{%
18056             #1%
18057         \else%
18058             \ifnum\bidi@lst@caption@direction=\@ne{%
18059                 #2%
18060             \fi%
18061         \fi%
18062     }%
18063 }
18064 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
18065     \@ifundefined{bidi@lst@caption@script}{}{%
18066         \ifnum\bidi@lst@caption@script=\z@{%
18067             #1%
18068         \else%
18069             \ifnum\bidi@lst@caption@script=\@ne{%
18070                 #2%
18071             \fi%
18072         \fi%
18073     }%
18074
18075 \long\def\bidi@lst@makecaption#1#2{%
18076     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
18077     \vskip\abovecaptionskip
18078     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18079     \sbox{\@tempboxa}%
18080     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
18081     #1: #2%
18082     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
18083     }%
18084     \ifdim \wd\@tempboxa >\hsize
18085         #1: #2\par
18086     \else
18087         \global \ominipagefalse
```



```

18088      \hb@xt@{\hsize{\hfil\box@\tempboxa}\hfil}%
18089      \fi
18090      \vskip\belowcaptionskip}%
18091 \def\lst@makecaption{\@bidi@lst@makecaption}
18092 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
18093 \bidi@AtEndPreamble{%
18094 \bidi@patchcmd{\lst@MakeCaption}{%
18095     \ifx #1t%
18096         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
18097             \expandafter\refstepcounter
18098         \fi {\lstlisting}%
18099 }{%
18100     \ifx #1t%
18101         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18102         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
18103             \expandafter\refstepcounter
18104         \fi {\lstlisting}%
18105         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
18106 }{}}%
18107 \bidi@patchcmd{\lst@MakeCaption}{%
18108     \addcontentsline{loll}{\lstlisting}%
18109     {\protect\numberline{\the\lstlisting}\lst@@caption}%
18110 }{%
18111 \begingroup%
18112     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18113     \addcontentsline{loll}{\lstlisting}%
18114     {\protect\numberline{\the\lstlisting}\lst@@caption}%
18115 \endgroup%
18116 }{}}%
18117 }%
18118 \ApplyPatchIfPackageLoaded[caption]{%
18119     \AtBeginCaption{%
18120         \bidi@lst@ensure@caption@script{\nonlatintrue}{\nonlatinfalse}%
18121         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18122     }%
18123     \let\bidi@lst@makecaption\caption@makecaption%
18124     \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
18125     \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}%
18126 }{%
18127 \AtBeginDocument{%
18128     \ifundefined{captionlabelfalse}{}{%
18129         \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\empty}%
18130     \ifundefined{caption@startrue}{}{%
18131         \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}%
18132     }%
18133 }%
18134 \AtBeginDocument{%
18135     \ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%
18136     \lst@ifnumberbychapter
18137         \gdef\the\lstlisting{%
18138             \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@lstlisting}%
18139         \else
18140             \gdef\the\lstlisting{@arabic{c@lstlisting}%
18141         \fi}%

```



109 File `longtable-xetex-bidi.def`

```
18142 \ProvidesFile{longtable-xetex-bidi.def}[2025/01/05 v0.8 bidi adaptations for longtable packa
18143 \ExplSyntaxOn
18144 \def\LT@array[#1]#2{%
18145   \UseTaggingSocket{tbl/init}
18146   \tl_if_empty:eTF { \LTcaptype }
18147   {
18148     \tl_gset:Ne \currentHref {\LT@tables.\theLT@tables}
18149   }
18150   {
18151     \kernel@refstepcounter{\LTcaptype}\stepcounter{LT@tables}
18152     \tl_gset:Ne \currentHref {\LTcaptype.\cs_if_exist_use:c {theH\LTcaptype}}
18153   }
18154 \tbl_gzero_row_count:
18155 \UseTaggingSocket{tbl/longtable/init}
18156 \if 1#1%
18157   \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@\LTright\fill\fi
18158 \else\if r#1%
18159   \if@RTLtab\LTleft\z@\LTright\fill\else\LTleft\fill \LTright\z@\fi
18160 \else\if c#1%
18161   \LTleft\fill \LTright\fill
18162 \fi\fi\fi
18163 \let\LT@mcoll\multicolumn
18164 \let\LT@tabarray@tabarray
18165 \let\LT@h\hline
18166 \def\@tabarray{%
18167   \let\hline\LT@h
18168   \LT@tabarray}%
18169 \let\\LT@tabularcr
18170 \let\tabularnewline\\%
18171 \def\newpage{\noalign{\break}}%
18172 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
18173 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
18174 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
18175 \tempdima\ht\strutbox
18176 \let\@endpbox\LT@endpbox
18177 \ifx\extrarowheight\undefined
18178   \let\@acol\@tabacol
18179   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
18180   \def\@startpbox{\vtop\LT@startpbox}%
18181   \let\@@startpbox\@startpbox
18182   \let\@endpbox\@endpbox
18183   \let\LT@LL@FM@cr\@tabularcr
18184 \else
18185   \advance\tempdima\extrarowheight
18186   \col@sep\tabcolsep
18187   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
18188 \fi
18189 \setbox\@arstrutbox\hbox{\vrule
18190   \height \arraystretch \tempdima
18191   \depth \arraystretch \dp \strutbox
18192   \width \z@}%
18193 \let\sharp##\let\protect\relax
```



```

18194 \begingroup
18195   \@mkpream{#2}%
18196   \tbl_count_table_cols:
18197   \xdef\LT@bchunk{%
18198     \tbl_inbetween_rows:
18199       \global\advance\c@LT@chunks\@ne
18200       \global\LT@rows\z@\setbox\z@\vbox\bgroup
18201       \LT@setprevdepth
18202       \tabskip\LTleft\noexpand\halign to\hsize\bgroup
18203       \tabskip\z@\@arstrut
18204       \UseTaggingSocket{tbl/row/begin}%
18205       \tbl_init_cell_data_for_row:
18206       \@preamble \tabskip\LTright \cr}%
18207 \endgroup
18208 \expandafter\LT@nofcols\LT@bchunk\&\LT@nofcols
18209 \LT@make@row
18210 \m@th\let\par\@empty
18211 \everycr{%
18212   \noalign{%
18213     \__tbl_trace:n {--longtable-->~chunk~row:~ \the\LT@rows \space
18214           row:~ \the\g__tbl_row_int \space
18215           column:~ \the\g__tbl_col_int
18216   }
18217   \tbl_if_row_was_started:T
18218   {
18219     \UseTaggingSocket{tbl/row/end}
18220     \tbl_inbetween_rows:
18221   }
18222   \int_compare:nNnT \LT@rows < \LTchunksize
18223   { \tbl_gincr_row_count: } % next is row about to start
18224 }%
18225 }%
18226 \lineskip\z@\baselineskip\z@
18227 \LT@bchunk}
18228 \ExplSyntaxOff
18229 \def\LT@makecaption#1#2#3{%
18230   \LT@mcol\LT@cols c{\hbox to\z@\{\hss\parbox[t]\LTcapwidth{%
18231     \reset@font
18232     \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
18233     \ifdim\wd\@tempboxa>\hsize
18234       #1{#2: }#3%
18235     \else
18236       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
18237     \fi
18238     \endgraf\vskip\baselineskip}%
18239   \hss}}}
18240 \ApplyPatchCodeToPackage{caption}{%
18241   \renewcommand\LT@makecaption[3]{%
18242     \caption@LT@make{%
18243       \caption@LT@settype\LTcaptype
18244       \caption@LT@setup
18245       \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
18246       \caption@startrue#1\caption@starfalse
18247       \caption@prepare@stepcounter\LTcaptype

```



```

18248 \caption@begin\LTcaptype
18249   \caption@normalsize
18250   \vskip-\ht\strutbox
18251   \caption@ifdefined\FBifcaption{%
18252     \let\caption@belowskip\empty}{}%
18253   \caption@make@above
18254   \caption@@make{\#2}{\#3}\endgraf
18255   \caption@make@below
18256   \caption@end}%
18257 }
18258 \def\LT@startpbox#1{%
18259   \bgroup
18260     \color@begingroup
18261     \let\@footnotetext\LT@p@ftntext
18262     \let\@LTrfootnotetext\LT@p@LTrftntext
18263     \let\@RTLfootnotetext\LT@p@RTLftntext
18264     \setlength\hsize{#1}%
18265     \arrayparboxrestore
18266     \everypar{%
18267       \vrule \height \ht\carstrutbox \width \z@
18268       \everypar{}}%
18269   }
18270 \long\def\LT@p@LTrftntext#1{%
18271   \edef@\tempa{\the\LT@p@ftn\noexpand\LTfootnotetext[\the\c@footnote]}%
18272   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
18273 \long\def\LT@p@RTLftntext#1{%
18274   \edef@\tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
18275   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
18276 \def\LT@output{%
18277   \ifnum\outputpenalty <-\@Mi
18278     \ifnum\outputpenalty > -\LT@end@open
18279       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
18280     \else
18281       \setbox\z@\vbox{\unvbox\@cclv}%
18282       \ifdim \ht\LT@lastfoot>\ht\LT@foot
18283         \dimen@\pagegoal
18284         \advance\dimen@\ht\LT@foot
18285         \advance\dimen@-\ht\LT@lastfoot
18286         \ifdim\dimen@<\ht\z@
18287           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
18288           \makecol
18289           \outputpage
18290           \global\vsiz@\colroom
18291           \setbox\z@\vbox{\box\LT@head}%
18292         \fi
18293       \fi
18294       \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
18295         \unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastfoot\fi
18296         \UseTaggingSocket{tbl/longtable/foot}
18297       \if@RTLtab\egroup\endR\egroup\fi
18298     \fi
18299   \else
18300     \setbox\@cclv\vbox{%
18301       \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi

```



```

18302      \unvbox\@cclv\copy\LT@foot\vss
18303      \if@RTLtab\egroup\endR\egroup\fi
18304  }%
18305  \UseTaggingSocket{tbl/longtable/foot}
18306  \makecol
18307  \outputpage
18308      \global\vsiz@\colroom
18309  \copy\LT@head\nobreak
18310 \fi}

```

110 File `lscape-xetex-bidi.def`

```

18311 \ProvidesFile{lscape-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for lscape package for
18312 \RequirePackage{graphicx}
18313 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
18314   \if@RTL
18315     \rotatebox[origin=br]{-90}{\box\@outputbox}%
18316   \else
18317     \rotatebox{90}{\box\@outputbox}%
18318   \fi
18319 }{}{}}
18320
18321 \g@addto@macro{\landscape}{%
18322   \if@bidi@csdef{bidi@columnwidth}{%
18323     \bidi@columnwidth\columnwidth
18324   }{}%
18325   \let\bidi@left@footnoterule\left@footnoterule
18326   \let\bidi@right@footnoterule\right@footnoterule
18327   \def\left@footnoterule{%
18328     \if@RTL
18329       \bidi@right@footnoterule
18330     \else
18331       \bidi@left@footnoterule
18332     \fi
18333   }%
18334   \def\right@footnoterule{%
18335     \if@RTL
18336       \bidi@left@footnoterule
18337     \else
18338       \bidi@right@footnoterule
18339     \fi
18340   }%
18341 }

```

111 File `mathtools-xetex-bidi.def`

```

18342 \ProvidesFile{mathtools-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for mathtools packa
18343 \RequirePackage{graphicx}
18344 \MHInternalSyntaxOn
18345 \def\MT_define_tagform:nwnn #1[#2]#3#4{
18346   \namedef{MT_tagform_#1:n}##1
18347   {\maketag@@@\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2##1\unskip\@@italiccorr#4}
18348 }
18349 \renewtagform{default}{{(){}}

```



```
18350 \MHInternalSyntaxOff
```

112 File `mdframed-xetex-bidi.def`

```
18351 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
18352 \newif\if@bidi@mdf@RTL
18353 \def\mdf@lrbox#1{%
18354   \mdf@patchamsthm%patch amsthm
18355   \if@RTL\@bidi@mdf@RTLtrue\fi%
18356   \else\@RTLfalse%
18357   \setbox#1\vbox\bgroup%
18358   \color@begingroup%
18359   \if@bidi@mdf@RTL\@RTLtrue\fi%
18360   \mdf@horizontalmargin@equation%
18361   \columnwidth=\hsize%
18362   \textwidth=\hsize%
18363   \let\if@nobreak\iffalse%
18364   \let\if@noskipsec\iffalse%
18365   \let\par\@@par%
18366   \let\-\@dischyp%
18367   \let'\@acci\let`\@accii\let\=\@acciii%
18368   \parindent\z@\parskip\z@skip%
18369   \linewidth\hsize%
18370   \@totalleftmargin\z@%
18371   \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
18372   \parfillskip\@flushglue \lineskip\normallineskip%
18373   \baselineskip\normalbaselineskip%
18374 %% \sloppy%
18375   \let\\@normalcr%
18376   \mdf@par@local%New feature to restore parskip/parindent local in save box
18377   \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
18378   \else\@afterindentfalse%
18379   \fi\@afterheading%
18380 }
18381 \renewrobustcmd\mdfframedtitleenv[1]{%
18382   \mdf@lrbox{\mdf@frametitlebox}%
18383   \mdf@frametitlealignment%
18384   \leavevmode{\color{\mdf@frametitlefontcolor}%
18385     \normalfont\mdf@frametitlefont{\#1}%
18386   \ifbool{\mdf@ignorelastdescenders}{%
18387     {}%
18388     \par\strut\par
18389     \unskip\unskip\setbox0=\lastbox
18390     \vspace*{(\dimexpr\ht\strutbox-\baselineskip\relax}%
18391   }{}%
18392   \par\unskip\ifvmode\nointerlineskip\hrule \height\z@ \width\hsize\fi%
18393   \endmdf@lrbox\relax%
18394   \mdf@ignorerevbadness%
18395   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
18396   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
18397   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
18398   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
18399   \mdfframetitleboxtotalheight=\dimexpr
18400     \ht\mdf@frametitlebox
```



```

18401           +\dp\mdf@frametitlebox%
18402           +\mdf@frametitleaboveskip@length
18403           +\mdf@frametitlebelowskip@length
18404           \relax%
18405 }
18406
18407 \renewrobustcmd*\mdf@footnoteoutput{%
18408     \ifvoid\@mpfootins\else%
18409         \nobreak%
18410         \vskip\mdf@footnotedistance@length%
18411         \normalcolor%
18412         \bidi@mpfootnoterule%
18413         \unvbox\@mpfootins%
18414     \fi%
18415 }
18416
18417
18418 \renewrobustcmd*\mdf@footnoteinput{%
18419     \def\@mpfn{\mpfootnote}%
18420     \def\thempfn{\thempfootnote}%
18421     \c@mpfootnote\z@%
18422     \let\@footnotetext\@mpfootnotetext%
18423     \let\@LTRfootnotetext\@mpLTRfootnotetext%
18424     \let\@RTLfootnotetext\@mpRTLfootnotetext%
18425 }

```

113 File `media9-xetex-bidi.def`

```

18426 \ProvidesFile{media9-xetex-bidi.def}[2025/01/03 v0.1 bidi adaptations for media9 package for
18427 \RequirePackage{bidi-media9}

```

114 File `bidi-media9.sty`

```

18428 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
18429 {bidi fixes for media9 package for the XeTeX engine}
18430
18431 \keys_define:nn{media9/mbtn}{
18432     draft .code:n = {},
18433     final .code:n = {},
18434
18435     tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
18436     tooltip .value_required:n = {true},
18437
18438     overface .code:n = {
18439         \sbox{\l_mix_poster_box{
18440             \bool_if:NTF\g_pbs_landscape_bool{\rotatebox{90}{\#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
18441             \mix_pdfxform:n{\l_mix_poster_box}
18442             \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
18443         }},
18444     overface .value_required:n = {true},
18445
18446     downface .code:n = {
18447         \sbox{\l_mix_poster_box{
18448             \bool_if:NTF\g_pbs_landscape_bool{\rotatebox{90}{\#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}

```



```

18449   \mix_pdfxform:n{\l_mix_poster_box}
18450   \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
18451 },
18452 downface .value_required:n = {true},
18453
18454 3Dgotoview .code:n =
18455   \tl_set:Nx\l_tmpa_tl{#1} %extract ref
18456   \regex_replace_once:nnN{[^:]+:??.*}{\1}\l_tmpa_tl
18457   \tl_trim_spaces:N\l_tmpa_tl
18458   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
18459     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
18460       \tl_set:Nx\l_tmpb_tl{#1} %extract idx
18461       \regex_replace_once:nnN{[^:]+:?:}{\1}\l_tmpb_tl
18462       \tl_trim_spaces:N\l_tmpb_tl
18463       \tl_if_blank:VF\l_tmpb_tl{
18464         \regex_match:nVTF{^DFLNP$}\l_tmpb_tl{
18465           \tl_set:Nx\l_mix_vidx_tl{/l_tmpb_tl}
18466         }{
18467           \regex_match:nVTF{^\d+$}\l_tmpb_tl{
18468             \tl_set:Nx\l_mix_vidx_tl{-\l_tmpb_tl}
18469           }{
18470             \regex_replace_once:nnN{^\(\s*\){}}\l_tmpb_tl
18471             \regex_replace_once:nnN{\s*\)$}{}}\l_tmpb_tl
18472             \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
18473           }
18474         }
18475       }
18476     \mix_pdfobj:nnn{}{dict}{
18477       /S/JavaScript/JS~(
18478         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18479         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18480           annotRM['\l_tmpa_tl']=
18481             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18482         }
18483         annotRM['\l_tmpa_tl'].activated=true;
18484       )
18485       \tl_if_blank:VF\l_tmpb_tl{
18486         /Next-<<
18487           /S/GoTo3DView
18488           /TA-\tl_use:c{ann@\l_tmpa_tl}
18489           /V\l_mix_vidx_tl
18490         >>
18491       }
18492     }
18493     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18494   }
18495   }{
18496     \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
18497     \cs_if_exist:NF\g_mix_refundefwarned_tl{
18498       \tl_new:N\g_mix_refundefwarned_tl
18499       \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
18500     }
18501   }
18502 },

```



```

18503 3Dgotoview .value_required:n = {true},
18504
18505 mediacommand .code:n =
18506   \tl_set:Nx\l_tmpa_tl{#1}
18507   \regex_replace_once:nnN{([^\:]+)\:??.*}{\1}\l_tmpa_tl %extract ref
18508   \tl_trim_spaces:N\l_tmpa_tl
18509   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
18510     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
18511       \tl_set:Nx\l_tmpb_tl{#1}
18512       \regex_replace_once:nnN{[^\:]+\:\?}{ }\l_tmpb_tl
18513       \tl_trim_spaces:N\l_tmpb_tl
18514       \regex_replace_all:nnN{\{\|\}\$}{ }\l_tmpb_tl
18515       \tl_set:Nx\l_mix_cmd_tl{
18516         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
18517       \tl_trim_spaces:N\l_mix_cmd_tl
18518       \tl_set:Nx\l_mix_arg_tl{
18519         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
18520       \tl_trim_spaces:N\l_mix_arg_tl
18521       \mix_pdfobj:nnn{}{dict}{
18522         /S/JavaScript/JS~(
18523           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18524           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18525             annotRM['\l_tmpa_tl']=
18526               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18527           }
18528           annotRM['\l_tmpa_tl'].activated=true;
18529         )
18530         \tl_if_blank:VF\l_mix_cmd_tl{
18531           /Next~<<
18532             /S/RichMediaExecute
18533             /TA-\tl_use:c{ann@\l_tmpa_tl}
18534             /TI-\tl_use:c{main@\l_tmpa_tl}
18535             /CMD~<<
18536               /C~(\l_mix_cmd_tl)
18537               \tl_if_blank:VF\l_mix_arg_tl{
18538                 /A~[\l_mix_arg_tl]
18539               }
18540               >>
18541             >>
18542           }
18543         }
18544         \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18545       }
18546     }{
18547       \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
18548       \cs_if_exist:NF\g_mix_refundefwarned_tl{
18549         \tl_new:N\g_mix_refundefwarned_tl
18550         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
18551       }
18552     }
18553   },
18554   mediacommand .value_required:n = {true},
18555
18556   jsaction .code:n =

```



```

18557   \tl_set:Nx\l_tmpa_tl{#1}
18558   \regex_match:nVT{^[\^{:}]+.*$}\l_tmpa_tl{
18559     \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_tl %extract ref
18560     \tl_trim_spaces:N\l_tmpa_tl
18561   }\{\tl_clear:N\l_tmpa_tl\}
18562   \tl_set:Nx\l_tmpb_tl{#1}
18563   \tl_if_blank:VF\l_tmpa_tl{
18564     \tl_if_exist:cF{ann@\l_tmpa_tl}){
18565       \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
18566       \cs_if_exist:NF\g_mix_refundefwarned_tl{
18567         \tl_new:N\g_mix_refundefwarned_tl
18568         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
18569       }
18570     }
18571     \regex_replace_once:nnN{[^:]+:\:}{\l_tmpb_tl}
18572   }
18573   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
18574   \tl_trim_spaces:N\l_tmpb_tl
18575   \tl_if_blank:VF\l_tmpb_tl{
18576     \mix_pdfobj:nnn{}{dict}{
18577       /S/JavaScript/JS~(
18578         try{\l_tmpb_tl}catch(e){console.show();console.println(e))}}}
18579   \bool_lazy_and:nnT{
18580     \tl_if_exist_p:c{ann@\l_tmpa_tl}
18581   }{
18582     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18583   }{
18584     \mix_pdfobj:nnn{}{dict}{
18585       /S/JavaScript/JS~(
18586         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18587         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18588           annotRM['\l_tmpa_tl']=
18589             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18590         }
18591         annotRM['\l_tmpa_tl'].activated=true;
18592       )
18593       \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
18594     }
18595   }
18596   \bool_if:nT{
18597     \bool_lazy_and_p:nn{
18598       \tl_if_exist_p:c{ann@\l_tmpa_tl}
18599     }{
18600       !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18601     }
18602     || !\tl_if_blank_p:V\l_tmpb_tl
18603   }{
18604     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18605   }
18606 },
18607 jsaction .value_required:n = {true},
18608
18609 unknown .code:n = {
18610   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}

```



```

18611  }
18612 }
18613
18614 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
18615   \mix_uried:
18616   \group_begin:
18617   \mix_beginLTR:
18618   \mode_leave_vertical:
18619   %empty stream as appearance dummy
18620   \cs_if_exist:N\g_mix_appearance_tl{
18621     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
18622     \mix_pdxform:n{\l_mix_poster_box}
18623     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
18624   }
18625   \mix_reset:
18626   \mix_uribegin: %treat URI characters correctly
18627   \keys_set:nn{media9/user}{#1}
18628   \mix_uried:
18629   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
18630   \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{~}
18631   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
18632   \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
18633   \tl_gtrim_spaces:N\g_mix_flashvars_tl
18634
18635   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
18636
18637   \%hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
18638   \%hbox_set:Nn\l_mix_poster_box{#2}
18639   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
18640   \mix_scale:n{\l_mix_poster_box}
18641   \bool_if:nT{
18642     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
18643     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
18644   }{
18645     \tl_gset:Nn\g_mix_usrbtn_tl{none}
18646   }
18647   \bool_if:NTF\g_mix_usrdrift_bool{
18648     \tl_if_empty:N\g_mix_usrlabel_tl{
18649       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
18650     }
18651     \tl_if_blank:oTF{#2}{
18652       \mix_uribegin: %treat URI characters correctly
18653       \mix_draftbox:n{\tl_to_str:n{#3}}
18654       \mix_uried:
18655     }{
18656       \hbox_to_wd:nn{\g_mix_wd_tl}{
18657         \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
18658         \box_use:N\l_mix_poster_box\hss
18659       }
18660     }
18661   }{
18662     \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrbtn_tl{none}}{
18663       %attach script that switches off play button overlay upon activation
18664       \mix_pdfobj:nnn{}{stream}{
```



```

18665    {}{
18666        var~ocgs=host.getOCGs(host.pageNum);
18667        for(var~i=0;i<ocgs.length;i++){
18668            if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
18669                ocgs[i].state=false;
18670            }
18671        }
18672    }
18673 }
18674 \mix_pdfobj:nnn{}{dict}{
18675     /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
18676 }
18677 \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
18678 \tl_set:Nx\l_mix_scripts_tl{\~\mix_pdflastobj:~}
18679 %enforce plain playbutton overlay for XeTeX
18680     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
18681 }
18682 %embed main asset
18683 \mix_uribegin:
18684 \mix_embedasset:n{#3}
18685 \bool_if:nTF{
18686     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
18687 }{
18688     \bool_gset_true:N\g_mix_iid_bool
18689     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
18690 }{
18691     \str_case_e:nnF{\l_mix_base_tl}{{
18692         {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
18693         {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
18694         {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18695         {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18696         {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18697         {\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
18698     }}
18699 \tl_gset:Nx\g_mix_mainasset_tl{\~\g_mix_lastasset_tl}
18700 \mix_urriend:
18701 %secondary assets (added by addresource)
18702 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
18703 \seq_map_inline:Nn\g_mix_script_seq{
18704     \mix_embedasset:n{##1}
18705     \tl_put_right:Nx\l_mix_scripts_tl{\~\g_mix_lastasset_tl}
18706 }
18707 %attach 3D calculation script
18708 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool}{
18709     \mix_embedasset:n{3Dmenu.js}
18710     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl-}
18711 }
18712 %create 3D views from file (option 3Dviews)
18713 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
18714     \tl_set:Nn\l_mix_level_tl{-1}
18715     \int_zero:N\l_mix_viewcnt_int
18716     \int_zero:N\l_mix_lineno_int
18717
18718     \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}

```



```

18719   \ior_map_inline:Nn\l_mix_vfile_stream{
18720     \int_incr:N\l_mix_lineno_int
18721     \keys_set:nn{media9/views}{##1} %process input line
18722   }
18723   \ior_close:N\l_mix_vfile_stream
18724 }
18725 \bool_if:nT{ %create default 3D view if required
18726   \g_mix_iid_bool &&
18727   (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
18728 }{
18729   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
18730   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
18731   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
18732   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
18733   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
18734   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
18735   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
18736
18737   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
18738   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
18739   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
18740   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
18741
18742   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
18743   \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
18744   \tl_clear:N\l_mix_naarray_tl
18745
18746   \bool_if:NF\l_mix_ciiw_bool{
18747     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
18748     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
18749 }
18750
18751   \tl_clear:N\l_mix_naarray_tl
18752   \tl_clear:N\l_mix_saarray_tl
18753   \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
18754
18755   \mix_view:n{Default}
18756   \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
18757 }
18758 \mix_pdfobj:nnnf{}{dict}){
18759   /Type/RichMediaInstance
18760   /Subtype/\g_mix_mainassetsub_tl
18761   /Asset~\g_mix_mainasset_tl
18762   \bool_if:NF\g_mix_iid_bool{
18763     /Params~<<
18764       /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}){
18765         /Foreground
18766       }{
18767         /Background
18768       }
18769       \tl_if_blank:VF\g_mix_flashvars_tl{
18770         /FlashVars~(\g_mix_flashvars_tl)
18771       }
18772     }

```



```

18773      >>
18774      }
18775      }
18776      \tl_if_empty:NF\g_mix_usrlabel_tl{
18777          \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
18778      }
18779      \mix_pdfobj:nnnf{}{dict}{
18780          /Type/RichMediaConfiguration
18781          /Subtype/\g_mix_mainassetsub_t1
18782          /Instances~[\mix_pdflastobj:]
18783      }
18784      \mix_pdfobj:nnnf{}{dict}{
18785          /Type/RichMediaContent
18786          /Assets~<</Names~[\g_mix_assets_t1]>>
18787          /Configurations~[\mix_pdflastobj:]
18788          \bool_if:nT{
18789              \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_t1)
18790          }{
18791              /Views~[\l_mix_iidviewarray_t1]
18792          }
18793      }
18794      \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
18795      \bool_if:nT{
18796          \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
18797      }{
18798          \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
18799      }
18800      %determine floating window size
18801      \bool_if:NT\g_mix_opt_windowed_bool{
18802          \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
18803      }
18804      \mix_pdfobj:nnnf{}{dict}{
18805          /Activation~<<
18806              /Condition\g_mix_act_t1
18807              \bool_if:nT{
18808                  \g_mix_iid_bool &&
18809                      !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
18810                  }%seems to work only with 3D content
18811                  /Animation~<<
18812                      /Subtype/\g_mix_playtpe_t1
18813                      /PlayCount~\g_mix_playcnt_t1
18814                      /Speed~\g_mix_playspd_t1
18815                      >>
18816                  }
18817                  \bool_if:nT{
18818                      \g_mix_iid_bool && (
18819                          \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_t1
18820                      )
18821                  }{/View~\l_mix_dfltvew_t1}
18822                  /Presentation~<<
18823                      /Transparent~\g_mix_transp_t1
18824                      \bool_if:NTF\g_mix_opt_windowed_bool{
18825                          /Style/Windowed
18826                          /Window~<<

```



```

18827      /Width~<</Default~\tl_mix_fltwd>>
18828      /Height~<</Default~\tl_mix_flht>>
18829      /Position~<<
18830          /HOffset~0/VOffset~0
18831          \str_case_e:nnF{\g_mix_winpos_tl}{%
18832              {tl}{/VAlign/Near/HAlign/Near}
18833              {cl}{/VAlign/Center/HAlign/Near}
18834              {bl}{/VAlign/Far/HAlign/Near}
18835              {bc}{/VAlign/Far/HAlign/Center}
18836              {br}{/VAlign/Far/HAlign/Far}
18837              {cr}{/VAlign/Center/HAlign/Far}
18838              {tr}{/VAlign/Near/HAlign/Far}
18839              {tc}{/VAlign/Near/HAlign/Center}
18840          }{/HAlign/Center/VAlign/Center}
18841      >>
18842      >>
18843  }{
18844      /Style/Embedded
18845  }
18846  \bool_if:NTF\g_mix_iid_bool{%
18847      /Toolbar~\g_mix_tools_tl
18848      /NavigationPane~\g_mix_nav_tl
18849  }{
18850      /PassContextClick~\g_mix_contextclick_tl
18851  }
18852 >>
18853 \tl_if_blank:VF\l_mix_scripts_tl{[Scripts~[\l_mix_scripts_tl]]}
18854 >>
18855 /Deactivation~<</Condition\g_mix_deact_tl>>
18856 }
18857 \tl_set:Nx\l_mix_settings_tl{\mix_pdstobj:}
18858 \tl_if_empty:NF\g_mix_usrlabel_tl{%
18859     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
18860 }
18861 % #1:width, #2:height, #3:depth, #4:content (key-value)
18862 \mix_pdfannot:nnnn{\g_mix_wd_t1}{\g_mix_ht_t1}{\g_mix_dp_t1}{%
18863     /Subtype/RichMedia
18864     /F~4
18865     /BS~<</W~0/S~/S>>
18866     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_t1)])
18867     /NM~(\g_mix_label_t1)
18868     /AP~<</N~\g_mix_appearance_tl>>
18869     /RichMediaSettings~\l_mix_settings_tl
18870     /RichMediaContent~\l_mix_content_tl
18871 }
18872 \tl_if_empty:NF\g_mix_usrlabel_tl{%
18873     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_t1}{\mix_pdstann:}
18874     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_t1}{%
18875         \noexpand\the\g@mix@page@int}
18876 }
18877 \mix_pdfobj:nnn{}{dict}{%
18878     /S/JavaScript/JS~(
18879         try{
18880             if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
```



```

18881     if(typeof(annotRM['\g_mix_label_t1'])=='undefined'){
18882         annotRM['\g_mix_label_t1']=
18883             this.getAnnotRichMedia(this.pageNum,'\g_mix_label_t1');
18884     }
18885     \str_if_eq:eeF{\g_mix_usrpbtn_t1}{none}{
18886         if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
18887             var~ocgs=this.getOCGs(this.pageNum);
18888             for(var~i=0;i<ocgs.length;i++){
18889                 if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
1890                     var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
1891                 }
1892             }
1893         }
1894         if(
1895             !annotRM['\g_mix_label_t1'].activated&&
1896             app.viewerType=='Reader'|||
1897             app.viewerType=='Exchange'|||
1898             app.viewerType=='Exchange-Pro'
1899             )&&app.viewerVersion>=9
1900         ){
1901             ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
1902         }
1903     }
1904     }catch(e){}
1905     this.dirty=false;
1906 )
1907 }
1908 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{

/Subtype/Widget
/FT/Btn/Ff~65537/F~2
/BS~<</W~0>>
/T~(fd@\g_mix_label_t1)
/AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
}
1914 \mix_appendtofields:n{\mix_pdflastann:}
1916 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
1917 \str_if_eq:eeTF{\g_mix_usrpbtn_t1}{none}{

\hbox_to_wd:nn{\g_mix_wd_t1}{

\vrule~width~\c_zero_dim~height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss
}
1921 }%insert play button overlay
1922 \mix_insert_btnocg: %create OCG
1923 \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_t1 @tl}
1924 \group_begin:
1925 \cs_if_exist:NT\textdir{\textdir TLT}
1926 \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
1927 \box_move_down:nn{\g_mix_dp_t1}{

\hbox_to_wd:nn{\g_mix_wd_t1}{

\ vbox_to_ht:nn{\g_mix_tt_t1}{

\ vss
\ocgbase_oc_bdc:n{\g_mix_btnocg_t1}
\box_use:N\l_mix_pbtn_box
\ocgbase_oc_emc:
}

```



```

18935         }
18936     }
18937     \group_end:
18938   }
18939   \int_gincr:N\g_mix_rmcnt_int
18940 }
18941 \mix_endLTR:
18942 \group_end:
18943 }
18944 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
18945 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
18946
18947 \RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
18948   \mix_uried:
18949   \group_begin:
18950   \mix_beginLTR:
18951   \mode_leave_vertical:
18952   %reset various variables
18953   \tl_gclear:N\g_mix_overbtn_tl
18954   \tl_gclear:N\g_mix_downbtn_tl
18955   \tl_gclear:N\g_mix_btnactions_tl
18956   \tl_gclear:N\g_mix_tooltip_tl
18957   %process options
18958   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
18959   \mix_uribegin: %treat URI characters correctly
18960   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/normal on first pass
18961   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
18962   \mix_uried:
18963   %normal button appearance
18964   \%hbox_set:Nn\l_mix_poster_box{#2}
18965   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
18966   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
18967   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
18968   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
18969   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box} {
18970     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{}{
18971       \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
18972     \mix_pdfform:n{\l_mix_poster_box}
18973     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
18974   %insert widget annotation
18975   \mix_pdfannot:nnnn{\width}{\height}{\depth}{%
18976     /Subtype/Widget
18977     /T-(mbtn@{\int_use:N\g_mix_mbtncnt_int})
18978     \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
18979     /FT/Btn/Ff~65536
18980     \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
18981     /AP~<<
18982       /N~\g_mix_normalbtn_tl
18983       \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
18984       \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
18985     >>
18986     /MK~<<
18987     /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
18988     /I~\g_mix_normalbtn_tl

```



```

18989     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
18990     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
18991     >>
18992     /A~<<
18993         /S/JavaScript/JS~(app.focusRect=false;)
18994         %sequence of actions to perform
18995         \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
18996     >>
18997     }
18998     \mix_appendtofields:n{\mix_pdflastann:}
18999     \hbox_to_wd:nn{\width}{
19000         \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
19001     }
19002     \int_gincr:N\g_mix_mbtncnt_int
19003 }
19004 \mix_endLTR:
19005 \group_end:
19006 }
19007 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
19008 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
19009

```

115 File memoir-xetex-bidi.def

```

19010 \ProvidesFile{memoir-xetex-bidi.def}[2025/01/03 v0.7 bidi adaptations for memoir class for Xe
19011 \renewcommand{\keepthetitle}{%
19012     \@bsmtitleempty
19013     \global\let\thanks\relax
19014     \global\let\LTRthanks\relax
19015     \global\let\RTLthanks\relax
19016     \global\let\and\relax
19017     \global\let\andnext\relax
19018     \global\let\@thanks\@empty
19019     \global\let\@title\@empty
19020     \global\let\@author\@empty
19021     \global\let\@date\@empty
19022 \renewcommand{\maketitle}{\par
19023     \begingroup
19024         \Obesmarkseries
19025         \def\@makefnmark{\@textsuperscript{%
19026             \normalfont\@bstthanksheadpre \tamark\@bstthanksheadpost}}%
19027         \long\def\@makefntext##1{\makethanksmark ##1}
19028         \if@twocolumn
19029             \ifnum \col@number=\@ne
19030                 \@maketitle
19031             \else
19032                 \twocolumn[\@maketitle]%
19033             \fi
19034         \else
19035             \ifdim\pagetotal>\z@
19036                 \newpage
19037             \fi
19038             \global\@topnum\z@
19039             \@maketitle

```



```

19040     \fi
19041     \thispagestyle{title}\@thanks
19042 \endgroup
19043 \@bscontmark \% \setcounter{footnote}{0}%
19044 }
19045 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
19046 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
19047 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
19048 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
19049 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
19050 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
19051 \renewcommand*{\thesection}{\thechapter \@SepMark @arabic \c@section}
19052 \renewcommand*{\thesubsection}{%
19053             \thesection \@SepMark @arabic \c@subsection}
19054 \renewcommand*{\thesubsubsection}{%
19055             \thesubsection \@SepMark @arabic \c@subsubsection}
19056 \renewcommand*{\theparagraph}{%
19057             \thesubsubsection \@SepMark @arabic \c@paragraph}
19058 \renewcommand*{\thesubparagraph}{%
19059             \theparagraph \@SepMark @arabic \c@subparagraph}
19060 \renewcommand{\setthesection}{\thechapter \@SepMark @arabic \Alph{section}}
19061 \renewcommand{\theequation}{%
19062   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi \@arabic \c@equation}
19063 \renewcommand{\thefigure}{\thechapter \@SepMark @arabic \c@figure}
19064 \renewcommand{\thetable}{\thechapter \@SepMark @arabic \c@table}
19065 \ifartopt
19066   \chapterstyle{article}
19067   \counterwithout{figure}{chapter}
19068   \counterwithout{table}{chapter}
19069   \counterwithout{footnote}{chapter}
19070   \counterwithout{equation}{chapter}
19071   \renewcommand{\chaptername}{}
19072   \renewcommand{\maketitlehookb}{%
19073     \vskip -1.5\topsep\vskip -1.5\partopsep}
19074   \renewcommand{\maketitlehookc}{%
19075     \vskip -1.5\topsep\vskip -1.5\partopsep}
19076 \fi
19077 \long\def\@makecaption#1#2{\let\@memtempa\relax
19078   \ifdim\prevdepth>-99\p@\vskip\abovecaptionskip
19079   \else \def\@memtempa{\vbox to\topskip{}}\fi
19080   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
19081   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
19082   \sbox\@tempboxa\{@contfntfont #1\@contdelim \contfntfont #2\@contfinal}
19083   \let\footnote\@contfnote
19084   \let\footnotemark\@contfmark
19085   \ifdim\wd\@tempboxa<\linewidth \centering \fi
19086   \if@contcw
19087     \centering
19088     \parbox{\@contcwidth}{%
19089       \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
19090     \fi
19091     \ifdim\wd\@tempboxa<\linewidth
19092       \@contpre
19093       {\@contfntfont #1\@contdelim}\@memtempa

```



```

19094      {\@contcshortstyle \@contffont #2\@contfinal\par}
19095  \else
19096    \if@conthang
19097      \sbox\@tempboxa{\@contnfont #1\@contdelim}
19098      \@contpre%
19099      {\@contcstyle\hangindent=\wd\@tempboxa
19100      \noindent\box\@tempboxa\@memtempa \@contffont #2\@contfinal\par}
19101  \else
19102    \if@contindent
19103      \@contpre%
19104      {\@contnfont #1\@contdelim}\@memtempa
19105      {\@contcstyle\hangindent=\@contindw
19106          \hangafter=\@ne\@contffont #2\@contfinal\par}%- v1.4
19107    \else
19108      \@contpre%
19109      {\@contnfont #1\@contdelim}\@memtempa
19110      {\@contcstyle \@contffont #2\@contfinal\par}
19111    \fi
19112  \fi
19113 \fi
19114 \@contpost
19115 \if@contcw
19116   \par
19117 } % end of the \parbox
19118 \fi
19119 \vskip\belowcaptionskip}
19120 \ApplyPatchCodeToPackage{caption}{%
19121 \AtBeginPackage{caption}{%
19122 \ClassWarningNoLine{memoir}{%
19123 You are using the caption package with the memoir \MessageBreak
19124 class. This may cause unexpected or inconsistent \MessageBreak
19125 results if you use any of memoir's captioning facilities}
19126
19127 \long\def\@makecaption##1##2{%
19128   \vskip\abovecaptionskip
19129   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
19130   \ifdim \wd\@tempboxa >\hsize
19131     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
19132   \else
19133     \global \minipagefalse
19134     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
19135   \fi
19136   \vskip\belowcaptionskip}
19137
19138 \def\caption{%
19139   \ifx\@capttype\@undefined
19140     \@latex@error{\noexpand\caption outside float}\@ehd
19141     \expandafter\@gobble
19142   \else
19143     \refstepcounter\@capttype
19144     \expandafter\@firstofone
19145   \fi
19146   {\@dblarg{\@caption\@capttype}}%
19147 }

```



```

19148 \long\def\@caption##1[##2]{##3{%
19149   \par
19150   \addcontentsline{\csname ext@##1\endcsname}{##1}{%
19151     {\protect\numberline{\csname the##1\endcsname}\ignorespaces ##2}}%
19152   \begingroup
19153     \parboxrestore
19154     \ifminipage
19155       \setminipage
19156     \fi
19157     \normalsize
19158     \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
19159   \endgroup}
19160 }
19161 }
19162 \renewenvironment{thebibliography}[1]{%
19163   \bibsection
19164   \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19165   \bidi@@thebibliography\font@hook%
19166   \begin{bibitemlist}{#1}\end{bibitemlist}\postbibhook}

```

116 File `midfloat-xetex-bidi.def`

```

19167 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
19168 \def\RTL@outputdblcol{%
19169   \if@firstcolumn
19170     \global\@firstcolumnfalse
19171     \global\setbox\@leftcolumn\copy\@outputbox
19172     \splitmaxdepth\maxdimen
19173     \vbadness\maxdimen
19174     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
19175     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
19176     \toks@\expandafter{\topmark}%
19177     \xdef\@firstcoltopmark{\the\toks@}%
19178     \toks@\expandafter{\splitfirstmark}%
19179     \xdef\@firstcolfirstmark{\the\toks@}%
19180     \ifx\@firstcolfirstmark\empty
19181       \global\let\@setmarks\relax
19182     \else
19183       \gdef\@setmarks{%
19184         \let\firstmark\@firstcolfirstmark
19185         \let\topmark\@firstcoltopmark}%
19186     \fi
19187     \global\c@colht\@colht\global\c@addvipersep\z@
19188     \ifnum\juo@sk>0
19189       \remove@strip\juo@sar
19190       \global\@colht\the\juo@pr
19191       \ifdim\right@cor>\z@
19192         \global\advance\@colht by\right@cor
19193       \fi
19194       \global\advance\@colht by\cor@height
19195       \global\cor@height=0pt
19196     \fi
19197     \global\setbox\@rightcolumn\vbox{}%
19198 \else

```



```

19199  \ifdim\c@colht>\@colht
19200      \atempdima\@colht
19201      \ifdim\@colht>\z@
19202          \global\setbox\@rightcolumn \vbox{%
19203              \unvbox\@rightcolumn
19204              \vbox to\@tempdima{%
19205                  \vskip\c@addvipersep\unvbox\@outputbox}%
19206                  \vskip\stripsep
19207                  \vrule height\the\juo@ht width Opt depth Opt
19208                  \vskip\stripsep
19209              }%
19210          \global\c@addvipersep\m@addvipersep
19211      \else
19212          \global\setbox\@rightcolumn \vbox{%
19213              \unvbox\@rightcolumn
19214              \vrule height\the\juo@ht width Opt depth Opt
19215              \vskip\stripsep
19216          }%
19217      \fi
19218      \ifnum\juo@sk>0
19219          \remove@strip\juo@sar
19220          \global\@colht\the\juo@pr
19221          \global\advance\@colht by -\ht\@rightcolumn
19222          \global\advance\@colht by\cor@height
19223          \global\cor@height=Opt
19224      \else
19225          \global\advance\c@colht by-\ht\@rightcolumn
19226          \global\@colht\c@colht
19227      \fi
19228  \else
19229  \global\@firstcolumntrue
19230  \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19231      \unvbox\@rightcolumn
19232      \vskip\c@addvipersep
19233      \unvbox\@outputbox
19234  }%
19235  \setbox\@outputbox \vbox {%
19236      \hb@xt@\textwidth {%
19237          \hskip \columnwidth
19238          \hfil
19239          \vrule \width\columnseprule
19240          \hfil
19241          \hb@xt@\columnwidth {%
19242              \bidi@firstcolumn@status@write%
19243              \box\@leftcolumn \hss}%
19244              \hskip-\textwidth
19245              \hb@xt@\columnwidth {%
19246                  \bidi@lastcolumn@status@write%
19247                  \box\@outputbox \hss}%
19248                  \hskip\columnwidth
19249                  \hskip\columnsep}%
19250  }%
19251  \@combinedblfloats
19252  \@setmarks

```



```

19253   \@outputpage
19254   \begingroup
19255     \@dblfloatplacement
19256     \@startdblcolumn
19257     \@whilesw\if@fcolmade \fi
19258       {\@outputpage
19259         \@startdblcolumn}%
19260   \endgroup
19261   \global\juo@sk=0\global\juo@sar={}
19262   \global\cor@height\z@\global\c@addvipersep\z@
19263   \fi
19264 \fi
19265 }
19266
19267
19268 \def\LTR@outputdblcol{%
19269   \if@firstcolumn
19270     \global \@firstcolumnfalse
19271     \global\setbox\@leftcolumn\copy\outputbox
19272     \splitmaxdepth\maxdimen
19273     \vbadness\maxdimen
19274     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
19275     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
19276     \toks@\expandafter{\topmark}%
19277     \xdef\@firstcoltopmark{\the\toks@}%
19278     \toks@\expandafter{\splitfirstmark}%
19279     \xdef\@firstcolfirstmark{\the\toks@}%
19280     \ifx\@firstcolfirstmark\empty
19281       \global\let\@setmarks\relax
19282     \else
19283       \gdef\@setmarks{%
19284         \let\firstmark\@firstcolfirstmark
19285         \let\topmark\@firstcoltopmark}%
19286     \fi
19287     \global\c@colht\@colht\global\c@addvipersep\z@
19288     \ifnum\juo@sk>0
19289       \remove@strip\juo@sar
19290       \global\@colht\the\juo@pr
19291       \ifdim\right@cor>\z@
19292         \global\advance\@colht by\right@cor
19293       \fi
19294       \global\advance\@colht by\cor@height
19295       \global\cor@height=0pt
19296     \fi
19297     \global \setbox\@rightcolumn \vbox{}%
19298   \else
19299     \ifdim\c@colht>\@colht
19300       \tempdima\@colht
19301       \ifdim\@colht>\z@
19302         \global\setbox\@rightcolumn \vbox{%
19303           \unvbox\@rightcolumn
19304           \vbox to\@tempdima{%
19305             \vskip\c@addvipersep\unvbox\@outputbox}%
19306           \vskip\stripsep

```



```

19307           \vrule height\the\juo@ht width Opt depth Opt
19308           \vskip\stripsep
19309           }%
19310           \global\c@addvipersep\m@addvipersep
19311           \else
19312           \global\setbox\@rightcolumn \vbox{%
19313               \unvbox\@rightcolumn
19314               \vrule height\the\juo@ht width Opt depth Opt
19315               \vskip\stripsep
19316               }%
19317           \fi
19318           \ifnum\juo@sk>0
19319               \remove@strip\juo@sar
19320               \global\@colht\the\juo@pr
19321               \global\advance\@colht by -\ht\@rightcolumn
19322               \global\advance\@colht by\cor@height
19323               \global\cor@height=Opt
19324           \else
19325               \global\advance\c@colht by-\ht\@rightcolumn
19326               \global\@colht\c@colht
19327           \fi
19328       \else
19329           \global\@firstcolumntrue
19330           \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19331               \unvbox\@rightcolumn
19332               \vskip\c@addvipersep
19333               \unvbox\@outputbox
19334               }%
19335           \setbox\@outputbox \vbox {%
19336               \hb@xt@\textwidth {%
19337                   \hb@xt@\columnwidth {%
19338                       \bidi@firstcolumn@status@write%
19339                           \box\@leftcolumn \hss}%
19340                           \hfil
19341                           \vrule \c@width\columnseprule
19342                           \hfil
19343                           \hb@xt@\columnwidth {%
19344                               \bidi@lastcolumn@status@write%
19345                                   \box\@outputbox \hss}%
19346                                   }%
19347               }%
19348           \combinedblfloats
19349           \setmarks
19350           \outputpage
19351           \begingroup
19352               \dblfloatingplacement
19353               \startdblcolumn
19354               \whilesw\if@fcolmade \fi
19355               {\outputpage
19356                   \startdblcolumn}%
19357           \endgroup
19358           \global\juo@sk=0\global\juo@sar={}%
19359           \global\cor@height\z@\global\c@addvipersep\z@
19360       \fi

```



```

19361   \fi
19362 }
19363
19364
19365 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
19366   \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
19367     \hsize\textwidth
19368     \parboxrestore
19369     \col@number \one
19370     \vrule height\topskip width0pt depth0pt
19371 }
19372
19373 \def\endstrip{%
19374   \egroup\egroup
19375   \if@firstcolumn
19376     \ifdim\pagetotal>\z@
19377       \vskip\stripsep
19378       \global\ht@strip\pagegoal
19379       \global\advance\ht@strip by-\pagetotal
19380       \global\advance\ht@strip by-\stripsep
19381       \global\advance\ht@strip by-\ht\@viper
19382       \global\advance\ht@strip by-\stripsep
19383       \global\juo@ht=\ht\@viper
19384     \else
19385       \global\ht@strip\z@
19386     \fi
19387     \ifdim\ht@strip>\z@
19388       \unvbox\@viper
19389       \vskip\stripsep
19390       \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
19391       \global\advance\juo@sk by1
19392     \else
19393       \@latex@error{Strip needs more place!}\@ehc
19394       \if@vihproof
19395         \framebox[\columnwidth]{??? Strip ???}%
19396       \fi
19397     \fi
19398   \else
19399     \@latex@error{Strip is used only on left column!}\@ehc
19400     \if@vihproof
19401       \framebox[\columnwidth]{??? Strip ???}%
19402     \fi
19403   \fi
19404 }

```

117 File minitoc-xetex-bidi.def

```

19405 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
19406 \def\@undottedtocline#1#2#3#4#5{%
19407   \ifnum #1>\c@tocdepth\relax \else
19408     \vskip \z@ plus.2\p@
19409     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg
19410     \parindent #2\relax\afterindenttrue
19411     \interlinepenalty\@M

```



```

19412 \leavevmode
19413 \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
19414 \hskip -\if@RTL\rightskip\else\leftskip\fi
19415 #4\nobreak\hfill \nobreak
19416 \null\par}%
19417 \fi}
19418 \def\@Undottedtocline#1#2#3#4#5{%
19419 \ifnum #1>\c@tocdepth\relax \else
19420 \vskip \z@ \oplus.2\p@
19421 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
19422 \parindent #2\relax\@afterindenttrue
19423 \interlinepenalty\OM
19424 \leavevmode
19425 \@tempdima #3\relax
19426 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19427 {\coffefont #4}\nobreak \nobreak\null
19428 \par}%
19429 \fi}
19430 \def\@Undottedtoclinep#1#2#3#4#5{%
19431 \ifnum #1>\c@tocdepth\relax \else
19432 \vskip \z@ \oplus.2\p@
19433 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
19434 \parindent #2\relax\@afterindenttrue
19435 \interlinepenalty\OM
19436 \leavevmode
19437 \@tempdima #3\relax
19438 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19439 {#4}\nobreak \hfill \nobreak\null
19440 \hb@xt@\pnumwidth{\hfil\normalfont \normalcolor #5}}%
19441 \par}%
19442 \fi}

```

118 File `multicol-xetex-bidi.def`

```

19443 \ProvidesFile{multicol-xetex-bidi.def}[2022/07/10 v1.4 bidi adaptations for multicol package]
19444 \def\page@sofar{%
19445   \process@cols\mult@rightbox
19446     \ifvoid\count@
19447       \setbox\count@\hbox to\hsize{ }%
19448     \else
19449       \wd\count@\hsize
19450     \fi}%
19451   \count@\col@number \advance\count@\m@ne
19452 \mult@info\z@
19453   {Column spec: \the\full@width\space = indent
19454     + columns + sep =\MessageBreak
19455     \the\multicol@leftmargin\space
19456     + \the\col@number\space
19457     x \the\hsize\space
19458     + \the\count@\space
19459     x \the\columnsep
19460   }%
19461 \ifvmode\else\errmessage{Multicol Error}\fi
19462   \nointerlineskip

```



```

19463   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
19464   \moveright\multicol@leftmargin
19465   \hbox to\full@width{%
19466     \bidi@multicol@align@columns
19467     \rlap{\phantom p}%
19468   }%
19469 \prevdepth\z@
19470 \kern-\dimen\tw@
19471 \ifdim\dimen\tw@ > \mc@gridwarn
19472   \PackageWarning{multicol}%
19473   {Very deep columns! \MessageBreak
19474     Grid alignment might be broken}%
19475 \fi
19476 }
19477 \def\LTR@column@boxes{%
19478   \process@cols\mult@firstbox{%
19479     \ifdim\dp\count@>\dimen\tw@
19480       \global\dimen\tw@\dp\count@ \fi
19481     \mc@col@status@write
19482     \box\count@
19483     \hss{\columnseprulecolor\vrule
19484       @width\columnseprule}\hss}%
19485   \ifdim\dp\mult@rightbox>\dimen\tw@
19486     \global\dimen\tw@\dp\mult@rightbox \fi
19487   \mc@lastcol@status@write
19488   \box\mult@rightbox
19489 }
19490
19491 \def\RTL@column@boxes{%
19492   \process@cols\mult@firstbox{%
19493     \hskip\hsize
19494     \hss{\columnseprulecolor\vrule
19495       @width\columnseprule}\hss
19496   }%
19497   \hskip\hsize
19498   \process@cols\mult@firstbox{%
19499     \ifdim\dp\count@>\dimen\tw@
19500       \global\dimen\tw@\dp\count@ \fi
19501     \hskip-\hsize
19502     \mc@col@status@write
19503     \box\count@
19504     \hskip-\hsize
19505     \hskip-\columnsep
19506   }%
19507   \ifdim\dp\mult@rightbox>\dimen\tw@
19508     \global\dimen\tw@\dp\mult@rightbox \fi
19509   \hskip-\hsize
19510   \mc@lastcol@status@write
19511   \box\mult@rightbox
19512   \hskip-\hsize
19513   \hskip\full@width
19514 }
19515
19516 \newcommand\RTLmulticolcolumns

```



```

19517     {\let\bidi@multicol@align@columns
19518         \RTL@column@boxes}
19519 \newcommand\LTRmulticolcolumns
19520     {\let\bidi@multicol@align@columns
19521         \LTR@column@boxes}
19522 \newcommand\bidi@multicol@align@columns
19523     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
19524 \bidi@AtEndPreamble{%
19525     \if@bidi@csdef{footinsv@l}{%
19526         \def\footnoterule{\kern-3\p@
19527             \hrule \width \textwidth \kern 2.6\p@}%
19528     }{}%
19529 }
19530 \def\multicols#1{\col@number#1\relax
19531     \ifnum\col@number<\tw@
19532         \PackageWarning{multicol}%
19533         {Using `~\number\col@number'%
19534             columns doesn't seem a good idea.^^J
19535             I therefore use two columns instead}%
19536     \col@number\tw@ \fi
19537 \ifnum\col@number>20
19538     \PackageError{multicol}%
19539     {Too many columns}%
19540     {Current implementation doesn't
19541         support more than 20 columns.}%
19542     \MessageBreak
19543     {I therefore use 20 columns instead}%
19544     \col@number20 \fi
19545 \ifx\@footnotetext\mult@footnotetext
19546 \else
19547     \let\orig@footnotetext\@footnotetext
19548     \let\@footnotetext\mult@footnotetext
19549 \fi
19550 \ifx\@LTRfootnotetext\mult@LTRfootnotetext
19551 \else
19552     \let\orig@LTRfootnotetext\@LTRfootnotetext
19553     \let\@LTRfootnotetext\mult@LTRfootnotetext
19554 \fi
19555 \ifx\@RTLfootnotetext\mult@RTLfootnotetext
19556 \else
19557     \let\orig@RTLfootnotetext\@RTLfootnotetext
19558     \let\@RTLfootnotetext\mult@RTLfootnotetext
19559 \fi
19560 \@ifnextchar[\mult@cols{\mult@cols[]}]
19561 \long\def\mult@footnotetext#1{\begingroup
19562     \hsize\textwidth
19563     \columnwidth\textwidth
19564     \orig@footnotetext{#1}\endgroup}
19565 \long\def\mult@LTRfootnotetext#1{\begingroup
19566     \hsize\textwidth
19567     \columnwidth\textwidth
19568     \orig@LTRfootnotetext{#1}\endgroup}
19569 \long\def\mult@RTLfootnotetext#1{\begingroup
19570     \hsize\textwidth

```



```

19571           \columnwidth\textwidth
19572           \orig@RTLfootnotetext{#1}\endgroup}
19573 \def\right@footnoterule{%
19574   \kern-3\p@
19575   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
19576   \kern2.6\p@}
19577 \def\textwidth@footnoterule{\kern-3\p@
19578   \hrule \width \textwidth \kern 2.6\p@}
19579 \def\bidi@leave@mult@copyins{%
19580   \advance\dimen@\skip\@bidi@copyins@%
19581   \advance\dimen@\ht\@bidi@copyins@%
19582 }
19583
19584 \bidi@AtEndPreamble{%
19585   \if@bidi@csundef{footinsv@l}{%
19586     \bidi@patchcmd{\multi@column@out}{%
19587       \ifvbox \kludgeins
19588     }{%
19589       \ifvoid\@bidi@copyins@ \else
19590         \bidi@leave@mult@copyins
19591       \fi
19592       \ifvbox \kludgeins
19593     }{}{%
19594   }{}%
19595 }
19596
19597

```

119 File multienum-xetex-bidi.def

```

19598 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
19599 \renewcommand{\itemx}[1]{\parbox[t]{%
19600 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
19601 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}\smallskip
19602 \renewcommand{\itemxx}[2]{\parbox[t]{%
19603 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
19604 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19605 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
19606 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip
19607 \renewcommand{\itemxxx}[3]{\parbox[t]{%
19608 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
19609 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19610 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
19611 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
19612 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
19613 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\smallskip
19614 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
19615 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
19616 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19617 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
19618 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19619 \parbox[t]{\labelwidth}\hfill{\labelname}}\hskip\labelsep%
19620 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
19621 \parbox[t]{\labelwidth}\hfill{\labelname}}\hskip\labelsep

```



```

19622 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
19623 \renewcommand{\itemxxxx}[5]{\parbox[t]%
19624 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19625 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
19626 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19627 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
19628 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19629 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
19630 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19631 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
19632 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19633 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
19634 \renewcommand{\itemxox}[2]{\parbox[t]%
19635 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19636 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
19637 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19638 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
19639 \renewcommand{\itemxxo}[2]{\parbox[t]%
19640 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19641 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
19642 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19643 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
19644 \renewcommand{\itemxxxxx}[3]{\parbox[t]%
19645 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19646 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
19647 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19648 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19649 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19650 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
19651 \renewcommand{\itemxxox}[3]{\parbox[t]%
19652 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19653 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
19654 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19655 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
19656 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19657 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
19658 \renewcommand{\itemxxxxo}[3]{\parbox[t]%
19659 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19660 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
19661 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19662 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19663 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19664 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

120 File `natbib-xetex-bidi.def`

```

19665 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
19666 \renewenvironment{thebibliography}[1]{%
19667 \bibsection
19668 \parindent\z@
19669 \bibpreamble
19670 \bibfont
19671 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19672 \bidi@@thebibliography@font@hook%

```



```

19673 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
19674 \ifNAT@openbib
19675   \renewcommand\newblock{\par}%
19676 \else
19677   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
19678 \fi
19679 \sloppy\clubpenalty4000\widowpenalty4000
19680 \sfcode`\.\@m
19681 \let\NAT@bibitem@first@sw\@firstoftwo
19682   \let\citeN\cite \let\shortcite\cite
19683   \let\citeasnoun\cite
19684 }{%
19685 \bibitem@fin
19686 \bibpostamble
19687 \def\@noitemerr{%
19688 \PackageWarning{natbib}{Empty `thebibliography' environment}%
19689 }%
19690 \endlist
19691 \bibcleanup
19692 }%

```

121 File newfloat-xetex-bidi.def

```

19693 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
19694 \renewcommand*\newfloat@setwithin[2]{%
19695   \ifcsname c@chapter\endcsname
19696     \removefromreset{#1}{chapter}%
19697   \fi
19698   \removefromreset{#1}{section}%
19699   \edef\@tempa{#2}%
19700   \ifx\@tempa\empty
19701     \def\@tempa{none}%
19702   \fi
19703   \def\@tempb{none}%
19704   \ifx\@tempa\@tempb
19705     \ifcsname c@chapter\endcsname
19706       \chapterlistsgap@off{#1}%
19707     \fi
19708     \newfloat@@setwithin{#1}{}{%
19709   \else
19710     \def\@tempb{chapter}%
19711     \ifx\@tempa\@tempb
19712       \addtoreset{#1}{chapter}%
19713       \chapterlistsgap@on{#1}%
19714       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\SepMark\fi}{\theHchapter\SepMark}%
19715     \else
19716       \def\@tempb{section}%
19717       \ifx\@tempa\@tempb
19718         \addtoreset{#1}{section}%
19719         \ifcsname c@chapter\endcsname
19720           \addtoreset{#1}{chapter}%
19721           \chapterlistsgap@on{#1}%
19722           \newfloat@@setwithin{#1}{\thesection\SepMark}{\theHsection\SepMark}%
19723         \else

```



```

19724         \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection}
19725         \fi
19726     \else
19727         \newfloat@Error{Invalid value `#2' for option `within'}%
19728     \fi
19729   \fi
19730 \fi}

```

122 File nicematrix-xetex-bidi.def

```

19731 \ProvidesFile{nicematrix-xetex-bidi.def}[2024/12/15 v0.3 bidi adaptations for nicematrix pac
19732 \ExplSyntaxOn
19733 \bidi@patchcmd{\__nicematrix_array:n}{\@tabarray}{%
19734   \bool_if:NF \l__nicematrix_tabular_bool \RTLtabfalse
19735   \@tabarray
19736 }{}{%
19737 \ExplSyntaxOff
19738

```

123 File ntheorem-xetex-bidi.def

```

19739 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package
19740 \gdef\@thm#1#2#3{%
19741   \if@thmmarks
19742     \stepcounter{end}\InTheoType{ctr}%
19743   \fi
19744   \renewcommand{\InTheoType}{#1}%
19745   \if@thmmarks
19746     \stepcounter{curr#1ctr}%
19747     \setcounter{end#1ctr}{0}%
19748   \fi
19749   \refstepcounter{#2}%
19750   \theorem@prework
19751   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \trivlist
19752   \ifvmode \advance\thm@topsepadd\partopsep\fi
19753   \trivlist
19754   \topsep \theorempreskipamount
19755   \topsepadd \thm@topsepadd % used by \endparenv
19756   \advance\linewidth -\theorem@indent
19757   \advance\totalleftmargin \theorem@indent
19758   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \totalleftmargin \linewidth\fi
19759   \ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

124 File ntheorem-hyper-xetex-bidi.def

```

19760 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h
19761 \gdef\@thm#1#2#3{%
19762   \if@thmmarks
19763     \stepcounter{end}\InTheoType{ctr}%
19764   \fi
19765   \renewcommand{\InTheoType}{#1}%
19766   \if@thmmarks
19767     \stepcounter{curr#1ctr}%
19768     \setcounter{end#1ctr}{0}%

```



```

19769 \fi
19770 \refstepcounter{#2}%
19771 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
19772 \ifvmode \advance\thm@topsepadd\partopsep\fi
19773 \trivlist
19774 \@topsep \theorempreskipamount
19775 \@topsepadd \thm@topsepadd % used by \endparenv
19776 \advance\linewidth -\theorem@indent
19777 \advance\@totalleftmargin \theorem@indent
19778 \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
19779 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

125 File overpic-xetex-bidi.def

```

19780 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
19781 \renewenvironment{overpic}[2] []{%
19782   \sbox{\z@}{\includegraphics[#1]{#2}}%
19783   \settodepth{\@tempcnta}{\usebox{\z@}}%
19784   \settoheight{\@tempcntb}{\usebox{\z@}}%
19785   \advance\@tempcntb\@tempcnta%
19786   \settowidth{\@tempcnta}{\usebox{\z@}}%
19787   \setlength{\@tempdima}{\unitlength}%
19788   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
19789 %
19790   \OVP@calc%
19791 %
19792   \begin{picture}(\@tempcnta,\@tempcntb)%
19793     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
19794     \ifGin@grid%
19795       \put(0,0){\normalfont\fontsize@\viipt\selectfont%
19796         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
19797     \fi\fi%
19798     % reset the graphics parameter
19799     \let\Gin@outer@scaled\relax
19800     \let\Gin@outer@scaledy\relax
19801     \let\Gin@angle\relax
19802     \let\Gin@ewidt\Gin@exclamation
19803     \let\Gin@eheight\Gin@ewidt
19804     \def\Gin@scaled{1}
19805     \let\Gin@scaled\Gin@exclamation
19806   }{%
19807     \if@RTL\ifGin@grid%
19808       \put(0,0){\normalfont\fontsize@\viiipt\selectfont%
19809         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
19810     \fi%
19811     \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
19812   \end{picture}%
19813 }

```

126 File pdfbase-xetex-bidi.def

```

19814 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
19815 \ExplSyntaxOn
19816 \cs_set_eq:NN \pbs_outputpage_orig: \outputpage

```



```

19817 \cs_set_nopar:Npn\@outputpage{
19818   \int_gincr:N\g_pbs_page_int
19819   \box_if_vertical:cTF{@outputbox}{
19820     \bool_set_true:N\l_pbs_is_vertical_bool
19821   }{
19822     \bool_set_false:N\l_pbs_is_vertical_bool
19823   }
19824   \hbox_set:Nn\@outputbox{
19825     %begin of page
19826     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
19827     \box_use_drop:N\@outputbox
19828     %end of page
19829     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
19830   }
19831   \bool_if:NT\l_pbs_is_vertical_bool{
19832     \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
19833   }
19834   \pbs_outputpage_orig:
19835 }
19836 \ExplSyntaxOff

```

127 File pdflscape-xetex-bidi.def

```

19837 \ProvidesFile{pdflscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdflscape package]
19838 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
19839   \if@RTL
19840     \PLS@Rotate{-90}%
19841   \else
19842     \PLS@Rotate{90}%
19843   \fi
19844 }{}{%

```

128 File pdfpages-xetex-bidi.def

```

19845 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
19846 \renewcommand*{\includepdf}[2][]{%
19847   \begingroup
19848   \if@RTLfalse
19849     \let\AM@threadname\relax
19850     \AM@split@options{pdfpages}{#1}%
19851     \edef\AM@temp{\pdfpages}{\the\@temptokena}%
19852     \expandafter\setkeys\AM@temp
19853     \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
19854       \let\AM@currentdocname\relax
19855       \renewcommand\includegraphics[2][]{Survey in draft-mode}%
19856       \def\AM@pagecount{0}%
19857     }{%
19858       \AM@findfile{#2}%
19859       \if\AM@threadname\relax
19860         \def\AM@threadname{\AM@currentdocname}%
19861       \fi
19862     }%
19863     \ifAM@survey
19864       \def\AM@pagestemp{}%

```



```

19865 \@tempcnta=0
19866 \def\foo{%
19867   \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
19868     {\let\foo\relax}
19869     {\expandafter\ifx\expandafter\\\AM@pagestemp\\
19870       \edef\AM@pagestemp{%
19871         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
19872     \else
19873       \edef\AM@pagestemp{\AM@pagestemp,%
19874         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
19875     \fi
19876       \advance\@tempcnta 1\relax
19877     }%
19878   \foo
19879 }%
19880 \foo
19881 \expandafter\ifx\expandafter\\\AM@pagestemp\\
19882   \def\AM@pagestemp{1}%
19883 \fi
19884 \fi
19885 \ifAM@output
19886   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
19887   \AM@output{#1}%
19888 \fi
19889 \AM@CheckAtEnd
19890 \endgroup
19891 \AM@ClearShipoutPicture
19892 }

```

129 File pgfcorescopes.code-xetex-bidi.def

```

19893 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
19894 \def\pgfpicture{%
19895   \begingroup%
19896   \ifmmode\else\@RTLfalse\beginL\fi%
19897   \pgfpicturetrue%
19898   \global\advance\pgf@picture@serial@count by1\relax%
19899   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
19900   \let\pgf@nodecallback=\pgfutil@gobble%
19901   \pgf@picmaxx=-16000pt\relax%
19902   \pgf@picminx=16000pt\relax%
19903   \pgf@picmaxy=-16000pt\relax%
19904   \pgf@picminy=16000pt\relax%
19905   \pgf@relevantforpicturesizetrue%
19906   \pgf@resetpathsizes%
19907   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}%
19908 \def\endpgfpicture{%
19909   \ifpgfrememberpicturepositiononpage%
19910     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
19911   \fi%
19912   % ok, now let's position the box
19913   \ifdim\pgf@picmaxx=-16000pt\relax%
19914     % empty picture. make size 0.
19915     \global\pgf@picmaxx=0pt\relax%

```



```

19916          \global\pgf@picminx=0pt\relax%
19917          \global\pgf@picmaxy=0pt\relax%
19918          \global\pgf@picminy=0pt\relax%
19919      \fi%
19920      % Shift baseline outside:
19921      \pgf@relevantforpicturesizefalse%
19922      \pgf@process{\pgf@baseline}%
19923      \xdef\pgf@shift@baseline{\the\pgf@y}%
19924      %
19925      \pgf@process{\pgf@trimleft}%
19926      \global\advance\pgf@x by-\pgf@picminx
19927      % prepare \hskip\pgf@trimleft@final.
19928      % note that \pgf@trimleft@final is also queried
19929      % by the pgf image externalization.
19930      \xdef\pgf@trimleft@final{-\the\pgf@x}%
19931      %
19932      \pgf@process{\pgf@trimright}%
19933      \global\advance\pgf@x by-\pgf@picmaxx
19934      % prepare \hskip\pgf@trimright@final.
19935      % note that \pgf@trimright@final is also queried
19936      % by the pgf image externalization.
19937      \xdef\pgf@trimright@final{\the\pgf@x}%
19938      %
19939      \pgf@remember@layerlist@globally
19940          \endgroup%
19941          \hss%
19942          \egroup%
19943          \pgf@restore@layerlist@from@global
19944              \pgf@insertlayers%
19945          \endgroup%
19946          \pgfsys@discardpath%
19947          \endgroup%
19948          \pgfsys@endscope%
19949          \pgfsys@endpicture%
19950          \endgroup%
19951          \hss
19952          \egroup%
19953          \pgfsys@typesetpicturebox\pgfpic%
19954          \ifmmode\else\endL\fi%
19955          \endgroup%
19956 }

```

130 File pgfsys.code-xetex-bidi.def

```

19957 \ProvidesFile{pgfsys.code-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for pgfsys.code.t
19958 \def\pgfsys@shadingoutsidepgfpicture#1{%
19959   \begin{L#1}\endL%
19960 }
19961
19962

```

131 File picinpar-xetex-bidi.def

```

19963 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package

```



```

19964 \long\def\@makewincaption#1#2{%
19965   \setbox@\tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
19966   \ifdim\wd@\tempboxa>\picwd
19967     {\footnotesize{\bf #1:\enspace}{#2\par}}%
19968   \else
19969     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box@\tempboxa\hfil\if@RTL\endR\fi}%
19970   \fi}
19971 \def\endwindow{%
19972   \global\tcd=\tcdsav
19973   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
19974   \vbadness=10000
19975   \splittopskip=0pt
19976 %
19977 % Typeset the lines above the window
19978 %
19979 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
19980 \tcn=\tcd
19981 \loop\advance\tcn -1
19982 \setbox\fslice=\vsplit\holder to\baselineskip
19983 \prune\fslice\linewidth
19984 \topheight=0pt
19985 \ifnum\dp\fslice>\dp\wstrutbox
19986   \advance\topheight-\dp\fslice
19987   \advance\topheight\dp\wstrutbox
19988   \advance\topheight\ilg\fi
19989 \hbox to\linewidth{\box\fslice}
19990 \vskip-\topheight
19991 \ifdim\ht\holder>0pt\repeat
19992 \fi
19993 %
19994 % Now we build the boxes beside the window
19995 %
19996 \global\topheight=\tcl\baselineskip
19997 \ifnum\cumpartcl>0\global\tcl=\cumtcl
19998   \global\topheight=\vpic
19999 \fi
20000 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
20001 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
20002 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
20003 \tcn=\tcl \na=0 \nb=0
20004 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
20005 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
20006 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
20007 \ifnum\na=0\ifnum\nb=0
20008   \setbox\waslice=\vbox to\vpic{\vss}
20009   \setbox\wbslice=\vbox to\vpic{\vss}
20010   \bl=1\br=1
20011   \vskip\ilg
20012 \fi\fi
20013 %
20014 % both sides
20015 %
20016 \ifnum\na>0 \ifnum\nb>0
20017 \loop\advance\nb -1

```



```

20018 \advance\na -1
20019 \if@RTL%
20020 \setbox\bslice=\vsplit\holder to\baselineskip
20021 \prune\bslice\rtside
20022 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20023 to\rtside{\box\bslice\hfil}}
20024 \setbox\aslice=\vsplit\holder to\baselineskip
20025 \prune\aslice\lftside
20026 \setbox\waslice=\vbox{\unvbox\waslice\hbox
20027 to\lftside{\box\aslice\hfil}}
20028 \else%
20029 \setbox\aslice=\vsplit\holder to\baselineskip
20030 \prune\aslice\lftside
20031 \setbox\waslice=\vbox{\unvbox\waslice\hbox
20032 to\lftside{\box\aslice\hfil}}
20033 \setbox\bslice=\vsplit\holder to\baselineskip
20034 \prune\bslice\rtside
20035 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20036 to\rtside{\box\bslice\hfil}}
20037 \fi%
20038 \ifnum\nb>0\repeat
20039 \fi\fi
20040 %
20041 % only text on the left side
20042 %
20043 \ifnum\na>0
20044     \loop\advance\na -1
20045     \setbox\aslice=\vsplit\holder to\baselineskip
20046     \prune\aslice\lftside
20047     \setbox\waslice=\vbox{\unvbox\waslice\hbox
20048     to\lftside{\box\aslice\hfil}}
20049     \ifdim\ht\holder>0pt\repeat
20050 \fi
20051 %
20052 % only text on the right side
20053 %
20054 \ifnum\nb>0
20055     \loop\advance\nb -1
20056     \setbox\bslice=\vsplit\holder to\baselineskip
20057     \prune\bslice\rtside
20058     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20059     to\rtside{\box\bslice\hfil}}
20060     \ifdim\ht\holder>0pt\repeat
20061 \fi
20062 %
20063 % fixing the dimensions of the window part
20064 %
20065 \ifnum\bl=0\topheight=\ht\wbslice
20066 \else\ifnum\br=0\topheight=\ht\waslice
20067     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
20068         \else\topheight=\ht\wbslice\fi\fi\fi
20069 %
20070 % ship out the window material to the main vertical list
20071 %

```



```

20072 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
20073 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
20074 \fi\fi\fi
20075 \setbox>windowbox=\vbox{\hbox to\linewidth{%
20076 \ifnum\bl>0\box\waslice\hfill\fi%
20077 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
20078 \vfill\unvbox\picbox%
20079 \ifnum\picwd>0\vfill\fi%
20080 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
20081 \unvbox>windowbox%
20082 \loop
20083 \setbox\bslice=\vsplit\rawtext to\baselineskip
20084 \prune\bslice\linewidth
20085 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
20086 \unvbox\wbslice
20087 \ifdim\ht\rawtext>0pt
20088 \repeat
20089 }% FINITO

```

132 File plain-xetex-bidi.def

```

20090 \def\TeXeTO{\TeXeTstate=1 }
20091 \def\TeXeTO{\TeXeTstate=0 }
20092 \TeXeTO
20093 \def\usebox#1{\leavevmode\copy #1\relax}
20094 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@\fi\let\bidi@o@everypar=\everypar
20095 \let\bidi@n@everypar=\everypar
20096 \newtoks\bidi@n@everypar
20097 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
20098 \bidi@o@everypar\expandafter{\bidi@RTL@everypar\the\bidi@n@everypar}
20099 \let\everypar=\bidi@n@everypar
20100 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
20101 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
20102 \protected\def\hboxR{\hbox\bgroup
20103 \everyhbox{%
20104 \aftergroup\egroup
20105 \everyhbox{}%
20106 \beginR
20107 \hboxRconstructtrue
20108 \bgroup
20109 \aftergroup\endR
20110 \aftergroup\egroup
20111 }\hbox}
20112 \protected\def\hboxL{\hbox\bgroup
20113 \everyhbox{%
20114 \aftergroup\egroup
20115 \everyhbox{}%
20116 \beginL
20117 \hboxRconstructfalse
20118 \bgroup
20119 \aftergroup\endL
20120 \aftergroup\egroup
20121 }\hbox}
20122 \protected\def\vboxR{\vbox\bgroup

```



```

20123 \everyvbox{%
20124   \aftergroup\egroup
20125   \everyvbox{}%
20126   \RTLtrue
20127   \bgroup
20128   \aftergroup\egroup
20129 }\vbox}
20130 \protected\def\vboxL{\vbox\bgroup
20131   \everyvbox{%
20132     \aftergroup\egroup
20133   \everyvbox{}%
20134   \RTLfalse
20135   \bgroup
20136   \aftergroup\egroup
20137 }\vbox}
20138 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
20139 \def\endLTR{\par}
20140 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
20141 \def\endRTL{\par}
20142 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
20143 \def\setRTL{\@RTLfalse\@RTL@footnotefalse}
20144 \let\unsetRTL=\setRTL
20145 \let\unsetRTL=\setRTL
20146 \let\LR=\LRE
20147 \let\RL=\RLE
20148 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20149 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
20150 \let\@ensure@RL=\@ensure@RTL
20151 \let\@ensure@LR=\@ensure@LTR
20152 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else#1\fi}
20153 \let\@ensure@maindir=\@ensure@dir
20154 \def\@RTL{RTL}
20155 \def\@LTR{LTR}
20156 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
20157 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
20158 \let\@TeX\TeX
20159 \def\TeX{\@ensure@LTR{\@TeX}}
20160 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
20161   \dimen@=\dp\@ccilv \unvbox\@ccilv % open up \box255
20162   \ifvoid\footins\else % footnote info is present
20163     \vskip\skip\footins
20164     \footnoterule
20165     \unvbox\footins\fi
20166   \ifr@ggedbottom \kern-\dimen@ \vfil \fi
20167   \ifvoid\@bidi@copyins@
20168   \else
20169     \vskip\skip\@bidi@copyins@
20170     \unvbox\@bidi@copyins@
20171   \fi
20172 }
20173 \long\def\bidi@reflect@box#1{%
20174   \leavevmode
20175   \setbox\z@\hbox{\{#1\}}%
20176   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
```



```

20177 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
20178 }
20179 \def\xetex{\LR{\leavemode$\smash{\hbox{X}\lower.5ex
20180 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
20181 \let\setRL=\setRTL
20182 \let\setLR=\setLTR
20183 \let\unsetRL=\setLTR
20184 \let\bidi@saved@eqno=\eqno
20185 \let\bidi@saved@leqno=\leqno
20186 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
20187 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@leqno \fi}
20188 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
20189 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
20190 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

133 File `pstricks-xetex-bidi.def`

```

20191 \ProvidesFile{pstricks-xetex-bidi.def}[2022/09/22 v0.6 bidi adaptations for pstricks package]
20192 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
20193 \def\endpspicture{%
20194   \ifshowgrid\ifnum\showgridp@s>0
20195     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
20196   \pst@killglue
20197 % \global\pst@shift=\pst@shift% in fact of the following endgroup
20198   \endgroup
20199   \egroup
20200   \ifdim\wd\pst@hbox=\z@\else
20201     \%@pstrickserr{Extraneous space in the pspicture environment}%
20202     \%{Type \space <return> \space to proceed.}%
20203   \fi
20204   \ht\pst@hbox=\pst@dimd
20205   \dp\pst@hbox=-\pst@dimb
20206   \setbox\pst@hbox=\hbox{%
20207     \kern-\pst@dima
20208 % Orig version -----
20209 \%ifx\pst@tempa\empty\else
20210 \%advance\pst@dimd-\pst@dimb
20211 \%pst@dimd=\pst@tempa\pst@dimd
20212 \%advance\pst@dimd\pst@dimb
20213 \%lower\pst@dimd
20214 \fi
20215 %---- end Orig
20216   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift=*
20217     \advance\pst@dimd-\pst@dimb
20218     \pst@dimd=0.5\pst@dimd
20219   \else\pst@dimd-\pst@shift\fi
20220   \advance\pst@dimd\pst@dimb
20221   \lower\pst@dimd
20222   \box\pst@hbox
20223   \kern\pst@dimc%
20224   \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
20225   \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
20226   \fboxsep=0pt
20227   \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi

```



```

20228 \ifmmode\else\endL\fi
20229 \endgroup%
2030 \psset[pstricks]{shift=0}%
2031 }%
2032 \bidi@patchcmd\@@scalebox{%
2033   \special{x: bscale \pst@tempc \pst@tempd}%
2034   \hbox to \z@\{\box\pst@hbox\hss\}%
2035   \special{x: escale}%
2036 }{%
2037 }{%
2038 \if@RTL
2039   \special{x: escale}%
2040 \else
2041   \special{x: bscale \pst@tempc \pst@tempd}%
2042 \fi
2043 \hbox to \z@\{\box\pst@hbox\hss\}%
2044 \if@RTL
2045   \special{x: bscale \pst@tempc \pst@tempd}%
2046 \else
2047   \special{x: escale}%
2048 \fi
2049 }{}{%
2050 \let\ps@scalebox\@@scalebox
2051

```

134 File `quotchap-xetex-bidi.def`

```

2052 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
2053 \renewcommand{\qauthor}[1]{%
2054   \par\smallskip
2055   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{}\par}\bigskip}
2056 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
2057   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
2058     {\chapnumfont
2059       \ifnum \c@sectiondepth >\m@ne%
2060       \if@mainmatter\thechapter%
2061       \fi\fi
2062       \par\nobreak}%
2063       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
2064       \nobreak\chapterheadendvskip}}}
2065 \renewcommand*{\@iprintcites}{%
2066   \vbox to \z@\{\leavevmode\copy\@quotebox\vss\}
2067   \global\let\@printcites\relax}

```

135 File `ragged2e-xetex-bidi.def`

```

2068 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
2069 \renewcommand{\Centering}{%
2070   \ifx\\@\raggedtwoe@savedcr
2071     \let\\@\centercr
2072   \fi
2073   \let\@gnewline\@raggedtwoe@gnewline
2074   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
2075   \rightskip\CenteringRightskip

```



```

20276 \if@RTL\leftskip\else\rightskip\fi\@rightskip
20277 \parfillskip\CenteringParfillskip
20278 \parindent\CenteringParindent
20279 \@raggedtwoe@spaceskiptrue
20280 \@raggedtwoe@everyselectfont
20281 }
20282 \renewcommand{\RaggedLeft}{%
20283   \ifx\\@\raggedtwoe@savedcr
20284     \let\\\\@centercr
20285   \fi
20286   \let@gnewline@\raggedtwoe@gnewline
20287   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
20288   \@rightskip\RaggedLeftRightskip
20289   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20290   \parfillskip\RaggedLeftParfillskip
20291   \parindent\RaggedLeftParindent
20292   \@raggedtwoe@spaceskiptrue
20293   \@raggedtwoe@everyselectfont
20294 }
20295 \renewcommand{\RaggedRight}{%
20296   \ifx\\@\raggedtwoe@savedcr
20297     \let\\\\@centercr
20298   \fi
20299   \let@gnewline@\raggedtwoe@gnewline
20300   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
20301   \@rightskip\RaggedRightRightskip
20302   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20303   \parfillskip\RaggedRightParfillskip
20304   \parindent\RaggedRightParindent
20305   \@raggedtwoe@spaceskiptrue
20306   \@raggedtwoe@everyselectfont
20307 }
20308 \renewcommand{\justifying}{%
20309   \let\\\\@raggedtwoe@savedcr
20310   \let@gnewline@\raggedtwoe@saved@gnewline
20311   \if@RTL\rightskip\else\leftskip\fi\z@
20312   \@rightskip\z@
20313   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20314   \parfillskip\JustifyingParfillskip
20315   \parindent\JustifyingParindent
20316   \@raggedtwoe@spaceskipfalse
20317   \@raggedtwoe@everyselectfont
20318 }
20319 \def\@raggedtwoe@raggedrightboxes@opt{%
20320   \renewcommand{\@arrayparboxrestore}{%
20321     \let\if@nobreak\iffalse
20322     \let\if@noskipsec\iffalse
20323     \let\par\@@par
20324     \let\-\@dischyp
20325     \let\\@\accii\let\\\@accii\let\\=\@acciii
20326     \parskip\z@skip
20327     \everypar{}%
20328     \linewidth\hsize
20329     \totallmargin\z@

```



```

20330   \if@RTL
20331     \RaggedLeft
20332   \else
20333     \RaggedRight
20334   \fi
20335   \lineskip\normalineskip
20336   \baselineskip\normalbaselineskip
20337   \sloppy}%
20338 \let\@raggedtwoe@raggedrightboxes@opt\relax
20339 }
20340 \def\@raggedtwoe@document@opt{%
20341   \AtBeginDocument{\@raggedtwoe@abdhook}%
20342   \@raggedtwoe@raggedrightboxes@opt
20343   \@raggedtwoe@footmisctrue
20344   \let\@raggedtwoe@document@opt\relax
20345 }
20346 \def\@raggedtwoe@abdhook{%
20347   \PackageInfo{ragged2e}{ABD: executing `\\string\\RaggedLeft' for
20348     right to left documents and `\\string\\RaggedRight' for left
20349     to right documents}%
20350   \if@RTL
20351     \RaggedLeft
20352   \else
20353     \RaggedRight
20354   \fi
20355   \ifundefined{@tocrmarg}{}{\edef{@tocrmarg{\@tocrmarg plus 2em}}%
20356   \let\@raggedtwoe@abdhook\relax
20357 }
20358 \ifpackagewith{ragged2e}{raggedrightboxes}{%
20359   \@raggedtwoe@raggedrightboxes@opt
20360 }{%
20361 \ifpackagewith{ragged2e}{document}{%
20362   \@raggedtwoe@document@opt
20363 }{%
20364 \let\origin@RaggedLeft=\RaggedLeft
20365 \let\origin@RaggedRight=\RaggedRight
20366 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
20367 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

136 File rapport1-xetex-bidi.def

```

20368 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
20369 \renewenvironment{theindex}{%
20370   \if@twocolumn
20371     \restonecolfalse
20372   \else
20373     \restonecoltrue
20374   \fi
20375   \columnseprule \z@
20376   \columnsep 35\p@
20377   \twocolumn[\@makeschapterhead{\indexname}]%
20378   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
20379   \thispagestyle{plain}\parindent\z@
20380   \parskip\z@\oplus .3\p@\relax

```



```

20381 \let\item\@idxitem
20382 }{%
20383 \if@restonecol\onecolumn\else\clearpage\fi}
20384 \renewcommand*\head@style{%
20385   \interlinepenalty \OM
20386   \hyphenpenalty=\OM \exhyphenpenalty=\OM
20387   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
20388 \if@titlepage
20389   \renewenvironment{abstract}{%
20390     \titlepage
20391     \null\vfil
20392     \section*{\SectFont\abstractname}%
20393     \noindent\ignorespaces
20394     {\par\vfil\null\endtitlepage}
20395 \else
20396   \renewenvironment{abstract}{%
20397     \if@twocolumn
20398       \section*{\abstractname}%
20399     \else
20400       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
20401       \section*{\small\SectFont\abstractname}%
20402       \noindent\ignorespaces
20403     \fi}
20404     {\if@twocolumn\else\par\egroup\fi}
20405 \fi
20406 \renewcommand*\@regtocline[3]{%
20407   \ifnum #1>\c@tocdepth
20408   \else
20409     \vskip\z@\@plus.2\p@
20410     {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
20411       \if@RTL\rightskip\else\leftskip\fi\unitindent
20412       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
20413       \parfillskip\z@
20414       \tempdima\unitindent
20415       \parindent\z@
20416       \leavevmode
20417       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
20418       \hskip 1em \nobreak{\slshape #3}\par
20419     }%
20420   \fi}
20421 \if@oldtoc
20422 \renewcommand*\l@part[2]{%
20423   \ifnum \c@tocdepth >-2\relax
20424     \addpenalty{-\highpenalty}%
20425     \addvspace{2.25em \@plus\p@}%
20426     \begingroup
20427       \setlength\tempdima{3em}%
20428       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\tempdima \c@pnumwidth
20429       \parfillskip -\c@pnumwidth
20430       \leavevmode
20431       \large \bfseries #1\hfil \hbox{\c@pnumwidth\hss #2}\par
20432       \nobreak
20433       \global\nobreaktrue
20434       \everypar{\global\c@nobreakfalse\everypar{}}

```



```

20435      \endgroup
20436  \fi}
20437 \else
20438  \renewcommand*\l@part{%
20439    \ifnum \c@tocdepth >-2\relax
20440    \addpenalty{-\highpenalty}%
20441    \addvspace{2.25em \oplus \p@}%
20442    \regtocline{0}%
20443  \fi}
20444 \fi
20445 \if@oldtoc
20446 \renewcommand*\l@chapter[2]{%
20447  \addpenalty{-\highpenalty}%
20448  \vskip 1.0em \oplus \p@
20449  \setlength{\tempdima{1.5em}}%
20450  \begingroup
20451  \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
20452  \parfillskip -\pnumwidth
20453  \leavevmode \bfseries
20454  \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
20455  \hskip -\if@RTL\rightskip\else\leftskip\fi
20456  #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
20457  \penalty\highpenalty
20458  \endgroup}
20459 \else
20460  \renewcommand*\l@chapter{\regtocline{0}}
20461 \fi
20462 \renewcommand*\left@footnoterule{%
20463  \kern-3\p@
20464  \kern.5\baselineskip
20465  \hrule\@width\unitindent
20466  \kern.4\baselineskip
20467 }
20468 \renewcommand*\right@footnoterule{%
20469  \kern-3\p@
20470  \kern.5\baselineskip
20471  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
20472  \kern.4\baselineskip}
20473 \ renewenvironment{thebibliography}[1]
20474  {\chapter*{\bibname}%
20475    \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
20476    \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20477    \bidi@thebibliography@font@hook%
20478    \list{\@biblabel{\@arabic\c@enumiv}}%
20479      {\settowidth\labelwidth{\@biblabel{#1}}%
20480      \leftmargin\labelwidth
20481      \advance\leftmargin\labelsep
20482      \openbib@code
20483      \usecounter{enumiv}%
20484      \let\p@enumiv\empty
20485      \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20486      \sloppy\clubpenalty4000\widowpenalty4000%
20487      \sfcode`\. \empty
20488      \def\@noitemerr
```



```

20489      {\@latex@warning{Empty `thebibliography' environment}}%
20490      \endlist}
20491 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
20492 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
20493 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
20494 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20495 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
20496 \renewcommand*\theequation{%
20497   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
20498 \renewcommand*\thefigure{%
20499   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
20500 \renewcommand*\thetable{%
20501   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
20502 \if@titlepage
20503 \renewcommand*\TitleFont{\rmfamily}
20504 \renewcommand*\maketitle{%
20505   \begin{titlepage}%
20506     \let\footnotesize\small
20507     \let\right@footnoterule\relax
20508     \let\left@footnoterule\relax
20509     \let\textwidth@footnoterule\relax
20510     \let \footnote \thanks
20511     \long\def\@makefntext##1{\par\indent\z@
20512       \def\labelitemi{\textendash}\@revlabeltrue
20513       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
20514 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20515 \if@compatibility\setcounter{page}{0}\fi
20516 \null\vfil
20517 \vskip 60\p@
20518 \begin{center}%
20519   \TitleFont
20520   {\LARGE \def\{\penalty -\@M}
20521     \if@allcaps
20522       \expandafter\uc@nothanks\@title\thanks\relax
20523     \else
20524       \@title
20525     \fi\par}%
20526   \vskip 3em%
20527   {\large
20528     \lineskip .75em \par\indent\z@
20529     \begin{tabular}[t]{c}%
20530       \if@allcaps
20531         \expandafter\uc@author\nothanks\@author\and\relax
20532       \else
20533         \@author
20534       \fi
20535     \end{tabular}\par}%
20536   \vskip 1.5em%
20537   {\large
20538     \if@allcaps
20539       \uppercase\expandafter{\@date}%
20540     \else
20541       \@date
20542     \fi\par}%

```



```

20543      \end{center}\par
20544      \@thanks
20545      \vfil\null
20546 \end{titlepage}%
20547 \setcounter{footnote}{0}%
20548 \global\let\thanks\relax
20549 \global\let\maketitle\relax
20550 \global\let\@thanks\@empty
20551 \global\let\@author\@empty
20552 \global\let\@title\@empty
20553 \global\let\@date\@empty
20554 \global\let\title\relax
20555 \global\let\author\relax
20556 \global\let\date\relax
20557 \global\let\and\relax
20558 }
20559 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
20560 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
20561     \futurelet\@tempa\uc@ax}
20562 \def\uc@ax{%
20563     \ifx\@tempa\relax
20564     \else
20565         \\ \andname \\ \expandafter\uc@authornothanks
20566     \fi}
20567 \def\uc@tx{\ifx\@tempa\relax
20568     \else \expandafter\uc@ty \fi}
20569 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
20570 \else
20571 \renewcommand*\maketitle{\par
20572     \begingroup
20573         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20574         \def\@makefnmark{\rlap{%
20575             \textsuperscript{\normalfont\@thefnmark}}}}%
20576         \long\def\@makefntext{\xmakefntext{%
20577             \textsuperscript{\normalfont\@thefnmark}}}}%
20578         \if@twocolumn
20579             \ifnum \col@number=\@ne
20580                 \@maketitle
20581             \else
20582                 \twocolumn[\@maketitle]%
20583             \fi
20584         \else
20585             \newpage
20586             \global\@topnum\z@
20587             \@maketitle
20588         \fi
20589         \thispagestyle{plain}\@thanks
20590     \endgroup
20591     \setcounter{footnote}{0}%
20592     \global\let\thanks\relax
20593     \global\let\maketitle\relax
20594     \global\let\@maketitle\relax
20595     \global\let\@thanks\@empty
20596     \global\let\@author\@empty

```



```

20597 \global\let@\title\@empty
20598 \global\let@\date\@empty
20599 \global\let\title\relax
20600 \global\let\author\relax
20601 \global\let\date\relax
20602 \global\let\and\relax
20603 }
20604 \def\@maketitle{%
20605   \newpage
20606   \null
20607   \vskip 2em%
20608   \begin{center}%
20609     \let \footnote \thanks
20610     {\LARGE \TitleFont \@title \par}%
20611     \vskip 1.5em%
20612     {\large \TitleFont
20613       \lineskip .5em%
20614       \begin{tabular}[t]{c}%
20615         \author
20616       \end{tabular}\par}%
20617     \vskip 1em%
20618     {\large \TitleFont \@date}%
20619   \end{center}%
20620   \par
20621   \vskip 1.5em}
20622 \fi

```

137 File rapport3-xetex-bidi.def

```

20623 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
20624 \renewenvironment{theindex}{%
20625   \if@twocolumn
20626     \restonecolfalse
20627   \else
20628     \restonecoltrue
20629   \fi
20630   \columnseprule \z@
20631   \columnsep 35\p@
20632   \twocolumn[\@makeschapterhead{\indexname}]%
20633   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
20634   \thispagestyle{plain}\parindent\z@
20635   \parskip\z@ \oplus .3\p@\relax
20636   \let\item@\idxitem
20637 }{%
20638   \if@restonecol\onecolumn\else\clearpage\fi}
20639 \if@titlepage
20640 \renewcommand*\TitleFont{\rmfamily}
20641 \renewcommand*\maketitle{%
20642   \begin{titlepage}%
20643     \let\footnotesize\small
20644     \let\right@footnoterule\relax
20645     \let\left@footnoterule\relax
20646     \let\textwidth@footnoterule\relax
20647     \let \footnote \thanks

```



```

20648 \let \LTRfootnote \LTRthanks
20649 \let \RTLfootnote \RTLthanks
20650 \long\def\@makefntext##1{\parindent\z@
20651     \def\labelitemi{\textendash}\relax
20652     \leavevmode\textsuperscript{@\thefnmark}\kern1em\relax ##1}
20653 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20654 \if@compatibility\setcounter{page}{0}\fi
20655 \null\vfil
20656 \vskip 60\p@
20657 \begin{center}%
20658     \TitleFont
20659     {\LARGE \def\\{\penalty -\OM}}
20660     \if@allcaps
20661         \expandafter\uc@nothanks\@title\thanks\relax
20662     \else
20663         \@title
20664         \fi\par}%
20665 \vskip 3em%
20666 {\large
20667     \lineskip .75em \parindent\z@
20668     \begin{tabular}[t]{c}%
20669         \if@allcaps
20670             \expandafter\uc@authornothanks\@author\and\relax
20671         \else
20672             \@author
20673             \fi
20674         \end{tabular}\par}%
20675 \vskip 1.5em%
20676 {\large
20677     \if@allcaps
20678         \uppercase\expandafter{\@date}%
20679     \else
20680         \@date
20681         \fi\par}%
20682     \end{center}\par
20683     \@thanks
20684     \vfil\null
20685 \end{titlepage}%
20686 \setcounter{footnote}{0}%
20687 \global\let\thanks\relax
20688 \global\let\LTRthanks\relax
20689 \global\let\RTLthanks\relax
20690 \global\let\maketitle\relax
20691 \global\let\@thanks\empty
20692 \global\let\@author\empty
20693 \global\let\@title\empty
20694 \global\let\@date\empty
20695 \global\let\title\relax
20696 \global\let\author\relax
20697 \global\let\date\relax
20698 \global\let\and\relax
20699 }
20700 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
20701 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax

```



```

20702     \futurelet\@tempa\uc@ax}
20703 \def\uc@ax{%
20704   \ifx\@tempa\relax
20705   \else
20706     \\ \andname \\ \expandafter\uc@authornothanks
20707   \fi}
20708 \def\uc@tx{\ifx\@tempa\relax
20709   \else \expandafter\uc@ty \fi}
20710 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
20711 \else
20712 \renewcommand*\maketitle{\par
20713   \begingroup
20714     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20715     \def\@makefnmark{\rlap{%
20716       \textsuperscript{\normalfont\@thefnmark}}}%
20717     \long\def\@makefntext{\xmakefntext{%
20718       \textsuperscript{\normalfont\@thefnmark}}}%
20719     \if@twocolumn
20720       \ifnum \col@number=\@ne
20721         \maketitle
20722       \else
20723         \twocolumn[\maketitle]%
20724       \fi
20725     \else
20726       \newpage
20727       \global\@topnum\z@%
20728       \maketitle
20729     \fi
20730     \thispagestyle{plain}\@thanks
20731   \endgroup
20732   \setcounter{footnote}{0}%
20733   \global\let\thanks\relax
20734   \global\let\LTRthanks\relax
20735   \global\let\RTLthanks\relax
20736   \global\let\maketitle\relax
20737   \global\let\@maketitle\relax
20738   \global\let\@thanks\empty
20739   \global\let\@author\empty
20740   \global\let\@title\empty
20741   \global\let\@date\empty
20742   \global\let\title\relax
20743   \global\let\author\relax
20744   \global\let\date\relax
20745   \global\let\and\relax
20746 }
20747 \def\@maketitle{%
20748   \newpage
20749   \null
20750   \vskip 2em%
20751 \if@titlecentered
20752   \begin{center}%
20753     \let\footnote\thanks
20754     \let\LTRfootnote\LTRthanks
20755     \let\RTLfootnote\RTLthanks

```



```

20756      {\LARGE \TitleFont \@title \par}%
20757      \vskip 1.5em%
20758      {\large \TitleFont
20759          \lineskip .5em%
20760          \begin{tabular}[t]{c}%
20761              \author
20762          \end{tabular}\par}%
20763      \vskip 1em%
20764      {\large \TitleFont \@date}%
20765      \end{center}%
20766  \else
20767      {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
20768      {\large \TitleFont \lineskip .5em \tabcolsep\z@
20769          \def\and{\% \begin{tabular} has already started
20770              \end{tabular}\hspace{1em plus .17fil}
20771                  \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabu
20772                  \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}%
20773          \vskip 1em {\large \TitleFont \@date}
20774      \fi
20775      \par
20776      \vskip 1.5em}
20777 \fi
20778 \renewcommand*\@regtocline[3]{%
20779     \ifnum #1>\c@tocdepth
20780     \else
20781         \vskip\z@\@plus.2\p@
20782         {\hangindent\z@ \c@afterindenttrue \interlinepenalty\OM
20783             \if@RTL\rightskip\else\leftskip\fi\unitindent
20784             \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
20785             \parfillskip\z@
20786             \tempdima\unitindent
20787             \parindent\z@
20788             \leavevmode
20789             \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
20790             \hspace{1em \nobreak\slshape #3}\par
20791         }%
20792     \fi}
20793 \if@oldtoc
20794 \renewcommand*\@part[2]{%
20795     \ifnum \c@tocdepth >-2\relax
20796         \addpenalty{-\@highpenalty}%
20797         \addvspace{2.25em \@plus\p@}%
20798         \begingroup
20799             \setlength\tempdima{3em}%
20800             \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\unitwidth
20801             \parfillskip -\unitwidth
20802             \leavevmode
20803                 \large \bfseries #1\hfil \hb@xt@\unitwidth{\hss #2}\par
20804                 \nobreak
20805                 \global\nobreaktrue
20806                 \everypar{\global\nobreakfalse\everypar{}}%
20807         \endgroup
20808     \fi}
20809 \else

```



```

20810     \renewcommand*\l@part{%
20811         \ifnum \c@tocdepth >-2\relax
20812             \addpenalty{-\@highpenalty}%
20813             \addvspace{2.25em \@plus \p@}%
20814             \regtocline{0}%
20815         \fi}
20816 \fi
20817 \if@oldtoc
20818 \renewcommand*\l@chapter[2]{%
20819     \addpenalty{-\@highpenalty}%
20820     \vskip 1.0em \@plus\p@
20821     \setlength\@tempdima{1.5em}%
20822     \begingroup
20823     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
20824     \parfillskip -\c@pnumwidth
20825     \leavevmode \bfseries
20826     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
20827     \hskip -\if@RTL\rightskip\else\leftskip\fi
20828     #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
20829     \penalty\@highpenalty
20830     \endgroup}
20831 \else
20832     \renewcommand*\l@chapter{\regtocline{0}}
20833 \fi
20834 \renewcommand*\head@style{%
20835     \interlinepenalty \OM
20836     \hyphenpenalty=\OM \exhyphenpenalty=\OM
20837     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
20838 \if@titlepage
20839     \renewenvironment{abstract}{%
20840         \titlepage
20841         \null\vfil
20842         \section*{\SectFont\abstractname}%
20843         \noindent\ignorespaces
20844         {\par\vfil\null\endtitlepage}
20845 \else
20846     \renewenvironment{abstract}{%
20847         \if@twocolumn
20848             \section*{\abstractname}%
20849         \else
20850             \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
20851             \section*{\small\SectFont\abstractname}%
20852             \noindent\ignorespaces
20853         \fi}
20854         {\if@twocolumn\else\par\egroup\fi}
20855 \fi
20856 \renewcommand*\thesection{\thechapter\c@SepMark\c@arabic\c@section}
20857 \renewcommand*\thesubsection{\thesection\c@SepMark\c@arabic\c@subsection}
20858 \renewcommand*\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}
20859 \renewcommand*\theparagraph{\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
20860 \renewcommand*\thesubparagraph{\theparagraph\c@SepMark\c@arabic\c@subparagraph}
20861 \renewcommand*\thefigure{%
20862     \ifnum\c@chapter>\z@\thechapter\c@SepMark\fi\c@arabic\c@figure}
20863 \renewcommand*\thetable{%

```



```

20864 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
20865 \renewcommand*\theequation{%
20866 \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
20867 \renewenvironment{thebibliography}[1]
20868 {\chapter*{\bibname}\%
20869 \Omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}\%
20870 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20871 \bidi@thebibliography\font@hook\%
20872 \list{\@biblabel{\@arabic\c@enumiv}}\%
20873 {\settowidth\labelwidth{\@biblabel{\#1}}\%
20874 \leftmargin\labelwidth
20875 \advance\leftmargin\labelsep
20876 \openbib@code
20877 \usecounter{enumiv}\%
20878 \let\p@enumiv\empty
20879 \renewcommand*\theenumiv{\@arabic\c@enumiv}\%
20880 \sloppy\clubpenalty4000\widowpenalty4000%
20881 \sfcode`.\@m}
20882 {\def\@noitemerr
20883 {\@latex@warning{Empty `thebibliography' environment}}\%
20884 \endlist}
20885 \renewcommand*\left@footnoterule{%
20886 \kern-3\p@
20887 \kern.5\baselineskip
20888 \hrule\@width\unitindent
20889 \kern.4\baselineskip
20890 }
20891 \renewcommand*\right@footnoterule{%
20892 \kern-3\p@
20893 \kern.5\baselineskip
20894 \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
20895 \kern.4\baselineskip}
20896 \renewcommand*\head@style{%
20897 \interlinepenalty \OM
20898 \hyphenpenalty=\OM \exhyphenpenalty=\OM
20899 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

138 File refrep-xetex-bidi.def

```

20900 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for Xe
20901 \if@titlepage
20902 \renewcommand\maketitle{\begin{titlepage}%
20903 \let\footnotesize\small
20904 \let\right@footnoterule\relax
20905 \let\left@footnoterule\relax
20906 \let\textwidth@footnoterule\relax
20907 \let\footnote\thanks
20908 \let\LTRfootnote\LTRthanks
20909 \let\RTLfootnote\RTLthanks
20910 \renewcommand\thefootnote{\@fnsymbol\c@footnote}\%
20911 \def\@makefnmark{%
20912 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}\%
20913 \long\def\@makefntext##1{%
20914 \osetpar{\@par

```



```

20915      \tempdima = \hsize
20916      \advance\tempdima -1em
20917      \parshape \one 1em \tempdima}%
20918      \par\parindent 1em \noindent
20919      \hb@xt@\z@{\hss\textsuperscript{\normalfont\thefnmark}\,}##1}
20920 \null\vfil
20921 \vskip 60\p@
20922 \begin{center}%
20923   {\LARGE \title \par}%
20924   \vskip 3em%
20925   {\large
20926     \lineskip .75em%
20927     \begin{tabular}[t]{c}%
20928       \author
20929     \end{tabular}\par}%
20930   \vskip 1.5em%
20931   {\large \date \par}%
20932 \end{center}\par
20933 \thanks
20934 \vfil\null
20935 \end{titlepage}%
20936 \setcounter{footnote}{0}%
20937 \global\let\thanks\relax
20938 \global\let\LTRthanks\relax
20939 \global\let\RTLthanks\relax
20940 \global\let\maketitle\relax
20941 \global\let\@thanks\empty
20942 \global\let\author\empty
20943 \global\let\date\empty
20944 \global\let\title\empty
20945 \global\let\title\relax
20946 \global\let\author\relax
20947 \global\let\date\relax
20948 \global\let\and\relax
20949 }
20950 \else
20951   \renewcommand\maketitle{\par
20952     \begingroup
20953       \renewcommand\thefootnote{\fnsymbol{footnote}}%
20954       \def\@makefnmark{%
20955         \rlap{\textsuperscript{\normalfont\thefnmark}}}%
20956       \long\def\@makefntext##1{%
20957         \setpar{\@par
20958           \tempdima = \hsize
20959           \advance\tempdima -1em
20960           \parshape \one 1em \tempdima}%
20961           \par\parindent 1em \noindent
20962           \hb@xt@\z@{\hss\textsuperscript{\normalfont\thefnmark}\,}##1}
20963       \if@twocolumn
20964         \ifnum \col@number=\one
20965           \maketitle
20966         \else
20967           \twocolumn[\maketitle]%
20968       \fi

```



```

20969     \else
20970         \newpage
20971         \global\@topnum\z@    % Prevents figures from going at top of page.
20972         \@maketitle
20973     \fi
20974     \thispagestyle{empty}\@thanks
20975     \endgroup
20976     \setcounter{footnote}{0}%
20977     \global\let\thanks\relax
20978     \global\let\LTRthanks\relax
20979     \global\let\RTLthanks\relax
20980     \global\let\maketitle\relax
20981     \global\let@\maketitle\relax
20982     \global\let@\thanks@\empty
20983     \global\let@\author@\empty
20984     \global\let@\date@\empty
20985     \global\let@\title@\empty
20986     \global\let\title\relax
20987     \global\let\author\relax
20988     \global\let\date\relax
20989     \global\let\and\relax
20990 }
20991 \def\@maketitle{%
20992     \newpage
20993     \null
20994     \longthickrule\vskip1.5em%
20995     \let \footnote \thanks
20996     \let \LTRfootnote \LTRthanks
20997     \let \RTLfootnote \RTLthanks
20998     {\secshape \parskip\z@ \parindent\z@
20999     \Large\bfseries \title \par}%
21000     \vskip1.5em\longthickrule\vskip1.5em%
21001     {\normalsize
21002         \lineskip .5em%
21003         \begin{flushright}%
21004             {\slshape\author\par}
21005             \vskip 1em%
21006             {\@date}%
21007             \end{flushright}\par}%
21008     \vskip 1.5em}
21009 \fi
21010 \renewcommand*\l@part[2]{%
21011     \ifnum \c@tocdepth >-2\relax
21012         \addpenalty{-\highpenalty}%
21013         \addvspace{2.25em \oplus \p@}%
21014         \begingroup
21015             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
21016             \parfillskip -\c@pnumwidth
21017             \leavevmode
21018             \large\bfseries #1\hfil \hbox to\c@pnumwidth{\hss #2}\par
21019             \nobreak
21020             \global\c@nobreaktrue
21021             \everypar{\global\c@nobreakfalse\everypar{}}
21022     \endgroup

```



```

21023   \fi}
21024 \renewcommand*\l@chapter[2]{%
21025   \ifnum \c@tocdepth >\m@ne
21026     \addpenalty{-\@highpenalty}%
21027     \vskip 1.0em \oplus\p@
21028     \setlength\@tempdima{1.5em}%
21029     \begingroup
21030     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21031     \parfillskip -\pnumwidth
21032     \leavevmode \bfseries
21033     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
21034     \hskip -\if@RTL\rightskip\else\leftskip\fi
21035     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
21036     \penalty\@highpenalty
21037     \endgroup
21038   \fi}
21039 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
21040                           \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
21041                           \hyphenpenalty=2000}
21042 \renewcommand\left@footnoterule{%
21043   \kern-3\p@
21044   \hrule\@width.4\columnwidth
21045   \kern 2.6\p@}
21046 \renewcommand\right@footnoterule{%
21047   \kern-3\p@
21048   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21049   \kern2.6\p@}
21050 \renewcommand\theequation
21051 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
21052 \renewcommand\thefigure
21053   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
21054 \renewcommand\thetable%
21055   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
21056 \renewcommand\thesection {\thechapter\@SepMark\arabic\c@section}
21057 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
21058 \renewcommand\thesubsubsection {\thesubsection\@SepMark\arabic\c@subsubsection}
21059 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
21060 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
21061 \renewenvironment\thebibliography}[1]
21062   {\chapter*\{\bibname
21063     \mkboth{\bibname}{\bibname}}%
21064   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21065   \bidi@thebibliography\font@hook%
21066   \list{\@biblabel{\arabic\c@enumiv}}%
21067     {\settowidth\labelwidth{\@biblabel{#1}}%
21068     \leftmargin\labelwidth
21069     \advance\leftmargin\labelsep
21070     \openbib@code
21071     \usecounter{enumiv}%
21072     \let\p@enumiv\empty
21073     \renewcommand\theenumiv{\arabic\c@enumiv}%
21074     \sloppy
21075     \clubpenalty4000
21076     \clubpenalty \clubpenalty

```



```

21077           \widowpenalty4000%
21078   \sfcode`\.=\@m}
21079   {\def\@noitemerr
21080     {\@latex@warning{Empty `thebibliography' environment}}%
21081   \endlist}

```

139 File report-xetex-bidi.def

```

21082 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
21083 \renewenvironment{theindex}
21084   {\if@twocolumn
21085     \v@restonecolfalse
21086   \else
21087     \v@restonecoltrue
21088   \fi
21089   \columnseprule \z@
21090   \columnsep 35\p@
21091   \twocolumn[\v@makeschapterhead{\indexname}]%
21092   \v@mkboth{\MakeUppercase\indexname}%
21093     {\MakeUppercase\indexname}%
21094   \thispagestyle{plain}\parindent\z@
21095   \parskip\z@ \v@plus .3\p@\relax
21096   \let\item\@idxitem
21097   {\if@restonecol\onecolumn\else\clearpage\fi}
21098 \if@titlepage
21099 \renewcommand\maketitle{\begin{titlepage}%
21100 \let\footnotesize\small
21101 \let\right@footnoterule\relax
21102 \let\left@footnoterule\relax
21103 \let\textwidth@footnoterule\relax
21104 \let \footnote \thanks
21105 \let \LTRfootnote \LTRthanks
21106 \let \RTLfootnote \RTLthanks
21107 \null\vfil
21108 \vskip 60\p@
21109 \begin{center}%
21110   {\LARGE \@title \par}%
21111   \vskip 3em%
21112   {\large
21113     \lineskip .75em%
21114     \begin{tabular}{t}{c}%
21115       \author
21116     \end{tabular}\par}%
21117     \vskip 1.5em%
21118   {\large \@date \par}%
21119   \end{center}\par
21120   \thanks
21121   \vfildnull
21122 \end{titlepage}%
21123 \setcounter{footnote}{0}%
21124 \global\let\thanks\relax
21125 \global\let\LTRthanks\relax
21126 \global\let\RTLthanks\relax
21127 \global\let\maketitle\relax

```



```

21128 \global\let\@thanks\@empty
21129 \global\let\@author\@empty
21130 \global\let\@date\@empty
21131 \global\let\@title\@empty
21132 \global\let\title\relax
21133 \global\let\author\relax
21134 \global\let\date\relax
21135 \global\let\and\relax
21136 }
21137 \else
21138 \renewcommand\maketitle{\par
21139   \begingroup
21140     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
21141     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
21142     \long\def\@makefntext##1{\par\indent 1em\noindent
21143       \hb@xt@1.8em{%
21144         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
21145     \if@twocolumn
21146       \ifnum \col@number=\@ne
21147         \@maketitle
21148       \else
21149         \twocolumn[\@maketitle]%
21150       \fi
21151     \else
21152       \newpage
21153       \global\@topnum\z@    % Prevents figures from going at top of page.
21154       \@maketitle
21155     \fi
21156     \thispagestyle{plain}\@thanks
21157   \endgroup
21158   \setcounter{footnote}{0}%
21159   \global\let\thanks\relax
21160   \global\let\LTRthanks\relax
21161   \global\let\RTLthanks\relax
21162   \global\let\maketitle\relax
21163   \global\let\@maketitle\relax
21164   \global\let\@thanks\@empty
21165   \global\let\@author\@empty
21166   \global\let\@date\@empty
21167   \global\let\@title\@empty
21168   \global\let\title\relax
21169   \global\let\author\relax
21170   \global\let\date\relax
21171   \global\let\and\relax
21172 }
21173 \def\@maketitle{%
21174   \newpage
21175   \null
21176   \vskip 2em%
21177   \begin{center}%
21178     \let \footnote \thanks
21179     \let \LTFootnote \LTRthanks
21180     \let \RTFootnote \RTLthanks
21181     {\LARGE \@title \par}%

```



```

21182     \vskip 1.5em%
21183     {\large
21184         \lineskip .5em%
21185         \begin{tabular}[t]{c}%
21186             \author
21187             \end{tabular}\par}%
21188     \vskip 1em%
21189     {\large \date}%
21190     \end{center}%
21191     \par
21192     \vskip 1.5em}
21193 \fi
21194 \renewcommand*\l@part[2]{%
21195     \ifnum \c@tocdepth >-2\relax
21196         \addpenalty{-\@highpenalty}%
21197         \addvspace{2.25em \oplus \p@}%
21198         \setlength{\tempdima}{3em}%
21199         \begingroup
21200             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21201             \parfillskip -\pnumwidth
21202             \leavevmode
21203             \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
21204             \nobreak
21205             \global\nobreaktrue
21206             \everypar{\global\nobreakfalse\everypar{}}
21207         \endgroup
21208     \fi}
21209 \renewcommand*\l@chapter[2]{%
21210     \ifnum \c@tocdepth >\m@ne
21211         \addpenalty{-\@highpenalty}%
21212         \vskip 1.0em \oplus \p@
21213         \setlength{\tempdima}{1.5em}%
21214         \begingroup
21215             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21216             \parfillskip -\pnumwidth
21217             \leavevmode \bfseries
21218             \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
21219             \hskip -\if@RTL\rightskip\else\leftskip\fi
21220             #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
21221             \penalty\@highpenalty
21222         \endgroup
21223     \fi}
21224 \renewcommand\left@footnoterule{%
21225     \kern-3\p@
21226     \hrule\@width.4\columnwidth
21227     \kern2.6\p@}
21228 \renewcommand\right@footnoterule{%
21229     \kern-3\p@
21230     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21231     \kern2.6\p@}
21232 \renewcommand\theequation
21233 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{equation}}
21234 \renewcommand \thefigure
21235 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{figure}}

```



```

21236 \renewcommand \thetable
21237     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}
21238 \renewcommand \thechapter {\arabic{c@chapter}}
21239 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}
21240 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}
21241 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}
21242 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}
21243 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}
21244 \def \makechapterhead#1{%
21245   \vspace*{50\p@}%
21246   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
21247     \ifnum \c@secnumdepth >\m@ne
21248       \huge\bfseries \chapapp\space \thechapter
21249       \par\nobreak
21250       \vskip 20\p@%
21251     \fi
21252     \interlinepenalty\@M
21253     \Huge \bfseries #1\par\nobreak
21254     \vskip 40\p@%
21255   }%
21256 \def \makeschapterhead#1{%
21257   \vspace*{50\p@}%
21258   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
21259     \normalfont
21260     \interlinepenalty\@M
21261     \Huge \bfseries #1\par\nobreak
21262     \vskip 40\p@%
21263   }%
21264 \renewenvironment{thebibliography}[1]
21265   {\chapter*{\bibname}%
21266     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
21267     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
21268     \bidi@thebibliography@font@hook%
21269     \list{\@biblabel{\arabic{c@enumiv}}}%
21270     {\settowidth\labelwidth{\@biblabel{#1}}%
21271       \leftmargin\labelwidth
21272       \advance\leftmargin\labelsep
21273       \openbib@code
21274       \usecounter{enumiv}%
21275       \let\p@enumiv\empty
21276       \renewcommand\theenumiv{\arabic{c@enumiv}}%
21277       \sloppy
21278       \clubpenalty4000
21279       \clubpenalty \clubpenalty
21280       \widowpenalty4000%
21281       \sfcodes`\. \m}
21282     \def \noitemerr
21283       {\@latex@warning{Empty `thebibliography' environment}}%
21284   \endlist}

```

140 File rotating-xetex-bidi.def

```

21285 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
21286 \def \end@rotfloat{%

```



```

21287   \end{minipage}\end{lrbox}%
21288   \stepcounter{r@tfl@t}%
21289   \rot@label{RF\ther@tfl@t}%
21290   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21291   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
21292   \rot@mess@toks\expandafter{\@tempa}%
21293   \wd\rot@float@box\z@%
21294   \ht\rot@float@box\z@%
21295   \dp\rot@float@box\z@%
21296   \vboxL to \textheight{%
21297     \setkeys{Grot}{units=360}%
21298     \if@rot@twoside
21299     \else
21300       \let\R@@page\rot@LR
21301     \fi
21302     \ifthenelse{\isodd{\R@@page}}{%
21303       \if@rot@twoside
21304         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21305       \fi
21306       \vfill
21307       \@@line{%
21308         \hskip\rotFPtop
21309         \rotatebox{90}{\box\rot@float@box}%
21310         \hskip\rotFPbot
21311       }%
21312     }{%
21313       \if@rot@twoside
21314         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21315       \fi
21316       \@@line{%
21317         \hskip\rotFPbot
21318         \rotatebox{-90}{\box\rot@float@box}%
21319         \hskip\rotFPtop
21320       }%
21321       \vfill
21322     }%
21323     \rot@message{\the\rot@mess@toks}
21324   }%
21325   \end@float
21326 }
21327 \let\endsidewaysfigure\end@rotfloat
21328 \let\endsidewaystable\end@rotfloat
21329 \def\end@rotdblfloat{%
21330   \end{minipage}\end{lrbox}%
21331   \stepcounter{r@tfl@t}%
21332   \rot@label{RF\ther@tfl@t}%
21333   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21334   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
21335   \rot@mess@toks\expandafter{\@tempa}%
21336   \tempdima\ht\rot@float@box
21337   \advance\tempdima by \dp\rot@float@box
21338   \wd\rot@float@box\z@%
21339   \ht\rot@float@box\z@%
21340   \dp\rot@float@box\z@%

```



```

21341 \vboxL to \textheight{%
21342   \setkeys{Grot}{units=360}%
21343   \if@rot@twoside
21344   \else
21345     \let\R@@page\rot@LR
21346   \fi
21347   \ifthenelse{\isodd{\R@@page}}{%
21348     \ifrot@messages
21349       \if@rot@twoside
21350       \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21351   \fi
21352     \fi
21353   \vfill
21354   \@@line{%
21355     \hskip\rotFPtop
21356     \rotatebox{90}{\box\rot@float@box}%
21357     \hskip\rotFPbot
21358   }%
21359 }{%
21360   \ifrot@messages
21361     \if@rot@twoside
21362     \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21363   \fi
21364   \fi%
21365   \@@line{%
21366     \hskip\rotFPbot
21367     \rotatebox{-90}{\box\rot@float@box}%
21368     \hskip\rotFPtop
21369   }%
21370   \vfill
21371 }%
21372   \rot@message{\the\rot@mess@toks}%
21373 }%
21374 \end@dblfloat
21375 }
21376 \def\turn#1{%
21377   \Grot@setangle{#1}%
21378   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
21379 \def\endturn{%
21380   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21381   \unskip\color@endbox
21382   \Grot@x\z@
21383   \Grot@y\z@
21384   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21385 }
21386 \def\rotate#1{%
21387   \Grot@setangle{#1}%
21388   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
21389 \def\endrotate{%
21390   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21391   \unskip\color@endbox
21392   \Grot@x\z@
21393   \Grot@y\z@
21394   \wd0\z@\dp0\z@\ht0\z@

```



```

21395   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21396 }
21397 \def\turnbox#1#2{%
21398   \Grot@setangle{#1}%
21399   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi}
21400   \Grot@x\z@\Grot@y\z@
21401   \wd0\z@\dp0\z@\ht0\z@
21402   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21403 }
21404 \def\sideways{%
21405   \Grot@setangle{90}%
21406   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
21407 \def\endsideways{%
21408   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21409   \unskip\color@endbox
21410   \Grot@x\z@
21411   \Grot@y\z@
21412   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21413 }

```

141 File `scrartcl-xetex-bidi.def`

```

21414 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
21415 \newcommand{\scr@saved@LTRfootnotetext}{}
21416 \newcommand{\scr@saved@RTLfootnotetext}{}
21417 \let\scr@saved@footnotetext\@footnotetext
21418 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21419 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21420 \renewcommand{\@footnotetext}[1]{%
21421   \scr@saved@footnotetext{#1}%
21422   \csname FN@mf@prepare\endcsname
21423 }
21424 \renewcommand{\@LTRfootnotetext}[1]{%
21425   \scr@saved@LTRfootnotetext{#1}%
21426   \csname FN@mf@prepare\endcsname
21427 }
21428 \renewcommand{\@RTLfootnotetext}[1]{%
21429   \scr@saved@RTLfootnotetext{#1}%
21430   \csname FN@mf@prepare\endcsname
21431 }
21432 \renewcommand{\deffootnote[4][]{%
21433   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21434     \long\def\@makefntext##1{%
21435       \ExecuteDoHook{footnote/text/begin}%
21436       \raggedfootnote
21437       \if@RTL
21438         \rightskip
21439       \else
21440         \leftskip
21441       \fi
21442     #2
21443     \l@addto@macro\@trivlist{%
21444       \ifnum\@listdepth=\@ne
21445         \if@RTL

```



```

21446          \advance\rightmargin #2\relax
21447          \else
21448              \advance\leftmargin #2\relax
21449          \fi
21450          \fi
21451      }%
21452      \parindent #3\noindent
21453      \IfArgIsEmpty{#1}{}{%
21454          \hskip \dimexpr #1-#2\relax
21455      }%
21456      \ftn@font\hbox to \z@\{\hss\@@makefnmark\##1%
21457          \ExecuteDoHook{footnote/text/end}%
21458      }%
21459  \else
21460      \ClassInfo{\KOMAClassName}{%
21461          Using old \string\@makefntext\space due to compatibility
21462          level\MessageBreak
21463          less than 3.22}%
21464      \long\def\@makefntext##1{%
21465          \setlength{\tempdima}{#3}%
21466          \def\tempa{#1}\ifx\tempa\empty
21467              \setpar{\@par
21468                  \tempdima = \hsize
21469                  \addtolength{\tempdima}{-#2}%
21470                  \if@RTL
21471                      \parshape \one \z@ \tempdima
21472                  \else
21473                      \parshape \one #2 \tempdima
21474                  \fi}%
21475          \else
21476              \addtolength{\tempdima}{#2}%
21477              \addtolength{\tempdima}{-#1}%
21478              \setpar{\@par
21479                  \tempdima = \hsize
21480                  \addtolength{\tempdima}{-#1}%
21481                  \tempdimb = \hsize
21482                  \addtolength{\tempdimb}{-#2}%
21483                  \if@RTL
21484                      \parshape \tw@ \z@ \tempdima \z@ \tempdimb
21485                  \else
21486                      \parshape \tw@ #1 \tempdima #2 \tempdimb
21487                  \fi
21488              }%
21489          \fi
21490          \par
21491          \parindent\tempdima\noindent
21492          \ftn@font\hbox to \z@\{\hss\@@makefnmark\##1%
21493      }%
21494  \fi
21495  \def\@@makefnmark{\hbox{\ftn@font{#4}}}%
21496 }
21497 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21498 \renewcommand*\left@footnoterule{%
21499     \normalsize\ftn@rule@test@values

```



```

21500 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21501 \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
21502 {\usekomafont{footnoterule}{%
21503 \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
21504 \kern 2.6\p@}
21505 \renewcommand*\right@footnoterule{%
21506 \normalsize\ftn@rule@test@values
21507 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21508 \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
21509 {\usekomafont{footnoterule}{%
21510 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
21511 \kern 2.6\p@}}
21512 \renewcommand*\maketitle[1][1]{%
21513 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21514 \else
21515 \def\and{%
21516 \end{tabular}}%
21517 \hskip 1em \plus.17fil%
21518 \begin{tabular}[t]{c}}%
21519 }%
21520 \fi
21521 \if@titlepage
21522 \begin{titlepage}
21523 \setcounter{page}{%
21524 #1}%
21525 }%
21526 \if@titlepageiscoverpage
21527 \edef\titlepage@restore{%
21528 \noexpand\endgroup
21529 \noexpand\global\noexpand\@colht\the\@colht
21530 \noexpand\global\noexpand\@colroom\the\@colroom
21531 \noexpand\global\vsize\the\vsize
21532 \noexpand\global\noexpand\@titlepageiscoverpagefalse
21533 \noexpand\let\noexpand\titlepage@restore\noexpand\relax
21534 }%
21535 \begingroup
21536 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21537 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21538 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21539 \textwidth=\dimexpr
21540 \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21541 \textheight=\dimexpr
21542 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21543 \headheight=0pt
21544 \headsep=0pt
21545 \footskip=\baselineskip
21546 \@colht=\textheight
21547 \@colroom=\textheight
21548 \vsize=\textheight
21549 \columnwidth=\textwidth
21550 \hsize=\columnwidth
21551 \linewidth=\hsize
21552 \else
21553 \let\titlepage@restore\relax

```



```

21554   \fi
21555   \let\footnotesize\small
21556   \let\right@footnoterule\relax
21557   \let\left@footnoterule\relax
21558   \let\textwidth@footnoterule\relax
21559   \let\footnote\thanks
21560   \let\LTRfootnote\LTRthanks
21561   \let\RTLfootnote\RTLthanks
21562   \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
21563   \let\@oldmakefnmark\@makefnmark
21564   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21565   \ifx\@extratitle\@empty
21566     \ifx\@frontispiece\@empty
21567     \else
21568       \if@twoside\mbox{}\next@tpage\fi
21569       \noindent\@frontispiece\next@tdpage
21570     \fi
21571   \else
21572     \noindent\@extratitle
21573     \ifx\@frontispiece\@empty
21574     \else
21575       \next@tpage
21576       \noindent\@frontispiece
21577     \fi
21578     \next@tdpage
21579   \fi
21580   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
21581   \ifx\@titlehead\@empty \else
21582     \begin{minipage}[t]{\textwidth}%
21583       \usekomafont{titlehead}\{@titlehead\par}%
21584     \end{minipage}\par
21585   \fi
21586   \null\vfill
21587   \begin{center}
21588     \ifx\@subject\@empty \else
21589       \usekomafont{subject}\{@subject\par}%
21590       \vskip 3em
21591     \fi
21592     \usekomafont{title}\{ \huge \@title\par}%
21593     \vskip 1em
21594     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\{@subtitle\par}\fi}%
21595     \vskip 2em
21596   }%
21597   \usekomafont{author}\{%
21598     \lineskip 0.75em
21599     \begin{tabular}[t]{c}
21600       \author
21601     \end{tabular}\par
21602   }%
21603   \vskip 1.5em
21604   {\usekomafont{date}\{@date \par}%
21605   \vskip \z@\@plus3fill
21606   {\usekomafont{publishers}\{@publishers \par}}%
21607

```



```

21608      \vskip 3em
21609      \end{center}\par
21610      \o@thanks\global\let\o@thanks\@empty
21611      \vfill\null
21612      \if@twoside
21613          \o@tempswatru
21614          \expandafter\ifnum \o@nameuse{scr@v@3.12}>\scr@compatibility\relax
21615          \else
21616              \ifx\o@uppertitleback\@empty\ifx\o@lowertitleback\@empty
21617                  \o@tempswafalse
21618                  \fi\fi
21619          \fi
21620          \if@tempswa
21621              \next@tpage
21622              \begin{minipage}[t]{\textwidth}
21623                  \o@uppertitleback
21624              \end{minipage}\par
21625              \vfill
21626              \begin{minipage}[b]{\textwidth}
21627                  \o@lowertitleback
21628              \end{minipage}\par
21629              \o@thanks\global\let\o@thanks\@empty
21630          \fi
21631      \else
21632          \ifx\o@uppertitleback\@empty\else
21633              \ClassWarning{\KOMAClassName}{%
21634                  non empty \string\uppertitleback\space ignored
21635                  by \string\maketitle\MessageBreak
21636                  in `twoside=false' mode%
21637              }%
21638          \fi
21639          \ifx\o@lowertitleback\@empty\else
21640              \ClassWarning{\KOMAClassName}{%
21641                  non empty \string\lowertitleback\space ignored
21642                  by \string\maketitle\MessageBreak
21643                  in `twoside=false' mode%
21644              }%
21645          \fi
21646      \fi
21647      \ifx\o@dedication\@empty
21648      \else
21649          \next@tdpage\null\vfill
21650          {\centering\usekomafont{dedication}{\o@dedication \par}}%
21651          \vskip \z@ \o@plus3fill
21652          \o@thanks\global\let\o@thanks\@empty
21653          \cleardoubleemptypage
21654      \fi
21655      \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
21656      \end{titlepage}
21657  \else
21658      \par
21659      \o@tempcnta=%
21660      #1%
21661      \relax\ifnum\o@tempcnta=1\else

```



```

21662 \ClassWarning{\KOMAClassName}{%
21663   Optional argument of \string\maketitle\space ignored\MessageBreak
21664   in `titlepage=false' mode%
21665 }%
21666 \fi
21667 \ifx\@uppertitleback\empty\else
21668   \ClassWarning{\KOMAClassName}{%
21669     non empty \string\uppertitleback\space ignored
21670     by \string\maketitle\MessageBreak
21671     in `titlepage=false' mode%
21672 }%
21673 \fi
21674 \ifx\@lowertitleback\empty\else
21675   \ClassWarning{\KOMAClassName}{%
21676     non empty \string\lowertitleback\space ignored
21677     by \string\maketitle\MessageBreak
21678     in `titlepage=false' mode%
21679 }%
21680 \fi
21681 \begingroup
21682   \let\titlepage@restore\relax
21683   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21684   \let\@oldmakefnmark\@makefnmark
21685   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21686   \next@tdpage
21687   \if@twocolumn
21688     \ifnum \col@number=\@ne
21689       \ifx\@extratitle\empty
21690         \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi\fi
21691       \else
21692         \@makeextratitle
21693       \fi
21694       \ifx\@frontispiece\empty
21695         \ifx\@extratitle\empty\else\next@tdpage\fi
21696       \else
21697         \next@tpage
21698         \@makefrontispiece
21699         \next@tdpage
21700       \fi
21701       \@maketitle
21702     \else
21703       \ifx\@extratitle\empty
21704         \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi\fi
21705       \else
21706         \twocolumn[\@makeextratitle]%
21707       \fi
21708       \ifx\@frontispiece\empty
21709         \ifx\@extratitle\empty\else\next@tdpage\fi
21710       \else
21711         \next@tpage
21712         \twocolumn[\@makefrontispiece]%
21713         \next@tdpage
21714       \fi
21715     \twocolumn[\@maketitle]%

```



```

21716     \fi
21717   \else
21718     \ifx\@extratitle\@empty
21719       \ifx\@frontispiece\@empty\else \mbox{}\fi
21720     \else
21721       \@makeextratitle
21722     \fi
21723     \ifx\@frontispiece\@empty
21724       \ifx\@extratitle\@empty\else\next@tdpage\fi
21725     \else
21726       \next@tpage
21727       \@makefrontispiece
21728       \next@tdpage
21729     \fi
21730     \@maketitle
21731   \fi
21732   \ifx\ttitlepagestyle\@empty\else\thispagestyle{\ttitlepagestyle}\fi
21733   \@thanks\global\let\@thanks\@empty
21734 \endgroup
21735 \fi
21736 \setcounter{footnote}{0}%
21737 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21738   \let\thanks\relax
21739   \let\LTRthanks\relax
21740   \let\RTLthanks\relax
21741   \let\maketitle\relax
21742   \let\@maketitle\relax
21743   \global\let\@thanks\@empty
21744   \global\let\@author\@empty
21745   \global\let\@date\@empty
21746   \global\let\@title\@empty
21747   \global\let\@subtitle\@empty
21748   \global\let\@extratitle\@empty
21749   \global\let\@frontispiece\@empty
21750   \global\let\@titlehead\@empty
21751   \global\let\@subject\@empty
21752   \global\let\@publishers\@empty
21753   \global\let\@uppertitleback\@empty
21754   \global\let\@lowertitleback\@empty
21755   \global\let\@dedication\@empty
21756   \global\let\@author\relax
21757   \global\let\@title\relax
21758   \global\let\@extratitle\relax
21759   \global\let\@titlehead\relax
21760   \global\let\@subject\relax
21761   \global\let\@publishers\relax
21762   \global\let\@uppertitleback\relax
21763   \global\let\@lowertitleback\relax
21764   \global\let\@dedication\relax
21765   \global\let\@date\relax
21766 \fi
21767 \global\let\and\relax
21768 }%
21769 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}

```



```

21770 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
21771 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
21772 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
21773 \renewcommand*{\thesubsubsection}{%
21774   \thesubsection\@SepMark\@arabic\c@subsubsection
21775 }
21776 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21777 \renewcommand*{\thesubparagraph}{%
21778   \theparagraph\@SepMark\@arabic\c@subparagraph
21779 }
21780 \renewenvironment{thebibliography}[1]{%
21781   \if@bib@break@
21782     \bib@beginhook
21783   \else
21784     \bib@heading
21785     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
21786       \noindent\bibpreamble\par\nobreak
21787     \fi\fi
21788     \bib@beginhook
21789     \bib@before@hook
21790   \fi
21791   \renewcommand{\BreakBibliography}[1]{%
21792     \bib@break
21793     \end{thebibliography}%
21794     \begingroup ##1\endgroup
21795     \begin{thebibliography}{##1}
21796   }%
21797   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21798   \bidi@thebibliography@font@hook%
21799   \list{%
21800     \biblabel{\@arabic\c@enumiv}%
21801   }{%
21802     \settowidth\labelwidth{\@biblabel{#1}}%
21803     \leftmargin\labelwidth
21804     \advance\leftmargin\labelsep
21805     \openbib@code
21806     \if@bib@break@
21807       \edef@\tempa{%
21808         \noexpand\usecounter{enumiv}%
21809         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21810       }\@tempa
21811       \no@bib@break
21812     \else
21813       \usecounter{enumiv}%
21814     \fi
21815     \let\p@enumiv\empty
21816     \renewcommand*{\theenumiv}{\@arabic\c@enumiv}%
21817   }%
21818   \sloppy\clubpenalty4000 \widowpenalty4000
21819   \sfcode`\.=\@m
21820 }{%
21821   \if@bib@break@
21822     \def@\noitemerr{%
21823       \@latex@warning{%

```



```

21824     \string\BreakBibliography\space at begin of `thebibliography'
21825     environment\MessageBreak
21826     or following \string\BreakBibliography}%
21827 }%
21828 \else
21829   \def\@noitemerr{%
21830     \@latex@warning{%
21831       Empty `thebibliography' environment or
21832       \string\BreakBibliography\MessageBreak
21833       before end of `thebibliography' environment}%
21834   }%
21835 \fi
21836 \endlist
21837 \if@bib@break@
21838 \else
21839   \bib@after@hook
21840   \let\bib@before@hook\@empty
21841   \let\bib@after@hook\@empty
21842 \fi
21843 \bib@endhook
21844 }%
21845 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21846 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21847 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21848 \renewcommand\marginline[1]{%
21849   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{\#1}]\{\if@RTL\raggedleft\else\raggedright
21850 \}}
21851 \renewcommand{\@makecaption}[3]{%
21852   \cap@margin
21853   \begingroup
21854     \ifonelinecaptions
21855       \def\stepcounter##1{\advance\value{##1}\@ne}%
21856       \let\refstepcounter\stepcounter
21857       \let\label\@gobble
21858       \let\@footnotetext=\@gobble
21859       \let\@LTRfootnotetext=\@gobble
21860       \let\@RTLfootnotetext=\@gobble
21861       \let\hypertarget\@gobbletwo
21862       \edef\@xnewline{%
21863         \unexpanded{\ClassInfo{\KOMAClassName}{%
21864           Workaround for not recommended usage of \string\\ or\MessageBreak
21865           \string\newline in caption text
21866         }%
21867         \hspace*{\ linewidth}\hspace{1sp}%
21868       }%
21869       \unexpanded\expandafter{\@xnewline}%
21870     }%
21871     \edef\@xcentercr{%
21872       \unexpanded{\ClassInfo{\KOMAClassName}{%
21873         Workaround for not recommended usage of \string\\ or\MessageBreak
21874           \string\newline in caption text
21875         }%
21876         \hspace*{\ linewidth}\hspace{1sp}%
21877       }%

```



```

21878     \unexpanded\expandafter{\@xcentercr}%
21879     }%
21880     \settowidth{\@tempdima}{\scr@@makesinglelinecaption{#1}{#2}{#3}}%
21881     \ifdim\@tempdima>\cap@width
21882         \aftergroup\scr@makemultilinecaption
21883     \else
21884         \aftergroup\scr@makesinglelinecaption
21885     \fi
21886     \else
21887         \aftergroup\scr@makemultilinecaption
21888     \fi
21889 \endgroup
21890 {#1}{#2}{#3}%
21891 }
21892 \renewcommand{\scr@makesinglelinecaption}[3]{%
21893   {%
21894     \usefontofkomafont{caption}{%
21895       \hb@xt@{\hsize}{%
21896         \cap@left
21897         \if@RTL
21898           \beginR
21899           \fi
21900           \scr@@makesinglelinecaption{#1}{#2}{#3}%
21901         \if@RTL
21902           \endR
21903           \fi
21904           \cap@right
21905         }\par\kern\dp\strutbox%
21906     }%
21907   }\kern-\dp\strutbox
21908 }
21909 \renewcommand{\@makecaption}[2]{%
21910   \if@captionabove
21911     \vskip\belowcaptionskip
21912   \else
21913     \vskip\abovecaptionskip
21914   \fi
21915   \scr@@makecaption\@firstofone{#1}{#2}%
21916   \if@captionabove
21917     \vskip\abovecaptionskip
21918   \else
21919     \vskip\belowcaptionskip
21920   \fi
21921 }
21922
21923 \renewcommand{\scr@@makesinglelinecaption}[3]{%
21924   {\usekomafont{caption}{\strut\ignorespaces
21925     #1{\usekomafont{captionlabel}{\#2\captionformat}}}}%
21926   \ignorespaces #3\unskip}%
21927 }
21928
21929 \renewcommand{\scr@makemultilinecaption}[3]{%
21930   {%
21931     \usefontofkomafont{caption}{%

```



```

21932 \hb@xt@{\hsize}{%
21933   \cap@left
21934   \vbox{\hsize\cap@width\linewidth\hsize
21935     \scr@ifundefinedorrelax{@capttype}{%
21936       \ClassWarning{\KOMAClassName}{%
21937         ` \string\caption' outside float.\MessageBreak
21938         Seems you are using ` \string\caption' outside a
21939         float.\MessageBreak
21940         Maybe you are using a package that uses
21941         ` \string\@makecaption'\MessageBreak
21942         without setting ` \string\@capttype' before.\MessageBreak
21943         Because I cannot detect the caption type, I'm using\MessageBreak
21944         the empty one.%}
21945     }%
21946     \let\@capttype\@empty
21947   }{%
21948     \scr@ifundefinedorrelax{ragged@\capttype caption}{\raggedcaption}{%
21949       \nameuse{ragged@\capttype caption}%
21950     }%
21951     \ifdofullc@p
21952       \hangfrom{%
21953         \strut
21954         \scr@smashdp{%
21955           #1{%
21956             \usekomafont{caption}{%
21957               \usekomafont{captionlabel}{#2\captionformat}%
21958             }%
21959           }%
21960         }%
21961       }%
21962       {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21963     \else
21964       \ifdim\cap@indent<\z@
21965         \strut
21966         #1{%
21967           {\usekomafont{caption}{%
21968             \usekomafont{captionlabel}{#2\captionformat}%
21969             }%
21970           }\par}%
21971           \noindent{{\usekomafont{caption}{%
21972             \hspace*{-\cap@indent}#3\scr@endstrut
21973           }}\par}%
21974     \else
21975       \if@capbreak
21976         \strut
21977         #1{%
21978           {\usekomafont{caption}{%
21979             \usekomafont{captionlabel}{#2\captionformat}%
21980             }%
21981           }\par}%
21982           \noindent\hangfrom{\hspace*{\cap@indent}}%
21983           {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21984     \else
21985       \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%

```



```

21986   {%
21987     \hspace{-\cap@indent}%
21988     \scr@smashdp{%
21989       #1{\usekomafont{caption}{%
21990         \usekomafont{captionlabel}{\#2\captionformat}%
21991       }%
21992     }%
21993   }%
21994   {\{\usekomafont{caption}{\#3\scr@endstrut}\}\par}%
21995   }%
21996   \fi
21997   \fi
21998   \fi
21999   }%
22000   \cap@right
22001   }\par\kern\dp\strutbox
22002 }%
22003 }\kern-\dp\strutbox
22004 }

22005
22006 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22007   \if@komalongtable
22008     \renewcommand{\LT@makecaption}[3]{%
22009       \noalign{%
22010         \if@captionabove
22011           \vskip\belowcaptionskip
22012         \else
22013           \vskip\abovecaptionskip
22014         \fi
22015       }%
22016       \LT@mcol\LT@cols c{%
22017         \hbox to\z@\hss\parbox[t]\linewidth{%
22018           \def\@captype{table}%
22019           \@@makecaption{\#1}{\#2}{\#3}%
22020           \endgraf
22021           \if@captionabove
22022             \vskip\abovecaptionskip
22023           \else
22024             \vskip\belowcaptionskip
22025           \fi
22026         }%
22027         \hss
22028       }%
22029     }%
22030   }%
22031   \renewcommand*{\scr@LT@array}{%
22032     \let\scr@LT@array=\LT@array
22033     \renewcommand*{\LT@array}{%
22034       \let\scr@caption=\LT@caption
22035       \def\captionabove{\noalign{\global\@captionabovetrue}%
22036         \scr@caption}%
22037       \def\captionbelow{\noalign{\global\@captionabovefalse}%
22038         \scr@caption}%
22039       \if@tablecaptionabove

```



```

22040      \let\LT@caption=\captionabove
22041      \else
22042          \let\LT@caption=\captionbelow
22043      \fi
22044      \scr@LT@array
22045  }%
22046  \ClassInfo{\KOMAClassName}{%
22047      longtable captions redefined%
22048  }%
22049  \fi
22050 }
22051 \CloneTOCEntryStyle{tocline}{part}
22052 \TOCEntryStyleStartInitCode{part}{%
22053     \expandafter\renewcommand%
22054     \csname scr@tso@#1@linefill\endcsname{\hfill}%
22055     \expandafter\renewcommand%
22056     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22057     \expandafter\renewcommand%
22058     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22059         {\usekomafont{partentry}{\usekomafont{partentrypagename}{##1}}}}%
22060     \expandafter\renewcommand\expandafter*%
22061     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
22062     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
22063 }
22064 \CloneTOCEntryStyle{tocline}{section}
22065 \TOCEntryStyleStartInitCode{section}{%
22066     \expandafter\renewcommand%
22067     \csname scr@tso@#1@linefill\endcsname{%
22068         \if@sectionentrywithdots
22069             {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
22070         \else
22071             \hfill
22072         \fi
22073     }%
22074     \expandafter\renewcommand%
22075     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
22076     \expandafter\renewcommand%
22077     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sectionentrypagename}{##1}}%
22078     \expandafter\renewcommand\expandafter*%
22079     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
22080     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
22081 }
22082 \CloneTOCEntryStyle{tocline}{subsection}
22083 \TOCEntryStyleStartInitCode{subsection}{%
22084     \expandafter\renewcommand%
22085     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22086     \expandafter\renewcommand%
22087     \expandafter\renewcommand%
22088     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22089         {\normalfont\color{##1}}%
22090     }
22091 \CloneTOCEntryStyle{subsection}{default}
22092 \CloneTOCEntryStyle{subsection}{default}
22093

```



```

22094 \DeclareSectionCommand[%  

22095   style=section,%  

22096   level=1,%  

22097   indent=\z@,%  

22098   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%  

22099   afterskip=2.3ex \oplus .2ex,%  

22100   tocstyle=section,%  

22101   tocindent=0pt,%  

22102   tocnumwidth=1.5em%  

22103 ]{section}  

22104 \DeclareSectionCommand[%  

22105   style=part,%  

22106   level=\z@,%  

22107   tocstyle=part,%  

22108   toplevel=\m@ne,%  

22109   tocindent=\z@,%  

22110   tocnumwidth=2em%  

22111 ]{part}  

22112 \DeclareSectionCommand[%  

22113   style=section,%  

22114   level=2,%  

22115   indent=\z@,%  

22116   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%  

22117   afterskip=1.5ex \oplus .2ex,%  

22118   tocstyle=subsection,%  

22119   tocindent=1.5em,%  

22120   tocnumwidth=2.3em%  

22121 ]{subsection}  

22122 \DeclareSectionCommand[%  

22123   style=section,%  

22124   level=3,%  

22125   indent=\z@,%  

22126   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%  

22127   afterskip=1.5ex \oplus .2ex,%  

22128   tocstyle=subsection,%  

22129   tocindent=3.8em,%  

22130   tocnumwidth=3.2em%  

22131 ]{subsubsection}  

22132 \DeclareSectionCommand[%  

22133   style=section,%  

22134   level=4,%  

22135   indent=\z@,%  

22136   beforeskip=3.25ex \oplus .2ex \minus .2ex,%  

22137   afterskip=-1em,%  

22138   tocstyle=subsection,%  

22139   tocindentfollows=subsubsection,%  

22140   tocindent=7.0em,%  

22141   tocnumwidth=4.1em%  

22142 ]{paragraph}  

22143 \DeclareSectionCommand[%  

22144   style=section,%  

22145   level=5,%  

22146   indent=\scr@parindent,%  

22147   beforeskip=3.25ex \oplus .2ex \minus .2ex,%

```



```

22148 afterskip=-1em,%
22149 tocstyle=subsection,%
22150 tocindent=10em,%
22151 tocnumwidth=5em%
22152 ]{subparagraph}

```

142 File scrbook-xetex-bidi.def

```

22153 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
22154 \newcommand{\scr@saved@LTRfootnotetext}{}
22155 \newcommand{\scr@saved@RTLfootnotetext}{}
22156 \let\scr@saved@footnotetext\@footnotetext
22157 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
22158 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
22159 \renewcommand{\@footnotetext}[1]{%
22160   \scr@saved@footnotetext{#1}%
22161   \csname FN@mf@prepare\endcsname
22162 }
22163 \renewcommand{\@LTRfootnotetext}[1]{%
22164   \scr@saved@LTRfootnotetext{#1}%
22165   \csname FN@mf@prepare\endcsname
22166 }
22167 \renewcommand{\@RTLfootnotetext}[1]{%
22168   \scr@saved@RTLfootnotetext{#1}%
22169   \csname FN@mf@prepare\endcsname
22170 }
22171 \renewcommand\deffootnote[4][]{%
22172   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
22173     \long\def\@makefntext##1{%
22174       \ExecuteDoHook{footnote/text/begin}%
22175       \raggedfootnote
22176       \if@RTL
22177         \rightskip
22178       \else
22179         \leftskip
22180       \fi
22181     #2
22182     \l@addto@macro\@trivlist{%
22183       \ifnum\@listdepth=\@ne\advance
22184         \if@RTL
22185           \rightmargin #2\relax
22186         \else
22187           \leftmargin #2\relax
22188         \fi
22189       \fi
22190     }%
22191     \parindent #3\noindent
22192     \IfArgIsEmpty{#1}{}{%
22193       \hskip \dimexpr #1-#2\relax
22194     }%
22195     \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
22196     \ExecuteDoHook{footnote/text/end}%
22197   }%
22198 }%

```



```

22199      \ClassInfo{\KOMAClassName}{%
22200      Using old \string\@makefntext\space due to compatibility
22201      level\MessageBreak
22202      less than 3.22}%
22203      \long\def\@makefntext##1{%
22204          \setlength{\@tempdimc}{#3}%
22205          \def\@tempa{#1}\ifx\@tempa\empty
22206              \setpar{\@par
22207                  \@tempdima = \hsize
22208                  \addtolength{\@tempdima}{-\#2}%
22209                  \if@RTL
22210                      \parshape \one \z@ \@tempdima
22211                  \else
22212                      \parshape \one #2 \@tempdima
22213                  \fi
22214              }%
22215          \else
22216              \addtolength{\@tempdimc}{#2}%
22217              \addtolength{\@tempdimc}{-\#1}%
22218              \setpar{\@@par
22219                  \@tempdima = \hsize
22220                  \addtolength{\@tempdima}{-\#1}%
22221                  \@tempdimb = \hsize
22222                  \addtolength{\@tempdimb}{-\#2}%
22223                  \if@RTL
22224                      \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
22225                  \else
22226                      \parshape \tw@ #1 \@tempdima #2 \@tempdimb
22227                  \fi
22228              }%
22229          \fi
22230          \par
22231          \parindent\@tempdimc\noindent
22232          \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
22233      }%
22234  \fi
22235  \def\@makefnmark{\hbox{\ftn@font{\#4}}}%
22236 }
22237 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
22238 \renewcommand*\left@footnoterule{%
22239   \normalsize\ftn@rule@test@values
22240   \kern-.dimexpr 2.6\p@+\ftn@rule@height\relax
22241   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
22242   {\usekomafont{footnoterule}{%
22243     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
22244   \kern 2.6\p@}
22245 \renewcommand*\right@footnoterule{%
22246   \normalsize\ftn@rule@test@values
22247   \kern-.dimexpr 2.6\p@+\ftn@rule@height\relax
22248   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
22249   {\usekomafont{footnoterule}{%
22250     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
22251   \kern 2.6\p@}
22252 \renewcommand*\maketitle[1][1]{%

```



```

22253 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
22254 \else
22255   \def\and{%
22256     \end{tabular}%
22257     \hskip 1em \oplus.17fil%
22258     \begin{tabular}[t]{c}%
22259   }%
22260 \fi
22261 \if@titlepage
22262   \begin{titlepage}
22263     \setcounter{page}{%
22264       #1%
22265     }%
22266     \if@titlepageiscoverpage
22267       \edef\titlepage@restore{%
22268         \noexpand\endgroup
22269         \noexpand\global\noexpand\@colht\the\@colht
22270         \noexpand\global\noexpand\@colroom\the\@colroom
22271         \noexpand\global\vsizethe\vsiz
22272         \noexpand\global\noexpand\@titlepageiscoverpagefalse
22273         \noexpand\let\noexpand\titlepage@restore\noexpand\relax
22274       }%
22275       \begingroup
22276         \topmargin=\dimexpr \coverpagetopmargin-1in\relax
22277         \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
22278         \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
22279         \textwidth=\dimexpr
22280           \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
22281         \textheight=\dimexpr
22282           \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
22283         \headheight=0pt
22284         \headsep=0pt
22285         \footskip=\baselineskip
22286         \@colht=\textheight
22287         \@colroom=\textheight
22288         \vsize=\textheight
22289         \columnwidth=\textwidth
22290         \hsize=\columnwidth
22291         \linewidth=\hsize
22292       \else
22293         \let\titlepage@restore\relax
22294       \fi
22295       \let\footnotesize\small
22296       \let\right@footnoterule\relax
22297       \let\left@footnoterule\relax
22298       \let\textwidth@footnoterule\relax
22299       \let\footnote\thanks
22300       \let\LTRfootnote\LTRthanks
22301       \let\RTLfootnote\RTLthanks
22302       \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
22303       \let\oldmakefnmark\makefnmark
22304       \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
22305       \ifx\@extratitle\empty
22306         \ifx\@frontispiece\empty

```



```

22307   \else
22308     \if@twoside\mbox{}\next@tpage\fi
22309     \noindent\@frontispiece\next@tdpage
22310   \fi
22311 \else
22312   \noindent\@extratitle
22313   \ifx\@frontispiece\@empty
22314   \else
22315     \next@tpage
22316     \noindent\@frontispiece
22317   \fi
22318   \next@tdpage
22319 \fi
22320 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
22321 \ifx\@titlehead\@empty \else
22322   \begin{minipage}[t]{\textwidth}%
22323     \usekomafont{titlehead}{\@titlehead\par}%
22324   \end{minipage}\par
22325 \fi
22326 \null\vfill
22327 \begin{center}
22328   \ifx\@subject\@empty \else
22329     \usekomafont{subject}{\@subject\par}%
22330     \vskip 3em
22331   \fi
22332   \usekomafont{title}{\huge \@title\par}%
22333   \vskip 1em
22334   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
22335   \vskip 2em
22336   \%
22337   \usekomafont{author}{%
22338     \lineskip 0.75em
22339     \begin{tabular}[t]{c}
22340       \author
22341     \end{tabular}\par
22342   }%
22343 \%
22344 \vskip 1.5em
22345 {\usekomafont{date}{\@date \par}}%
22346 \vskip \z@\@plus3fill
22347 {\usekomafont{publishers}{\@publishers \par}}%
22348 \vskip 3em
22349 \end{center}\par
22350 \@thanks\global\let\@thanks\@empty
22351 \vfill\null
22352 \if@twoside
22353   \tempswatrue
22354   \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
22355   \else
22356     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
22357       \tempswafalse
22358     \fi\fi
22359   \fi
22360 \if@tempswa

```



```

22361           \next@tpage
22362           \begin{minipage}[t]{\textwidth}
22363             \@uppertitleback
22364           \end{minipage}\par
22365           \vfill
22366           \begin{minipage}[b]{\textwidth}
22367             \@lowertitleback
22368           \end{minipage}\par
22369           \global\let\@thanks\empty
22370       \fi
22371   \else
22372     \ifx\@uppertitleback\empty\else
22373       \ClassWarning{\KOMAClassName}{%
22374         non empty \string\uppertitleback\space ignored
22375         by \string\maketitle\MessageBreak
22376         in `twoside=false' mode%
22377     }%
22378   \fi
22379   \ifx\@lowertitleback\empty\else
22380     \ClassWarning{\KOMAClassName}{%
22381       non empty \string\lowertitleback\space ignored
22382       by \string\maketitle\MessageBreak
22383       in `twoside=false' mode%
22384     }%
22385   \fi
22386   \fi
22387   \ifx\@dedication\empty
22388   \else
22389     \next@tdpage\null\vfill
22390     {\centering\usekomafont{dedication}{\@dedication \par}}%
22391     \vskip \z@\@plus3fill
22392     \global\let\@thanks\empty
22393     \cleardoubleemptypage
22394   \fi
22395   \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
22396 \end{titlepage}
22397 \else
22398   \par
22399   \tempcnta=%
22400   #1%
22401   \relax\ifnum\tempcnta=1\else
22402     \ClassWarning{\KOMAClassName}{%
22403       Optional argument of \string\maketitle\space ignored\MessageBreak
22404       in `titlepage=false' mode%
22405     }%
22406   \fi
22407   \ifx\@uppertitleback\empty\else
22408     \ClassWarning{\KOMAClassName}{%
22409       non empty \string\uppertitleback\space ignored
22410       by \string\maketitle\MessageBreak
22411       in `titlepage=false' mode%
22412     }%
22413   \fi
22414   \ifx\@lowertitleback\empty\else

```



```

22415 \ClassWarning{\KOMAClassName}{%
22416   non empty \string\lowertitleback\space ignored
22417   by \string\maketitle\MessageBreak
22418   in `titlepage=false' mode%
22419 }
22420 \fi
22421 \begingroup
22422   \let\titlepage@restore\relax
22423   \renewcommand*{\thefootnote}{\fnsymbol{c}@\footnote}%
22424   \let\oldmakefnmark\makefnmark
22425   \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
22426   \next@tdpage
22427   \if@twocolumn
22428     \ifnum \col@number=\@ne
22429       \ifx\@extratitle\empty
22430         \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi\fi
22431       \else
22432         \@makeextratitle
22433       \fi
22434       \ifx\@frontispiece\empty
22435         \ifx\@extratitle\empty\else\next@tdpage\fi
22436       \else
22437         \next@tpage
22438         \@makefrontispiece
22439         \next@tdpage
22440       \fi
22441     \@maketitle
22442   \else
22443     \ifx\@extratitle\empty
22444       \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi\fi
22445     \else
22446       \twocolumn[\@makeextratitle]%
22447     \fi
22448     \ifx\@frontispiece\empty
22449       \ifx\@extratitle\empty\else\next@tdpage\fi
22450     \else
22451       \next@tpage
22452       \twocolumn[\@makefrontispiece]%
22453       \next@tdpage
22454     \fi
22455     \twocolumn[\@maketitle]%
22456   \fi
22457 \else
22458   \ifx\@extratitle\empty
22459     \ifx\@frontispiece\empty\else \mbox{}\fi
22460   \else
22461     \@makeextratitle
22462   \fi
22463   \ifx\@frontispiece\empty
22464     \ifx\@extratitle\empty\else\next@tdpage\fi
22465   \else
22466     \next@tpage
22467     \@makefrontispiece
22468     \next@tdpage

```



```

22469      \fi
22470      \@maketitle
22471      \fi
22472      \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
22473      \@thanks\global\let\@thanks\@empty
22474      \endgroup
22475      \fi
22476      \setcounter{footnote}{0}%
22477      \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
22478      \let\thanks\relax
22479      \let\LTRthanks\relax
22480      \let\RTLthanks\relax
22481      \let\maketitle\relax
22482      \let\@maketitle\relax
22483      \global\let\@thanks\@empty
22484      \global\let\@author\@empty
22485      \global\let\@date\@empty
22486      \global\let\@title\@empty
22487      \global\let\@subtitle\@empty
22488      \global\let\@extratitle\@empty
22489      \global\let\@frontispiece\@empty
22490      \global\let\@titlehead\@empty
22491      \global\let\@subject\@empty
22492      \global\let\@publishers\@empty
22493      \global\let\@uppertitleback\@empty
22494      \global\let\@lowertitleback\@empty
22495      \global\let\@dedication\@empty
22496      \global\let\author\relax
22497      \global\let\title\relax
22498      \global\let\extratitle\relax
22499      \global\let\titlehead\relax
22500      \global\let\subject\relax
22501      \global\let\publishers\relax
22502      \global\let\uppertitleback\relax
22503      \global\let\lowertitleback\relax
22504      \global\let\dedication\relax
22505      \global\let\date\relax
22506      \fi
22507      \global\let\and\relax
22508 }%
22509 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
22510 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
22511 \renewcommand*\thesection{%
22512   \expandafter\ifnum\scr@v@is@gt{2.97d}%
22513     \if@mainmatter\thechapter\@SepMark\fi
22514   \else
22515     \thechapter\@SepMark%
22516   \fi
22517   \@arabic\c@section
22518 }
22519 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
22520 \renewcommand*{\thesubsubsection}{%
22521   \thesubsection\@SepMark\@arabic\c@subsubsection
22522 }

```



```

22523 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
22524 \renewcommand*{\thesubparagraph}{%
22525   \theparagraph\@SepMark\@arabic\c@subparagraph
22526 }
22527 \expandafter\ifnum\scr@v@is@le{2.97d}%
22528   \renewcommand*{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
22529 \fi
22530 \expandafter\ifnum\scr@v@is@le{2.97d}%
22531   \renewcommand*{\thetable}{\thechapter\@SepMark\@arabic\c@table}
22532 \fi
22533 \renewcommand*{\theequation}{%
22534   \expandafter\ifnum\scr@v@is@gt{2.97d}%
22535     \if@mainmatter\thechapter\@SepMark\fi
22536   \else
22537     \thechapter\@SepMark%
22538   \fi
22539   \@arabic\c@equation
22540 }
22541 \renewenvironment{thebibliography}[1]{%
22542   \if@bib@break@
22543     \bib@beginhook
22544   \else
22545     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
22546       \setchapterpreamble{\bibpreamble}%
22547     \fi\fi
22548     \bib@heading
22549     \bib@beginhook
22550     \bib@before@hook
22551   \fi
22552 \renewcommand{\BreakBibliography}[1]{%
22553   \if@bib@break
22554     \end{thebibliography}%
22555     \begingroup ##1\endgroup
22556     \begin{thebibliography}{#1}
22557   }%
22558   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
22559   \bidi@thebibliography@font@hook%
22560 \list{%
22561   \biblabel{\@arabic\c@enumiv}%
22562 }{%
22563   \settowidth\labelwidth{\biblabel{#1}}%
22564   \leftmargin\labelwidth
22565   \advance\leftmargin\labelsep
22566   \openbib@code
22567   \if@bib@break@
22568     \edef@\tempa{%
22569       \noexpand\usecounter{enumiv}%
22570       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
22571     }@\tempa
22572     \no@bib@break
22573   \else
22574     \usecounter{enumiv}%
22575   \fi
22576   \let\p@enumiv\@empty

```



```

22577     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
22578   }%
22579   \sloppy\clubpenalty4000 \widowpenalty4000
22580   \sfcode`.=\@m
22581 }{%
22582   \if@bib@break@
22583     \def\@noitemerr{%
22584       \@latex@warning{%
22585         \string\BreakBibliography\space at begin of `thebibliography'
22586         environment\MessageBreak
22587         or following \string\BreakBibliography}%
22588     }%
22589   \else
22590     \def\@noitemerr{%
22591       \@latex@warning{%
22592         Empty `thebibliography' environment or
22593         \string\BreakBibliography\MessageBreak
22594         before end of `thebibliography' environment}%
22595     }%
22596   \fi
22597   \endlist
22598   \if@bib@break@
22599   \else
22600     \bib@after@hook
22601     \let\bib@before@hook\empty
22602     \let\bib@after@hook\empty
22603   \fi
22604   \bib@endhook
22605 }
22606 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
22607 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
22608 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
22609 \renewcommand\marginline[1]{%
22610   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{\#1}]\{\if@RTL\raggedleft\else\raggedright
22611 \}}
22612 \renewcommand{\@makecaption}[3]{%
22613   \cap@margin
22614   \begingroup
22615     \ifonelinecaptions
22616       \def\stepcounter##1{\advance\value{##1}\@ne}%
22617       \let\refstepcounter\stepcounter
22618       \let\label\gobble
22619       \let\@footnotetext=\gobble
22620       \let\@LTRfootnotetext=\gobble
22621       \let\@RTLfootnotetext=\gobble
22622       \let\hypertarget@gobbletwo
22623     \edef\@xnewline{%
22624       \unexpanded{\ClassInfo{\KOMAClassName}{%
22625         Workaround for not recommended usage of \string\\ or\MessageBreak
22626         \string\newline in caption text
22627       }%
22628       \hspace*{\linewidth}\hspace{1sp}%
22629     }%
22630     \unexpanded\expandafter{\@xnewline}%

```



```

22631 }%
22632 \edef\@xcentercr{%
22633   \unexpanded{\ClassInfo{\KOMAClassName}{%
22634     Workaround for not recommended usage of \string\\ or\MessageBreak
22635     \string\newline in caption text
22636   }%
22637   \hspace*\linewidth\hspace{1sp}%
22638 }%
22639   \unexpanded\expandafter{\@xcentercr}%
22640 }%
22641 \settowidth{@tempdima}{\scr@@makesinglelinecaption{#1}{#2}{#3}}%
22642 \ifdim@tempdima>\cap@width
22643   \aftergroup\scr@makemultilinecaption
22644 \else
22645   \aftergroup\scr@makesinglelinecaption
22646   \fi
22647 \else
22648   \aftergroup\scr@makemultilinecaption
22649   \fi
22650 \endgroup
22651 {#1}{#2}{#3}%
22652 }%
22653 \renewcommand{\scr@makesinglelinecaption}[3]{%
22654 {%
22655   \usefontofkomafont{caption}{%
22656     \hb@xt@\hsize{%
22657       \cap@left
22658       \if@RTL
22659         \beginR
22660         \fi
22661         \scr@@makesinglelinecaption{#1}{#2}{#3}}%
22662       \if@RTL
22663         \endR
22664         \fi
22665         \cap@right
22666       }\par\kern\dp\strutbox}%
22667 }%
22668 }\kern-\dp\strutbox
22669 }%
22670 \renewcommand{\@makecaption}[2]{%
22671   \if@captionabove
22672     \vskip\belowcaptionskip
22673   \else
22674     \vskip\abovecaptionskip
22675   \fi
22676   \scr@@makecaption\firstofone{#1}{#2}%
22677   \if@captionabove
22678     \vskip\abovecaptionskip
22679   \else
22680     \vskip\belowcaptionskip
22681   \fi
22682 }%
22683 }%
22684 \renewcommand{\scr@makesinglelinecaption}[3]{%

```



```

22685      {\usekomafont{caption}{\strut\ignorespaces
22686          #1{\usekomafont{captionlabel}{#2\captionformat}}}}%
22687          \ignorespaces #3\unskip} }%
22688 }
22689
22690 \renewcommand{\scr@makemultilinecaption}[3]{%
22691   {%
22692     \usefontofkomafont{caption}{%
22693       \hb@xt@hsizes{%
22694         \cap@left
22695         \vbox{\hsizes\cap@width\linewidth\hsizes
22696           \scr@ifundefinedorrelax{@capttype}{%
22697             \ClassWarning{\KOMAClassName}{%
22698               `string\caption' outside float.\MessageBreak
22699               Seems you are using `string\caption' outside a
22700               float.\MessageBreak
22701               Maybe you are using a package that uses
22702               `string@makecaption'\MessageBreak
22703               without setting `string\@capttype' before.\MessageBreak
22704               Because I cannot detect the caption type, I'm using\MessageBreak
22705               the empty one.%}
22706             }%
22707             \let\@capttype\@empty
22708           }{%
22709             \scr@ifundefinedorrelax{ragged\@capttype}{\raggedcaption}{%
22710               \nameuse{ragged\@capttype}{caption}%
22711             }%
22712             \ifdofullc@p
22713               \hangfrom{%
22714                 \strut
22715                 \scr@smashdp{%
22716                   #1{%
22717                     \usekomafont{caption}{%
22718                       \usekomafont{captionlabel}{#2\captionformat}}%
22719                     }%
22720                   }%
22721                 }%
22722               }%
22723               {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22724             }%
22725             \ifdim\cap@indent<\z@
22726               \strut
22727               #1{%
22728                 \usekomafont{caption}{%
22729                   \usekomafont{captionlabel}{#2\captionformat}}%
22730                 }%
22731               }\par}%
22732               \noindent{{\usekomafont{caption}{%
22733                 \hspace*{-\cap@indent}#3\scr@endstrut
22734               }}\par}%
22735             }%
22736             \if@capbreak
22737               \strut
22738               #1{%

```



```

22739      {\usekomafont{caption}{%
22740          \usekomafont{captionlabel}{#2\captionformat}%
22741      }%
22742  }\par}%
22743  \noindent\@hangfrom{\hspace*{\cap@indent}}{%
22744  {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22745 \else
22746  \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}{%
22747  {%
22748      \hspace{-\cap@indent}%
22749      \scr@smashdp{%
22750          #1{\usekomafont{caption}{%
22751              \usekomafont{captionlabel}{#2\captionformat}%
22752          }%
22753      }%
22754  }%
22755  {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22756  }%
22757 \fi
22758     \fi
22759     \fi
22760 }%
22761 \cap@right
22762 } \par\kern\dp\strutbox
22763 }%
22764 } \kern-\dp\strutbox
22765 }
22766
22767
22768 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22769   \if@komalongtable
22770     \renewcommand{\LT@makecaption}[3]{%
22771       \noalign{%
22772         \if@captionabove
22773           \vskip\belowcaptionskip
22774         \else
22775           \vskip\abovecaptionskip
22776         \fi
22777     }%
22778     \LT@mcol\LT@cols c{%
22779       \hbox to\z@\hss\parbox[t]\linewidth{%
22780         \def\@captype{table}%
22781         \@@makecaption{#1}{#2}{#3}%
22782         \endgraf
22783         \if@captionabove
22784           \vskip\abovecaptionskip
22785         \else
22786           \vskip\belowcaptionskip
22787         \fi
22788     }%
22789     \hss
22790   }%
22791 }%
22792 }%

```



```

22793 \renewcommand*\scr@LT@array{}%
22794 \let\scr@LT@array=\LT@array
22795 \renewcommand*\LT@array{%
22796   \let\scr@caption=\LT@caption
22797   \def\captionabove{\noalign{\global\@captionabovetrue}%
22798     \scr@caption}%
22799   \def\captionbelow{\noalign{\global\@captionabovefalse}%
22800     \scr@caption}%
22801   \if@tablecaptionabove
22802     \let\LT@caption=\captionabove
22803   \else
22804     \let\LT@caption=\captionbelow
22805   \fi
22806   \scr@LT@array
22807 }%
22808 \ClassInfo{\KOMAClassName}{%
22809   longtable captions redefined%
22810 }%
22811 \fi
22812 }
22813
22814 \CloneTOCEntryStyle{tocline}{part}
22815 \TOCEntryStyleStartInitCode{part}{%
22816   \expandafter\renewcommand%
22817   \csname scr@tso@#1@linefill\endcsname{\hfill}%
22818   \expandafter\renewcommand%
22819   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22820   \expandafter\renewcommand%
22821   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22822     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
22823   \expandafter\renewcommand\expandafter*%
22824   \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
22825 }
22826
22827 \CloneTOCEntryStyle{tocline}{chapter}
22828 \TOCEntryStyleStartInitCode{chapter}{%
22829   \expandafter\renewcommand%
22830   \csname scr@tso@#1@linefill\endcsname{%
22831     \if@chapterentrywithdots
22832       {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
22833     \else
22834       \hfill
22835     \fi
22836   }%
22837   \expandafter\renewcommand%
22838   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
22839   \expandafter\renewcommand%
22840   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22841     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
22842   \expandafter\renewcommand\expandafter*%
22843   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
22844 }
22845
22846 \CloneTOCEntryStyle{tocline}{section}

```



```

22847 \TOCEEntryStyleStartInitCode{section}{%
22848   \expandafter\renewcommand%
22849   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22850     \expandafter\renewcommand%
22851   \csname scr@tso@#1@pageformat\endcsname[1]{%
22852     {\normalfont\normalcolor ##1}}%
22853 }
22854
22855 \CloneTOCEEntryStyle{section}{default}
22856
22857 \DeclareSectionCommand[%  

22858   style=chapter,%
22859   level=\z@,%
22860   pagestyle=plain,%
22861   tocstyle=chapter,%
22862   tocindent=\z@,%
22863   tocnumwidth=1.5em%
22864 ]{chapter}
22865 \DeclareSectionCommand[%  

22866   style=section,%
22867   level=1,%
22868   indent=\z@,%
22869   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%
22870   afterskip=2.3ex \oplus .2ex,%
22871   tocstyle=section,%
22872   tocindentfollows=chapter,%
22873   tocindent=1.5em,%
22874   tocnumwidth=2.3em%
22875 ]{section}
22876 \DeclareSectionCommand[%  

22877   style=part,%
22878   level=\m@ne,%
22879   pagestyle=plain,%
22880   tocstyle=part,%
22881   toplevel=\m@ne,%
22882   tocindent=\z@,%
22883   tocnumwidth=2em%
22884 ]{part}
22885 \DeclareSectionCommand[%  

22886   style=section,%
22887   level=2,%
22888   indent=\z@,%
22889   beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
22890   afterskip=1.5ex \oplus .2ex,%
22891   tocstyle=section,%
22892   tocindent=3.8em,%
22893   tocnumwidth=3.2em%
22894 ]{subsection}
22895 \DeclareSectionCommand[%  

22896   style=section,%
22897   level=3,%
22898   indent=\z@,%
22899   beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
22900   afterskip=1.5ex \oplus .2ex,%

```



```

22901 tocstyle=section,%
22902 tocindent=7.0em,%
22903 tocnumwidth=4.1em%
22904 ]{subsubsection}
22905 \DeclareSectionCommand[%]
22906 style=section,%
22907 level=4,%
22908 indent=\z@,%
22909 beforeskip=3.25ex \oplus1ex \ominus.2ex,%
22910 afterskip=-1em,%
22911 tocindentfollows=subsubsection,%
22912 tocstyle=section,%
22913 tocindent=10em,%
22914 tocnumwidth=5em%
22915 ]{paragraph}
22916 \DeclareSectionCommand[%]
22917 style=section,%
22918 level=5,%
22919 indent=\scr@parindent,%
22920 beforeskip=3.25ex \oplus1ex \ominus .2ex,%
22921 afterskip=-1em,%
22922 tocstyle=section,%
22923 tocindent=12em,%
22924 tocnumwidth=6em%
22925 ]{subparagraph}

```

143 File scrreprt-xetex-bidi.def

```

22926 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f
22927 \newcommand{\scr@saved@LTRfootnotetext}{}
22928 \newcommand{\scr@saved@RTLfootnotetext}{}
22929 \let\scr@saved@footnotetext\@footnotetext
22930 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
22931 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
22932 \renewcommand{\@footnotetext}[1]{%
22933   \scr@saved@footnotetext{\#1}%
22934   \csname FN@mf@prepare\endcsname
22935 }
22936 \renewcommand{\@LTRfootnotetext}[1]{%
22937   \scr@saved@LTRfootnotetext{\#1}%
22938   \csname FN@mf@prepare\endcsname
22939 }
22940 \renewcommand{\@RTLfootnotetext}[1]{%
22941   \scr@saved@RTLfootnotetext{\#1}%
22942   \csname FN@mf@prepare\endcsname
22943 }
22944 \renewcommand\deffootnote[4][]{%
22945   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
22946     \long\def\@makefntext##1{%
22947       \ExecuteDoHook{footnote/text/begin}%
22948       \raggedfootnote
22949       \if@RTL
22950         \rightskip
22951       \else

```



```

22952     \leftskip
22953 \fi
22954 #2
22955 \l@addto@macro\@trivlist{%
22956     \ifnum\@listdepth=\@ne
22957         \if@RTL
22958             \advance\rightmargin #2\relax
22959         \else
22960             \advance\leftmargin #2\relax
22961         \fi
22962     \fi
22963 }%
22964 \parindent #3\noindent
22965 \IfArgIsEmpty{\#1}{}{%
22966     \hskip \dimexpr #1-#2\relax
22967 }%
22968 \fntn@font\hbox to \z@\{\hss\@@makefnmark\}##1%
22969 \ExecuteDoHook{footnote/text/end}%
22970 }%
22971 \else
22972     \ClassInfo{\KOMAClassName}{%
22973         Using old \string\@makefntext\space due to compatibility
22974         level\MessageBreak
22975         less than 3.22}%
22976 \long\def\@makefntext##1{%
22977     \setlength{\tempdimc}{##3}%
22978     \def\@tempa{##1}\ifx\@tempa\empty
22979         \setpar{\@par
22980             \tempdima = \hsize
22981             \addtolength{\tempdima}{-##2}%
22982             \if@RTL
22983                 \parshape \z@ \z@ \tempdima
22984             \else
22985                 \parshape \z@ #2 \tempdima
22986             \fi
22987         }%
22988     \addtolength{\tempdimc}{##2}%
22989     \addtolength{\tempdimc}{-##1}%
22990     \setpar{\@par
22991         \tempdima = \hsize
22992             \addtolength{\tempdima}{-##1}%
22993             \tempdimb = \hsize
22994             \addtolength{\tempdimb}{-##2}%
22995             \if@RTL
22996                 \parshape \tw@ \z@ \tempdima \z@ \tempdimb
22997             \else
22998                 \parshape \tw@ #1 \tempdima #2 \tempdimb
22999             \fi
23000         }%
23001     \fi
23002 \par
23003 \parindent\tempdimc\noindent
23004 \fntn@font\hbox to \z@\{\hss\@@makefnmark\}##1%
23005 }
```



```

23006      }%
23007  \fi
23008  \def\@@makefnmark{\hbox{\ftnm@font{\#4}}}%
23009 }
23010 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}%
23011 \renewcommand*\left@footnoterule{%
23012  \normalsize\ftn@rule@test@values
23013  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
23014  \ifx\@textbottom\relax\else\vskip \z@ \plus .05fil\fi
23015  {\usekomafont{footnoterule}{%
23016   \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
23017  \kern 2.6\p@}
23018 \renewcommand*\right@footnoterule{%
23019  \normalsize\ftn@rule@test@values
23020  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
23021  \ifx\@textbottom\relax\else\vskip \z@ \plus .05fil\fi
23022  {\usekomafont{footnoterule}{%
23023   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
23024  \kern 2.6\p@}}
23025 \renewcommand*\maketitle[1][1]{%
23026  \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
23027  \else
23028  \def\and{%
23029   \end{tabular}%
23030   \hskip 1em \plus.17fil%
23031   \begin{tabular}[t]{c}%
23032  }%
23033 \fi
23034 \if@titlepage
23035  \begin{titlepage}
23036  \setcounter{page}{%
23037    #1%
23038  }%
23039  \if@titlepageiscoverpage
23040  \edef\titlepage@restore{%
23041   \noexpand\endgroup
23042   \noexpand\global\noexpand\@colht\the\@colht
23043   \noexpand\global\noexpand\@colroom\the\@colroom
23044   \noexpand\global\vsize\the\vsize
23045   \noexpand\global\noexpand\@titlepageiscoverpagefalse
23046   \noexpand\let\noexpand\titlepage@restore\noexpand\relax
23047  }%
23048  \begingroup
23049  \topmargin=\dimexpr \coverpagetopmargin-1in\relax
23050  \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
23051  \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
23052  \textwidth=\dimexpr
23053  \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
23054  \textheight=\dimexpr
23055  \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
23056  \headheight=0pt
23057  \headsep=0pt
23058  \footskip=\baselineskip
23059  \colht=\textheight

```



```

23060      \@colroom=\textheight
23061      \vsize=\textheight
23062      \columnwidth=\textwidth
23063      \hsize=\columnwidth
23064      \linewidth=\hsize
23065  \else
23066      \let\titlepage@restore\relax
23067  \fi
23068  \let\footnotesize\small
23069  \let\right@footnoterule\relax
23070  \let\left@footnoterule\relax
23071  \let\textwidth@footnoterule\relax
23072  \let\footnote\thanks
23073  \let\LTRfootnote\LTRthanks
23074  \let\RTLfootnote\RTLthanks
23075  \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
23076  \let@\oldmakefnmark\@makefnmark
23077  \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
23078  \ifx\@extratitle\@empty
23079      \ifx\@frontispiece\@empty
23080      \else
23081          \if@twoside\mbox{}\next@tpage\fi
23082          \noindent\@frontispiece\next@tdpage
23083      \fi
23084  \else
23085      \noindent\@extratitle
23086      \ifx\@frontispiece\@empty
23087      \else
23088          \next@tpage
23089          \noindent\@frontispiece
23090      \fi
23091      \next@tdpage
23092  \fi
23093  \setparsizes{\z@}{\z@}{\z@+\@plus 1fil}\par@updaterelative
23094  \ifx\@titlehead\@empty \else
23095      \begin{minipage}[t]{\textwidth}%
23096          \usekomafont{titlehead}{\@titlehead\par}%
23097      \end{minipage}\par
23098  \fi
23099  \null\vfill
23100  \begin{center}
23101      \ifx\@subject\@empty \else
23102          \usekomafont{subject}{\@subject\par}%
23103          \vskip 3em
23104      \fi
23105      \usekomafont{title}{\huge \@title\par}%
23106      \vskip 1em
23107      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
23108      \vskip 2em
23109      \%
23110      \usekomafont{author}{%
23111          \lineskip 0.75em
23112          \begin{tabular}[t]{c}
23113              \author

```



```

23114         \end{tabular}\par
23115     }%
23116   }%
23117   \vskip 1.5em
23118   {\usekomafont{date}{\@date \par}}%
23119   \vskip \z@ \@plus3fill
23120   {\usekomafont{publishers}{\@publishers \par}}%
23121   \vskip 3em
23122 \end{center}\par
23123 \@thanks\global\let\@thanks\@empty
23124 \vfill\null
23125 \if@twoside
23126   \tempswatru
23127   \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
23128   \else
23129     \ifx\uppertitleback\empty\ifx\lowertitleback\empty
23130       \tempswafalse
23131     \fi\fi
23132   \fi
23133 \if@tempswa
23134   \next@tpage
23135   \begin{minipage}[t]{\textwidth}
23136     \uppertitleback
23137   \end{minipage}\par
23138   \vfill
23139   \begin{minipage}[b]{\textwidth}
23140     \lowertitleback
23141   \end{minipage}\par
23142   \@thanks\global\let\@thanks\@empty
23143 \fi
23144 \else
23145   \ifx\uppertitleback\empty\else
23146     \ClassWarning{\KOMAClassName}{%
23147       non empty \string\uppertitleback\space ignored
23148       by \string\maketitle\MessageBreak
23149       in `twoside=false' mode%
23150     }%
23151   \fi
23152   \ifx\lowertitleback\empty\else
23153     \ClassWarning{\KOMAClassName}{%
23154       non empty \string\lowertitleback\space ignored
23155       by \string\maketitle\MessageBreak
23156       in `twoside=false' mode%
23157     }%
23158   \fi
23159 \fi
23160 \ifx\dedication\empty
23161 \else
23162   \next@tdpage\null\vfill
23163   {\centering\usekomafont{dedication}{\@dedication \par}}%
23164   \vskip \z@ \@plus3fill
23165   \@thanks\global\let\@thanks\@empty
23166   \cleardoubleemptypage
23167 \fi

```



```

23168      \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
23169      \end{titlepage}
23170  \else
23171      \par
23172      \tempcnta=%
23173      #1%
23174      \relax\ifnum\tempcnta=1\else
23175          \ClassWarning{\KOMAClassName}{%
23176              Optional argument of \string\maketitle\space ignored\MessageBreak
23177              in `titlepage=false' mode%
23178          }%
23179      \fi
23180  \ifx\@uppertitleback\empty\else
23181      \ClassWarning{\KOMAClassName}{%
23182          non empty \string\uppertitleback\space ignored
23183          by \string\maketitle\MessageBreak
23184          in `titlepage=false' mode%
23185      }%
23186  \fi
23187  \ifx\@lowertitleback\empty\else
23188      \ClassWarning{\KOMAClassName}{%
23189          non empty \string\lowertitleback\space ignored
23190          by \string\maketitle\MessageBreak
23191          in `titlepage=false' mode%
23192      }%
23193  \fi
23194  \begingroup
23195      \let\titlepage@restore\relax
23196      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
23197      \let\oldmakefnmark\makefnmark
23198      \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
23199      \next@tdpage
23200      \if@twocolumn
23201          \ifnum \col@number=\@ne
23202              \ifx\@extratitle\empty
23203                  \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
23204              \else
23205                  \makeextratitle
23206              \fi
23207              \ifx\@frontispiece\empty
23208                  \ifx\@extratitle\empty\else\next@tdpage\fi
23209              \else
23210                  \next@tpage
23211                  \makefrontispiece
23212                  \next@tdpage
23213              \fi
23214              \maketitle
23215          \else
23216              \ifx\@extratitle\empty
23217                  \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
23218              \else
23219                  \twocolumn[\makeextratitle]%
23220              \fi
23221              \ifx\@frontispiece\empty

```



```

23222           \ifx\@extratitle\@empty\else\next@tdpage\fi
23223     \else
23224       \next@tpage
23225       \twocolumn[\@makefrontispiece]%
23226       \next@tdpage
23227     \fi
23228     \twocolumn[\@maketitle]%
23229   \fi
23230 \else
23231   \ifx\@extratitle\@empty
23232     \ifx\@frontispiece\@empty\else \mbox{}\fi
23233   \else
23234     \@makeextratitle
23235   \fi
23236   \ifx\@frontispiece\@empty
23237     \ifx\@extratitle\@empty\else\next@tdpage\fi
23238   \else
23239     \next@tpage
23240     \@makefrontispiece
23241     \next@tdpage
23242   \fi
23243   \@maketitle
23244   \fi
23245   \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
23246   \@thanks\global\let\@thanks\@empty
23247 \endgroup
23248 \fi
23249 \setcounter{footnote}{0}%
23250 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
23251   \let\@thanks\relax
23252   \let\LTRthanks\relax
23253   \let\RTLthanks\relax
23254   \let\maketitle\relax
23255   \let\@maketitle\relax
23256   \global\let\@thanks\@empty
23257   \global\let\@author\@empty
23258   \global\let\@date\@empty
23259   \global\let\@title\@empty
23260   \global\let\@subtitle\@empty
23261   \global\let\@extratitle\@empty
23262   \global\let\@frontispiece\@empty
23263   \global\let\@titlehead\@empty
23264   \global\let\@subject\@empty
23265   \global\let\@publishers\@empty
23266   \global\let\@uppertitleback\@empty
23267   \global\let\@lowertitleback\@empty
23268   \global\let\@dedication\@empty
23269   \global\let\@author\relax
23270   \global\let\@title\relax
23271   \global\let\@extratitle\relax
23272   \global\let\@titlehead\relax
23273   \global\let\@subject\relax
23274   \global\let\@publishers\relax
23275   \global\let\@uppertitleback\relax

```



```

23276     \global\let\lowertitleback\relax
23277     \global\let\dedication\relax
23278     \global\let\date\relax
23279   \fi
23280   \global\let\and\relax
23281 }%
23282 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
23283 \renewcommand*\autodot{\if@altsecnumformat@\SepMark\fi}
23284 \renewcommand*\thesection{%
23285   \thechapter@\SepMark%
23286   \arabic\c@section
23287 }
23288 \renewcommand*\thesubsection{\thesection@\SepMark\arabic\c@section}
23289 \renewcommand*\thesubsubsection{%
23290   \thesubsection@\SepMark\arabic\c@section
23291 }
23292 \renewcommand*\theparagraph{\thesubsubsection@\SepMark\arabic\c@paragraph}
23293 \renewcommand*\thesubparagraph{%
23294   \theparagraph@\SepMark\arabic\c@subparagraph
23295 }
23296 \expandafter\ifnum\scr@v@is@le{2.97d}%
23297   \renewcommand*\thefigure{\thechapter@\SepMark\arabic\c@figure}
23298 \fi
23299 \expandafter\ifnum\scr@v@is@le{2.97d}%
23300   \renewcommand*\thetable{\thechapter@\SepMark\arabic\c@table}
23301 \fi
23302 \renewcommand*\theequation{%
23303   \thechapter@\SepMark%
23304   \arabic\c@equation
23305 }
23306 \renewenvironment{thebibliography}[1]{%
23307   \if@bib@break@
23308     \bib@beginhook
23309   \else
23310     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
23311       \setchapterpreamble{\bibpreamble}%
23312     \fi\fi
23313     \bib@heading
23314     \bib@beginhook
23315     \bib@before@hook
23316   \fi
23317   \renewcommand{\BreakBibliography}[1]{%
23318     \bib@break
23319     \end{thebibliography}%
23320     \begingroup ##1\endgroup
23321     \begin{thebibliography}{#1}
23322   }%
23323   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
23324   \bidi@@thebibliography@font@hook%
23325   \list{%
23326     \biblabel{\arabic\c@enumiv}%
23327   }{%
23328     \setwid\labelwidth{\biblabel{#1}}%
23329     \leftmargin\labelwidth

```



```

23330   \advance\leftmargin\labelsep
23331   \openbib@code
23332   \if@bib@break@
23333     \edef\@tempa{%
23334       \noexpand\usecounter{enumiv}%
23335       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
23336     }\@tempa
23337     \no@bib@break
23338   \else
23339     \usecounter{enumiv}%
23340   \fi
23341   \let\p@enumiv\empty
23342   \renewcommand*\theenumiv{\arabic\c@enumiv}%
23343 }%
23344 \sloppy\clubpenalty4000 \widowpenalty4000
23345 \sfcode`.=\@m
23346 }{%
23347   \if@bib@break@
23348     \def\@noitemerr{%
23349       \@latex@warning{%
23350         \string\BreakBibliography\space at begin of `thebibliography'
23351         environment\MessageBreak
23352         or following \string\BreakBibliography}%
23353     }%
23354   \else
23355     \def\@noitemerr{%
23356       \@latex@warning{%
23357         Empty `thebibliography' environment or
23358         \string\BreakBibliography\MessageBreak
23359         before end of `thebibliography' environment}%
23360     }%
23361   \fi
23362   \endlist
23363   \if@bib@break@
23364   \else
23365     \bib@after@hook
23366     \let\bib@before@hook\empty
23367     \let\bib@after@hook\empty
23368   \fi
23369   \bib@endhook
23370 }
23371 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
23372 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
23373 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
23374 \renewcommand\marginline[1]{%
23375   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright{#1}}
23376 }
23377 \renewcommand{\@makecaption}[3]{%
23378   \cap@margin
23379   \begingroup
23380     \ifonelinecaptions
23381       \def\stepcounter##1{\advance\value{##1}\@ne}%
23382       \let\refstepcounter\stepcounter
23383       \let\label\@gobble

```



```

23384   \let\@footnotetext=\@gobble
23385   \let\@LTRfootnotetext=\@gobble
23386   \let\@RTLfootnotetext=\@gobble
23387   \let\hypertarget\gobbletwo
23388   \edef\xnewline{%
23389     \unexpanded{\ClassInfo{\KOMAClassName}{%
23390       Workaround for not recommended usage of \string\\ or\MessageBreak
23391       \string\newline in caption text
23392     }%
23393     \hspace*\{ \ linewidth \} \hspace{1sp}%
23394   }%
23395   \unexpanded\expandafter{\xnewline}%
23396 }%
23397 \edef\xcentercr{%
23398   \unexpanded{\ClassInfo{\KOMAClassName}{%
23399     Workaround for not recommended usage of \string\\ or\MessageBreak
23400     \string\newline in caption text
23401   }%
23402   \hspace*\{ \ linewidth \} \hspace{1sp}%
23403 }%
23404   \unexpanded\expandafter{\xcentercr}%
23405 }%
23406 \settowidth{\@tempdima}{\scr@@makesinglelinecaption{#1}{#2}{#3}}%
23407 \ifdim\@tempdima>\cap@width
23408   \aftergroup\scr@makemultilinecaption
23409 \else
23410   \aftergroup\scr@makesinglelinecaption
23411 \fi
23412 \else
23413   \aftergroup\scr@makemultilinecaption
23414 \fi
23415 \endgroup
23416 {#1}{#2}{#3}%
23417 }%
23418 \renewcommand{\scr@makesinglelinecaption}[3]{%
23419   {%
23420     \usefontofkomafont{caption}{%
23421       \hb@xt@\hsize{%
23422         \cap@left
23423         \if@RTL
23424           \beginR
23425         \fi
23426         \scr@@makesinglelinecaption{#1}{#2}{#3}}%
23427         \if@RTL
23428           \endR
23429         \fi
23430         \cap@right
23431       } \par \kern \dp \strutbox %
23432     }%
23433   } \kern - \dp \strutbox
23434 }%
23435 \renewcommand{\@makecaption}[2]{%
23436   \if@captionabove
23437     \vskip \belowcaptionskip

```



```

23438 \else
23439   \vskip\abovecaptionskip
23440 \fi
23441 @@makecaption@firstofone{#1}{#2}%
23442 \if@captionabove
23443   \vskip\abovecaptionskip
23444 \else
23445   \vskip\belowcaptionskip
23446 \fi
23447 }
23448 \renewcommand{\scr@@makesinglelinecaption}[3]{%
23449   {\usekomafont{caption}{\strut\ignorespaces
23450     #1{\usekomafont{captionlabel}{\#2\captionformat}}%
23451     \ignorespaces #3\unskip}%
23452 }
23453 }
23454 \renewcommand{\scr@makemultilinecaption}[3]{%
23455 \%
23456 \%
23457 \usefontofkomafont{caption}{%
23458   \hb@xt@\hsizet{%
23459     \cap@left
23460     \vbox{\hsizet\cap@width\linewidth\hsizet
23461       \scr@ifundefinedorrelax{@capttype}{%
23462         \ClassWarning{\KOMAClassName}{%
23463           `string\caption' outside float.\MessageBreak
23464           Seems you are using `string\caption' outside a
23465           float.\MessageBreak
23466           Maybe you are using a package that uses
23467           `string@makecaption'\MessageBreak
23468           without setting `string\@capttype' before.\MessageBreak
23469           Because I cannot detect the caption type, I'm using\MessageBreak
23470           the empty one.%}
23471       }%
23472       \let\@capttype\@empty
23473   }{%
23474     \scr@ifundefinedorrelax{ragged@\capttype}{\raggedcaption}{%
23475       \nameuse{ragged@\capttype}{%
23476     }%
23477     \ifdofullc@p
23478       \hangfrom{%
23479         \strut
23480         \scr@smashdp{%
23481           #1\%
23482           \usekomafont{caption}{%
23483             \usekomafont{captionlabel}{\#2\captionformat}%
23484             }%
23485           }%
23486           }%
23487         }%
23488         {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23489     }%
23490     \ifdim\cap@indent<\z@
23491       \strut

```



```

23492 #1{%
23493   {\usekomafont{caption}{%
23494     \usekomafont{captionlabel}{#2\captionformat}%
23495   }%
23496   }\par}%
23497   \noindent{\{\usekomafont{caption}{%
23498     \hspace*{-\cap@indent}#3\scr@endstrut
23499   }}\par}%
23500 \else
23501   \if@capbreak
23502     \strut
23503     #1{%
23504       {\usekomafont{caption}{%
23505         \usekomafont{captionlabel}{#2\captionformat}%
23506       }%
23507       }\par}%
23508       \noindent\@hangfrom{\hspace*{\cap@indent}}{%
23509         {\{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23510     \else
23511       \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}{%
23512         #1{%
23513           \hspace*{-\cap@indent}%
23514           \scr@smashdp{%
23515             #1{\usekomafont{caption}{%
23516               \usekomafont{captionlabel}{#2\captionformat}%
23517             }%
23518             }%
23519             }\%
23520             {\{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23521           }%
23522           \fi
23523           \fi
23524           \fi
23525         }%
23526         \cap@right
23527         }\par\kern\dp\strutbox
23528       }%
23529     }\kern-\dp\strutbox
23530   }
23531
23532
23533 \bidi@AfterFile{longtable-xetex-bidi.def}{%
23534   \if@komalongtable
23535     \renewcommand{\LT@makecaption}[3]{%
23536       \noalign{%
23537         \if@captionabove
23538           \vskip\belowcaptionskip
23539         \else
23540           \vskip\abovecaptionskip
23541         \fi
23542       }%
23543       \LT@mcol\LT@cols c{%
23544         \hbox to\z@\{\hss\parbox[t]\linewidth{%
23545           \def\@captype{table}}%

```



```

23546          \@@makecaption{\#1}{\#2}{\#3}%
23547          \endgraf
23548          \if@captionabove
23549              \vskip\abovecaptionskip
23550          \else
23551              \vskip\belowcaptionskip
23552          \fi
23553      }%
23554      \hss
23555  }%
23556  }%
23557 }%
23558 \renewcommand*{\scr@LT@array}{}
23559 \let\scr@LT@array=\LT@array
23560 \renewcommand*{\LT@array}{%
23561     \let\scr@caption=\LT@caption
23562     \def\captionabove{\noalign{\global\@captionabovetrue}%
23563         \scr@caption}%
23564     \def\captionbelow{\noalign{\global\@captionabovefalse}%
23565         \scr@caption}%
23566     \if@tablecaptionabove
23567         \let\LT@caption=\captionabove
23568     \else
23569         \let\LT@caption=\captionbelow
23570     \fi
23571     \scr@LT@array
23572 }%
23573 \ClassInfo{\KOMAClassName}{%
23574     longtable captions redefined%
23575 }%
23576 \fi
23577 }
23578 \CloneTOCEntryStyle{tocline}{part}
23579 \TOCEntryStyleStartInitCode{part}{%
23580     \expandafter\renewcommand%
23581     {\csname scr@tso@#1@linefill\endcsname{\hfill}}%
23582     \expandafter\renewcommand%
23583     {\csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
23584     \expandafter\renewcommand%
23585     {\csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23586         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
23587     \expandafter\renewcommand\expandafter*%
23588     {\csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}}%
23589     \expandafter\renewcommand\expandafter*%
23590     {\csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}}%
23591 }
23592 \CloneTOCEntryStyle{tocline}{chapter}
23593 \TOCEntryStyleStartInitCode{chapter}{%
23594     \expandafter\renewcommand%
23595     {\csname scr@tso@#1@linefill\endcsname{%
23596         \if@chapterentrywithdots
23597             {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
23598         \else
23599             \hfill

```



```

23600     \fi
23601   }%
23602   \expandafter\renewcommand%
23603   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
23604   \expandafter\renewcommand%
23605   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23606     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
23607   \expandafter\renewcommand\expandafter*%
23608   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
23609 }
23610
23611 \CloneTOCEntryStyle{tocline}{section}
23612 \TOCEntryStyleStartInitCode{section}{%
23613   \expandafter\renewcommand%
23614   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23615   \expandafter\renewcommand%
23616   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23617     {\normalfont\normalcolor ##1}}%
23618 }
23619
23620 \CloneTOCEntryStyle{section}{default}
23621
23622 \DeclareSectionCommand[%]
23623   style=chapter,%
23624   level=\z@,%
23625   pagestyle=plain,%
23626   tocstyle=chapter,%
23627   tocindent=\z@,%
23628   tocnumwidth=1.5em%
23629 ]{chapter}
23630 \DeclareSectionCommand[%]
23631   style=section,%
23632   level=1,%
23633   indent=\z@,%
23634   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
23635   afterskip=2.3ex \oplus .2ex,%
23636   tocstyle=section,%
23637   tocindentfollows=chapter,%
23638   tocindent=1.5em,%
23639   tocnumwidth=2.3em%
23640 ]{section}
23641 \DeclareSectionCommand[%]
23642   style=part,%
23643   level=\m@ne,%
23644   pagestyle=plain,%
23645   tocstyle=part,%
23646   toplevel=\m@ne,%
23647   tocindent=\z@,%
23648   tocnumwidth=2em%
23649 ]{part}
23650 \DeclareSectionCommand[%]
23651   style=section,%
23652   level=2,%
23653   indent=\z@,%

```



```

23654     beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
23655     afterskip=1.5ex \@plus .2ex,%
23656     tocstyle=section,%
23657     tocindent=3.8em,%
23658     tocnumwidth=3.2em%
23659 ]{subsection}
23660 \DeclareSectionCommand[%]
23661   style=section,%
23662   level=3,%
23663   indent=\z@,%
23664   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
23665   afterskip=1.5ex \@plus .2ex,%
23666   tocstyle=section,%
23667   tocindent=7.0em,%
23668   tocnumwidth=4.1em%
23669 ]{subsubsection}
23670 \DeclareSectionCommand[%]
23671   style=section,%
23672   level=4,%
23673   indent=\z@,%
23674   beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
23675   afterskip=-1em,%
23676   tocindentfollows=subsubsection,%
23677   tocstyle=section,%
23678   tocindent=10em,%
23679   tocnumwidth=5em%
23680 ]{paragraph}
23681 \DeclareSectionCommand[%]
23682   style=section,%
23683   level=5,%
23684   indent=\scr@parindent,%
23685   beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
23686   afterskip=-1em,%
23687   tocstyle=section,%
23688   tocindent=12em,%
23689   tocnumwidth=6em%
23690 ]{subparagraph}

```

144 File `sidecap-xetex-bidi.def`

```

23691 \ProvidesFile{sidecap-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for sidecap package f
23692 \RequirePackage{ragged2e}
23693 \renewcommand*{\SC@FLOAT}{[2]`{\if@RTL%
23694   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2}} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
23695 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1}} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi}
23696 \renewcommand*{\SC@justify@caption`{\if@RTL%
23697 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
23698 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
23699 \ifpackagewith{sidecap}{innercaption}{%
23700 \if@RTL \renewcommand*{\SC@FLOAT}{[2]{%
23701 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1}} {\#1}\hspace{\sidecaptionsep}{\#2}}}
23702 \renewcommand*{\SC@justify@caption}{%
23703 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
23704 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi

```



```

23705 \renewcommand*{\SC@FLOAT}[2]{%
23706   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}%
23707 \renewcommand*{\SC@justify@caption}{%
23708   \isSC@ODD{\RaggedLeft}{\RaggedRight}\fi%
23709 }{}%
23710 %
23711 \@ifpackagewith{sidecap}{rightcaption}{%
23712   \if@RTL \renewcommand*{\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{\#2}}%
23713   \def\SC@justify@caption{\RaggedLeft}\else%
23714   \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}%
23715   \def\SC@justify@caption{\RaggedRight}\fi%
23716 }{}%
23717 %
23718 \ifpackagewith{sidecap}{leftcaption}{%
23719 \if@RTL \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}%
23720   \def\SC@justify@caption{\RaggedRight}\else%
23721   \renewcommand*{\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{\#2}}%
23722   \def\SC@justify@caption{\RaggedLeft}\fi%
23723 }{}%

```

145 File soul-xetex-bidi.def

```

23724 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
23725 \long\def\SOUL@start#1{%
23726   \let\bidi@RTL@everypar\empty
23727   \let<\SOUL@lowerthan
23728   \let>\empty
23729   \def\soulomit{\noexpand\soulomit}%
23730   \gdef\SOUL@eventuallyexhyphen##1{}%
23731   \let\SOUL@soeventuallyskip\relax
23732   \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
23733     \@minus\fontdimen4\font
23734   \SOUL@ignorespacesfalse
23735   \leavevmode
23736   \SOUL@preamble
23737   \SOUL@lasttoken={}%
23738   \SOUL@word={}%
23739   \SOUL@minus\z@
23740   \SOUL@comma\z@
23741   \SOUL@apo\z@
23742   \SOUL@grave\z@
23743   \SOUL@do{}%
23744   \SOUL@postamble
23745 }%
23746 \def\SOUL@ulunderline#1{%
23747   \setbox\z@\hbox{\#1}%
23748   \dimen@=\wd\z@
23749   \dimen@i=\SOUL@uloverlap
23750   \advance\dimen@2\dimen@i
23751   \if@RTL
23752   \unhcopy\z@
23753   \llap{%
23754     \null
23755     \kern-\dimen@i

```



```

23756     \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
23757   }%
23758   \else
23759   \rlap{%
23760     \null
23761     \kern-\dimen@i
23762     \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
23763   }%
23764   \unhcopy\z@
23765   \fi
23766 }
23767 \def\bidi@SOUL@ulleaders{%
23768   \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\n
23769 }
23770 \def\SOUL@uleverspace#1{%
23771   \if@RTL
23772     #1%
23773   \bidi@SOUL@ulleaders
23774   \hskip\spaceskip
23775   \else
23776   \SOUL@ulcolor{%
23777     #1%
23778   \SOUL@ulleaders
23779   \hskip\spaceskip
23780 }%
23781 \fi
23782 \null
23783 }

```

146 File stabular-xetex-bidi.def

```

23784 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
23785 \def\@stabular{%
23786   \leavevmode \bgroup \if@RTLtab\beginR \fi
23787   \let\@acol\@tabacol
23788   \let\@classz\@tabclassz
23789   \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
23790 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
23791           \egroup \if@RTLtab\endR\fi\egroup}
23792 \expandafter \let \csname endstabular*\endcsname = \endstabular
23793 \def\@sarray[#1]#2{%
23794   \bgroup
23795   \setbox\@arstrutbox\hbox{%
23796     \vrule \height\arraystretch\ht\strutbox
23797     \depth\arraystretch \dp\strutbox
23798     \width\z@}%
23799   \mkpream{#2}%
23800   \edef\@preamble{%
23801     \ialign \noexpand\@halignto
23802       \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
23803   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
23804   \let\tabularnewline\%
23805   \let\@sharp##%
23806   \set@typeset@protect

```



```

23807   \lineskip\z@skip\baselineskip\z@skip
23808   \if@RTLtab\hbox\bgroup\beginR\@bboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
23809   \opreamble}

```

147 File subfigure-xetex-bidi.def

```

23810 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
23811 \AtBeginDocument{%
23812 \let\p@subfigure=\thefigure
23813 \let\p@subtable=\thetable%
23814 }

```

148 File tabls-xetex-bidi.def

```

23815 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeLaTeX]
23816 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
23817
23818 \expandafter\let\csname endtabular*\endcsname=\endtabular
23819
23820 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr if \\ given
23821   \else \\[\z@\global\advance\@rstdepth-\@tarlinesep]%
23822   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecuse\egroup}
23823
23824 \def\@array[#1]#2{%
23825   \edef\@unrecuse{\global\@skip@bove\the\@skip@bove
23826     \global\@arstheight\the\@arstheight\global\@rstdepth\the\@rstdepth}%
23827   \let\@tarlinesep\@tarlinesep \global\@skip@bove-\@tarlinesep
23828   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
23829   \else \let\@tarlinesep\tablinesep \fi
23830   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
23831   \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
23832   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
23833   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
23834     \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
23835     \advance\@tempdima\@tarlinesep \advance\@tempdimb\@tarlinesep
23836   \fi \setbox\@carstrutbox\hbox{%
23837     \vrule \height\@tempdima \depth\@tempdimb \width\z@}%
23838   \let\protect\noexpand
23839   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
23840     \unhcopy\@arstrutbox \preamble \tabskip\z@skip \&\sharp\cr}%
23841   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
23842   \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
23843   \bgroup \let\par\empty
23844   \global\@arstheight\ht\@carstrutbox \global\@rstdepth\dp\@carstrutbox
23845   \advance\extrarulesep.5\arrayrulewidth
23846   \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
23847   \if@RTLtab\hbox\bgroup\beginR\@bboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
23848   \opreamble}

```

149 File tabularx-xetex-bidi.def

```

23849 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
23850 \def\TX@endtabularx{%
23851   \expandafter\expandafter\expandafter

```



```

23852   \TX@find@endtabularxa\csname end\TX@\endcsname
23853   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
23854 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
23855 \let\verb\TX@verb
23856 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
23857 \edef\TX@ckpt{\cl@ckpt}%
23858 \let\@elt\relax
23859 \TX@old@table\maxdimen
23860 \TX@col@width\TX@target
23861 \global\TX@cols@ne
23862 \TX@typeout@
23863   {\@spaces Table Width \@spaces Column Width \@spaces X Columns}%
23864 \TX@trial{\def\NC@rewrite@X{%
23865   \global\advance\TX@cols@ne\NC@find p{\TX@col@width}}}%
23866 \loop
23867   \TX@arith
23868   \ifTX@
23869   \TX@trial{}%
23870 \repeat
23871 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
23872 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
23873 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
23874 \csname tabular*\expandafter\endcsname\expandafter\TX@target
23875   \the\toks@
23876   \csname endtabular*\endcsname}%
23877 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
23878 \ifnum0={\fi}%
23879 \expandafter\expandafter\expandafter
23880 \TX@find@endtabularxb
23881 \expandafter\end\expandafter{\TX@}%
23882 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
23883 }
23884
23885 \def\TX@trial#1{%
23886   \setbox\@tempboxa\hbox{%
23887     #1\relax
23888   \let\@footnotetext\TX@trial@ftn
23889   \let\@LTRfootnotetext\TX@trial@ftn
23890   \let\@RTLfootnotetext\TX@trial@ftn
23891   \let\TX@vwarn\empty
23892   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
23893   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
23894   \def\writef{\begingroup
23895     \def\let{\afterassignment\endgroup\toks@}%
23896       \afterassignment\let\count@}%
23897     \hbadness\@M
23898     \hfuzz\maxdimen
23899     \let\hbadness\@tempcnta
23900     \let\hfuzz\@tempdima
23901     \expandafter\tabular\the\toks@
23902     \endtabular}%
23903 \TX@ckpt
23904 \TX@typeout@\{@spaces
23905   \expandafter\TX@align

```



```
23906     \the\wd@\tempboxa\space\space\space\space\space\space\@c
23907     \expandafter\TX@align
23908         \the\TX@col@width\space\space\space\space\space\space\@c
23909     \@spaces\the\TX@cols}}
23910
23911 \long\def\TX@LTRftntext#1{%
23912     \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
23913             [\the\csname c@\@mpfn\endcsname]}%
23914     \global\TX@ftn\expandafter{\@tempa[#1]}%
23915 \long\def\TX@xLTRftntext[#1]#2{%
23916     \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
23917
23918 \long\def\TX@RTLftntext#1{%
23919     \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
23920             [\the\csname c@\@mpfn\endcsname]}%
23921     \global\TX@ftn\expandafter{\@tempa[#1]}%
23922 \long\def\TX@xRTLftntext[#1]#2{%
23923     \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

150 File tabulary-xetex-bidi.def

151 File `tc-xetex-bidi.def`



```

23954 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
23955 \def\@cliptoboxdim#1{%
23956     \setbox#1=\hbox{%
23957         \Gin@defaultbp\WIDTH{\wd#1}%
23958         \Gin@defaultbp\DEPTH{\dp#1}%
23959         \tempdima\ht#1%
23960         \advance\tempdima\dp#1%
23961         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
23962         \beginL\special{pdf:bcontent }%
23963         \special{%
23964             pdf:literal direct
23965             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
23966         }%
23967         \special{pdf:literal direct W }%
23968         \special{pdf:literal direct n }%
23969         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
23970         \special{pdf:econtent }\endL%
23971     }%
23972 }

```

152 File `tcolorbox-xetex-bidi.def`

```

23973 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox package
23974 \let\endtcb@lrbox=\endminipage
23975 \let\endtcb@savebox=\endtcb@lrbox
23976
23977 \bidi@patchcmd{\tcb@vbox}{%
23978     \let\footnotetext\mpfootnotetext%
23979 }{%
23980     \let\footnotetext\mpfootnotetext%
23981     \let\LTfootnotetext\mplTRfootnotetext%
23982     \let\RTfootnotetext\mpRTLfootnotetext%
23983 }{}{}}
23984
23985 \bidi@patchcmd{\endtcb@vbox}{%
23986     \footnoterule%
23987 }{%
23988     \bidi@mpfootnoterule%
23989 }{}{}}
23990 \bidi@apptocmd\tcb@icolorbox{%
23991     \bidi@list@minipage@parboxfalse
23992 }{}{}}

```

153 File `titlesec-xetex-bidi.def`

```

23993 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
23994 \renewcommand\filright{%
23995     \gdef\ttl@filleft##1{\hskip##1}%
23996     \gdef\ttl@filright##1{\hfill}%
23997     \let\\@\centercr
23998     \advance\rightskip\z@ \oplus 1fil
23999 \parfillskip\z@}
24000 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
24001     \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%}

```



```

24002 \setlength{\leftskip}{#6}%
24003 \setlength{\rightskip}{#7}%
24004 \interlinepenalty\@M
24005 \ttl@changecentercr
24006 \ttl@beginlongest
24007 #1{\ifhmode\ttl@hmode@error\fi
24008   \ttl@glcmds
24009   \parindent\z@
24010   \leavevmode
24011   \begingroup
24012     \ifttl@label
24013       \sbox{z@f#2\strut\ttl@calc\hspace{#3}}%
24014       \if@RTL\advance\rightskip\wd{z@}\else\advance\leftskip\wd{z@}\fi
24015       \llap{\box{z@}}%
24016     \fi
24017     #4{#8}%
24018     \kern{z@}\strut\@par
24019   \endgroup
24020   \nobreak\ttl@midlongest#5\@par}%
24021 \ttl@endlongest}

```

154 File `titletoc-xetex-bidi.def`

```

24022 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
24023 \renewcommand\filright{%
24024   \gdef\ttl@filleft##1{\hskip##1}%
24025   \gdef\ttl@filright##1{\hfill}%
24026   \let\\=\@centercr
24027   \advance\rightskip{z@} \oplus 1fil
24028 \parfillskip{z@}%
24029 \renewcommand\contentspush[1]{%
24030   \sbox{z@{#1}}%
24031   \xdef\ttl@b{\if@RTL\rightskip\else\leftskip\fi\the\wd{z@}}%
24032   \aftergroup\ttl@b
24033   \leavevmode\llap{\box{z@}}%
24034 \def\ttl@outnoblock#1#2#3{%
24035   \begingroup
24036   \ifnum\ttl@b>\ttl@a
24037     \nobreak
24038   \else\ifnum\ttl@b<\ttl@a
24039     \addpenalty{\@secpenalty}%
24040   \else
24041     \addpenalty{\z@}%
24042   \fi\fi
24043   \ttl@contentsstretch
24044   \nobreak
24045   \ifcase#1\relax\else\interlinepenalty\@M\fi
24046   \parindent\z@
24047   \ifx\@nil#2%
24048     \PackageError{titletoc}{Unimplemented}%
24049     {The optional argument is currently mandatory}%
24050   \else
24051     \if@RTL\setlength\rightskip{#2}\else
24052     \setlength\leftskip{#2}\fi%

```



```
24053 \fi
24054 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
24055 \let\contentsmargin\ttl@margin
24056 \def\ttl@makeline##1{##1}%
24057 #3%
24058 \addtolength{\parfillskip}{-\ttl@corr}%
24059 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
24060 \let\ttl@leaders\leaders
24061 \renewcommand\ttl@margin[2][\z@]{%
24062   \def\ttl@corr{#1}%
24063   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
24064   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
24065   \def\@pnumwidth{#2}%
24066 \let\ttl@savel@part\l@part
24067 \def\l@part{\ttl@lselect{part}}%
24068
24069 \let\ttl@savel@chapter\l@chapter
24070 \def\l@chapter{\ttl@lselect{chapter}}
```

155 File `tocbibind-xetex-bidi.def`

```

24071 \ProvidesFile{tocbibind-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for tocbibind packa
24072 \IfClassLoadedT{memoir}{\endinput}
24073 \if@dotocbib
24074 \ApplyPatchIfPackageLoadedF{natbib}{%
24075   \renewcommand{\bibsection}{\t@cb@bchapsec}
24076   \renewenvironment{thebibliography}[1]{%
24077     \bibsection
24078     \begin{thebibitemlist}{#1}\end{thebibitemlist}}}
24079 \renewenvironment{thebibitemlist}[1]{%
24080   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
24081   \bidi@thebibliography@font@hook%
24082   \list{\@biblabel{\@arabic\c@enumiv}}{%
24083     \settowidth\labelwidth{\@biblabel{#1}}%
24084     \leftmargin\labelwidth
24085     \advance\leftmargin\labelsep
24086     \openbib@code
24087     \usecounter{enumiv}%
24088     \let\p@enumiv\empty
24089     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
24090   \sloppy
24091   \clubpenalty4000
24092   \clubpenalty \clubpenalty
24093   \widowpenalty4000%
24094   \sfcode`\.\@m}
24095 {\def\@noitemerr
24096   {\@latex@warning{Empty `thebibliography' environment}}%
24097   \endlist}
24098
24099 \ApplyPatchCodeToPackage{chapterbib}{%
24100   \c@ifpackagewith{chapterbib}{sectionbib}{%
24101     \renewcommand{\sectionbib}[2]{}%
24102     {}%
24103   }

```



```

24104 \fi
24105 \if@inltxdoc\else
24106   \renewenvironment{theindex}%
24107     {\if@twocolumn
24108       \restonecolfalse
24109     \else
24110       \restonecoltrue
24111     \fi
24112   \if@bibchapter
24113     \if@donumindex
24114       \refstepcounter{chapter}
24115       \twocolumn[\vspace*{2\topskip}%
24116         \makechapterhead{\indexname}]%
24117       \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
24118       \chaptermark{\indexname}
24119     \else
24120       \if@dotocind
24121         \twocolumn[\vspace*{2\topskip}%
24122           \makeschapterhead{\indexname}]%
24123         \prw@mkboth{\indexname}
24124         \addcontentsline{toc}{chapter}{\indexname}
24125       \else
24126         \twocolumn[\vspace*{2\topskip}%
24127           \makeschapterhead{\indexname}]%
24128         \prw@mkboth{\indexname}
24129       \else
24130         \fi
24131       \fi
24132     \else
24133       \if@donumindex
24134         \twocolumn[\vspace*{-1.5\topskip}%
24135           \nameuse{\@tocextra}{\indexname}]%
24136         \csname \@tocextra mark\endcsname{\indexname}
24137       \else
24138         \if@dotocind
24139           \twocolumn[\vspace*{-1.5\topskip}%
24140             \toc@headstar{\@tocextra}{\indexname}]%
24141           \prw@mkboth{\indexname}
24142           \addcontentsline{toc}{\@tocextra}{\indexname}
24143         \else
24144           \twocolumn[\vspace*{-1.5\topskip}%
24145             \toc@headstar{\@tocextra}{\indexname}]%
24146           \prw@mkboth{\indexname}
24147         \fi
24148       \fi
24149     \fi
24150   \thispagestyle{plain}\parindent\z@
24151   \parskip\z@\plus .3\p@\relax
24152   \let\item\@idxitem
24153   {\if@restonecol\onecolumn\else\clearpage\fi}
24154 \fi

```

156 File `tocloft-xetex-bidi.def`



```

24155 \ProvidesFile{tocloft-xetex-bidi.def}[2025/01/03 v0.4 bidi adaptations for tocloft package f
24156 \IfClassLoadedT{memoir}{\endinput}
24157 \renewcommand{\cftpnumalign}{\if@RTL l\else r\fi}
24158 \let\cftdot\@SepMark
24159 \if@cfthaspart
24160 \renewcommand*{\l@part}[2]{
24161   \cftdopartfalse
24162   \ifnum \c@tocdepth >-2\relax
24163     \if@cfthaschapter
24164       \cftdoparttrue
24165     \fi
24166     \ifnum \c@tocdepth >\m@ne
24167       \if@cfthaschapter\else
24168         \cftdoparttrue
24169       \fi
24170     \fi
24171   \fi
24172   \if@cftdopart
24173     \if@cfthaschapter
24174       \addpenalty{-\@highpenalty}
24175     \else
24176       \addpenalty\@secpenalty
24177     \fi
24178   \addvspace{\cftbeforeparts skip}
24179   \begin{group}
24180     \if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
24181     \if@RTL\leftskip\else\rightskip\fi \cftmarg
24182     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24183     \parindent \cftpindent\relax\cftafterindenttrue
24184     \interlinepenalty\@M
24185     \leavevmode
24186     \tempdima \cftpnumwidth\relax
24187     \let\cftbsnum \cftpresnum
24188     \let\cftasnum \cftaftersnum
24189     \let\cftasnumb \cftaftersnumb
24190     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\ri
24191     {\cftpfont \cftpresnum \#1}
24192     \cftpfillnum{\#2}}
24193     \nobreak
24194     \if@cfthaschapter
24195       \global\nobreaktrue
24196       \everypar{\global\nobreakfalse\everypar{}}
24197     \else
24198       \if@compatibility
24199         \global\nobreaktrue
24200         \everypar{\global\nobreakfalse\everypar{}}
24201       \fi
24202     \fi
24203   \end{group}
24204 } \fi
24205 \fi
24206 \if@cfthaschapter
24207 \renewcommand*{\l@chapter}[2]{
24208   \ifnum \c@tocdepth >\m@ne

```



```

24209 \addpenalty{-\@highpenalty}
24210 \vskip \cftbeforechapskip
24211 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24212 \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
24213 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24214 \parindent \cftchapindent\relax\@afterindenttrue
24215 \interlinepenalty\@M
24216 \leavevmode
24217 \tempdima \cftchapnumwidth\relax
24218 \let\cftbsnum \cftchappresnum
24219 \let\cftasnum \cftchapaftersnum
24220 \let\cftasnumb \cftchapaftersnumb
24221 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24222 {\cftchapfont #1}\nobreak
24223 \cftchapfillnum{#2}}
24224 \fi}
24225 \fi
24226 \renewcommand*{\l@section}[2]{%
24227 \ifnum \c@tocdepth >\z@
24228 \if@cfthaschapter
24229 \vskip \cftbeforesecskip
24230 \else
24231 \addpenalty\@secpenalty
24232 \addvspace{\cftbeforesecskip}
24233 \fi
24234 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
24235 \if@RTL\leftskip\else\rightskip\fi \cftsecmarg
24236 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24237 \parindent \cftsecindent\relax\@afterindenttrue
24238 \interlinepenalty\@M
24239 \leavevmode
24240 \tempdima \cftsecnumwidth\relax
24241 \let\cftbsnum \cftsecpresnum
24242 \let\cftasnum \cftsecaftersnum
24243 \let\cftasnumb \cftsecaftersnumb
24244 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24245 {\cftsecfont #1}\nobreak
24246 \cftsecfillnum{#2}}
24247 \fi}
24248 \renewcommand*{\l@subsection}[2]{%
24249 \ifnum \c@tocdepth >\@ne
24250 \vskip \cftbeforesubsecskip
24251 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
24252 \if@RTL\leftskip\else\rightskip\fi \cftsubsecmarg
24253 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24254 \parindent \cftsubsecindent\relax\@afterindenttrue
24255 \interlinepenalty\@M
24256 \leavevmode
24257 \tempdima \cftsubsecnumwidth\relax
24258 \let\cftbsnum \cftsubsecpresnum
24259 \let\cftasnum \cftsubsecaftersnum
24260 \let\cftasnumb \cftsubsecaftersnumb
24261 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24262 {\cftsubsecfont #1}\nobreak

```



```

24263     \cftsubsecfillnum{#2}}
24264   \fi}
24265 \renewcommand*{\l@subsubsection}[2]{%
24266   \ifnum \c@tocdepth >\tw@
24267     \vskip \cftbeforesubsubsecskip
24268     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
24269     \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecindent\relax
24270     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24271     \parindent \cftsubsubsecindent\relax\@afterindenttrue
24272     \interlinepenalty\OM
24273     \leavevmode
24274     \tempdima \cftsubsubsecnumwidth\relax
24275     \let\cftbsnum \cftsubsubsecpresnum
24276     \let\cftasnum \cftsubsubsecaftersnum
24277     \let\cftasnumb \cftsubsubsecaftersnumb
24278     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
24279     {\cftsubsubsecfont #1}\nobreak
24280     \cftsubsubsecfillnum{#2}}
24281   \fi}
24282 \renewcommand*{\l@paragraph}[2]{%
24283   \ifnum \c@tocdepth >3\relax
24284     \vskip \cftbeforeparaskip
24285     {\if@RTL\rightskip\else\leftskip\fi \cftpaindent\relax
24286     \if@RTL\leftskip\else\rightskip\fi \cftparaindent\relax
24287     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24288     \parindent \cftpaindent\relax\@afterindenttrue
24289     \interlinepenalty\OM
24290     \leavevmode
24291     \tempdima \cftpainumwidth\relax
24292     \let\cftbsnum \cftpapresnum
24293     \let\cftasnum \cftpaaftersnum
24294     \let\cftasnumb \cftpaaftersnumb
24295     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
24296     {\cftpafont #1}\nobreak
24297     \cftpafillnum{#2}}
24298   \fi}
24299 \renewcommand*{\l@ subparagraph}[2]{%
24300   \ifnum \c@tocdepth >4\relax
24301     \vskip \cftbeforesubparaskip
24302     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
24303     \if@RTL\leftskip\else\rightskip\fi \cftsubparaindent\relax
24304     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24305     \parindent \cftsubparaindent\relax\@afterindenttrue
24306     \interlinepenalty\OM
24307     \leavevmode
24308     \tempdima \cftsubparanumwidth\relax
24309     \let\cftbsnum \cftsubparapresnum
24310     \let\cftasnum \cftsubparaftersnum
24311     \let\cftasnumb \cftsubparaftersnumb
24312     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
24313     {\cftsubparafont #1}\nobreak
24314     \cftsubparafillnum{#2}}
24315   \fi}
24316 \renewcommand*{\l@figure}[2]{%

```



```

24317 \ifnum \c@lofdepth >\z@
24318   \vskip \cftbeforefigskip
24319   {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
24320     \if@RTL\leftskip\else\rightskip\fi \cftfigmarg
24321     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24322     \parindent \cftfigindent\relax\cfterindenttrue
24323     \interlinepenalty\OM
24324     \leavevmode
24325     \tempdima \cftfignumwidth\relax
24326     \let\cftbsnum \cftfigpresnum
24327     \let\cftasnum \cftfigaftersnum
24328     \let\cftasnumb \cftfigaftersnumb
24329     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24330     {\cftfigfont #1}\nobreak
24331     \cftfigfillnum{\#2}}
24332   \fi
24333 }
24334 \renewcommand*{\l@table}[2]{%
24335   \ifnum\c@lotdepth >\z@
24336     \vskip \cftbeforetabskip
24337     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
24338       \if@RTL\leftskip\else\rightskip\fi \cfttabmarg
24339       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24340       \parindent \cfttabindent\relax\cfterindenttrue
24341       \interlinepenalty\OM
24342       \leavevmode
24343       \tempdima \cfttabnumwidth\relax
24344       \let\cftbsnum \cfttabpresnum
24345       \let\cftasnum \cfttabaftersnum
24346       \let\cftasnumb \cfttabaftersnumb
24347       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24348       {\cfttabfont #1}\nobreak
24349       \cfttabfillnum{\#2}}
24350     \fi
24351   }
24352 \renewcommand{\cftl@subfig}{%
24353 \renewcommand*{\l@subfigure}[2]{%
24354   \ifnum \c@lofdepth > \toclevel@subfigure
24355     \vskip \cftbeforesubfigskip
24356     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
24357       \if@RTL\leftskip\else\rightskip\fi \cftsubfigmarg
24358       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24359       \parindent \cftsubfigindent\relax\cfterindenttrue
24360       \interlinepenalty\OM
24361       \leavevmode
24362       \tempdima \cftsubfignumwidth\relax
24363       \let\cftbsnum \cftsubfigpresnum
24364       \let\cftasnum \cftsubfigaftersnum
24365       \let\cftasnumb \cftsubfigaftersnumb
24366       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24367       {\cftsubfigfont ##1}\nobreak
24368       \cftsubfigfillnum{##2}}
24369     \fi
24370   }

```



```

24371 }
24372 \renewcommand{\@cftl@subtab}{%
24373 \renewcommand*{\l@subtable}[2]{%
24374   \ifnum \c@lotdepth > \toclevel@subtable
24375     \vskip \cftbeforesubtabskip
24376     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
24377       \if@RTL\leftskip\else\rightskip\fi \cftmarg
24378       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24379       \parindent \cftsubtabindent\relax\cftafterindenttrue
24380       \interlinepenalty\cftinterlinepenalty
24381       \leavevmode
24382       \cftsubtabnumwidth\relax
24383       \let\cftbsnum \cftsubabpresnum
24384       \let\cftasnum \cftsubabaftersnum
24385       \let\cftasnumb \cftsubabaftersnumb
24386       \advance\if@RTL\rightskip\else\leftskip\fi \cftsubtabnumwidth\relax
24387       {\cftsubabfont \#1}\nobreak
24388       \cftsubabfillnum{\#2}}
24389   \fi
24390 }
24391 }
24392 \renewcommand{\newlistentry}[4] [{}]{%
24393   \c@ifundefined{c@\#2}{%      check & set the counter
24394     \ifx \empty\#1\relax
24395       \newcounter{\#2}
24396     \else
24397       \c@ifundefined{c@\#1}{\PackageWarning{tocloft}%
24398         {\#1 has no counter for use as a `within'}
24399         \newcounter{\#2}}%
24400       {\newcounter{\#2}[\#1]%
24401         \expandafter\edef\csname the\#2\endcsname{%
24402           \expandafter\noexpand\csname the\#1\endcsname\cSepMark\noexpand\arabic{\#2}}}
24403     \fi
24404     \setcounter{\#2}{0}
24405   }
24406   {\PackageError{tocloft}{\#2 has been previously defined}{\@eha}}
24407 }
24408 \c@namedef{l@#2}##1##2{%
24409   \ifnum \c@nameuse{c@#3depth} > #4\relax
24410     \vskip \c@nameuse{cftbefore#2skip}
24411     {\if@RTL\rightskip\else\leftskip\fi \c@nameuse{cft#2indent}\relax
24412       \if@RTL\leftskip\else\rightskip\fi \cftmarg
24413       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24414       \parindent \c@nameuse{cft#2indent}\relax\cftafterindenttrue
24415       \interlinepenalty\cftinterlinepenalty
24416       \leavevmode
24417       \cftsubtabnumwidth\relax
24418       \expandafter\let\expandafter\cftbsnum\csname cft#2presnum\endcsname
24419       \expandafter\let\expandafter\cftasnum\csname cft#2aftersnum\endcsname
24420       \expandafter\let\expandafter\cftasnumb\csname cft#2aftersnumb\endcsname
24421       \advance\if@RTL\rightskip\else\leftskip\fi \cftsubtabnumwidth\relax
24422       {\c@nameuse{cft#2font}\#1}\nobreak
24423       \c@nameuse{cft#2fillnum}{\#2}}
24424   \fi

```



```

24425 } % end of \l@#2
24426
24427 \expandafter\newlength\csname cftbefore#2skip\endcsname
24428   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \oplus .2\p@}
24429 \expandafter\newlength\csname cft#2indent\endcsname
24430 \expandafter\newlength\csname cft#2numwidth\endcsname
24431 \ifcase #4\relax % 0
24432   \setlength{\@nameuse{cft#2indent}}{0em}
24433   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
24434 \or % 1
24435   \setlength{\@nameuse{cft#2indent}}{1.5em}
24436   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
24437 \or % 2
24438   \setlength{\@nameuse{cft#2indent}}{3.8em}
24439   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
24440 \or % 3
24441   \setlength{\@nameuse{cft#2indent}}{7.0em}
24442   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
24443 \else % anything else
24444   \setlength{\@nameuse{cft#2indent}}{10.0em}
24445   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
24446 \fi
24447 \@namedef{cft#2font}{\normalfont}
24448 \@namedef{cft#2presnum}{}
24449 \@namedef{cft#2aftersnum}{}
24450 \@namedef{cft#2aftersnumb}{}
24451 \@namedef{cft#2dotsep}{\cftdotsep}
24452 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
24453 \@namedef{cft#2pagefont}{\normalfont}
24454 \@namedef{cft#2afterpnum}{}
24455 \@namedef{toclevel@#2}{#4}
24456 \@namedef{cft#2fillnum}##1{%
24457   {\@nameuse{cft#2leader}}\nobreak
24458   \hb@xt@{\pnumwidth{\hfil\@nameuse{cft#2pagefont}}##1}\@nameuse{cft#2afterpnum}\par}
24459 } % end \newlistentry
24460 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
24461   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24462   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
24463   \if@RTL\leftskip\else\rightskip\fi \cftchapmarg\relax
24464   \textit{#1}\protect\par}}}

```

157 File `tocbasic-xetex-bidi.def`

```

24465 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
24466 \bidi@undef\scr@dte@def@l@undottedtocline
24467 \bidi@undef\scr@dte@undottedtocline@init
24468 \DeclareTOCEntryStyle{undottedtocline}[{%
24469   \DefineTOCEntryLengthOption{indent}{%
24470     {\scr@tso@}{@indent}{entry indent}}%
24471   \DefineTOCEntryLengthOption{numwidth}{%
24472     {\scr@tso@}{@numwidth}{entry number width}}%
24473   \Ifundefined{#1tocdepth}{%
24474     \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
24475       \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%

```



```

24476 \Ifstr{#1}{section}{\@namedef{\#1tocdepth}{1}}{%
24477   \Ifstr{#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
24478     \Ifstr{#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
24479       \Ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
24480         \Ifstr{#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
24481           \Ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
24482             \Ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
24483               \expandafter\let\csname #1tocdepth\expandafter\endcsname
24484               \csname #1numdepth\endcsname
24485             }%
24486           }%
24487         }%
24488       }%
24489     }%
24490   }%
24491   }%
24492 }%
24493 }%
24494 }{}%
24495 \@ifundefined{scr@tso@#1@indent}{%
24496   \@ifundefined{scr@#1@tocindent}{%
24497     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24498       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24499         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
24500           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
24501             \scr@ifundefinedorrelax{l@chapter}{%
24502               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
24503                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24504                   \Ifstr{#1}{subsubsection}{%
24505                     \@namedef{scr@tso@#1@indent}{3.8em}}%
24506                   }%
24507                     \Ifstr{#1}{paragraph}{%
24508                       \@namedef{scr@tso@#1@indent}{7em}}%
24509                     }%
24510                     \Ifstr{#1}{ subparagraph}{%
24511                       \@namedef{scr@tso@#1@indent}{10em}}%
24512                     }%
24513                     }%
24514                     }%
24515                     }%
24516                   }%
24517                 }%
24518               }{}%
24519               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24520                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
24521                   \Ifstr{#1}{subsubsection}{%
24522                     \@namedef{scr@tso@#1@indent}{7.0em}}%
24523                   }%
24524                     \Ifstr{#1}{paragraph}{%
24525                       \@namedef{scr@tso@#1@indent}{10em}}%
24526                     }%
24527                     \Ifstr{#1}{ subparagraph}{%
24528                       \@namedef{scr@tso@#1@indent}{12em}}%
24529                     }%

```



```
24530 }%
24531 }%
24532 }%
24533 }%
24534 }%
24535 }%
24536 }%
24537 }%
24538 }%
24539 }%
24540 }{%
24541     \Qnamedef{scr@tso@#1@indent}{\Qnameuse{scr@#1@tocindent}}{%
24542     }%
24543 }{%
24544 \Qifundefined{scr@tso@#1@numwidth}{%
24545     \Qifundefined{scr@#1@tocnumwidth}{%
24546         \Ifstr{#1}{figure}{\Qnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24547             \Ifstr{#1}{table}{\Qnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24548                 \Ifstr{#1}{chapter}{\Qnamedef{scr@tso@#1@numwidth}{1.5em}}{%
24549                     \scr@undefinedorrelax{chapter}}{%
24550                         \Ifstr{#1}{section}{\Qnamedef{scr@tso@#1@numwidth}{1.5em}}{%
24551                             \Ifstr{#1}{subsection}{\Qnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24552                                 \Ifstr{#1}{subsubsection}{%
24553                                     \Qnamedef{scr@tso@#1@numwidth}{3.2em}}{%
24554 }{%
24555                         \Ifstr{#1}{paragraph}{%
24556                             \Qnamedef{scr@tso@#1@numwidth}{4.1em}}{%
24557 }{%
24558                         \Ifstr{#1}{ subparagraph}{%
24559                             \Qnamedef{scr@tso@#1@numwidth}{5m}}{%
24560 }{%
24561                     }%
24562                 }%
24563             }%
24564         }%
24565     }%
24566 }{%
24567     \Ifstr{#1}{section}{\Qnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24568         \Ifstr{#1}{subsection}{\Qnamedef{scr@tso@#1@numwidth}{3.2em}}{%
24569             \Ifstr{#1}{subsubsection}{%
24570                 \Qnamedef{scr@tso@#1@numwidth}{3.1em}}{%
24571 }{%
24572                 \Ifstr{#1}{paragraph}{%
24573                     \Qnamedef{scr@tso@#1@numwidth}{5em}}{%
24574 }{%
24575                 \Ifstr{#1}{ subparagraph}{%
24576                     \Qnamedef{scr@tso@#1@numwidth}{6em}}{%
24577 }{%
24578             }%
24579         }%
24580     }%
24581 }%
24582 }{%
24583 }%
```



```

24584      }%
24585      }%
24586      }%
24587      }{%
24588      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
24589      }%
24590      }{}%
24591  }]{%
24592  \ifnum \c@tocdepth > \numexpr \@nameuse{#1tocdepth}-\@ne\relax
24593  \ifnum \@nameuse{#1tocdepth}<\@ne
24594  \scr@ifundefinedorrelax{chapter}{%
24595  \addpenalty\@secpenalty
24596  \addvspace{1.0em \oplus \p@}%
24597  }{%
24598  \addpenalty{-\@highpenalty}%
24599  \vskip 1.0em \oplus \p@%
24600  }%
24601 \else
24602  \addpenalty\@secpenalty
24603  \addvspace{1.0em \oplus \p@}%
24604 \fi
24605 \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
24606 \begingroup
24607  \parindent \z@ \bidi@rightskip \pnumwidth
24608  \parfillskip -\pnumwidth
24609  \leavevmode
24610  \bfseries
24611  \advance\bidi@leftskip\@tempdima
24612  \If tocfeature{\@currrent}{noindent}{%
24613  \hskip -\bidi@leftskip
24614  }{%
24615  \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
24616  \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
24617  }%
24618  ##1%
24619  \nobreak
24620  \hfil \nobreak\hb@xt@{\pnumwidth}{\hss ##2}%
24621  \par
24622  \penalty\@highpenalty
24623  \endgroup
24624 \fi
24625 }
24626
24627 \bidi@undef\scr@dte@def@l@largetocline
24628 \bidi@undef\scr@dte@largetocline@init
24629 \DeclareTOCEntryStyle{largetocline}[{%
24630  \DefineTOCEntryLengthOption{indent}{%
24631  {scr@tso@}{@indent}{entry indent}%
24632  }{%
24633  \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
24634  \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
24635  \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
24636  \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
24637  \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%

```



```

24638 \Ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
24639   \Ifstr{#1}{subparagraph}{\@namedef{\#1tocdepth}{5}}{%
24640     \Ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
24641       \Ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
24642         \expandafter\let\csname #1tocdepth\expandafter\endcsname
24643           \csname #1numdepth\endcsname
24644         }%
24645       }%
24646     }%
24647   }%
24648 }%
24649 }%
24650 }%
24651 }%
24652 }%
24653 }{}%
24654 \@ifundefined{scr@tso@#1@indent}{%
24655   \@ifundefined{scr@#1@tocindent}{%
24656     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24657       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24658         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
24659           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
24660             \scr@ifundefinedorrelax{1@chapter}{%
24661               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
24662                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24663                   \Ifstr{#1}{subsubsection}{%
24664                     \@namedef{scr@tso@#1@indent}{3.8em}}{%
24665                   }%
24666                   \Ifstr{#1}{paragraph}{%
24667                     \@namedef{scr@tso@#1@indent}{7em}}{%
24668                   }%
24669                   \Ifstr{#1}{subparagraph}{%
24670                     \@namedef{scr@tso@#1@indent}{10em}}{%
24671                   }%
24672                   }%
24673                   }%
24674                   }%
24675                   }%
24676                   }%
24677 }{}%
24678   \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24679     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
24680       \Ifstr{#1}{subsubsection}{%
24681         \@namedef{scr@tso@#1@indent}{7.0em}}{%
24682       }%
24683       \Ifstr{#1}{paragraph}{%
24684         \@namedef{scr@tso@#1@indent}{10em}}{%
24685       }%
24686       \Ifstr{#1}{subparagraph}{%
24687         \@namedef{scr@tso@#1@indent}{12em}}{%
24688       }%
24689       }%
24690       }%
24691     }%

```



```

24692      }%
24693      }%
24694      }%
24695      }%
24696      }%
24697      }%
24698      }%
24699      }{%
24700      \c@nameuse{\scr@tso@#1@indent}{\c@nameuse{\scr@#1@tocindent}}{%
24701      }%
24702      }{}}%
24703 }]{%
24704 \ifnum \c@tocdepth > \numexpr \c@nameuse{\#1tocdepth} - \one \relax
24705   \c@nameuse{\#1tocdepth} < \one
24706   \scr@ifundefinedorrelax{chapter}{%
24707     \addpenalty\@secpenalty
24708     \addvspace{2.25em \oplus \p@}}%
24709   }{%
24710     \addpenalty{-\highpenalty}}%
24711     \addvspace{2.25em \oplus \p@}}%
24712   }%
24713 \else
24714   \addpenalty\@secpenalty
24715   \addvspace{2.25em \oplus \p@}}%
24716 \fi
24717 \setlength\@tempdima{3em}%
24718 \begingroup
24719   \parindent \z@ \bidi@rightskip \pnumwidth
24720   \parfillskip -\pnumwidth
24721   \leavevmode
24722   \large
24723   \bfseries
24724   \If tocfeature{\current}{noindent}{%
24725     }{%
24726       \advance\bidi@leftskip \c@nameuse{\scr@tso@#1@indent}}%
24727     }%
24728     ##1%
24729     \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
24730     \par
24731     \nobreak
24732     \ifnum 0 =
24733       \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
24734       \global\nobreaktrue
24735       \everypar{\global\nobreakfalse\everypar{}}}}%
24736     }{%
24737   \endgroup
24738 }{%
24739 }%
24740 \renewcommand*{\scr@dte@tocline}[3]{%
24741   \ifnum \c@nameuse{\#1tocdepth} > \c@tocdepth
24742   \else
24743     \tocbasic@DependOnPenaltyAndTOCLevel{\#1}%
24744     \addvspace{\c@nameuse{\scr@tso@#1@beforeskip}}\relax

```



```

24746  \Qnameuse{Ifscr@tso@#1@dynindent}{%
24747    \expandafter\ifx\csname scr@tso@#1@indentfollows\endcsname\empty
24748      \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
24749    \else
24750      \edef\reserved@a{\Qnameuse{scr@tso@#1@indentfollows}}%
24751    \Qfor \reserved@a:=\reserved@a\do {%
24752      \scr@trim@spaces\reserved@a
24753      \ifx\reserved@a\empty\else
24754        \scr@ifundefinedorrelax{\reserved@a tocdepth}{%
24755          }{%
24756            \ifnum \Qnameuse{\reserved@a tocdepth}<\Qnameuse{#1tocdepth}%
24757              \Qtempdima\Qnameuse{scr@tso@\reserved@a @indent}\relax
24758              \Qnameuse{Ifscr@tso@\reserved@a @dynnumwidth}{%
24759                \scr@ifundefinedorrelax
24760                  {\scr@dte@\reserved@a @lastmaxnumwidth}{%
24761                    \advance\Qtempdima
24762                    \Qnameuse{scr@tso@\reserved@a @numwidth}\relax
24763                  }{%
24764                    \advance\Qtempdima
24765                    \Qnameuse{scr@dte@\reserved@a @lastmaxnumwidth}\relax
24766                  }{%
24767                    \advance\Qtempdima
24768                    \Qnameuse{scr@tso@\reserved@a @numwidth}\relax
24769                  }{%
24770                    \ifdim \Qtempdima>\Qnameuse{scr@tso@#1@indent}\relax
24771                      \expandafter\edef\csname scr@tso@#1@indent\endcsname
24772                        {\the\Qtempdima}%
24773                    \fi
24774                  \fi
24775                }{%
24776                  \fi
24777                }{%
24778                  \fi
24779                }{%
24780                }{%
24781                }{%
24782                  \Iftocfeature{\Qcurrext}{noindent}{%
24783                    \bidi@leftskip \z@
24784                  }{%
24785                    \bidi@leftskip \Qnameuse{scr@tso@#1@indent}\relax
24786                  }{%
24787                    \bidi@rightskip \Qnameuse{scr@tso@#1@rightindent}\relax
24788                    \parfillskip -\bidi@rightskip
24789                    \Qnameuse{Ifscr@tso@#1@raggedpage}{%
24790                      \addtolength{\parfillskip}{\z@ \Qplus 1fil}%
24791                    }{%
24792                      \Iftocfeature{\Qcurrext}{noindent}{%
24793                        \parindent \z@
24794                      }{%
24795                        \parindent \Qnameuse{scr@tso@#1@indent}\relax
24796                      }{%
24797                        \Qafterindenttrue
24798                        \interlinepenalty\@M
24799                        \expandafter\ifx\csname ragged#1entry\endcsname\raggedright

```



```

24800   \addtolength\bidi@rightskip\@flushglue
24801 \else
24802   \def\reserved@a{\raggedright}%
24803   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
24804     \addtolength\bidi@rightskip\@flushglue
24805 \else
24806   \renewcommand\reserved@a{\raggedright}%
24807   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
24808     \addtolength\bidi@rightskip\@flushglue
24809   \fi
24810 \fi
24811 \fi
24812 \leavevmode
24813 \tempdima \nameuse{scr@tso@#1@numwidth}\relax
24814 \nameuse{Ifscr@tso@#1@dynnumwidth}{%
24815   \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
24816     \ifdim \nameuse{scr@dte@#1@lastmaxnumwidth}>\tempdima
24817       \tempdima\nameuse{scr@dte@#1@lastmaxnumwidth}\relax
24818     \fi
24819   }%
24820 }{%
24821 \advance\bidi@leftskip \tempdima
24822 \null\nobreak\hskip -\bidi@leftskip
24823 }%
24824   \usetocbasicnumberline
24825   \let\scr@dte@numberline@box\numberline@box
24826   \def\numberline@box##1{%
24827     \sbox\scr@dte@tocline@numbox{\nameuse{scr@tso@#1@numberformat}##1}%
24828     \global\scr@dte@tocline@numberwidth
24829     \dimexpr\wd\scr@dte@tocline@numbox+\nameuse{scr@tso@#1@numsep}\relax
24830     \relax
24831     \ifdim \scr@dte@tocline@numberwidth
24832       >\nameuse{scr@dte@#1@maxnumwidth}\relax
24833       \global\nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
24834     \fi
24835   \nameuse{Ifscr@tso@#1@dynnumwidth}{%
24836     \ifdim \scr@dte@tocline@numberwidth
24837       >\dimexpr \nameuse{scr@tso@#1@numwidth}%
24838         +\nameuse{scr@tso@#1@numsep}\relax\relax
24839     \PackageWarning{tocbasic}{%
24840       number width of #1 toc entries should be
24841       increased!\MessageBreak
24842       Currently used number width =
24843       \the\wd\scr@dte@tocline@numbox,\MessageBreak
24844       Wanted number separation
24845       \space\space\space =
24846       \the\dimexpr\nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
24847       Reserved number width \space\space\space\space\space\space =
24848       \the\dimexpr\nameuse{scr@tso@#1@numwidth}\relax%
24849     }%
24850   \fi
24851 }%
24852   \scr@dte@numberline@box{\nameuse{scr@tso@#1@numberformat}##1}%
24853 \nameuse{Ifscr@tso@#1@breakafternumber}{%

```



```

24854      {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
24855  }{}%
24856 }%
24857 {\@nameuse{scr@tso@#1@entryformat}{%
24858   #2%
24859   \nobreak
24860 }%
24861   \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
24862   \nobreak
24863   \expandafter\let\expandafter\scr@dte@pagenumberwidth
24864   \csname scr@tso@#1@pagenumberwidth\endcsname
24865   \@nameuse{scr@tso@#1@pagenumberbox}{%
24866     \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
24867   }%
24868 }%
24869   }{\par
24870 }%
24871 }%
24872 \tocbasic@SetPenaltyByTOCLevel{#1}%
24873 \fi
24874 }
24875
24876
24877 \bidi@undef\scr@dte@def@l@tocline
24878 \bidi@undef\scr@dte@tocline@init
24879 \DeclareTOCEntryStyle{tocline}[{%
24880   \DefineTOCEntryLengthOption{beforeskip}%
24881   {\scr@tso@}{@beforeskip}{vertical skip before the entry}%
24882   \DefineTOCEntryIfOption{breakafternumber}%
24883   {\scr@tso@}{@breakafternumber}{line break after number flag}%
24884   \DefineTOCEntryIfOption{dynnumwidth}%
24885   {\scr@tso@}{@dynnumwidth}{dynamic number width flag}%
24886   \DefineTOCEntryListOption{indentfollows}%
24887   {\scr@tso@}{@indentfollows}{list of levels that define the indent}%
24888   \DefineTOCEntryIfOption{dynindent}%
24889   {\scr@tso@}{@dynindent}{dynamic indent width flag}%
24890   \DefineTOCEntryCommandOption{entryformat}%
24891   {\scr@tso@}{@entryformat}{[1]{entry format}}%
24892   \DefineTOCEntryCommandOption{entrynumberformat}%
24893   {\scr@tso@}{@numberformat}{[1]{entry number format}}%
24894   \DefineTOCEntryCommandOption{linefill}{[\TOCLineLeaderFill]}%
24895   {\scr@tso@}{@linefill}{filling between text and page number}%
24896   \DefineTOCEntryLengthOption{numsep}%
24897   {\scr@tso@}{@numsep}{entry number separation}%
24898   \DefineTOCEntryCommandOption{onstarthigherlevel}%
24899   {\scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
24900   \DefineTOCEntryCommandOption{onstartlowerlevel}%
24901   {\scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
24902   \DefineTOCEntryCommandOption{onstartsamelevel}%
24903   {\scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
24904   \DefineTOCEntryCommandOption{pagenumberbox}%
24905   {\scr@tso@}{@pagenumberbox}{[1]{page number box}}%
24906   \DefineTOCEntryCommandOption{pagenumberformat}%
24907   {\scr@tso@}{@pagenumberformat}{[1]{page number format}}%

```



```

24908 \DefineTOCEEntryLengthOption{pagewidth}%
24909   {scr@tso@}{@pagewidth}{width of page number box}%
24910 \DefineTOCEEntryLengthOption{rightindent}%
24911   {scr@tso@}{@rightindent}{entry's text right indent}%
24912 \DefineTOCEEntryOption{raggedentrytext}[true]{%
24913   \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
24914   \ifx\FamilyKeyState\FamilyKeyStateProcessed
24915     \if@tempswa
24916       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
24917         \raggedright
24918     \else
24919       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
24920         \relax
24921     \fi
24922   \fi
24923 }%
24924 \DefineTOCEEntryIfOption{raggedpagenumber}%
24925   {scr@tso@}{@raggedpage}{page number ragged flag}%
24926 \DefineTOCEEntryLengthOption{indent}%
24927   {scr@tso@}{@indent}{entry indent}%
24928 \DefineTOCEEntryLengthOption{numwidth}%
24929   {scr@tso@}{@numwidth}{entry number width}%
24930 \scr@ifundefinedorrelax{\#1tocdepth}{%
24931   \Ifstrstart{\#1}{sub}{%
24932     \scr@ifundefinedorrelax{\scr@dte@nosub{\#1}tocdepth}{%
24933       \expandafter\edef\csname #1tocdepth\endcsname{%
24934         \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{\#1}tocdepth}+\@ne\relax
24935       }%
24936     }%
24937   }{}%
24938 }{}%
24939 \scr@ifundefined{\#1tocdepth}{%
24940   \Ifstr{\#1}{part}{\@namedef{\#1tocdepth}{-1}}{%
24941     \Ifstr{\#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
24942       \Ifstr{\#1}{section}{\@namedef{\#1tocdepth}{1}}{%
24943         \Ifstr{\#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
24944           \Ifstr{\#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
24945             \Ifstr{\#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
24946               \Ifstr{\#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
24947                 \Ifstr{\#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
24948                   \Ifstr{\#1}{table}{\@namedef{\#1tocdepth}{1}}{%
24949                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
24950                       \csname #1numdepth\endcsname
24951                     }%
24952                   }%
24953                 }%
24954               }%
24955             }%
24956           }%
24957         }%
24958       }%
24959     }%
24960   }{}%
24961 \scr@ifundefinedorrelax{\scr@tso@#10indent}{%

```



```

24962  \@ifundefined{scr@#1@tocindent}{%
24963    \Ifstrstart{#1}{sub}{%
24964      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
24965        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
24966          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24967            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
24968            \relax
24969          }%
24970        }%
24971      }%
24972      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
24973        \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24974          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
24975          \relax
24976        }%
24977      }%
24978      \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24979        \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
24980        +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
24981        \relax
24982      }%
24983    }%
24984  }%
24985  }{%
24986  }{%
24987    \namedef{scr@tso@#1@indent}{\nameuse{scr@#1@tocindent}}%
24988  }%
24989 }{%
24990 \scr@ifundefinedorrelax{scr@tso@#1@pagewidth}{%
24991   \Ifstrstart{#1}{sub}{%
24992     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@pagewidth}{%
24993       \namedef{scr@tso@#1@pagewidth}{\pnumwidth}%
24994     }{%
24995       \expandafter\let
24996       \csname scr@tso@#1@pagewidth\expandafter\endcsname
24997       \csname scr@tso@\scr@dte@nosub{#1}@pagewidth\endcsname
24998     }%
24999   }{%
25000     \namedef{scr@tso@#1@pagewidth}{\pnumwidth}%
25001   }%
25002 }{%
25003 \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
25004   \Ifstrstart{#1}{sub}{%
25005     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@rightindent}{%
25006       \namedef{scr@tso@#1@rightindent}{\tocrmarg}%
25007     }{%
25008       \expandafter\let
25009       \csname scr@tso@#1@rightindent\expandafter\endcsname
25010       \csname scr@tso@\scr@dte@nosub{#1}@rightindent\endcsname
25011     }%
25012   }{%
25013     \namedef{scr@tso@#1@rightindent}{\tocrmarg}%
25014   }%
25015 }{%

```



```

25016  \@ifundefined{scr@tso@#1@indent}{%
25017      \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
25018          \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
25019              \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
25020                  \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
25021                      \scr@ifundefinedorrelax{l@chapter}{%
25022                          \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
25023                              \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
25024                                  \Ifstr{#1}{subsubsection}{%
25025                                      \@namedef{scr@tso@#1@indent}{3.8em}}{%
25026                                  }{%
25027                                      \Ifstr{#1}{paragraph}{%
25028                                          \@namedef{scr@tso@#1@indent}{7em}}{%
25029                                      }{%
25030                                          \Ifstr{#1}{subparagraph}{%
25031                                              \@namedef{scr@tso@#1@indent}{10em}}{%
25032                                          }{%
25033                                              }{%
25034                                              }{%
25035                                              }{%
25036                                              }{%
25037                                              }{%
25038                                              }{%
25039                                              \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
25040                                              \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
25041                                              \Ifstr{#1}{subsubsection}{%
25042                                                  \@namedef{scr@tso@#1@indent}{7.0em}}{%
25043                                              }{%
25044                                              \Ifstr{#1}{paragraph}{%
25045                                                  \@namedef{scr@tso@#1@indent}{10em}}{%
25046                                              }{%
25047                                              \Ifstr{#1}{subparagraph}{%
25048                                                  \@namedef{scr@tso@#1@indent}{12em}}{%
25049                                              }{%
25050                                              }{%
25051                                              }{%
25052                                              }{%
25053                                              }{%
25054                                              }{%
25055                                              }{%
25056                                              }{%
25057                                              }{%
25058                                              }{%
25059                                              }{%
25060                                              }{%
25061 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
25062     \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
25063         \Ifstrstart{#1}{sub}{%
25064             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
25065                 \expandafter\edef\csname scr@tso@\scr@dte@nosub{#1}@numwidth\endcsname{%
25066                     \glueexpr\noexpand\nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
25067                     +.9em}}{%
25068             \relax}{%
25069             }{%

```



```

25070      }%
25071      }{%
25072  }{%
25073      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
25074  }%
25075  }{%
25076 \@ifundefined{scr@tso@#1@numwidth}{%
25077     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25078     \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25079     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
25080         \scr@ifundefinedorrelax{chapter}{%
25081             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
25082                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25083                     \Ifstr{#1}{subsubsection}{%
25084                         \@namedef{scr@tso@#1@numwidth}{3.2em}}{%
25085                     }{%
25086                         \Ifstr{#1}{paragraph}{%
25087                             \@namedef{scr@tso@#1@numwidth}{4.1em}}{%
25088                     }{%
25089                         \Ifstr{#1}{subparagraph}{%
25090                             \@namedef{scr@tso@#1@numwidth}{5em}}{%
25091                     }{%
25092                     }{%
25093                 }{%
25094             }{%
25095         }{%
25096     }{%
25097 }{%
25098     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25099         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
25100             \Ifstr{#1}{subsubsection}{%
25101                 \@namedef{scr@tso@#1@numwidth}{3.1em}}{%
25102             }{%
25103                 \Ifstr{#1}{paragraph}{%
25104                     \@namedef{scr@tso@#1@numwidth}{5em}}{%
25105             }{%
25106                 \Ifstr{#1}{subparagraph}{%
25107                     \@namedef{scr@tso@#1@numwidth}{6em}}{%
25108                 }{%
25109                 }{%
25110             }{%
25111         }{%
25112     }{%
25113     }{%
25114     }{%
25115     }{%
25116     }{%
25117     }{%
25118 }{%
25119 \expandafter\renewcommand%
25120 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
25121 \expandafter\renewcommand%
25122 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
25123 \expandafter\renewcommand%

```



```

25124 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
25125 \@ifundefined{scr@tso@#1@beforeskip}{%
25126   \Ifstr{#1}{part}{%
25127     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus \p@ \relax}%
25128   }{%
25129     \Ifstr{#1}{chapter}{%
25130       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
25131     }{%
25132       \Ifstr{#1}{section}{%
25133         \scr@ifundefinedorrelax{l@chapter}{%
25134           \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
25135         }{%
25136         }{%
25137       }{%
25138     }{%
25139     \expandafter\renewcommand\expandafter*{%
25140       \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@ \relax}%
25141     }{%
25142     \@ifundefined{scr@dte@#1@maxnumwidth}{%
25143       \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
25144       \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
25145     }{%
25146     \renewcommand*{\scr@dte@donumwidth}{}%
25147     \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
25148     \expandafter\renewcommand\expandafter*{%
25149       \csname scr@tso@#1@numsep\endcsname{.4em}%
25150     \expandafter\renewcommand{%
25151       \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
25152     \Ifstr{#1}{part}{%
25153       \expandafter\providecommand{%
25154         \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
25155     }{%
25156       \Ifstr{#1}{chapter}{%
25157         \expandafter\providecommand{%
25158         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25159       }{%
25160         \scr@ifundefinedorrelax{l@chapter}{%
25161           \Ifstr{#1}{section}{%
25162             \expandafter\providecommand{%
25163               \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25164             }{%
25165           }{%
25166           \expandafter\providecommand{%
25167             \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
25168           }{%
25169         }{%
25170         \expandafter\renewcommand{%
25171           \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
25172         \@ifundefined{scr@tso@#1@linefill}{%
25173           \Ifstr{#1}{part}{%
25174             \@namedef{scr@tso@#1@linefill}{\hfill}%
25175           }{%
25176           \Ifstr{#1}{chapter}{%
25177             \@namedef{scr@tso@#1@linefill}{\hfill}%

```



```

25178 }{%
25179   \scr@ifundefinedorrelax{l@chapter}{%
25180     \Ifstr{#1}{section}{%
25181       @namedef{scr@tso@#1@linefill}{\hfill}%
25182     }{}%
25183   }{}%
25184   \expandafter\renewcommand%
25185     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
25186   }%
25187 }%
25188 }{%
25189 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
25190 \Ifstr{#1}{part}{%
25191   \expandafter\providecommand%
25192   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
25193 }{%
25194   \Ifstr{#1}{chapter}{%
25195     \expandafter\providecommand%
25196     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25197   }{%
25198     \scr@ifundefinedorrelax{l@chapter}{%
25199       \Ifstr{#1}{section}{%
25200         \expandafter\providecommand%
25201         \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25202       }{}%
25203     }{}%
25204     \expandafter\providecommand%
25205     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
25206       {\normalfont\color{black} ##1}}%
25207     }%
25208   }%
25209   \expandafter\renewcommand%
25210   \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
25211     \hb@xt@{\nameuse{scr@dte@pagenumberwidth}}{\hfil ##1}}%
25212   \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
25213   \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
25214   \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
25215     \Ifstrstart{#1}{sub}{%
25216       \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
25217         \scr@dte@nosub{#1}}%
25218       }%
25219     }{%
25220       \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\empty%
25221     }%
25222   }{}%
25223 }]{%
25224   \scr@dte@tocline{#1}{##1}{##2}%
25225 }
25226 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
25227   \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
25228     {\normalfont\color{black} ##1}}%
25229   }%
25230 }%
25231 }{%

```



```

25232 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
25233   \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
25234     {\normalfont\normalcolor #1}%
25235   }%
25236 }{}%
25237 }{}%
25238

```

158 File tocstyle-xetex-bidi.def

```

25239 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
25240 \renewcommand*{\tocstyle@dottedtocline}[5]{%
25241   \let\numberline\tocstyle@numberline
25242   \ifnum #1>\c@tocdepth \else
25243     \if@tocstyle@penalties
25244       \begingroup
25245         \tempcnta 20010
25246         \advance \tempcnta by -#1
25247         \ifnum \tempcnta>\lastpenalty
25248           \aftergroup\penalty\aftergroup\lowpenalty
25249         \fi
25250       \endgroup
25251     \fi
25252     \edef\tocstyledepth{\#1}%
25253     \tocstyle@activate@features
25254     \ifx\tocstyle@feature@entryvskip\relax
25255       \vskip \z@ \oplus.2\p@
25256     \else
25257       \addvspace{\tocstyle@feature@entryvskip}%
25258     \fi
25259   }%
25260   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\el
25261   \tocstyle@feature@raggedhook
25262   \tempdima #3\relax
25263   \tempdimb #2\relax
25264   \typeout{m (\tocstyleTOC, \tocstyledepth): \the\tempdima}%
25265   \ifnum #1>\z@\relax
25266     \tempcnta #1\relax \advance \tempcnta \m@ne
25267     \ifcsname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
25268       \ifcsname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
25269         \tempdimb
25270         \csname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
25271         \advance \tempdimb
25272         \csname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
25273       \fi
25274     \fi
25275   \fi
25276   \typeout{C (\tocstyleTOC, \tocstyledepth): \the\tempdimb}%
25277   \ifcsname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname
25278     \ifdim \tempdimb
25279       \csname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname\relax
25280       \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25281         \#1\endcsname{\the\tempdimb}%
25282     \fi

```



```

25283 \else
25284   \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25285     @#1\endcsname{\the\@tempdimb}%
25286 \fi
25287 \iftocstyle@autolength
25288   \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25289     \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25290     \relax
25291 \fi
25292 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25293   \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25294   \relax
25295 \fi
25296 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25297 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25298 \else
25299   \@tempdimb #2\relax
25300   \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25301 \fi
25302 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
25303   \ifdim \@tempdima>
25304     \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
25305     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25306       @\endcsname{\the\@tempdima}%
25307 \fi
25308 \else
25309   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25310     @\endcsname{\the\@tempdima}%
25311 \fi
25312 \ifcase\tocstyle@indentstyle\relax\else
25313   \@tempdimb \z@%
25314   \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25315     \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25316     \relax
25317   \fi
25318   \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25319   \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25320 \fi
25321 \advance\parindent \@tempdimb\@afterindenttrue
25322 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
25323 \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
25324 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
25325 \ifx\tocstyle@feature@parfillskip\relax\else
25326   \advance\parfillskip \tocstyle@feature@parfillskip\relax
25327 \fi
25328 \interlinepenalty@M
25329 \leavevmode
25330 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
25331 \null\nobreak
25332 \iftocstyle@indentnotnumbered\else
25333   \hskip -\if@RTL\rightskip\else\leftskip\fi
25334 \fi
25335 \tocstyle@feature@entryhook
25336 {#4}\nobreak

```



```

25337     \ifx\tocstyle@feature@leaders\relax
25338         \leaders\hbox{$\m@th
25339             \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
25340             \mkern \@dotsep mu$\}\hfill
25341     \else
25342         \tocstyle@feature@leaders
25343     \fi
25344     \nobreak
25345     \ifx\tocstyle@feature@pagenumberbox\relax
25346         \hb@xt@\pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
25347     \else
25348         \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
25349     \fi
25350     \par
25351 }
25352 \if@tocstyle@penalties
25353     \bgroup
25354         \tempcnta 20009
25355         \advance\tempcnta by -#1
25356         \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
25357         \reserved@a
25358     \fi
25359 \fi}
25360 \renewcommand*{\tocstyle@numberline}[1]{%
25361     \begingroup
25362         \ifx\tocstyle@feature@spaceafternumber\relax
25363             \setwid\tempdima{\tocstyle@numberline{#1}\enskip}%
25364         \else
25365             \setwid\tempdima{\tocstyle@numberline{#1}}%
25366             \advance\tempdima \tocstyle@feature@spaceafternumber\relax
25367         \fi
25368         \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
25369             \ifdim\tempdima >
25370                 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
25371                 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
25372                     @\tocstyledepth\endcsname{\the\tempdima}%
25373             \fi
25374         \else
25375             \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
25376                 @\tocstyledepth\endcsname{\the\tempdima}%
25377             \fi
25378     \endgroup
25379     \iftocstyle@indentnotnumbered
25380         \hskip -\if@RTL\rightskip\else\leftskip\fi
25381     \fi
25382     \ifcase\tocstyle@indentstyle
25383         \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
25384     \or
25385         \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
25386     \else
25387         \ifx\tocstyle@feature@spaceafternumber\relax
25388             \hbox{\tocstyle@numberline{#1}\enskip}%
25389         \else
25390             \hbox{\tocstyle@numberline{#1}\hskip

```



```

25391      \tocstyle@feature@spaceafternumber\relax}%
25392      \fi
25393      \fi
25394 }
25395 \AtBeginDocument{%
25396   \ifcsname l@part\endcsname
25397     \ifcsname l@chapter\endcsname
25398       \setbox\@tempboxa\vbox{\hsize\maxdimen
25399         \l@part{\tocstyle@l@define{part}{-1}}{}}
25400     \else
25401       \setbox\@tempboxa\vbox{\hsize\maxdimen
25402         \l@part{\tocstyle@l@define{part}{0}}{}}
25403     \fi
25404   \fi
25405   \ifcsname l@chapter\endcsname
25406     \setbox\@tempboxa\vbox{\hsize\maxdimen
25407       \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
25408   \fi
25409   \ifcsname l@section\endcsname
25410     \setbox\@tempboxa\vbox{\hsize\maxdimen
25411       \l@section{\tocstyle@l@define{section}{1}}{}}
25412   \fi
25413   \ifcsname l@subsection\endcsname
25414     \setbox\@tempboxa\vbox{\hsize\maxdimen
25415       \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
25416   \fi
25417   \ifcsname l@subsubsection\endcsname
25418     \setbox\@tempboxa\vbox{\hsize\maxdimen
25419       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
25420   \fi
25421   \ifcsname l@paragraph\endcsname
25422     \setbox\@tempboxa\vbox{\hsize\maxdimen
25423       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}
25424   \fi
25425   \ifcsname l@ subparagraph\endcsname
25426     \setbox\@tempboxa\vbox{\hsize\maxdimen
25427       \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}
25428   \fi
25429   \ifcsname l@table\endcsname
25430     \setbox\@tempboxa\vbox{\hsize\maxdimen
25431       \l@table{\tocstyle@l@define{table}{1}}{}}
25432   \fi
25433   \ifcsname l@figure\endcsname
25434     \setbox\@tempboxa\vbox{\hsize\maxdimen
25435       \l@figure{\tocstyle@l@define{figure}{1}}{}}
25436   \fi
25437 \def\@tempa#1#2#3#4#5{%
25438   \ifnum #1>\c@tocdepth \else
25439     \vskip \z@ \oplus .2\p@
25440     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocr
25441     \parindent #2\relax\@afterindenttrue
25442     \interlinepenalty\@M
25443     \leavevmode
25444     \tempdima #3\relax

```



```

25445 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\ri
25446 {#4}\nobreak
25447 \leaders\hbox{$\m@th
25448 \mkern \dotsep mu\hbox{.}\mkern \dotsep
25449 mu$}\hfill
25450 \nobreak
25451 \hb@xt@\pnumwidth{{\hfil \normalfont \normalcolor #5}}%
25452 \par}%
25453 \fi}%
25454 \ifx\@dottedtocline\@tempa\else
25455 \tocstyle@macrochangelwarning\@dottedtocline
25456 \fi
25457 \let\tocstyle@saved@dottedtocline\@dottedtocline
25458 \def\@tempa#1{\hb@xt@\tempdima{#1\autodot\hfil}}%
25459 \ifx\numberline\@tempa\else
25460 \def\@tempa#1{\hb@xt@\tempdima{#1\hfil}}%
25461 \ifx\numberline@tempa\else
25462 \tocstyle@macrochangelwarning\numberline
25463 \fi
25464 \fi
25465 \let\tocstyle@saved@numberline\numberline
25466 }%
25467 \renewcommand*{\tocstyle@l@define}[2]{%
25468 \advance\if@RTL\rightskip\else\leftskip\fi-\tempdima
25469 \edef\@tempa{%
25470 \noexpand\global\noexpand\let
25471 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
25472 \expandafter\noexpand\csname l@#1\endcsname
25473 \noexpand\gdef
25474 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
25475 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\tempdima}}%
25476 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
25477 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
25478 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
25479 }%
25480 }%
25481 \PackageInfo{tocstyle}{prepare \expandafter\string
25482 \csname l@#1\endcsname\space for redefinition}%
25483 \@tempa
25484 }

```

159 File todonotes-xetex-bidi.def

```

25485 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
25486 \newif\if@bidi@todonotes@textdirection@RTL
25487 \newif\if@bidi@todonotes@figposition@right
25488 \newcommand{\@bidi@todonotes@align}{}%
25489 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
25490 \newcommand{\@bidi@todonotes@textdirection}{}%
25491 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
25492 \ifcase\bidi@todonotes@tempb\relax
25493 \bidi@todonotes@textdirection@RTLtrue
25494 \let\bidi@todonotes@textdirection\RLE
25495 \or

```



```

25496     \@bidi@todonotes@textdirection@RTLfalse
25497     \let\@bidi@todonotes@textdirection\LRE
25498   \fi}
25499 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
25500   \ifcase\bidi@todonotes@tempb\relax
25501     \bidi@todonotes@figposition@righttrue
25502   \or
25503     \bidi@todonotes@figposition@rightfalse
25504   \fi}
25505 \if@todonotes@disabled%
25506 \else % \if@todonotes@disabled
25507 \renewcommand{\@todonotes@drawInlineNote}{%
25508   \if@todonotes@dviStyle%
25509     {\par\noindent\begin{tikzpicture}[remember picture]%
25510       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
25511     \if@todonotes@authorgiven%
25512       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
25513     \else%
25514       {\noindent \@todonotes@sizecommand \@todonotes@text}%
25515     \fi
25516     {\par\noindent\begin{tikzpicture}[remember picture]%
25517       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
25518   \else%
25519     {\par\noindent\begin{tikzpicture}[remember picture]%
25520       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25521         \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@authorgiven]%
25522           \if@todonotes@authorgiven%
25523             {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
25524           \else%
25525             {\noindent \@todonotes@sizecommand \@todonotes@text}%
25526           \fi;%
25527         \end{tikzpicture}\par}%
25528   \fi}%
25529 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
25530 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
25531   \node [coordinate] (inText) {};%
25532 \end{tikzpicture}%
25533 \marginpar[{\% Draw note in left margin
25534   \@todonotes@drawMarginNote%
25535   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
25536 }]{\% Draw note in right margin
25537   \@todonotes@drawMarginNote%
25538   \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
25539 }%
25540 }%
25541 \renewcommand{\@todonotes@drawMarginNote}{%
25542 \if@todonotes@dviStyle%
25543   \begin{tikzpicture}[remember picture]%
25544     \draw node[notestyle] {};%
25545   \end{tikzpicture}\%
25546   \begin{minipage}{\@todonotes@textwidth}%
25547     \if@todonotes@authorgiven%
25548       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
25549     \else%

```



```

25550      \C@todonotes@sizecommand \C@todonotes@text%
25551      \fi%
25552      \end{minipage}\%
25553      \begin{tikzpicture}[remember picture]%
25554          \draw node[nestyle] (inNote) {};%
25555      \end{tikzpicture}%
25556 \else%
25557     \let\originalHbadness\hbadness%
25558     \hbadness 100000%
25559     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
25560         \if@bidi@\C@todonotes@textdirection@RTL\setRTL\fi%
25561         \node(X){\phantom{X}};%
25562         \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todonote%
25563             {\C@todonotes@text};%
25564         \if@todonotes@authorgiven%
25565             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
25566                 {\C@todonotes@sizecommand\C@todonotes@author};%
25567             \node(Y)[below=of X]{};%
25568             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
25569                 {\C@todonotes@text};%
25570         \else%
25571             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
25572                 {\C@todonotes@text};%
25573         \fi%
25574     \end{tikzpicture}%
25575     \hbadness \originalHbadness%
25576 \fi}%
25577 \renewcommand{\missingfigure}[2][]{%
25578 \setkeys{todonotes}{#1}%
25579 \addcontentsline{tdo}{todo}{\C@todonotes@MissingFigureText: #2}%
25580 \par
25581 \noindent
25582 \begin{tikzpicture}
25583 \draw[fill=\C@todonotes@currentfgcolor, draw = black!40, line width=2pt]
25584     (-2, -2.5) rectangle +(\C@todonotes@currentfigwidth, \C@todonotes@currentfigheight);
25585 \if@bidi@\C@todonotes@figposition@right%
25586 \begin{scope}[xshift=\C@todonotes@currentfigwidth-4cm]
25587 \fi%
25588 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
25589     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
25590 \if@bidi@\C@todonotes@figposition@right%
25591 \end{scope}
25592 \begin{scope}[xshift=-3.8cm]
25593 \fi%
25594 \if@bidi@\C@todonotes@textdirection@RTL\setRTL\fi%
25595 \draw (2, -0.3) node[right, text
25596     width=\C@todonotes@currentfigwidth-4.5cm,align=\C@bidi@\C@todonotes@align] {#2};
25597 \if@bidi@\C@todonotes@figposition@right%
25598 \end{scope}
25599 \begin{scope}[xshift=\C@todonotes@currentfigwidth-4cm]
25600 \fi%
25601 \draw (0, 0.3) node[align=\C@bidi@\C@todonotes@align] {\C@bidi@\C@todonotes@textdirection{\C@todonote%
25602 \draw (0, -0.3) node[align=\C@bidi@\C@todonotes@align] {\C@bidi@\C@todonotes@textdirection{\C@todonote%
25603 \if@bidi@\C@todonotes@figposition@right%

```



```

25604 \end{scope}
25605 \fi%
25606 \end{tikzpicture}\hfill
25607 }% Ending \missingfigure command
25608 \fi % Ending \todonotes@ifdisabled
25609 \presetkeys%
25610   {todonotes}%
25611   {align=left,%
25612   textdirection=lefttoright,%
25613   figposition=left}{}}%

```

160 File wrapfig-xetex-bidi.def

```

25614 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
25615 \let\WF@everypar\bidi@n@everypar
25616 \def\WF@putfigmaybe{%
25617 \ifinner
25618   \vskip-\parskip \global\WF@floatfalse
25619   \let\pagetotal\maxdimen % kludge flag for "not top of page"
25620 \else % outer page
25621   \tempdima\pagedepth % save page depth
25622   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
25623   \penalty\interlinepenalty % update pg. parameters
25624   \tempdimb\pagegoal\advance\tempdimb-\pagetotal % room left on page
25625   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
25626     \global\WF@floatfalse
25627     \ifdim-\tempdimb>\pageminshrink \else \pagebreak \fi
25628 \else
25629   \ifdim\WF@size>\tempdimb
25630     \ifWF@float \dimen0.5\baselineskip \else \dimen0 2\baselineskip\fi
25631     \ifdim\pagemstretch>\dimen0 \dimen0\pagemstretch \fi
25632     \ifdim\pagefilstretch>\z@ \dimen0\tempdimb \fi
25633     \ifdim\pagefillstretch>\z@ \dimen0\tempdimb \fi
25634     \advance\dimen0.5\baselineskip
25635     \ifdim\dimen0>\tempdimb % \WF@info{Page nearly full; can stretch}%
25636       \global\WF@floatfalse \pagebreak
25637     \fi
25638   \else % \WF@info{Fits in \the\tempdimb;}%
25639     \global\WF@floatfalse
25640   \fi\fi
25641   \vskip\tempdima\relax % (return erased page depth)
25642 \fi
25643 \noindent
25644 \ifWF@float
25645   \WF@fltmes
25646 \else % putting here;
25647   \WF@info{Put \WF@wfname here;}%
25648   {\ifodd\if@twoside\c@page\else\c@ne\fi % assign l/r to i/o placement
25649     \lccode`\i`l\lccode`o`r\else \lccode`\i`r\lccode`o`l\fi
25650     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
25651   \hbox to\z@{%
25652     \tempdima\wd\WF@box \tempdimb\WF@ovh
25653     \advance\tempdima-\tempdimb \advance\tempdima\columnsep
25654     \tempdimb\hsize \advance\tempdimb-\tempdima

```



```

25655 \xdef\WF@adjlw{\the\@tempdima}%
25656 \ifnum`l=\WF@place % fig on left
25657   \if@RTL%
25658     \kern\@tempdimb \kern\columnsep
25659   \def\@tempa{\hss}% position to left of the gap
25660   \else%
25661     \hss % figure overlaps space to the left
25662   \def\@tempa{\kern\columnsep}% position to left of the gap
25663   \fi%
25664 \else % fig on right
25665   \if@RTL%
25666     \hss
25667     \@tempdima\z@%
25668     \def\@tempa{\kern\columnsep}
25669   \else%
25670     \@tempdima\z@ % no left indentation
25671   \kern\@tempdimb \kern\columnsep
25672   \def\@tempa{\hss}% figure overlaps space to the right
25673   \fi%
25674 \fi
25675 \ifdim\@tempdimb<\hsize
25676   \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}%
25677   \xdef\WF@adjtlm{\the\@tempdima}%
25678 \else
25679   \xdef\WF@wrapil{\z@ \the\hsize}%
25680   \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
25681 \fi
25682 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
25683   \global\advance\WF@size-\intextsep
25684 \else % \WF@info{Putting \WF@wfname in middle of page}%
25685   \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
25686 \fi \dp\WF@box\z@ \box\WF@box \attempa
25687 }% end \hbox to Opt
25688 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
25689 \fi}

```

161 File xcolor-xetex-bidi.def

```

25690 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
25691 \long\def\color@b0x#1#2#3%
25692 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
25693   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
25694 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
25695 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
25696 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
25697 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup
25698 \DeclarerobustCommand\color
25699 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
25700 \def\@undeclaredcolor[#1]#2%
25701 {\begingroup
25702   \let\@ccls\empty
25703   \XC@getmodclr12{#1}{#2}{\@undeclaredcolor}%
25704   {\ifblendcolors
25705     \ifx\colorblend\empty\else

```



```

25706      \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
25707      \XC@coremodel\@mod\@clr\@xcolor{}\{}@\@mod\@clr
25708      \fi
25709      \fi
25710      \ifconvertcolorsU
25711          \edef\@@tmp{\XC@tgt\@mod\{\@mod\}}%
25712          \convertcolorspec\@mod\@clr\@@tmp\@clr \let\@mod\@@tmp
25713      \fi
25714      \ifmaskcolors
25715          \convertcolorspec\@mod\@clr\XC@mmod\@clr
25716          \let\@mod\XC@mmod
25717          \XC@inflate\@mod\XC@mclr\@clr\@@tmp
25718          \expandafter\XC@mul\@@tmp,\@clr
25719      \fi
25720      \edef\@@tmp{\noexpand\XC@undeclaredcolor\{\@mod\}\{\@clr\}}%
25721      \expandafter\endgroup\@@tmp}
25722 \def\@declaredcolor#1%
25723 {\XC@edef\XC@ttmp{#1}\XC@tstfalse
25724     \ifcase\XC@type\XC@ttmp\relax \XC@tsttrue\or \relax\else
25725     \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
25726     \ifconvertcolorsU\XC@tsttrue\fi
25727 \fi
25728 \ifXC@tst
25729     \expandafter\XC@declaredcolor\else
25730     \expandafter\XC@declaredc@lor\fi}
25731 \def\XC@undeclaredcolor#1#2%
25732 {\@ifundefinedmodel{#1}%
25733     {\c@lor@error{model `#1'}}%
25734     {\@nameuse{color@#1}\current@color{#2}%
25735         \edef\XC@current@color{\noexpand\xcolor@\{\}\current@color{#1}{#2}}%
25736         \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
25737 \def\XC@declaredc@lor
25738 {\XC@let\NC@current@color{\string\color@\XC@ttmp}%
25739 \edef\current@color{\XC@current@color}%
25740 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
25741 \DeclareRobustCommand\bidicolor
25742 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
25743 \def\@bidiundeclaredcolor[#1]#2%
25744 {\begingroup
25745     \let\@cls\@empty
25746     \XC@getmodclr12{#1}{#2}\{}%
25747     \ifblendcolors
25748         \ifx\colorblend\empty\else
25749             \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
25750             \XC@coremodel\@mod\@clr\@xcolor{}\{}@\@mod\@clr
25751         \fi
25752     \fi
25753     \ifconvertcolorsU
25754         \edef\@@tmp{\XC@tgt\@mod\{\@mod\}}%
25755         \convertcolorspec\@mod\@clr\@@tmp\@clr \let\@mod\@@tmp
25756     \fi
25757     \ifmaskcolors
25758         \convertcolorspec\@mod\@clr\XC@mmod\@clr
25759         \let\@mod\XC@mmod

```



```

25760      \XC@inflate\@@mod\XC@clr\@@clr\@@tmp
25761      \expandafter\XC@mul\@@tmp,\@@clr
25762  \fi
25763  \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
25764  \expandafter\endgroup\@@tmp}
25765 \def\XC@bidiundeclaredcolor#1#2%
25766 {\@ifundefined{model}{#1}{%
25767   {\@c@lor@error{model `#1'}}%
25768   {\@nameuse{color@#1}\current@color{#2}}%
25769   \edef\XC@current@color{\noexpand\xcolor@{\}}{\current@color}{#1}{#2}}%
25770   \XC@display}}
25771 \def\@bidideclaredcolor#1%
25772 {\XC@edef\XC@tmp{#1}\XC@tstfalse
25773 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
25774 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
25775 \ifconvertcolorsU\XC@tsttrue\fi
25776 \fi
25777 \ifXC@tst
25778   \expandafter\XC@bidideclaredcolor\else
25779   \expandafter\XC@bidideclaredc@lor\fi}
25780 \def\XC@bidideclaredcolor
25781 {\XC@split\XC@tmp
25782 \edef\@@tmp{\noexpand\@bidideclaredcolor[\@@mod]{\@@clr}}%
25783 \expandafter\endgroup\@@tmp}
25784 \def\XC@bidideclaredc@lor
25785 {\XC@let@Nc\XC@current@color{\string\color@\XC@tmp}}%
25786 \edef\current@color{\XC@current@color}%
25787 \XC@display}
25788 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
25789 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
25790 \def\color@fb@x#1#2#3#4%
25791 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}}%
25792 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
25793 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod
```

162 File `latex-xetex-bidi.def`

```

25794 \ProvidesFile{latex-xetex-bidi.def}[2025/01/03 v1.5.2 bidi adaptations for `latex.ltx' for
25795 \newcommand{\TeXeTOn}{\TeXeTstate{one}}
25796 \newcommand{\TeXeTOff}{\TeXeTstate{off}}
25797 \TeXeTOn
25798 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}}
```

\let\bidi@o@everypar=\everypar
\newtoks\bidi@n@everypar
\bidi@n@everypar\expandafter{\the\bidi@o@everypar}
\bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
\let\everypar=\bidi@n@everypar

```

25801 \def\moreLRE{\brace{text \aftergroup\endL \beginL}@RTLfalse}
25802 \def\moreRLE{\brace{text \aftergroup\endR \beginR}@RTLtrue}
25803 \protected\def\hboxR{\hbox\bgroup
25804 \everyhbox{%
25805 \aftergroup\egroup
25806 \everyhbox{}}%
25807 \beginR
```



```

25811  \@hboxRconstructtrue
25812  \bgroup
25813  \aftergroup\endR
25814  \aftergroup\egroup
25815  }\hbox}
25816 \protected\def\hboxL{\hbox\bgroup
25817  \everyhbox{%
25818  \aftergroup\egroup
25819  \everyhbox{}%
25820  \beginL
25821  \@hboxRconstructfalse
25822  \bgroup
25823  \aftergroup\endL
25824  \aftergroup\egroup
25825  }\hbox}
25826 \protected\def\vboxR{\vbox\bgroup
25827  \everyvbox{%
25828  \aftergroup\egroup
25829  \everyvbox{}%
25830  \RTLtrue
25831  \RTLTabtrue
25832  \bgroup
25833  \aftergroup\egroup
25834  }\vbox}
25835 \protected\def\vboxL{\vbox\bgroup
25836  \everyvbox{%
25837  \aftergroup\egroup
25838  \everyvbox{}%
25839  \RTLfalse
25840  \RTLTabfalse
25841  \bgroup
25842  \aftergroup\egroup
25843  }\vbox}
25844 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
25845 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
25846 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLTabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
25847 \def\endLTR{\par}
25848 \newenvironment{LTR*}{\LTR
25849  \everypar{%
25850   {\setbox\z@\lastbox
25851   \ifvoid\z@
25852   \kern-\parindent
25853   \fi}%
25854 }%
25855 }{\endLTR\@endpetrue}
25856 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLTabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
25857 \def\endRTL{\par}
25858 \newenvironment{RTL*}{\RTL
25859  \everypar{%
25860   {\setbox\z@\lastbox
25861   \ifvoid\z@
25862   \kern-\parindent
25863   \fi}%
25864 }%

```



```

25865 }{\endRTL\@endpetrue}
25866 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
25867 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
25868 \let\unsetRTL=\setLTR
25869 \let\unsetLTR=\setRTL
25870 \let\LR=\LRE
25871 \let\RL=\RLE
25872 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
25873 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
25874 \let\@ensure@RL=\@ensure@RTL
25875 \let\@ensure@LR=\@ensure@LTR
25876 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
25877 \let\@ensure@maindir=\@ensure@dir
25878 \def\@@RTL{RTL}
25879 \def\@@LTR{LTR}
25880 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
25881 \def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi}
25882 \let\@@TeX\TeX
25883 \def\TeX{\@ensure@LTR{\@@TeX}}
25884 \let\@@LaTeX\LaTeX
25885 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
25886 \let\@@LaTeXe\LaTeXe
25887 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
25888 \long\def\bidi@reflect@box#1{%
25889   \leavevemode
25890   \setbox\z@\hbox{\#1}%
25891   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
25892   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
25893 }
25894 \if@bidi@csundef{XeTeX}{%
25895 \bidi@newrobustcmd*\{XeTeX\}{\LR{\leavevemode$\smash{\hbox{X}\lower.5ex}%
25896   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}$$}}%
25897 }{%
25898 \let\@bidi@orig@XeTeX\XeTeX
25899 \bidi@newrobustcmd*\{XeTeX\}{\LR{\@bidi@orig@XeTeX}}%
25900 }
25901 \if@bidi@csundef{XeLaTeX}{%
25902 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\leavevemode$\smash{\hbox{X}\lower.5ex}%
25903   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}$$}}%
25904 }{%
25905 \let\@bidi@orig@XeLaTeX\XeLaTeX
25906 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\@bidi@orig@XeLaTeX}}%
25907 }
25908 \let\setRL=\setRTL
25909 \let\setLR=\setLTR
25910 \let\unsetRL=\setLTR
25911 \def\bidi@tabular@RTLcases{\let\@halignto\empty\@bidi@tabular@RTLcases}
25912 \ApplyPatchIfPackageLoaded{array}{%
25913 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
25914   \leavevemode
25915   \hbox \bgroup \$\left.\col@sep\right.\tabcolsep \let\dollarbegin\begin{group}
25916   \let\dollarend\endgroup
25917   \left.\@tabarray\right.
25918 \def\endbidi@tabular@RTLcases{\endarray \right.\rbrace\$\\egroup}

```



```

25919 }{%
25920 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
25921   \leavevmode \hbox \bgroup
25922   \$\left.\let\@acol\@tabacol
25923   \let\@classz\@tabclassz
25924   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray\right.%
25925
25926 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\f
25927   \egroup\right\rbrace \$\egroup\fi}
25928 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
25929   \ialign{\$##\hfil\$&\quad\hfil\crcr#1\crcr}\right.\right.%
25930 \renewenvironment{RTLcases}{%
25931   \bidi@matrix@check\RTLcases\env@RTLcases
25932 }{%
25933   \endbidi@tabular@RTLcases\%
25934 }
25935 \def\env@RTLcases{%
25936   \let\@ifnextchar\bidi@new@ifnextchar
25937   \def\arraystretch{1.2}%
25938   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
25939 }
25940 \def\SepMark#1{\gdef\@SepMark{#1}}
25941 \SepMark{.}
25942 \def\@thmcOUNTERsep{\@SepMark}
25943 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
25944 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
25945 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
25946 \newcommand*\bidi@thebibliography@font@hook(){}
25947 \def\list#1#2{%
25948   \ifnum \listdepth >5\relax
25949     \atodeep
25950   \else
25951     \global\advance\listdepth\one
25952   \fi
25953   \rightmargin\z@
25954   \listparindent\z@
25955   \itemindent\z@
25956   \csname @list\romannumeral\the\listdepth\endcsname
25957   \def\itemlabel{#1}%
25958   \let\makelabel\@mklab
25959   \nmbrlistfalse
25960   #2\relax
25961   \trivlist
25962   \parskip\parsep
25963   \parindent\listparindent
25964   \advance\linewidth -\rightmargin
25965   \advance\linewidth -\leftmargin
25966   \if@bidi@list@minipage@parbox
25967   \if@RTL
25968   \advance\@totalleftmargin \leftmargin
25969   \else
25970   \advance\@totalleftmargin \rightmargin
25971   \fi
25972   \else

```



```

25973 \if@hboxRconstruct
25974 \if@bidi@list@minipage@parbox@not@nob
25975 \if@RTL
25976   \advance\@totalleftmargin \rightmargin
25977 \else
25978   \advance\@totalleftmargin \leftmargin
25979 \fi
25980 \else
25981 \if@RTL
25982 \advance\@totalleftmargin \leftmargin
25983 \else
25984 \advance\@totalleftmargin \rightmargin
25985 \fi\fi
25986 \else
25987 \if@RTL
25988   \advance\@totalleftmargin \rightmargin
25989 \else
25990   \advance\@totalleftmargin \leftmargin
25991 \fi\fi\fi
25992 \parshape \@ne \@totalleftmargin \linewidth
25993 \ignorespaces}
25994 \long\def\@iiparbox#1#2[#3]#4#5{%
25995 \leavevmode
25996 \@pboxswfalse
25997 \if@hboxRconstruct
25998   \if@bidi@list@minipage@parbox@not@nobtrue
25999 \fi
26000 \if@RTL
26001   \ifx#1%
26002     \if@bidi@list@minipage@parboxtrue
26003   \else
26004     \ifx#1b%
26005       \if@bidi@list@minipage@parboxtrue
26006         \fi
26007       \fi
26008     \fi
26009   \setlength\@tempdima{#4}%
26010   \begin@\tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
26011   \ifx\relax#2\else
26012     \setlength\@tempdimb{#2}%
26013     \edef\@parboxto{\to\the\@tempdimb}%
26014   \fi
26015   \if#1b\vbox
26016   \else\if #1t\vtop
26017   \else\ifmmode\vcenter
26018   \else\@pboxswtrue \$\vcenter
26019   \fi\fi\fi
26020   \parboxto{\let\hss\vss\let\unhbox\unvbox
26021     \csname bm@#3\endcsname}%
26022   \if@pboxsw \m@th$\fi
26023 \end@\tempboxa}
26024 \newenvironment{LTRitems}
26025   {\par\@RTLfalse\@RTLtabfalse\bidi@beamer@ragged
26026     \if@bidi@list@minipage@parbox

```



```

26027     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26028     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26029     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
26030     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26031     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26032     \ignorespaces}{\vskip\z@}
26033 \newenvironment{RTLitems}
26034     {\par\@RTLtrue\@RTLtabtrue\bidi@beamer@ragged
26035     \if@bidi@list@minipage@parbox
26036     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26037     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26038     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26039     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26040     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26041     \ignorespaces}{\vskip\z@}
26042 \newenvironment{LTRbibitems}
26043     {\par\@RTLfalse\@RTLtabfalse\bidi@beamer@ragged
26044     \if@bidi@list@minipage@parbox
26045     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26046     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26047     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
26048     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26049     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26050     \ignorespaces}{\vskip\z@}
26051 \newenvironment{RTLbibitems}
26052     {\par\@RTLtrue\@RTLtabtrue\bidi@beamer@ragged
26053     \if@bidi@list@minipage@parbox
26054     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26055     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26056     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26057     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26058     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26059     \ignorespaces}{\vskip\z@}
26060 \def\raggedright{%
26061   \let\\@\centercr@rights skip\@flushglue \rights skip\@rights skip
26062   \leftskip\z@skip
26063   \parindent\z@\parfillskip\z@skip}
26064 \let\bidi@orig@raggedleft\raggedleft
26065 \let\bidi@orig@raggedright\raggedright
26066 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRco
26067 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRco
26068 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
26069 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
26070 \DeclareRobustCommand\centerline[1]{%
26071 \if@RTL\@@line{\hss\beginR#1\endR\hss}
26072 \else\@@line{\hss#1\hss}\fi}
26073 \def\bidi@orig@leftline#1{%
26074 \if@RTL\@@line{\beginR#1\endR\hss}
26075 \else\@@line{\#1\hss}\fi}
26076 \def\bidi@orig@rightline#1{%
26077 \if@RTL\@@line{\hss\beginR#1\endR}
26078 \else\@@line{\hss#1}\fi}
26079 \DeclareRobustCommand\leftline[1]{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@lef
26080 \DeclareRobustCommand\rightline[1]{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rig

```



```

26081 \DeclareRobustCommand\bidiirlap[1]{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
26082 \DeclareRobustCommand\bidiillap[1]{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
26083 \def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
26084     \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
26085 \def\narrower{%
26086     \advance\if@RTL\rightskip\else\leftskip\fi\parindent
26087     \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
26088 \DeclareRobustCommand\underline[1]{%
26089     \relax
26090     \ifmmode\@@underline{#1}%
26091     \else
26092     \if@RTL $ \@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
26093     \else
26094     $ \@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
26095 \if@compatibility
26096     \let\undertext=\underline
26097 \fi
26098 \def\@tabular{%
26099     \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
26100     \$\let\@acol\@tabacol
26101     \let\@classz\@tabclassz
26102     \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
26103 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
26104             \egroup \$\if@RTLtab\endR\fi\egroup}
26105 \expandafter \let \csname endtabular*\endcsname = \endtabular
26106 \def\@array[#1]#2{%
26107     \if #1\@vtop \else \if#1b\@vbox \else \vcenter \fi\fi
26108     \bgroup
26109     \setbox\@arstrutbox\hbox{%
26110         \vrule \height\arraystretch\ht\strutbox
26111         \depth\arraystretch \dp\strutbox
26112         \width\z@}%
26113     \mkpream{#2}%
26114     \edef\@preamble{%
26115         \ialign \noexpand\@halignto
26116             \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
26117     \let\@startpbox\@startpbox \let\@endpbox\@endpbox
26118     \let\@tabularnewline\\%
26119     \let\@par\empty
26120     \let\@sharp##%
26121     \set@typeset@protect
26122     \lineskip\z@skip\baselineskip\z@skip
26123     \ifhmode \preamerr\z@ \@@par\fi
26124     \if@RTLtab\hbox\beginR\hbox\reconstructtrue\if #1\@vtop \else \vbox \fi\beginR\fi
26125     \preamble}
26126 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
26127 \let\@classiv\@arrayclassiv
26128 \let\\@\arraycr\let\@halignto\empty\@RTLtabfalse\@tabarray}
26129 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
26130     \ifnum \lastchclass=3 5 \else
26131     \z@ \if #1\chnum \z@ \else
26132         \if \if@RTLtab#1\else#1\fi\chnum \one \else
26133             \if \if@RTLtab#1\else#1\fi\chnum \tw@ \else
26134             \chclass \if #1\one \else

```



```

26135           \if #1@tw@ \else
26136               \if #1p3 \else \z@ \@preamerr 0\fi
26137   \fi \fi \fi \fi \fi \fi
26138 \fi}
26139 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
26140 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
26141 \def\bm@t{\unhbox\@tempboxa\hss}
26142 \def\bm@b{\hss\unhbox\@tempboxa}
26143 \def\@dottedtocline#1#2#3#4#5{%
26144   \ifnum #1>\c@tocdepth \else
26145     \vskip \z@ \oplus .2\p@
26146     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrma
26147     \parindent #2\relax\@afterindenttrue
26148     \interlinepenalty\OM
26149     \leavevmode
26150     \atempdima #3\relax
26151     \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
26152     {#4}\nobreak
26153     \leaders\hbox{$\m@th
26154       \mkern \dotsep mu\hbox{.}\mkern \dotsep
26155       mu$}\hfill
26156     \nobreak
26157     \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
26158     \par}%
26159   \fi}
26160
26161 \newcount\bidi@column@check@number
26162
26163 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
26164
26165 \def\bidi@set@column@status#1#2{%
26166   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
26167
26168 \if@twocolumn
26169 \newcommand\DetectColumn[3][1]{%
26170   \ifx\bidi@firstcolumn@status@write\relax
26171     \PackageError{bidi}{%
26172       {Option 'DetectColumn' not selected}%
26173       {\string\DetectColumn\space
26174         requires the use of the 'DetectColumn'
26175         option on the package}%
26176   \fi
26177   \global\advance\bidi@column@check@number\@ne
26178   \edef\bidi@column@type{\expandafter\ifx
26179     \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
26180     \else
26181     \csname bidi@column-\the\bidi@column@check@number\endcsname
26182   \fi}%
26183   \ifcase \bidi@column@type\relax
26184     \ifcase #1\or #2\or#3\fi % 0 not known use first column as default
26185   \or
26186     #2% % 1 First column
26187   \or
26188     #3% % 2 Second (Last column)

```



```

26189 \else
26190   \ERROR
26191 \fi
26192 \edef\next{\write\auxout
26193   {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
26194     {\bidi@column@type}}}\%
26195 \next
26196 }
26197
26198 \AtEndDocument{\def\bidi@set@column@status#1#2{%
26199   \ifnum #2=\bidi@current@column@status\else
26200     \tempswattrue
26201   \fi}\%
26202 }
26203 \fi
26204
26205 \def\RTL@outputdblcol{%
26206   \if@firstcolumn
26207     \global\@firstcolumnfalse
26208     \global\setbox\@leftcolumn\copy\outputbox
26209     \splitmaxdepth\maxdimen
26210     \vbadness\maxdimen
26211     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}\%
26212     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
26213     \toks@\expandafter{\topmark}\%
26214     \xdef\@firstcoltopmark{\the\toks@}\%
26215     \toks@\expandafter{\splitfirstmark}\%
26216     \xdef\@firstcolfirstmark{\the\toks@}\%
26217     \ifx\@firstcolfirstmark\empty
26218       \global\let\@setmarks\relax
26219     \else
26220       \gdef\@setmarks{%
26221         \let\firstmark\@firstcolfirstmark
26222         \let\topmark\@firstcoltopmark}\%
26223     \fi
26224   \else
26225     \global\@firstcolumntrue
26226     \setbox\@outputbox\vbox{%
26227       \hb@xt@\textwidth{%
26228         \hskip \columnwidth
26229         \hfil
26230         \normalcolor\vrule \width\columnseprule}\%
26231       \hfil
26232       \hb@xt@\columnwidth{%
26233         \bidi@firstcolumn@status@write\%
26234         \box\@leftcolumn \hss}\%
26235       \hskip -\textwidth
26236       \hb@xt@\columnwidth{%
26237         \bidi@lastcolumn@status@write\%
26238         \box\@outputbox \hss}\%
26239       \hskip \columnsep
26240       \hskip \columnwidth }\}%
26241   \combinedblfloats
26242   \@setmarks

```



```

26243   \@outputpage
26244   \begingroup
26245     \@dblfloatplacement
26246     \@startdblcolumn
26247     \@whilesw\if@fcolmade \fi{\@outputpage
26248     \@startdblcolumn}%
26249   \endgroup
26250 \fi}%
26251
26252 \def\LTR@outputdblcol{%
26253   \if@firstcolumn
26254     \global\@firstcolumnfalse
26255     \global\setbox\@leftcolumn\copy\@outputbox
26256     \splitmaxdepth\maxdimen
26257     \vbadness\maxdimen
26258     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
26259     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
26260     \toks@\expandafter{\topmark}%
26261     \xdef\@firstcoltopmark{\the\toks@}%
26262     \toks@\expandafter{\splitfirstmark}%
26263     \xdef\@firstcolfirstmark{\the\toks@}%
26264     \ifx\@firstcolfirstmark\empty
26265       \global\let\@setmarks\relax
26266     \else
26267       \gdef\@setmarks{%
26268         \let\firstmark\@firstcolfirstmark
26269         \let\topmark\@firstcoltopmark}%
26270       \fi
26271     \else
26272       \global\@firstcolumntrue
26273       \setbox\@outputbox\vbox{%
26274         \hb@xt@\textwidth{%
26275           \hb@xt@\columnwidth{%
26276             \bidi@firstcolumn@status@write%
26277             \box\@leftcolumn \hss}%
26278             \hfil
26279             {\normalcolor\vrule \@width\columnseprule}%
26280             \hfil
26281             \hb@xt@\columnwidth{%
26282               \bidi@lastcolumn@status@write%
26283               \box\@outputbox \hss}}}%
26284   \combinedblfloats
26285   \@setmarks
26286   \@outputpage
26287   \begingroup
26288     \@dblfloatplacement
26289     \@startdblcolumn
26290     \@whilesw\if@fcolmade \fi{\@outputpage
26291     \@startdblcolumn}%
26292   \endgroup
26293 \fi}%
26294
26295
26296 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}

```



```

26297 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
26298 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
26299
26300 \bidi@patchcmd{@makecol}{%
26301     \ifvoid\footins
26302         \setbox\@outputbox \box\@cclv
26303     \else
26304         \setbox\@outputbox \vbox {%
26305             \boxmaxdepth \maxdepth
26306             \unvbox \cclv
26307             \vskip \skip\footins
26308             \color@begingroup
26309                 \normalcolor
26310                 \footnoterule
26311                 \unvbox \footins
26312             \color@endgroup
26313         }%
26314     \fi
26315 }{%
26316     \ifvoid\footins
26317         \ifvoid@\bidi@copyins@
26318             \setbox\@outputbox \box\@cclv
26319         \else
26320             \setbox\@outputbox \vbox {%
26321                 \boxmaxdepth \maxdepth
26322                 \unvbox \cclv
26323                 \vskip \skip@\bidi@copyins@
26324                 \color@begingroup
26325                     \normalcolor
26326                     \unvbox \@bidi@copyins@
26327                 \color@endgroup
26328             }%
26329         \fi
26330     \else
26331         \setbox\@outputbox \vbox {%
26332             \boxmaxdepth \maxdepth
26333             \unvbox \cclv
26334             \vskip \skip\footins
26335             \color@begingroup
26336                 \normalcolor
26337                 \footnoterule
26338                 \unvbox \footins
26339             \color@endgroup
26340             \ifvoid@\bidi@copyins@
26341             \else
26342                 \vskip \skip@\bidi@copyins@
26343                 \color@begingroup
26344                     \normalcolor
26345                     \unvbox \@bidi@copyins@
26346                 \color@endgroup
26347             \fi
26348         }%
26349     \fi
26350 }{}{}}
```



```

26351 \def\LTRmarginpar{%
26352   \ifhmode
26353     \@bsphack
26354     \floatpenalty -\Mii
26355   \else
26356     \floatpenalty-\Miii
26357   \fi
26358 \ifinner
26359   \parmoderr
26360   \floatpenalty\z@
26361 \else
26362   \next\currbox\freelist{}{%
26363     \next\marbox\freelist{\global\count\marbox\mone}{%
26364       \floatpenalty\z@
26365       \f@ltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
26366     \fi
26367   \ifnextchar [\@LTrxmpar\@LTrypar]
26368     \long\def\@LTrxmpar[#1]#2{%
26369       \long\def\@LTrxmpar[#1]{%
26370         \LTrsavemarbox\marbox{#1}%
26371         \LTrsavemarbox\currbox{#2}%
26372         \xympar}
26373       \long\def\@LTrypar#1{%
26374         \LTrsavemarbox\marbox{#1}%
26375         \global\setbox\currbox\copy\marbox
26376         \xympar}
26377       \long\def \LTrsavemarbox #1#2{%
26378         \global\setbox #1%
26379         \color@vbox
26380           \vtop{%
26381             \hsize\marginparwidth
26382             \parboxrestore
26383             \LTrmarginparreset
26384             #2%
26385             \minipagetrue
26386             \outer@nobreak
26387             }%
26388           \color@endbox
26389     }
26390   \def \LTrmarginparreset {%
26391     \reset@font
26392     \normalsize
26393     \minipagetrue
26394     \everypar{\minipagetrue\everypar{}\beginL}%
26395   }
26396 \def\RTLmarginpar{%
26397   \ifhmode
26398     \@bsphack
26399     \floatpenalty -\Mii
26400   \else
26401     \floatpenalty-\Miii
26402   \fi
26403 \ifinner
26404   \parmoderr

```



```

26405     \@floatpenalty\z@
26406 \else
26407     \next\currbox\freetable{}%
26408     \next\marbox\freetable{\global\count\marbox\m@ne}%
26409     {\@floatpenalty\z@
26410     \f@ltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
26411 \fi
26412 \ifnextchar [\@RTLxmpar\@RTLympar]
26413 \long\def\@RTLxmpar[#1]#2{%
26414     \@RTLsavemarbox{\marbox{#1}}%
26415     \@RTLsavemarbox{\currbox{#2}}%
26416     \xympar}
26417 \long\def\@RTLympar#1{%
26418     \@RTLsavemarbox{\marbox{#1}}%
26419     \global\setbox\currbox\copy\marbox
26420     \xympar}
26421 \long\def \@RTLsavemarbox #1#2{%
26422     \global\setbox #1%
26423     \color@vbox
26424     \vtop{%
26425         \hsize\marginparwidth
26426         \parboxrestore
26427         \RTLmarginparreset
26428         #2%
26429         \minipagetrue
26430         \outer@nobreak
26431     }%
26432     \color@endbox
26433 }
26434 \def \@RTLmarginparreset {%
26435     \reset@font
26436     \normalsize
26437     \minipagetrue
26438     \everypar{\minipagetrue\everypar{}\beginR}%
26439 }
26440 \def\@addmarginpar{\next\marbox\currlist\cons\freetable\marbox
26441     \cons\freetable\currbox\latebug\tempcnta\one
26442     \if@twocolumn
26443         \if@firstcolumn \tempcnta\m@ne \fi
26444     \else
26445         \if@mparswitch
26446             \ifodd\c@page \else\tempcnta\m@ne \fi
26447             \fi
26448             \if@reversemargin \tempcnta -\tempcnta \fi
26449         \fi
26450         \ifnum\tempcnta <\z@ \global\setbox\marbox\box\currbox \fi
26451         \tempdima\parbottom
26452         \advance\tempdima -\pageht
26453         \advance\tempdima\ht\marbox
26454         \ifdim\tempdima >\z@
26455             \late@warning{no@line {Marginpar on page \thepage\space moved}%
26456         \else
26457             \tempdima\z@
26458         \fi

```



```

26459   \global\@mparbottom\@pageht
26460   \global\advance\@mparbottom\@tempdima
26461   \global\advance\@mparbottom\dp\@marbox
26462   \global\advance\@mparbottom\marginparpush
26463   \advance\@tempdima -\ht\@marbox
26464   \global\setbox \@marbox
26465       \vbox {\vskip \@tempdima
26466           \box \@marbox}%
26467   \global \ht\@marbox \z@
26468   \global \dp\@marbox \z@
26469   \kern -\@pagedp
26470   \nointerlineskip
26471   \hb@xt@\columnwidth
26472       { \if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
26473           \hskip\columnwidth \hskip\marginparsep
26474           \else
26475               \hskip -\marginparsep \hskip -\marginparwidth
26476           \fi
26477           \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\fi
26478           \nointerlineskip
26479           \hbox{\vrule \height\z@ \width\z@ \depth\@pagedp}}
26480 \long\def\@ympar#1{%
26481   \csname\@savemarbox\endcsname{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi}
26482   \global\setbox\@currbox\copy\@marbox
26483   \global\@xypar
26484 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
26485 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
26486 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
26487 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
26488   \atempdima\@totallleftmargin \advance\@tempdima\linewidth
26489 \hbox to\@tempdima{ \if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
26490   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
26491   \hbox to\linewidth{ \if@RTL\beginR\fi\@itemfudge
26492   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
26493 \fi}
26494
26495 \newcommand*\bidi@font@@outputpage(){}
26496
26497 \def\@outputpage{%
26498 \begingroup % the \endgroup is put in by \aftergroup
26499   \let \protect \noexpand
26500   \resetactivechars
26501   \global\let\@if@newlist\if@newlist
26502   \global\@newlistfalse
26503   \parboxrestore
26504   \global\let\bidi@BeforeOutputPageShipOut\@firstofone
26505   \bidi@beforeoutputpageshipouthook
26506   \shipout \vbox{%
26507     \set@typeset@protect
26508     \aftergroup \endgroup
26509     \aftergroup \set@typeset@protect
26510     % correct? or just restore by ending
26511     % the group?
26512     \if@specialpage

```



```

26513   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
26514 \fi
26515 \if@twoside
26516   \ifodd\count\z@\let\@thehead\@oddhead \let\@thefoot\@oddfoot
26517     \if@RTLmain
26518       \let\@themargin\evensidemargin
26519     \else
26520       \let\@themargin\oddsidemargin
26521     \fi
26522   \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
26523     \if@RTLmain
26524       \let\@themargin\oddsidemargin
26525     \else
26526       \let\@themargin\evensidemargin
26527     \fi
26528   \fi
26529   \ifx\@thehead\@empty \let\@thehead\hfil \fi
26530   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
26531   \else %% not @twoside
26532     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
26533     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
26534   \fi
26535 \reset@font
26536 \normalsize
26537 \bidi@font@@outputpage
26538 \normalsfcodes
26539 \let\label@gobble
26540 \let\index@gobble
26541 \let\glossary@gobble
26542 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
26543   \begindvi
26544   \vskip \topmargin
26545   \moveright\@themargin \vbox {%
26546     \global\let\bidi@BeforeHeader\@firstofone
26547     \bidi@beforeheaderhook
26548     \setbox\@tempboxa \vbox to\headheight{%
26549       \vfil
26550       \color@hbox
26551         \normalcolor
26552         \hb@xt@{\textwidth}{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
26553       \color@endbox
26554     }%                                %% 22 Feb 87
26555     \dp\@tempboxa \z@
26556     \box\@tempboxa
26557     \vskip \headsep
26558     \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
26559     \bidi@beforeoutputboxoutputpagehook
26560     \box\@outputbox
26561     \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
26562     \bidi@afteroutputboxoutputpagehook
26563     \global\let\bidi@BeforeFooter\@firstofone
26564     \bidi@beforefooterhook
26565     \baselineskip \footskip
26566     \color@hbox

```



```

26567      \normalcolor
26568      \hb@xt@{\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@R
26569      \color@endbox
26570      \global\let\bidi@AfterFooter\@firstofone
26571      \bidi@afterfooterhook
26572      }%
26573      }%
26574      \global\let\bidi@AfterOutputPageShipOut\@firstofone
26575      \bidi@afteroutputpagehook
26576      \global\let\if@newlist\@@if@newlist
26577      \global \@colht \textheight
26578      \stepcounter{page}%
26579      \let\firstmark\botmark
26580      \global\let\bidi@AtEndOutputPage\@firstofone
26581      \bidi@atendoutputpagehook
26582 }
26583 \long\def\@makecaption#1#2{%
26584   \vskip\abovecaptionskip
26585   \sbox\@tempboxa{#1: #2}%
26586   \ifdim \wd\@tempboxa >\hsize
26587     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
26588   \else
26589     \global \minipagefalse
26590     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
26591   \fi
26592   \vskip\belowcaptionskip}
26593 \let\bidi@saved@eqno=\eqno
26594 \let\bidi@saved@leqno=\leqno
26595 \def\eqno{\ifnum\predisplaydirection<z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
26596 \def\leqno{\ifnum\predisplaydirection<z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
26597 \ApplyPatchIfPackageLoadedF{amsmath}{%
26598 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
26599 }
26600 \input{footnote-xetex-bidi.def}
26601 \if@twocolumn
26602   \let\autofootnoterule\relax
26603   \let\leftfootnoterule\relax
26604   \let\rightfootnoterule\relax
26605   \textwidthfootnoterule
26606 \fi
26607 \if@bidi@csundef{@idxitem}{}{%
26608 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
26609 }
26610
26611 \ApplyPatchToClassesIfPackageLoadedF{%
26612   book, %
26613   report %
26614 }{flowfram}
26615
26616 \ApplyPatchToPackageIfPackageLoadedF{float}{floatrow}
26617
26618 \ApplyPatchToFilesIfPackageLoadedF{amsmath}{%
26619   fleqn, %
26620   leqno%

```



```

26621 }[clo]
26622
26623 \ApplyPatchToClasses{%
26624   amsart, %
26625   amsbook, %
26626   article, %
26627   artikel1, %
26628   artikel2, %
26629   artikel3, %
26630   beamer, %
26631   boek, %
26632   boek3, %
26633   bookest, %
26634   combine, %
26635   extbook, %
26636   extletter, %
26637   extarticle, %
26638   extreport, %
26639   imsproc, %
26640   letter, %
26641   memoir, %
26642   rapport1, %
26643   rapport3, %
26644   refrep, %
26645   scrartcl, %
26646   scrbook, %
26647   scrreprt %
26648 }
26649
26650 \ApplyPatchToPackages{%
26651   adjmulticol, %
26652   algorithm2e, %
26653   amsmath, %
26654   amstext, %
26655   amsthm, %
26656   arydshln, %
26657   array, %
26658   beamerbaseauxtemplates, %
26659   beamerbaseboxes, %
26660   beamerbasecolor, %
26661   beamerbasecompatibility, %
26662   beamerbaseframecomponents, %
26663   beamerbaseframesize, %
26664   beamerbaselocalstructure, %
26665   beamerbasemisc, %
26666   beamerbasenavigation, %
26667   beamerbaseoverlay, %
26668   beamerinnerthemecircles, %
26669   beamerinnerthemedefault, %
26670   beamerinnerthemefocus, %
26671   beamerinnerthememinmargin, %
26672   beamerinnerthememetropolis, %
26673   beamerinnerthemerectangles, %
26674   beamerinnerthemerounded, %

```



```
26675 beamerouterthemedefault, %
26676 beamerouterthemefocus, %
26677 beamerouterthemeline, %
26678 beamerouterthememetropolis, %
26679 beamerouterthememiniframes, %
26680 beamerouterthemesidebar, %
26681 beamerouterthemesplit, %
26682 beamerouterthemeshadow, %
26683 beamerouterthemeshoothbars, %
26684 beamerouterthemeshoothtree, %
26685 beamerouterthemetree, %
26686 beamerthemeHannover, %
26687 beamerthemeSingapore, %
26688 breqn, %
26689 cals, %
26690 caption, %
26691 caption3, %
26692 color, %
26693 colortbl, %
26694 crop, %
26695 cuted, %
26696 cutwin, %
26697 dblfnote, %
26698 diagbox, %
26699 draftwatermark, %
26700 eso-pic, %
26701 empheq, %
26702 fancybox, %
26703 fancyhdr, %
26704 fix2col, %
26705 float, %
26706 floatrow, %
26707 flowfram, %
26708 footnotebackref, %
26709 framed, %
26710 ftnright, %
26711 geometry, %
26712 graphicx, %
26713 hvfloat, %
26714 hyperref, %
26715 lettrine, %
26716 lineno, %
26717 listings, %
26718 longtable, %
26719 lscape, %
26720 mathtools, %
26721 mdframed, %
26722 media9, %
26723 midfloat, %
26724 minitoc, %
26725 multicols, %
26726 multienum, %
26727 natbib, %
26728 newfloat, %
```



```

26729 nicematrix, %
26730 ntheorem, %
26731 ntheorem-hyper, %
26732 overpic, %
26733 pdfbase, %
26734 pdflscape, %
26735 pdfpages, %
26736 pgfsys, %
26737 picinpar, %
26738 quotchap, %
26739 ragged2e, %
26740 rotating, %
26741 sidecap, %
26742 soul, %
26743 stabular, %
26744 subfigure, %
26745 tabls, %
26746 tabularx, %
26747 tabulary, %
26748 tcolorbox, %
26749 titlesec, %
26750 titletoc, %
26751 tocbasic, %
26752 tocbibind, %
26753 tocloft, %
26754 tocstyle, %
26755 todonotes, %
26756 wrapfig, %
26757 xcolor, %
26758 xltxttra %
26759 }
26760
26761 \ApplyPatchToFiles{%
26762   pgfcorescopes.code, %
26763   pstricks %
26764 }[tex]
26765
26766 \ApplyPatchToFile{tc-xetex}

```

163 File *xltxttra-xetex-bidi.def*

```

26767 \ProvidesFile{xltxttra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxttra package f
26768 \let\@XeTeX\XeTeX
26769 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
26770 \let\@XeLaTeX\XeLaTeX
26771 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

164 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	\% 16389
\# ..	5984 , 6030 , 6134 , 6142	



\` . . . 16509, 18367, 20325	\@bidi@popinto . . . 6626, 6629, 6630	\@title . 8722, 8725, 8728
\(. 18470	\@clr . . . 25707, 25712, 25715, 25717, 25718, 25720, 25750, 25755, 25758, 25760, 25761, 25763, 25764, 25782	\@tmp 25711, 25712, 25717, 25718, 25720, 25721, 25754, 25755, 25760, 25761, 25763, 25764, 25782, 25783
\) 18471	\@cls 25702, 25745	\@underline 26090, 26092, 26094
\, 8107, 16772, 20919, 20962, 25512, 25523, 25929	\@date . . . 8724, 8727, 8730	\@DEBUGfalse 5011
\- 4378, 16508, 18366, 20324	\@description 2640	\@EightColLTRfootnotetext 13941, 14023
\. 93, 306, 627, 759, 1022, 1272, 2674, 4377, 9294, 9482, 9794, 11355, 11629, 15530, 17871, 19680, 20487, 20881, 21078, 21281, 21819, 22580, 23345, 24094	\@end 6280, 6281	\@EightColRTLfootnotetext 13942, 14050
\/ 4731	\@endpbox 18182, 23803, 23841, 26117	\@EightColfootnotetext 13940, 13977
\: 18512, 18571	\@if@newlist 15851, 15883, 26501, 26576	\@False 9817, 9819
\< 23727	\@italiccorr 346, 9838, 18347	\@FiveColLTRfootnotetext 13044, 13126
\= 16509, 18367, 20325	\@line 12118, 12121, 21307, 21316, 21354, 21365, 26071, 26072, 26074, 26075, 26077, 26078	\@FiveColRTLfootnotetext 13045, 13153
\> 23728	\@makecaption 21851, 21915, 22019, 22612, 22676, 22781, 23377, 23441, 23546	\@FiveColfootnotetext 13043, 13080
\@ 6054, 7109, 7112, 7115, 7138, 7143, 7148, 7159, 7162, 7165, 7175, 7178, 7181	\@makefnmark 21456, 21492, 21495, 22195, 22232, 22235, 22968, 23005, 23008	\@FourColLTRfootnotetext 12745, 12827
\@C 23906, 23908	\@math 9829	\@FourColRTLfootnotetext 12746, 12854
\@CH@footnotetext 11675, 11690	\@mix 25706, 25749	\@FourColfootnotetext 12744, 12781
\@CH@mpfootnotetext 11678, 11696	\@mod 25707, 25711, 25712, 25715, 25716, 25717, 25720, 25750, 25754, 25755, 25758, 25759, 25760, 25763, 25782	\@LTRbibitemsfalse 25943, 25945
\@CHLTR@LTRfootnotetext 11676, 11692	\@par 18365, 20323, 20914, 20957, 21467, 21478, 22206, 22218, 22979, 22991, 24018, 24020, 26010, 26123	\@LTRbibitemstrue 25944
\@CHLTR@mpLTRfootnotetext 11679, 11698	\@protect 5915	\@LTRbidituftesidenote@ sidenote 8223, 8282, 8286
\@CHRTL@RTLfootnotetext 11677, 11694	\@scalebox 20233, 20250	\@LTRbidituftesidenotemarginparreset 7858, 7865
\@CHRTL@mpRTLfootnotetext 11680, 11700	\@startpbox 18181, 23803, 23841, 26117	\@LTRbidituftesidenotesavemarbox 7845, 7846, 7849, 7852
\@CLTR 20155, 20157, 25879, 25881		\@LTRbidituftesidenotexmpar 7843, 7844
\@LaTeX 25884, 25885		\@LTRbidituftesidenoteypmpar 7843, 7848
\@LaTeXe 25886, 25887		\@LTRfootgroupv@l 11750, 11781, 11953, 12143, 12168, 12198, 12228, 12256, 12270, 12442, 12467, 12496, 12525, 12551, 12564, 12729, 12754, 12784,
\@RTL 20154, 20157, 25878, 25881		
\@Radio 17810, 17818		
\@TeX 20158, 20159, 25882, 25883		
\@XeLaTeX 26770, 26771		
\@XeTeX 26768, 26769		
\@array 433		
\@author 8723, 8726, 8729		
\@bidi@pop 6626, 6629, 6630, 6633, 6635		



12814,	12842,	19553,	21418,	\@Mi
12856,	13028,	21424,	21859,	\@Mii
13053,	13083,	22157,	22163,	7786, 7830, 7874,
13113,	13141,	22620,	22930,	10493, 10505,
13155,	13327,	22936,	23385,	10518, 26355, 26399
13352,	13382,	23872,	23889, 23981	\@Miii 4944, 7788, 7832,
13412,	13440,	26484, 26486	7876, 26357, 26401
13454,	13626,	\@LTRmarginparfalse		\@NineColLTRfootnotetext
13651,	13681,	26383, 26390 14240, 14322
13711,	13739,	\@LTRmarginparreset		\@NineColRTLfootnotetext
13753,	13925,	26485 14241, 14349
13950,	13980,	\@LTReparbox		\@NineColfootnotetext
14010,	14038,	26371,	26374, 26377 14239, 14276
14052,	14224,	\@LTRxmpar	. 26368, 26369	\@ParaLTRfootnotetext
14249,	14279,	\@LTRYmpar	. 26368, 26373	.. 14904, 15011, 15121
14309,	14337,	\@M		\@ParaRTLfootnotetext
14351,	14523,	6, 92, 105, 211, 235,	 14905, 15151
14548,	14578,	305, 596, 663, 664,		\@Parafootnotetext
14608,	14636,	688, 792, 915, 970,		.. 14903, 15009, 15072
14650,	14864,	971, 1044, 1164,		\@RTLfootnotefalse
14917,	14967,	1165, 1171, 1294,		... 4108, 15949,
15018,	15075,	4794, 4799, 8454,		16115, 20138,
15106,	15137, 15153	9215, 9216, 9222,		20143, 25846, 25867
		9336, 9392, 9393,		\@RTLfootnotetext
		9399, 9513, 9563,		.. 4107, 15949,
		9758, 9766, 9833,		16114, 20140,
		11322,	11335,	20142, 25856, 25866
		11592,	11601,	\@RTLbitemsfalse
		12118,	12121, 25944, 25945
		15496,	15504,	\@RTLbitemstrue 25943
		15824,	17870,	\@RTLbiditufte sidenote@sidenote
		17884,	17908,	... 8252, 8283, 8287
		19411,	19423,	\@RTLbiditufte sidenote marginparreset
		19435,	20263, 7902, 7909
		20385,	20386,	\@RTLbiditufte sidenotesavemarbox
		20410,	20520, 7889,
		20659,	20782,	7890, 7893, 7896
		20835,	20836,	\@RTLbiditufte sidenotexmpar
		20897,	20898, 7887, 7888
		21252,	21260,	\@RTLbiditufte sidenote ympar
		23897,	24004, 7887, 7892
		24045,	24184,	\@RTLfalse ... 36, 66,
		24215,	24238,	87, 249, 278, 300,
		24255,	24272,	613, 748, 1011,
		24289,	24306,	1261, 1972, 2287,
		24323,	24341,	2321, 2340, 2372,
		24360,	24380,	2657, 4082, 4089,
		24415,	24798,	4096, 5237, 9283,
		25328,	25442, 26148	9471, 9780, 9799,
		\@MM	... 41, 55, 71, 254,	9811, 9824, 11344,
			268, 283, 10803,	11615, 11736,
			10824,	11752, 11798,
			10878,	11813, 11826,
			10930,	11838, 12185,
			11964,	
			16128,	
			16145,	
			16161,	



12215,	12231,	26481, 26552, 26568 4101, 4252,
12246,	12313,	\@RTLfootnotetext 48,	25831, 25856,
12342,	12355,	80, 159, 160, 161,	25866, 25913,
12369,	12484,	261, 293, 2385,	25920, 26034, 26052
12513,	12528,	2389, 2419, 4868,	\@RTLtrue . 36, 50, 87,
12542,	12606,	4990, 8170, 8264,	249, 263, 300, 613,
12634,	12646,	8271, 8959, 8970,	748, 1011, 1261,
12659,	12771,	9176, 9190, 10826,	2287, 2304, 2340,
12801,	12817,	10827, 11677,	2356, 2657, 4081,
12832,	12899,	11693, 11694,	4088, 4095, 5237,
12928,	12941,	11765, 11874,	9283, 9471, 9780,
12955,	13070,	11882, 12135,	9838, 9840, 11344,
13100,	13116,	12160, 12434,	11615, 11736,
13131,	13198,	12459, 12721,	11752, 11767,
13227,	13240,	12746, 13020,	11783, 11813,
13254,	13369,	13045, 13319,	11826, 11850,
13399,	13415,	13344, 13618,	11863, 12185,
13430,	13497,	13643, 13917,	12215, 12258,
13526,	13539,	13942, 14216,	12273, 12313,
13553,	13668,	14241, 14515,	12342, 12382,
13698,	13714,	14540, 14852,	12396, 12484,
13729,	13796,	14905, 14961,	12513, 12553,
13825,	13838,	15012, 16096,	12567, 12606,
13852,	13967,	16102, 16139,	12634, 12671,
13997,	14013,	16180, 16243,	12684, 12771,
14028,	14095,	16282, 16288,	12801, 12844,
14124,	14137,	17274, 17292,	12859, 12899,
14151,	14266,	17367, 17402,	12928, 12968,
14296,	14312,	17594, 17598,	12982, 13070,
14327,	14394,	17616, 17617,	13100, 13143,
14423,	14436,	18263, 18424,	13158, 13198,
14450,	14565,	19555, 19557,	13227, 13267,
14595,	14611,	19558, 21419,	13281, 13369,
14626,	14693,	21428, 21860,	13399, 13442,
14722,	14735,	22158, 22167,	13457, 13497,
14749,	15308,	22621, 22931,	13526, 13566,
15333,	15519,	22940, 23386,	13580, 13668,
16123,	16156,	23873, 23890, 23982	13698, 13741,
16202,	16217,	\@RTLmainfalse . 4272,	13756, 13796,
17865,	18078,	4276, 4498, 4502	13825, 13865,
18101,	18105,	\@RTLmaintrue . 4275, 4501	13879, 13967,
18112,	18121,	\@RTLmarginparfalse	13997, 14040,
18356,	19164, 26485, 26486	14055, 14095,
19671,	19848,	\@RTLmarginparreset	14124, 14164,
19896,	20100, 26427, 26434	14178, 14266,
20134,	20138,	\@RTLmarginpartrue 26484	14296, 14339,
20143,	20192,	\@RTLsavemarbox 26414,	14354, 14394,
20476,	20870,	26415, 26418, 26421	14423, 14463,
21064,	21267,	\@RTLtabfalse	14477, 14565,
21797,	22558,	. 446, 4102, 4253,	14595, 14638,
23323,	24080,	19734, 25840,	14653, 14693,
25804,	25839,	25846, 25867,	14722, 14762,
25846,	25867,	26025, 26043, 26128	14776, 15297,
26025,	26043,	\@RTLtabtrue	15324, 15519,



16123,	16140,	17922,	17923, 14540, 14648
16187,	16217,	17924,	18138,	\@TenColfootnotetext
17865,	18078,	19051,	19053, 14538, 14575
18101,	18112,	19055,	19057,	\@TextField 17794, 17802
18121,	18359,	19059,	19060,	\@ThreeColLTRfootnotetext
19164,	19671,	19062,	19063, 12458, 12537
20101,	20126,	19064,	19714,	\@ThreeColRTLfootnotetext
20140,	20142,	19722,	19724, 12459, 12562
20476,	20870,	20491,	20492,	\@ThreeColfootnotetext
21064,	21267,	20493,	20494, 12457, 12493
21797,	22558,	20495,	20497,	\@True ... 9812, 9818, 9850
23323,	24080,	20499,	20501,	\@TwoCollTRfootnotetext
25805,	25830,	20856,	20857, 12159, 12241
25856,	25866,	20858,	20859,	\@TwoColRTLfootnotetext
26034,	26052,	20860,	20862, 12160, 12268
26481,	26552, 26568	20864,	20866,	\@TwoColfootnotetext
\@RTLxmpar .	26412, 26413	21051,	21053, 12158, 12195
\@RTLympar .	26412, 26417	21055,	21056,	\@Undottedtocline 19418
\@Reset	17843, 17852	21057,	21058,	\@Undottedtoclinep 19430
\@SepMark .	19, 20, 21,	21059,	21060,	\@acci 16509, 18367, 20325
22, 168, 198, 224,		21233,	21235,	\@accii 16509, 18367, 20325
225, 226, 227, 344,		21237,	21239,	\@acciii
360, 584, 585, 586,		21240,	21241,	. 16509, 18367, 20325
587, 741, 742, 743,		21242,	21243,	\@acol 1478, 1486, 4876,
744, 995, 996, 997,		21771,	21772,	18178, 23787,
998, 1254, 1255,		21774,	21776,	25922, 26100, 26126
1256, 1257, 9309,		21778,	22510,	\@acolampacol ... 1476,
9310, 9311, 9312,		22513,	22515,	1478, 1484, 1486
9313, 9315, 9317,		22519,	22521,	\@addamp 1477, 1485
9319, 9486, 9487,		22523,	22525,	\@addfield 26490
9488, 9489, 9490,		22528,	22531,	\@addmarginpar ... 26440
9492, 9494, 9496,		22535,	22537,	\@address 5129, 10660,
9737, 9739, 9741,		23283,	23285,	10661, 10758, 10760
9743, 9744, 9745,		23288,	23290,	\@addresscolour 5098,
9746, 9747, 11455,		23292,	23294,	5115, 10659, 10757
11456,	11457,	23297,	23300,	\@addtopreamble ...
11458,	11571,	23303,	24158,	. 1449, 1512, 9911
11573,	11575,	24402,	25940, 25942	\@addtoreset
11577,	11578,			. 342, 15794,
11579,	11580,			19712, 19718, 19720
11581,	15622,	\@SevenColfootnotetext		\@addviper 10256
15623,	15624, 13643, 13751		\@afterheading
15625,	15626,	\@SevenColfootnotetext		. 606, 4777, 4787,
15628,	15630, 13641, 13678		11332, 11340, 18379
15632,	15790,	\@SixCollTRfootnotetext		\@afterindentfalse
15797,	15919, 13343, 13425		.. 4777, 4787, 18378
15921,	15923,	\@SixColfootnotetext		\@afterindenttrue .
15925,	15926, 13344, 13452		. 688, 915, 1171,
15927,	15928,	\@SixColfootnotetext		8453, 9222, 9399,
15929,	15932, 13342, 13379		19410, 19422,
15934,	15936,	\@Submit ... 17826, 17835		19434, 20410,
15938,	15939,	\@TenCollTRfootnotetext		20782, 24183,
15940,	15941, 14539, 14621		24214, 24237,
15942,	17921,	\@TenColRTLfootnotetext		24254, 24271,



24288,	24305,	20478,	20485,	18189,	18267,
24322,	24340,	20491,	20492,	23795,	23836,
24359,	24379,	20493,	20494,	23840,	23844, 26109
24414,	24797,	20495,	20497,	\@author	466,
25321,	25441,	20499,	20501,	480,	516, 537, 803,
\@algcfc@finish	... 179	20856,	20857,	805,	823, 868,
\@algcfc@start	... 171	20858,	20859,	887,	1055, 1057,
\@campacol	... 1476, 1484	20860,	20862,	1075,	1120, 1139,
\@arabic	168, 584, 585,	20864,	20866,	1305,	1307, 1325,
586, 587,	615, 622,	20872,	20879,	1370,	1390, 1401,
741, 742,	743, 744,	21051,	21053,	4630,	8655, 8657,
750, 757,	995, 996,	21055,	21056,	8726,	9347, 9349,
997,	998, 1013,	21057,	21058,	9367,	9524, 9526,
1020,	1254, 1255,	21059,	21060,	9544,	9619, 9633,
1256,	1257, 1263,	21066,	21073,	9669,	9690, 11382,
1270,	2659, 2668,	21233,	21235,	11394,	11428,
5249,	9285, 9292,	21237,	21238,	11447,	11477,
9309,	9310, 9311,	21239,	21240,	11491,	11527,
9312,	9313, 9315,	21241,	21242,	11548,	15549,
9317,	9319, 9473,	21243,	21269,	15561,	15595,
9480,	9486, 9487,	21276,	21772,	15614,	19020,
9488,	9489, 9490,	21774,	21776,	20531,	20533,
9492,	9494, 9496,	21778,	21800,	20551,	20596,
9737,	9739, 9741,	21816,	22517,	20615,	20670,
9742,	9743, 9744,	22519,	22521,	20672,	20692,
9745,	9746, 9747,	22523,	22525,	20739,	20761,
9782,	9789, 11346,	22528,	22531,	20772,	20928,
11353,	11455,	22539,	22561,	20942,	20983,
11456,	11457,	22577,	23286,	21004,	21115,
11458,	11571,	23288,	23290,	21129,	21165,
11573,	11575,	23292,	23294,	21186,	21600,
11576,	11577,	23297,	23300,	21744,	22340,
11578,	11579,	23304,	23326,	22484,	23113, 23257
11580,	11581,	23342,	24082,	\@auxout . . 4145, 4149,	
11617,	11624,	\@argdef	5875	5292,	5651, 5679,
15521,	15528,	\@array	400, 433, 1411,	5705,	5733, 5759,
15622,	15623,		1412, 23824, 26106	5762,	5796, 5799,
15624,	15625,	\@arrayacol	... 26126	9122,	12022, 26192
15626,	15628,	\@arrayclassiv	... 26127	\@badmath . . 15755, 15769	
15630,	15632,	\@arrayclassz 1476, 23828, 26126	\@begin@tempboxa	
15919,	15921,	\@arraycr	247, 18187, 26128	16785,	
15923,	15924,	\@arrayleft	... 420	16881,	16888, 26010
15925,	15926,	\@arrayparboxrestore 2003, 18265, 20320	\@begindvi . 15822, 26543	
15927,	15928,	 441	\@beginparpenalty	
15929,	15932,	\@arrayright 4790,	4790,	
15934,	15936,	\@arrayrule 15758, 15772	4799,	
15937,	15938,	 1431, 1432,	\@bib@break	
15939,	15940,		1433, 1469, 1470, 1471	. 21792, 22553, 23318	
15941,	15942,	\@carstdepth 23821, 23826, 23844	\@biblabel	
18138,	18140,	 23844	89,	
19051,	19053,	\@carstheight	23826, 23844	302,	615, 616,
19055,	19057,	\@carstrut 18203, 23802, 26116	750,	751, 1013,
19059,	19062,	 414,	1014,	1263, 1264,
19063,	19064,	\@carstrutbox	19474,	2659,	2660, 9285,
		 403,	9286,	9473, 9474,



9782, 9783, 11346, 11347, 11617, 11618, 15521, 15522, 17867, 19673, 20478, 20479, 20872, 20873, 21066, 21067, 21269, 21270, 21800, 21802, 22561, 22563, 23326, 23328, 24082, 24083 \@bibsetup 19673 \@bibtitlestyle 84, 297, 17862 \@bidi@stpelt 6348, 6354, 6358 \@bidi@EqualStringX ... 6413, 6414, 6415 \@bidi@after@Hy@hyperfootnotes 11685, 11886, 12147, 12172, 12446, 12471, 12733, 12758, 13032, 13057, 13331, 13356, 13630, 13655, 13929, 13954, 14228, 14253, 14527, 14552, 14869, 14922, 14976, 15027 \@bidi@append@to@cslist ... 6560, 6564, 6574 \@bidi@append@to@list 6564, 6567, 6570, 6577, 6585 \@bidi@bannerfalse 4068 \@bidi@bannertrue . 4067 \@bidi@before@Hy@hyperfootnotes 11671, 11879, 12132, 12157, 12431, 12456, 12718, 12743, 13017, 13042, 13316, 13341, 13615, 13640, 13914, 13939, 14213, 14238, 14512, 14537, 14849, 14902, 14954, 15005 \@bidi@copy@stacktop 6632, 6635	\@bidi@copyins@ 4287, 4288, 4289, 4290, 4291, 4513, 4514, 4515, 4516, 4517, 11954, 16537, 16538, 16539, 16540, 16550, 16551, 16599, 16600, 16656, 16657, 16658, 16659, 16676, 16677, 16695, 16704, 16716, 16722, 16726, 16738, 16740, 16743, 16774, 19580, 19581, 19589, 20167, 20169, 20170, 26317, 26323, 26326, 26340, 26342, 26345 \@bidi@emptytoks 5341, 5346, 5370 \@bidi@envbody 5340, 5342, 5344, 5345, 5346, 5366, 5368, 5369, 5370 \@bidi@fi 6494, 6495, 6496, 6497, 6501, 6502, 6506, 6507, 6511, 6512, 6517, 6518, 6522, 6523 \@bidi@finalfootnoteperpage@pdfproducer 12042 \@bidi@finalfootnoteperpage@pdfproducer 12040 \@bidi@ifnxtc 6461, 6464, 6465 \@bidi@info 4188, 4217, 4218, 4452, 4480, 4481 \@bidi@inslogo@ 4159, 4160, 4291, 4517, 4553, 4578 \@bidi@list@minipage@parbox@not@nobrtrue .. 6565, 16231, 25998 \@bidi@list@minipage@parbox@not@nobrtrue .. 6568, 6572, 6578, 6586 \@bidi@list@minipage@parbox@not@nobrtrue .. 5484, 5485, 5487 \@bidi@list@minipage@parbox@not@nobrtrue .. 16232, 26002, 26005 \@bidi@logo ... 4307, 4336, 4525, 4552 \@bidi@logo@ 4160, 4291,	4333, 4517, 4552, 4553 \@bidi@logo@hb@xt@ 4518, 4552 \@bidi@logo@hb@xt@columnwidth 4292, 4334 \@bidi@lst@makecaption 18075, 18091, 18092, 18123, 18124, 18125, 18129, 18131 \@bidi@mdf@RTLtrue 18355 \@bidi@orig@XeTeX 25905, 25906 \@bidi@orig@XeTeX 25898, 25899 \@bidi@pdfbannerfalse 4075 \@bidi@pdfbannertrue 4074 \@bidi@pdfcreator 4261, 4412, 4438, 4554, 4568 \@bidi@pdfcustomproperties 4267, 4414, 4425, 4560, 4571 \@bidi@pdfencryptfalse 4391 \@bidi@pdfencrypttrue 4393, 4396 \@bidi@pdfm@markfalse 4167, 4576 \@bidi@pdfm@marktrue 4166, 4575 \@bidi@perpage@footnote@pdfproducer 4264, 4413, 4439, 4557, 4569 \@bidi@perpage@footnotefalse 4176 \@bidi@perpage@footnotetrue 4175 \@bidi@prepend@to@cslist 6562, 6565, 6576, 6618, 6620 \@bidi@prepend@to@list 6565, 6568, 6572, 6578, 6586 \@bidi@removefromreset 5484, 5485, 5487 \@bidi@saveprimitive 5328 \@bidi@stepcounter 6347, 6353 \@bidi@tabular@RTLcases 25911, 25913, 25920
---	--	---



\@bidi@todonotes@align		\@bidi@tuftefloat@float@deb	\@bidi@tuftegeneralstructure@reset@par
..... 25488,	 7372, 7378, 8499, 8505
25489, 25521,		7380, 7381, 7413,	\@bidi@tufteheading@newlinetospace
25562, 25565,		7414, 7417, 7419, 7555, 7564
25568, 25571,		7420, 7497, 7504,	\@bidi@tufteheading@newlinetospace@i
25596, 25601, 25602		7511, 7512, 7515, 7516 7556, 7558
\@bidi@todonotes@figposition	\@bidi@tuftefloat@float@deb	\@bidi@tufteheading@orig@cr	
..... 25503	 7371, 7373, 7563, 7567
\@bidi@todonotes@figposition@right@true	7375, 7472, 7479	\@bidi@tuftefloat@fullwidth	\@bidi@tuftesidenote@LTRcitation@font
..... 25501		\@bidi@tuftefloat@textwidth 7925, 7934, 8024
\@bidi@todonotes@textdirection 7459, 7507	\@bidi@tuftefloat@textwidth	\@bidi@tuftesidenote@LTRmarginfont
.. 25490, 25494,		\@bidi@tuftefloat@textwidth 7916,
25497, 25601, 25602		7460, 7489	7919, 7922, 7925
\@bidi@todonotes@textdirection@RTL@false	\@bidi@tuftefloat@fps	\@bidi@tuftefloat@fps	\@bidi@tuftesidenote@LTRmarginnote@font
..... 25496	 7401, 7416	... 7922, 7931, 8303
\@bidi@todonotes@textdirection@RTL@true	\@bidi@tuftefloat@fullwidth	\@bidi@tuftefloat@fullwidth	\@bidi@tuftesidenote@LTrsidenote@font
..... 25493	 7331, 7919, 7928
\@bidi@w@w 6543	7337, 7338, 7339, 7439	\@bidi@tuftesidenote@RTLcitation@font
\@bidi@ww 6537	\@bidi@tuftefloat@justification 7926, 7935
\@bidideclaredcolor 9963, 7299	\@bidi@tuftesidenote@RTLmarginfont
..... 9970, 25742, 25771		\@bidi@tuftefloat@justification@autodetect	7917,
\@bidi@tufteLTrsidenote@normal@cite 7239, 7369	7920, 7923, 7926	
..... 8018,	\@bidi@tuftefloat@label	\@bidi@tuftesidenote@RTLmarginnote@font	
8097, 8217, 8246, 7398, 7425	... 7923, 7932, 8312	
8275, 8297, 8306, 8315	\@bidi@tuftefloat@margin@float	\@bidi@tuftefloat@margin@float	\@bidi@tuftesidenote@RTLsidenote@font
\@bidi@tufteRTLsidenote@normal@cite 7347, 7350, 7361 7920, 7929	
..... 8037,	\@bidi@tuftefloat@margin@par	\@bidi@tuftesidenote@add@citation	
8098, 8218, 8247, 7269, 7356 8059, 8092	
8276, 8298, 8307, 8316	\@bidi@tuftefloat@margin@font	\@bidi@tuftesidenote@check@multiple@sidenotes	... 8117, 8125
\@bidi@tuftefloat@caption 7296, 7297 7924,	
..... 7391, 7424	\@bidi@tuftefloat@orig@caption	\@bidi@tuftefloat@caption@font	
\@bidi@tuftefloat@caption@box	... 7422, 7450, 7480 7924,	
7383, 7448, 7459,	\@bidi@tuftefloat@orig@endfloat	7933, 8005, 8043, 8071	
7460, 7483, 7718, 7723	... 7385, 7463, 7714	\@bidi@tuftefloat@citation@justification	
\@bidi@tuftefloat@caption@fill	\@bidi@tuftefloat@orig@float 7938, 8072	
..... 7332,	... 7384, 7437, 7713	\@bidi@tuftesidenote@citations	
7341, 7342, 7723	\@bidi@tuftefloat@orig@label	... 8058, 8060,	
\@bidi@tuftefloat@caption@font 7423,	8061, 8063, 8068,	
7297, 7298, 7352,	7431, 7451, 7481	8077, 8196, 8225,	
7549, 7720, 7726, 7739	\@bidi@tuftefloat@overhang	8254, 8293, 8302, 8311	
\@bidi@tuftefloat@caption@justification	7330, 7334, 7335,	\@bidi@tuftesidenote@infootnote@cite	
... 7239, 7355, 7549	7533, 7534, 7573, 7574	8091, 8195, 8224,	
\@bidi@tuftefloat@caption@vertical@fisheye	... 7214, 7215, 7217	8253, 8292, 8301, 8310	
... 7386, 7387,	\@bidi@tuftefloat@stored@caption	\@bidi@tuftesidenote@justification@autodetect	
7395, 7459, 7460, 7487 7389, 7936,	
\@bidi@tuftefloat@checkoddpage	7396, 7450, 7485	7937, 7938, 7939	
..... 7314, 7411	\@bidi@tuftefloat@stored@label	\@bidi@tuftesidenote@margin@par	
\@bidi@tuftefloat@figure@box 7390, 7399, 7940,	
..... 7382,	7451, 7467, 7469, 7486	8073, 8140, 8158,	
7441, 7459, 7460, 7482 7388,	8176, 8294, 8303, 8312	
\@bidi@tuftefloat@float@con	7393, 7394, 7450, 7484 7915,	
..... 7403,		7918, 7921, 7924	



\@bidituftesidenote@marginnote	note@fact	24258, 24275,
... 7921, 7930, 8294	4941, 7785, 7829,	24292, 24309,
\@bidituftesidenote@marginnote@justification	26398	24326, 24344,
..... 7937, 8294, 8303, 8312	\@bstanksheadpost 19026	24363, 24383, 24418
\@bidituftesidenote@normal	caption	\@cftdopartfalse . 24161
..... 7999, 8096, 8216, 8245,	. 7540, 19146, 19149	\@cftdoparttrue 24164, 24168
8274, 8296, 8305, 8314	\@captionabovefalse	\@cftl@subfig 24352
\@bidituftesidenote@print	citation	\@cftl@subtab 24372
..... 8065, 8215, 8244,	. 22035, 22797, 23562	\@chapapp . 9558, 9753,
8273, 8295, 8304, 8313	\@capttype . 4881, 4929,	11587, 15492, 21248
\@bidituftesidenote@sidenote	4977, 7353, 19139,	\@chapterlistsgap@off
... 8194, 8281, 8285	19143, 19146, 19706
\@bidituftesidenote@sidenote@citations	21334,	\@chapterlistsgap@on
..... 8090	21942, 21946, 19713, 19721
\@bidituftesidenote@sidenote@font	1948, 21949,	\@chclass .. 362, 374,
..... 7918, 7927, 8103, 8104	22018, 22703,	385, 1418, 1430,
\@bidituftesidenote@sidenote@justification	22707, 22709,	1443, 1463, 1468,
... 7936, 8103, 8104	23468, 23472,	23925, 23941,
\@bidituftesidenote@sidenote@verticaloffset	23545	23952, 26129, 26134
..... 8191, 8192, 8198, 8200,	\@ccclv .. 10838, 10895,	\@checkend .. 5359, 5383
8206, 8213, 8227, 8229, 8235, 8242,	15364, 15365,	\@chnum .. 363, 370, 381,
8256, 8258, 8264, 8271	15393, 15403,	1419, 1426, 1439,
\@bidituftesidenote@trim@b	16671, 16683,	1449, 1465, 1466,
..... 7969, 7976	16717, 16720,	1467, 1480, 1488,
\@bidituftesidenote@trim@c	16721, 16731,	1514, 9913, 23926,
... 7973, 7976, 7981	16732, 18281,	23933, 23948,
\@bidituftesidenote@trim@spaces	18287, 18300,	26131, 26132, 26133
7958, 7961, 8010, 8012, 8029, 8031,	18302, 20161,	\@circlefnt .. . 15651
8048, 8050, 8080, 8082	26302, 26306,	\@classiv .. . 4878,
\@bidituftesidenotemarginparreset	26318, 26322, 26333	18179, 23789,
..... 7799, 7800	\@cclvi .. . 14877,	25924, 26102, 26127
\@bidituftesidenote@mpar	14879, 14930,	\@classx .. 1446, 1505, 9907
..... 7814, 7821	14982, 14984, 15033,	\@classz .. . 1446,
\@bidituftesidenotesavemarginpar	15035	1505, 1539, 1540,
..... 7801, 7802, 7805, 7808	\@centercr 8527, 20271,	4877, 9907, 18179,
\@bidituftesidenotetexmpar	20284, 20297,	23788, 23828,
..... 7799, 7800	23997, 24026, 26061	25923, 26101, 26126
\@bidituftesidenote@mpar	\@cftasnum .. 24188,	\@cleartopmattertags
..... 7799, 7804	24219, 24242, 129, 17944
\@bidituftetoc@lof@line	24259, 24276,	\@cliptoboxdim .. . 23955
..... 8446, 8462	24293, 24310,	\@clsextension .. .
\@bidituftetoc@pkgname	24327, 24345, 6823, 6829,
..... 8322, 8323	24364, 24384, 24419	6847, 7062, 7065, 7074
\@bidiundeclaredcolor	\@cftasnumb .. 24189,	\@clubpenalty .. 625,
.... 9963, 9964,	24220, 24243,	2672, 9792, 11627,
25742, 25743, 25782	24260, 24277,	21076, 21279, 24092
\@bscontmark .. . 19043	24294, 24311,	\@colht 10266,
\@bsmarkseries .. . 19024	24328, 24346,	10293, 10294,
\@bsmtitleempty .. . 19012	24365, 24385, 24420	10378, 10379,
	\@cftbsnum .. 24187,	10395, 10511,
	24218, 24241,	10526, 10527,
		10537, 10538,
		10545, 10561,



10565,	15354,	\@compactenum@	8509	2377, 8142, 8160,
15845,	16649,	\@cons	26440, 26441	8178, 11742,
16661,	16662,	\@contcshortstyle	19094	11758, 11773,
16663,	16665,	\@contcstyle	19099, 19105, 19110	11789, 11804,
16667,	16755,	\@contcwidth	19088, 19089	11817, 11830,
19187,	19190,	\@contdelim	19082, 19093,	11842, 11854,
19192,	19194,	\@contfield	19097, 19104, 19109	11867, 12189,
19199,	19200,	\@contfinal	19082, 19094,	12219, 12235,
19201,	19220,	\@contfmark	19100, 19106, 19110	12250, 12262,
19221,	19222,	\@contfnote	19081, 19084	12277, 12317,
19226,	19287,	\@contindw	19080, 19083	12346, 12359,
19290,	19292,	\@contnfont	19105	12373, 12386,
19294,	19299,	\@conttfont	19082, 19093,	12400, 12488,
19300,	19301,	\@curfield	19097, 19104, 19109	12517, 12532,
19320,	19321,	\@currbox	19100, 19106, 19110	12546, 12557,
19322,	19326,	\@currentHlabel	19092, 19098, 19103,	12571, 12610,
21529,	21546,	\@currentHref	19108	12638, 12650,
22269,	22286,	\@currline	19138, 9153, 9173,	12663, 12675,
23042,	23059,	\@currbox	9187, 9197, 26490	12688, 12775,
\@colourfalse	5041	\@currbox	9136, 9151, 26490, 26492	12805, 12821,
\@colourgreenfalse	10578, 10676	\@currbox	4949, 4980, 4984, 7750,	12836, 12848,
\@colourgreentru	10579, 10677	\@currbox	7753, 7794, 7797,	12863, 12903,
\@colourgreyfalse	10582, 10680	\@currbox	7802, 7806, 7838,	12932, 12945,
\@colourgreytrue	10583, 10681	\@currbox	7841, 7846, 7850,	12959, 12972,
\@colourorangefalse	10576, 10674	\@currbox	7882, 7885, 7890,	12986, 13074,
\@colourorangeredtrue	10577, 10675	\@currbox	7894, 15418,	13104, 13120,
\@colourredfalse	10580, 10678	\@currbox	26363, 26366,	13135, 13147,
\@colouredtrue	10581, 10679	\@currbox	26371, 26375,	13162, 13202,
\@colourtrue	5040	\@currbox	26407, 26410,	13231, 13244,
\@colroom	10538,	\@currbox	26415, 26419,	13258, 13271,
10541,	10543,	\@currbox	26441, 26450, 26482	13285, 13373,
10544,	10838,	\@currbox	\@currentHlabel	13403, 13419,
10895,	16649,	\@currbox	17360, 17375, 17390	13434, 13446,
16663,	16666,	\@currbox	17376, 17391,	13461, 13501,
16668,	18290,	\@currbox	17450, 17488,	13530, 13543,
18308,	21530,	\@currbox	17521, 17552,	13557, 13570,
21547,	22270,	\@currbox	17583, 18148, 18152	13584, 13672,
22287,	23043,	\@currbox	\@currentlabel	13702, 13718,
23060		\@currbox	43, 57, 73, 256, 270,	13733, 13745,
\@combinedblfloats		\@currbox	285, 2295, 2312,	13760, 13800,
10178, 10237,		\@currbox	2329, 2345, 2361,	13829, 13842,
15708,	15744,			13856, 13869,
15826,	16582,			13883, 13971,
16635,	19251,			14001, 14017,
19348,	26241,			14032, 14044,
26284				14059, 14099,
\@combinefloats				14128, 14141,
15349, 16751				14155, 14168,



14481,	14569,	20773,	20931,	\@eightcol@footgroupv@r
14599,	14615,	20943,	20984, 13921, 13946
14630,	14642,	21006,	21118,	\@eightcolLTRfootfmt
14657,	14697,	21130,	21166,	.. 14020, 14035,
14726,	14739,	21189,	21605,	14075, 14144, 14158
14753,	14766,	21745,	22345,	\@eightcolLTRfootnotetext
14780,	15065,	22485,	23118, 23258 13916, 14013
15096,	15114,	\@dblarray	19146	\@eightcolRTLfootfmt
15130,	15144,	\@dblfloatingplacement		.. 14047, 14062,
15160,	15199,	.. 10182, 10241,		14078, 14171, 14185
15229,	15243,	15709,	15748,	\@eightcolRTLfootnotetext
15258,	15272,	15833,	16586, 13917, 14040
15287,	16130,	16639,	19255,	\@eightcolfootfmt
16147,	16163,	19352,	26245, 26288	.. 13974, 14004,
16192,	16207, 16222	\@declaredcolor	9948,	14072, 14102, 14131
		9949,	25699, 25722	\@eightcolfootnotetext
		\@dedication 13915, 13961
		.. 21647, 21650,		\@elt
		21755,	22387,	5486,
		22390,	22495,	5489, 7638, 7639,
		23160,	23163, 23268	7640, 7641, 7642,
		\@dedicatory	333	7643, 7644, 7645,
		\@deferlist	16647	7646, 7647, 7648,
		\@depth ...	405, 18191,	7649, 7679, 7680,
		23768,	23797,	7681, 7682, 7683,
		23837,	26111, 26479	7684, 7685, 7686,
		\@dgroup	9811	7687, 7688, 7689,
		\@dischypf		7690, 7691, 7692,
		. 16508, 18366, 20324		7693, 7694, 7695,
		\@displaypagenumbersfalse		7696, 9850, 10804,
	 5220		10825, 10831,
		\@displaypagenumberstrue		10866, 10868,
	 5219		10870, 10876,
		\@dmath	9799, 9828	10888, 10918,
		\@doclearpage	15433	10920, 10922,
		\@docolbox	15899	10928, 23856, 23858
		\@dodynamicthefoot	15823	\@email 5133, 10666, 10764
		\@dodynamicthehead	15823	\@empty .. 86, 115, 134,
		\@dotsep	25339,	136, 299, 427, 479,
		25340,	25448, 26154	480, 481, 482, 515,
		\@dottedtocline ..		516, 517, 518, 621,
		.. 25454, 25455,		756, 822, 823, 824,
		25457,	25475, 26143	825, 867, 868, 869,
		\@dseries	9824	870, 1019, 1074,
		\@eha	5336, 24406	1075, 1076, 1077,
		\@ehc	5456,	1119, 1120, 1121,
		5458,	5464, 5466,	1122, 1269, 1324,
		5472,	5474, 5480,	1325, 1326, 1327,
		5482,	5891, 6757,	1369, 1370, 1371,
		18044,	18051,	1372, 2024, 2025,
		18279,	19393, 19399	2404, 2430, 2456,
		\@ehd	19140	2667, 3113, 3119,
		\@eightcol@LTRfootgroupv@l		3125, 3203, 3605,
	 13925, 13950		3752, 3848, 3943,
				4160, 4553, 4629,



4630,	4631,	4632,	19280,	19700,	22444,	22448,
4936,	5248,	5257,	20209,	20484,	22449,	22458,
5357,	5381,	6587,	20550,	20551,	22459,	22463,
8001,	8020,	8039,	20552,	20553,	22464,	22472,
8060,	8067,	8655,	20595,	20596,	22473,	22483,
8722,	8723,	8724,	20597,	20598,	22484,	22485,
9291,	9366,	9367,	20691,	20692,	22486,	22487,
9368,	9369,	9479,	20693,	20694,	22488,	22489,
9543,	9544,	9545,	20738,	20739,	22490,	22491,
9546,	9632,	9633,	20740,	20741,	22492,	22493,
9634,	9635,	9668,	20878,	20941,	22494,	22495,
9669,	9670,	9671,	20942,	20943,	22545,	22576,
9788,	9814,	10146,	20944,	20982,	22601,	22602,
10209,	10865,		20983,	20984,	22707,	22978,
10917,	11352,		20985,	21072,	23078,	23079,
11393,	11394,		21128,	21129,	23086,	23094,
11395,	11396,		21130,	21131,	23101,	23107,
11427,	11428,		21164,	21165,	23123,	23129,
11429,	11430,		21166,	21167,	23142,	23145,
11490,	11491,		21275,	21466,	23152,	23160,
11492,	11493,		21565,	21566,	23165,	23180,
11526,	11527,		21573,	21581,	23187,	23202,
11528,	11529,		21588,	21594,	23203,	23207,
11623,	11634,		21610,	21616,	23208,	23216,
11650,	11654,		21629,	21632,	23217,	23221,
15061,	15092,		21639,	21647,	23222,	23231,
15110,	15126,		21652,	21667,	23232,	23236,
15140,	15156,		21674,	21689,	23237,	23245,
15195,	15225,		21690,	21694,	23246,	23256,
15239,	15254,		21695,	21703,	23257,	23258,
15268,	15283,		21704,	21708,	23259,	23260,
15348,	15527,		21709,	21718,	23261,	23262,
15560,	15561,		21719,	21723,	23263,	23264,
15562,	15563,		21724,	21732,	23265,	23266,
15594,	15595,		21733,	21743,	23267,	23268,
15596,	15597,		21744,	21745,	23310,	23341,
15688,	15724,		21746,	21747,	23366,	23367,
16278,	16360,		21748,	21749,	23472,	23726,
16560,	16609,		21750,	21751,	23843,	23891,
16647,	16750,		21752,	21753,	24088,	24392,
16765,	16766,		21754,	21755,	24394,	24747,
16767,	16768,		21785,	21815,	24753,	25220,
16769,	17362,		21840,	21841,	25702,	25705,
17377,	17392,		21946,	22205,	25745,	25748,
17451,	17489,		22305,	22306,	25911,	26119,
17522,	17553,		22313,	22321,	26128,	26217,
17584,	17864,		22328,	22334,	26264,	26529,
17930,	17951,		22350,	22356,	26530,	26532,
18096,	18102,		22369,	22372,	\emptycol	... 10530,
18125,	18129,		22379,	22387,	10533,	10549,
18131,	18210,		22392,	22407,	\emptytoks 9813
18252,	19018,		22414,	22429,	\endtempboxa	16792,
19019,	19020,		22430,	22434,	16886,	16903,
19021,	19180,		22435,	22443,	\endfloatbox 5001



\@endmodernpoem . . .	23216, 23222, 23231, 23237, 23261	\@firstcolumnfalse 10136, 10199, 10569, 15679, 15715, 15840, 16546, 16595, 19170, 19270, 26207, 26254
\@endparenv . . . 9059, 9166, 19755, 19775	\@familyname . . . 5066, 5068, 5069, 5127, 10641, 10731, 10752	\@firstcolumntrue 10154, 10217, 10524, 15695, 15732, 15804, 16570, 16619, 19229, 19329, 26225, 26272
\@endparpenalty 4794, 4803, 15759, 15773	\@familynamecolour 5096, 5113	\@firstdetailselementfalse 10746
\@endpbox 1456, 1457, 1498, 1522, 1523, 1524, 9921, 9922, 9923, 18176, 18182, 23803, 23841, 26117	\@fax . . 5132, 10665, 10763 \@fcolmadefalse . . 16648 \@ff@do@allframes 15825, 15830	\@firstdetailselementtrue 10743
\@endpetrue 25855, 25865	\@ff@fbox 15908 \@ff@setoffset . . . 15905	\@firstfooterelementfalse 10662, 10663, 10664, 10665, 10666, 10667
\@endtraditionalpoem 9040, 9105	\@ffbackground . . . 15895	\@firstfooterelementtrue 10647
\@ensure@LR 20151, 25875	\@filebordercolor 17663, 17665	\@firstname . . . 5066, 5068, 5069, 5126, 10641, 10731, 10752
\@ensure@LTR . . 20149, 20151, 20159, 25873, 25875, 25883, 25885, 25887, 26769, 26771	\@filecolor 17681	\@firstnamecolour 5095, 5112
\@ensure@RL 20150, 25874	\@finalstrut 2299, 2316, 2333, 2349, 2365, 2381, 11720, 11726, 11732, 16135,	\@firstfootfone 6220, 6227, 6235, 6246, 6260, 6266, 6276, 6282, 7092, 7100, 15853, 15871, 15875, 15878, 15881, 15887, 17787, 17788, 17789, 17790, 19144, 21915, 22676, 23441, 26504, 26546, 26558, 26561, 26563, 26570, 26574, 26580
\@ensure@RTL . . 20148, 20150, 25872, 25874	16152, 16168, 16196, 16211, 16226	
\@ensure@dir . . 20152, 20153, 25876, 25877	\@firststampfalse 1478, 1486	
\@ensure@maindir 20153, 25877	\@firstcolfirstmark 10145, 10146, 10150, 10208, 10209, 10213, 15687, 15688, 15692, 15723, 15724, 15728, 16559, 16560, 16564, 16608, 16609, 16613, 19179, 19180, 19184, 19279, 19280, 19284, 26216, 26217, 26221, 26263, 26264, 26268	
\@enumctr 2605, 8510, 8511	\@firstcoltopmark 10143, 10151, 10206, 10214, 15685, 15693, 15721, 15729, 16557, 16565, 16606, 16614, 19177, 19185, 19277, 19285, 26214, 26222, 26261, 26269	
\@eqnnum 15780, 17947, 26598	\@firstoftwo 4223, 4229, 4235, 5495, 5503, 5507, 5515, 5519, 5527, 5533, 5537, 5550, 5558, 5564, 5568, 5576, 5582, 5585, 5588, 5602, 5609, 6000, 6018, 6024, 6048, 6067, 6097,	
\@evenfoot 2186, 2227, 4593, 15816, 26522		
\@evenhead . . . 2185, 2227, 15815, 26522		
\@extrafootnotefeaturesfalse 4130		
\@extrafootnotefeaturestrue 4129		
\@extrainfo 5134, 10667, 10765		
\@extratitle 21565, 21572, 21689, 21695, 21703, 21709, 21718, 21724, 21748, 22305, 22312, 22429, 22435, 22443, 22449, 22458, 22464, 22488, 23078, 23085, 23202, 23208,		



6160, 6170, 19681	12226, 12243,	13018, 13043,
\@fivecol@LTRfootgroupv@l 13028, 13053	12283, 12438, 12463, 12498,	13317, 13342, 13616, 13641,
\@fivecol@footgroupv@r 13024, 13049	12523, 12539, 12576, 12725,	13915, 13940, 14214, 14239,
\@fivecolLTRfootfmt .. 13123, 13138, 13178, 13247, 13261	12750, 12786, 12812, 12829,	14513, 14538, 14850, 14903,
\@fivecolLTRfootnotetext 13019, 13116	12869, 13024, 13049, 13085,	14956, 14958, 15007, 15009,
\@fivecolRTLfootfmt .. 13150, 13165, 13181, 13274, 13288	13111, 13128, 13168, 13323,	16122, 16179, 16241, 17273,
\@fivecolRTLfootnotetext 13020, 13143	13348, 13384, 13410, 13427,	17281, 17352, 17400, 17593,
\@fivecolfootfmt 13077, 13107, 13175, 13205, 13234	13467, 13622, 13647, 13683,	17597, 17613, 17614, 18261,
\@fivecolfootnotetext 13018, 13064	13709, 13726, 13766, 13921,	18422, 19545, 19547, 19548,
\@float 7384, 7713	13946, 13982,	21417, 21420,
\@floatboxreset ... 4999	14008, 14025,	21858, 22156,
\@floatpenalty . 4942, 4944, 4947, 7786, 7788, 7792, 7796, 7830, 7832, 7836, 7840, 7874, 7876, 7880, 7884, 26355, 26357, 26361, 26365, 26399, 26401, 26405, 26409	14065, 14220, 14044, 14580, 14606, 14623, 14663, 14858, 14911, 15077, 15104, 15123, 15167	22159, 22619, 22929, 22932, 23384, 23871, 23888, 23978, 23980
\@floatplacement . 15439	\@footstartv@l 11750, 11781, 11823, 11860, 11953,	\@footstartv@l 11750, 11781, 11823, 11860, 11953,
\@fltovf 4982, 7797, 7841, 7885, 26366, 26410	14245, 14281, 14307, 14324, 14364, 14519, 14544, 14580, 14606, 14623, 14663, 14858, 14911, 15077, 15104, 15123, 15167	12074, 12198, 12228, 12256, 12270, 12325, 12393, 12496,
\@flushglue 8942, 8943, 18372, 21040, 24800, 24804, 24808, 24854, 26061	\@footnote 8604 \@footnotemark . 2407, 2414, 2433, 2440, 2459, 2466, 4909, 4917, 4925, 8113, 8206, 8213, 8235, 8242, 8264, 8271, 9087, 9094, 9101, 16096, 16102, 16105, 16111, 17403, 17592, 17596, 17610, 17611	12525, 12551, 12564, 12617, 12681, 12784, 12814, 12842, 12856, 12911, 12979, 13083, 13113, 13141, 13155, 13210, 13278, 13382, 13412, 13440,
\@fnsymbol 491, 786, 845, 1038, 1097, 1288, 1347, 4617, 9330, 9507, 9644, 11405, 11502, 15572, 20514, 20573, 20653, 20714, 20910, 20953, 21140, 21562, 21683, 22302, 22423, 23075, 23196	\@footnotetext .. 34, 79, 151, 152, 153, 247, 292, 2384, 2388, 2393, 4866, 4988, 8134, 8206, 8213, 8957, 8968, 9174, 9188, 10784, 10785, 11675, 11689, 11690, 11734, 11872, 11880,	13454, 13509, 13577, 13681, 13711, 13739, 13753, 13808, 13876, 13980, 14010, 14038, 14052, 14107, 14175, 14279, 14309, 14337, 14351, 14406, 14474, 14578, 14608, 14636, 14650, 14705, 14773, 14865,
\@footgroupv@r 11952, 12110, 12139, 12164, 12200,	12133, 12158, 12432, 12457, 12719, 12744,	



14918, 14968,	\@fourcolfootfmt ..	15865, 19141,
15019, 15075,	.. 12778, 12808,	21857, 21858,
15106, 15137,	12876, 12906, 12935	21859, 21860,
15153, 15208, 15280	\@fourcolfootnotetext ..	22618, 22619,
\@footstartv@r 11952,	12719, 12765	22620, 22621,
12073, 12200,	\@fps	23383, 23384,
12226, 12243,	4930, 4931, 4933, 4936, 4953	23385, 23386,
12283, 12327,	\@fpsadddefault ..	25706, 25749,
12366, 12498, 4934, 4937	26539, 26540, 26541
12523, 12539,	\@freelist .. 4949,	\@gobbletwo 2209, 5421,
12576, 12619,	7638, 7679, 7794,	5422, 5425, 5426,
12656, 12786,	7795, 7838, 7839,	5436, 5437, 5440,
12812, 12829,	7882, 7883, 15347,	5441, 5444, 5445,
12869, 12913,	16749, 26363,	5448, 5449, 6356,
12952, 13085,	26364, 26407,	21861, 22622, 23387
13111, 13128,	26408, 26440, 26441	\@gttempa .. 5632, 5633
13168, 13212,	\@frontispiece .. .	\@haligno .. 413,
13251, 13384,	21566, 21569,	445, 23801, 23839,
13410, 13427,	21573, 21576,	25911, 26115, 26128
13467, 13511,	21690, 21694,	\@hangfrom ... 21952,
13550, 13683,	21704, 21708,	21982, 21985,
13709, 13726,	21719, 21723,	22713, 22743,
13766, 13810,	21749, 22306,	22746, 23478,
13849, 13982,	22309, 22313,	23508, 23511, 26083
14008, 14025,	22316, 22430,	\@hboxRconstructfalse .. . 20117, 25821
14065, 14109,	22434, 22444,	\@hboxRconstructtrue .. . 428, 20107, 23808,
14148, 14281,	22448, 22459,	23847, 25811, 26124
14307, 14324,	22463, 22489,	\@height .. . 404,
14364, 14408,	23079, 23082,	1536, 9935, 10412,
14447, 14580,	23086, 23089,	16489, 18190,
14606, 14623,	23203, 23207,	18267, 18392,
14663, 14707,	23217, 23221,	21503, 21510,
14746, 14859,	23232, 23236, 23262	22243, 22250,
14912, 15077,	\@fs@capt 7727, 7740, 7748	23016, 23023,
15104, 15123,	\@fs@font .. 7720,	23768, 23796,
15167, 15210, 15251	7726, 7736, 7739,	23837, 26110, 26479
\@for 8002,	7747, 15784, 15785	\@highpenalty .. .
8007, 8021, 8026,	\@fs@iftopcapt 9236, 9252,
8040, 8045, 8068,	7731, 7744, 7757	9259, 9269, 9413,
8077, 10114, 24751	\@fs@mid . 7730, 7743, 7755	9429, 9436, 9446,
\@fourcol@LTRfootgroupv@l	\@fs@post 7729, 7742, 7756	9700, 9715, 9725,
..... 12729, 12754	\@fs@pre . 7728, 7741, 7749	11558, 15460,
\@fourcol@footgroupv@r	\@g@tnextcol .. . 15802	15475, 15485,
..... 12725, 12750	\@getcirc .. . 15647	20424, 20440,
\@fourcollTRfootfmt	\@gnewline ... 20273,	20447, 20457,
.. 12824, 12839,	20286, 20299, 20310	20796, 20812,
12879, 12948, 12962	\@gobble .. 4846, 5356,	20819, 20829,
\@fourcollTRfootnotetext	5380, 5402, 5407,	21012, 21026,
..... 12720, 12817	6123, 6124, 6125,	21036, 21196,
\@fourcolRTLfootfmt	6126, 6127, 6222,	21211, 21221,
.. 12851, 12866,	6237, 6252, 6298,	24174, 24209,
12882, 12975, 12989	6312, 6324, 6336,	24598, 24622, 24710
\@fourcolRTLfootnotetext	7217, 8777, 8842,	
..... 12721, 12844	15863, 15864,	



\@hintcolour ..	5103, 5119	
\@holdpg	10272, 10289,	23928, 23929,
10292,	10309,	23931, 26129, 26130
10400,	10433, 10435	.\.\.\. 10535, 10554
\@hyper@launch ..	17686	\@lastvipertrue .. .
\@idxitem	102, 107, 232,	.\.\.\. 10535, 10554
237, 644, 659, 908,	5454, 5457, 5462,	\@latex@error .. . 5335,
1160, 8568, 8575,	5465, 5470, 5473,	19140, 19393, 19399
9211, 9388, 9599,	5478, 5481, 7948,	\@latex@warning .. .
17881, 17886,	8431, 8439, 8554,	.\.\.\. 95, 308,
20381, 20636,	8556, 8561, 8651,	629, 761, 1024,
21096, 24152, 26608	8668, 9950, 9957,	1274, 2676, 5253,
\@ifclassloaded .. .	16012, 18054,	9296, 9484, 9796,
6819, 6845, 7139,	18065, 18128,	11357, 11631,
7145, 7208, 8617, 8619	18130, 18135,	15532, 17873,
\@ifdefinable ..	19867, 20355,	20489, 20883,
5614, 5617, 5620, 5635,	24393, 24397,	21080, 21283,
5878, 5893, 16019	24473, 24495,	21823, 21830,
\@ifempty ..	24496, 24544,	22584, 22591,
7, 212, 17909	24545, 24632,	23349, 23356, 24096
\@ifnextchar .. .	24654, 24655,	\@latex@warning@no@line
163, 4814, 4844, 4859,	24939, 24962,	.\.\.\. 10528, 10546, 26455
5868, 7799, 7843,	25016, 25076,	\@latexbug .. . 26441
7887, 9948, 9963,	25125, 25142, 25172	\@latexerr .. .
16094, 16103,	\@ifundefinedmodel	.\.\.\. 16686, 16696, 16706
16265, 16280,	.\.\.\. 25732, 25766	\@leftcolumn .. . 10137,
16298, 16304,	\@ifxempty 25792	10163, 10200,
16858, 17600,	\@ignoretrue .. . 2235, 9835	10222, 10275,
17624, 19560,	\@iiiminipage .. . 16228	10280, 15680,
19759, 19779,	\@iiiparbox	15701, 15716,
25699, 25742,	. 12092, 16259, 25994	15737, 16547,
25936, 26368, 26412	\@indextitlestyle .. .	16575, 16596,
\@ifpackagelater .	.\.\.\. 100, 230, 17879	16628, 19171,
\@ifpackageloading ..	\@inlabelfalse .. .	19230, 19243,
.\.\.\. 6858, 6888,	9802	19271, 19330,
6930, 7091, 7176,	\@insertfalse .. .	19339, 26208,
7180, 7706, 7711,	10257	26234, 26255, 26277
7764, 11257, 11258	\@inserttrue .. .	\@let@token .. . 5393, 5396
\@ifpackagewith 197,	10523	\@listI 7254
201, 203, 205,	\@iprintcites .. .	\@listdepth .. . 16078,
10091, 18016,	20265	16244, 16513,
18019, 18022,	\@itemdepth .. .	16517, 21444,
18029, 20358,	2596,	22183, 22956,
20361, 23700,	2616, 2617, 2618	25948, 25951, 25956
23711, 23718, 24100	\@itemfudge	\@listi .. . 7254, 7262, 8472
\@ifstar ..	26489, 26491	\@lowertitleback ..
5985, 7556,	\@itemlabel\.\.\. 21616, 21627,
11261, 11887,	25957	21639, 21674,
12152, 12177,	\@lastchclass .. .	21754, 22356,
12451, 12476,	363,	22367, 22379,
12738, 12763,	364, 365, 366, 368,	22414, 22494,
13037, 13062,	1419, 1420, 1421,	23129, 23140,
13336, 13361,	1422, 1424, 1463,	23152, 23187, 23267
13635, 13660,	1464, 1476, 1484,	\@lowpenalty .. . 4790, 25248
13934, 13959,	23926, 23927,	\@m .. . 93, 306, 627, 759,
14233, 14258,		1022, 1272, 2674,



9294, 9482, 9794, 11355, 11629, 15530, 16548, 16550, 16597, 16599, 17871, 19680, 20487, 20881, 21078, 21281, 21819, 22580, 23345, 24094	848, 1035, 1098, 1285, 1350, 2298, 2348, 4619, 8107, 8146, 8164, 8182, 9327, 9504, 9646, 11407, 11504, 15574, 16134, 16151, 16167, 16195, 16210, 16225, 16770, 19027, 20511, 20576, 20650, 20717, 20913, 20956, 21142, 21434, 21461, 21464, 22173, 22200, 22203, 22946, 22973, 22976	20594, 20604, 20721, 20723, 20728, 20737, 20747, 20965, 20967, 20972, 20981, 20991, 21147, 21149, 21154, 21163, 21173, 21701, 21715, 21730, 21742, 22441, 22455, 22470, 22482, 23214, 23228, 23243, 23255
\@mainmatterfalse 8804, 8834, 9776, 11611		\@maketitle@hook 118, 17933
\@mainmattertrue 8801, 8817		\@makewincaption . 19964
\@makeLTrfntext 2280, 2332, 2380		\@marbox 7795, 7797, 7801, 7805,
\@makeRTLfntext 2275, 2315, 2364		7806, 7839, 7841, 7845, 7849, 7850, 7883, 7885, 7889, 7893, 7894, 26364,
\@makecaption . 7551, 9896, 19077, 19127, 19159, 21909, 21941, 22670, 22702, 23435, 23467, 26583	\@makefrontispiece .. 21698, 21712, 21727, 22438, 22452, 22467, 23211, 23225, 23240	26366, 26370, 26374, 26375, 26408, 26410, 26414, 26418, 26419, 26440, 26450, 26453, 26461, 26463, 26464, 26466, 26467, 26468, 26477, 26481, 26482
\@makechapterhead . . 311, 9553, 9748, 11582, 15488, 20256, 21244, 24117	\@makeschapterhead 9207, 9384, 9573, 9594, 9762, 11597, 15500, 20377, 20632, 21091, 21256, 24123, 24128	\@mathmargin .. 11213, 11220, 11228, 11235
\@makecol 15411, 15412, 16672, 16682, 18288, 18306, 26300		\@maxdepth ... 15363, 15378, 15399, 15410, 16763, 26305, 26321, 26332
\@makeextratitle . . 21692, 21706, 21721, 22432, 22446, 22461, 23205, 23219, 23234	\@makespecialcolbox 15352, 16753	\@memtempa ... 19077, 19079, 19093, 19100, 19104, 19109
\@makefnmark ... 492, 846, 1348, 2277, 2282, 4618, 8109, 8120, 9645, 10789, 10810, 11406, 11503, 15573, 17896, 19025, 20574, 20715, 20911, 20954, 21141, 21563, 21564, 21684, 21685, 22303, 22304, 22424, 22425, 23076, 23077, 23197, 23198	\@maketitle ... 120, 326, 330, 498, 500, 505, 514, 524, 852, 854, 859, 866, 876, 1104, 1106, 1111, 1118, 1128, 1354, 1356, 1361, 1368, 1378, 4622, 4628, 9651, 9653, 9658, 9667, 9677, 11412, 11414, 11419, 11426, 11436, 11509, 11511, 11516, 11525, 11535, 15579, 15581, 15586, 15593, 15603, 17935, 19030, 19032, 19039, 20580, 20582, 20587,	\@menubordercolor 17757, 17759 \@menucolor 17768
\@makefntext 45, 59, 75, 258, 272, 287, 493, 783,		\@midlist 15347, 15348, 16749, 16750
		\@minipagefalse 5003, 7816, 7825, 7860, 7869, 7904, 7913, 12089, 16256, 18087, 19133, 26385, 26394, 26429, 26438, 26589



\@minipagerestore	16245		
\@minipagetrue		\@mpSixColRTLfootnotetext
....	7824, 7868,	12145, 12170, 12444, 13355, 13576
7912, 26393, 26437		12469, 12731,	\@mpSixColfootnotetext
\@minus	5170, 5256, 7250,	12756, 13030, 13353, 13507
7252, 7259, 7261,	13055, 13329,	\@mpTenColLTRfootnotetext	
7263, 7264, 8469,	13354, 13628, 14550, 14745	
8471, 8473, 8474,	13653, 13927,	\@mpTenColRTLfootnotetext	
16427, 16465,	13952, 14226, 14551, 14772	
19677, 22098,	14251, 14525,	\@mpTenColfootnotetext	
22116, 22126,	14550, 14867, 14549, 14703	
22136, 22147,	14920, 14974,	\@mpThreeColLTRfootnotetext	
22869, 22889,	15025, 16198, 12469, 12655	
22899, 22909,	16242, 17303,	\@mpThreeColRTLfootnotetext	
22920, 23634,	17318, 17341, 12470, 12680	
23654, 23664,	17405, 18423, 23981	\@mpThreeColfootnotetext	
23674, 23685, 23733		\@mpNineCollTRfootnotetext 12468, 12615
\@mkboth 612, 640, 656, 747, 14251, 14446	\@mpTwoCollTRfootnotetext
905, 1010, 1157,		\@mpNineColRTLfootnotetext 12170, 12365
1260, 2209, 9208, 14252, 14473	\@mpTwoColRTLfootnotetext	
9282, 9385, 9470,	\@mpNineColfootnotetext 12171, 12392	
9595, 9779, 11343, 14250, 14404	\@mpTwoColfootnotetext	
11614, 15518,	\@mpParaLTRfootnotetext 12169, 12323	
20378, 20475,	. 14920, 15025, 15250	\@mparbottom	
20633, 20869,	\@mpParaRTLfootnotetext 26451, 26459,	
21063, 21092, 21266 14921, 15279	26460, 26461, 26462	
\@mklab 25958	\@mpParafootnotetext	
\@mkpream	. 409, 18195, 14919, 15023, 15206	
23799, 23831, 26113 2352, 11680,	\@mpRTLfootnotetext	
\@mobile	11699, 11700, 12092, 16234, 16259	
\@modernpoem	11847, 11877,	\@mparswitchfalse	
.. 9125, 9169	11885, 12146, 7233	
\@mpEightCollTRfootnotetext	12171, 12445,	\@mparswitchtrue	
.... 13952, 14147	12470, 12732, 7228	
\@mpEightColRTLfootnotetext	12757, 13031,	\@mpweightcol@LTRfootgroupv@l	
.... 13953, 14174	13056, 13330, 13933, 13958	
\@mpEightColfootnotetext	13355, 13629,	\@mpweightcol@footgroupv@r	
.... 13951, 14105	13654, 13928, 13931, 13956	
\@mpFiveCollTRfootnotetext	13953, 14227,	\@mpweightcollTRfootnotetext	
.... 13055, 13250	14252, 14526, 13927, 14134	
\@mpFiveColRTLfootnotetext	14551, 14868,	\@mpweightcolRTLfootnotetext	
.... 13056, 13277	14921, 14975, 13928, 14161	
\@mpFiveColfootnotetext	15026, 16183,	\@mpweightcolfootnotetext	
.... 13054, 13208	16243, 17292, 13926, 14081	
\@mpFourCollTRfootnotetext	17317, 17330,	\@mpfivecol@LTRfootgroupv@l	
.... 12756, 12951	17406, 18424, 23982 13036, 13061	
\@mpFourColRTLfootnotetext		\@mpfivecol@footgroupv@r	
.... 12757, 12978	\@mpSevenCollTRfootnotetext 13034, 13059	
\@mpFourColfootnotetext 13653, 13848	\@mpfivecolLTRfootnotetext	
.... 12755, 12909	\@mpSevenColRTLfootnotetext 13030, 13237	
\@mpLTRfootnotetext 13654, 13875	\@mpfivecolRTLfootnotetext	
... 2368, 11679,	\@mpSevenColfootnotetext 13031, 13264	
11697, 11698, 13652, 13806	\@mpfivecolfootnotetext	
11835, 11876,	\@mpSixCollTRfootnotetext 13029, 13184	
 13354, 13549	\@mpfn	
		2394, 2420, 2446,	
		4884, 4887, 4890,	
		4906, 4914, 4922,	
		8204, 8210, 8233,	
		8239, 8262, 8268,	



9064, 9067, 9070, 9084, 9091, 9098, 16094, 16099, 16103, 16108, 16240, 16270, 16285, 17278, 17289, 17300, 17500, 17531, 17562, 17625, 18419, 23913, 23920	13551, 13552, 13577, 13787, 13794, 13808, 13816, 13823, 13836, 13837, 13850, 13851, 13876, 14086, 14093, 14107, 14115, 14122, 14135, 14136, 14149, 14150, 14175, 14385, 14392, 14406, 14414, 14421, 14434, 14435, 14448, 14449, 14474, 14684, 14691, 14705, 14713, 14720, 14733, 14734, 14747, 14748, 14773, 15186, 15193, 15208, 15216, 15223, 15237, 15238, 15252, 15253, 15280	13792, 13810, 13814, 13821, 13849, 13863, 13864, 13877, 13878, 14084, 14091, 14109, 14113, 14120, 14148, 14162, 14163, 14176, 14177, 14383, 14390, 14408, 14412, 14419, 14447, 14461, 14462, 14475, 14476, 14682, 14689, 14707, 14711, 14718, 14746, 14760, 14761, 14774, 14775, 15184, 15191, 15210, 15214, 15221, 15251, 15266, 15267, 15281, 15282
\@mpfootins . . . 2338, 2339, 2354, 2355, 2370, 2371, 11811, 11812, 11824, 11825, 11836, 11837, 11848, 11849, 11861, 11862, 12005, 12006, 12008, 12009, 12082, 12084, 12087, 12112, 12114, 16185, 16186, 16200, 16201, 16215, 16216, 16250, 16251, 16254, 18408, 18413	\@mpfootinsv@r 12073, 12111, 12112, 12302, 12309, 12327, 12331, 12338, 12366, 12380, 12381, 12394, 12395, 12595, 12602, 12619, 12623, 12630, 12656, 12669, 12670, 12682, 12683, 12888, 12895, 12913, 12917, 12924, 12952, 12966, 12967, 12980, 12981, 13187, 13194, 13212, 13216, 13223, 13251, 13265, 13266, 13279, 13280, 13486, 13252, 13253, 13278, 13488, 13495, 13509, 13517, 13524, 13537, 13538,	\@mpfootnotetext 2336, 11678, 11695, 11696, 11810, 11875, 11883, 12144, 12169, 12443, 12468, 12730, 12755, 13029, 13054, 13328, 13353, 13627, 13652, 13926, 13951, 14225, 14250, 14524, 14549, 14866, 14919, 14970, 14972, 15021, 15023, 16213, 16241, 17281, 17316, 17319, 17404, 18422, 23978, 23980
\@mpfootinsv@l 11823, 11860, 12074, 12113, 12114, 12304, 12311, 12325, 12333, 12340, 12353, 12354, 12367, 12368, 12393, 12597, 12604, 12617, 12625, 12632, 12644, 12645, 12657, 12658, 12681, 12890, 12897, 12911, 12919, 12926, 12939, 12940, 12953, 12954, 12979, 13189, 13196, 13210, 13218, 13225, 13238, 13239, 13252, 13253, 13278, 13488, 13495, 13509, 13517, 13524, 13537, 13538,	\@mpfourcol@LTRfootgroupv@l . . . 12737, 12762 \@mpfourcol@footgroupv@r . . . 12735, 12760 \@mpfourcolLTRfootnotetext . . . 12731, 12938 \@mpfourcolRTLfootnotetext . . . 12732, 12965 \@mpfourcolfootnotetext	\@mpfourcol@LTRfootgroupv@l . . . 12737, 12762 \@mpfourcol@footgroupv@r . . . 12735, 12760 \@mpfourcolLTRfootnotetext . . . 12731, 12938 \@mpfourcolRTLfootnotetext . . . 12732, 12965 \@mpfourcolfootnotetext



..... 12730, 12885	\@mpthreecol@LTRfootgroupv@l	14535, 14536,
\@mplistdepth 16078, 16244 12450, 12475	14787, 14793,
\@mpninecol@LTRfootgroupv@r	\@mpthreecol@footgroupv@r	14799, 14804,
..... 14232, 14257 12448, 12473	14847, 14848,
\@mpninecol@footgroupv@r	\@mpthreecol@LTRfootnotetext	14900, 14901,
..... 14230, 14255 12444, 12643	14953, 15004,
\@mpninecol@LTRfootnotetext	\@mpthreecol@RTLfootnotetext	15295, 15306,
..... 14226, 14433 12445, 12668	15322, 15331,
\@mpninecol@RTLfootnotetext	\@mpthreecol@footnotetext	15340, 18346,
..... 14227, 14460 12443, 12592	24408, 24447,
\@mpninecol@footnotetext	\@mptwo@col@LTRfootgroupv@l	24448, 24449,
..... 14225, 14380 12151, 12176	24450, 24451,
\@mppara@LTRfootgroupv@l	\@mptwo@col@footgroupv@r	24452, 24453,
..... 14873, 12149, 12174	24454, 24455,
14926, 14978, 15029	\@mptwo@col@LTRfootnotetext	24456, 24474,
\@mppara@footgroupv@r 12145, 12352	24475, 24476,
..... 14872, 14925	\@mptwo@col@RTLfootnotetext	24477, 24478,
\@mppara@LTRfootnotetext 12146, 12379	24479, 24480,
. 14867, 14974, 15236	\@mptwo@col@footnotetext	24481, 24482,
\@mppara@RTLfootnotetext 12144, 12299	24497, 24498,
..... 14868, 15265	\@namedef 9122, 12094,	24499, 24500,
\@mppara@footnotetext	12130, 12131,	24502, 24503,
. 14866, 14972, 15181	12155, 12156,	24505, 24508,
\@mpsevencol@LTRfootgroupv@l	12407, 12413,	24511, 24519,
..... 13634, 13659	12419, 12424,	24520, 24522,
\@mpsevencol@footgroupv@r	12429, 12430,	24525, 24528,
..... 13632, 13657	12454, 12455,	24541, 24546,
\@mpsevencol@LTRfootnotetext	12694, 12700,	24547, 24548,
..... 13628, 13835	12706, 12711,	24550, 24551,
\@mpsevencol@RTLfootnotetext	12716, 12717,	24553, 24556,
..... 13629, 13862	12741, 12742,	24559, 24567,
\@mpsevencol@footnotetext	12993, 12999,	24568, 24570,
..... 13627, 13782	13005, 13010,	24573, 24576,
\@mpsixcol@LTRfootgroupv@l	13015, 13016,	24588, 24633,
..... 13335, 13360	13040, 13041,	24634, 24635,
\@mpsixcol@footgroupv@r	13292, 13298,	24636, 24637,
..... 13333, 13358	13304, 13309,	24638, 24639,
\@mpsixcol@LTRfootnotetext	13314, 13315,	24640, 24641,
..... 13329, 13536	13339, 13340,	24656, 24657,
\@mpsixcol@RTLfootnotetext	13591, 13597,	24658, 24659,
..... 13330, 13563	13603, 13608,	24661, 24662,
\@mpsixcol@footnotetext	13613, 13614,	24664, 24667,
..... 13328, 13483	13638, 13639,	24670, 24678,
\@mpcol@LTRfootgroupv@l	13890, 13896,	24679, 24681,
..... 14531, 14556	13902, 13907,	24684, 24687,
\@mpcol@footgroupv@r	13912, 13913,	24700, 24940,
..... 14529, 14554	13937, 13938,	24941, 24942,
\@mpcol@LTRfootnotetext	14189, 14195,	24943, 24944,
..... 14525, 14732	14201, 14206,	24945, 24946,
\@mpcol@RTLfootnotetext	14211, 14212,	24947, 24948,
..... 14526, 14759	14236, 14237,	24987, 24993,
\@mpcol@footnotetext	14488, 14494,	25000, 25006,
..... 14524, 14679	14500, 14505,	25013, 25017,
	14510, 14511,	25018, 25019,



25020,	25022,	15296,	15303,	2369, 2617, 4374,
25023,	25025,	15307,	15314,	4379, 4380, 4381,
25028,	25031,	15323,	15328,	4959, 5261, 5289,
25039,	25040,	15332,	15337,	5324, 5649, 5703,
25042,	25045,	15808,	21614,	5757, 6479, 6638,
25048,	25073,	21949,	22354,	6709, 6770, 9650,
25077,	25078,	22710,	23127,	10102, 11411,
25079,	25081,	23475,	24135,	11508, 11969,
25082,	25084,	24409,	24410,	12017, 12032,
25087,	25090,	24411,	24414,	12057, 15578,
25098,	25099,	24417,	24422,	16184, 16199,
25101,	25104,	24423,	24428,	16214, 16527,
25107,	25127,	24432,	24433,	17633, 17634,
25130,	25134,	24435,	24436,	17639, 18042,
25174,	25177, 25181	24438,	24439,	18049, 18058,
\@nameuse 9120,				
11143,	11193,	24441,	24442,	18069, 18199,
11196,	11242,	24444,	24445,	19029, 19106,
12410,	12411,	24452,	24457,	19369, 19758,
12416,	12417,	24458,	24541,	19778, 20579,
12421,	12422,	24588,	24592,	20720, 20917,
12426,	12427,	24593,	24605,	20960, 20964,
12697,	12698,	24615,	24616,	21146, 21444,
12703,	12704,	24700,	24704,	21471, 21473,
12708,	12709,	24705,	24726,	21688, 21855,
12713,	12714,	24742,	24745,	22183, 22210,
12715,	12716,	24746,	24750,	22212, 22428,
12716,	12717,	24756,	24757,	22616, 22956,
12996,	12997,	24758,	24762,	22983, 22985,
13002,	13003,	24765,	24769,	23201, 23381,
13007,	13008,	24771,	24785,	23861, 23865,
13012,	13013,	24787,	24789,	23926, 23935,
13295,	13296,	24795,	24813,	23942, 24249,
13301,	13302,	24814,	24816,	24592, 24593,
13306,	13307,	24817,	24827,	24704, 24705,
13311,	13312,	24829,	24832,	24934, 25648,
13594,	13595,	24833,	24835,	25795, 25951,
13600,	13601,	24837,	24838,	25992, 26027,
13605,	13606,	24846,	24848,	26029, 26030,
13610,	13611,	24852,	24853,	26031, 26036,
13893,	13894,	24857,	24861,	26038, 26039,
13899,	13900,	24865,	24866,	26040, 26045,
13904,	13905,	24934,	24967,	26047, 26048,
13909,	13910,	24974,	24979,	26049, 26054,
14192,	14193,	24980,	24987,	26056, 26057,
14198,	14199,	25066,	25073,	26058, 26132,
14203,	14204,	25144,	25211,	26134, 26177, 26441
14208,	14209,	25734,	25768, 26513	\@newlistfalse
14491,	14492,			
14497,	14498,	\@ne 137,		
14502,	14503,	142,	363, 372, 375,	\@next 4949,
14507,	14508,	497,	851, 1103,	7794, 7795, 7838,
14790,	14791,	1353,	1419, 1428,	7839, 7882, 7883,
14796,	14797,	1431,	1432, 1433,	26363, 26364,
14801,	14802,	1466,	1469, 1470,	26407, 26408, 26440
14806,	14807,	1471,	2337, 2353,	\@nextchar 369,



371, 372, 373, 375, 376, 377, 378, 379, 382, 383, 384, 1425, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 1436, 1437, 1440, 1441, 1442, 1454, 1456, 1457, 1522, 1523, 1524, 9921, 9922, 9923, 23932, 23934, 23935, 23936, 23937, 23938, 23939, 23940, 23942, 23943, 23944, 23945, 23946, 23949, 23950, 23951 \@nil 1507, 1508, 1510, 1511, 9910, 10832, 10889, 24047 \@ninecol@LTRfootgroupv@1 14224, 14249 \@ninecol@footgroupv@r 14220, 14245 \@ninecolLTRfootfmt . . . 14319, 14334, 14374, 14443, 14457 \@ninecolLTRfootnotetext 14215, 14312 \@ninecolRTLfootfmt . . . 14346, 14361, 14377, 14470, 14484 \@ninecolRTLfootnotetext 14216, 14339 \@ninecolfootfmt 14273, 14303, 14371, 14401, 14430 \@ninecolfootnotetext 14214, 14260 \@nmbrlistfalse . . 25959 \@nobreakfalse . . 558, 713, 957, 1196, 9246, 9423, 9710, 11567, 15470, 20434, 20806, 21021, 21206, 24196, 24200, 24735 \@nobreaktrue . . 557, 712, 956, 1195, 9245, 9422, 9709, 11566, 15469, 20433, 20805, 21020, 21205,	24195, 24199, 24734 \@nocnterr 341 \@nocounterr 340 \@nodocument 4928 \@noitemerr 95, 308, 628, 760, 1023, 1273, 2675, 5253, 9295, 9483, 9795, 11356, 11630, 15531, 17873, 19687, 20488, 20882, 21079, 21282, 21822, 21829, 22583, 22590, 23348, 23355, 24095 \@nonlatinfalse 4136, 4247, 18076, 18120 \@nonlatintrue . 4137, 4248, 18076, 18120 \@normalLTRfootfmt . . 11728, 11807, 11845 \@normalRTLfootfmt . . 11722, 11776, 11792, 11857, 11870 \@normalcr 18375 \@normalfootfmt 11716, 11745, 11761, 11820, 11833 \@notprerr . . . 6222, 6237 \@nx 124, 125, 344, 17939, 17940 \@nxtpcol 15800, 15802, 15843 \@oddfoot 2181, 2186, 2222, 2227, 4588, 15813, 15820, 26516, 26533 \@oddhead . . 2105, 2185, 2210, 2227, 15812, 15819, 26516, 26532 \@oldmakefnmark 21563, 21564, 21684, 21685, 22303, 22304, 22424, 22425, 23076, 23077, 23197, 23198 \@onelevel@sanitize 4931 \@onlypreamble 4360, 14840, 14841, 14845, 15443 \@openbib@code 619, 754, 1017, 1267, 5246, 5257,	9289, 9477, 9786, 11350, 11621, 15525, 20482, 20876, 21070, 21273, 21805, 22566, 23331, 24086 \@otarlinesep 23821, 23827 \@outerparskip . . . 9163 \@outputbox 10137, 10140, 10141, 10155, 10167, 10172, 10174, 10200, 10203, 10204, 10218, 10228, 10231, 10233, 15354, 15356, 15357, 15362, 15377, 15379, 15393, 15403, 15680, 15683, 15696, 15705, 15716, 15719, 15733, 15743, 15825, 15830, 15877, 16547, 16554, 16555, 16571, 16581, 16596, 16603, 16604, 16620, 16632, 16671, 16683, 16717, 16719, 16730, 16755, 16758, 16759, 18313, 18315, 18317, 19171, 19174, 19175, 19205, 19230, 19233, 19235, 19247, 19271, 19274, 19275, 19305, 19330, 19333, 19335, 19345, 19824, 19827, 19832, 26208, 26211, 26212, 26226, 26238, 26255, 26258, 26259, 26273, 26283, 26302, 26304, 26318, 26320, 26331, 26560 \@outputdblcol 15799,
--	--	---



\@outputpage	26296, 26297, 26298 .. 10180, 10184, 10239, 10243, 15708, 15711, 15746, 15750, 15827, 15831, 15836, 15847, 16584, 16588, 16637, 16641, 18289, 18307, 19253, 19258, 19350, 19355, 19816, 19817, 26243, 26247, 26286, 26290, 26497	15177, 15276, 15291 \@paraRTLfootnotetext 14852, 15139	26382, 26426, 26503 \@parboxto . 26013, 26020
\@ovbtrue	15636	\@parafootfmt	\@parboxto
\@ovdx	15649, 15657	15069, 15100, 15169, 15203, 15233	4947, 7791, 7835, 7879, 26360, 26404
\@ovdy	15650, 15658	\@parafootnotetext . 14850, 14958, 15054	\@part 588, 11314
\@ovhorz	15655, 15656	\@parboxrestore . 42,	\@pboxswfalse 16230, 25996
\@ovltrue	15636	56, 72, 255, 269, 284, 2294, 2311, 2328, 2344, 2360, 2376, 4998, 7545, 7813, 7857, 7901, 9840, 11816, 11829, 11841,	\@pboxswtrue 26018
\@ovri	15648	11853, 11866, 11967, 12316, 12345, 12358, 12372, 12385, 12399, 12609, 12637, 12649, 12662, 12674, 12687, 12902, 12931, 12944, 12958, 12971,	\@pdfm@mark
\@ovro	15648, 15657, 15658	12985, 13201, 13230, 13243, 13257, 13270, 13284, 13500, 13529, 13542, 13556, 13569, 13583, 13799, 13828, 13841, 13855, 13868, 13882, 14098, 14127, 14140, 14154, 14167, 14181, 14397, 14426, 14439, 14453, 14466, 14480, 14696, 14725, 14738, 14752, 14765, 14779, 15198, 15228, 15242, 15257, 15271, 15286, 15301, 15312, 15852, 16129, 16146, 16162, 16191, 16206, 16221, 16239, 19154, 19368, 26010,	17641, 17657, 17691, 17722, 17751, 17795, 17800, 17811, 17816, 17827, 17833, 17844, 17850
\@ovrtrue	15636		\@pd fremotestartview 17672
\@ovttrue	15636		\@phone 5131, 10664, 10762
\@ovvert	15653, 15654		\@photo . . 5136, 10637, 10639, 10768, 10770
\@ovxx	15638, 15639, 15642, 15649, 15654, 15655, 15659, 15660		\@photowidth . . . 5135, 5136, 10639, 10735
\@ovyy	15640, 15641, 15642, 15650, 15656		\@pkgextension . . .
\@pagedp	26469, 26479	 6860, 6892, 6898, 7056, 7059, 7077
\@pageht	10261, 10267, 15419, 15420, 15421, 26452, 26459		\@plus 24,
\@par	24869		103, 233, 548, 565, 643, 658, 687, 690, 703, 721, 728, 907, 914, 917, 930, 947, 965, 1159, 1170, 1173, 1186, 1204, 1212, 5170, 5256, 7250, 7251, 7252, 7259, 7260, 7261, 7263, 7264, 8469, 8470, 8471, 8473, 8474, 8540, 9210, 9221, 9224, 9237, 9253, 9260, 9387, 9398, 9401, 9414, 9430, 9437, 9598, 9701, 9716, 11290, 11304, 11559, 15171, 15175, 15179, 15461, 15476, 16427, 16465, 17882, 17902, 19420, 19432, 19677, 20380, 20409, 20412, 20425, 20441, 20448, 20635, 20781,
\@para@LTRfootgroupv@l			
..... 14864, 14917, 14967, 15018			
\@para@footgroupv@r			
..... 14858, 14911			
\@para@footstartv@l			
..... 14865, 14918, 14968, 15019			
\@para@footstartv@r			
..... 14859, 14912			
\@paraLTRfootfmt . .			
.. 15118, 15134, 15173, 15247, 15262			
\@paraLTRfootnotetext			
. 14851, 14960, 15109			
\@paraRTLfootfmt . .			
.. 15148, 15164,			



20784,	20797,	11308,	11310,	13134,	13146,
20813,	20820,	11561,	11562,	13161,	13372,
21013,	21027,	11564,	15464,	13402,	13418,
21095,	21197,	15465,	15467,	13433,	13445,
21212,	21501,	15479,	15480,	13460,	13671,
21508,	21517,	15484,	17915,	13701,	13717,
21580,	21606,	17917,	19440,	13732,	13744,
21651,	22062,	20428,	20429,	13759,	13970,
22080,	22098,	20431,	20451,	14000,	14016,
22099,	22116,	20452,	20456,	14031,	14043,
22117,	22126,	20800,	20801,	14058,	14269,
22127,	22136,	20803,	20823,	14299,	14315,
22147,	22241,	20824,	20828,	14330,	14342,
22248,	22257,	21015,	21016,	14357,	14568,
22320,	22346,	21018,	21030,	14598,	14614,
22391,	22824,	21031,	21035,	14629,	14641,
22843,	22869,	21200,	21201,	14656,	15064,
22870,	22889,	21203,	21215,	15095,	15113,
22890,	22899,	21216,	21220,	15129,	15143, 15159
22900,	22909,	24054,	24063,	\@preamfourfmt	12871,
22920,	23014,	24065,	24458,	12877,	12880, 12883
23021,	23030,	24607,	24608,	\@preamninefmt	14366,
23093,	23119,	24620,	24719,	14372,	14375, 14378
23164,	23589,	24720,	24729,	\@preamnormalfmt
23608,	23634,	24993,	25000,	11712,	
23635,	23654,	25346,	25451, 26157	11717,	11723, 11729
23655,	23664,	\@preamble 411,	\@preamsevenfmt	13768,
23665,	23674,	417,	430, 441,	13774,	13777, 13780
23685,	23732,	1479,	1487, 18206,	\@preamsixfmt	. 13469,
23998,	24027,	23800,	23802,	13475,	13478, 13481
24151,	24428,	23809,	23839,	\@preamtentfmt	. 14665,
24596,	24599,	23840,	23848,	14671,	14674, 14677
24603,	24708,	26114,	26116, 26125	\@preamthreefmt	12578,
24711,	24715,	\@preameightfmt	14067,	12584,	12587, 12590
24790,	25127,	14073,	14076, 14079	\@preamtwofmt	. 12285,
25130,	25134,	\@preamerr	12291,	12294, 12297
25255,	25439, 26145	23952,	26123, 26136	\@printcites
\@pnumwidth	.. 13, 15,	\@preamfivefmt	13170,	\@publisher	.. 8632, 8685
218,	220, 551, 552,	13176,	13179, 13182	\@publishers	.. 21607,
554,	568, 569, 573,	11756,	11771,	21752,	22347,
706,	707, 709, 731,	11787,	11802,	22492,	23120, 23265
732,	736, 933, 934,	11962,	12188,	\@quote	.. 5137, 10643,
938,	950, 951, 953,	12218,	12234,	10645,	10772, 10774
1189,	1190, 1192,	12249,	12261,	\@quotebox
1215,	1216, 1220,	12276,	12487,	\@quotecolour
9240,	9241, 9243,	12516,	12531,	... 5099, 5116, 5226	
9263,	9264, 9268,	12545,	12556,	\@rcmomsize
9417,	9418, 9420,	12570,	12774,	\@raggedtwoe@abdhook	
9440,	9441, 9445,	12804,	12820,	. 20341, 20346, 20356	
9704,	9705, 9707,	12835,	12847,	\@raggedtwoe@document@opt	
9719,	9720, 9724,	12862,	13073,	. 20340, 20344, 20362	
9985,	9990, 9991,	13103,	13119,		
11293,	11294,				
11298,	11307,				



\@raggedtwoe@everyselectfont	17877, 20373, 20280, 20293, 20306, 20317	\@setfontsize
\@raggedtwoe@footmisctrue	\@resumename .. 5069, 5125 20343	\@revlabeltrue .. 784, 1036, 1286, 9328, 9505, 20512, 20651
\@raggedtwoe@gnewline 20273, 20286, 20299	\@rightcolumn .. 19197, 19202, 19203, 19212, 19213, 19221, 19225,
\@raggedtwoe@raggedrightboxes@opt	20319, 20338, 20342, 20359	19231, 19297, 19302, 19303, 19312, 19313, 19321, 19325, 19331
\@raggedtwoe@saved@gnewline 20310	\@rights skip .. 18371, 20275, 20276, 20288, 20289, 20301, 20302, 20312, 20313, 26061
\@raggedtwoe@savedcr 20270, 20283, 20296, 20309	\@rjfieldfalse .. 26487 \@runbordercolor 17697, 17699
\@raggedtwoe@spaceskipfalse 20316	\@runcolor .. 17713 \@s0@size .. 23834 \@sarray .. 23793 \@savemarbox .. 26481
\@raggedtwoe@spaceskiptrue 20279, 20292, 20305	\@secondoftwo .. 4225, 4231, 4237, 5497, 5501, 5509, 5513, 5521, 5525, 5531, 5539, 5552, 5561, 5570, 5579, 5585, 5588, 5599, 5604, 5611, 5991, 6001, 6002, 6003, 6004, 6010, 6019, 6025, 6049, 6069, 6097, 6149, 6161, 6162, 6171, 15444
\@reinsets 15434	\@secpenalty .. 5, 210, 547, 564, 702, 720, 727, 929, 946, 964, 1185, 1203, 1211, 11289, 11303, 17907, 24039, 24176, 24231, 24595, 24602, 24707, 24714
\@resetdyn@mics	.. 15838	\@sectiontitlecolour 5100, 5117
\@resetst@tics	.. 15837	\@seesize .. 23831, 23834
\@restonecolfalse	.. 98, 228, 633, 649, 898, 1150, 9201, 9378, 9588, 17877, 20371, 20626, 21085, 24109	\@setcol .. 15844 \@setcolbox 15805, 15841 \@setcopyright 112, 17927
\@restonecoltrue	... 98, 228, 635, 651, 900, 1152, 9203, 9380, 9590,	\@setfpssbit
	 4963, 4966, 4969
		\@setmarks ... 10147, 10149, 10179, 10210, 10212, 10238, 15689, 15691, 15708, 15725, 15727, 15745, 16561, 16563, 16583, 16610, 16612, 16636, 19181, 19183, 19252, 19281, 19283, 19349, 26218, 26220, 26242, 26265, 26267, 26285
		\@setminipage .. 7547, 16246, 16521, 19156
		\@setpar .. 20914, 20957, 21467, 21478, 22206, 22218, 22979, 22991
		\@settab .. 9130
		\@sevencol@LTRfootgroupv@l 13626, 13651
		\@sevencol@footgroupv@r 13622, 13647
		\@sevencollTRfootfmt .. 13721, 13736, 13776, 13845, 13859
		\@sevencolLTRfootnotetext 13617, 13714
		\@sevencolRTLfootfmt .. 13748, 13763, 13779, 13872, 13886
		\@sevencolRTLfootnotetext 13618, 13741
		\@sevencolfootfmt 13675, 13705, 13773, 13803, 13832
		\@sevencolfootnotetext 13616, 13662
		\@sharp .. 423, 1481, 1482, 1483, 1489, 1490, 1491, 18193, 23805, 23840, 23846, 26120
		\@sixcol@LTRfootgroupv@l 13327, 13352



\@sixcol@footgroupv@r	839, 1083, 1085,
..... 13323, 13348	1087, 1091, 1333,
\@sixcolLTRfootfmt	1335, 1337, 1341,
.. 13422, 13437,	2399, 2425, 2451,
13477, 13546, 13560	5291, 5298, 5329,
\@sixcolLTRfootnotetext	5330, 5333, 5453,
..... 13318, 13415	5454, 5457, 5459,
\@sixcolRTLfootfmt	5461, 5462, 5465,
.. 13449, 13464,	5467, 5469, 5470,
13480, 13573, 13587	5473, 5475, 5477,
\@sixcolRTLfootnotetext	5478, 5481, 5483,
..... 13319, 13442	5650, 5660, 5666,
\@sixcolfootfmt ..	5678, 5685, 5691,
.. 13376, 13406,	5704, 5714, 5720,
13474, 13504, 13533	5732, 5739, 5745,
\@sixcolfootnotetext	5758, 5771, 5777,
..... 13317, 13363	5795, 5805, 5811,
\@skip@bove 23825, 23827	12021, 12028,
\@spaces	15637, 16823,
. 23863, 23904, 23909	16824, 16825,
\@spart .. 607, 609, 11333	16826, 16863,
\@specialpagefalse	16866, 16867,
..... 15807, 26513	16873, 16884,
\@specialstyle	16885, 16891,
..... 15808, 26513	16896, 16897,
\@stabarray	16899, 16902,
\@stabular	16959, 16960,
\@star@or@long . 5630,	16961, 16962,
5863, 5887, 5898	17419, 17423,
\@startcolumn	17426, 17438,
\@startdblcolumn ..	17457, 17461,
..... 10183,	17464, 17476,
10185, 10242,	17938, 17941,
10244, 15709,	18271, 18272,
15711, 15749,	18274, 18275,
15750, 15834,	19699, 19700,
15836, 16587,	19701, 19704,
16589, 16640,	19711, 19717,
16642, 19256,	20559, 20561,
19259, 19353,	20563, 20567,
19356, 26246,	20700, 20702,
26248, 26289, 26291	20704, 20708,
\@startfield	21291, 21292,
9172	21334, 21335,
\@startpbox .. 1456,	21466, 21807,
1457, 1522, 1523,	21810, 22205,
1524, 9921, 9922,	22568, 22571,
9923, 18180,	22978, 23333,
18181, 18187,	23336, 23912,
23803, 23841, 26117	23914, 23919,
\@startsection 23, 17901	23921, 25437,
\@starttoc .. 8435, 8443	25454, 25458,
\@stopfield 9137, 9152,	25459, 25460,
9156, 9184, 26487	25469, 25483,
\@stopline .. 9156, 26487	



25659, 25662, 25668, 25672, 25686	25410, 25414, 25418, 25422, 25426, 25430, 25434, 26083, 26084, 26139, 26140, 26141, 26142, 26366, 26410, 26548, 26555, 26556, 26585, 26586, 26590	2558, 2560, 2571, 2573, 3593, 3594, 5031, 5033, 8456, 8457, 9226, 9239, 9261, 9266, 9403, 9416, 9438, 9443, 9702, 9717, 9722, 9933, 9934, 9935, 9983, 9988, 10801, 10802, 10803, 10804, 10822, 10823, 10824, 10825, 10831, 10833, 10834, 10838, 10839, 10840, 10841, 10842, 10850, 10854, 10857, 10858, 10859, 10873, 10874, 10875, 10888, 10890, 10891, 10895, 10896, 10897, 10898, 10899, 10905, 10908, 10911, 10912, 10913, 10925, 10926, 10927, 11143, 11144, 11149, 11150, 11151, 11152, 11153, 11268, 11270, 11272, 11291, 11296, 11306, 14837, 14876, 14877, 14880, 14881, 14887, 14888, 14889, 14890, 14892, 14929, 14930, 14933, 14934, 14940, 14941, 14942, 14943, 14945, 14981, 14982, 14985, 14986, 14992, 14993, 14994, 14995, 14997, 15032, 15033, 15036, 15037, 15043, 15044, 15045, 15046, 15048, 15364,
\@tempb 5329, 5330, 5332, 5333, 16823, 16824, 16864, 16866, 16894, 16896, 16897, 16899, 16902, 19703, 19704, 19710, 19711, 19716, 19717	\@tempc 16865, 16867, 16873 \@tempcnta 1447, 1506, 1507, 1508, 1510, 1511, 2517, 2518, 2520, 4951, 4957, 4959, 4972, 4973, 4979, 4980, 5306, 5308, 5312, 9908, 9910, 10830, 10887, 19783, 19785, 19786, 19792, 19796, 19809, 19865, 19867, 19871, 19874, 19876, 21659, 21661, 22399, 22401, 23172, 23174, 23899, 25245, 25246, 25247, 25266, 25267, 25268, 25270, 25272, 25354, 25355, 25356, 26441, 26443, 26446, 26448, 26450, 26472	\@tempcntb 2528, 2529, 2531, 4977, 4978, 4979, 19784, 19785, 19792, 19796, 19809 \@tempdima 8, 10, 12, 14, 213, 215, 217, 219, 401, 402, 404, 549, 566, 571, 692, 705, 729, 734, 919, 920, 931, 936, 949, 1175, 1188, 1213, 1218, 1501, 1502, 1534, 1535, 1536, 2198, 2515, 2519, 2520, 2532, 2533, 2535,



15366,	15463,	24278,	24291,	14880,	14931,
15477,	15482,	24295,	24308,	14932,	14933,
15649,	15650,	24312,	24325,	14983,	14984,
15653,	15654,	24329,	24343,	14985,	15034,
16233,	16237,	24347,	24362,	15035,	15036,
16758,	16760,	24366,	24382,	15642,	15643,
16882,	16884,	24386,	24417,	15644,	15645,
16889,	16891,	24421,	24605,	15647,	16883,
16892,	16894,	24611,	24717,	16884,	16890,
16907,	16912,	24757,	24761,	16891,	16893,
16917,	16921,	24764,	24768,	16894,	19365,
17910,	17912,	24771,	24773,	19390,	21481,
17914,	17916,	24813,	24816,	21482,	21484,
18175,	18185,	24817,	24821,	21486,	22221,
18190,	19200,	25262,	25264,	22222,	22224,
19204,	19300,	25293,	25296,	22226,	22994,
19304,	19365,	25303,	25306,	22995,	22997,
19390,	19413,	25310,	25315,	22999,	23832,
19425,	19426,	25318,	25330,	23835,	23837,
19437,	19438,	25363,	25365,	25263,	25269,
19787,	20414,	25366,	25369,	25271,	25276,
20427,	20449,	25372,	25376,	25278,	25281,
20454,	20786,	25383,	25385,	25285,	25289,
20799,	20821,	25444,	25445,	25297,	25299,
20826,	20915,	25458,	25460,	25300,	25313,
20916,	20917,	25468,	25475,	25319,	25321,
20958,	20959,	25621,	25622,	25624,	25625,
20960,	21028,	25641,	25652,	25627,	25629,
21033,	21198,	25653,	25654,	25632,	25633,
21213,	21218,	25655,	25667,	25635,	25638,
21336,	21337,	25670,	25676,	25652,	25653,
21468,	21469,	25677,	26009,	25654,	25658,
21471,	21473,	26010,	26150,	25671,	25675,
21479,	21480,	26151,	26451,	25676,	26012, 26013
21484,	21486,	26452,	26453,	\@tempdimc	2527, 2528,
21880,	21881,	26454,	26457,		2536, 2537, 2554,
22207,	22208,	26460,	26463,		2567, 9903, 21465,
22210,	22212,	26465,	26488, 26489		21476, 21477,
22219,	22220,	\@tempdimb			
22224,	22226,	2516,	2517, 2521,		21491, 22204,
22641,	22642,	2524,	2525, 2530,		22216, 22217,
22980,	22981,	2531,	2532, 2533,		22231, 22977,
22983,	22985,	2538,	2541, 2542,		22989, 22990, 23004
22992,	22993,	2544,	2545, 2554,	\@tempskipa . . .	9162,
22997,	22999,	2559,	2560, 2567,		9163, 9164, 11977,
23406,	23407,	2572,	2573, 9902,		11978, 11979,
23832,	23835,	10358,	10378,		12001, 12002,
23837,	23900,	10801,	10802,		12003, 15317, 15318
23959,	23960,	10822,	10823,	\@tempswafalse . . .	
23961,	24186,	10874,	10876,		. . . 1989, 1990,
24190,	24217,	10879,	10926,		10842, 10899,
24221,	24240,	10928,	10931,		11968, 16830,
24244,	24257,	11146,	11149,		21617, 22357,
24261,	24274,	14878,	14879,	\@tempswatrue . .	23130, 25706, 25749
					1989,



10836, 10893, 11970, 21613, 22353, 23126, 26200	20718, 20912, 20919, 20955, 20962, 21141, 21144	11409, 11503, 11506, 11743, 11759, 11774,
\@temptokena 121, 125, 17936, 17940, 19851	\@texttop . . 15355, 16757	11790, 11805,
\@tempx 9064, 9065, 17497, 17509	\@tfor 4952, 15637	11818, 11831,
\@tempxi 9067, 9068, 17528, 17540	\@thanks . . . 471, 479, 507, 515, 816, 822,	11843, 11855,
\@tempxii 9070, 9071, 17559, 17571	861, 867, 1068, 1074, 1113, 1119,	11868, 11907,
\@tempy 4884, 4885	1318, 1324, 1363,	11911, 11913,
\@tempyi 4887, 4888	1369, 4623, 4629,	11919, 11923,
\@tempyii 4890, 4891	9360, 9366, 9537,	11925, 11931,
\@tencol@LTRfootgroupv@l 14523, 14548	9543, 9624, 9632,	11935, 11937,
\@tencol@footgroupv@r 14519, 14544	9660, 9668, 11387,	12190, 12220,
\@tencolLTRfootfmt . . . 14618, 14633, 14673, 14742, 14756	11393, 11421, 11427, 11482,	12236, 12251,
\@tencolLTRfootnotetext 14514, 14611	11490, 11518, 11526, 15554,	12263, 12278,
\@tencolRTLfootfmt . . . 14645, 14660, 14676, 14769, 14783	15560, 15588, 15594, 16261,	12318, 12347,
\@tencolRTLfootnotetext 14515, 14638	16275, 16278,	12360, 12374,
\@tencolfootfmt 14572, 14602, 14670, 14700, 14729	19018, 19041, 20544, 20550,	12387, 12401,
\@tencolfootnotetext 14513, 14559	20589, 20595, 20683, 20691,	12489, 12518,
\@testopt 5865, 5883, 18172, 18173	20730, 20738,	12533, 12547,
\@testpach 362, 1418, 1463, 23925, 26129	20933, 20941, 20974, 20982,	12558, 12572,
\@textbottom . . 15359, 16761, 21501, 21508, 22241, 22248, 23014, 23021	21120, 21128, 21156, 21164,	12611, 12639,
\@textsupserscript 492, 495, 785, 847, 849, 1037, 1101, 1287, 1349, 1351, 4618, 4621, 8107, 8109, 9329, 9506, 9645, 9648, 11406, 11409, 11503, 11506, 15573, 15576, 19025, 20513, 20575, 20577, 20652, 20716,	21610, 21629, 21652, 21733, 21743, 22350, 22369, 22392, 22473, 22483, 23123, 23142, 23165, 23246, 23256	12651, 12664, 12676, 12689, 12776, 12806, 12822, 12837, 12849, 12864, 12904, 12933, 12946, 12960, 12973, 12987, 13075, 13105, 13121, 13136, 13148, 13163, 13203, 13232, 13245, 13259, 13272, 13286, 13374, 13404, 13420, 13435, 13447, 13462, 13502, 13531, 13544, 13558, 13571, 13585, 13673, 13703, 13719, 13734, 13746, 13761, 13801, 13830, 13843, 13857, 13870, 13884, 13972, 14002, 14018, 14033, 14045, 14060, 14100, 14129, 14142, 14156, 14169, 14183, 14271, 14301,
	\@thefnmark . . 44, 58, 74, 257, 271, 286, 492, 495, 785, 847, 849, 1037, 1101, 1287, 1349, 1351, 2296, 2313, 2330, 2346, 2362, 2378, 2406, 2412, 2432, 2438, 2458, 2464, 4618, 4621, 4907, 4915, 4923, 8107, 8109, 8143, 8161, 8179, 8205, 8211, 8234, 8240, 8263, 8269, 9085, 9092, 9099, 9329, 9506, 9645, 9648, 11406,	



14317,	14332,	26524, 26526, 26545	\@titlecolour . 5097, 5114
14344,	14359,	\@thm 19740, 19761	\@titlehead
14399,	14428,	\@thmcOUNTERsep 21581, 21583,
14441,	14455, 360, 25942	21750, 22321,
14468,	14482,	\@threecol@LTRfootgroupv@l	22323, 22490,
14570,	14600, 12442, 12467	23094, 23096, 23263
14616,	14631,	\@threecol@footgroupv@r	\@titlepageiscoverpagefalse
14643,	14658, 12438, 12463	. 21532, 22272, 23045
14698,	14727,	\@threecolLTRfootfmt	\@tocextra
14740,	14754,	.. 12535, 12549,	.. 24135, 24136,
14767,	14781,	12586, 12653, 12666	24140, 24142, 24145
15066,	15097,	\@threecolLTRfootnotetext	\@tocline .. 2, 207, 17904
15115,	15131, 12433, 12528	\@tocpagenum 15, 220, 17917
15145,	15161,	\@threecolRTLfootfmt	\@tocrmarg ... 19409,
15200,	15230,	.. 12560, 12574,	19421, 19433,
15244,	15259,	12589, 12678, 12691	20355, 24181,
15273,	15288,	\@threecolRTLfootnotetext	24212, 24235,
15573,	15576, 12434, 12553	24252, 24269,
16095,	16100,	\@threecolfootfmt ..	24286, 24303,
16104,	16109,	.. 12491, 12520,	24320, 24338,
16131,	16148,	12583, 12613, 12641	24357, 24377,
16164,	16193,	\@threecolfootnotetext	24412, 24463,
16208,	16223, 12432, 12478	25006, 25013,
16266,	16271,	\@title	25323, 25440, 26146
16281,	16286,	330, 461, 482, 518, 532,	\@todonotes@MissingFigureDown
16322,	16326,	794, 796, 824, 869, 25602
16328,	16334,	882, 1046, 1048,	\@todonotes@MissingFigureText
16338,	16340,	1076, 1121, 1134, 25579
16346,	16350,	1296, 1298, 1326,	\@todonotes@MissingFigureUp
16352,	16772,	1371, 1385, 1396, 25601
17279,	17290,	4632, 5067, 5128,	\@todonotes@author
17301,	17312,	8640, 8725, 9338, 25512,
17430,	17468,	9340, 9368, 9515,	25523, 25548, 25566
17501,	17532,	9517, 9545, 9614,	\@todonotes@currentfigcolor
17563,	17626,	9635, 9671, 9685, 25583
17898,	20513,	10753, 11377,	\@todonotes@currentfigheight
20575,	20577,	11396, 11430, 25584
20652,	20716,	11442, 11472,	\@todonotes@currentfigwidth
20718,	20912,	11493, 11529, 25584,
20919,	20955,	11543, 15544,	25586, 25596, 25599
20962,	21141, 21144	15563, 15597,	\@todonotes@drawInlineNote
\@thefoot	15813,	15609, 19019, 25507
15816,	15820,	20522, 20524,	\@todonotes@drawLineToLeftMargin
26516,	26522,	20552, 20597, 25535, 25538
26530,	26533, 26568	20610, 20661,	\@todonotes@drawLineToRightMargin
\@thehead	15812,	20663, 20693, 25535, 25538
15815,	15819,	20740, 20756,	\@todonotes@drawMarginNote
26516,	26522,	20767, 20923,	.. 25534, 25537, 25541
26529,	26532, 26552	20944, 20985,	\@todonotes@drawMarginNoteWithLine
\@themargin ..	15869,	20999, 21110, 25529
16927,	16929,	21131, 21167,	\@todonotes@ifdisabled
16934,	16936,	21181, 21592, 25608
16940,	16942,	21746, 22332,	\@todonotes@sizecommand
26518,	26520,	22486, 23105, 23259 25512,



25514, 25521,	\@twocolLTRfootnotetext	16641, 19257,
25523, 25525, 12134, 12231	19354, 26247, 26290
25548, 25550,	\@twocolRTLfootfmt	\@wholewidth
25562, 25565,	.. 12265, 12280,	. 15639, 15641, 15659
25566, 25568, 25571	12296, 12389, 12403	\@width .. 31, 245, 406,
\@todonotes@text ..	\@twocolRTLfootnotetext	578, 766, 1001,
.. 25512, 25514, 12135, 12258	1246, 1536, 9301,
25523, 25525,	\@twocolfootfmt ..	9454, 9730, 9935,
25548, 25550,	.. 12192, 12222,	10159, 10224,
25563, 25569, 25572	12290, 12320, 12349	10456, 10475,
\@todonotes@textwidth	\@twocolfootnotetext	10783, 11361,
..... 25546 12133, 12179	11660, 11711,
\@toodeep ... 2616, 25949	\@twosidefalse .. 7233	15510, 15739,
\@topnum ... 111, 324,	\@twosidetrue .. 7228	16042, 16044,
504, 858, 1110,	\@typeset@protect ..	16489, 16577,
1360, 8718, 9657, 4823,	16624, 17895,
11418, 11515,	4829, 4835, 4850	17966, 18192,
15585, 17926,	\@undeclaredcolor ..	18267, 18392,
19038, 20586, 9948,	19239, 19341,
20727, 20971, 21153	9956, 25699, 25700	19484, 19495,
\@topsep ... 19754, 19774	\@undefined	19527, 19578,
\@topsepadd 4881, 18177, 19139	20465, 20888,
.. 4795, 19755, 19775	\@undottedtocline 19406	21044, 21226,
\@totalleftmargin ..	\@unexpandable@protect	21503, 22243,
..... 16511, 5916, 7083	23016, 23798,
16515, 16518,	\@unrecuse 23822, 23825	23837, 26112,
16527, 18370,	\@uppertitleback ..	26230, 26279, 26479
19757, 19758,	.. 21616, 21623,	\@x 9122, 9123
19777, 19778,	21632, 21667,	\@x@sf 8116,
20329, 25968,	21753, 22356,	8121, 8127, 8130
25970, 25976,	22363, 22372,	\@xLTRfootnote
25978, 25982,	22407, 22493,	.. 4872, 4994,
25984, 25988,	23129, 23136,	8963, 8974, 9180,
25990, 25992,	23145, 23180, 23266	9194, 16103, 16106
26027, 26029,	\@urlbordercolor ..	\@xLTRfootnotenext
26030, 26031, 17728, 17730 4871,
26036, 26038,	\@urlcolor	4993, 8962, 8973,
26039, 26040,	17742	9179, 9193, 16265,
26045, 26047,	\@viipt	16268, 17298, 23872
26048, 26049,	7258, 8478, 19795, 19808	\@xRTLfootnote
26054, 26056,	\@viipt 8478, 19795, 19808	.. 4874, 4996,
26057, 26058, 26488	\@viper	8965, 8976, 9182,
\@traditionalpoem ..	10186, 10188, 10190,	9196, 16094, 16097
..... 9013, 9105	10245, 10247,	\@xRTLfootnotenext
\@trivlist ... 19751,	10249, 10263, 4873,
19771, 21443,	10270, 10514,	4995, 8964, 8975,
22182, 22955, 25961	10565, 19366,	9181, 9195, 16280,
\@twocol@LTRfootgroupv@l	19381, 19383, 19388	16283, 17287, 23873
..... 12143, 12168	\@viperoutput 10192, 10251	\@xaddress
\@twocol@footgroupv@r	\@vipt	331
..... 12139, 12164	8479	\@xauthor
\@twocol@LTRfootfmt	\@vpt	331
.. 12238, 12253,	8479	\@xcentercr .. 21871,
12293, 12362, 12376	15710, 15750,	21878, 22632,
	15835, 16588,	22639, 23397, 23404
		\@xcolor@ .. 25707, 25750



\@curraddr	332	11640,	11644,	23439,	23443,
\@email	332	11653,	17131,	23540,	23549,
\@xersian@pdfcustomproperties	4416, 4427	17134,	17147,	26584	
\@xfloat	4927	17150,	17250,	\abovedisplayshortskip	
\@xfootnote ...	4870,	17671,	17686,	... 7251, 7260, 8470	
4992, 8961, 8972,	17705,	17937,	\abovedisplayskip .	7250, 7253, 7259,	
9178, 9192, 17624	17957,	17961,	7266, 7300, 8469, 8476		
\@xfootnotemark ..	17309	18041,	18042,	\abstractname	670, 676,
\@xfootnotenext	18048,	18049,	679, 977, 983, 985,	
4869, 4991,	18169,	18170,	1229, 1235, 1238,		
8960, 8971, 9177,	18375,	19869,	9277, 9465, 20392,		
9191, 17276, 23871	19881,	20270,	20398, 20401,		
\@xiipt	8481	20271,	20283,	20842, 20848, 20851	
\@xipt	8480	20284,	20296,	\Acrobatmenu .	2544, 17747
\@xivpt	313, 8482	20297,	20309,	\active	8913,
\@xmakefntext ..	848,	20520,	20565,	8914, 8916, 8917	
1350, 20576, 20717	20659,	20706,	\add@strip	19390	
\@newline ...	21862,	21864,	21873,	\addcontentsline	591,
21869, 22623,	22625,	22634,	593, 5172, 7542,		
22630, 23388, 23395	23390,	23399,	11317, 11319,		
\@xp	121, 318,	23789,	23804,	18108, 18113,	
343, 344, 9849, 17936	23820,	23821,	19151, 24118,		
\@xpt	7249	23997,	24026,	24125, 24142, 25579	
\@xstartcol	16664	25545,	25552,	\AddExtraParaSkip .	
\@xthm	19759, 19779	25924,	26061, 14836, 14840	
\@xttitle	330	26102,	26118, 26128	\addfontfeature	5095,
\@xxpt	8483	\{ ...	4740, 18514, 18558	5096, 5097, 5098,	
\@xxxii	4978	\} ...	4741, 18514, 25929	5099, 5100, 5102, 5103	
\@xympar	7803, 7807, 7847,	\u ...	4280, 4506, 8009,	\addpenalty ..	5, 210,
7851, 7891, 7895,	8013, 8028, 8032,	8013,	547, 564, 702, 720,		
26372, 26376,	8047, 8051, 8079,	8047,	727, 929, 946, 964,		
26416, 26420, 26483	8083,	16381, 16383	1185, 1203, 1211,		
\@yargdef	5885	\] ...	9131, 15764	9236, 9252, 9259,	
\@ympar	26480	\^ ...	4451,	9413, 9429, 9436,	
\@ythm	19759, 19779	_ ...	8913, 8914, 8916, 8917	9700, 9715, 11289,	
\[.....	9130, 15754	\` ...	6835, 6847, 6860,	11303, 11558,	
\\"	122, 427, 792,	\` ...	6983, 6986, 6997,	15460, 15475,	
837, 1044, 1089,	7000,	7000, 18213, 19733	17907, 20424,		
1294, 1339, 1865,	16509,	16509, 18367, 20325	20440, 20447,		
2201, 3200, 4878,	16388,	16388, 16389, 16504	20796, 20812,		
5175, 5181, 5328,	\o	Numbers	20819, 21012,		
6369, 6385, 6389,	18456,	\o	21026, 21196,		
6618, 6620, 6621,	18507,	4379	21211, 24039,		
6622, 6630, 6635,	18559		24041, 24174,		
6636, 6638, 7563,	\r	A	24176, 24209,		
7564, 7565, 7567,	4379	\abovecaptionskip .	24231, 24595,		
8527, 8896, 9034,	 18077,	24598, 24602,		
9336, 9513, 10641,		19078,	24707, 24710, 24714		
10642, 10645,		19128,	\address	331, 5129	
10661, 10748,		21913,	\addresscolour		
10753, 10760,		21917,	... 5098, 10593,		
10770, 10774,		22013,	10691, 10697,		
		22022,	10703, 10709, 10715		
		22674,	\addressfont ... 5107,		
		22678,			
		22775,			
		22784,			



	5115, 5226, 10631, 10659, 10723, 10757	\adjmulticols 132	3311, 3313, 3593, 3601, 3603, 3669,
\addresssymbol	5089, 10661, 10760	\adl@act@classz . . . 1539	3741, 3742, 3744,
\addressstyle	5115	\adl@act@CT@setup	3745, 3759, 4329,
\addtocontents	24460	\adl@activate 1414, 1497	4379, 4380, 4381,
\addtocounter	3075, 3076	\adl@argarraydashrule	4548, 4591, 4596,
\addtoheadtemplate	4040	\adl@array 1411, 1416	4959, 4973, 4979,
\AddToHook	6191, 6232, 6272, 7068, 7071, 7094, 7102, 7127, 7136, 7156, 7174	\adl@arraydashrule	5245, 5289, 5324,
\addtolength	3408, 3412, 3415, 5049, 5050, 5051, 5052, 5053, 5054, 5152, 5153, 5155, 5157, 5158, 5161, 7335, 7338, 7339, 7342, 8493, 10739, 10740, 10741, 11152, 16984, 16985, 21469, 21476, 21477, 21480, 21482, 22208, 22216, 22217, 22220, 22222, 22981, 22989, 22990, 22993, 22995, 24058, 24059, 24790, 24800, 24804, 24808	\adl@arrayinit 1413	5649, 5703, 5757,
\addvspace	5, 210, 548, 565, 703, 721, 728, 930, 947, 965, 1186, 1204, 1212, 8521, 8578, 9237, 9253, 9414, 9430, 9701, 11290, 11304, 11559, 15461, 17907, 20425, 20441, 20797, 20813, 21013, 21197, 24178, 24232, 24596, 24603, 24708, 24711, 24715, 24745, 25257	\adl@arrayrestore 1408	6479, 6638, 6644,
\adjmc@inner	134	\adl@arrayrule 1431, 1469	6654, 6709, 6726,
\adjmc@outer	136	\adl@box 1454, 1456, 1457	6735, 7751, 8457,
\adjmc@page@sofar@orig	164	\adl@class@iiiorvii	8532, 8883, 8891,
\adjmult@cols	163	\adl@class@start	8892, 9163, 9266,
		\adl@CT@setup	9288, 9443, 9476,
		1496, 1499, 1500	9722, 9785, 9934,
		\adl@depth 1503	9942, 9943, 9983,
		\adl@endarray 1408	10097, 10263,
		\adl@endmbox 1455	10264, 10267,
		\adl@every vbox 1412, 1413	10270, 10271,
		\adl@extract@arc 1508	10321, 10322,
		\adl@extract@dgc 1511	10323, 10385,
		\adl@extract@drsc 1509	10525, 10526,
		\adl@height 1502	10541, 10560,
		\adl@inactivate	10561, 10791,
		1414, 1496	10801, 10802,
		\adl@noalign 1415	10812, 10822,
		\adl@org@activate 1497	10823, 10839,
		\adl@org@classz 1540	10840, 10841,
		\adl@org@endpbox 1498	10858, 10867,
		\adl@org@inactivate 1496	10874, 10896,
		\adl@putlrc 1451, 1452, 1453, 1481, 1482, 1483, 1489, 1490, 1491	10897, 10898,
		\adl@startmbox 1454	10912, 10919,
		\advance 12, 90, 217, 303, 321, 402, 571, 618, 734, 753, 920, 936, 1016, 1218, 1266, 1501, 1535, 1920, 1921, 1937, 1951, 2005, 2007, 2009, 2010, 2071, 2079, 2258, 2259, 2475, 2524, 2525, 2537, 2541, 2542, 2617, 2641, 2662, 2696, 2703, 2707, 2709, 2713, 2714, 2961, 2962,	10926, 11073,
			11074, 11083,
			11084, 11100,
			11102, 11106,
			11108, 11112,
			11115, 11116,
			11117, 11296,
			11349, 11620,
			12032, 12057,
			12124, 12126,
			14837, 14843,
			14888, 14890,
			14941, 14943,
			14993, 14995,
			15044, 15046,
			15317, 15419,
			15420, 15421,
			15482, 15524,
			15639, 15641,
			15643, 15649,
			15650, 15657,



15658,	15659,	24027,	24031,	24032,	25248,
15828,	15829,	24063,	24064,	25688,	25697,
16384,	16398,	24085,	24190,	25699,	25736,
16411,	16412,	24221,	24244,	25740,	25793,
16444,	16449,	24261,	24278,	25804,	25805,
16450,	16453,	24295,	24312,	25808,	25813,
16462,	16526,	24329,	24347,	25814,	25818,
16653,	16654,	24366,	24386,	25823,	25824,
16658,	16659,	24421,	24462,	25828,	25833,
16661,	16662,	24611,	24615,	25837,	25842,
16665,	16666,	24726,	24761,	26498,	26508, 26509
16667,	16668,	24764,	24768,	\ALG@floatstyle . . .	
16787,	17633,	24821,	25246,	. . . 7766, 7767, 7768	
17643,	17868,	25266,	25271,	\algocf@float	198
17914,	18185,	25321,	25322,	\algocf@makecaption	188
18199,	18284,	25323,	25326,	\algocf@within	
18285,	19192,	25330,	25355,	166, 168, 201, 203, 205	
19194,	19221,	25366,	25445,	\alignL	9881
19222,	19225,	25468,	25622,	\alignR	9888
19292,	19294,	25624,	25634,	\allowbreak	
19321,	19322,	25653,	25654,	. . 10797, 10818,	
19325,	19379,	25683,	25694,	12292,	12295,
19380,	19381,	25695,	25951,	12298,	12585,
19382,	19391,	25964,	25965,	12588,	12591,
19413,	19426,	25968,	25970,	12878,	12881,
19438,	19451,	25976,	25978,	12884,	13177,
19580,	19581,	25982,	25984,	13180,	13183,
19752,	19756,	25988,	25990,	13476,	13479,
19757,	19772,	26086,	26087,	13482,	13775,
19776,	19777,	26151,	26177,	13778,	13781,
19785,	19876,	26452,	26453,	14074,	14077,
19898,	19926,	26460,	26461,	14080,	14373,
19933,	19981,	26462,	26463, 26488	14376,	14379,
19986,	19987,	\afterassignment . .		14672, 14675, 14678	
19988,	20017,	4282,	4284, 4508,	\Alph	19060
20018,	20044,	4510,	5917, 6718,	\alt	2809
20055,	20210,	7981,	23895, 23896	\AM@CheckAtEnd . . .	19889
20212,	20217,	\aftergroup		\AM@ClearShipoutPicture	
20220,	20263,	4777,	4787, 7965,	19891
20454,	20481,	7980,	9946, 9948,	\AM@currentdocname	
20826,	20875,	9955,	9961, 9980,	19854, 19860
20916,	20959,	10274,	10280,	\AM@findfile	19858
21033,	21069,	10283,	15856,	\AM@output	19887
21218,	21272,	15858,	20100,	\AM@pagecount	19856
21337,	21446,	20101,	20104,	\AM@pageref 19871, 19874	
21448,	21804,	20109,	20110,	\AM@pagestemp	
21855,	22183,	20114,	20119,	. . 19864, 19869,	
22565,	22616,	20120,	20124,	19870,	19873,
22958,	22960,	20128,	20132,	19881,	19882, 19886
23330,	23381,	20136,	21882,	\AM@readlist	19886
23750,	23821,	21884,	21887,	\AM@split@options	19850
23835,	23845,	22643,	22645,	\AM@temp . . . 19851, 19852	
23865,	23960,	22648,	23408,	\AM@threadname	
23998,	24014,	23410,	23413,	. 19849, 19859, 19860	



\AM@xrpprefix	\ApplyPatchToFilesIfPackageLoadedF	\AtEndDocument
. 19867, 19871, 19874	. 7125, 26618	. 4409, 4422,
\and . 486, 522, 803, 829,	\ApplyPatchToPackage	4435, 5228, 6252,
832, 874, 1055,	. 7024, 7196	9058, 9115, 18499,
1081, 1084, 1126,	\ApplyPatchToPackageIfPackageLoadedF	1850, 18568, 26198
1305, 1331, 1334,	. 7154, 26616	\AtEndOfClass 5063
1376, 1398, 4636,	\ApplyPatchToPackages	\AtEndOfPackage
9347, 9373, 9524,	. 7019, 26650	4081, 4082, 4088,
9550, 9639, 9675,	\ar@ialign 412	4089, 4095, 4096,
11400, 11434,	\arabic 19,	4101, 4102, 4107,
11497, 11533,	20, 21, 22, 86, 198,	4108, 4120, 4121,
15567, 15601,	224, 225, 226, 227,	4122, 4123, 4124, 4159
19016, 19853,	299, 339, 15790,	\AtPageLowerLeft . 11064
20531, 20557,	15797, 17864,	\AtPageUpperLeft
20560, 20602,	17921, 17922,	. 11064, 11088, 11118
20670, 20698,	17923, 17924, 24402	\AtTextUpperLeft
20701, 20745,	\array 444, 26126	. 11068, 11094
20769, 20948,	\arraycolsep 444	\author 331,
20989, 21135,	\arraylinesep 23828	484, 520, 827,
21171, 21515,	\arrayrulecolor 1508	872, 1079, 1124,
21767, 22255,	\arrayrulewidth 23845	1329, 1374, 4634,
22507, 23028, 23280	\arraystretch 404, 405,	8624, 8656, 9371,
\andify 116, 17931	4771, 4782, 18190,	9548, 9637, 9673,
\andname 837, 1089,	18191, 23796,	11398, 11432,
1339, 20565, 20706	23797, 23832,	11495, 11531,
\andnext 19017	25937, 26110, 26111	15565, 15599,
\AppendToTokenList 6585	\aslice 20024, 20025,	20555, 20600,
\ApplyPatchCodeToFile 7120	20027, 20029,	20696, 20743,
\ApplyPatchCodeToPackage 1495,	20030, 20032,	20946, 20987,
1870, 7201, 17397,	20045, 20046, 20048	21133, 21169,
17417, 17495,	\At@ViperColsBreak	21756, 22496, 23269
18240, 19120, 24099	. 10288, 10291	\auto@footnoterule 16058, 16069
\ApplyPatchIfPackageLoaded	\AtBeginCaption 18119	\autodot 21771,
. 7122, 7188,	\AtBeginDocument	22510, 23283, 25458
7193, 18118, 25912	. 1543, 2188,	\autofootnoterule
\ApplyPatchIfPackageLoadedF	3082, 3315, 3544,	. 4120,
. 170, 2125,	3614, 3662, 3782,	10777, 11705,
7191, 24074, 26597	3870, 3965, 4030,	16067, 16768, 26602
\ApplyPatchIfPackageLoadedT	4044, 4159, 4273,	
. 7186	5064, 5124, 5221,	B
\ApplyPatchToClass	6226, 7344, 7571,	\backmatter
. 7036, 7206	7705, 7710, 7763,	. 8828, 9770, 11605
\ApplyPatchToClasses	8574, 8774, 8839,	\Backref@HyperLTRFootnote
. 7031, 26623	10670, 10784,	. 16298, 16305
\ApplyPatchToClassesIfPackageLoadedF	10805, 10826,	\Backref@HyperRTLFootnote
. 7041, 26611	14884, 14937,	. 16304, 16308
\ApplyPatchToClassIfPackageLoadedF	14989, 15432,	\Backref@HyperSymbol
. 7046, 7134	16171, 16776,	. 16306,
\ApplyPatchToFile	17248, 17974,	16309, 16312, 16315
. 7012, 7106, 26766	18127, 18134,	\Backref@OptHyperLTRFootnote 16311
\ApplyPatchToFiles	20341, 23811, 25395	\Backref@OptHyperRTLFootnote 16314
. 7007, 7129, 26761	\AtBeginPackage 19121	



\Backref@OptLTRHyperFootnote	baselinestretch . .	
..... 16298 5079, 8137,	13897, 13903,
\Backref@OptRTLHyperFootnote	8155, 8173, 11737,	13908, 13968,
..... 16304	11753, 11768,	13998, 14014,
\BackrefFootnoteTag	11784, 11799,	14029, 14041,
. 16296, 16297,	11814, 11827,	14056, 14096,
16302, 16303,	11839, 11851,	14125, 14138,
16322, 16326,	11864, 12186,	14152, 14165,
16328, 16334,	12216, 12232,	14179, 14190,
16338, 16340,	12247, 12259,	14196, 14202,
16346, 16350, 16352	12274, 12314,	14207, 14267,
\badness .. . 10314,	12343, 12356,	14297, 14313,
10318, 10346,	12370, 12383,	14328, 14340,
10350, 10352,	12397, 12408,	14355, 14395,
10357, 10361,	12414, 12420,	14424, 14437,
10365, 10429, 10450	12425, 12485,	14451, 14464,
\baselineskip .. 425,	12514, 12529,	14478, 14489,
765, 767, 771,	12543, 12554,	14495, 14501,
773, 1245, 1247,	12568, 12607,	14506, 14566,
1251, 1253, 2493,	12635, 12647,	14596, 14612,
2914, 2929, 2944,	12660, 12672,	14627, 14639,
3031, 3033, 3061,	12685, 12695,	14654, 14694,
3067, 3210, 5857,	12701, 12707,	14723, 14736,
7277, 7279, 7282,	12712, 12772,	14750, 14763,
7284, 7286, 7289,	12802, 12818,	14777, 14788,
7444, 8074, 8141,	12833, 12845,	14794, 14800,
8159, 8177, 8294,	12860, 12900,	14805, 15062,
8303, 8312, 8393,	12929, 12942,	15093, 15111,
8400, 8407, 8414,	12956, 12969,	15127, 15141,
8421, 8521, 8578,	12983, 12994,	15157, 15196,
8921, 8982, 9046,	13000, 13006,	15226, 15240,
9052, 9300, 9302,	13011, 13071,	15255, 15269,
9306, 9308, 9453,	13101, 13117,	15284, 15302,
9455, 9459, 9461,	13132, 13144,	15313, 15327, 15336
10098, 10099,	13159, 13199,	\BCmd .. . 4776
10116, 10120,	13228, 13241,	\BDefaboveskip .. .
10527, 15866,	13255, 13268,	... 4791, 4806, 4809
16399, 18226,	13282, 13293,	\BDefbelowskip .. .
18238, 18373,	13299, 13305,	... 4795, 4807, 4810
18390, 19979,	13310, 13370,	\BDefinlineskip .. .
19982, 19996,	13400, 13416,	... 4800, 4808, 4811
20020, 20024,	13431, 13443,	\beamer@@tmpop@button@default .. . 2952
20029, 20033,	13458, 13498,	\beamer@@tmpop@caption@default .. . 2881
20045, 20056,	13527, 13540,	\beamer@@tmpop@footline@progressbar .. . 3401
20083, 20336,	13554, 13567,	\beamer@@tmpop@footnote@default .. . 2858
20464, 20466,	13581, 13592,	\beamer@biblabeltemplate .. . 2660, 2669
20470, 20472,	13598, 13604,	\beamer@boxsize .. . 2707, 2711, 2713
20887, 20889,	13609, 13669,	\beamer@colalign .. . 2233, 2243
20893, 20895,	13699, 13715,	
21545, 22285,	13730, 13742,	
23058, 23807,	13757, 13797,	
23846, 25622,	13826, 13839,	
25630, 25634,	13853, 13866,	
26122, 26542, 26565	13880, 13891,	



\beamer@colbox@color 1991, 2030, 2043	\beamer@firstlineitemizeunskip 2717
\beamer@colbox@colsep 2008, 2009, 2010, 2011, 2019 1882, 2611, 2637, 2652	\beamer@LTRfootnotetext
\beamer@colbox@colseps 2013, 2020, 2044, 2046, 2048, 2050 3410, 3435, 3455	\beamer@minislide
\beamer@colbox@dp 2025	\beamer@footarg	\beamer@minislidehilight
\beamer@colbox@ht 2024 2398, 2399, 2400, 2404, 2411, 2424, 2425, 2426, 2430, 2437, 2450, 2451, 2452, 2456, 2463	\beamer@minisliderowhilight
\beamer@colbox@ls 2004	\beamer@footins	\beamer@mpfn
\beamer@colbox@rs 2006 2286, 2291, 2303, 2308, 2320, 2325, 2588 2394, 2405, 2411, 2420, 2431, 2437, 2446, 2457, 2463
\beamer@colbox@sep 2005, 2007, 2015, 2017	\beamer@footnotetext	\beamer@next
\beamer@colbox@shadow 2029 2393, 2407, 2414 2405, 2409, 2416, 2431, 2435, 2442, 2457, 2461, 2468
\beamer@colbox@wd 2002, 2023, 2032	\beamer@framebox	\beamer@putleft
\beamer@colclose 2230, 2239, 2240, 2271, 2272 2549, 2561, 2574, 2579, 2583	\beamer@putright
\beamer@coentrycode 2249, 2252, 2270	\beamer@framefootnotetext	\beamer@rightmargin
\beamer@coexitcode 2250, 2262, 2272 2285, 2384 2053, 2078, 2149, 2259, 2264, 3594, 3602, 3742, 3745
\beamer@colheadskip 2234, 2244	\beamer@frametextheight	\beamer@rightsidebar
\beamer@colmode 2229, 2238 2515, 2536, 2545, 2549, 2552, 2565 2079, 2525, 2542
\beamer@columncom 2238	\beamer@frametitlebox	\beamer@RTLfootnotetext
\beamer@computepref 2596, 2618 2581 2419, 2433, 2440
\beamer@cramped 2609, 2635, 2650	\beamer@framezoom	\beamer@section@min@dim
\beamer@defaultospec 2615	\beamer@fteleft 2716
\beamer@descdefault 2641, 2649	\beamer@fteright	\beamer@shortinstitute
\beamer@descriptionitem 2649	\beamer@gobbleoptionalinsp 3480
\beamer@dima 2961, 2976, 2981, 2992, 2997 2809	\beamer@sidebarformat
\beamer@dimb 2962, 2977, 2978, 2980, 2993, 2994, 2996	\beamer@headheight 3647
\beamer@dogeometryfalse 2066 3586, 3594, 3597, 3598, 3630, 3634, 3637, 3641	\beamer@sidebarside
\beamer@entrycode 2580	\beamer@kvorig 3621, 3663, 3666, 3688
\beamer@enum@ 2595 2396, 2402, 2422, 2428, 2448, 2454	\beamer@sidebarwidth
\beamer@enumtempl 2604	\beamer@labelzoomed 3593, 3625, 3630, 3631, 3633, 3636, 3637, 3649, 3651, 3660, 3663, 3668, 3686
\beamer@exitcode 2586	\beamer@leftmargin	\beamer@slidehaszoomtrue
	 2053, 2070, 2255, 2258, 2550, 2552, 2565, 3594, 3600, 3741, 3744 2474
		\beamer@leftsidebar	\beamer@stalign
	 2071, 2524, 2541	\beamer@stend
		\beamer@lefttext	\beamer@stlinebreakrule
	 3621, 3688	\beamer@ststart
			\beamer@temp
		 2535, 2557, 2570
			\beamer@tempbox
		 1992, 2023,



2024, 2025, 2033, 2036, 2037, 2039, 2042, 2047, 2052, 2053, 2055, 2107, 2108, 2109, 2110, 2115, 2118, 2129, 2134, 2135, 2143, 2144, 2145, 2146, 2149, 2158, 2163, 2164, 2172, 2173, 2174, 2175, 2211, 2212, 2213, 2214, 2219, 2223, 2224, 2225, 2226, 2956, 2957, 2958, 2959, 2960, 2965, 3005, 3361, 3366, 3370, 3374, 3378, 3382, 3747, 3758, 3775, 3995, 3996, 4014, 4015	2423, 2429, 2449, 2455 \beamer@xpos 2696, 2701, 2712 \beamer@ypos 2702, 2703, 2708 \beamer@ypos@offset 2699, 2703 \beamer@zoomborderwidth 2476, 2480 \beamer@zoombox ... 2505 \beamer@zoomcount 2475, 2477 \beamer@zoomer . . . 2513 \beamer@zoomframecount 2477 \beamerboxesrounded 1881 \beamercolorbox ... 2950 \beamernestingprefix 1729, 1730, 2596, 2597, 2599, 2600, 2607, 2608, 2618, 2619, 2621, 2622, 2625, 2629, 2630 \beamernoriginal ... 2809 \beamertemplatedotitem 4042 \begin 450, 460, 465, 528, 536, 777, 790, 801, 880, 886, 1029, 1042, 1053, 1132, 1138, 1279, 1292, 1303, 1383, 1389, 1398, 1400, 1401, 1600, 1779, 1815, 1824, 1833, 1858, 1901, 1923, 1949, 1961, 2028, 2231, 2233, 2241, 2243, 2247, 2490, 2552, 2565, 2683, 2754, 2758, 2777, 2781, 2797, 2801, 2905, 2913, 2920, 2928, 2935, 2943, 2968, 3026, 3032, 3039, 3056, 3062, 3068, 3108, 3115, 3121, 3127, 3196, 3217, 3232, 3234, 3239, 3241, 3246, 3252, 3266, 3268, 3270, 3341, 3342, 3348, 3349, 3368, 3376, 3421, 3447,	3479, 3482, 3485, 3506, 3508, 3513, 3515, 3532, 3533, 3554, 3556, 3560, 3563, 3566, 3572, 3620, 3649, 3651, 3703, 3705, 3710, 3712, 3747, 3760, 3761, 3767, 3796, 3797, 3798, 3815, 3820, 3823, 3836, 3842, 3844, 3858, 3859, 3860, 3884, 3885, 3886, 3896, 3899, 3905, 3908, 3915, 3918, 3932, 3937, 3939, 3952, 3953, 3954, 3975, 3978, 3981, 3987, 3990, 4006, 4009, 4024, 4770, 4772, 4781, 4783, 4786, 5179, 5183, 5185, 5187, 5189, 5193, 5201, 5204, 5239, 5352, 5356, 5376, 5380, 5407, 6289, 6290, 6297, 6323, 7350, 7351, 7364, 7367, 7441, 7442, 7448, 7449, 7456, 7457, 7482, 7483, 7520, 7523, 7526, 7529, 7533, 7534, 7718, 7719, 8337, 8393, 8400, 8407, 8414, 8421, 8434, 8442, 8564, 8569, 8702, 8749, 8772, 9147, 9321, 9334, 9345, 9498, 9511, 9522, 9566, 9578, 9603, 9613, 9618, 9681, 9689, 10001, 10011, 10024, 10034, 10047, 10057, 10070, 10080, 10645, 10751, 10756, 10774, 10943, 10946, 10950, 10952, 10957, 10959, 10963, 10966, 10969,
---	---	---



10973,	10975,	490, 550, 567, 704,	19895,	20192,
10979,	10981,	730, 844, 932, 948,	20426,	20450,
10985,	10988,	1096, 1187, 1214,	20572,	20713,
10991,	10995,	1346, 1527, 1970,	20798,	20822,
10997,	11002,	1971, 2106, 2210,	20952,	21014,
11004,	11175,	2410, 2436, 2462,	21029,	21139,
11241,	11368,	2488, 2556, 2569,	21199,	21214,
11376,	11381,	4616, 4905, 4913,	21535,	21681,
11440,	11446,	4921, 5300, 5328,	21794,	21853,
11461,	11471,	5347, 5371, 5607,	22275,	22421,
11476,	11539,	5632, 5983, 6029,	22555,	22614,
11547,	11639,	6036, 6058, 6074,	23048,	23194,
15535,	15543,	6090, 6133, 6141,	23320,	23379,
15548,	15607,	6174, 6224, 6352,	23894,	24011,
15613,	15757,	6560, 6562, 6592,	24035,	24179,
16999,	17004,	6602, 6612, 6742,	24606,	24718,
17022,	17125,	7081, 7544, 7963,	25244,	25361,
17127,	17141,	8209, 8238, 8267,	25701,	25744,
17143,	17956,	8641, 8658, 8674,	25793,	25915,
19166,	19792,	8686, 8719, 9023,	26244,	26287, 26498
20505,	20518,	9083, 9090, 9097,	\begin{L}	176,
20529,	20608,	9127, 9238, 9262,	1512, 2000, 3138,	
20614,	20642,	9415, 9439, 9643,	3150, 3162, 4317,	
20657,	20668,	9703, 9718, 9807,	4535, 5226, 7825,	
20752,	20760,	9926, 9980, 9989,	7869, 9911, 9940,	
20769,	20771,	10181, 10240,	9946, 9948, 9980,	
20772,	20902,	11069, 11095,	12121, 15652,	
20922,	20927,	11292, 11305,	15761, 15776,	
21003,	21099,	11404, 11501,	15944, 16778,	
21109,	21114,	11560, 14875,	16784, 16793,	
21177,	21185,	14885, 14928,	16813, 16829,	
21518,	21522,	14938, 14980,	16839, 17632,	
21582,	21587,	14990, 15031,	18080, 19896,	
21599,	21622,	15041, 15462,	19959, 20094,	
21626,	21795,	15478, 15571,	20100, 20116,	
22258,	22262,	15709, 15747,	20192, 21384,	
22322,	22327,	15832, 15848,	21395, 21402,	
22339,	22362,	16098, 16107,	21412, 23962,	
22366,	22556,	16269, 16284,	25692, 25697,	
23031,	23035,	16358, 16410,	25699, 25793,	
23095,	23100,	16443, 16585,	25798, 25804,	
23112,	23135,	16638, 16812,	25820, 26394,	
23139,	23321,	16828, 16998,	26472, 26552, 26568	
24078,	25509,	17277, 17288,	\begin{R} . 174, 346, 358,	
25516,	25519,	17299, 17310,	389, 428, 1513,	
25530,	25543,	17408, 17428,	3366, 3374, 3382,	
25546,	25553,	17466, 17499,	3557, 4875, 7825,	
25559,	25582,	17530, 17561,	7913, 9838, 9912,	
25586,	25592, 25599	17908, 17934,	9941, 9946, 9955,	
\begin{bidi@stack} .		18111, 18194,	9961, 9980, 11062,	
. . .	5346, 5356,	19023, 19153,	12118, 15786,	
	5357, 5370, 5380, 5381	19254, 19351,	16780, 16785,	
\begin{group} 6, 119, 211,		19561, 19565,	16842, 16881,	
312, 325, 391, 408,		19569, 19847,	16888, 17257,	



17265,	17647,	11295,	11310,	\BHFN@OldRTLFootnote
17683,	17715,	11325,	11328,	. 16292, 16309, 16315
17744,	17770,	11337,	11564,	\bib@after@hook 21839,
17776,	17783,	11587,	11593,	21841, 22600,
17949,	18080,	11602,	15467,	22602, 23365, 23367
18232,	18294,	15481,	15492,	\bib@before@hook ..
18301,	18347,	15497,	15505, 21789,
18440,	18448,	17903,	20431,	21840, 22550,
18639,	18965,	20453,	20803,	22601, 23315, 23366
19129,	19131,	20825,	20999,	\bib@beginhook 21782,
19969,	20094,	21018,	21032,	21788, 22543,
20101,	20106,	21203,	21217,	22549, 23308, 23314
20188,	20189,	21248,	21253,	\bib@endhook
20190,	21378,	21261,	24610,	. 21843, 22604, 23369
21388,	21399,	24723,	25154,	\bib@heading
21406,	21898,	25158,	25163,	. 21784, 22548, 23313
22659,	23424,	25192,	25196, 25201	\bibcleanup
23786,	23808,	\bgroup	171,	\bibentry
23847,	23969,	172,	389, 414, 422,	8011,
25693,	25697,	428,	678, 1237,	8013, 8030, 8032,
25736,	25740,	1513,	1883, 1961,	8049, 8051, 8081, 8083
25793,	25798,	1992,	2001, 2249,	\bibfont
25805,	25810,	2253,	2260, 2598,	19670
26071,	26074,	2620,	2643, 3109,	\bibindent ... 5230, 5231
26077,	26092,	3116,	3122, 3128,	\bibitem@fin
26099,	26124,	3490,	3626, 3673,	\biblofont 85, 298, 17863
26438,	26472,	3680,	3714, 3751,	\bibliographyitemlabel
26489,	26491,	4286,	4512, 4865, 5232, 5239
26552,	26568,	4987,	8955, 9173,	\bibname
26587,	26590, 26598	9187,	9840, 9912,	8557, 9281, 9282,
\belowcaptionskip .	.	15761,	15762,	9469, 9470, 9778,
 18090,	15776,	16235,	9779, 11613,
19119,	19136,	16463,	18200,	11614, 15517,
21911,	21919,	18202,	18259,	15518, 20474,
22011,	22024,	18294,	18301,	20475, 20868,
22672,	22680,	18357,	19366,	20869, 21062,
22773,	22786,	19907,	20102,	21063, 21265, 21266
23437,	23445,	20108,	20112,	\bibpostamble
23538,	23551, 26592	20118,	20122,	\bibpreamble
\belowdisplayshortskip	.	20127,	20130,	.. 19669, 21785,
	... 7252, 7261, 8471	20135,	20400,	21786, 22545,
\belowdisplayskip .	.	20850,	23786,	22546, 23310, 23311
 7253,	23794,	23802,	\bibsection 8552, 8555,
7266,	7301, 8476	23808,	23839,	8557, 8558, 19163,
\bf	... 4552, 19965, 19967	23843,	23847,	19667, 24075, 24077
\bfseries 25,	25353,	25806,	\bidi
	313, 554, 570, 599,	25812,	25816,	6843, 6856,
602,	709, 733, 935,	25822,	25826,	6873, 6878, 6906, 6911
953,	1192, 1217,	25832,	25835,	\bidi@@convert@dimen@t@pt
4335,	4726, 5196,	25841,	25915, 5545
8701,	9243, 9265,	25921,	26099,	\bidi@@convert@dimen@t@unit
9420,	9442, 9567,	26108,	26116, 26124 5542
9579,	9707, 9721,	\BHFN@OldLTRFootnote	.	\bidi@@diagbox@double@ii
9753,	9759, 9767,		16291, 16306, 16312 10944, 10948
				\bidi@@diagbox@double@iii
			 10947, 10955



\bidi@@diagbox@triple@setbox@NW@tabular@iii	6282 . 10964, 10967, 10971 10970, 10977 10986, 10993 10989, 10992, 11000 \bidi@@end ... 6280, 6284 \bidi@@footnotetext@font 38, 251, 2293, 2342, 8139, 16118, 16125, 16219 \bidi@@LTRfootnotetext@font 68, 280, 2327, 2374, 8157, 16119, 16158, 16204 \bidi@@null .. 6452, 6453 \bidi@@patchcmd 6031, 6033 \bidi@@RTLfootnotetext@font 52, 265, 2310, 2358, 8175, 16120, 16142, 16189 \bidi@@thebibliography@font 88, 301, 614, 749, 1012, 1262, 2658, 5238, 9284, 9472, 9781, 11345, 11616, 15520, 17866, 19165, 19672, 20477, 20871, 21065, 21268, 21798, 22559, 23324, 24081, 25946 \bidi@absolutefootnote@count 12018, 12025, 12043, 12057 \bidi@absolutepage@count 12016, 12017, 12024, 12032, 12039, 12043 \bidi@addto@envbody ... 5342, 5360, 5362 \bidi@addto@long@envbody ... 5366, 5384, 5386 \bidi@AfterAtEndOfClass 6869 \bidi@AfterAtEndOfPackage 6902 \bidi@AfterClass ... 6815 \bidi@AfterEndDocument 6269,	\bidi@appto \bidi@AfterEndDocumentCheckLabelsRerun 5919, 5963, 6234 \bidi@app toc md 6131, 6132, 23990 \bidi@diagbox@triple@setbox@NW@tabular@iii\$279, 6241, 6242, 6247 6241, 6242, 6247 6286, 6298 \bidi@AtBeginEnvironment 6286, 6298 \bidi@AtEndEnvironment 6302, 6312 \bidi@AtEndOutputPage 5323, 6215, 12031, 15887, 26580 \bidi@atendoutputpagehook 6215, 6216, 15888, 26581 \bidi@AtEndPreamble 4384, 6188, 6191, 6220, 6222, 6227, 7995, 18093, 19524, 19584 \bidi@autofootnoterulefalse . 16046, 16050, 16053 \bidi@autofootnoteruletrue 16068 \bidi@backslash 6369, 6370 \bidi@beamer@blacktriangle 2840, 3726, 3771 \bidi@beamer@frametitleshade 2088, 2115, 2118, 2195 \bidi@beamer@Gm@lmargin 2096, 2204, 2223 \bidi@afteroutputpageshipout 6212, 6213, 15882, 26575 \bidi@AfterPackage 6884 \bidi@AfterPreamble 6226, 6227, 18010 \bidi@AfterReadingMainAux 6991, 6996 \bidi@append .. 6135, 6185 \bidi@append@cslist@to@cslist 6573, 6646 \bidi@append@list@to@list 6569, 6655 \bidi@append@to@list 6548, 6567 \bidi@append@toks@cs@to@list 6577
---	---	---



		\bidi@collect@long@body	\bidi@csname ... 6393, 6544, 6550, 6595, 6629
	 5372, 5379	\bidi@cspreto 5972
		\bidi@collect@long@body	\bidi@csprotect ... 6698
	 5367	\bidi@csundef
		\bidi@column@check@number	1561, 1563, 1565, 1567, 1569, 1589,
		.. 26161, 26177, 26179, 26181, 26193	1591, 1593, 1617, 1619, 1621, 1623,
		\bidi@column@status	1625, 1627, 1629, 1747, 1749, 1751,
		.. 4146, 4150, 26163	1769, 1771, 1773, 1806, 1808, 1810,
		\bidi@column@type .	1839, 1854, 2829, 2831, 2848, 2850,
		.. 6316, 6324	2852, 2896, 2898, 2900, 2947, 3021,
		\bidi@columnwidth .	3086, 3088, 3090,
		.. 11667, 11669,	3092, 3094, 3096,
		12409, 12415,	3098, 3100, 3192,
		12696, 12702,	3321, 3473, 3499,
		12995, 13001,	3550, 3578, 3580,
		13294, 13300,	3582, 3584, 3698,
		13593, 13599,	3734, 3788, 3790,
		13892, 13898,	3876, 3878, 3971, 6119
		14191, 14197,	\bidi@csuse
		14490, 14496,	5906, 6293, 6307,
		14789, 14795,	6320, 6331, 12043
		15300, 15311, 18323	\bidi@copy@stacktop 6631
	 6196,	\bidi@copyins@amount
		6197, 15872, 26547 5293, 5322
		\bidi@beforeOutputBoxOutputPage .. 16657, 16658,	\bidi@cs@c ... 6454, 6455
		. 6199, 15875, 26558 6193, 15853, 26504
		16659, 16662,	\bidi@cs@e 6625, 6626,
	 6199,	\bidi@counter@page
		6200, 15876, 26559 6193,
	 5293, 5322	\bidi@cs@lista ...
		\bidi@BeforeOutputPageShip 6194, 15854, 26505
		\bidi@cs@c ... 6454, 6455 6195, 15855, 26506
	 6193, 15853, 26504	\bidi@csxappto 5966, 5968
		\bidi@beforeoutputpagechipouthook	\bidi@csxpreto 5975, 5977
		6628, 6629, 6632, 6634	\bidi@current@column@status
	 6193, 6193, 26163, 26199
		\bidi@cs@listb 6595, 6597	\bidi@dbg@fail
	 11748, 15007	5991, 6001, 6002,
		\bidi@cs@liste 6593, 6598	6003, 6004, 6010,
	 6194, 15854, 26505	6019, 6025, 6127,
		\bidi@dbg@info . 5992,	6149, 6161, 6162, 6171
		6600, 6601, 6610, 6611	5994, 5997, 5999,
		\bidi@bidiold@footnotetext	6000, 6011, 6013,
		\bidi@cs@appto ... 5963	6015, 6017, 6018,
	 11822, 15021	6020, 6022, 6024,
		\bidi@csarg ... 6381,	6125, 6150, 6152,
		\bidi@bidiold@mpfootnotetext	6154, 6157, 6163, 6165
		6397, 6471, 6478,	\bidi@dbg@init . 5989,
	 11859, 15026	6008, 6124, 6147
		6496, 6501, 6506,	\bidi@dbg@succ .. 6035,
		\bidi@bidiold@RTLfootnotetext	6126, 6158, 6166, 6168
		6511, 6517, 6522,	\bidi@dbg@trce .. 5982,
	 11779, 15012	6028, 6123, 6132, 6140
		6564, 6565, 6583,	\bidi@default
		6589, 6600, 6610, 6496, 6501,
		6619, 6629, 6633, 6637	6506, 6511, 6517, 6522
		\bidi@csdefcs	
		5613	
		\bidi@cseappto 5964, 5967	
		\bidi@csepreto 5973, 5976	
		\bidi@csgappto . 5965,	
		6287, 6303, 6317, 6327	
		\bidi@csgpreto .. 5974	
		\bidi@cslet	
		5619	
		\bidi@csletcs	
		5616	



\bidi@del@tok@from@list	12885,	12938,	.
..... 6592	12965,	12992,	5637, 11900, 11960
\bidi@digits ... 4373,	13004,	13014,	\bidi@epreto
4379, 4380, 4381	13064,	13116,	... 5945, 5958, 5973
\bidi@digits@charclass	13143,	13170,	\bidi@eqs@a .. 6407, 6408
..... 4375,	13175,	13178,	\bidi@eqs@b .. 6407, 6408
4379, 4380, 4381, 4382	13181,	13184,	\bidi@EqualString . 6407
\bidi@dummies	13237,	13264,	\bidi@EqualStringX 6412
... 6476, 6478, 6479	13291,	13303,	\bidi@error ... 5639,
\bidi@eappto	13313,	13363,	5891, 6481, 6588, 6757
... 5923, 5936, 5964	13415,	13442,	\bidi@everyjob .. 4215,
\bidi@empty ... 4389,	13469,	13474,	4218, 4479, 4481
4390, 6451, 6454, 6455	13477,	13480,	\bidi@expandonce ..
\bidi@empty@stack ..	13483,	13536,	5911, 5922, 5926,
..... 6636, 6642	13563,	13590,	5930, 5934, 5944,
\bidi@empty@toks ..	13602,	13612,	5948, 5952, 5956, 6169
... 6649, 6652, 6656	13662,	13714,	\bidi@ff@box 15895, 15913
\bidi@endpreamblehook	13741,	13768,	\bidi@finalfootnoteperpage
..... 6188,	13773,	13776, 12023, 12034
6189, 6221, 6223	13779,	13782,	\bidi@firstcolumn@status@write
\bidi@ensure@new@command	13835,	13862, 4144, 4152,
..... 5630, 5631	13889,	13901,	10162, 10221,
\bidi@ensure@newcommand	13911,	13961,	15700, 15736,
... 5630, 11878,	14013,	14040,	16574, 16627,
11890, 11896,	14067,	14072,	19242, 19338,
11897, 11901,	14075,	14078,	26170, 26233, 26276
11902, 11903,	14081,	14134,	\bidi@floathook ..
11904, 11916,	14161,	14188,	.. 11668, 14874,
11928, 11950,	14200,	14210,	14927, 14979,
11951, 11956,	14260,	14312,	15030, 15438, 15440
11957, 11958,	14339,	14366,	\bidi@font@outputpage
11959, 11962,	14371,	14374,	. 15861, 26495, 26537
12070, 12072,	14377,	14380,	\bidi@footdir@footnote
12076, 12077,	14433,	14460,	.. 79, 292, 2388,
12093, 12110,	14487,	14499,	16173, 16175, 16179
12115, 12117,	14509,	14559,	\bidi@footskip ..
12123, 12125,	14611,	14638,	.. 11979, 11986,
12129, 12179,	14665,	14670,	12003, 12010, 15318
12231, 12258,	14673,	14676,	\bidi@fswitch . 6522, 6524
12285, 12290,	14679,	14732,	\bidi@gappto
12293, 12296,	14759,	14786,	5317, 5927, 5965,
12299, 12352,	14798,	14808,	6188, 6193, 6196,
12379, 12406,	14816,	14823,	6199, 6202, 6205,
12418, 12428,	14826,	14834,	6208, 6212, 6215,
12478, 12528,	14846,	15054,	6229, 6241, 6254, 6269
12553, 12578,	15109,	15139,	\bidi@gpreto .. 5949, 5974
12583, 12586,	15169,	15173,	\bidi@hooktocmd ..
12589, 12592,	15177,	15181,	.. 6135, 6143, 6145
12643, 12668,	15236,	15265,	\bidi@hooktocmd@i ..
12693, 12705,	15294,	15305, 6159, 6173
12715, 12765,	15321,	15330,	\bidi@hop@ES .. 6415, 6417
12817, 12844,	15339,	15346,	\bidi@ifafterfinalfootnoteperpage
12871, 12876,	15350,	15361, 15362 12038, 12051
12879, 12882,		\bidi@ensure@newlength	\bidi@ifblank@i ..
			... 5585, 5586, 5588



\bidi@ifdefmacro ..	12913, 12952,	6726, 6729, 6745, 6773
..... 5591,	12979, 13210,	\bidi@looprepeat@depth
5593, 5594, 5595	13212, 13251, 6694,
\bidi@ifdefparam ..	13278, 13509,	6695, 6697, 6709, 6735
..... 6102,	13511, 13550,	\bidi@looprepeat@dxbody
6104, 6105, 6106	13577, 13808, 6718, 6722
\bidi@ifdefprotected	13810, 13849,	\bidi@looprepeat@setup
..... 6111,	13876, 14107, 6715, 6741
6113, 6114, 6115	14109, 14148,	\bidi@looprepeat@sign
\bidi@ifEmpty .. 6454	14175, 14406,	... 6715, 6726, 6756
\bidi@ifempty .. 6452	14408, 14447,	\bidi@looprepeat@tmp
\bidi@ifEmptyX .. 6453	14474, 14705,	6716, 6717, 6744,
\bidi@ifhashcheck ..	14707, 14746,	6746, 6749, 6754,
... 5996, 6073, 6156	14773, 15208,	6761, 6764, 6766, 6769
\bidi@ifhashcheck@i	15210, 15251, 15280	\bidi@looprepeat@traceexit
..... 6077, 6079	\bidi@lastcolumn@status@write 6700, 6735
\bidi@ifhashcheck@ii	4148, 4153, 10166,	\bidi@looprepeat@traceinit
..... 6081,	10227, 15704, 6700, 6708
6084, 6085, 6086	15742, 16580,	\bidi@looprepeat@zero
\bidi@ifmulticol ..	16631, 19246,	... 6715, 6734, 6772
.. 11968, 11978,	19344, 26237, 26282	\bidi@lst@caption@direction
12002, 15440, 15444	\bidi@leave@mult@copyins 18042,
\bidi@ifNextChar .. 6462 19579, 19590	18043, 18055, 18058
\bidi@ifpatchable ..	\bidi@left@footnoterule	\bidi@lst@caption@script
... 5985, 5987, 6034	. 18325, 18331, 18336 18049,
\bidi@ifpatchable@i	\bidi@leftskip ..	18050, 18066, 18069
..... 5985, 6006	.. 24611, 24613,	\bidi@lst@ensure@caption@direction
\bidi@ifpattern ...	24615, 24616, 18053,
..... 5998, 6089	24726, 24783,	18078, 18080,
\bidi@ifscanable ..	24785, 24821,	18082, 18101,
..... 5995,	24822, 24854, 25844	18105, 18112, 18121
6016, 6057, 6155	\bidi@length@of@csstack	\bidi@lst@ensure@caption@script
\bidi@in@front@of@cslist	... 6637, 6638, 6641	. 18064, 18076, 18120
..... 6601, 6602	\bidi@length@of@stack	\bidi@LTRrigidbalance
\bidi@in@front@of@list 6637, 6651	\bidi@local@in@front@of@list
..... 6600	\bidi@local@push@onto	.. 12120, 12417,
\bidi@info .. 5642 6621	12427, 12704,
\bidi@init@multi@footins	\bidi@looprepeat@comp	12714, 13003,
..... 15426,	... 6715, 6751, 6756	13013, 13302,
15443, 15448, 15449	\bidi@looprepeat@csarg	13312, 13601,
\bidi@invert@csstack 6693, 6745	13611, 13900,
..... 6641	\bidi@looprepeat@csargromannumerical	13910, 14199,
\bidi@IsEmptyList . 6455 6695,	14209, 14498,
\bidi@joinfootnotes	6710, 6711, 6712,	14508, 14797, 14807
..... 11952,	6713, 6714, 6717,	\bidi@make@eightcol@LTRfootgroup
11953, 11954, 11974	6722, 6723, 6724,	. 13924, 13949, 14194
\bidi@joinmpfootnotes	6725, 6726, 6728,	\bidi@make@fivecol@LTRfootgroup
.. 11823, 11860,	6734, 6747, 6749,	. 13027, 13052, 13297
11998, 12073,	6750, 6751, 6758,	\bidi@make@fourcol@LTRfootgroup
12074, 12325,	6759, 6761, 6766, 6774	. 12728, 12753, 12998
12327, 12366,	\bidi@looprepeat@csromannumerical	\bidi@make@mpeightcol@LTRfootgroup
12393, 12617, 6694, 6718,	. 13932, 13957, 14205
12619, 12656,		\bidi@make@mpfivecol@LTRfootgroup
12681, 12911,		. 13035, 13060, 13308



\bidi@make@mpfourcol@LTRfootgroup	0098, 20099, . 12736, 12761, 13009 25615, 25800,	13361, 13635, 13660, 13934,
\bidi@make@mpninecol@LTRfootgroup	5801, 25802, 25803 . 14231, 14256, 14504 \bidi@namedef 6338	13959, 14233, 14258, 14532,
\bidi@make@mppara@LTRfootgroup	\bidi@nameedef 6340 . . 14871, 14924, 14977, 15028, 15330 5322, 5644, 6339	14557, 14897, 14950, 15001, 15052
\bidi@make@mpsevencol@LTRfootgroup	\bidi@namelongdef . 5622 . 13633, 13658, 13906 \bidi@namelongedef 5626	\bidi@notblank . 5587, 5595, 6106, 6115
\bidi@make@mpsixcol@LTRfootgroup	\bidi@namelonggdef . 5624 . 13334, 13359, 13607 \bidi@namelongxdef 5628	\bidi@nxt@a 6460, 6463, 6465
\bidi@make@ptencol@LTRfootgroup	\bidi@namexdef 6341 . 14530, 14555, 14803 \bidi@new@command .	\bidi@nxt@b 6460, 6463, 6466
\bidi@make@mpthreeccol@LTRfootgroup	. 5863, . 12449, 12474, 12710 5865, 5894, 5902	\bidi@nxt@c 6461, 6464, 6465
\bidi@make@mptwocol@LTRfootgroup	\bidi@new@ifnch 12150, 12175, 12423 5393, 5395	\bidi@nxt@ch 6460, 6463, 6465
\bidi@make@ninecol@LTRfootgroup	\bidi@new@ifnextchar 14223, 14248, 14493 5390, 25936	\bidi@o@everypar 20095, 20097, 20098, 25799, 25801, 25802
\bidi@make@para@LTRfootgroup	\bidi@newcommand 14862, 14915, 14965, 15016, 15305 \bidi@newrobustcmd	\bidi@oldwbuskip 6587, 6590
\bidi@make@sevencol@LTRfootgroup 4281, 4283, . 13625, 13650, 13895 5862, 5863, 5887,	\bidi@orig@leftline . 26073, 26079, 26080
\bidi@make@sixcol@LTRfootgroup 5898, 5919, 5923, . 13326, 13351, 13596 5927, 5931, 5936,	\bidi@orig@raggedleft . 26064, 26066, 26067
\bidi@make@tencol@LTRfootgroup 5937, 5941, 5945, . 14522, 14547, 14792 5949, 5953, 5958,	\bidi@orig@raggedright . 26065, 26066, 26067
\bidi@make@threecol@LTRfootgroup 5959, 5963, 5964, . 12441, 12466, 12699 5965, 5966, 5967,	\bidi@orig@rightline . 26076, 26079, 26080
\bidi@make@twocol@LTRfootgroup 5968, 5972, 5973, . 12142, 12167, 12412 5974, 5975, 5976,	\bidi@oswitch 6501
\bidi@makecolbf 5977, 5981, 6027, 15400, 15412 6118, 6119, 6131,	\bidi@p@ftn 4819, 4882, 4884, 4885, 4887, 4888, 4890, 4891, 4895, 4898, 4901, 5006
\bidi@matrix@check 6139, 6188, 6191, 5399, 25931 6193, 6196, 6199,	\bidi@p@ftntext 4866, 4883, 4988
\bidi@matrix@error 5401, 5405 6202, 6205, 6208, 6212, 6215, 6226,	\bidi@p@LTRftntext 4867, 4886, 4989
\bidi@mopfn@bottom 15367, 15380, 15413, 15414 6229, 6232, 6241,	\bidi@p@RTLftntext 4868, 4889, 4990
\bidi@mopfootnotebf 15376, 15407 6254, 6269, 6272, 6286, 6302, 6316,	\bidi@p@xfootnote 4870, 4904, 4992
\bidi@mpfootnoterule 15376, 15407 6326, 25895, 25902 6326 6428, 6429, 6431,	\bidi@p@xftntext 4869, 4894, 4909, 4991
	15951, 16184, 16199, 16214, 16253, 18412, 23988 6433, 6434, 6436, 6441, 6443, 6444, 6446	\bidi@p@xLTRfootnote 4872, 4912, 4994
\bidi@mswitch	. 6517, 6519 19517, 19520, 19522 11949, 12152, 12177, 12451, 12476, 12738, 12763, 13037, 13062, 13336,	\bidi@p@xLTRftntext 4871, 4897, 4917, 4993
\bidi@multicol@align@columns 19466, 19517, 19520, 19522 12763, 13037, 13062, 13336,	\bidi@p@xRTLfootnote 4874, 4920, 4996
\bidi@n@everypar 20096, 20097, 20097, 20098, 20099, 20099	



\bidi@p@xRTLftntext 4873, 4900, 4925, 4995	\bidi@pop@cs@into 6625, 6644	\bidi@protected@immediate@write	... 6984, 6998, 7080	
\bidi@page@count 5260, 5261, 5295, 5324	\bidi@pop@into	6628, 6654	\bidi@protected@xappto 5937	
\bidi@paraskip	14843, 14892, 14945, 14997, 15048, 15317	\bidi@pos .	5644, 5652, 5680, 5706, 5734, 5760, 5763, 5797, 5800	\bidi@protected@xpreto 5959	
\bidi@patch@AfterFile	... 7098, 7108, 7122	\bidi@poscount .	5646, 5649, 5652, 5669, 5671, 5680, 5694, 5696, 5703, 5706,	\bidi@provide@command 5898, 5900	
\bidi@patch@AfterPackage 7090, 7198, 7203, 8107, 8109, 8112, 8133, 8284, 8334, 8390, 8634	5723, 5725, 5734, 5748, 5750, 5757, 5760, 5763, 5780, 5782, 5786, 5788,	5725, 5726, 5734, 5748, 5750, 5757, 5760, 5763, 5780, 5782, 5786, 5788,	\bidi@providerobustcmd 5898	
\bidi@patchcmd .	171, 179, 188, 348, 607, 1970, 6027, 6028, 6244, 6257, 6274, 6291, 6305, 6329, 7428, 10942, 10945, 10962, 10965, 10968, 10984, 10987, 10990, 11008, 11016, 11024, 11033, 11042, 11051, 15666, 15668, 15671, 15673, 16925, 17794, 17802, 17810, 17818, 17826, 17835, 17843, 17852, 17986, 17992, 18000, 18094, 18107, 18313, 19586, 19733, 19838, 20233, 23977, 23985, 26300	5797, 5800, 5814, 5816, 5820, 5822, 5829, 5831, 5832, 5834, 5835, 5838, 5839, 5846, 5848, 5849	5797, 5800, 5814, 5816, 5820, 5822, 5829, 5831, 5832, 5834, 5835, 5838, 5839, 5846, 5848, 5849	\bidi@push@begins 5352, 5353, 5356	
\bidi@patchcmd@scantoks	... 6045, 6051, 6181	\bidi@prepend .	6143, 6186	\bidi@push@cs@onto@cs 6618, 6645	
\bidi@pdfencrypt@keylength	... 4350, 4402	\bidi@prepend@cslist@to@cslist 6575	\bidi@push@long@begins	... 5376, 5377, 5380	
\bidi@pdfencrypt@ownerpassword	... 4345, 4389, 4401	\bidi@prepend@list@to@list 6571	\bidi@push@onto 6619	
\bidi@pdfencrypt@permissionflags	... 4355, 4403	\bidi@prepend@to@list 6568	\bidi@push@onto@cs 6619, 6620	
\bidi@pdfencrypt@userpassword	... 4340, 4390, 4400	\bidi@process@envbody 6578	\bidi@raggedleft .		
\bidi@pdfm@mark 4564, 4579	\bidi@protected .	19601, 19604, 19606, 19609, 19611, 19613, 19616, 19618, 19620, 19622, 19625, 19627, 19629, 19631, 19633, 19636, 19638, 19641, 19643, 19646, 19648, 19650, 19653, 19655, 19657, 19660, 19662, 19664, 26068	\bidi@raggedright .		
\bidi@pickescape .. 6402		\bidi@protected@cseappto 5967	\bidi@rcol@copyinsskip	... 16537,	
		\bidi@protected@csepreto			16542, 16551, 16600	
		\bidi@protected@csxappto		\bidi@reflect@box 20173, 20180,	
		\bidi@protected@csxpreto			25888, 25896, 25903	
				\bidi@reinsert@footnotes	. 15430, 15452, 15453	
					\bidi@reinsertfinalfootnoteperpage	.. 12050, 12226,
						12228, 12256,
						12283, 12523,
						12525, 12551,
						12576, 12812,



12814, 12842, 12869, 13111, 13113, 13141, 13168, 13410, 13412, 13440, 13467, 13709, 13711, 13739, 13766, 14008, 14010, 14038, 14065, 14307, 14309, 14337, 14364, 14606, 14608, 14636, 14663, 15104, 15106, 15137, 15167	\bidi@renewrobustcmd . 5887, 25899, 25906 \bidi@ReplaceClass 7061 \bidi@ReplaceInput 7052 \bidi@ReplacePackage 7055 \bidi@ResetPreventPackage 6953	\bidi@set@cslist 6611, 6612 \bidi@set@list 6610 \bidi@SOUL@ulleaders 23767, 23773 \bidi@stack@length FromLoading 6, 6638, 6639, 6643, 6644, 6653, 6654
\bidi@reinsertfootnote 11750, 11781, 11992, 12052, 12198, 12200, 12243, 12270, 12496, 12498, 12539, 12564, 12784, 12786, 12829, 12856, 13083, 13085, 13128, 13155, 13382, 13384, 13427, 13454, 13681, 13683, 13726, 13753, 13980, 13982, 14025, 14052, 14279, 14281, 14324, 14351, 14578, 14580, 14623, 14650, 15075, 15077, 15123, 15153	\bidi@resrvda .. 6037, 6038, 6039, 6042, 6043, 6044, 6045, 6046, 6047, 6052, 6055, 6059, 6060, 6061, 6062, 6063, 6065, 6066, 6075, 6077, 6091, 6092, 6094, 6096, 6097, 6175, 6176, 6177, 6178, 6179, 6180, 6181, 6182, 6183	\bidi@star@footmarkwidth 11887, 11946, 12152, 12177, 12451, 12476, 12738, 12763, 13037, 13062, 13336, 13361, 13635, 13660, 13934, 13959, 14233, 14258, 14532, 14557, 14897, 14950, 15001, 15052
\bidi@restorecatcode 6386, 7115, 7148, 7165, 7181	\bidi@resrvdb . 6039, 6040	\bidi@startparafootskip 14842, 14845, 14894, 14895, 14947, 14948, 14999, 15050
\bidi@right@footnoterule . 18326, 18329, 18338	\bidi@restorecatcode 6386, 7115, 7148, 7165, 7181	\bidi@step@absolutefootnote@count . 11749, 11780, 12056, 12196, 12242, 12269,
\bidi@rightskip 24607, 24719, 24787, 24788, 24800, 24804, 24808, 25845	\bidi@RTL@everypar . 15061, 15092, 15110, 15126, 15140, 15156, 15195, 15225, 15239, 15254, 15268, 15283, 20094, 20098, 23726, 25798, 25802	\bidi@step@absolutefootnote@count . 11749, 11780, 12056, 12196, 12242, 12269, 12494, 12538, 12563, 12782, 12828, 12855, 13081, 13127, 13154, 13380, 13426, 13453, 13679, 13725, 13752, 13978, 14024, 14051, 14277, 14323, 14350, 14576, 14622, 14649, 15073, 15122, 15152
\bidi@reinserts 15417, 15435, 15436	\bidi@s@tfftextcol 15892, 15896	\bidi@storecatcode 6379, 7112, 7143, 7162, 7178
\bidi@releasename ... 4052, 4053, 4054, 4201, 4262, 4265, 4268, 4448, 4449, 4465, 4555, 4558, 4561	\bidi@saved@eqno 20184, 20186, 20187, 26593, 26595, 26596	\bidi@storecatcode 6379, 7112, 7143, 7162, 7178
\bidi@removexfootskip . 11980, 12004, 14855, 14908, 14964, 15015, 15320	\bidi@saved@leqno 20185, 20186, 20187, 26594, 26595, 26596	\bidi@storepreventpackagefromloading 6959
\bidi@removexparafootskip . 14855, 14908, 14964, 15015, 15316	\bidi@sepmark@charclass 4376, 4377, 4378, 4382	\bidi@stringbefore 6437
\bidi@renew@command . 5887, 5889, 5903	\bidi@set@column@status . 26165, 26193, 26198	\bidi@stringbeforeNC 6425 \bidi@switch ... 6485, 6496, 6498, 6503 \bidi@switch@exit .



\bidi@UnReplacePackage	6495, 6496, 6497, 6501, 6502, 6506, 6507, 6511, 6512, 6517, 6518, 6522, 6523 \bidi@t@w@w 6546 \bidi@tabular@RTLcases 25911, 25938 \bidi@tempcountb 6373, 6642, 6643, 6652, 6653 \bidi@temptoksa 6374, 6642, 6645, 6646, 6647, 6649, 6652, 6656 \bidi@temptoksb 6375, 6644, 6645, 6646, 6647 \bidi@todonotes@tempa 25491, 25499 \bidi@todonotes@tempb 25491, 25492, 25499, 25500 \bidi@tok@SM . . 6593, 6598 \bidi@toks@lista . 6558, 6560, 6561, 6562, 6563, 6594, 6596, 6602, 6603, 6605, 6607, 6612, 6613 \bidi@toks@listb 6558, 6594, 6596 \bidi@typesethour . 4323, 4325, 4326, 4327, 4330, 4542, 4544, 4545, 4546, 4549 \bidi@typesetminute 4324, 4327, 4328, 4329, 4331, 4543, 4546, 4547, 4548, 4550 \bidi@undef . . . 2858, 2881, 2952, 3401, 6047, 6118, 6183, 6223, 6238, 24466, 24467, 24627, 24628, 24877, 24878 \bidi@undefined 6118, 6120 \bidi@undefinedcs . 6471, 6478, 6533, 6537, 6543, 6547, 6588 \bidi@UnPreventPackageFromLoading 6962 \bidi@UnReplaceClass 7064 \bidi@UnReplaceInput 7053 7058 \bidi@version . . 4051, 4054, 4201, 4220, 4222, 4228, 4234, 4262, 4265, 4268, 4447, 4465, 4485, 4487, 4555, 4558, 4561 \bidi@w@w 6533 \bidi@warning . . 5640, 6296, 6310, 6322, 6334 \bidi@warningnoline 609, 5641, 15667, 15669, 15672, 15674 \bidi@willbeunhskip 6580, 6587, 6590 \bidi@x@stack@to@list 6651 \bidi@xappto 5931, 5937, 5966 \bidi@xargdef . . 5869, 5877 \bidi@xparaskip 14837, 14839, 14841, 14891, 14944, 14996, 15047 \bidi@xpreto 5953, 5959, 5975 \bidicolor 9906, 9962, 9977, 9979, 15893, 25741, 25788, 25791, 25792 \bidics 6370 \bididate 4050, 4054, 4201, 4262, 4265, 4445, 4465, 4555, 4558 \bidiGscale@@box 16861, 16862 \bidiGscale@box 16838, 16839, 16858 \bidiGscale@box@odd 16870, 16874, 16880 \bidiGscale@box@dddd 16876, 16887 \bidillap 26082 \bidipdfinfoff 4576 \bidipdfinfoon 4575, 4581 \bidipoem@hvlen . . \bidi@UnPreventPackageFromLoading 8879, 8885, 8888, 8891, 8900 \bidi@UnReplaceClass 7064 \bidi@UnReplaceInput 7053	\bidipoem@hvind 8879, 8882, 8883, 8891, 8892, 8895, 8898 \bidipoem@hvlen 8878, 8883, 8885, 8896, 8898 \bidipoem@hvsep 8878, 8891, 8892, 8899 \bidipoem@next 8884, 8885 \bidipoem@openbox 8923, 8928 \bidipoem@p@ftn 8930, 8940, 9064, 9065, 9067, 9068, 9070, 9071, 9074, 9077, 9080, 9185, 17498, 17508, 17529, 17539, 17560, 17570 \bidipoem@p@ftntext 8957, 8968, 9063, 9174, 9188, 17496 \bidipoem@p@LTRftntext 8958, 8969, 9066, 9175, 9189, 17527 \bidipoem@p@RTLftntext 8959, 8970, 9069, 9176, 9190, 17558 \bidipoem@p@xfootnote 8961, 8972, 9082, 9178, 9192 \bidipoem@p@xftntext 8960, 8971, 9073, 9087, 9177, 9191 \bidipoem@p@xLTRfootnote 8963, 8974, 9089, 9180, 9194 \bidipoem@p@xRTLftntext 8962, 8973, 9076, 9094, 9179, 9193 \bidipoem@p@xRTLfootnote 8965, 8976, 9096, 9182, 9196 \bidipoem@p@xRTLftntext 8964, 8975, 9079, 9101, 9181, 9195 \bidipoem@set@verse 8885, 8888, 8890 \bidipoem@set@verseI 8884, 8887 \bidipoem@spreadbox 8874, 8896, 8898, 8899, 8900 \bidireleasename 4053, 4449 \bidirlap 26081
------------------------	---	--	--



\bidituftefloatDebugInfoNL	18688,	18708,	16484,	16487,
..... 7216,	18713,	18725,	16501,	16575,
7304, 7308, 7603, 7652	18742,	18743,	16581,	16628,
\bidituftefloatError	18746,	18763,	16632,	16671,
..... 7215, 7698	18788,	18795,	16683,	16694,
\bidituftefloatInfoNL	18801,	18807,	16704,	16717,
... 7216, 7217, 7767	18817,	18824,	16789,	16806,
\bidituftefloatRecalculate	18846,	18958,	16809,	16852,
..... 7333, 7344	18961,	18969,	16855,	16885,
\bidituftehyperrefLoadHyperref	18970,	19734,	16902,	18088,
..... 8592, 8603	19820,	19822, 19831	18236,	18291,
\bidituftesidenotemarginpar	boolean		18295,	18313,
... 7783, 8135, 8294	7216, 7276, 7278,		18315,	18317,
\bidituftetocError	7281, 7285, 7288,		18658,	18916,
... 8323, 8370, 8379	7291, 7316, 7412,		18927,	18932,
\bidiversion .. 4220, 4482	7427, 7438, 7458,		18966,	18967,
\bigskip	7465, 7473, 7490,		18968,	18969,
\bl	7510, 7514, 7532,		18971,	19100,
20000, 20001,	7533, 7536, 7537,		19134,	19243,
20004, 20005,	7572, 7581, 7592,		19247,	19339,
20006, 20010,	8337, 8341, 8389,		19345,	19482,
20065, 20072, 20076	8602, 8739, 8808,		19488,	19503,
\blacktriangleleft	8819, 15907, 19853		19511,	19819,
\blacktriangleright	\botmark ... 15886, 26579		19827,	19832,
. 2842, 16379, 16381	\box .. 1915, 2033, 2037,		19969,	19973,
\bm@b	2039, 2047, 2053,		19989,	20023,
\bm@l	2055, 2109, 2113,		20027,	20032,
\bm@r	2115, 2135, 2144,		20036,	20048,
\bm@t	2146, 2164, 2173,		20059,	20073,
\bmb@box .. 1900, 1905,	2175, 2213, 2217,		20076,	20080,
1906, 1907, 1910,	2219, 2226, 2501,		20085,	20161,
1911, 1915, 1916,	2505, 2553, 2566,		20177,	20222,
1917, 1923, 1924,	2583, 2588, 2959,		20225,	20235,
1936, 1942, 1946, 1961	2965, 3005, 3775,		20243,	21309,
\bmb@colorbox	4318, 4536, 7753,		21318,	21356,
\bmb@dima . 1920, 1933,	9813, 9877, 9945,		21367,	23969,
1936, 1937, 1938,	10104, 10107,		24015,	24033,
1939, 1950, 1951, 1952	10124, 10128,		25685,	25686,
\bmb@dimb	10163, 10167,		25696,	25892,
1934, 1935, 1938	10173, 10174,		26084,	26234,
\bmb@lower .. 1887, 1963	10222, 10228,		26238,	26277,
\bmb@prevheight ..	10232, 10233,		26283,	26302,
..... 1908, 1917	10459, 10464,		26318,	26450,
\bmb@temp	10471, 10478,		26466,	26477,
1912, 1913, 1915,	10514, 10798,		26490,	26492,
1919, 1920, 1921, 1931	10819, 10835,		26556,	26560, 26590
\bmb@upper .. 1892, 1902	10892, 12117,		\boxdef	4768,
\bmb@width 1901, 1910,	12120, 14820,		4770, 4776, 4781, 4786	
1919, 1949, 1950, 1961	14832, 15393,		\boxmaxdepth	
\bool	15403, 15701,		.. 10790, 10795,	
18440,	15705, 15737,		10811,	10816,
18448,	15743, 15786,		10843,	10900,
18596,	15877, 15910,		15363,	15378,
18641,	15915, 16477,		15635,	16430,



\br	16432, 16756, 26305, 26321, 26332	\bx@H	7639, 7680	\bx@Z	7611, 7643, 7684
\br	20000, 20002, 20004, 20005, 20006, 20010, 20066, 20072, 20080	\bx@h	7619, 7645, 7686	\bx@z	7637, 7649, 7690
\BR@b@bibitem	7988, 7989	\bx@HH	7660, 7692	\bx@ZZ	7678, 7696
\BR@bibitem	7991, 7992	\bx@I	7639, 7680	\bye	4579
\BR@c@bibitem	7993	\bx@i	7620, 7645, 7686	\bystep	6661, 6673, 6757, 6770, 6780, 6793, 6806, 6807
\brace{text}	4285, 4511, 20100, 20101, 25804, 25805	\bx@II	7661, 7692	C	
\break	18171	\bx@J	7639, 7680	\c	18642, 18643, 18657, 18919, 19000
\BreakBibliography	21791, 21824, 21826, 21832, 22552, 22585, 22587, 22593, 23317, 23350, 23352, 23358	\bx@j	7621, 7645, 7686	\c@abspage	15981
\breakhere	3368, 3376	\bx@JJ	7662, 7692	\c@addvipersep	19187, 19205, 19210, 19232, 19262, 19287, 19305, 19310, 19332, 19359
\breaklooprepeat	6679, 6681, 6733, 6734, 6752, 6763, 6768, 6782	\bx@K	7640, 7681	\c@algocf	168
\breakrepeatloop	6708	\bx@k	7622, 7646, 7687	\c@chapter	9315, 9317, 9319, 9492, 9494, 9496, 9737, 9739, 9741, 9742,
\bs	4736, 4737, 4739	\bx@KK	7663, 7693	11571, 11573, 11575, 11576, 15628, 15630, 15632, 15919, 15921, 15923, 15924, 15932, 15934, 15936, 15937, 18138,	
\bslice	20020, 20021, 20023, 20033, 20034, 20036, 20056, 20057, 20059, 20083, 20084, 20085	\bx@L	7640, 7681	19062, 19714, 20497, 20499, 20501, 20862, 20864, 20866, 21051, 21053, 21055, 21233, 21235, 21237, 21238	
\bx@A	7638, 7679	\bx@o	7623, 7646, 7687	\c@colht	19187, 19199, 19225, 19226, 19287, 19299, 19325, 19326
\bx@a	7612, 7644, 7685	\bx@O	7626, 7647, 7688	\c@curpg 15801, 15828, 15829
\bx@AA	7651, 7653, 7691	\bx@P	7641, 7682	\c@DFNsloppiness	10788, 10809
\bx@B	7638, 7679	\bx@PP	7668, 7694	\c@enumiv	615, 622, 750, 757, 1013, 1020, 1263, 1270, 2659, 2668, 5249, 9285, 9292, 9473, 9480, 9782, 9789, 11346, 11353, 11617, 11624, 15521, 15528,
\bx@b	7613, 7644, 7685	\bx@Q	7641, 7682		
\bx@BB	7654, 7691	\bx@Q	7628, 7647, 7688		
\bx@C	7638, 7679	\bx@QQ	7669, 7694		
\bx@c	7614, 7644, 7685	\bx@R	7641, 7682		
\bx@CC	7655, 7691	\bx@P	7627, 7647, 7688		
\bx@D	7638, 7679	\bx@RR	7670, 7694		
\bx@d	7615, 7644, 7685	\bx@S	7602, 7604, 7642, 7683		
\bx@DD	7656, 7691	\bx@s	7630, 7648, 7689		
\bx@E	7638, 7679	\bx@SS	7671, 7695		
\bx@e	7616, 7644, 7685	\bx@T	7605, 7642, 7683		
\bx@EE	7657, 7691	\bx@t	7631, 7648, 7689		
\bx@F	7639, 7680	\bx@TT	7672, 7695		
\bx@f	7617, 7645, 7686	\bx@U	7606, 7642, 7683		
\bx@FF	7658, 7692	\bx@u	7632, 7648, 7689		
\bx@G	7639, 7680	\bx@UU	7673, 7695		
\bx@g	7618, 7645, 7686	\bx@V	7607, 7642, 7683		
\bx@GG	7659, 7692	\bx@v	7633, 7648, 7689		
		\bx@VV	7674, 7695		
		\bx@W	7608, 7643, 7684		
		\bx@w	7634, 7649, 7690		
		\bx@WW	7675, 7696		
		\bx@X	7609, 7643, 7684		
		\bx@x	7635, 7649, 7690		
		\bx@XX	7676, 7696		
		\bx@Y	7610, 7643, 7684		
		\bx@y	7636, 7649, 7690		
		\bx@YY	7677, 7696		



20478,	20485,	2337, 2353, 2369,	15624,	15927,
20872,	20879,	16184, 16199,	15940,	19055,
21066,	21073,	16214, 16240, 18421	20493,	20858,
21269,	21276,	\c@NAT@ctr 19673	21058,	21241,
21800,	21809,	\c@page . . . 8746, 11070,	21774,	22521, 23290
21816,	22561,	11098, 15801,	\c@table	
22570,	22577,	15828, 25648, 26446	9319, 9496, 9741,	
23326,	23335,	\c@paragraph . . . 586,	11575,	15632,
23342,	24082, 24089	743, 997, 1256,	15923,	15936,
\c@equation		9312, 9489, 9746,	19064,	20501,
9315, 9492, 9737,		11457, 11580,	20864,	21055,
11185,	11254,	15625, 15928,	21237, 22531, 23300	
11571,	15628,	15941, 19057,	\c@thisframe	
15919,	15932,	20494, 20859,	. . 15800, 15805,	
19062,	20497,	21059, 21242,	15841, 15843, 15844	
20866,	21051,	21776, 22523, 23292	\c@tocdepth 3,	
21233,	22539, 23304	\c@part 2694	208, 546, 563, 685,	
\c@figure		\c@poem@no 9015,	701, 719, 912, 945,	
9317, 9494, 9739,		9057, 9109, 9120	963, 1168, 1184,	
11573,	15630,	\c@secnumdepth . 314,	1202, 9219, 9235,	
15921,	15934,	589, 598, 9556,	9251, 9396, 9412,	
19063,	20499,	9751, 11315,	9428, 9699, 9714,	
20862,	21053,	11324, 11585,	11288, 11302,	
21235,	22528, 23297	15491, 20259, 21247	11557, 15459,	
\c@footnote 128,		\c@section . 2719, 9309,	15474, 17905,	
328, 491, 786, 845,		9486, 9743, 11577,	19407, 19419,	
1038, 1097, 1288,		15622, 15925,	19431, 20407,	
1347, 4617, 9330,		15938, 19051,	20423, 20439,	
9507, 9644, 11405,		19724, 20491,	20779, 20795,	
11502,	15572,	20856, 21056,	20811, 21011,	
16262,	16276,	21239, 22517, 23286	21025, 21195,	
17311,	17421,	\c@subparagraph . 587,	21210, 24162,	
17429,	17459,	744, 998, 1257,	24166, 24208,	
17467,	17943,	9313, 9490, 9747,	24227, 24249,	
18271,	18274,	11458, 11581,	24266, 24283,	
20514,	20573,	15626, 15929,	24300, 24592,	
20653,	20714,	15942, 19059,	24704, 24742,	
20910,	20953,	20495, 20860,	25242, 25438, 26144	
21140,	21562,	21060, 21243,	\c@twb 10114	
21683,	22302,	21778, 22525, 23294	\c@twcompctr 10095	
22423,	23075, 23196	\c@subsection . 584, 741,	\c@twcompoddcctr 10111	
\c@Hy@AnnotLevel		995, 1254, 2720,	\c@twfirst 10096,	
17633,		9310, 9487, 9744,	10102, 10109,	
17634,	17639, 17643	11455, 11578,	10113, 10122, 10125	
\c@ll@chapseci 9987		15623, 15926,	\c@twlfside 10100	
\c@ll@chapsecii 9982		15939, 19053,	\c@twlspc	
\c@lofdepth 24317, 24354		20492, 20857,	. 10114, 10117, 10121	
\c@lor@error		21057, 21240,	\c@twprune 10100,	
9951, 9958, 9966,		21772, 22519, 23288	10101, 10117, 10121	
9972,	25733, 25767	\c@subsectionslide . 2722	\c@twrounds 10112,	
\c@lotdepth 24335, 24374		\c@subsubsection . 585,	10115, 10118, 10130	
\c@lstlisting 18138, 18140		742, 996, 1255,	\c@twrtside 10101	
\c@LT@chunks 18199		9311, 9488, 9745,	\c@twslicea 10098,	
\c@mpfootnote		11456, 11579,	10100, 10104,	



\cap@margin	22740, 22751,
. 21852, 22613, 23378	23451, 23483,
\cap@right	23494, 23505, 23516
22000, 22665,	\captionlabelfalse 18129
22761, 23430, 23526	\catcode . . 4446, 4580,
\cap@width	6054, 6382, 6383,
21881, 21934, 22642,	6384, 6424, 7109,
22695, 23407, 23460	7138, 7159, 7175,
\caption	7960, 7982, 8913,
7421, 7422, 7424, 7480,	8914, 8916, 8917,
17014, 17032,	16388, 16389, 16504
18174, 19138,	\Centering 20269
19140, 21937,	\centering 313,
21938, 22698,	3195, 10645,
22699, 23463, 23464	10658, 10774,
\caption@@make	17044, 17129,
\caption@@par	17145, 19085,
\caption@begin	19087, 19089,
\caption@belowskip	21650, 22390, 23163
\caption@end	\CenteringLeftskip 20274
\caption@hangindent	\CenteringParfillskip
\caption@ifdefined	20277
\caption@LT@make	\CenteringParindent
\caption@LT@settype	20278
\caption@LT@setup	\CenteringRightskip
\caption@make@above	20275
\caption@make@below	\centerline 317, 16484,
\caption@makecaption	16501, 20188, 26070
\caption@normalsize	\cftbeforechapskip 24210
\caption@parindent	\cftbeforefigskip 24318
\caption@prepare@stepcounter	\cftbeforeparaskip 24284
\caption@setautoposition	\cftbeforepartskip 24178
\caption@starfalse	\cftbeforesecskip .
\caption@startrue	24229, 24232
\captionabove	\cftbeforesubfigskip
22035, 22040, 22797,	\cftbeforesubparaskip
22802, 23562, 23567	24301
\captionbelow	\cftbeforesubseccskip
22037, 22042, 22799,	24250
22804, 23564, 23569	\cftbeforesubsubseccskip
\captionformat	24267
. 21925, 21957,	\cftbeforesubtabskip
21968, 21979,	24375
21990, 22686,	\cftbeforetabskip 24336
22718, 22729,	\cftchapaftersnum 24219
	\cftchapaftersnumb 24220
	\cftchapfillnum . 24223
	\cftchapfont 24222
	\cftchapindent
	24211, 24214, 24461
	\cftchapnumwidth
	24217, 24462
	\cftchappresnum . 24218



\cftchapterprecistoc 24460	\cftsubparaindent 24302, 24305	\chapterheadstartvskip 20256
\cftdot 24158	\cftsubparanumwidth 24308	\chaptermark	8820, 24119
\cftdotfill 24452	\cftsubparapresnum	24309	\chaptername	318, 19071
\cftdotsep 24451	\cftsubsecaftersnum 24259	\chapterstyle	19066
\cftfigaftersnum	. 24327	\cftsubsecaftersnumb 24260	\char	4383, 4740, 4741, 6370
\cftfigaftersnumb	24328	\cftsubsecfillnum	24263	\chardef 6369,
\cftfigfillnum	24331	\cftsubsecfont	24262	16388, 18042,	
\cftfigfont	24330	\cftsubsecindent 24251, 24254	18043, 18049, 18050	
\cftfigindent	24319, 24322	\cftsubsecnumwidth	24257	\check@floats 10539
\cftfignumwidth	.. 24325	\cftsubsecpresnum	24258	\CheckCommand	17418, 17456
\cftfigpresnum	.. 24326	\cftsubsubsecaftersnum 24276	\checkoddpage 7315
\cftpaaftersnum	24293	\cftsubsubsecaftersnumb 24277	\CIIIAny 4758
\cftpaaftersnumb	24294	\cftsubsubsecfillnum 24280	\ciiiAny 4766
\cftpafillnum	.. 24297	\cftsubsubsecfont	24279	\circle 10003,
\cftpafont 24296	\cftsubsubsecindent 24268, 24271	10006, 10013,	
\cftpaindent 24285, 24288	\cftsubsubsecnumwidth 24274	10016, 10026,	
\cftpnumwidth	.. 24291	\cftsubsubsecpresnum 24275	10029, 10036,	
\cftpapresnum	.. 24292	\cftsubtabaftersnum 24384	10039, 10049,	
\cftpptaftersnum	24188	\cftsubtabaftersnumb 24385	10052, 10059,	
\cftpptaftersnumb	24189	\cftsubtabfillnum	24388	10062, 10072,	
\cftpptfillnum	.. 24192	\cftsubtabfont	24387	10075, 10082, 10085	
\cftpptfont 24191	\cftsubtabindent 24376, 24379	\cite 7997,
\cftpindent 24180, 24183	\cftsubtabnumwidth	24382	8089, 8095, 8096,	
\cftpnumwidth	.. 24186	\cftsubtabpresnum	24383	8190, 8195, 8216,	
\cftpapresnum	...	\cfttabaftersnum	24345	8224, 8245, 8253,	
 24187, 24191	\cfttabaftersnumb	24346	8274, 8292, 8296,	
\cftpnumalign 24157	\cfttabfillnum	24349	8301, 8305, 8310,	
\cftsecaftersnum	.. 24242	\cfttabfont	24348	8314, 19682, 19683	
\cftsecaftersnumb	24243	\cfttabindent	24337, 24340	\citeasnoun 19683
\cftsecfillnum	... 24246	\cfttabnumwidth	24343	\citeN 19682
\cftsecfont 24245	\cfttabpresnum	24344	\cites 8090
\cftsecindent	24234, 24237	\chapnumfont 20258	\cl@ckpt 23857
\cftsecnumwidth	.. 24240	\chapter 8335,	\ClassInfo 8777,
\cftsecpresnum	.. 24241		8363, 8433, 8441,	8842, 21460,	
\cftsubfigaftersnum 24364		8557, 8563, 9281,	21863, 21872,	
\cftsubfigaftersnumb 24365		9469, 9778, 11613,	22046, 22199,	
\cftsubfigfillnum	24368		15517, 20474,	22624, 22633,	
\cftsubfigfont	.. 24367		20868, 21062, 21265	22808, 22972,	
\cftsubfigindent	.. 24356, 24359			23389, 23398, 23573	
\cftsubfignumwidth	24362			\ClassWarning 21633,
\cftsubfigpresnum	24363				21640, 21662,
\cftsubparaafiltersnum 24310				21668, 21675,
\cftsubparaafiltersnumb 24311				21936, 22373,
\cftsubparafillnum	24314				22380, 22402,
\cftsubparafont	.. 24313				22408, 22415,
		\chapterheadendvskip 20264		22697, 23146,
					23153, 23175,
					23181, 23188, 23462
				\ClassWarningNoLine 19122
				\cleardoubleemptypage 21653, 22393, 23166



\cleardoublepage . .	12002, 15427,	12934, 12947,
. . . 8699, 8744,	15428, 15578,	12961, 12974,
8746, 8803, 8816,	19029, 19369,	12988, 13076,
8830, 9772, 11607	19451, 19456,	13106, 13122,
\clearpage . 645, 661,	19530, 19531,	13137, 13149,
910, 1162, 6258,	19533, 19536,	13164, 13204,
6259, 6263, 6264,	19537, 19544,	13233, 13246,
7699, 8711, 8746,	20579, 20720,	13260, 13273,
8832, 9213, 9390,	20964, 21146,	13287, 13375,
9600, 9774, 11609,	21688, 22428, 23201	13405, 13421,
20383, 20638,	\col@sep 391, 444, 9902,	13436, 13448,
21097, 21655,	9903, 18186, 25915	13463, 13503,
22395, 23168, 24153	\color 1601, 1604, 1641,	13532, 13545,
\clip 3425, 3448	1673, 1696, 1717,	13559, 13572,
\clipbox@@ 20224	1738, 1784, 1925,	13586, 13674,
\clist 6917,	1927, 1966, 2061,	13704, 13720,
6923, 6927, 6928,	2729, 2734, 2809,	13735, 13747,
6936, 6937, 6950,	2969, 3634, 4652,	13762, 13802,
6955, 6956, 6960,	4653, 4654, 4655,	13831, 13844,
6964, 6965, 6967,	4656, 4657, 5173,	13858, 13871,
6969, 7005, 7009,	9947, 9950, 9953,	13885, 13973,
7010, 7014, 7017,	9971, 9974, 10639,	14003, 14019,
7021, 7022, 7026,	10642, 10652,	14034, 14046,
7029, 7033, 7034,	10770, 18384, 25698	14061, 14101,
7038, 7043, 7044, 7048	\color@ 25738, 25785	14130, 14143,
\CloneTOCEEntryStyle	\color@b@x	14157, 14170,
. 22052,	9939, 9977, 9979,	14184, 14272,
22065, 22083,	25691, 25788, 25791	14302, 14318,
22092, 22814,	\color@begingroup .	14333, 14345,
22827, 22846, 1992,	14360, 14400,
22855, 23579,	2297, 2314, 2331,	14429, 14442,
23592, 23611, 23620	2347, 2363, 2379,	14456, 14469,
\closing 11647	8145, 8163, 8181,	14483, 14571,
\clubpenalty	9183, 9197, 11744,	14601, 14617,
. . . 92, 305, 624,	11760, 11775,	14632, 14644,
625, 758, 1021,	11791, 11806,	14659, 14699,
1271, 2671, 2672,	11819, 11832,	14728, 14741,
5250, 9031, 9293,	11844, 11856,	14755, 14768,
9481, 9791, 9792,	11869, 12191,	14782, 15068,
11354, 11626,	12221, 12237,	15099, 15117,
11627, 15529,	12252, 12264,	15133, 15147,
17870, 19679,	12279, 12319,	15163, 15202,
20486, 20880,	12348, 12361,	15232, 15246,
21075, 21076,	12375, 12388,	15261, 15275,
21278, 21279,	12402, 12490,	15290, 15369,
21818, 22579,	12519, 12534,	15382, 16133,
23344, 24091, 24092	12548, 12559,	16150, 16166,
\coffeefont 19427	12573, 12612,	16194, 16209,
\col@number . . . 132,	12640, 12652,	16224, 16236,
137, 139, 142,	12665, 12677,	16724, 16734,
143, 150, 497, 851,	12690, 12777,	16741, 18260,
1103, 1353, 9650,	12807, 12823,	18358, 26308,
11411, 11508,	12838, 12850,	26324, 26335, 26343
11969, 11978,	12865, 12905,	\color@block . 9944, 25696



\color@box ..	9977, 25788		
\color@endbox ..	5007, 7819, 7863, 7907, 21381, 21391, 21409, 26388, 26432, 26553, 26569	14036, 14048, 14063, 14103, 14132, 14145, 14159, 14172, 14186, 14274, 14304, 14320, 14335, 14347, 14362, 14402, 14431, 14444, 14458, 14471, 14485, 14573, 14603, 14619, 14634, 14646, 14661, 14701, 14730, 14743, 14757, 14770, 14784, 15070, 15101, 15119, 15135, 15149, 15165, 15204, 15234, 15248, 15263, 15277, 15292, 15373, 15386, 16136, 16153, 16169, 16197, 16212, 16227, 16257, 16727, 16737, 16744, 26312, 26327, 26339, 26346	9383, 9593, 10168, 10467, 15706, 16633, 17878, 19249, 19366, 19459, 19505, 20376, 20631, 21090, 25653, 25658, 25662, 25668, 25671, 26239
\color@endgroup 2022, 2300, 2317, 2334, 2350, 2366, 2382, 8149, 8167, 8185, 9185, 11746, 11762, 11777, 11793, 11808, 11821, 11834, 11846, 11858, 11871, 12090, 12193, 12223, 12239, 12254, 12266, 12281, 12321, 12350, 12363, 12377, 12390, 12404, 12492, 12521, 12536, 12550, 12561, 12575, 12614, 12642, 12654, 12667, 12679, 12692, 12779, 12809, 12825, 12840, 12852, 12867, 12907, 12936, 12949, 12963, 12976, 12990, 13078, 13108, 13124, 13139, 13151, 13166, 13206, 13235, 13248, 13262, 13275, 13289, 13377, 13407, 13423, 13438, 13450, 13465, 13505, 13534, 13547, 13561, 13574, 13588, 13676, 13706, 13722, 13737, 13749, 13764, 13804, 13833, 13846, 13860, 13873, 13887, 13975, 14005, 14021,	\columnseprule 99, 229, 637, 653, 902, 1154, 4601, 5083, 9205, 9382, 9592, 10159, 10224, 10456, 10475, 15698, 15739, 16577, 16624, 17878, 19239, 19341, 19484, 19495, 20375, 20630, 21089, 26230, 26279	
\color@fb@x	25789, 25790	\columnseprulecolor 19483, 19494	
\color@fbox ..	9978, 25789	\columnwidth 28,	
\color@hbox 21378, 21388, 21406, 26550, 26566	41, 55, 71, 242, 254, 268, 283, 578, 582, 772, 1006, 1252, 2290, 2307, 2324, 2343, 2359,	
\color@setgroup	9980, 25793	2375, 4295, 4301, 4997, 9307, 9460, 9730, 9734, 9842, 10157, 10161, 10165, 10169,	
\color@vbox	4985, 7810, 7854, 7898, 26379, 26423	10220, 10226, 10454, 10458, 10463, 10468, 10470, 10477, 10788, 10809,	
\colorA ..	9558, 9567, 9579	11361, 11365,	
\colorB	9564, 9570, 9576, 9582	11660, 11664, 11669, 11711, 11741, 11757, 11772, 11788,	
\colorblend ..	25705, 25706, 25748, 25749	11803, 11816, 11829, 11841, 11853, 11866, 12316, 12345, 12358, 12372,	
\colorbox	2045, 4813, 4815, 4816	12385, 12399, 12609, 12637, 12649, 12662, 12674, 12687,	
\colorlet	1889, 1894, 1964, 1965, 1994, 1996, 2985, 3025		
\columncolor ..	1507, 9910		
\columnsep	99, 229, 638, 654, 903, 1155, 4600, 5082, 9206,		



12902,	12931,	22289,	22290,	7839, 7883, 11970,
12944,	12958,	23023,	23062,	12102, 12107,
12971,	12985,	23063,	26228,	12137, 12141,
13201,	13230,	26232,	26236,	12162, 12166,
13243,	13257,	26240,	26275,	12436, 12440,
13270,	13284,	26281,	26471, 26473	12461, 12465,
13500,	13529,	\contentslabel .	8394,	12723, 12727,
13542,	13556,		8401, 8408, 8415, 8422	12748, 12752,
13569,	13583,	\contentsline . . .	17249	13022, 13026,
13799,	13828,	\contentsmargin .	24055	13047, 13051,
13841,	13855,	\contentspush . . .	24029	13321, 13325,
13868,	13882,	\convertcolorspec .		13346, 13350,
14098,	14127,	 25712,	13620, 13624,
14140,	14154,		25715, 25755, 25758	13645, 13649,
14167,	14181,	\Coord	4754	13919, 13923,
14397,	14426,	\coord	4759	13944, 13948,
14439,	14453,	\CoordIII	4756	14218, 14222,
14466,	14480,	\coordiii	4761	14243, 14247,
14696,	14725,	\Coordin	4755	14517, 14521,
14738,	14752,	\coordin	4760	14542, 14546,
14765,	14779,	\Coordx	4751,	14854, 14861,
14878,	14931,		4754, 4755, 4756,	14907, 14914,
14983,	15034,		4757, 4758, 4759,	14963, 15014,
15198,	15228,		4760, 4761, 4765, 4766	15418, 15427,
15242,	15257,	\coordx	4762	15811, 16539,
15271,	15286,	\Coordy	4752,	16548, 16550,
15510,	15514,		4754, 4755, 4756,	16597, 16599,
15697,	15699,		4757, 4758, 4759,	16926, 16932,
15703,	15707,		4760, 4761, 4765, 4766	26364, 26408, 26516
15735,	15741,	\coordy	4763	\count@ 1447,
16039,	16042,	\Coordz	4753,	1506, 5414, 5419,
16044,	16129,		4756, 4758, 4761, 4766	5430, 5434, 9908,
16146,	16162,	\coordz	4764	19446, 19447,
16190,	16205,	\copy	1942, 7806,	19449, 19451,
16220,	16238,		7850, 7894, 9846,	19458, 19479,
16519,	16526,		10137, 10200,	19480, 19482,
16573,	16579,		10309, 10799,	19499, 19500,
16622,	16626,		10820, 15680,	19503, 19788,
16630,	16634,		15716, 16547,	19796, 19809, 23896
16986,	16987,		16596, 16797,	\counterwithout 19067,
17892,	17966,		16843, 18287,	19068, 19069, 19070
17970,	18323,		18302, 18309,	\coverpagebottommargin
18361,	19237,		19171, 19271,	. 21542, 22282, 23055
19241,	19245,		20093, 20176,	\coverpageleftmargin
19248,	19337,		20266, 25891,	. 21537, 21538,
19343,	19366,		26208, 26255,	21540, 22277,
19395,	19401,		26375, 26419, 26482	22278, 22280,
19563,	19567,	\cor@height ..	19194,	23050, 23051, 23053
19571,	19575,		19195, 19222,	\coverpagerightmargin
20471,	20894,		19223, 19262,	. 21540, 22280, 23053
21044,	21048,		19294, 19295,	\coverpagetopmargin
21226,	21230,		19322, 19323, 19359 21536,
21510,	21549,			21542, 22276,
21550,	22250,	\count . . .	4290, 4516,	22282, 23049, 23055
			4980, 6688, 7795,	



\cr	418, 8978, 8985, 9041, 12119, 12122, 12124, 18206, 23802, 23840, 26116	5974, 5975, 6120, 6291, 6292, 6294, 6305, 6306, 6308, 6319, 6329, 6338, 6339, 6340, 6341, 6364, 6388, 6393, 6397, 6413, 6431, 6433, 6441, 6443, 6452, 6453, 6533, 6537, 6570, 6572, 6583, 6584, 6598, 6606, 6608, 6635, 6656, 6693, 6694, 6695, 6711, 6712, 6713, 6714, 7542, 7543, 7550, 7551, 8143, 8161, 8179, 8210, 8239, 8268, 8510, 9036, 9064, 9067, 9070, 9084, 9091, 9098, 9106, 9107, 9145, 9170, 9171, 9953, 9959, 9967, 9974, 11743, 11759, 11774, 11790, 11805, 11818, 11831, 11843, 11855, 11868, 12035, 12190, 12220, 12236, 12251, 12263, 12278, 12318, 12347, 12360, 12374, 12387, 12401, 12489, 12518, 12533, 12547, 12558, 12572, 12611, 12639, 12651, 12664, 12676, 12689, 12776, 12806, 12822, 12837, 12849, 12864, 12904, 12933, 12946, 12960, 12973, 12987, 13075, 13105, 13121, 13136, 13148, 13163, 13203, 13232, 13245, 13259, 13272, 13286, 13374, 13404,	13420, 13435, 13447, 13462, 13502, 13531, 13544, 13558, 13571, 13585, 13673, 13703, 13719, 13734, 13746, 13761, 13801, 13830, 13843, 13857, 13870, 13884, 13972, 14002, 14018, 14033, 14045, 14060, 14100, 14129, 14142, 14156, 14169, 14183, 14271, 14301, 14317, 14332, 14344, 14359, 14399, 14428, 14441, 14455, 14468, 14482, 14570, 14600, 14616, 14631, 14643, 14658, 14698, 14727, 14740, 14754, 14767, 14781, 15066, 15097, 15115, 15131, 15145, 15161, 15200, 15230, 15244, 15259, 15273, 15288, 15637, 15788, 15789, 15795, 15796, 15901, 15902, 15903, 15904, 15906, 15908, 15909, 15910, 15911, 15913, 15914, 15915, 15971, 15995, 16013, 16099, 16108, 16131, 16148, 16164, 16193, 16208, 16223, 16270, 16285, 17251, 17254, 17256, 17260, 17264, 17278, 17289, 17300,
-----	---	---	--



17500,	17531,	25192,	25196,	10283,	10310,
17562,	17910,	25201,	25205,	10312,	10313,
19151,	19152,	25210,	25212,	10401,	10459,
19159,	21422,	25213,	25216,	10471	
21426,	21430,	25220,	25270,	\cuted@tempbox@c .	
21513,	21737,	25272,	25279,	. . 10312,	10313,
22055,	22057,	25280,	25284,	10320,	10321,
22059,	22062,	25289,	25293,	10325,	10326,
22068,	22076,	25304,	25305,	10341,	10345,
22078,	22080,	25309,	25315,	10355,	10371,
22086,	22088,	25370,	25371,	10389,	10400,
22161,	22165,	25375,	25471,	10403,	10405,
22169,	22253,	25472,	25474,	10406	
22477,	22817,	25477,	25478,	\cuted@tempbox@var	
22819,	22821,	25482,	25956,	. 10451,	10489,
22824,	22830,	26021,	26105,	10501	
22838,	22840,	26166,	26179,	\cuted@tempdim@a .	
22843,	22849,	26181		. . 10341,	10343,
22851,	22934,	\CT@do@color	9905	10345,	10347,
22938,	22942,	\CT@cell@color	1531,	10350,	10351,
23026,	23250,	\CT@color	9930	10352,	10402,
23582,	23584,	\CT@column@color ..	9904	10414,	10420,
23586,	23589,	1529,	10432,	10436,
23595,	23603,	\CT@do@color	9928	10442,	10539,
23605,	23608,	... 1532,	9905,	10540,	10541,
23614,	23616,	9931		10545	
23792,	23818,	\CT@extract ..	1507,	\cuted@tempdim@b .	
23820,	23852,	9910	 10305,	
23874,	23876,	\CT@row@color .	1530,	10308,	10310,
23892,	23893,	\CT@setup	9929	10313,	10317,
23913,	23920,	1496,		10329,	10347,
24136,	24401,	1497,	1499,	10371,	10379,
24402,	24418,	1500,		10385,	10392,
24419,	24420,	1504,	1528,	10401,	10403,
24427,	24429,	9901,	9927	10428,	10431,
24430,	24483,	\cumpartcl	19997	10433	
24484,	24642,	\cumtcl	19997	\cuted@tempdim@spread	
24643,	24747,	\curraddr	332	. . 10320,	10321,
24772,	24799,	\current@color . . .		10322,	10323,
24803,	24807, 9946,	9952,	10330,	10334,
24864,	24916,	9959,	9967,	10337,	10340,
24919,	24933,	9973,		10341,	10343,
24949,	24950,	16366,	16371,	10348,	10359,
24966,	24973,	25697,	25734,	10369,	10372,
24978,	24996,	25735,	25739,	10377,	10380,
24997,	25009,	25768,	25769,	10384,	10388,
25010,	25065,	\currentposxwidth .	5828	10405,	10407,
25120,	25122,	\currentposyheight	5845	10409	
25124,	25140,	\CustomFBox	16368	\cuted@varbox@a . .	
25143,	25149,	\cuted@column@badness		. . 10309,	10310,
25151,	25154, 10332,		10316,	10317,
25158,	25163,	10333,	10346,	10345,	10351,
25167,	25171,	10357		10354,	10362,
25185,	25189,	\cuted@page@rule .		10431,	10464,
	 10412,	10413	10478	
		\cuted@tempbox@a .		\cuted@varbox@c . .	
	 10273,	 10316,	
				10317,	10322,
				10323,	10327,
				10328,	10351,
				10354,	10358,



<code>\cuted@wlog@debug</code>	<code>5018, 5021, 5024, 5027, 5030, 5035, 5036, 5037, 5038, 5039, 5041, 7220, 7222, 7224, 7227, 7232, 8329, 8330, 8588, 8589, 8614, 8615, 8758, 8759, 8760, 8761, 8762, 8782, 8783, 8784, 8785, 8786, 10575, 10577, 10579, 10581, 10583, 10584, 10673, 10675, 10677, 10679, 10681, 10682</code>	<code>834, 839, 841, 846, 848, 876, 1023, 1035, 1036, 1044, 1083, 1084, 1086, 1091, 1093, 1098, 1099, 1128, 1273, 1285, 1286, 1294, 1333, 1334, 1336, 1341, 1343, 1348, 1350, 1378, 1398, 1408, 1409, 1412, 1418, 1446, 1459, 1460, 1463, 1476, 1484, 1492, 1493, 1496, 1497, 1500, 1505, 1978, 1991, 2061, 2104, 2105, 2181, 2192, 2201, 2208, 2210, 2222, 2230, 2240, 2249, 2250, 2252, 2262, 2271, 2272, 2275, 2276, 2277, 2280, 2281, 2282, 2398, 2399, 2400, 2405, 2409, 2424, 2425, 2426, 2431, 2435, 2450, 2451, 2452, 2457, 2461, 2472, 2476, 2595, 2606, 2615, 2626, 2640, 2675, 2682, 2688, 2692, 2752, 2775, 2795, 3311, 3313, 3368, 3376, 3647, 4050, 4051, 4052, 4144, 4148, 4282, 4284, 4285, 4340, 4345, 4350, 4355, 4445, 4447, 4448, 4449, 4482, 4499, 4507, 4508, 4509, 4510, 4511, 4517, 4518, 4525, 4541, 4549, 4550, 4551, 4552, 4553, 4554, 4557, 4560, 4564, 4575, 4576, 4579, 4588, 4593, 4618, 4619, 4747, 4748, 4749, 4751, 4752, 4753, 4754, 4755, 4756, 4757, 4758, 4759, 4760, 4761,</code>
D		
<code>\d</code>	<code>18467</code>	<code>\DeclareRobustCommand</code>
<code>\d@llarbegin</code>		<code>4739, 4740, 4741, 4742, 4743, 4744, 4745, 7555, 7562, 9947, 9962, 15754, 15764, 25698, 25741, 26070, 26079, 26080, 26081, 26082, 26088</code>
<code>\d@llarend</code>		<code>\DeclareSectionCommand</code>
<code>\dashgapcolor</code>	<code>1511</code>	<code>..... 22094, 22104, 22112, 22122, 22132, 22143, 22857, 22865, 22876, 22885, 22895, 22905, 22916, 23622, 23630, 23641, 23650, 23660, 23670, 23681</code>
<code>\date ...</code>	<code>485, 521, 828, 873, 1080, 1125, 1330, 1375, 4635, 8624, 8672, 9372, 9549, 9638, 9674, 11399, 11433, 11496, 11532, 15566, 15600, 20556, 20601, 20697, 20744, 20947, 20988, 21134, 21170, 21765, 22505, 23278</code>	<code>\DeclareTOCEntryStyle</code>
<code>\day</code>	<code>3324</code>	<code>. 24468, 24629, 24879</code>
<code>\deadcycles ..</code>	<code>6275, 6278</code>	<code>\dedication</code>
<code>\debug</code>	<code>6981, 6987, 6995, 7001</code>	<code>. 21764, 22504, 23277</code>
<code>\debugfootnotedirection</code>	<code>15958</code>	<code>\dedicatory</code>
<code>\declare@file@substitution</code>	<code>7052, 7056, 7062</code>	<code>333</code>
<code>\DeclareCaptionFont</code>	<code>1871</code>	<code>\def</code>
<code>\DeclareCaptionJustification</code>	<code>1876</code>	<code>2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 207, 228, 237, 238, 239, 240, 244, 247, 261, 276, 308, 311, 323, 329, 346, 355, 360, 362, 387, 394, 400, 435, 444, 445, 492, 493, 524, 588, 628, 760, 783, 784, 792, 831, 832,</code>
<code>\DeclareOption</code>	<code>5012, 5015,</code>	



4762, 4763, 4764,	6444, 6451, 6452,	9063, 9066, 9069,
4765, 4766, 4771,	6453, 6454, 6455,	9073, 9076, 9079,
4782, 4813, 4814,	6459, 6460, 6462,	9082, 9089, 9096,
4815, 4816, 4823,	6463, 6465, 6471,	9106, 9107, 9108,
4829, 4835, 4843,	6477, 6495, 6496,	9118, 9122, 9125,
4848, 4850, 4858,	6501, 6506, 6511,	9130, 9131, 9132,
4863, 4864, 4879,	6517, 6522, 6533,	9134, 9143, 9149,
4883, 4886, 4889,	6537, 6543, 6546,	9170, 9171, 9295,
4894, 4897, 4900,	6560, 6562, 6564,	9327, 9328, 9336,
4904, 4912, 4920,	6565, 6567, 6568,	9483, 9504, 9505,
4927, 4929, 4930,	6569, 6571, 6573,	9513, 9553, 9573,
4932, 5001, 5095,	6575, 6577, 6578,	9645, 9646, 9677,
5096, 5097, 5098,	6583, 6584, 6585,	9748, 9762, 9795,
5099, 5100, 5102,	6586, 6587, 6592,	9799, 9811, 9824,
5103, 5121, 5122,	6593, 6600, 6602,	9831, 9835, 9838,
5125, 5126, 5127,	6605, 6610, 6612,	9901, 9904, 9907,
5128, 5129, 5130,	6618, 6619, 6620,	9939, 9946, 9949,
5131, 5132, 5133,	6621, 6625, 6628,	9956, 9964, 9970,
5134, 5135, 5136,	6630, 6631, 6635,	9977, 9978, 9980,
5137, 5253, 5322,	6637, 6638, 6641,	10096, 10109,
5342, 5343, 5346,	6651, 6693, 6694,	10112, 10113,
5352, 5355, 5366,	6695, 6698, 6708,	10118, 10125,
5367, 5370, 5376,	6715, 6717, 6722,	10130, 10134,
5379, 5390, 5392,	6734, 6741, 6743,	10197, 10256,
5395, 5399, 5405,	6747, 6748, 6755,	10258, 10260,
5413, 5420, 5421,	6757, 6760, 6765,	10782, 10786,
5425, 5429, 5435,	6772, 6774, 7080,	10789, 10807,
5436, 5440, 5444,	7090, 7098, 7262,	10810, 10828,
5448, 5453, 5461,	7353, 7374, 7378,	10885, 11062,
5469, 5477, 5484,	7391, 7471, 7540,	11126, 11153,
5486, 5586, 5594,	7558, 7564, 7601,	11155, 11160,
5615, 5623, 5630,	7726, 7728, 7729,	11191, 11192,
5631, 5637, 5639,	7730, 7739, 7741,	11265, 11314,
5640, 5641, 5642,	7742, 7743, 7747,	11333, 11356,
5644, 5863, 5865,	7749, 7755, 7756,	11406, 11407,
5867, 5873, 5877,	7783, 7797, 7800,	11436, 11503,
5880, 5889, 5900,	7804, 7808, 7821,	11504, 11535,
5902, 5903, 5914,	7827, 7841, 7844,	11582, 11597,
5987, 6006, 6038,	7848, 7852, 7865,	11630, 11668,
6039, 6040, 6051,	7871, 7885, 7888,	11710, 11737,
6057, 6060, 6061,	7892, 7896, 7909,	11753, 11768,
6073, 6085, 6089,	7961, 7976, 7981,	11784, 11799,
6092, 6105, 6114,	8107, 8109, 8137,	11814, 11827,
6145, 6173, 6176,	8155, 8173, 8194,	11839, 11851,
6177, 6185, 6186,	8223, 8252, 8472,	11864, 11891,
6222, 6237, 6264,	8509, 8517, 8746,	11892, 11893,
6281, 6338, 6339,	8884, 8885, 8887,	11901, 11902,
6340, 6341, 6350,	8905, 8906, 8909,	11903, 11968,
6370, 6379, 6386,	8919, 8920, 8921,	11974, 11992,
6393, 6397, 6402,	8922, 8928, 8931,	11998, 12078,
6407, 6412, 6414,	8942, 8943, 8944,	12186, 12216,
6417, 6420, 6428,	8954, 8980, 8984,	12232, 12247,
6429, 6431, 6433,	8991, 9013, 9032,	12259, 12274,
6434, 6441, 6443,	9033, 9034, 9040,	12314, 12343,



12356,	12370,	14340,	14355,	16536,	16544,
12383,	12397,	14395,	14424,	16593,	16646,
12408,	12414,	14437,	14451,	16682,	16770,
12420,	12425,	14464,	14478,	16778,	16784,
12485,	12514,	14489,	14495,	16793,	16795,
12529,	12543,	14501,	14506,	16811,	16822,
12554,	12568,	14566,	14596,	16823,	16825,
12607,	12635,	14612,	14627,	16838,	16839,
12647,	12660,	14639,	14654,	16841,	16857,
12672,	12685,	14694,	14723,	16859,	16862,
12695,	12701,	14736,	14750,	16864,	16865,
12707,	12712,	14763,	14777,	16880,	16887,
12772,	12802,	14788,	14794,	16947,	16948,
12818,	12833,	14800,	14805,	16949,	16950,
12845,	12860,	14837,	14842,	16959,	16961,
12900,	12929,	15062,	15093,	16997,	17249,
12942,	12956,	15111,	15127,	17276,	17287,
12969,	12983,	15141,	15157,	17298,	17309,
12994,	13000,	15196,	15226,	17319,	17330,
13006,	13011,	15240,	15255,	17341,	17352,
13071,	13101,	15269,	15284,	17367,	17382,
13117,	13132,	15302,	15313,	17399,	17425,
13144,	13159,	15327,	15336,	17442,	17450,
13199,	13228,	15413,	15417,	17463,	17480,
13241,	13255,	15426,	15430,	17488,	17496,
13268,	13282,	15488,	15500,	17513,	17521,
13293,	13299,	15531,	15573,	17527,	17544,
13305,	13310,	15574,	15603,	17552,	17558,
13370,	13400,	15634,	15677,	17575,	17583,
13416,	13431,	15713,	15787,	17591,	17605,
13443,	13458,	15799,	15847,	17609,	17623,
13498,	13527,	15951,	16037,	17631,	17638,
13540,	13554,	16041,	16043,	17646,	17649,
13567,	13581,	16045,	16047,	17652,	17686,
13592,	13598,	16049,	16051,	17718,	17747,
13604,	13609,	16052,	16054,	17774,	17777,
13669,	13699,	16058,	16067,	17779,	17782,
13715,	13730,	16069,	16076,	17791,	17792,
13742,	13757,	16077,	16094,	17873,	17877,
13797,	13826,	16097,	16103,	17886,	17887,
13839,	13853,	16106,	16114,	17888,	17890,
13866,	13880,	16115,	16116,	17894,	17896,
13891,	13897,	16122,	16139,	17901,	17904,
13903,	13908,	16155,	16183,	17925,	17937,
13968,	13998,	16198,	16213,	18075,	18091,
14014,	14029,	16228,	16234,	18092,	18124,
14041,	14056,	16240,	16247,	18125,	18129,
14096,	14125,	16260,	16264,	18131,	18144,
14138,	14152,	16268,	16274,	18166,	18171,
14165,	14179,	16279,	16283,	18172,	18173,
14190,	14196,	16362,	16376,	18180,	18229,
14202,	14207,	16378,	16380,	18258,	18270,
14267,	14297,	16382,	16390,	18273,	18276,
14313,	14328,	16495,	16505,	18327,	18334,



18345,	18353,	20882,	20911,	25722,	25731,
18419,	18420,	20913,	20954,	25737,	25743,
19025,	19027,	20956,	20991,	25765,	25771,
19077,	19079,	21079,	21141,	25780,	25784,
19127,	19138,	21142,	21173,	25788,	25789,
19149,	19168,	21244,	21256,	25790,	25793,
19268,	19365,	21282,	21286,	25798,	25804,
19373,	19406,	21329,	21376,	25805,	25806,
19418,	19430,	21379,	21386,	25816,	25826,
19444,	19477,	21389,	21397,	25835,	25846,
19491,	19526,	21404,	21407,	25847,	25856,
19530,	19561,	21434,	21464,	25857,	25866,
19565,	19569,	21466,	21495,	25867,	25872,
19573,	19577,	21515,	21769,	25873,	25876,
19579,	19687,	21770,	21822,	25878,	25879,
19701,	19703,	21829,	21855,	25880,	25881,
19710,	19716,	22018,	22035,	25883,	25885,
19804,	19856,	22037,	22173,	25887,	25888,
19860,	19864,	22203,	22205,	25911,	25913,
19866,	19882,	22235,	22255,	25918,	25920,
19894,	19908,	22509,	22583,	25926,	25928,
19958,	19964,	22590,	22616,	25935,	25937,
19971,	20090,	22780,	22797,	25940,	25942,
20091,	20093,	22799,	22946,	25943,	25944,
20094,	20100,	22976,	22978,	25945,	25947,
20101,	20102,	23008,	23028,	25957,	25994,
20112,	20122,	23282,	23348,	26060,	26073,
20130,	20138,	23355,	23381,	26076,	26083,
20139,	20140,	23545,	23562,	26085,	26098,
20141,	20142,	23564,	23713,	26103,	26106,
20143,	20148,	23715,	23720,	26126,	26129,
20149,	20152,	23722,	23725,	26139,	26140,
20154,	20155,	23729,	23746,	26141,	26142,
20156,	20157,	23767,	23770,	26143,	26163,
20159,	20160,	23785,	23790,	26165,	26198,
20173,	20179,	23793,	23816,	26205,	26252,
20186,	20187,	23820,	23824,	26352,	26366,
20188,	20189,	23834,	23850,	26369,	26373,
20190,	20192,	23856,	23864,	26377,	26390,
20193,	20319,	23885,	23894,	26396,	26410,
20340,	20346,	23895,	23911,	26413,	26417,
20366,	20367,	23915,	23918,	26421,	26434,
20488,	20511,	23922,	23925,	26440,	26480,
20512,	20520,	23955,	24000,	26484,	26485,
20559,	20560,	24034,	24056,	26486,	26487,
20562,	20567,	24062,	24065,	26497,	26583,
20569,	20574,	24067,	24070,	26595,	26596,
20576,	20604,	24095,	24802,	26598,	26769, 26771
20650,	20651,	24826,	25437,	\default@color	
20659,	20700,	25458,	25460, 9946, 25697	
20701,	20703,	25616,	25659,	\DefaultOptionsFile	
20708,	20710,	25662,	25668,	. 17975, 17977, 17980	
20715,	20717,	25672,	25691,	\defbeamertemplate	
20747,	20769,	25697,	25700, 1571,	



1574, 1578, 1581, 1584, 1595, 1609, 1612, 1631, 1649, 1654, 1661, 1684, 1705, 1726, 1753, 1759, 1763, 1775, 1793, 1799, 1812, 1821, 1830, 1841, 1856, 2833, 2836, 2854, 2855, 2856, 2860, 2867, 2874, 2883, 2902, 2917, 2932, 2949, 2954, 3023, 3102, 3106, 3133, 3142, 3145, 3154, 3157, 3166, 3194, 3326, 3403, 3475, 3501, 3552, 3588, 3618, 3666, 3700, 3736, 3792, 3831, 3880, 3927, 3973	\DefineTOCEEntryLengthOption .. 24469, 24471, 24630, 24880, 24896, 24908, 24910, 24926, 24928	10870, 10872, 10918, 10919, 10921, 10922, 10924
\deffootnote .. 21432, 21497, 22171, 22237, 22944, 23010	\DefineTOCEEntryListOption 24886	\dfn@elt@adjust 10866, 10918
\define@choicekey 25491, 25499	\DefineTOCEEntryOption 24912	\dfn@elt@getht 10831, 10888
\define@key . 2681, 25489	\DefNewDummy .. 6477, 6494	\dfn@fnht .. . 10802, 10823, 10864,
\definecolor ... 4642, 4643, 4644, 4645, 4646, 4647, 5094, 5101, 10589, 10594, 10597, 10598, 10599, 10601, 10602, 10605, 10606, 10608, 10609, 10612, 10613, 10615, 10616, 10619, 10620, 10622, 10623, 10626, 10627, 10692, 10693, 10698, 10699, 10704, 10705, 10710, 10711, 10716, 10717, 11258	\depth .. . 16787, 18968, 18975, 19000	10874, 10875, 10916, 10919, 10925, 10926, 10927
\DefineTOCEEntryCommandOption 24890, 24892, 24894, 24898, 24900, 24902, 24904, 24906	\depthof .. . 11133, 11138, 11147, 11148, 11152, 11157	\dfn@fnmaxdp .. 10790, 10795, 10800, 10811, 10816, 10821, 10843, 10846, 10900, 10903
\DefineTOCEEntryIfOption 24882, 24884, 24888, 24924	\descriptionlabel . 8550	\dfn@footnoterule 10884, 10936
	\DetectColumn 26169, 26173	\dfn@footnotetext 10785
	\detokenize .. .	\dfn@gobble 10787, 10808
	5592, 5594, 6038, 6040, 6041, 6060, 6075, 6092, 6095, 6103, 6105, 6176, 6177	\dfn@ins .. . 10795, 10796, 10797, 10799, 10816, 10817, 10818, 10820, 10834, 10835, 10891, 10892
	\dfn@afteroutput ..	\dfn@latex@footnotetext 10784
	10880, 10929, 10932	\dfn@latex@LTRfootnotetext 10790, 10805
	\dfn@boxa .. . 10786, 10791, 10794, 10798, 10799, 10800, 10807, 10812, 10815, 10819, 10820, 10821, 10834, 10841, 10844, 10846, 10853, 10861, 10891, 10898, 10901, 10903, 10907, 10915	\dfn@latex@makecol 10883, 10935
	\dfn@boxb .. . 10800, 10821, 10838, 10839, 10846, 10851, 10895, 10896, 10903, 10906	\dfn@RTLfootnotetext 10811, 10826
	\dfn@countins 10830, 10887	\dfn@list .. . 10804, 10825, 10832, 10865, 10867, 10870, 10876, 10889, 10917, 10919, 10922, 10928
	\dfn@dima .. . 10791, 10804, 10812, 10813, 10814, 10825, 10829, 10846, 10866,	\dfn@LTRfootnotetext 10786, 10806
	\dfn@dimb .. . 10866, 10867, 10869,	\dfn@LTRmakecol 10885, 10937, 10939
		\dfn@makecol 10937, 10938, 10939
		\dfn@makefnmark 10789, 10810
		\dfn@RTLfootnotetext 10807, 10827
		\dfn@RTLmakecol 10828, 10937, 10938



\dfn@split ... 10800,	\diagbox@triangle@pict@SW	16412, 16415,
10821, 10834, 11042	16416, 16417,
10846, 10891, 10903	\diagbox@triangle@setbox@NE	16423, 16433,
\DFNalwaysdouble . 10940 11007	16435, 16444,
\DFNcolumnsep	\diagbox@triangle@setbox@NW	16446, 16453,
. 10849, 10862, 10906 10962,	16454, 16455,
\DFNcolumnwidth ...	10965, 10968, 10983	16456, 18283,
.. 10783, 10788,	\diagbox@triangle@setbox@SE	18284, 18285,
10809, 10848, 10984,	18286, 19580,
10850, 10853,	10987, 10990, 11007	19581, 20161,
10863, 10905, 10907	\diagbox@triangle@setbox@SW	20166, 23748,
\diagbox@double 10983	23750, 23756,
..... 10942, 10945	\diagbox@wd .. 11010,	23762, 25630,
\diagbox@double@pict@NE	11013, 11018, 11021	25631, 25632,
..... 11016, 11023	\DigitsDotDashInterCharToks	25633, 25634,
\diagbox@double@pict@NW 4382, 4383	25635, 25694, 25695
..... 11015	\dim 18642, 18643,	\dimen@i 23749,
\diagbox@double@pict@SE	18966, 18967, 18968	23750, 23755, 23761
..... 11008, 11015	\dimen 4289, 4515, 11961,	\dimen@ii 16448,
\diagbox@double@pict@SW	12103, 12108,	16449, 16450,
..... 11023	12125, 12126,	16456, 16458,
\diagbox@font	12127, 12136,	16461, 16462, 16463
.. 10943, 10946,	12140, 12161,	\dimexpr . 28, 242, 772,
10950, 10952,	12165, 12435,	1006, 1252, 2493,
10957, 10959,	12439, 12460,	2914, 2929, 2944,
10963, 10966,	12464, 12722,	3247, 3249, 3253,
10969, 10973,	12726, 12747,	3255, 3364, 3373,
10975, 10979, 10981	12751, 13021,	3381, 5543, 5546,
\diagbox@ht .. 11010,	13025, 13046,	5834, 5838, 5848,
11013, 11018, 11021	13050, 13320,	5857, 9307, 9460,
\diagbox@insepI 10943,	13324, 13345,	10278, 10340,
10950, 10952,	13349, 13619,	10341, 10343,
10963, 10966,	13623, 13644,	10369, 10378,
10973, 10975,	13648, 13918,	10402, 10432,
10985, 10995, 10997	13922, 13943,	17892, 18390,
\diagbox@insepr 10946,	13947, 14217,	18399, 19366,
10957, 10959,	14221, 14242,	19575, 20471,
10969, 10979,	14246, 14516,	20894, 21454,
10981, 10988,	14520, 14541,	21500, 21507,
10991, 11002, 11004	14545, 14853,	21510, 21536,
\diagbox@setlinecolor	14860, 14906,	21537, 21538,
..... 11009,	14913, 14962,	21539, 21541,
11012, 11017,	15013, 16540,	22193, 22240,
11020, 11025,	19463, 19470,	22247, 22250,
11029, 11034,	19471, 19479,	22276, 22277,
11038, 11043,	19480, 19485,	22278, 22279,
11047, 11052, 11056	19486, 19499,	22281, 22966,
\diagbox@triangle@pict@NE	19500, 19507,	23013, 23020,
..... 11033	19508, 26489, 26492	23023, 23049,
\diagbox@triangle@pict@NW	\dimen@	23050, 23051,
..... 11024	9942,	23052, 23054,
\diagbox@triangle@pict@SE	9943, 15356,	24616, 24829,
..... 11051	15358, 16398,	24837, 24846,
	16399, 16400,	24848, 26027,
	16410, 16411,	



26029,	26030,	2500,	2504,	2548,	25595,	25601,	25602
26031,	26036,	2958,	4314,	4532,	\dseries@display@setup	9825
26038,	26039,	9943,	9944,	10278,			
26040,	26045,	10321,		10323,		E	
26047,	26048,	10326,		10328,	\edef	123,
26049,	26054,	10389,		10390,	369,	1425,	1479,
26056,	26057,	10405,		10407,	1487,	2399,	2400,
\disable@package@load		10791,		10812,	2425,	2426,	2451,
		10839,		10858,	2452,	2477,	2535,
\display@setup		10860,		10896,	4188,	4215,	4452,
\displayindent		10912,		10914,	4479,	4841,	4856,
\displaystyle		11132,		11137,	4884,	4887,	4890,
\displaywidth		11150,		11156,	5291,	5329,	5332,
	11129,	11270,		11275,	5345,	5349,	5356,
	11136,	11279,		11282,	5369,	5373,	5380,
\divide		11966,		14818,	5590,	5593,	5627,
	2518,	15356,		15364,	5650,	5678,	5704,
	2520,	15421,		15648,	5732,	5758,	5795,
	2529,	15661,		16128,	5921,	5922,	5925,
\divide		16145,		16161,	5926,	5943,	5944,
	2531,	16653,		16658,	5947,	5948,	6037,
	4326,	16758,		16799,	6042,	6052,	6059,
	4545,	16800,		16803,	6062,	6075,	6079,
	6803,	16845,		16846,	6084,	6091,	6094,
	8892,	16849,		18191,	6101,	6104,	6110,
	11978,	18398,		18401,	6113,	6169,	6175,
\do		19463,		19479,	6178,	6340,	6381,
	. 329,	19480,		19485,	6391,	6469,	6478,
	330,	19486,		19499,	6540,	6595,	6598,
	331,	19500,		19507,	6625,	6628,	6632,
	332,	19508,		19985,	6716,	6721,	6722,
\do@hvFloat		19986,		19987,	6744,	6749,	6761,
 16947	20161,		20205,	6766,	6960,	7084,
\document		21295,		21337,	7971,	8116,	8127,
\documentclass		21340,		21394,	9064,	9067,	9070,
	21401,		21905,	11182,	11185,	
\doloopbody		21907,		22001,	11979,	12003,	
	6663,	22003,		22666,	12021,	15318,	
	6664,	22668,		22762,	15788,	15795,	
	6708,	22764,		23431,	15900,	15902,	
	6781,	23433,		23527,	15903,	15904,	
	6788,	23529,		23797,	15988,	16009,	
	6795,	23832,		23844,	16296,	16302,	
	6798,	23958,		23960,	16430,	17419,	
	6800,	25686,		25695,	17426,	17457,	
	6804,	25696,		26111,	17464,	17497,	
\donotcoloroutermaths		26461,	26468,	26555	\dquad	9833, 9835
	... 2854,				17528,	17559,	
	2855,				17938,	18271,	
	2856,				18274,	19699,	
\doubleitemmaincolumnwidth					19851,	19870,	
	5143,				19873,	19899,	
	5156,				20355,	21291,	
	5157,				21334,	21527,	
	5158,						
	5159,						
	5183,						
	5185,						
\doublerulesepcolor							
\downtovalue							
	... 6661,						
	6673,						
	6755,						
	6794						
\dp							
	40,						
	54,						
	70,						
	253,						
	267,						
	282,						
	405,						
	1503,						
	1911,						
	1916,						
	2025,						
	2110,						
	2114,						
	2134,						
	2145,						
	2163,						
	2174,						
	2214,						
	2218,						
	2225,						



21807,	21862,	25927, 26103, 26104	1637, 1667, 1690,
21871,	22267,	\EightColumnFootnotes	1711, 1732, 1909,
22568,	22623, 13936	1926, 1947, 1985,
22632,	23040,	\eightcolumnfootnotes	1997, 2024, 2025,
23333,	23388, 13911	2035, 2041, 2074,
23397,	23800,	\eject 16401, 16470, 16490	2082, 2091, 2099,
23825,	23839,	\else .. 4, 12, 13, 25, 36,	2137, 2166, 2251,
23857,	23912,	87, 104, 116, 134,	2266, 2287, 2337,
23919,	23932,	136, 151, 155, 159,	2340, 2408, 2434,
24401,	24750,	167, 175, 182, 191,	2460, 2487, 2501,
24772,	24933,	209, 217, 218, 234,	2523, 2540, 2564,
24966,	24973,	249, 300, 315, 319,	2616, 2657, 2697,
24978,	25065,	350, 363, 364, 365,	2724, 2727, 2732,
25216,	25252,	367, 368, 371, 372,	2739, 2757, 2780,
25356,	25469,	373, 375, 376, 377,	2800, 2816, 2824,
25706,	25711,	378, 379, 382, 383,	2843, 3003, 3050,
25720,	25735,	384, 421, 428, 488,	3114, 3120, 3126,
25739,	25749,	499, 502, 551, 568,	3203, 3221, 3233,
25754,	25763,	571, 572, 592, 595,	3240, 3251, 3311,
25769,	25782,	608, 613, 634, 645,	3313, 3347, 3413,
25786,	26013,	650, 661, 665, 673,	3430, 3436, 3440,
26114,	26178, 26192	677, 678, 682, 686,	3446, 3452, 3456,
		689, 690, 695, 706,	3460, 3507, 3514,
		717, 731, 734, 735,	3537, 3565, 3605,
		738, 748, 795, 804,	3622, 3629, 3640,
		812, 836, 840, 842,	3650, 3689, 3704,
		853, 856, 899, 910,	3711, 3729, 3752,
		913, 916, 917, 923,	3801, 3812, 3822,
		933, 936, 937, 940,	3843, 3850, 3898,
		950, 961, 972, 980,	3907, 3917, 3938,
		984, 993, 1011,	3945, 3980, 3989,
		1047, 1056, 1064,	4000, 4008, 4019,
		1088, 1092, 1094,	4033, 4224, 4230,
		1105, 1108, 1151,	4236, 4274, 4276,
		1162, 1166, 1169,	4285, 4296, 4299,
		1172, 1173, 1178,	4302, 4392, 4395,
		1189, 1200, 1215,	4421, 4433, 4486,
		1218, 1219, 1222,	4500, 4502, 4511,
		1232, 1236, 1237,	4521, 4825, 4831,
		1241, 1261, 1297,	4837, 4852, 4935,
		1306, 1314, 1338,	4943, 4948, 4958,
		1342, 1344, 1355,	5197, 5198, 5199,
		1358, 1395, 1400,	5201, 5237, 5304,
		1401, 1414, 1419,	5310, 5331, 5334,
		1420, 1421, 1423,	5353, 5361, 5377,
		1424, 1427, 1428,	5385, 5401, 5488,
		1429, 1431, 1432,	5496, 5502, 5508,
		1433, 1434, 1435,	5514, 5520, 5526,
		1436, 1437, 1440,	5532, 5538, 5551,
		1441, 1442, 1462,	5559, 5563, 5569,
		1463, 1464, 1465,	5577, 5581, 5603,
		1466, 1467, 1469,	5610, 5663, 5688,
		1470, 1471, 1472,	5717, 5742, 5774,
		1473, 1546, 1554,	5808, 5837, 5872,



6068, 6402, 6415,	10441, 10444,	12339, 12342,
6416, 6429, 6430,	10469, 10498,	12481, 12484,
6432, 6434, 6442,	10532, 10536,	12497, 12503,
6444, 6466, 6480,	10551, 10559,	12510, 12513,
6533, 6537, 6543,	10651, 10733,	12524, 12596,
6549, 6589, 6758,	10747, 10792,	12603, 12606,
6767, 7111, 7142,	10796, 10798,	12618, 12624,
7161, 7177, 7319,	10813, 10817,	12631, 12634,
7325, 7520, 7523,	10819, 10828,	12768, 12771,
7526, 7529, 7559,	10833, 10842,	12785, 12791,
7787, 7793, 7825,	10853, 10857,	12798, 12801,
7831, 7837, 7875,	10865, 10885,	12813, 12889,
7881, 8060, 8457,	10890, 10899,	12896, 12899,
8458, 8746, 8831,	10907, 10911,	12912, 12918,
8884, 8897, 8906,	10917, 10937,	12925, 12928,
8996, 9017, 9042,	10951, 10958,	13067, 13070,
9115, 9135, 9136,	10974, 10980,	13084, 13090,
9151, 9156, 9160,	10996, 11003,	13097, 13100,
9202, 9213, 9217,	11065, 11075,	13112, 13188,
9220, 9223, 9224,	11078, 11081,	13195, 13198,
9229, 9240, 9249,	11101, 11104,	13211, 13217,
9263, 9266, 9267,	11107, 11111,	13224, 13227,
9271, 9283, 9339,	11135, 11217,	13366, 13369,
9348, 9356, 9379,	11232, 11247,	13383, 13389,
9390, 9394, 9397,	11248, 11249,	13396, 13399,
9400, 9401, 9406,	11250, 11277,	13411, 13487,
9417, 9426, 9440,	11293, 11296,	13494, 13497,
9443, 9444, 9448,	11297, 11307,	13510, 13516,
9471, 9516, 9525,	11318, 11321,	13523, 13526,
9533, 9555, 9566,	11334, 11344,	13665, 13668,
9568, 9589, 9600,	11402, 11413,	13682, 13688,
9641, 9652, 9655,	11416, 11499,	13695, 13698,
9704, 9719, 9722,	11510, 11513,	13710, 13786,
9723, 9750, 9764,	11561, 11584,	13793, 13796,
9773, 9780, 9803,	11599, 11608,	13809, 13815,
9833, 9859, 9884,	11615, 11636,	13822, 13825,
9891, 9940, 9945,	11637, 11639,	13964, 13967,
9983, 9984, 9990,	11644, 11650,	13981, 13987,
10010, 10033,	11652, 11656,	13994, 13997,
10056, 10079,	11736, 11752,	14009, 14085,
10104, 10105,	11813, 11826,	14092, 14095,
10107, 10119,	11909, 11912,	14108, 14114,
10124, 10126,	11921, 11924,	14121, 14124,
10128, 10148,	11933, 11936,	14263, 14266,
10153, 10171,	11972, 11976,	14280, 14286,
10187, 10211,	11983, 11994,	14293, 14296,
10216, 10230,	12000, 12007,	14308, 14384,
10246, 10265,	12045, 12083,	14391, 14394,
10281, 10302,	12182, 12185,	14407, 14413,
10342, 10353,	12199, 12205,	14420, 14423,
10367, 10370,	12212, 12215,	14562, 14565,
10376, 10408,	12227, 12303,	14579, 14585,
10416, 10419,	12310, 12313,	14592, 14595,
10422, 10438,	12326, 12332,	14607, 14683,



14690,	14693,	16820,	16827,	17698,	17706,
14706,	14712,	16829,	16835,	17715,	17729,
14719,	14722,	16839,	16842,	17744,	17758,
14957,	14971,	16847,	16853,	17770,	17865,
15008,	15022,	16856,	16869,	17883,	17903,
15057,	15076,	16872,	16875,	17906,	17914,
15082,	15089,	16881,	16888,	17915,	17931,
15105,	15185,	16898,	16911,	17953,	17954,
15192,	15209,	16920,	16928,	17956,	17961,
15215,	15222,	16935,	16938,	17976,	17995,
15353,	15394,	16941,	16960,	18005,	18013,
15406,	15417,	16963,	16969,	18025,	18032,
15430,	15464,	16970,	16973,	18057,	18068,
15479,	15482,	16980,	16982,	18086,	18096,
15483,	15490,	16988,	16999,	18102,	18139,
15502,	15519,	17007,	17009,	18157,	18158,
15569,	15580,	17010,	17011,	18159,	18160,
15583,	15642,	17014,	17019,	18184,	18235,
15690,	15695,	17025,	17027,	18245,	18280,
15726,	15731,	17028,	17029,	18295,	18299,
15756,	15769,	17032,	17042,	18316,	18330,
15786,	15814,	17044,	17057,	18337,	18408,
15818,	15839,	17063,	17066,	19031,	19034,
15945,	15949,	17070,	17076,	19045,	19046,
15974,	15998,	17079,	17082,	19047,	19048,
16080,	16083,	17088,	17093,	19049,	19050,
16123,	16174,	17096,	17100,	19079,	19095,
16214,	16217,	17102,	17105,	19101,	19107,
16232,	16250,	17109,	17111,	19132,	19142,
16324,	16327,	17113,	17117,	19164,	19182,
16336,	16339,	17122,	17126,	19198,	19211,
16348,	16351,	17133,	17138,	19224,	19228,
16361,	16379,	17142,	17149,	19282,	19298,
16381,	16397,	17154,	17158,	19311,	19324,
16402,	16422,	17162,	17164,	19328,	19384,
16451,	16457,	17167,	17171,	19392,	19398,
16473,	16480,	17173,	17175,	19407,	19409,
16485,	16498,	17179,	17183,	19413,	19414,
16528,	16562,	17187,	17193,	19419,	19421,
16567,	16611,	17196,	17200,	19426,	19431,
16616,	16650,	17206,	17209,	19433,	19438,
16651,	16656,	17212,	17218,	19448,	19461,
16673,	16674,	17233,	17243,	19523,	19546,
16676,	16684,	17252,	17263,	19551,	19556,
16685,	16695,	17283,	17294,	19589,	19671,
16714,	16718,	17305,	17323,	19676,	19709,
16720,	16729,	17334,	17345,	19715,	19723,
16731,	16739,	17356,	17371,	19726,	19758,
16754,	16778,	17386,	17446,	19778,	19793,
16780,	16783,	17484,	17517,	19841,	19872,
16784,	16785,	17548,	17579,	19896,	19954,
16791,	16793,	17632,	17644,	19968,	20002,
16801,	16807,	17647,	17664,	20028,	20066,
16810,	16813,	17673,	17683,	20067,	20068,



20094,	20148,	21219,	21246,	22431,	22435,
20149,	20152,	21258,	21267,	22436,	22442,
20156,	20157,	21299,	21344,	22444,	22445,
20160,	20162,	21378,	21380,	22449,	22450,
20168,	20186,	21384,	21388,	22457,	22459,
20187,	20192,	21390,	21395,	22460,	22464,
20200,	20209,	21399,	21402,	22465,	22472,
20219,	20225,	21406,	21408,	22509,	22514,
20228,	20240,	21412,	21439,	22536,	22544,
20246,	20255,	21447,	21459,	22545,	22558,
20257,	20263,	21472,	21475,	22573,	22589,
20274,	20276,	21485,	21501,	22599,	22606,
20287,	20289,	21508,	21514,	22607,	22608,
20300,	20302,	21552,	21567,	22610,	22644,
20311,	20313,	21571,	21574,	22647,	22673,
20332,	20352,	21581,	21588,	22679,	22724,
20366,	20367,	21594,	21615,	22735,	22745,
20372,	20383,	21631,	21632,	22774,	22785,
20387,	20395,	21639,	21648,	22803,	22833,
20399,	20400,	21655,	21657,	22951,	22959,
20404,	20408,	21661,	21667,	22971,	22984,
20411,	20412,	21674,	21690,	22988,	22998,
20417,	20428,	21691,	21695,	23014,	23021,
20437,	20451,	21696,	21702,	23027,	23065,
20454,	20455,	21704,	21705,	23080,	23084,
20459,	20476,	21709,	21710,	23087,	23094,
20523,	20532,	21717,	21719,	23101,	23107,
20540,	20564,	21720,	21724,	23128,	23144,
20568,	20570,	21725,	21732,	23145,	23152,
20581,	20584,	21769,	21770,	23161,	23168,
20627,	20638,	21783,	21785,	23170,	23174,
20662,	20671,	21797,	21812,	23180,	23187,
20679,	20705,	21828,	21838,	23203,	23204,
20709,	20711,	21845,	21846,	23208,	23209,
20722,	20725,	21847,	21849,	23215,	23217,
20766,	20771,	21883,	21886,	23218,	23222,
20772,	20780,	21912,	21918,	23223,	23230,
20783,	20784,	21963,	21974,	23232,	23233,
20789,	20800,	21984,	22012,	23237,	23238,
20809,	20823,	22023,	22041,	23245,	23282,
20826,	20827,	22071,	22178,	23309,	23310,
20831,	20837,	22186,	22198,	23323,	23338,
20845,	20849,	22211,	22215,	23354,	23364,
20850,	20854,	22225,	22241,	23371,	23372,
20870,	20899,	22248,	22254,	23373,	23375,
20950,	20966,	22292,	22307,	23409,	23412,
20969,	21015,	22311,	22314,	23438,	23444,
21030,	21033,	22321,	22328,	23489,	23500,
21034,	21039,	22334,	22355,	23510,	23539,
21040,	21064,	22371,	22372,	23550,	23568,
21086,	21097,	22379,	22388,	23598,	23694,
21137,	21148,	22395,	22397,	23697,	23704,
21151,	21200,	22401,	22407,	23713,	23720,
21215,	21218,	22414,	22430,	23758,	23775,



23808,	23821,	24753,	24801,	26084,	26086,
23829,	23842,	24805,	24918,	26087,	26091,
23847,	23926,	25242,	25256,	26093,	26107,
23927,	23928,	25260,	25283,	26124,	26129,
23930,	23931,	25298,	25308,	26130,	26131,
23934,	23935,	25312,	25322,	26132,	26133,
23936,	23937,	25323,	25324,	26134,	26135,
23938,	23939,	25325,	25330,	26136,	26139,
23940,	23942,	25332,	25333,	26140,	26144,
23943,	23944,	25341,	25347,	26146,	26151,
23945,	23946,	25364,	25374,	26180,	26189,
23949,	23950,	25380,	25386,	26199,	26219,
23951,	24014,	25389,	25400,	26224,	26266,
24031,	24038,	25438,	25440,	26271,	26296,
24040,	24045,	25445,	25454,	26303,	26319,
24050,	24051,	25459,	25461,	26330,	26341,
24054,	24059,	25468,	25475,	26356,	26362,
24063,	24064,	25506,	25513,	26400,	26406,
24080,	24106,	25518,	25524,	26444,	26446,
24110,	24120,	25535,	25538,	26456,	26472,
24126,	24132,	25549,	25556,	26474,	26477,
24137,	24143,	25570,	25620,	26481,	26490,
24153,	24157,	25627,	25628,	26519,	26522,
24167,	24175,	25630,	25638,	26525,	26531,
24180,	24181,	25646,	25648,	26552,	26568,
24182,	24190,	25649,	25660,	26588,	26595, 26596
24197,	24211,	25664,	25669,	\em	8550
24212,	24213,	25678,	25684,	\email	332, 5133
24221,	24230,	25692,	25696,	\emaillink
24234,	24235,	25705,	25724,	.	5215, 10666, 10764
24236,	24244,	25729,	25748,	\emailsymbol
24251,	24252,	25773,	25778,	.	5093, 10666, 10764
24253,	24261,	25798,	25844,	\empty 16311,
24268,	24269,	25845,	25872,	16314,	16960, 23728
24270,	24278,	25873,	25876,	\EmptyTokenList	... 6584
24285,	24286,	25880,	25881,	\end 179, 186,
24287,	24295,	25950,	25969,	467, 470, 473, 538,	
24302,	24303,	25972,	25977,	541, 807, 815, 818,	
24304,	24312,	25980,	25983,	888, 891, 1059,	
24319,	24320,	25986,	25989,	1067, 1070, 1140,	
24321,	24329,	26003,	26011,	1143, 1309, 1317,	
24337,	24338,	26016,	26017,	1320, 1391, 1394,	
24339,	24347,	26018,	26028,	1399, 1400, 1401,	
24356,	24357,	26029,	26031,	1605, 1786, 1867,	
24358,	24366,	26037,	26038,	1904, 1941, 1955,	
24376,	24377,	26040,	26046,	2034, 2235, 2240,	
24378,	24386,	26047,	26049,	2272, 2494, 2563,	
24396,	24411,	26055,	26056,	2576, 2688, 2756,	
24412,	24413,	26058,	26066,	2760, 2779, 2783,	
24421,	24443,	26067,	26068,	2799, 2803, 2907,	
24461,	24462,	26069,	26072,	2922, 2937, 3001,	
24463,	24601,	26075,	26078,	3028, 3037, 3043,	
24713,	24733,	26079,	26080,	3059, 3065, 3071,	
24743,	24749,	26081,	26082,	3111, 3117, 3123,	



3129, 3208, 3224,	11481, 11484,	\endbeamerboxesrounded
3263, 3345, 3346,	11549, 11552, 1970
3352, 3353, 3368,	11641, 15550,	\endbidi@switch ...
3376, 3445, 3465,	15553, 15556,	... 6490, 6494, 6495
3481, 3484, 3495,	15615, 15618,	\endbidi@tabular@RTLcases
3511, 3518, 3540,	15768, 17017,	. 25918, 25926, 25933
3541, 3555, 3558,	17035, 17137,	\endcolumn
3561, 3570, 3573,	17153, 17244,	2236
3643, 3657, 3708,	17958, 19166,	\endcsname 8, 44, 58, 74,
3715, 3757, 3766,	19812, 20535,	166, 168, 198, 213,
3772, 3773, 3807,	20543, 20546,	257, 271, 286, 343,
3808, 3809, 3817,	20616, 20619,	344, 398, 1410,
3827, 3838, 3855,	20674, 20682,	2296, 2313, 2330,
3865, 3866, 3867,	20685, 20762,	2346, 2362, 2378,
3891, 3892, 3893,	20765, 20770,	2411, 2437, 2463,
3903, 3913, 3923,	20771, 20772,	2482, 2511, 4842,
3934, 3949, 3959,	20929, 20932,	4843, 4857, 4858,
3960, 3961, 3976,	20935, 21007,	4884, 4887, 4890,
3985, 4004, 4023,	21116, 21119,	4906, 4914, 4922,
4025, 4579, 4774,	21122, 21187,	4977, 5264, 5267,
4785, 4786, 5181,	21190, 21287,	5270, 5272, 5275,
5183, 5185, 5187,	21330, 21516,	5277, 5280, 5288,
5189, 5193, 5201,	21584, 21601,	5289, 5294, 5302,
5204, 5254, 5345,	21609, 21624,	5303, 5305, 5307,
5353, 5355, 5356,	21628, 21656,	5309, 5312, 5313,
5362, 5369, 5377,	21793, 22256,	5318, 5319, 5348,
5379, 5380, 5386,	22324, 22341,	5349, 5372, 5373,
6289, 6290, 6311,	22349, 22364,	5400, 5422, 5426,
6335, 7359, 7360,	22368, 22396,	5437, 5441, 5445,
7365, 7368, 7445,	22554, 23029,	5449, 5459, 5467,
7446, 7453, 7454,	23097, 23114,	5475, 5483, 5485,
7461, 7462, 7482,	23122, 23137,	5487, 5491, 5492,
7483, 7521, 7524,	23141, 23169,	5549, 5555, 5556,
7527, 7530, 7537,	23319, 23881,	5598, 5608, 5614,
7538, 7721, 7722,	24078, 25510,	5615, 5617, 5618,
8341, 8397, 8404,	25517, 25527,	5620, 5621, 5623,
8411, 8418, 8425,	25532, 25545,	5625, 5627, 5629,
8436, 8444, 8571,	25552, 25555,	5832, 5833, 5835,
8572, 8708, 8751,	25574, 25591,	5836, 5839, 5840,
8773, 9157, 9351,	25598, 25604, 25606	5849, 5850, 5884,
9359, 9362, 9528,	\enddblfloat	5885, 5907, 5908,
9536, 9539, 9568,	\endfloat	5963, 5964, 5965,
9580, 9620, 9623,	.. 7385, 7714, 21325	5966, 5972, 5973,
9626, 9691, 9694,	\endrot dblfloat .	5974, 5975, 6120,
10009, 10019,	21329	6291, 6292, 6294,
10032, 10042,	\end rot float	6305, 6306, 6308,
10055, 10065,	. 21286, 21327, 21328	6319, 6329, 6338,
10078, 10088,	\endarray	6339, 6340, 6341,
10645, 10754,	394, 435, 1408, 1409,	6351, 6364, 6388,
10766, 10774,	23816, 23820, 25918	6393, 6397, 6413,
11179, 11253,	\endB Cmd	6431, 6433, 6441,
11383, 11386,	4776	6443, 6452, 6453,
11389, 11448,	\endbeamer@columnenv	6533, 6537, 6570,
11451, 11478,	2236	6572, 6583, 6584,
	\endbeamer@putright	6598, 6606, 6608,
	3143, 3155, 3167	



6635, 6656, 6693,	14002, 14018,	22086, 22088,
6694, 6695, 6711,	14033, 14045,	22161, 22165,
6712, 6713, 6714,	14060, 14100,	22169, 22253,
7542, 7543, 7550,	14129, 14142,	22477, 22817,
7551, 8143, 8161,	14156, 14169,	22819, 22821,
8179, 8210, 8239,	14183, 14271,	22824, 22830,
8268, 8510, 9036,	14301, 14317,	22838, 22840,
9064, 9067, 9070,	14332, 14344,	22843, 22849,
9084, 9091, 9098,	14359, 14399,	22851, 22934,
9106, 9107, 9145,	14428, 14441,	22938, 22942,
9170, 9171, 9953,	14455, 14468,	23026, 23250,
9959, 9967, 9974,	14482, 14570,	23582, 23584,
11743, 11759,	14600, 14616,	23586, 23589,
11774, 11790,	14631, 14643,	23595, 23603,
11805, 11818,	14658, 14698,	23605, 23608,
11831, 11843,	14727, 14740,	23614, 23616,
11855, 11868,	14754, 14767,	23792, 23818,
12035, 12190,	14781, 15066,	23820, 23852,
12220, 12236,	15097, 15115,	23874, 23876,
12251, 12263,	15131, 15145,	23892, 23893,
12278, 12318,	15161, 15200,	23913, 23920,
12347, 12360,	15230, 15244,	24136, 24401,
12374, 12387,	15259, 15273,	24402, 24418,
12401, 12489,	15288, 15637,	24419, 24420,
12518, 12533,	15788, 15790,	24427, 24429,
12547, 12558,	15795, 15797,	24430, 24483,
12572, 12611,	15901, 15902,	24484, 24642,
12639, 12651,	15903, 15904,	24643, 24747,
12664, 12676,	15906, 15908,	24772, 24799,
12689, 12776,	15909, 15910,	24803, 24807,
12806, 12822,	15911, 15913,	24864, 24916,
12837, 12849,	15914, 15915,	24919, 24933,
12864, 12904,	15971, 15995,	24949, 24950,
12933, 12946,	16013, 16099,	24966, 24973,
12960, 12973,	16108, 16131,	24978, 24996,
12987, 13075,	16148, 16164,	24997, 25009,
13105, 13121,	16193, 16208,	25010, 25065,
13136, 13148,	16223, 16270,	25120, 25122,
13163, 13203,	16285, 17251,	25124, 25140,
13232, 13245,	17254, 17256,	25143, 25149,
13259, 13272,	17260, 17264,	25151, 25154,
13286, 13374,	17278, 17289,	25158, 25163,
13404, 13420,	17300, 17500,	25167, 25171,
13435, 13447,	17531, 17562,	25185, 25189,
13462, 13502,	17910, 19151,	25192, 25196,
13531, 13544,	19152, 19159,	25201, 25205,
13558, 13571,	19695, 19705,	25210, 25212,
13585, 13673,	19719, 21422,	25213, 25216,
13703, 13719,	21426, 21430,	25220, 25267,
13734, 13746,	21513, 21737,	25268, 25270,
13761, 13801,	22055, 22057,	25272, 25277,
13830, 13843,	22059, 22062,	25279, 25281,
13857, 13870,	22068, 22076,	25285, 25288,
13884, 13972,	22078, 22080,	25289, 25292,



25293,	25302,	15049,	15471,	16791,	16810,
25304,	25306,	15486,	15589,	16820,	16835,
25310,	25314,	15711,	15751,	16856,	17644,
25315,	25368,	15836,	15857,	18082,	19954,
25370,	25372,	16101,	16110,	19959,	20100,
25376,	25396,	16272,	16287,	20119,	20228,
25397,	25405,	16373,	16414,	21384,	21395,
25409,	25413,	16445,	16590,	21402,	21412,
25417,	25421,	16643,	16821,	23970,	25696,
25425,	25429,	16836,	17242,	25697,	25736,
25433,	25471,	17280,	17291,	25740,	25793,
25472,	25474,	17302,	17313,	25804,	25823,
25477,	25478,	17414,	17439,	26477,	26552, 26568
25482,	25956,	17477,	17510,	\endlist	96,
26021,	26105,	17541,	17572,	309, 630, 762, 993,	
26166,	26179, 26181	17919,	17942,	1025, 1275, 2677,	
\enddocument . . .	6244,	18115,	18207,	8535, 8543, 8548,	
6250,	6257, 6274	19042,	19160,	9297, 9485, 9797,	
\endflushleft .	4796, 4804	19260,	19357,	11358, 11632,	
\endgraf	18238, 18254,	19564,	19568,	15533, 17874,	
	22020, 22782, 23547	19572,	19890,	19690, 20490,	
\endgroup	17, 127, 222,	19940,	19945,	20884, 21081,	
	320, 327, 392, 419,	19947,	19950,	21284, 21836,	
	508, 560, 574, 715,	19955,	20198,	22597, 23362, 24097	
	737, 862, 939, 959,	20229,	20435,	\endlooprepeat	
	1114, 1198, 1221,	20458,	20590,	. 6698, 6727, 6734	
	1364, 1533, 2180,	20731,	20807,	\endLTR 20139, 25847, 25855	
	2220, 2413, 2439,	20830,	20975,	\endMakeFramed	16387
	2465, 2495, 2562,	21022,	21037,	\endmath	9830
	2575, 4624, 4908,	21157,	21207,	\endmdf@lrbox	18393
	4916, 4924, 5300,	21222,	21528,	\endminipage	
	5339, 5358, 5382,	21734,	21794,	. 12078, 16247, 23974	
	5607, 5632, 5988,	21889,	22268,	\endmodernpoem	9171
	6007, 6052, 6066,	22474,	22555,	\endpgfpicture	19908
	6076, 6093, 6146,	22650,	23041,	\endpspicture	20193
	6219, 6355, 6561,	23247,	23320,	\endR	181, 346, 358,
	6563, 6599, 6604,	23415,	23895,	396, 439, 1408,	
	6613, 6771, 7086,	24019,	24203,	1409, 1526, 3369,	
	7552, 7979, 7981,	24623,	24737,	3377, 3385, 3557,	
	8212, 8241, 8270,	25250,	25378,	4879, 4880, 9838,	
	8647, 8664, 8680,	25688,	25721,	9925, 9941, 9946,	
	8691, 8731, 9050,	25764,	25783,	9948, 9980, 11062,	
	9086, 9093, 9100,	25916,	26249,	12119, 15786,	
	9158, 9247, 9270,	26292,	26498, 26508	16780, 16785,	
	9424, 9447, 9661,	\endinput	448,	16842, 16881,	
	9711, 9726, 9932,	9997,	24072, 24156	16888, 17257,	
	10194,	10253,	\endL	17265, 17647,	
	11091,	11121,	3143, 3155, 3167,	17683, 17715,	
	11299,	11312,	4319, 4537, 5226,	17744, 17770,	
	11422,	11519,	9936, 9945, 9946,	17780, 17783,	
	11568,	14882,	9955, 9961, 9980,	17949, 18082,	
	14893,	14935,	12122, 15656,	18232, 18297,	
	14946,	14987,	15767, 15781,	18303, 18347,	
	14998,	15038,	15944,	18440, 18448,	



18639,	18965,	11156,	11157,	11082,	11083,
19129,	19131,	11158,	11160,	11084,	11089,
19969,	20101,	11161,	11162,	11096,	11100,
20109,	20188,	11174,	11177,	11102,	11106,
20189,	20190,	11179,	11181,	11108,	11112, 11119
21380,	21390,	11182,	11184,	\ESO@tempdimb	
21399,	21408,	11187,	11189,	.. 11087, 11089,	
21902,	22663,	11191,	11192,	11114, 11115,	
23428,	23790,	11194,	11195,	11116, 11117, 11119	
23791,	23816,	11197,	11200,	\evenpage . 4585, 4588,	
23822,	23969,	11201,	11202,	4589, 4590, 4592,	
25693,	25697,	11205,	11208,	4593, 4594, 4595, 4597	
25699,	25793,	11216,	11223,	\evensidemargin . . .	
25805,	25813,	11231,	11238,	.. 4609, 11100,	
25926,	26071,	11240,	11243,	11108, 16929,	
26074,	26077,	11247,	11248,	16934, 16942,	
26092,	26103,	11249,	11250,	21538, 22278,	
26104,	26477,	11262,	11264, 11265	23051, 26518, 26526	
26490,	26492,	\eq@addpunct	9835	\everycr 18211	
26552,	26568,	\EQ@box	9840, 9846	\everydisplay 9800	
26587,	26590, 26598	\eq@group	9803, 9812	\everyhbox 20103,	
\endrotate	21389	\eq@GRP@first@dmath	9812	20105, 20113,	
\endRTL 20141, 25857, 25865		\eq@if	5417, 5418, 5420	20115, 25807,	
\ends@math	9830	\eq@isIntertext	9850	25809, 25817, 25819	
\endsideways	21407	\eq@prelim	9803, 9820	\everyjob 4215,	
\endsidewaysfigure	21327	\eq@setnumber	9806	4218, 4479, 4481	
\endsidewaystable	21328	\eq@setup@a	9808	\everymath 356	
\endstabular	23790, 23792	\eq@startup	9809	\everypar 558,	
\endstrip	19373	\eq@wdCond	9827	713, 957, 1196,	
\endtabular	394, 398,	\eqnewif	4245,	7825, 7869, 7913,	
	1409, 1410, 4879,		4246, 4249, 4258, 5413	9246, 9423, 9710,	
	23816, 23818,		\eqno	11567, 15470,	
	23902, 26103, 26105		337, 20184,	15664, 18266,	
\endtabularx 23853, 23882, 23893		20186, 26593, 26595	18268, 20095,	
\endtcb@lrbox	23974, 23975	\eqnumform	9838	20099, 20327,	
\endtcb@savebox	23975	\eqstyle	9805	20434, 20806,	
\endtcb@vbox	23985	\equal	5191,	21021, 21206,	
\endtitlepage	672,		5208, 5212, 5216,	24196, 24200,	
	979, 1231, 9279,		7373, 7407, 7418,	24735, 25799,	
	9467, 20394, 20844		7450, 7451, 7467,	25803, 25849,	
\endtraditionalpoem	9107		7508, 7766, 8008,	25859, 26394, 26438	
\endtrivlist	15782		8009, 8027, 8028,	\everyvbox 1412,	
\endturn	21379		8046, 8047, 8078,	1413, 20123,	
\endwindow	19971		8079, 10753, 15892	20125, 20131,	
\enskip	25363, 25388	\errmessage	20133, 25827,	
\enspace	318, 19965, 19967	\ERROR	4286, 4512, 19461	25829, 25836, 25838	
\ensuremath	4220	\escapechar	26190	\ExecuteDoHook	
\env@RTLcases	25931, 25935		5328,	21435,	
\EQ 11126, 11132, 11133,			5414, 5419, 5430,	21457, 22174,	
11137, 11138,			5434, 5632, 6380,	22196, 22947, 22969	
11147, 11148,			6385, 6387, 6389, 6402	\ExecuteOptions	
11150, 11152,		\ESO@isMEMOIR	11067	5042, 7237, 8618,	
11153, 11155,		\ESO@tempdima	11072	8620, 10586, 10684	
			11073, 11074,	\exhyphenpenalty	
			11076, 11080,	664, 971,	



1165, 9216, 9393,	5882, 5883, 5885,	17423, 17437,
20386, 20836, 20898	5908, 5912, 5963,	17461, 17475,
\exp . . . 18516, 18519,	5964, 5965, 5966,	17508, 17539,
18573, 18748, 18802	5972, 5973, 5974,	17570, 18096,
\expandafter . . . 166,	5975, 6065, 6066,	18097, 18102,
198, 369, 398, 794,	6067, 6069, 6076,	18103, 18208,
803, 811, 837,	6077, 6080, 6095,	18272, 18275,
840, 1046, 1055,	6102, 6111, 6120,	19141, 19144,
1063, 1089, 1092,	6291, 6305, 6319,	19176, 19178,
1296, 1305, 1313,	6329, 6338, 6339,	19276, 19278,
1339, 1342, 1410,	6340, 6341, 6356,	19852, 19869,
1425, 1507, 1508,	6383, 6384, 6393,	19881, 19886,
1509, 1511, 2482,	6397, 6452, 6453,	20097, 20522,
2511, 2602, 3480,	6465, 6466, 6561,	20531, 20539,
4223, 4225, 4229,	6563, 6570, 6572,	20565, 20568,
4231, 4235, 4237,	6574, 6576, 6577,	20661, 20670,
4824, 4826, 4830,	6578, 6598, 6600,	20678, 20706,
4832, 4836, 4838,	6603, 6606, 6607,	20709, 21292,
4842, 4843, 4851,	6608, 6610, 6613,	21304, 21314,
4853, 4857, 4858,	6618, 6681, 6693,	21335, 21350,
4882, 4885, 4888,	6695, 6711, 6712,	21362, 21433,
4891, 4895, 4898,	6713, 6714, 6752,	21513, 21614,
4901, 4952, 4953,	6763, 6768, 6782,	21737, 21869,
5006, 5264, 5267,	7969, 8510, 8940,	21878, 22054,
5270, 5274, 5288,	9065, 9068, 9071,	22056, 22058,
5300, 5301, 5306,	9074, 9077, 9080,	22061, 22067,
5317, 5342, 5344,	9106, 9107, 9170,	22075, 22077,
5348, 5349, 5353,	9171, 9185, 9338,	22079, 22085,
5356, 5366, 5368,	9347, 9355, 9515,	22087, 22172,
5372, 5373, 5377,	9524, 9532, 9800,	22253, 22354,
5380, 5400, 5402,	9910, 9952, 9973,	22477, 22512,
5407, 5421, 5422,	10142, 10144,	22527, 22530,
5425, 5426, 5436,	10205, 10207,	22534, 22630,
5437, 5440, 5441,	12035, 12092,	22639, 22816,
5444, 5445, 5448,	15684, 15686,	22818, 22820,
5449, 5485, 5487,	15720, 15722,	22823, 22829,
5491, 5495, 5497,	15788, 15789,	22837, 22839,
5501, 5503, 5507,	15795, 15796,	22842, 22848,
5509, 5513, 5515,	15893, 15910,	22850, 22945,
5519, 5521, 5525,	15915, 15973,	23026, 23127,
5527, 5531, 5533,	15976, 15997,	23250, 23296,
5537, 5539, 5550,	16000, 16013,	23299, 23395,
5552, 5556, 5557,	16027, 16028,	23404, 23581,
5558, 5560, 5561,	16029, 16030,	23583, 23585,
5564, 5568, 5570,	16032, 16259,	23588, 23594,
5575, 5576, 5578,	16414, 16436,	23602, 23604,
5579, 5582, 5591,	16437, 16445,	23607, 23613,
5598, 5602, 5604,	16556, 16558,	23615, 23792,
5607, 5608, 5609,	16605, 16607,	23818, 23851,
5611, 5614, 5615,	16826, 16864,	23854, 23874,
5617, 5618, 5620,	16865, 17282,	23877, 23879,
5621, 5623, 5625,	17284, 17293,	23881, 23892,
5627, 5629, 5633,	17295, 17304,	23893, 23901,
5879, 5880, 5881,	17306, 17409,	23905, 23907,



23914,	23916,	\extrafeetins 11950, 11951	\fb@frh . 16408, 16412, 16427, 16462, 16465
23921,	23923,	\extrafeetinshook 11955, 11956	\fb@put@frame . 16390, 16401, 16472, 16492
23932,	24401,	\extrafeetminihook 12071	\fb@putboxa .. 16395, 16420, 16478, 16495
24402,	24418,	\extrainfo 5134	\fb@resto@set .. . 16430, 16470, 16474
24419,	24420,	\extrarowheight 402, 18177, 18185	\fb@sizeofframe 16403, 16425
24427,	24429,	\extrarulesep 23845	\FBifcaption 18251
24430,	24483,	\extratitle 21758, 22498, 23271	\fbox 4776, 4786, 9979, 11266, 17056, 17062, 17069, 17075, 17081, 17087, 17095, 17099, 17104, 17108, 17112, 17116, 17131, 17132, 17147, 17148, 17157, 17161, 17166, 17170, 17174, 17178, 17186, 17192, 17199, 17205, 17211, 17217, 20227
24642,	24747,	F	\fboxrule 4724, 16364, 16370, 16376, 16378, 16380, 16382
24772,	24799,	\f@nch@everypar .. 15664	\fboxsep 2045, 4725, 4792, 4801, 9941, 9942, 9943, 9979, 16364, 16376, 16378, 16380, 16382, 20226, 25693, 25694, 25695, 25791
24803,	24807,	\f@nch@foot .. 15671, 15672, 15673, 15674	\fcbox 4726 \FeetAboveFloat 15411, 15415
24863,	24916,	\f@nch@head .. 15666, 15667, 15668, 15669	\FeetAtBottom 15413
24919,	24933,	\f@size 357	\FeetBelowFloat .. 15412
24949,	24966,	\f@size .. 2740	\FeetBelowRagged .. . 15414, 15416
24973,	24978,	\FamilyKeyState .. 24914	\ff@backcol 15904
24995,	24996,	\FamilyKeyStateProcessed	\ff@col 15902
25008,	25009, 24914	\ff@frametype 15900, 15911
25065,	25119,	\familyname 5127	\ff@txtcol 15892, 15893, 15903
25121,	25123,	\familynamecolour .. . 5096, 10590, 10688	\fi 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142,
25139,	25143,	\familynamefont 5105, 5113, 10630, 10724	
25148,	25150,	\familynamestyle .. . 5113, 10641, 10731, 10752	
25153,	25157,	\FamilySetBool ... 24913	
25162,	25166,	\fancyfoot 5226, 7593, 7594, 10656	
25170,	25184,	\fancyhead 7582, 7583, 7584, 8809, 8810, 8821, 8822, 8823	
25189,	25191,	\fancyhf .. 5075, 7580, 7589, 7599, 8807, 8818	
25195,	25200,	\fancyhffoffset 7573, 7574	
25204,	25209,	\fancypagestyle 5072, 5225, 7588, 7598, 10655	
25212,	25213,	\FAX 5092	
25216,	25220,	\fax 5132	
25280,	25284,	\faxsymbol .. . 5092, 10665, 10763	
25305,	25309,	\fb@adjheight 16401, 16471, 16491	
25371,	25375,	\fb@afterframe 16396, 16421, 16479	
25471,	25472,	\FB@captype .. . 15794, 15795, 15797	
25474,	25477,		
25478,	25481,		
25706,	25718,		
25721,	25729,		
25730,	25749,		
25761,	25764,		
25778,	25779,		
25783,	25801,		
26105,	26166,		
26178,	26213,		
26215,	26260,		
26262,			
	\ExplSyntaxOff .. . 432, 443, 4186, 4359, 7050, 18228, 19737, 19836		
	\ExplSyntaxOn 399, 434, 4063, 4337, 6814, 18143, 19732, 19815		
	\extrafeetendmini .. . 12072, 12077		
	\extrafeetendminihook .. . 12075, 12076		



150, 154, 158, 162, 169, 177, 184, 193, 217, 218, 223, 228, 234, 237, 238, 239, 249, 300, 315, 319, 338, 346, 358, 372, 373, 385, 386, 389, 396, 421, 428, 439, 501, 506, 544, 551, 559, 561, 568, 571, 572, 575, 594, 595, 601, 608, 613, 636, 645, 652, 661, 665, 678, 681, 682, 683, 689, 690, 695, 698, 706, 714, 716, 723, 724, 731, 734, 735, 740, 748, 787, 797, 806, 814, 838, 840, 855, 860, 894, 901, 910, 916, 917, 923, 926, 933, 936, 937, 942, 950, 958, 960, 967, 968, 972, 992, 993, 994, 1011, 1039, 1049, 1058, 1066, 1090, 1092, 1107, 1112, 1146, 1153, 1162, 1166, 1172, 1173, 1178, 1181, 1189, 1197, 1199, 1206, 1207, 1215, 1218, 1219, 1224, 1237, 1240, 1241, 1242, 1261, 1289, 1299, 1308, 1316, 1340, 1342, 1357, 1362, 1400, 1401, 1403, 1406, 1408, 1409, 1414, 1428, 1429, 1443, 1444, 1458, 1466, 1467, 1473, 1474, 1478, 1483, 1486, 1491, 1494, 1502, 1503, 1512, 1513, 1525, 1526, 1537, 1548, 1556, 1640, 1645, 1670, 1678, 1693, 1701, 1714, 1722, 1735, 1743, 1914, 1918, 1928, 1959, 1987, 1990, 1999, 2005, 2007,	2012, 2013, 2014, 2015, 2017, 2019, 2020, 2021, 2024, 2025, 2038, 2040, 2051, 2054, 2056, 2076, 2084, 2085, 2093, 2101, 2128, 2142, 2157, 2171, 2265, 2266, 2287, 2337, 2340, 2353, 2369, 2415, 2441, 2467, 2496, 2501, 2526, 2534, 2543, 2550, 2577, 2634, 2657, 2677, 2700, 2704, 2726, 2731, 2736, 2738, 2741, 2761, 2784, 2804, 2818, 2826, 2845, 2967, 3007, 3052, 3118, 3124, 3130, 3207, 3223, 3235, 3242, 3257, 3311, 3313, 3318, 3324, 3354, 3359, 3365, 3366, 3368, 3369, 3374, 3376, 3377, 3382, 3384, 3385, 3416, 3434, 3443, 3444, 3454, 3463, 3464, 3466, 3467, 3468, 3509, 3516, 3539, 3557, 3568, 3571, 3596, 3607, 3624, 3632, 3638, 3642, 3645, 3652, 3693, 3695, 3706, 3713, 3731, 3754, 3803, 3814, 3825, 3828, 3845, 3852, 3901, 3910, 3920, 3940, 3947, 3983, 3992, 3999, 4002, 4011, 4018, 4021, 4035, 4219, 4226, 4232, 4238, 4277, 4278, 4285, 4286, 4298, 4304, 4305, 4372, 4383, 4388, 4394, 4397, 4405, 4432, 4443, 4444, 4488, 4503, 4504, 4511, 4512, 4523, 4541, 4570, 4827,	4833, 4839, 4854, 4875, 4879, 4880, 4882, 4938, 4939, 4945, 4960, 4961, 4964, 4967, 4970, 4974, 4975, 4983, 5197, 5198, 5199, 5201, 5229, 5237, 5285, 5299, 5314, 5315, 5337, 5338, 5353, 5363, 5377, 5387, 5396, 5403, 5490, 5498, 5504, 5510, 5516, 5522, 5528, 5534, 5540, 5553, 5562, 5565, 5571, 5580, 5583, 5605, 5612, 5657, 5661, 5667, 5668, 5686, 5692, 5693, 5711, 5715, 5721, 5722, 5740, 5746, 5747, 5768, 5772, 5778, 5779, 5806, 5812, 5813, 5841, 5874, 5909, 6070, 6245, 6248, 6291, 6305, 6319, 6329, 6357, 6402, 6407, 6412, 6415, 6416, 6417, 6425, 6435, 6437, 6445, 6452, 6455, 6459, 6466, 6471, 6482, 6494, 6495, 6533, 6537, 6544, 6548, 6550, 6589, 6681, 6715, 6753, 6759, 6763, 6768, 6782, 7087, 7116, 7149, 7166, 7182, 7321, 7327, 7520, 7523, 7526, 7529, 7548, 7559, 7789, 7798, 7825, 7833, 7842, 7877, 7886, 8062, 8119, 8121, 8131, 8457, 8458, 8575, 8576, 8577, 8755, 8833, 8885, 8898, 8906, 8937, 8938, 8993, 8994, 8998, 9005, 9010, 9019, 9048, 9056, 9058, 9113,
---	---	---



9115, 9119, 9138,	10366, 10373,	11590, 11591,
9140, 9141, 9142,	10374, 10375,	11599, 11610,
9153, 9155, 9156,	10381, 10382,	11615, 11636,
9165, 9167, 9204,	10383, 10410,	11639, 11642,
9213, 9217, 9223,	10418, 10424,	11644, 11651,
9224, 9229, 9232,	10425, 10426,	11652, 11656,
9240, 9248, 9255,	10440, 10446,	11681, 11701,
9256, 9263, 9266,	10447, 10448,	11736, 11752,
9267, 9273, 9283,	10481, 10495,	11813, 11826,
9315, 9317, 9319,	10507, 10510,	11914, 11915,
9331, 9341, 9350,	10520, 10534,	11926, 11927,
9358, 9381, 9390,	10542, 10548,	11938, 11939,
9394, 9400, 9401,	10553, 10555,	11970, 11971,
9406, 9409, 9417,	10556, 10557,	11972, 11989,
9425, 9432, 9433,	10571, 10606,	11990, 11996,
9440, 9443, 9444,	10613, 10620,	12013, 12014,
9450, 9471, 9492,	10627, 10652,	12029, 12047,
9494, 9496, 9508,	10701, 10707,	12068, 12088,
9518, 9527, 9535,	10713, 10719,	12124, 12184,
9555, 9561, 9562,	10733, 10748,	12185, 12201,
9566, 9568, 9591,	10794, 10797,	12207, 12214,
9600, 9654, 9659,	10798, 10815,	12215, 12229,
9697, 9704, 9712,	10818, 10819,	12305, 12312,
9719, 9722, 9723,	10844, 10860,	12313, 12328,
9727, 9737, 9739,	10861, 10863,	12334, 12341,
9741, 9750, 9756,	10872, 10881,	12342, 12483,
9757, 9764, 9775,	10882, 10901,	12484, 12499,
9780, 9799, 9801,	10914, 10915,	12505, 12512,
9802, 9803, 9811,	10924, 10933,	12513, 12526,
9822, 9824, 9833,	10934, 10937,	12598, 12605,
9838, 9840, 9855,	10953, 10960,	12606, 12620,
9856, 9857, 9859,	10976, 10982,	12626, 12633,
9861, 9886, 9893,	10998, 11005,	12634, 12770,
9899, 9911, 9912,	11062, 11065,	12771, 12787,
9924, 9925, 9936,	11077, 11085,	12793, 12800,
9940, 9941, 9945,	11086, 11089,	12801, 12815,
9946, 9948, 9955,	11103, 11109,	12891, 12898,
9961, 9980, 9983,	11110, 11113,	12899, 12914,
9984, 9990, 9995,	11119, 11139,	12920, 12927,
10020, 10043,	11223, 11238,	12928, 13069,
10066, 10089,	11247, 11248,	13070, 13086,
10104, 10107,	11249, 11250,	13092, 13099,
10108, 10124,	11280, 11293,	13100, 13114,
10128, 10129,	11296, 11297,	13190, 13197,
10131, 10152,	11300, 11307,	13198, 13213,
10177, 10184,	11313, 11320,	13219, 13226,
10193, 10195,	11321, 11327,	13227, 13368,
10215, 10236,	11334, 11344,	13369, 13385,
10243, 10252,	11415, 11420,	13391, 13398,
10254, 10284,	11454, 11512,	13399, 13413,
10295, 10296,	11517, 11555,	13489, 13496,
10304, 10335,	11561, 11569,	13497, 13512,
10336, 10344,	11571, 11573,	13518, 13525,
10349, 10360,	11575, 11584,	13526, 13667,



13668,	13684,	15763,	15770,	16974,	16984,
13690,	13697,	15786,	15809,	16985,	16990,
13698,	13712,	15817,	15821,	16991,	16992,
13788,	13795,	15835,	15842,	17000,	17009,
13796,	13811,	15919,	15921,	17011,	17012,
13817,	13824,	15923,	15932,	17013,	17014,
13825,	13966,	15934,	15936,	17015,	17027,
13967,	13983,	15944,	15947,	17029,	17030,
13989,	13996,	15949,	15963,	17031,	17032,
13997,	14011,	15977,	16001,	17033,	17038,
14087,	14094,	16085,	16087,	17044,	17045,
14095,	14110,	16123,	16176,	17046,	17059,
14116,	14123,	16184,	16199,	17065,	17072,
14124,	14265,	16214,	16217,	17078,	17084,
14266,	14282,	16231,	16232,	17090,	17091,
14288,	14295,	16255,	16329,	17092,	17097,
14296,	14310,	16330,	16341,	17101,	17106,
14386,	14393,	16342,	16353,	17110,	17114,
14394,	14409,	16354,	16355,	17118,	17119,
14415,	14422,	16365,	16379,	17120,	17121,
14423,	14564,	16381,	16391,	17128,	17136,
14565,	14581,	16459,	16460,	17144,	17152,
14587,	14594,	16488,	16493,	17159,	17163,
14595,	14609,	16502,	16515,	17168,	17172,
14685,	14692,	16516,	16517,	17176,	17180,
14693,	14708,	16531,	16566,	17181,	17182,
14714,	14721,	16588,	16591,	17189,	17195,
14722,	14835,	16615,	16641,	17202,	17208,
14889,	14942,	16644,	16655,	17214,	17220,
14959,	14973,	16660,	16669,	17221,	17222,
14994,	15010,	16675,	16677,	17223,	17224,
15024,	15045,	16678,	16694,	17225,	17226,
15059,	15078,	16704,	16713,	17235,	17240,
15084,	15091,	16723,	16728,	17241,	17245,
15107,	15187,	16733,	16745,	17257,	17265,
15194,	15211,	16747,	16748,	17269,	17270,
15217,	15224,	16762,	16778,	17285,	17296,
15360,	15396,	16780,	16783,	17307,	17327,
15408,	15422,	16784,	16785,	17338,	17349,
15424,	15431,	16791,	16793,	17364,	17379,
15464,	15472,	16804,	16810,	17394,	17453,
15479,	15482,	16813,	16820,	17491,	17524,
15483,	15487,	16829,	16835,	17555,	17586,
15490,	15495,	16837,	16839,	17612,	17615,
15502,	15519,	16842,	16850,	17618,	17621,
15582,	15587,	16856,	16871,	17630,	17632,
15621,	15628,	16877,	16878,	17636,	17642,
15630,	15632,	16881,	16888,	17644,	17647,
15642,	15646,	16900,	16901,	17661,	17666,
15653,	15654,	16914,	16924,	17675,	17683,
15655,	15656,	16930,	16937,	17695,	17700,
15694,	15710,	16943,	16944,	17708,	17715,
15712,	15730,	16960,	16964,	17726,	17731,
15750,	15752,	16969,	16973,	17737,	17744,



17755,	17760,	19286,	19293,	20214,	20219,
17770,	17776,	19296,	19317,	20224,	20227,
17780,	17783,	19327,	19354,	20228,	20242,
17799,	17807,	19360,	19361,	20248,	20255,
17815,	17823,	19366,	19386,	20257,	20261,
17832,	17840,	19396,	19397,	20263,	20272,
17849,	17857,	19402,	19403,	20274,	20276,
17865,	17877,	19409,	19413,	20285,	20287,
17883,	17886,	19414,	19417,	20289,	20298,
17887,	17888,	19421,	19426,	20300,	20302,
17903,	17914,	19429,	19433,	20311,	20313,
17915,	17920,	19438,	19442,	20334,	20354,
17932,	17949,	19450,	19461,	20366,	20367,
17953,	17956,	19475,	19480,	20374,	20383,
17959,	17961,	19486,	19500,	20387,	20400,
17982,	17997,	19508,	19523,	20403,	20404,
18007,	18015,	19536,	19544,	20405,	20411,
18027,	18034,	19549,	19554,	20412,	20417,
18060,	18061,	19559,	19591,	20420,	20428,
18071,	18072,	19671,	19678,	20436,	20443,
18089,	18098,	19697,	19702,	20444,	20451,
18104,	18138,	19707,	19714,	20454,	20455,
18141,	18157,	19724,	19725,	20461,	20476,
18159,	18162,	19728,	19729,	20497,	20499,
18172,	18173,	19730,	19743,	20501,	20515,
18188,	18232,	19748,	19752,	20525,	20534,
18237,	18245,	19758,	19764,	20542,	20566,
18292,	18293,	19769,	19772,	20568,	20583,
18294,	18295,	19778,	19797,	20588,	20622,
18297,	18298,	19810,	19811,	20629,	20638,
18301,	18303,	19843,	19861,	20654,	20664,
18310,	18318,	19875,	19883,	20673,	20681,
18332,	18339,	19884,	19888,	20707,	20709,
18347,	18355,	19896,	19911,	20724,	20729,
18359,	18392,	19919,	19954,	20771,	20772,
18414,	18440,	19969,	19970,	20774,	20777,
18448,	18639,	19988,	19992,	20783,	20784,
18965,	19033,	19999,	20000,	20789,	20792,
19037,	19040,	20002,	20004,	20800,	20808,
19045,	19046,	20005,	20006,	20815,	20816,
19047,	19048,	20012,	20037,	20823,	20826,
19049,	19050,	20039,	20050,	20827,	20833,
19062,	19076,	20061,	20068,	20837,	20850,
19079,	19085,	20074,	20076,	20853,	20854,
19089,	19090,	20079,	20080,	20855,	20862,
19111,	19112,	20094,	20148,	20864,	20866,
19113,	19118,	20149,	20152,	20870,	20899,
19129,	19131,	20156,	20157,	20968,	20973,
19135,	19145,	20160,	20165,	21009,	21015,
19157,	19164,	20166,	20171,	21023,	21030,
19186,	19193,	20186,	20187,	21033,	21034,
19196,	19217,	20188,	20189,	21038,	21039,
19227,	19257,	20190,	20192,	21040,	21051,
19263,	19264,	20195,	20203,	21053,	21055,



21064,	21088,	22043,	22049,	23186,	23193,
21097,	21150,	22073,	22180,	23203,	23206,
21155,	21193,	22188,	22189,	23208,	23213,
21200,	21208,	22213,	22227,	23217,	23220,
21215,	21218,	22229,	22234,	23222,	23227,
21219,	21223,	22241,	22248,	23229,	23232,
21233,	21235,	22260,	22294,	23235,	23237,
21237,	21246,	22308,	22310,	23242,	23244,
21251,	21258,	22317,	22319,	23245,	23248,
21267,	21301,	22325,	22331,	23279,	23282,
21305,	21315,	22334,	22358,	23283,	23298,
21346,	21351,	22359,	22370,	23301,	23312,
21352,	21363,	22378,	22385,	23316,	23323,
21364,	21378,	22386,	22394,	23340,	23361,
21380,	21384,	22395,	22406,	23368,	23371,
21388,	21390,	22413,	22420,	23372,	23373,
21395,	21399,	22430,	22433,	23375,	23411,
21402,	21406,	22435,	22440,	23414,	23425,
21408,	21412,	22444,	22447,	23429,	23440,
21441,	21449,	22449,	22454,	23446,	23522,
21450,	21474,	22456,	22459,	23523,	23524,
21487,	21489,	22462,	22464,	23541,	23552,
21494,	21501,	22469,	22471,	23570,	23576,
21508,	21520,	22472,	22475,	23600,	23695,
21554,	21568,	22506,	22509,	23698,	23708,
21570,	21577,	22510,	22513,	23715,	23722,
21579,	21585,	22516,	22529,	23765,	23781,
21591,	21594,	22532,	22535,	23786,	23790,
21618,	21619,	22538,	22547,	23791,	23808,
21630,	21638,	22551,	22558,	23816,	23822,
21645,	21646,	22575,	22596,	23829,	23836,
21654,	21655,	22603,	22606,	23842,	23847,
21666,	21673,	22607,	22608,	23878,	23935,
21680,	21690,	22610,	22646,	23936,	23952,
21693,	21695,	22649,	22660,	23953,	23969,
21700,	21704,	22664,	22675,	24007,	24014,
21707,	21709,	22681,	22757,	24016,	24031,
21714,	21716,	22758,	22759,	24042,	24045,
21719,	21722,	22776,	22787,	24052,	24053,
21724,	21729,	22805,	22811,	24054,	24059,
21731,	21732,	22835,	22953,	24063,	24064,
21735,	21766,	22961,	22962,	24080,	24105,
21769,	21770,	22986,	23000,	24112,	24130,
21771,	21787,	23002,	23007,	24131,	24147,
21790,	21797,	23014,	23021,	24148,	24149,
21814,	21835,	23033,	23067,	24153,	24154,
21842,	21845,	23081,	23083,	24157,	24165,
21846,	21847,	23090,	23092,	24169,	24170,
21849,	21885,	23098,	23104,	24171,	24177,
21888,	21899,	23107,	23131,	24180,	24181,
21903,	21914,	23132,	23143,	24182,	24190,
21920,	21996,	23151,	23158,	24201,	24202,
21997,	21998,	23159,	23167,	24204,	24205,
22014,	22025,	23168,	23179,	24211,	24212,



24213,	24221,	25377,	25380,	26040,	26048,
24224,	24225,	25381,	25392,	26049,	26057,
24233,	24234,	25393,	25403,	26058,	26066,
24235,	24236,	25404,	25408,	26067,	26068,
24244,	24247,	25412,	25416,	26069,	26072,
24251,	24252,	25420,	25424,	26075,	26078,
24253,	24261,	25428,	25432,	26079,	26080,
24264,	24268,	25436,	25440,	26081,	26082,
24269,	24270,	25445,	25453,	26084,	26086,
24278,	24281,	25456,	25463,	26087,	26094,
24285,	24286,	25464,	25468,	26097,	26099,
24287,	24295,	25475,	25498,	26103,	26104,
24298,	24302,	25504,	25515,	26107,	26123,
24303,	24304,	25520,	25526,	26124,	26132,
24312,	24315,	25528,	25535,	26133,	26136,
24319,	24320,	25538,	25551,	26137,	26138,
24321,	24329,	25560,	25573,	26139,	26140,
24332,	24337,	25576,	25587,	26146,	26151,
24338,	24339,	25593,	25594,	26159,	26176,
24347,	24350,	25600,	25605,	26182,	26184,
24356,	24357,	25608,	25622,	26191,	26201,
24358,	24366,	25627,	25630,	26203,	26223,
24369,	24376,	25631,	25632,	26247,	26250,
24377,	24378,	25633,	25637,	26270,	26290,
24386,	24389,	25640,	25642,	26293,	26296,
24403,	24411,	25648,	25649,	26314,	26329,
24412,	24413,	25663,	25673,	26347,	26349,
24421,	24424,	25674,	25681,	26358,	26367,
24446,	24461,	25686,	25689,	26402,	26411,
24462,	24463,	25692,	25693,	26443,	26446,
24604,	24624,	25696,	25697,	26447,	26448,
24716,	24733,	25699,	25708,	26449,	26450,
24736,	24738,	25709,	25713,	26458,	26472,
24774,	24775,	25719,	25725,	26476,	26477,
24777,	24779,	25726,	25727,	26481,	26489,
24809,	24810,	25730,	25736,	26490,	26491,
24811,	24818,	25740,	25751,	26492,	26493,
24834,	24850,	25752,	25756,	26514,	26521,
24873,	24921,	25762,	25774,	26527,	26528,
24922,	25249,	25775,	25776,	26529,	26530,
25251,	25258,	25779,	25793,	26532,	26533,
25260,	25273,	25798,	25844,	26534,	26552,
25274,	25275,	25845,	25853,	26568,	26587,
25282,	25286,	25863,	25872,	26590,	26591,
25291,	25295,	25873,	25876,	26595,	26596,
25301,	25307,	25880,	25881,	26598,	26606, 26608
25311,	25317,	25926,	25952,	\figcaption	17009, 17027
25320,	25322,	25971,	25979,	\fill 3027,
25323,	25324,	25985,	25991,		3218, 3220, 3222,
25327,	25330,	25999,	26006,		3427, 3428, 3431,
25333,	25334,	26007,	26008,		3432, 3438, 3441,
25343,	25349,	26014,	26019,		3449, 3534, 3536,
25358,	25359,	26022,	26030,		3538, 8748, 8752,
25367,	25373,	26031,	26039,		17044, 17239,



\filright ..	23994, 24023	\FN@sf@@RTLfootnote ..	4822, 4836	\footdir@ORG@bidi@amsart@footnotetext	79
\FirstFrameCommand ..	16378, 16424	\FN@sf@gobble@bracket ..	4860, 4863	\footdir@ORG@bidi@amsart@LTRfootnotetext	81
\firstmark ..	10150, 10213, 15692, 15728, 15886, 16564, 16613, 19184, 19284, 26221, 26268, 26579	\FN@sf@gobble@opt ..	4826, 4832, 4838, 4841	\footdir@ORG@bidi@amsart@RTLfootnotetext	80
\firstname ..	5126	\FN@sf@gobble@optionly ..	4853, 4856	\footdir@ORG@bidi@amsbook@footnotetext	292
\firstnamecolour ..	5095, 10591, 10687	\FN@sf@gobble@twobracket ..	4845, 4848	\footdir@ORG@bidi@amsbook@LTRfootnotetext	294
\firstnamefont ..	5104, 5112, 10629, 10630, 10721, 10724	\focus@pbar@height ..	3425, 3427, 3428, 3429, 3431, 3432, 3433, 3438, 3439, 3441, 3442, 3448, 3449, 3451, 3453, 3458, 3459, 3461, 3462	\footdir@ORG@bidi@beamer@footnotetext	293
\firstnamestyle ..	5112, 10641, 10731, 10752	\focus@pbar@leftoffset ..	3407, 3408, 3423, 3427, 3428, 3431, 3432	\footdir@ORG@bidi@beamer@LTRfootnotetext	2388
\FiveColumnFootnotes ..	13039	\focus@pbar@progress ..	3422, 3428, 3432	\footdir@ORG@bidi@beamer@RTLfootnotetext	2390
\fivecolumnfootnotes ..	13014	\focus@pbar@rightoffset ..	3411, 3412, 3414, 3415, 3423, 3438, 3441, 3451, 3453, 3458, 3459, 3461, 3462	\footdir@ORG@bidi@footnotetext	16179
\Fld@width ..	17798, 17806, 17814, 17822	\font	23732, 23733	\footdir@ORG@bidi@LTRfootnotetext	16181
\flnew@within ..	15794	\fontdimen ..	23732, 23733	\footdir@ORG@bidi@RTLfootnotetext	16180
\float@newx ..	15787	\fontsize	313, 8703, 8705, 8707, 10629, 10721,	\footdir@temp ..	79, 80, 81, 292, 293, 294, 2388, 2389, 2390, 16018, 16179, 16180, 16181
\floatalignment ..	7377, 7378, 7419, 7420, 7442, 7449, 7457, 7508, 7719	\fonttop	17898, 19795, 19808	\footdir@toks	
\FloatBarrier .	7349, 7699	\footsize	19866,	\footdir@write	
\floatc@bidituftefloatplain ..	7717, 7727, 7734, 7740, 7748	\fontplaintop	19868, 19878, 19880	\footersymbol ..	10648, 10649, 10664, 10665, 10666, 10667
\floatc@bidituftefloatplaintop ..	7734	\fontrule	19880	\footfootmark	
\floatc@bidituftefloatrule ..	7735	\footdir@abspage ..	15988, 15991, 15992, 15995, 15996, 15999	\footfudgefactor ..	
\floatc@plain ..	15784	\footdir@debug ..	15960, 15968, 15972, 15975, 15985, 15992, 15996, 15999	.. 14819, 14881, 14934, 14986, 15037	
\floatingpenalty ..	41, 55, 71, 254, 268, 283, 10803, 10824, 10871, 10878, 10923, 10930, 11964, 16128, 16145, 16161	\footdir@debugfalse ..	4114	\footins	35, 49, 65, 248, 262, 277, 10803, 10824,
\floatstyle ..	7768	\footdir@debugtrue ..	4113, 15958	10828, 10829, 10840, 10843, 10847, 10871, 10877, 10885,	
\flushleft ..	4793, 4802	\footdir@fntext ..	16006, 16023, 16025		
\FN@sf@@footnote ..	4820, 4824	\footdir@LeftRightElse ..	15966, 15982, 16059		
\FN@sf@@footnotemark ..	4849, 4851	\footdir@name ..	16009, 16012, 16013		
\FN@sf@@LTRfootnote ..	4821, 4830				



10886,	10897,	12165,	12166,	14337,	14351,
10900,	10904,	12183,	12198,	14520,	14521,
10923,	10929,	12206,	12213,	14545,	14546,
11735,	11751,	12228,	12231,	14563,	14578,
11766,	11782,	12244,	12245,	14586,	14593,
11797,	11961,	12256,	12270,	14608,	14611,
11970,	11981,	12439,	12440,	14624,	14625,
11982,	11984,	12464,	12465,	14636,	14650,
11985,	11995,	12482,	12496,	14860,	14861,
12101,	12106,	12504,	12511,	14895,	14913,
15368,	15372,	12525,	12528,	14914,	14948,
15381,	15385,	12540,	12541,	14962,	14963,
15392,	15405,	12551,	12564,	14999,	15013,
16122,	16139,	12726,	12727,	15014,	15050,
16155,	16548,	12751,	12752,	15058,	15075,
16549,	16597,	12769,	12784,	15083,	15090,
16598,	16651,	12792,	12799,	15106,	15109,
16652,	16653,	12814,	12817,	15124,	15125,
16654,	16674,	12830,	12831,	15137,	15153,
16675,	16685,	12842,	12856,	15436,	15449, 15453
16694,	16715,	13025,	13026,	\footinsv@r . .	11952,
16733,	16736,	13050,	13051,	12100,	12101,
20162,	20163,	13068,	13083,	12102,	12103,
20165,	26301,	13091,	13098,	12136,	12137,
26307,	26311,	13113,	13116,	12161,	12162,
26316,	26334, 26338	13129,	13130,	12181,	12200,
\footinsdim . .	11960,	13141,	13155,	12204,	12211,
11961,	12103,	13324,	13325,	12226,	12243,
12108,	12136,	13349,	13350,	12258,	12271,
12140,	12161,	13367,	13382,	12272,	12283,
12165,	12435,	13390,	13397,	12435,	12436,
12439,	12460,	13412,	13415,	12460,	12461,
12464,	12722,	13428,	13429,	12480,	12498,
12726,	12747,	13440,	13454,	12502,	12509,
12751,	13021,	13623,	13624,	12523,	12539,
13025,	13046,	13648,	13649,	12553,	12565,
13050,	13320,	13666,	13681,	12566,	12576,
13324,	13345,	13689,	13696,	12722,	12723,
13349,	13619,	13711,	13714,	12747,	12748,
13623,	13644,	13727,	13728,	12767,	12786,
13648,	13918,	13739,	13753,	12790,	12797,
13922,	13943,	13922,	13923,	12812,	12829,
13947,	14217,	13947,	13948,	12844,	12857,
14221,	14242,	13965,	13980,	12858,	12869,
14246,	14516,	13988,	13995,	13021,	13022,
14520,	14541,	14010,	14013,	13046,	13047,
14545,	14853,	14026,	14027,	13066,	13085,
14860,	14906,	14038,	14052,	13089,	13096,
14913,	14962, 15013	14221,	14222,	13111,	13128,
\footinsv@l . .	11750,	14246,	14247,	13143,	13156,
11781,	11953,	14264,	14279,	13157,	13168,
12105,	12106,	14287,	14294,	13320,	13321,
12107,	12108,	14309,	14312,	13345,	13346,
12140,	12141,	14325,	14326,	13365,	13384,



13388,	13395,	16323,	16325,	16127,	16135,
13410,	13427,	16328,	16332,	16144,	16152,
13442,	13455,	16333,	16335,	16160,	16168,
13456,	13467,	16337,	16340,	16196,	16211,
13619,	13620,	16344,	16345,	16226,	17893, 17895
13644,	13645,	16347,	16349, 16352	\footnotesize ... 38,	
13664,	13683,	455, 529, 782,		52, 68, 106, 236,	
13687,	13694,	881, 1034, 1133,		251, 265, 280, 451,	
13709,	13726,	1284, 1384, 2392,		778, 1030, 1280,	
13741,	13754,	4820, 4823, 8285,		5204, 5226, 7257,	
13755,	13766,	8604, 8635, 9326,		7258, 7296, 7915,	
13918,	13919,	9503, 9608, 9682,		7916, 7917, 8109,	
13943,	13944,	11373, 11441,		8139, 8157, 8175,	
13963,	13982,	11466, 11540,		9322, 9499, 9604,	
13986,	13993,	15540, 15608,		11369, 11462,	
14008,	14025,	19080, 19083,		11957, 11958,	
14040,	14053,	20510, 20609,		11959, 15536,	
14054,	14065,	20647, 20753,		16118, 16119,	
14217,	14218,	20907, 20995,		16120, 16125,	
14242,	14243,	21104, 21178,		16142, 16158,	
14262,	14281,	21559, 22299, 23072		16189, 16204,	
14285,	14292,	\footnotelayout ...		16219, 17885,	
14307,	14324,	... 8103, 8104, 8107		19965, 19967,	
14339,	14352,	\footnotemark		20506, 20643,	
14353,	14364,	4849, 4850, 16260,		20903, 21100,	
14516,	14517,	16274, 19081, 19084		21555, 22295, 23068	
14541,	14542,	\footnoterule . 10782,		\footnotetext ... 4884,	
14561,	14580,	10844, 10850,		4895, 9064, 9074	
14584,	14591,	10855, 10883,		\footrulewidth 5074, 7578	
14606,	14623,	10884, 10901,		\footscript	
14638,	14651,	10905, 10909,		. 11901, 11907,	
14652,	14663,	10935, 10936,		11911, 11913,	
14853,	14854,	11710, 12086,		16322, 16326, 16328	
14894,	14906,	15371, 15384,		\footskip 21545,	
14907,	14947,	15951, 16047,		22285, 23058, 26565	
15056,	15077,	16051, 16054,		\foottextfont	
15081,	15088,	16069, 16074,		. 11719, 11739,	
15104,	15123,	16075, 16077,		11755, 11816,	
15139,	15154,	16736, 16769,		11829, 11957,	
15155,	15167,	19526, 20164,		12130, 12155,	
15435,	15448, 15452	23986, 26310, 26337		12187, 12217,	
\footmarkstyle		\footnotes 8100		12292, 12315,	
.... 11901, 11940		\footnotesep 29, 31, 40,		12344, 12429,	
\footmarkwidth		46, 54, 60, 70, 76,		12454, 12486,	
.. 11900, 11905,		243, 245, 253, 259,		12515, 12585,	
11906,	11908,	267, 273, 282, 288,		12608, 12636,	
11910,	11913,	2299, 2316, 2333,		12716, 12741,	
11917,	11918,	2349, 2365, 2381,		12773, 12803,	
11920,	11922,	10800, 10821,		12878, 12901,	
11925,	11929,	10846, 10903,		12930, 13015,	
11930,	11932,	11719, 11725,		13040, 13072,	
11934,	11937,	11731, 11965,		13102, 13177,	
11944,	11947,	14887, 14940,		13200, 13229,	
16320,	16321,	14992, 15043,		13314, 13339,	



13371, 13401,	\fs@bidituftefloatplain	18630, 18631,
13476, 13499, 7725, 7733	18632, 18633,
13528, 13613,	\fs@bidituftefloatplaintop	18642, 18643,
13638, 13670, 7733	18645, 18647,
13700, 13775,	\fs@bidituftefloattruled	18648, 18649,
13798, 13827, 7738	18656, 18657,
13912, 13937,	\fslice . 19982, 19983,	18662, 18668,
13969, 13999,	19985, 19986, 19989	18677, 18680,
14074, 14097,	\ftn@amount .. 16652,	18688, 18689,
14126, 14211,	16653, 16654,	18692, 18693,
14236, 14268,	16661, 16665, 16666	18694, 18695,
14298, 14373,	\ftn@font 21456,	18696, 18697,
14396, 14425,	21492, 22195,	18699, 18702,
14510, 14535,	22232, 22968, 23005	18703, 18705,
14567, 14597,	\ftn@rule@height ..	18708, 18710,
14672, 14695, 21500,	18713, 18718,
14724, 14824,	21503, 21507,	18726, 18727,
14847, 14876,	21510, 22240,	18729, 18730,
14886, 14900,	22243, 22247,	18731, 18732,
14929, 14939,	22250, 23013,	18733, 18734,
15063, 15094,	23016, 23020, 23023	18735, 18737,
15172, 15197, 15227	\ftn@rule@test@values	18738, 18739,
\forceerectofloat .. 7380 21499,	18740, 18742,
\forceversofloat .. 7381	21506, 22239,	18743, 18753,
\forvariable	22246, 23012, 23019	18761, 18762,
6661, 6667, 6743,	\ftn@rule@width 21503,	18763, 18765,
6779, 6786, 6791,	21510, 22243,	18770, 18771,
6797, 6802, 6806, 6807	22250, 23016, 23023	18776, 18777,
\FourColumnFootnotes	\ftnm@font	18781, 18786,
..... 12740	. 21495, 22235, 23008	18789, 18796,
\fourcolumnfootnotes	\full@width	18798, 18801,
..... 12715	. 19453, 19465, 19513	18802, 18806,
\fp	\futurelet 831,	18808, 18809,
18737, 18738, 18739, 18740	833, 1083, 1085,	18812, 18813,
\fps@figure	1333, 1335, 5393,	18814, 18818,
\framebox 10639,	6461, 6464, 20559,	18819, 18823,
10770, 19395, 19401	20561, 20700, 20702	18824, 18831,
\FrameCommand 16376	G	18846, 18847,
\FrameHeightAdjust 16450	\g	18848, 18850,
\FrameRestore .. 16384,	6833, 6838,	18855, 18858,
16388, 16504, 16505	6923, 6936, 6937,	18859, 18862,
\framewidth	6955, 6956, 6960,	18866, 18867,
... 2288, 2305, 2322	6967, 6969, 11145,	18868, 18872,
\fromaddress	11147, 11151,	18873, 18874,
.. 11634, 11640,	11244, 18214,	18881, 18882,
11650, 17951, 17957	18215, 18435,	18883, 18885,
\fromname	18440, 18442,	18886, 18889,
11655	18448, 18450,	18890, 18895,
\fromsig ... 11654, 11656	18493, 18497,	18901, 18912,
\fromvalue 6661,	18498, 18544,	18917, 18918,
6747, 6770, 6792, 6807	18548, 18549,	18919, 18923,
\frontmatter 8802	18566, 18567,	18926, 18927,
\fs@bidituftefloatboxed	18604, 18620,	18928, 18929,
..... 7746	18623, 18629,	18931, 18939,



18953,	18954,	\geometry . 2073, 2075, 2081, 2083, 7279, 7282, 7286, 7289, 7293	1360, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1502, 1503, 1882, 2286, 2303, 2320, 2337, 2338, 2353, 2354, 2369, 2370, 2474, 2481, 2505, 2588, 2716, 4626, 4627, 4628, 4629, 4630, 4631, 4632, 4633, 4634, 4635, 4636, 4882, 4885, 4888, 4891, 4895, 4898, 4901, 4980, 4984, 5006, 5289, 5303, 5305, 5311, 5313, 5324, 5330, 5342, 5366, 5467, 5483, 5649, 5703, 5757, 6561, 6563, 6583, 6584, 6595, 6603, 6613, 6726, 6745, 6747, 6749, 6761, 6766, 7244, 7378, 7422, 7423, 7795, 7806, 7809, 7839, 7850, 7853, 7883, 7894, 7897, 7951, 8718, 8915, 8918, 8936, 8940, 8956, 8967, 8993, 8994, 9021, 9034, 9035, 9055, 9065, 9068, 9071, 9074, 9077, 9080, 9112, 9122, 9136, 9138, 9143, 9144, 9150, 9151, 9153, 9173, 9185, 9187, 9245, 9246, 9364, 9365, 9366, 9367, 9368, 9369, 9370, 9371, 9372, 9373, 9422, 9423, 9541, 9542, 9543, 9544, 9545, 9546, 9547, 9548, 9549, 9550, 9628, 9629, 9630, 9631, 9632, 9633, 9634, 9635, 9636, 9637, 9638, 9639, 9657, 9663, 9664, 9665,
\g@addto@macro .	7375,	\Gin@angle 19801 \Gin@bboxtrue 16814 \Gin@defaultbp 16815, 16816, 16817, 16818, 23957, 23958, 23961	
8061, 8063,	11174,	\Gin@eheight 19803 \Gin@esetsize 16833 \Gin@ewidth 19802, 19803 \Gin@exclamation 16863, 19802, 19805	
11177,	11179,	\Gin@gridfalse 19788 \Gin@ii 16822 \Gin@iii 16811, 16825	
14874,	14927,	\Gin@llx 16815 \Gin@lly 16816 \Gin@outer@scalex 19799 \Gin@outer@scaley 19800	
14979,	15030,	\Gin@scalex 19804 \Gin@scalley 19805 \Gin@urx 16817 \Gin@ury 16818 \Ginclude@graphics 16819, 16831	
15434,	15439,	\Ginput@path 18635 \global 311,	
15447,	15451,	475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 504, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 557, 558, 712, 713, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 858, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 956, 957, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1110, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1195, 1196, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331,	
18321,	25147, 25476		
\g@mix@page@int ..	18875		
\gdef	441, 2511, 2513, 4723, 5095, 5096, 5097, 5098, 5099, 5100, 5102, 5103, 5264, 5288, 5625, 6339, 6425, 6427, 6437, 6439, 6756, 6758, 6759, 7393, 7394, 7396, 7399, 7479, 7484, 7485, 7486, 7638, 7679, 8058, 8196, 8225, 8254, 8293, 8302, 8311, 8640, 8657, 8673, 8685, 8725, 8726, 8727, 8914, 8917, 9172, 9184, 9186, 10149, 10212, 11128, 11141, 12035, 15389, 15400, 15411, 15412, 15691, 15727, 16013, 16073, 16563, 16612, 18137, 18140, 19183, 19283, 19740, 19761, 20156, 23730, 23995, 23996, 24001, 24024, 24025, 25473, 25880, 25940, 26163, 26220, 26267		



9666, 9667, 9668,	11532, 11533,	15252, 15266,
9669, 9670, 9671,	11566, 11567,	15281, 15348,
9672, 9673, 9674,	11811, 11824,	15399, 15410,
9675, 9709, 9710,	11836, 11848,	15469, 15470,
9802, 9812, 9813,	11861, 11982,	15558, 15559,
9814, 9815, 9816,	11984, 12006,	15560, 15561,
9817, 9818, 9819,	12008, 12032,	15562, 15563,
9827, 9840, 9845,	12040, 12042,	15564, 15565,
9849, 9905, 10136,	12057, 12124,	15566, 15567,
10137, 10147,	12202, 12244,	15585, 15591,
10154, 10188,	12271, 12300,	15592, 15593,
10199, 10200,	12329, 12353,	15594, 15595,
10210, 10217,	12367, 12380,	15596, 15597,
10247, 10272,	12394, 12500,	15598, 15599,
10291, 10488,	12540, 12565,	15600, 15601,
10499, 10512,	12593, 12621,	15679, 15680,
10524, 10526,	12644, 12657,	15689, 15695,
10535, 10537,	12669, 12682,	15715, 15716,
10538, 10541,	12788, 12830,	15725, 15732,
10544, 10554,	12857, 12886,	15804, 15807,
10561, 10562,	12915, 12939,	15840, 15843,
10569, 10795,	12953, 12966,	15845, 15851,
10802, 10816,	12980, 13087,	15852, 15853,
10823, 10835,	13129, 13156,	15871, 15875,
10843, 10847,	13185, 13214,	15878, 15881,
10864, 10867,	13238, 13252,	15883, 15887,
10875, 10880,	13265, 13279,	16184, 16185,
10892, 10900,	13386, 13428,	16199, 16200,
10904, 10916,	13455, 13484,	16214, 16215,
10919, 10927,	13513, 13537,	16537, 16538,
10932, 11254,	13551, 13564,	16539, 16540,
11391, 11392,	13578, 13685,	16546, 16547,
11393, 11394,	13727, 13754,	16548, 16549,
11395, 11396,	13783, 13812,	16550, 16551,
11397, 11398,	13836, 13850,	16561, 16570,
11399, 11400,	13863, 13877,	16595, 16596,
11418, 11424,	13984, 14026,	16597, 16598,
11425, 11426,	14053, 14082,	16599, 16600,
11427, 11428,	14111, 14135,	16610, 16619,
11429, 11430,	14149, 14162,	16648, 16649,
11431, 11432,	14176, 14283,	16661, 16662,
11433, 11434,	14325, 14352,	16663, 16665,
11486, 11487,	14381, 14410,	16666, 16667,
11488, 11489,	14434, 14448,	16668, 16750,
11490, 11491,	14461, 14475,	16763, 17423,
11492, 11493,	14582, 14624,	17437, 17461,
11494, 11495,	14651, 14680,	17475, 17508,
11496, 11497,	14709, 14733,	17539, 17570,
11515, 11521,	14747, 14760,	17633, 17643,
11522, 11523,	14774, 14810,	18087, 18199,
11524, 11525,	14824, 14843,	18200, 18272,
11526, 11527,	15079, 15124,	18275, 18290,
11528, 11529,	15154, 15182,	18308, 19013,
11530, 11531,	15212, 15237,	19014, 19015,



19016,	19017,	20690,	20691,	21762,	21763,
19018,	19019,	20692,	20693,	21764,	21765,
19020,	19021,	20694,	20695,	21767,	22035,
19038,	19133,	20696,	20697,	22037,	22269,
19170,	19171,	20698,	20727,	22270,	22271,
19181,	19187,	20733,	20734,	22272,	22350,
19190,	19192,	20735,	20736,	22369,	22392,
19194,	19195,	20737,	20738,	22473,	22483,
19197,	19202,	20739,	20740,	22484,	22485,
19210,	19212,	20741,	20742,	22486,	22487,
19220,	19221,	20743,	20744,	22488,	22489,
19222,	19223,	20745,	20805,	22490,	22491,
19225,	19226,	20806,	20937,	22492,	22493,
19229,	19230,	20938,	20939,	22494,	22495,
19261,	19262,	20940,	20941,	22496,	22497,
19270,	19271,	20942,	20943,	22498,	22499,
19281,	19287,	20944,	20945,	22500,	22501,
19290,	19292,	20946,	20947,	22502,	22503,
19294,	19295,	20948,	20971,	22504,	22505,
19297,	19302,	20977,	20978,	22507,	22797,
19310,	19312,	20979,	20980,	22799,	23042,
19320,	19321,	20981,	20982,	23043,	23044,
19322,	19323,	20983,	20984,	23045,	23123,
19325,	19326,	20985,	20986,	23142,	23165,
19329,	19330,	20987,	20988,	23246,	23256,
19358,	19359,	20989,	21020,	23257,	23258,
19365,	19366,	21021,	21124,	23259,	23260,
19378,	19379,	21125,	21126,	23261,	23262,
19380,	19381,	21127,	21128,	23263,	23264,
19382,	19383,	21129,	21130,	23265,	23266,
19385,	19391,	21131,	21132,	23267,	23268,
19463,	19480,	21133,	21134,	23269,	23270,
19486,	19500,	21135,	21153,	23271,	23272,
19508,	19673,	21159,	21160,	23273,	23274,
19898,	19915,	21161,	21162,	23275,	23276,
19916,	19917,	21163,	21164,	23277,	23278,
19918,	19926,	21165,	21166,	23280,	23562,
19933,	19972,	21167,	21168,	23564,	23821,
19996,	19997,	21169,	21170,	23825,	23826,
19998,	20197,	21171,	21205,	23827,	23844,
20267,	20433,	21206,	21529,	23856,	23861,
20434,	20548,	21530,	21531,	23865,	23877,
20549,	20550,	21532,	21610,	23914,	23916,
20551,	20552,	21629,	21652,	23921,	23923,
20553,	20554,	21733,	21743,	24195,	24196,
20555,	20556,	21744,	21745,	24199,	24200,
20557,	20586,	21746,	21747,	24734,	24735,
20592,	20593,	21748,	21749,	24828,	24833,
20594,	20595,	21750,	21751,	25470,	25618,
20596,	20597,	21752,	21753,	25626,	25636,
20598,	20599,	21754,	21755,	25639,	25683,
20600,	20601,	21756,	21757,	25951,	26166,
20602,	20687,	21758,	21759,	26177,	26207,
20688,	20689,	21760,	21761,	26208,	26218,



26225,	26254,	\Grot@y 16782,	19105,	20410,
26255,	26265,	16787, 21383,	20782,	26084, 26608
26272,	26364,	21393, 21400, 21411	\hb@xt@ 494,	554, 573, 709, 736,
26375,	26378,	\group . . 18616, 18637,	938, 953, 1100,	
26408,	26419,	18924, 18937,	1192, 1220, 4620,	
26422,	26450,	18942, 18949, 19005	9243, 9268, 9420,	
26459,	26460,	\grp@aligned 9818	9445, 9647, 9707,	
26461,	26462,	\GRP@box . 9813, 9845, 9847	9724, 9985, 10156,	
26464,	26467,	\grp@eqs@numbered . 9817	10161, 10165,	
26468,	26482,	\grp@hasNumber 9822	10219, 10220,	
26487,	26501,	\GRP@label 9814	10226, 10452,	
26502,	26504,	\grp@linewidth 9816	10458, 10463,	
26513,	26546,	\GRP@queue 9813, 9849	10470, 10477,	
26558,	26561,	\grp@setnumber 9822	11298, 11310,	
26563,	26570,	\grp@shiftnumber 9819	11408, 11505,	
26574,	26576,	\grp@wdL 9815	11564, 11906,	
26577,	26580, 26589	\grp@wdNum 9816	11913, 11918,	
\globalcolorstrue .		\grp@wdR 9815	11925, 11930,	
 1888, 1893	\grp@wdT 9815	11937, 15467,	
\GlobalSetatBoolean 5476		\Gscale@box	15484, 15575,	
\GlobalSetBoolean .		. 16793, 16885, 16902	15734, 15735,	
 5460, 7380,	\Gscale@div	15741, 15761,	
	7381, 7408, 7409,	. 16884, 16891, 16894	15776, 15896,	
	7413, 7414, 7707, 7708	\Gscale@end 16797, 16843	16321, 16328,	
\glossary .	15865, 26541	\Gscale@start 16797, 16843	16333, 16340,	
\glueexpr .	24967,	\Gscale@x . 16795, 16841	16345, 16352,	
	24974, 24979,	\Gscale@y . 16795, 16841	16572, 16573,	
	25066, 25127,	\gsetlength	16579, 16621,	
	25130, 25134, 25140	7242, 7395, 7487,	16626, 16630,	
\Gm@lmargin	2061, 2092,	7949, 8198, 8200,	16806, 16852,	
	2098, 2219, 2550, 3746	8227, 8229, 8256, 8258	16907, 16912,	
\Gm@pageframes .	16925		16917, 16921,	
\Gm@rmargin .	2061,		17947, 17987,	
	2090, 2100, 3337, 3777		17994, 18001,	
\Gm@vrule .	16908,		18006, 18088,	
	16909, 16910,		19134, 19236,	
	16912, 16913,		19241, 19245,	
	16914, 16917,		19336, 19337,	
	16918, 16919,		19343, 19440,	
	16922, 16923, 16924		20431, 20456,	
\Gm@vrules@mpi .	16905		20803, 20828,	
\Gm@vrules@mpii .	16915		20919, 20962,	
\grid .	19796, 19809		21035, 21143,	
\Grot@box .	16783,		21203, 21220,	
	16791, 21384,		21895, 21932,	
	21395, 21402, 21412		22656, 22693,	
\Grot@box@kv .	16784	\hangafter . . 9995, 19106	23421, 23458,	
\Grot@box@std .	16778	\hangindent . . . 107,	23768, 24458,	
\Grot@setangle .	16779,	108, 109, 237,	24620, 24729,	
	16790, 21377,	238, 239, 688,	25211, 25346,	
	21387, 21398, 21405	915, 1171, 8575,	25383, 25385,	
\Grot@x .	16781,	8576, 8577, 9222,	25451, 25458,	
	16786, 21382,	9399, 9899, 9995,	25460, 25892,	
	21392, 21400, 21410	17886, 17887,		
		17888, 19099,		



26081, 26082,	9229, 9307, 9406,	21456, 21492,
26157, 26227,	9460, 9734, 9846,	21495, 21510,
26232, 26236,	9912, 9941, 10103,	22017, 22195,
26274, 26275,	10106, 10123,	22232, 22235,
26281, 26471,	10127, 10847,	22250, 22779,
26552, 26568, 26590	10850, 10853,	22968, 23005,
\hbadness	10904, 10905,	23008, 23023,
10788, 10809,	10907, 11131,	23544, 23747,
23897, 23899,	11136, 11142,	23795, 23808,
25557, 25558, 25575	11365, 11664,	23836, 23847,
\hbox .	14817, 14827,	23886, 23956,
15, 28, 188, 220,	14832, 15299,	25338, 25339,
242, 355, 389, 403,	15310, 15326,	25388, 25390,
428, 582, 695, 772,	15335, 15514,	25447, 25448,
923, 1006, 1178,	15652, 15696,	25651, 25685,
1252, 1454, 1513,	15699, 15703,	25687, 25693,
1641, 1663, 1671,	15780, 15784,	25806, 25815,
1686, 1694, 1707,	15786, 15825,	25816, 25825,
1715, 1728, 1736,	15830, 16039,	25890, 25891,
1900, 1906, 1915,	16771, 16772,	25895, 25896,
1922, 1948, 1960,	16780, 16785,	25902, 25903,
1961, 1992, 2037,	16796, 16797,	25915, 25921,
2042, 2053, 2061,	16842, 16843,	26083, 26092,
2107, 2109, 2111,	16881, 16888,	26094, 26099,
2113, 2115, 2116,	17892, 17898,	26109, 26124,
2118, 2129, 2144,	17917, 17970,	26153, 26154,
2149, 2158, 2173,	18189, 18230,	26479, 26489, 26491
2182, 2183, 2194,	18236, 18294,	\hboxL
2196, 2211, 2213,	18301, 18621,	192, 4301, 4303, 4522,
2215, 2217, 2219,	18637, 18638,	16484, 16501,
2223, 2249, 2253,	18656, 18916,	17989, 20112, 25816
2260, 2261, 2484,	18918, 18928,	\hboxR 190, 4295, 4297,
2501, 2545, 2705,	18964, 18999,	4520, 20102, 25806
2710, 2717, 2854,	19413, 19447,	\head@style . . . 662,
2855, 2856, 2864,	19463, 19465,	969, 1163, 1396,
2871, 2878, 2956,	19575, 19824,	9214, 9391, 20384,
3281, 3287, 3293,	19826, 19829,	20767, 20834, 20896
3360, 3361, 3366,	19910, 19965,	\headheight . . . 2219,
3368, 3370, 3374,	19969, 19989,	4602, 11116,
3376, 3378, 3382,	20022, 20026,	15873, 21543,
3384, 3478, 3504,	20031, 20035,	22283, 23056, 26548
3592, 3633, 3634,	20047, 20058,	\headrulewidth 5073, 7577
3703, 3740, 3746,	20075, 20085,	\headsep 4610,
3747, 3995, 3997,	20102, 20111,	4613, 11117,
4014, 4016, 4309,	20112, 20121,	15874, 21544,
4527, 4865, 7354,	20175, 20176,	22284, 23057, 26557
7442, 7444, 7449,	20177, 20179,	\headwidth 5163
7482, 7483, 7492,	20180, 20206,	\height . 16787, 16861,
7499, 7719, 7752,	20224, 20235,	17069, 17071,
8070, 8109, 8136,	20243, 20255,	17075, 17077,
8154, 8172, 8294,	20417, 20471,	17104, 17105,
8303, 8312, 8747,	20789, 20894,	17108, 17109,
8755, 8874, 8924,	21018, 21048,	17166, 17167,
8928, 8939, 8956,	21230, 21399,	17170, 17171,



17199,	17201,	26229,	26231,	5173, 5179, 5185, 5242
17205,	17207,	26278,	26280,	\hintstyle 5119
18967,	18975, 19000	26490,	26492,	\hline 18165, 18167, 18174
\hfil .	15, 220, 554, 573,	26529,	26530,	\HLOFF 4728
709, 736, 938, 953,	\hfill 1519, 1520, 2235,	26532,	26533, 26590	\HLON 4722
1101, 1192, 1220,	2240, 2261, 3337,			\HLTR@{LTRfootnotetext}
1450, 1451, 1452,	3486, 3489, 3623,			. . 11691, 17275,
1453, 1481, 1482,	3714, 5184, 5190,			17306, 17383,
1483, 1489, 1490,	5204, 7511, 7512,			17401, 17443,
1491, 1641, 1672,	7515, 7516, 8896,			17545, 17599, 17619
1674, 1695, 1697,	8906, 9918, 9919,			\HLTR@{mpLTRfootnotetext}
1716, 1718, 1737,	10640, 19415,			. . 11697, 17304,
1739, 2179, 2183,	19439, 19600,			17318, 17342, 17405
2205, 2219, 2222,	19603, 19604,			\hoffset 4606
2484, 2545, 2864,	19605, 19608,			\hold@viper . . 10170,
2871, 2878, 3281,	19609, 19610,			10173, 10229,
3287, 3293, 4592,	19611, 19612,			10232, 10300,
4597, 8925, 8927,	19615, 19616,			10303, 10487,
9032, 9243, 9268,	19617, 19618,			10488, 10499,
9420, 9445, 9707,	19619, 19620,			10500, 10512,
9724, 9985, 10104,	19621, 19624,			10513, 10525,
10107, 10124,	19625, 19626,			10560, 10562, 10563
10128, 10158,	19627, 19628,			\holder . 19979, 19982,
10160, 10223,	19629, 19630,			19991, 20001,
10225, 10455,	19631, 19632,			20002, 20020,
10457, 10474,	19635, 19636,			20024, 20029,
10476, 11298,	19637, 19640,			20033, 20045,
11310, 11564,	19641, 19642,			20049, 20056, 20060
12123, 15467,	19645, 19646,			\hook . 6822, 6829, 6875,
15484, 15698,	19647, 19648,			6880, 6891, 6898,
15738, 15740,	19649, 19652,			6908, 6913, 6979, 6993
15766, 15779,	19653, 19654,			\href 5209, 5210,
15786, 16576,	19655, 19656,			5213, 5214, 5217, 5218
16578, 16623,	19659, 19660,			\HRTL@{mpRTLfootnotetext}
16625, 16914,	19661, 19662,			. . 11699, 17293,
16919, 17917,	19663, 20076,			17317, 17331, 17406
18088, 18236,	20080, 21510,			\HRTL@{RTLfootnotetext}
19134, 19238,	22055, 22072,			. . 11693, 17274,
19240, 19340,	22250, 22817,			17295, 17368,
19342, 19440,	22834, 23023,			17402, 17481,
19969, 20023,	23582, 23599,			17576, 17598, 17616
20027, 20032,	23996, 24025,			\hrule 31, 245, 578, 766,
20036, 20048,	25174, 25177,			1001, 1246, 7741,
20059, 20085,	25181, 25340,			7742, 7752, 7753,
20431, 20456,	25449, 25606, 26155			8926, 9301, 9454,
20803, 20828,	\hfilneg . . . 12118, 12121			9564, 9570, 9576,
21018, 21035,	\hfuzz 11129, 23898, 23900			9582, 9730, 10412,
21203, 21220,	\hintcolour 5103			10783, 11361,
24458, 24620,	\hintfont 5111,			11660, 11711,
24729, 25211,	5119, 5173, 5180, 5185			15510, 16042,
25346, 25383,	\hintscolumnwidth .			16044, 16076,
25385, 25451, 5139,			16489, 17895,
25458, 25460,	5153, 5157, 5165,			17966, 18392,
25929, 26157,				19527, 19578,



20077,	20465,	13799,	13828,	21550,	21551,
20888,	21044,	13841,	13855,	21895,	21932,
21226,	21503,	13868,	13882,	21934,	22207,
21510,	22243,	13892,	13898,	22219,	22221,
22250,	23016,	23023	14068,	14098,	22290,
\hrulefill		14127,	14140,	22656,	22693,
772,	1006,	1252,	14154,	14167,	22695,
9307,	9460,	9734,	14181,	14191,	22992,
11365,	11664,	14197,	14367,	23063,	23064,
15514,	16039,	14397,	14426,	23421,	23458,
17892,	17970,	14439,	14453,	23460,	25398,
19575,	20471,	14466,	14480,	25401,	25406,
20894,	21048,	21230	14490,	14496,	25410,
\hsize .		14666,	14696,	25418,	25422,
41,	55,	71,	25426,	25430,	25434,
268,	283,	665,	972,	25654,	25675,
1166,	2002,	2200,	14725,	14738,	25679,
2288,	2289,	2290,	14752,	14765,	25846,
2305,	2306,	2307,	14779,	14789,	25856,
2322,	2323,	2324,	14795,	15067,	26010,
2343,	2359,	2375,	15098,	15116,	26381,
2544,	4552,	4997,	15132,	15146,	26425,
7751,	7752,	7812,	15162,	15198,	26586,
7856,	7900,	8497,	15201,	15228,	26590
9217,	9394,	9842,	15231,	15242,	\hskip
10104,	10107,	10124,	15245,	15257,	14,
10124,	10128,	11741,	15260,	15271,	28,
11772,	11788,	11788,	15274,	15286,	219,
11803,	11816,	11829,	15289,	15300,	242,
11841,	11866,	11853,	15311,	15785,	315,
12286,	12316,	12345,	15786,	16129,	319,
12358,	12385,	12372,	16146,	16162,	572,
12399,	12409,	12415,	16190,	16205,	582,
12459,	12579,	12609,	16220,	16237,	695,
12637,	12662,	12649,	16238,	16384,	696,
12674,	12687,	12696,	16489,	16519,	735,
12696,	12702,	12872,	16522,	16526,	772,
12872,	12902,	12931,	16529,	16530,	923,
12944,	12958,	12985,	18084,	18088,	924,
12971,	12995,	13001,	18202,	18233,	937,
13171,	13230,	13243,	18236,	18264,	985,
13257,	13270,	13274,	18361,	18362,	1006,
13284,	13294,	13470,	18369,	18392,	1178,
13300,	13500,	13529,	19130,	19134,	1179,
13542,	13556,	13583,	19367,	19447,	1219,
13569,	13593,	13599,	19449,	19457,	1252,
13593,	13769,	13769,	19493,	19497,	1399,
			19501,	19504,	1452,
			19509,	19512,	1491,
			19562,	19566,	1515,
			19570,	20138,	1518,
			20140,	20328,	1582,
			20387,	20837,	1639,
			20899,	20915,	1643,
			20958,	21468,	1669,
			21479,	21481,	1676,
					1692,
					1699,
					1713,
					1720,
					1734,
					1741,
					2044,
					2046,
					2048,
					2050,
					2053,
					2061,
					2115,
					2118,
					2126,
					2149,
					2156,
					2195,
					2204,
					2219,
					2223,
					2255,
					2264,
					2737,
					2966,
					3004,
					3337,
					3366,
					3368,
					3374,
					3376,
					3382,
					3384,
					3594,
					3631,
					3636,
					3672,
					3679,
					3691,
					3746,
					3774,
					3777,
					3912,
					3922,
					3997,
					3998,
					4001,
					4016,
					4017,
					4020,
					5256,
					8458,
					8898,
					8942,
					8943,
					8946,
					8948,
					8949,
					8952,
					9229,
					9230,
					9267,
					9307,
					9406,
					9407,
					9444,
					9460,
					9723,
					9734,
					9914,
					9984,



10157,	10164,	21048,	21219,	17177,	17190,
10168,	10169,	21230,	21308,	17203,	17215,
10454,	10462,	21310,	21317,	17239,	17887,
10467,	10468,	21319,	21355,	17888,	21867,
10848,	10849,	21357,	21366,	21876,	21972,
10852,	10862,	21368,	21454,	21982,	21985,
10863,	10906,	21510,	21517,	21987,	22628,
11297,	11365,	22193,	22250,	22637,	22733,
11664,	14815,	22257,	22966,	22743,	22746,
15483,	15514,	23023,	23030,	22748,	23393,
15697,	15702,	23756,	23762,	23402,	23498,
15706,	15707,	23774,	23779,	23508,	23511,
15762,	15778,	23995,	24024,	23513,	23694,
16039,	16622,	24190,	24221,	23695,	23702,
16629,	16633,	24244,	24261,	23706,	23712,
16634,	16907,	24278,	24295,	23714,	23719,
16909,	16910,	24312,	24329,	23721,	24001, 24013
16913,	16918,	24347,	24366,	\hss	495,
16921,	16923,	24386,	24421,	554, 573, 709, 736,	
16924,	17798,	24613,	24616,	938, 953, 1192,	
17806,	17814,	24822,	24854,	1220, 2037, 2606,	
17822,	17831,	25333,	25380,	2628, 3633, 3634,	
17839,	17848,	25390,	25445,	4335, 4552, 4621,	
17856,	17892,	26151,	26228,	8517, 9243, 9268,	
17916,	17948,	26235,	26239,	9420, 9445, 9648,	
17970,	19237,	26240,	26473,	9707, 9724, 9985,	
19244,	19248,	26475,	26489, 26492	10163,	10167,
19249,	19414,	\hspace{.1em}\hss	. 108, 109, 238,	10222,	10228,
19426,	19438,	239,	591, 3510,	10460,	10465,
19493,	19497,	3517,	5174, 5179,	10472,	10479,
19501,	19504,	5185,	7494, 7501,	10851,	10861,
19505,	19509,	7723,	8401, 8402,	10906,	10915,
19512,	19513,	8408,	8409, 8415,	11131,	11134,
19575,	19600,	8416,	8422, 8423,	11136,	11139,
19603,	19605,	8550,	8576, 8577,	11142,	11298,
19608,	19610,	10770,	10943,	11310,	11409,
19612,	19615,	10946,	10950,	11506,	11564,
19617,	19619,	10952,	10957,	11907,	11913,
19621,	19624,	10959,	10963,	11919,	11925,
19626,	19628,	10966,	10969,	11931,	11937,
19630,	19632,	10973,	10975,	15467,	15484,
19635,	19637,	10979,	10981,	15576,	15701,
19640,	19642,	10985,	10988,	15705,	15737,
19645,	19647,	10991,	10995,	15743,	15896,
19649,	19652,	10997,	11002,	16322,	16328,
19654,	19656,	11004,	11317,	16334,	16340,
19659,	19661,	11651,	11908,	16346,	16352,
19663,	19677,	11920,	11932,	16575,	16581,
19927,	19934,	16323,	16335,	16628,	16632,
20417,	20418,	16347,	17044,	16806,	16852,
20455,	20471,	17060,	17073,	16910,	16924,
20770,	20789,	17085,	17098,	17994,	18001,
20790,	20827,	17107,	17115,	18006,	18230,
20894,	21034,	17160,	17169,	18239,	18658,



18919,	19000,	10525,	10560,	21339,	21394,
19243,	19247,	10791,	10800,	21401,	23796,
19339,	19345,	10812,	10821,	23832,	23844,
19483,	19484,	10829,	10839,	23959,	25694,
19494,	19495,	10841,	10857,	25696,	26110,
19941,	19951,	10886,	10896,	26453,	26463,
20177,	20188,	10898,	10911,	\ht@hold@viper	10301,
20189,	20190,	11282,	12125,	10303,	10525,
20235,	20243,	12410,	12416,	10526,	10560,
20431,	20456,	12421,	12426,	\ht@strip	19378,
20803,	20828,	12697,	12703,	19379,	19380,
20919,	20962,	12708,	12713,	19381,	19382,
21018,	21035,	12996,	13002,	\ht@viper	10262,
21144,	21203,	13007,	13012,	10268,	10269,
21220,	21456,	13295,	13301,	10292,	10293,
21492,	22017,	13306,	13311,	10294,	10305,
22027,	22195,	13594,	13600,	10459,	10464,
22232,	22779,	13605,	13610,	10471,	10478,
22789,	22968,	13893,	13899,	\httplink
23005,	23544,	13904,	13909,	5211,	\Huge
23554,	23768,	14192,	14198,	. 8484,	9567,
24620,	24729,	14203,	14208,	9579,	9579,
25659,	25661,	14491,	14497,	11593,	11602,
25666,	25672,	14502,	14507,	15497,	15505,
25892,	26020,	14790,	14796,	21253,	21261,
26071,	26072,	14801,	14806,	\huge
26074,	26075,	14819,	14888,	602,	8338,
26077,	26078,	14941,	14993,	8340,	8483,
26081,	26082,	15044,	15419,	9558,	9753,
26139,	26140,	15648,	16409,	11328,	11337,
26141,	26142,	16416,	16433,	11587,	15492,
26234,	26238,	16440,	16441,	21248,	21592,
26277,	26283,	16454,	16458,	22332,	23105,
\ht .. 401, 1501, 1534,		16481,	16652,	\hv@Bottom
1907, 1917, 1923,		16657,	16799,	17139,	17139,
1936, 2024, 2108,		16800,	16802,	\hv@Center	... 17043,
2110, 2112, 2114,		16845,	16846,	17044,	17054,
2134, 2143, 2145,		16848,	16981,	17055,	17184,
2163, 2172, 2174,		18175,	18250,	17237,	17237,
2212, 2214, 2216,		18267,	18282,	\hv@figure	. 17008, 17026,
2218, 2224, 2498,		18284,	18285,	16999,	16999,
2502, 2546, 2957,		18286,	18390,	17026,	17026,
3758, 4315, 4533,		18397,	18400,	\hv@floatObject
9933, 9942, 9944,		19221,	19225,	16969,	16973,
10263,		19230,	19321,	\hv@floatType	. 16999,
10278,		19325,	19330,	17008,	17026,
10303,		19381,	19383,	17244,	17244,
10322,		19581,	19991,	\hv@Height 16981
10327,		20049,	20060,	\hv@label 16950
10354,		20065,	20066,	\hv@Left	... 16984, 17052
10361,		20067,	20068,	\hv@longCap 16949
10365,		20072,	20087,	\hv@Right	.. 16985, 17041
10389,		20204,	20227,	\hv@shortCap
10403,		21294,	21336,	. 16948,	17014, 17032



17064, 17075,	17165, 17184, 17197	\Hy@linkcounter . . .
17077, 17087,	\hvSet@capWidth 16979, 11182, 11187
17089, 17095,	16981, 16986, 16987	\Hy@linktoc 17253
17096, 17104,	\hvSet@floatCapSep	\Hy@LT@LTRfootnotetext
17105, 17112, 17060, 17433, 17442
17113, 17124,	17073, 17085,	\Hy@LT@RTLfootnotetext
17125, 17131,	17098, 17107, 17471, 17480
17134, 17140,	17115, 17160,	\Hy@MakeRemoteAction
17141, 17148,	17169, 17177, 17656
17151, 17157,	17190, 17203, 17215	\Hy@maketitle@end .
17158, 17166,	\hvSet@floatPos .. 16997	. 17602, 17607, 17609
17167, 17174,	\hvSet@objectAngle	\Hy@maketitle@optarg
17175, 17192, 16968, 16972 17600, 17605
17194, 17205,	\hvSet@objectPos ..	\Hy@pstringD 17655, 17674
17207, 17217, 17219	. 17041, 17043, 17237	\Hy@pstringdef . . .
\hvCapWidth .. 16977,	\hvSet@rotAngle 17654, 17655,
16979, 16981,	. 16962, 17231, 17234	17689, 17690, 17721
16983, 16987,	\Hy@Acrobatmenu .. 17748	\Hy@pstringF
16989, 17004, 17022	\Hy@backout 17775	.. 17652, 17653,
\hvFloat 16951	\Hy@BeginAnnot	17654, 17669,
\hvMaxCapWidth 16962,	.. 17631, 17651,	17689, 17702, 17707
16963, 16984,	17688, 17720, 17749	\Hy@pstringP 17690, 17707
16985, 16986, 16989	\Hy@bidipoem@footnotetext	\Hy@pstringURI
\hvObjectBox 17504, 17513 17721, 17734
.. 16966, 16969,	\Hy@bidipoem@LTRfootnotetext	\Hy@raisedlink
16971, 16975, 17535, 17544	.. 17324, 17335,
16981, 17056,	\Hy@bidipoem@RTLfootnotetext	17346, 17357,
17058, 17069, 17566, 17575	17372, 17387,
17071, 17081,	\Hy@CleanupFile .. 17653	17447, 17485,
17083, 17099,	\Hy@colorlink . 17681,	17518, 17549, 17580
17100, 17108,	17713, 17742, 17768	\Hy@saved@footnotemark
17109, 17116,	\Hy@EndAnnot 17592, 17611
17117, 17124,	.. 17638, 17684,	\Hy@saved@footnotetext
17127, 17132,	17716, 17745, 17771 17593, 17614
17135, 17140,	\Hy@endcolorlink . 17640	\Hy@SetNewWindow ..
17143, 17147,	\Hy@footnote@currentHlabel 17676, 17704
17150, 17161, 17360, 17375, 17390	\Hy@setpdfborder ..
17162, 17170,	\Hy@footnote@currentHref 17662,
17171, 17178, 17322,	17696, 17727, 17756
17179, 17186,	17325, 17333,	\Hy@tabularx@hook .
17188, 17199,	17336, 17344, 17399, 17411
17201, 17211, 17213	17347, 17355,	\Hy@temp@menu 17750, 17763
\hvObjectWidth .. .	17358, 17361,	\Hy@xspace@end
.. 16975, 16979,	17370, 17373,	.. 17647, 17683,
16983, 16984, 16985	17376, 17385,	17715, 17744, 17770
\hvObject 16969, 16973	17388, 17391,	\HyLTR@saved@LTRfootnotetext
\hvSet@capAngle .. .	17434, 17472, 17595, 17620
..... 17002, 17021	17505, 17536, 17567	\HyOrg@maketitle ..
\hvSet@capPos	\Hy@gttemp .. 17410, 17415	. 17590, 17601, 17606
.. 16984, 16985,	\Hy@href@nextactionraw	\HyOrg@TX@endtabularx
17052, 17123, 17139 17677, 17398
\hvSet@capVPos 17054,	17709, 17738, 17764	\hyper@anchor 17322,
17067, 17094,	\Hy@href@page 17672	17325, 17333,
17103, 17156,		17336, 17344,





\if@bidi@perpage@footnote	4062, 4385	\if@donumindex	24114, 24133	17865, 19164,
\if@bidi@todonotes@figposition	25487, 25585, 25590, 25597, 25603	\if@dotright@bib	24073	19671, 20476,
\if@bidi@todonotes@textdirection@RTL	25486, 25520, 25560, 25594	\if@fcolmade	10184, 10243, 15710,	20870, 21064,
\if@bidi@undef	5572, 5637, 5890, 5901, 5920, 5924, 5928, 5932, 5942, 5946, 5950, 5954, 5990, 6009, 6148	\if@dotocind	24121, 24138	21267, 21797,
\if@capbreak 21975, 22736, 23501	\if@extrafootnotefeatures		22558, 23323, 24080
\if@captionabove	21910, 21916, 22010, 22021, 22671, 22677, 22772, 22783, 23436, 23442, 23537, 23548	\if@ff@nwpq	15803	\if@LTRmarginpar
\if@cftdopart	24172	\if@filesw	5290, 5659, 5665, 5684, 5690, 5713, 5719, 5738, 5744, 5770, 5776, 5804, 5810, 12020	4255, 26472, 26477, 26481
\if@cfthaschapter	24163, 24167, 24173, 24194, 24206, 24228	\if@firstcolumn	10135, 10198, 10259, 10531, 10550, 15678, 15714, 16545, 16594, 16682, 19169, 19269, 19375, 26206, 26253, 26443	\if@mainmatter
\if@cfthaspart	24159	\if@firstdetailselement	10743, 10745	8801, 9557, 9752, 11586, 20260, 22513, 22535
\if@chapterentrywithdots	22831, 23596	\if@firstfooterelement	10647, 10650	\if@minipage
\if@colour	5040	\if@hboxRconstruct	4250, 4495, 5518, 5524, 16231, 25973, 25997, 26028, 26037, 26046, 26055, 26066, 26067, 26079, 26080	\if@noparlist
\if@colourgreen	10578, 10607, 10676, 10702	\if@ignore	6330, 6332	9160
\if@colourgrey	10582, 10621, 10680, 10714	\if@inlabel	9802	\if@noskipsec
\if@colourorange	10576, 10600, 10674, 10696	\if@inltxdoc	24106	9801, 16507, 18364, 20322
\if@colourred	10580, 10614, 10678, 10708	\if@insert	10558	\if@oldtoc
\if@compatibility 556, 711, 787, 955, 1039, 1194, 1289, 9331, 9508, 20515, 20654, 24198, 24733, 26095	\if@komalongtable 22007, 22769, 23534	699, 725, 927, 943, 1182, 1209, 9233, 9257, 9410, 9434, 20421, 20445, 20793, 20817
\if@contcw	19086, 19115	\if@left@column@shrink	10421	\if@openright
\if@conthang	19096	\if@left@column@spread	10338, 10415	8829, 9771, 11606
\if@contindent	19102	\if@LTRbibitems	87, 300, 613, 748, 1011, 1261, 2657,	15656
\if@DEBUG	5011	\if@right@column@shrink	4256, 5237, 9283, 9471, 9780, 11344,	15654
\if@displaypagenumbers	5219, 5222	\if@right@column@spread	11615, 15519,	15653
				15655
				15655
				26022
				\if@restonecol
				. 645, 661, 910, 1162, 9213, 9390, 9600, 20383, 20638, 21097, 24153
				\if@reversemargin
				\if@right@column@shrink
				. 10339, 10368, 10443
				\if@right@column@spread
				. 10437
				\if@rjfield
				26487
				\if@rl
				4246
				\if@rl@footnote
				4258
				\if@rlmain
				4245
				\if@rot@twoside
				21298, 21303, 21313, 21343, 21349, 21361



\if@RTL .	12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 217, 218, 234, 237, 238, 239, 300, 315, 319, 551, 568, 571, 572, 595, 608, 613, 665, 678, 689, 690, 695, 706, 731, 734, 735, 748, 916, 917, 923, 933, 936, 937, 950, 972, 1011, 1166, 1172, 1173, 1178, 1189, 1215, 1218, 1219, 1237, 1261, 1400, 1401, 1512, 1513, 1526, 1537, 1552, 1636, 1642, 1666, 1675, 1689, 1698, 1710, 1719, 1731, 1740, 1983, 2501, 2551, 2657, 2753, 2776, 2796, 2814, 2822, 2841, 2963, 3002, 3048, 3231, 3238, 3245, 3340, 3357, 3363, 3366, 3369, 3372, 3374, 3377, 3380, 3382, 3385, 3505, 3512, 3557, 3562, 3648, 3703, 3709, 3819, 3841, 3895, 3904, 3914, 3936, 3977, 3986, 4005, 4246, 4275, 4494, 4501, 5237, 5494, 5500, 5658, 5683, 5712, 5737, 5769, 5803, 8457, 8458, 8575, 8576, 8577, 9217, 9223, 9224, 9229, 9240, 9263, 9266, 9267, 9283, 9394, 9400, 9401, 9406, 9417, 9440, 9443, 9444, 9471, 9555, 9566, 9568, 9704, 9719, 9722, 9723, 9750, 9764, 9780, 9799, 9811, 9824, 9899, 9940, 9941, 9945, 9946, 9948, 9955, 9961,	9980, 9983, 9984, 9990, 9995, 10104, 10107, 10124, 10128, 10949, 10956, 10972, 10978, 10994, 11001, 11130, 11210, 11225, 11247, 11248, 11249, 11250, 11273, 11293, 11296, 11297, 11307, 11321, 11334, 11344, 11561, 11584, 11599, 11615, 11636, 11639, 11644, 11652, 15464, 15479, 15482, 15483, 15490, 15502, 15519, 15786, 15944, 16232, 16379, 16381, 16778, 16780, 16783, 16784, 16785, 16791, 16793, 16810, 16813, 16820, 16829, 16835, 16839, 16842, 16856, 16881, 16888, 17053, 17155, 17257, 17265, 17647, 17683, 17715, 17744, 17770, 17776, 17783, 17797, 17805, 17813, 17821, 17829, 17838, 17846, 17855, 17865, 17883, 17886, 17887, 17888, 17903, 17914, 17915, 17949, 17953, 17956, 17961, 17983, 17993, 18003, 18232, 18314, 18328, 18335, 18355, 18440, 18448, 18639,	18965, 19045, 19046, 19047, 19048, 19049, 19050, 19129, 19131, 19164, 19409, 19413, 19414, 19421, 19426, 19433, 19438, 19671, 19758, 19778, 19793, 19807, 19839, 19969, 20019, 20094, 20148, 20149, 20152, 20156, 20188, 20189, 20190, 20238, 20244, 20255, 20257, 20263, 20274, 20276, 20287, 20289, 20300, 20302, 20311, 20313, 20330, 20350, 20366, 20367, 20387, 20400, 20411, 20412, 20417, 20428, 20451, 20454, 20455, 20476, 20771, 20772, 20783, 20784, 20789, 20800, 20823, 20826, 20827, 20837, 20850, 20870, 20899, 21015, 21030, 21033, 21034, 21039, 21040, 21064, 21200, 21215, 21218, 21219, 21246, 21258, 21267, 21378, 21380, 21384, 21388, 21390, 21395, 21399, 21402, 21406, 21408, 21412, 21437, 21445, 21470, 21483, 21769, 21770, 21797, 21845, 21846, 21847,
-----------	--	---	---



21849,	21897,	25622,	25657,	13100,	13110,
21901,	22176,	25665,	25692,	13186,	13193,
22184,	22209,	25693,	25696,	13198,	13209,
22223,	22509,	25697,	25699,	13215,	13222,
22558,	22606,	25736,	25740,	13227,	13364,
22607,	22608,	25793,	25798,	13369,	13381,
22610,	22658,	25844,	25845,	13387,	13394,
22662,	22949,	25872,	25873,	13399,	13409,
22957,	22982,	25876,	25880,	13485,	13492,
22996,	23282,	25967,	25975,	13497,	13508,
23323,	23371,	25981,	25987,	13514,	13521,
23372,	23373,	26000,	26068,	13526,	13663,
23375,	23423,	26069,	26071,	13668,	13680,
23427,	23693,	26074,	26077,	13686,	13693,
23696,	23701,	26079,	26080,	13698,	13708,
23712,	23719,	26081,	26082,	13784,	13791,
23751,	23771,	26084,	26086,	13796,	13807,
23969,	24014,	26087,	26092,	13813,	13820,
24031,	24051,	26139,	26140,	13825,	13962,
24054,	24059,	26146,	26151,	13967,	13979,
24063,	24064,	26472,	26477,	13985,	13992,
24080,	24157,	26481,	26489,	13997,	14007,
24180,	24181,	26490,	26491,	14083,	14090,
24182,	24190,	26492,	26587,	14095,	14106,
24211,	24212,	26590,	26598,	14112,	14119,
24213,	24221,	\if@RTL@footnote 36,			
24234,	24235,	249,	2287,	14124,	14261,
24236,	24244,	2337,		14266,	14278,
24251,	24252,	2340,	4258,	14284,	14291,
24253,	24261,	4497,		14296,	14306,
24268,	24269,	7825,	11736,	14382,	14389,
24270,	24278,	11752,	11813,	14394,	14405,
24285,	24286,	11826,	12180,	14411,	14418,
24287,	24295,	12185,	12197,	14423,	14560,
24302,	24303,	12203,	12210,	14565,	14577,
24304,	24312,	12215,	12225,	14583,	14590,
24319,	24320,	12301,	12308,	14595,	14605,
24321,	24329,	12313,	12324,	14681,	14688,
24337,	24338,	12330,	12337,	14693,	14704,
24339,	24347,	12342,	12479,	14710,	14717,
24356,	24357,	12484,	12495,	14722,	14955,
24358,	24366,	12501,	12508,	14969,	15006,
24376,	24377,	12513,	12522,	15020,	15055,
24378,	24386,	12594,	12601,	15074,	15080,
24411,	24412,	12606,	12616,	15087,	15103,
24413,	24421,	12622,	12629,	15183,	15190,
24461,	24462,	12634,	12766,	15207,	15213,
24463,	25260,	12771,	12783,	15220,	16123,
25322,	25323,	12789,	12796,	16172,	16214,
25324,	25330,	12801,	12811,	16217,	
25333,	25380,	12887,	12894,	\if@RTL@bibitems . 87,	
25440,	25445,	12899,	12910,	300,	613,
25468,	25475,	12916,	12923,	748,	
25535,	25538,	12928,	13065,	1011,	1261,
		13070,	13082,	2657,	
		13088,	13095,	4257,	5237,
				9283,	
				9471,	9780,
				11344,	
				11615,	15519,



17865, 19164,	\if@specialpage . . .	23200, 24108,
19671, 20476, 15806, 26512	26168, 26442, 26601
20870, 21064,	\if@star 20224	\if@twoside
21267, 21797,	\if@tab@rl 4249	... 8746, 11097,
22558, 23323, 24080	\if@tablecaptionabove 22039, 22801, 23566	15810, 21568,
\if@RTLmain . . . 1544,	\if@tempswa 2008,	21612, 21690,
2072, 2080, 2089,	2018, 2027, 2042,	21704, 22308,
2097, 2119, 2136,	10845, 10902,	22352, 22430,
2150, 2165, 3219,	11972, 21620,	22444, 23081,
3311, 3313, 3316,	22360, 23133, 24915	23125, 23203,
3426, 3437, 3450,	\if@thmmarks . . . 19741,	23217, 25648, 26515
3457, 3535, 3628,	19745, 19762, 19766	\if@vihproof 19394, 19400
3635, 3727, 4031,	\if@titlecentered 1382, 20751	\ifadl@inactive . . . 1414
4245, 4274, 4293,	\if@titlepage	\ifadl@usingarypkg 1417
4493, 4500, 4519,	.. 449, 666, 774,	\ifAM@output 19885
10000, 10023,	973, 1026, 1225,	\ifAM@survey 19863
10046, 10069,	1276, 9602, 11367,	\IfArgIsEmpty
10453, 10937,	11460, 15534,	. 21453, 22192, 22965
11062, 11065,	20388, 20502,	\ifartopt 19065
11071, 11079,	20639, 20838,	\ifbeamer@centered 2266
11089, 11099,	20901, 21098,	\ifbeamer@colbox@ignorebg
11105, 11119,	21521, 22261, 23034 1990, 1993
15949, 16906,	\if@titlepageiscoverpage 21526, 22266, 23039	\ifbeamer@colbox@rounded
16916, 16933,	\if@tocstyle@penalties 25243, 25352 2026
16939, 18011,	\if@todonotes@authorgiven 25511,	\ifbeamer@compress 2695
18023, 18030,	25522, 25547, 25564	\ifbeamer@dogeometry
19366, 19523,	\if@todonotes@disabled 25505, 25506 2068
26296, 26517,	\if@todonotes@dviStyle 25508, 25542	\ifbeamer@onlytextwidth
26523, 26552, 26568	\if@ttb@rotate 15943 2248
\if@RTLmarginpar 4254,	\if@twocolumn 98,	\ifbeamer@plainframe
26472, 26477, 26481	228, 496, 632, 648, 2522,
\if@RTLtab 372, 373,	675, 682, 850, 897,	2539, 2550, 3591
389, 396, 428, 439,	982, 993, 1102,	\ifbeamer@sb@subsection
1408, 1409, 1428,	1149, 1234, 1241,	... 3799, 3810, 3818
1429, 1466, 1467,	1352, 4294, 4300,	\ifbeamer@theme@subsection
4249, 4875, 4879,	8755, 9200, 9377, 3559
4880, 5506, 5512,	9587, 9649, 11410,	\ifbeamer@tree@showhooks
9859, 9861, 9882,	11507, 15577, 3994, 4013
9889, 9911, 9912,	16684, 17877,	\ifbeamercolorempty
9925, 9936, 18157,	19028, 20370,	1989, 2909, 2911,
18159, 18294,	20397, 20404,	2914, 2924, 2926,
18297, 18301,	20578, 20625,	2929, 2939, 2941,
18303, 23786,	20719, 20847,	2944, 3230, 3237,
23790, 23791,	20854, 20963,	3265, 3267, 3331, 3388
23808, 23816,	21084, 21145,	\ifbidi@autofootnoterule
23822, 23847,	21687, 22427, 2337,
23935, 23936,		2353, 2369, 15950,
25926, 26099,		16184, 16199, 16214
26103, 26104,		\ifbidi@in@label 6542, 6544
26124, 26132, 26133		\IfbidiPackageVersion
\if@sectionentrywithdots 22069	 4233
\if@sendir 4496		\IfbidiPackageVersionBefore
	 4227



\IfbidiPackageVersionLater		
.....	4221	
\ifblank	2615, 3480	
\ifblendcolors	25704, 25725, 25747, 25774	
\ifbool	18377, 18386	
\IfBooleanT	6971	
\IfBooleanTF	6817, 6871, 6886, 6904, 6932	
\ifcase	1449, 1476, 1480, 1484, 1488, 1514, 9913, 17253, 18245, 24045, 24431, 25312, 25382, 25492, 25500, 25724, 25773, 26183, 26184	
\ifcat	4285, 4511, 6428, 6429	
\IfClassLoadedF	9601	
\IfClassLoadedT	.. 448, 7237, 9997, 11889, 15917, 15930, 24072, 24156	
\ifconvertcolorsU	.. 25710, 25726, 25753, 25775	
\ifcpoddpage	7323	
\ifcsname	. 5549, 5555, 5907, 6291, 6305, 6319, 6329, 6351, 19695, 19705, 19719, 25267, 25268, 25277, 25288, 25292, 25302, 25314, 25368, 25396, 25397, 25405, 25409, 25413, 25417, 25421, 25425, 25429, 25433	
\ifdefined	.. 5567, 5573	
\defining	.. 6548	
\ifdfn@allowcbreak	.. 10798, 10819	
\ifdfn@ruleboth	.. 10856, 10910	
\ifdfn@trysingle	.. 10837, 10894	
\ifdim	1502, 1503, 1905, 1912, 1924, 1946, 2005, 2007, 2008, 2013, 2015, 2017, 2019, 2020, 2036,	
	2052, 2532, 3366, 3374, 3382, 3586, 3625, 3660, 3996, 4015, 4222, 4228, 4234, 7559, 8126, 8895, 8932, 8934, 8993, 8994, 8996, 9002, 9042, 9054, 9136, 9138, 9151, 9153, 9161, 9832, 10278, 10293, 10337, 10340, 10369, 10377, 10378, 10384, 10407, 10414, 10420, 10436, 10442, 10511, 10527, 10540, 10543, 10545, 10792, 10813, 10833, 10842, 10869, 10873, 10890, 10899, 10921, 10925, 11905, 11910, 11917, 11922, 11929, 11934, 14889, 14942, 14994, 15045, 15642, 15644, 15785, 16320, 16325, 16332, 16337, 16344, 16349, 16391, 16399, 16415, 16416, 16446, 16454, 16467, 16482, 16515, 16516, 16798, 16805, 16844, 16851, 16896, 16986, 17124, 17140, 18084, 18233, 18282, 18286, 19035, 19078, 19085, 19089, 19091, 19130, 19191, 19199, 19201, 19291, 19299, 19301, 19376, 19387, 19471, 19479, 19485, 19499, 19507,	
	19913, 19966, 19991, 20049, 20060, 20067, 20072, 20087, 20200, 20225, 21881, 21964, 22642, 22725, 23407, 23490, 23833, 24771, 24816, 24831, 24836, 25278, 25303, 25369, 25625, 25627, 25629, 25631, 25632, 25633, 25635, 25675, 25682, 26454, 26586	
	\ifdofullc@p	
	.. 21951, 22712, 23477	
	\iffalse	
	5415, 5416, 5418, 5431, 5432, 5433, 16506, 16507, 18135, 18363, 18364, 20321, 20322	
	\IfFileExists	
	.. 7303, 8775, 8840	
	\IfFileLoadedTF .. 7099	
	\iffootdir@debug ..	
	.. 4058, 15961	
	\ifFootnoteBackref@numberlinked	
	.. 16318	
	\ifGin@grid 19794, 19807	
	\ifGin@iso .. 16895	
	\ifhbox .. 14831, 14835	
	\ifhmode	
	2677, 4940, 7784, 7828, 7872, 8115, 8121, 9946, 9948, 9955, 9961, 9980, 24007, 25697, 25699, 25736, 25740, 25793, 26079, 26080, 26123, 26353, 26397	
	\ifhv@fbox ... 17055,	
	17061, 17068,	
	17074, 17080,	
	17086, 17095,	
	17099, 17104,	
	17108, 17112,	
	17116, 17130,	
	17146, 17157,	
	17161, 17166,	



17170,	17174,	21406,	21408,	15936,	16081,
17178,	17185,	21412,	25692,	16184,	16199,
17191,	17198,	25696,	26017,	16214,	16515,
17204,	17210,	17216	\ifNAT@openbib . . . 19674	16517,	16705,
\ifhv@nonFloat	16998,	\ifnnonlatin 5535	17634,	17639,	
17005,	17023,	\ifnum 3, 137, 143, 208,	17905,	18055,	
17044,	17236,	314, 363, 364, 365,	18058,	18066,	
\ifhv@onlyText	17006, 17024	366, 368, 497, 546,	18069,	18138,	
\ifhv@useOBox	16969, 16973	563, 589, 598, 685,	18172,	18173,	
\ifHy@href@ismap .	17735	701, 719, 851, 912,	18277,	18278,	
\ifHy@hyperfootnotes .	11674, 11688, 17272	945, 963, 1103,	19029,	19062,	
\ifHy@nesting	17321, 17332,	1168, 1184, 1202,	19188,	19218,	
.	17343,	1353, 1419, 1420,	19288,	19318,	
17369,	17384,	1421, 1422, 1424,	19407,	19419,	
17444,	17482,	1463, 1464, 2337,	19431,	19531,	
17515,	17546,	2353, 2369, 2616,	19537,	19714,	
\ifHy@pdfa . . .	17661,	2694, 2698, 2719,	19724,	19979,	
.	17695,	2720, 2722, 3324,	19985,	19997,	
\ifin@label	17726,	3405, 3419, 3420,	20000,	20001,	
\ifinner . . .	17755	4379, 4380, 4381,	20002,	20004,	
4946, 7790,		4541, 4972, 5308,	20005,	20006,	
7834, 7878,	16394,	5831, 6402, 6430,	20007,	20016,	
25617,	26359,	6432, 6440, 6442,	20038,	20043,	
\ifL@RTL	26403	6643, 6653, 6751,	20054,	20065,	
\iflatin	17983	6757, 6782, 6797,	20066,	20072,	
\ifLtoR	5529	6803, 7109, 7138,	20076,	20079,	
\ifLtoRboxconstruct	5499	7159, 7175, 9015,	20080,	20186,	
.	5523	9219, 9235, 9251,	20187,	20194,	
\ifLtoRtable	5511	9315, 9317, 9319,	20259,	20407,	
\ifmaskcolors . .	25714,	9396, 9412, 9428,	20423,	20439,	
.	25725,	9492, 9494, 9496,	20497,	20499,	
25757,	25774	9556, 9650, 9699,	20501,	20579,	
\ifmmode	4484, 9940, 9945,	9714, 9737, 9739,	20720,	20779,	
.	15755,	9741, 9751, 9833,	20795,	20811,	
15765,	16778,	10102, 10110,	20862,	20864,	
16780,	16783,	10115, 10122,	20866,	20964,	
16784,	16785,	10332, 10333,	21011,	21025,	
16791,	16793,	10346, 10357,	21051,	21053,	
16810,	16813,	10493, 10505,	21055,	21146,	
16820,	16829,	10518, 10733,	21195,	21210,	
16835,	16839,	11288, 11302,	21233,	21235,	
16842,	16856,	11315, 11324,	21237,	21247,	
16881,	16888,	11411, 11508,	21433,	21444,	
17632,	17644,	11557, 11571,	21513,	21614,	
17647,	17683,	11573, 11575,	21661,	21688,	
17715,	17744,	11585, 11969,	21737,	22172,	
17770,	19896,	11970, 12043,	22183,	22253,	
19954,	20192,	12123, 15418,	22354,	22401,	
20228,	21378,	15459, 15474,	22428,	22477,	
21380,	21384,	15491, 15578,	22512,	22527,	
21388,	21390,	15628, 15630,	22530,	22534,	
21395,	21399,	15632, 15919,	22945,	22956,	
21402,	21402,	15921, 15923,	23026,	23127,	
		15932, 15934,	23174,	23201,	



23250,	23296,	24500,	24502,	7216, 7276, 7278,
23299,	23878,	24503,	24504,	7281, 7285, 7288,
23926,	23927,	24507,	24510,	7291, 7316, 7373,
23928,	23929,	24519,	24520,	7392, 7407, 7412,
23931,	24036,	24521,	24524,	7418, 7427, 7438,
24038,	24162,	24527,	24546,	7444, 7450, 7451,
24166,	24208,	24547,	24548,	7458, 7465, 7467,
24227,	24249,	24550,	24551,	7473, 7490, 7508,
24266,	24283,	24552,	24555,	7510, 7514, 7532,
24300,	24317,	24558,	24567,	7533, 7536, 7537,
24335,	24354,	24568,	24569,	7572, 7581, 7592,
24374,	24409,	24572,	24575,	7602, 7651, 7766,
24592,	24593,	24633,	24634,	7990, 8008, 8009,
24704,	24705,	24635,	24636,	8027, 8028, 8046,
24732,	24742,	24637,	24638,	8047, 8078, 8079,
24756,	25242,	24639,	24640,	8197, 8202, 8226,
25247,	25265,	24641,	24656,	8231, 8255, 8260,
25438,	25656,	24657,	24658,	8337, 8341, 8389,
25948,	26129,	24659,	24661,	8602, 8648, 8657,
26130,	26144,	24662,	24663,	8665, 8692, 8739,
26199,	26450,	24666,	24669,	8808, 8819, 10637,
26472,	26595, 26596	24678,	24679,	10643, 10660,
\ifodd	4957, 8746,	24680,	24683,	10663, 10664,
11070,	11098,	24686,	24940,	10665, 10666,
11169,	15811,	24941,	24942,	10667, 10753,
16926,	16932,	24943,	24944,	10758, 10761,
25648,	26446, 26516	24945,	24946,	10762, 10763,
\ifoddpage	7317	24947,	24948,	10764, 10765,
\ifonelinecaptions .	. 21854, 22615, 23380	25017,	25018,	10768, 10772,
\IfPackageLoadedF	25019,	25020,	15892, 15907,
\IfPackageLoadedT .	7128, 7137, 7157	25022,	25023,	19853, 21302, 21347
\IfPackageLoadedT .	7158	25024,	25027,	\Iftocfeature . 24612,
\ifpgfrememberpicturepositiononpage	25030,	25039,	24724, 24782, 24792
\ifpoem@started .	8989,	25040,	25041,	\iftocstyle@autolength 25287
8995, 9135, 9142, 9156	19909	25044,	25047,	\iftocstyle@indentnotnumbered 25332, 25379
\ifprimitive	5601, 5608	25077,	25078,	\iftrue 5417,
\ifPst@shift@star .	20216	25079,	25081,	5433, 7731, 7744, 7757
\ifr@ggedbottom	20166	25082,	25083,	\ifttl@label 24012
\ifrot@messages	21348, 21360	25086,	25089,	\ifTX@ 23868
\ifRtoL	5493	25098,	25099,	\IfValueT 6942
\ifRtoLhboxconstruct	25100,	25103,	\ifvbox 15351,
.	5517	25106,	25126,	16752, 19587, 19592
\ifRtoLtable	5505	25129,	25132,	\ifvmode 5655, 5709,
\ifshowgrid	20194	25152,	25156,	5766, 7087, 7520,
\ifsomething	6681	25161,	25173,	7523, 7526, 7529,
\Ifstr	24474, 24475,	25176,	25180,	18392, 19461,
24476,	24477,	25190,	25194, 25199	19752, 19772, 23820
24478,	24479,	\Ifstrstart ..	24931,	\ifvoid . 10170, 10186,
24480,	24481,	24963,	24991,	10229, 10245,
24482,	24497,	25004,	25063, 25215	10300, 10487,
24498,	24499,	\iftagsleft@ ..	338, 11127	10796, 10817,
		\iftest	6485	10828, 10853,
		\ifthenelse 5191, 5208,		
		5212, 5216, 5224,		



10885,	10907,	16609,	16647,	21785,	22205,
11975,	11981,	16824,	16866,	22241,	22248,
11993,	11999,	16867,	16873,	22305,	22306,
12005,	12082,	16960,	16962,	22313,	22321,
15392,	15405,	16968,	16979,	22328,	22334,
15417,	15430,	16981,	16984,	22356,	22372,
16250,	16475,	16985,	17002,	22379,	22387,
16496,	16651,	17008,	17009,	22395,	22407,
16656,	16674,	17011,	17014,	22414,	22429,
16676,	16685,	17026,	17027,	22430,	22434,
16695,	16715,	17029,	17032,	22435,	22443,
16716,	16720,	17041,	17043,	22444,	22448,
16731,	16738,	17052,	17054,	22449,	22458,
18295,	18408,	17067,	17094,	22459,	22463,
19446,	19589,	17103,	17123,	22464,	22472,
20094,	20160,	17139,	17156,	22545,	22978,
20162,	20167,	17165,	17184,	23014,	23021,
25798,	25851,	17197,	17231,	23078,	23079,
25861,	26301,	17237,	17250,	23086,	23094,
26316,	26317,	17281,	17292,	23101,	23107,
\ifWF@float 25630, 25644		17303,	17610,	23129,	23145,
\ifx . . . 115, 134, 136,		17613,	17616,	23152,	23160,
151, 155, 159, 166,		17619,	17663,	23168,	23180,
835, 839, 1087,		17671,	17697,	23187,	23202,
1091, 1337, 1341,		17705,	17728,	23203,	23207,
2024, 2025, 2404,		17757,	17930,	23208,	23216,
2430, 2456, 2482,		17951,	18095,	23217,	23221,
3113, 3119, 3125,		18096,	18100,	23222,	23231,
3203, 3410, 3435,		18102,	18177,	23232,	23236,
3455, 3605, 3621,		19139,	19180,	23237,	23245,
3688, 3752, 3848,		19280,	19545,	23310,	23828,
3943, 4389, 4390,		19550,	19555,	24047,	24394,
4823, 4829, 4835,		19700,	19704,	24747,	24753,
4850, 4881, 4933,		19711,	19717,	24799,	24803,
4936, 5197, 5198,		19869,	19881,	24807,	24914,
5199, 5201, 5301,		20157,	20209,	25254,	25325,
5330, 5333, 5353,		20270,	20283,	25337,	25345,
5357, 5377, 5381,		20296,	20563,	25362,	25387,
5396, 5400, 5487,		20567,	20704,	25454,	25459,
5556, 5574, 5870,		20708,	21466,	25461,	25705,
6066, 6408, 6414,		21501,	21508,	25748,	25881,
6415, 6452, 6453,		21565,	21566,	26001,	26004,
6454, 6455, 6465,		21573,	21581,	26011,	26170,
6471, 6496, 6501,		21588,	21594,	26178,	26217,
6506, 6511, 6517,		21616,	21632,	26264,	26529,
6522, 6710, 8060,		21639,	21647,	26530,	26532, 26533
8884, 8905, 9058,		21655,	21667,	\ifXC@tst . 25728, 25777	
9110, 9115, 9117,		21674,	21689,	\ignorespaces . . . 46,	
10146, 10209,		21690,	21694,	60, 76, 122, 259,	
10865, 10917,		21695,	21703,	273, 288, 346, 671,	
11634, 11650,		21704,	21708,	680, 978, 1230,	
11654, 15688,		21709,	21718,	1239, 2016, 2234,	
15724, 16078,		21719,	21723,	2240, 2244, 2249,	
16359, 16560,		21724,	21732,	2261, 2271, 2299,	



2316, 2333, 2349, 2365, 2381, 2741, 6239, 6729, 6745, 6747, 6753, 6756, 6759, 6763, 6768, 7543, 7550, 7551, 7560, 8147, 8165, 8183, 8219, 8248, 8277, 8542, 8966, 8977, 9130, 9131, 9278, 9466, 9836, 9842, 9955, 9961, 9969, 9976, 11639, 11653, 11719, 11725, 11731, 16135, 16152, 16168, 16196, 16211, 16226, 16908, 16912, 16917, 16922, 17937, 17956, 18347, 19152, 19159, 20393, 20402, 20843, 20852, 21378, 21388, 21406, 21924, 21926, 22685, 22687, 23450, 23452, 25736, 25740, 25993, 26032, 26041, 26050, 26059 \iii 6789 \ilg 19988, 20011 \immediate ... 7084, 9122 \includegraphics 5232, 10639, 10770, 19782, 19855 \includemedia 18614, 18944, 18945 \includepdf 19846 \Indentedwidth ... 11652 \index 6667, 6668, 15864, 26540 \indexname 639, 640, 641, 655, 656, 904, 905, 1156, 1157, 8562, 8563, 9207, 9208, 9384, 9385, 9594, 9595, 9596, 20377, 20378, 20632, 20633, 21091, 21092, 21093,	24117, 24118, 24119, 24123, 24124, 24125, 24128, 24129, 24135, 24136, 24140, 24141, 24142, 24145, 24146 \indexspace 8578 \init@mult@footins 15447 \input 4361, 4371, 4490, 4577, 5044, 7110, 7114, 7140, 7146, 7160, 7164, 7198, 7208, 8776, 8841, 26600 \input@path 18635 \InputIfFileExists 17977 \insert 35, 49, 65, 248, 262, 277, 4291, 4517, 10787, 10803, 10808, 10824, 10871, 10877, 10923, 10929, 11735, 11751, 11766, 11782, 11797, 11995, 12179, 12231, 12258, 12478, 12528, 12553, 12765, 12817, 12844, 13064, 13116, 13143, 13363, 13415, 13442, 13662, 13714, 13741, 13961, 14013, 14040, 14260, 14312, 14339, 14559, 14611, 14638, 15054, 15109, 15139, 15423, 15431, 16122, 16139, 16155, 16675, 16677 \insert@column 1451, 1452, 1453, 1454, 1456, 1457, 1517, 1519, 1520, 1522, 1523, 1524, 9916, 9918, 9919, 9921, 9922, 9923 \insertauthor 3058, 3113, 3116	\insertauthorindicator 3115 \insertblocktitle . 1816, 1825, 1834, 2906, 2921, 2936, 3137, 3149, 3161, 3261 \insertbuttoncontext . 2956 \insertcaption 1851, 1866, 2893 \insertcaptionname ... 1848, 1864, 2890 \insertcaptionnumber 1848 \insertdate 3070, 3125, 3128 \insertdateindicator 3127 \insertenumlabel 1673, 1738 \insertfootnotemark 2277, 2282, 2864, 2871, 2878, 3281, 3287, 3293 \insertfootnotetext 2276, 2281, 2864, 2871, 2878, 3281, 3287, 3293 \insertframenumber 3215, 3423, 3429, 3433, 3451, 3453, 3530 \insertframesubtitle 3605, 3606, 3752, 3753, 3848, 3851, 3943, 3946 \insertframetitle 3604, 3751, 3847, 3942 \insertgotosymbol . 2752 \insertinstitute 3064, 3119, 3122 \insertinstituteindicator 3121 \insertlogo 3634 \insertnavigation 3557, 3816 \insertnote 3395 \insertpenalties 16086, 16705 \insertreturnsymbol 2795 \insertsection 3361, 3368 \insertsectionhead 3200, 3510, 3912, 3995, 4003
---	--	--



\insertshortauthor	18889, 18890,	10665, 10666,
... 3480, 3683, 3707	18901, 18939,	10667, 10758,
\insertshortdate .. 3488	18977, 19002, 19818	10761, 10762,
\insertshortframetitle	\interfootnotelinepenalty	10763, 10764,
..... 3378, 3384	.. 39, 53, 69, 252,	10765, 10768, 10772
\insertshortinstitute	266, 281, 11963,	\item
..... 3480	16126, 16143, 16159	102, 232, 644, 659, 908,
\insertshorttitle	\interlinepenalty 39,	991, 1160, 8534,
.... 3360, 3483,	53, 69, 252, 266,	8542, 8547, 8568,
3675, 3714, 3902, 3984	281, 596, 663, 688,	9211, 9388, 9599,
\insertskipsymbol . 2775	915, 970, 1164,	15760, 15775,
\insertslideintonotes	1171, 8454, 9215,	17881, 20381,
..... 3337	9222, 9392, 9399,	20636, 21096, 24152
\insertsubenumlabel 1696	9563, 9758, 9766,	\itemindent ... 8529,
\insertsubsection	10490, 10502,	8530, 8538, 25955
..... 3370, 3376	10515, 11322,	\itemize
\insertsubsectionhead	11335, 11592,	\itemsep
..... 3203,	11601, 11963,	2663, 7265, 8475, 8514, 8528
3206, 3517, 3569,	15496, 15504,	\itemx
3826, 3922, 4014, 4022	16126, 16143,	19599
\insertsubsubenumlabel	16159, 19411,	\itemxo
..... 1717	19423, 19435,	19634
\insertsubtitle	20263, 20385,	\itemxx
... 3042, 3110, 3187	20410, 20782,	19644
\inserttitle	20835, 20897,	\itemxxx
... 3036, 3109, 3180	21252, 21260,	19602
\inserttitlegraphic 3053	24004, 24045,	\itemxxo
\inserttitleindicator	24184, 24215,	19639
..... 3108	24238, 24255,	\itemxxxx
\insertttocsection	24272, 24289,	19651
.... 1579, 1607,	24306, 24323,	\itemxxx
1647, 1757, 1788, 3104	24341, 24360,	19607
\insertttocsectionnumber	24380, 24415,	\itemxxxxo
..... 1582,	24798, 25328,	19658
1604, 1641, 1785	25442, 25623, 26148	\itemxxxx
\insertttocsubsection	\intermath@penalty 9835	19614
1572, 1582, 1610,	\intextsep . 25683, 25685	\itemxxxxx
1652, 1761, 1796, 2834	\InTheoType	19623
\insertttocsubsectionnumber	.. 11143, 19742,	J
..... 1582	19744, 19763, 19765	\j
\insertttocsubsubsection	\ior .. 18718, 18719, 18723	6803, 6804, 6808
1576, 1587, 1615,	\isempty .. 7392, 7990,	\juo@ht
1659, 1767, 1803, 2838	8197, 8202, 8226,	19207,
\inserttotalframenumber	8231, 8255, 8260,	19214, 19307,
.... 3215, 3414,	8648, 8657, 8665, 8692	19314, 19383, 19390
3420, 3423, 3439,	\isodd .. 21302, 21347	\juo@pr
3442, 3459, 3462, 3530	\isSC@ODD .. 23694,	19190,
\insertverticalnavigation	23695, 23697,	19220, 19290, 19320
..... 3686	23698, 23702,	\juo@sar
\insertvrule	23704, 23706, 23708	19189,
... 2061, 3332, 3390	\isundefined .. 7602,	19219, 19261,
\int 18222, 18668, 18715,	7651, 10637,	19289, 19319, 19358
18716, 18720,	10643, 10660,	\juo@sk .. 19188, 19218,
18798, 18886,	10663, 10664,	19261, 19288,



K \keepthetitle 19011 \kern . . . 27, 29, 30, 31, 241, 243, 244, 245, 346, 577, 579, 581, 583, 764, 765, 767, 770, 771, 773, 785, 1000, 1002, 1005, 1007, 1037, 1244, 1245, 1247, 1250, 1251, 1253, 1287, 1515, 1520, 1605, 1646, 1652, 1659, 1756, 1761, 1767, 1787, 1795, 1802, 2715, 2964, 3006, 4754, 4755, 4756, 4757, 4758, 4759, 4760, 4761, 4765, 4766, 4813, 4815, 4816, 7741, 7742, 7752, 7753, 7755, 8220, 8221, 8249, 8250, 8278, 8279, 9299, 9300, 9302, 9305, 9306, 9308, 9329, 9452, 9453, 9455, 9458, 9459, 9461, 9506, 9729, 9731, 9733, 9735, 9914, 9919, 9941, 10782, 10783, 11213, 11220, 11228, 11235, 11274, 11278, 11360, 11362, 11364, 11366, 11659, 11661, 11663, 11665, 11710, 11711, 11898, 11899, 15509, 15511, 15513, 15515, 15653, 15654, 15655, 15896, 16038, 16040, 16041, 16042, 16043, 16044, 16076, 16364, 16428, 16806, 16852, 17891, 17893, 17894, 17895, 17965, 17967, 17969,	17971, 18347, 19470, 19526, 19527, 19574, 19576, 19577, 19578, 20166, 20177, 20180, 20207, 20223, 20463, 20464, 20466, 20469, 20470, 20472, 20513, 20652, 20886, 20887, 20889, 20892, 20893, 20895, 21043, 21045, 21047, 21049, 21225, 21227, 21229, 21231, 21500, 21504, 21507, 21510, 21511, 21905, 21907, 22001, 22003, 22240, 22244, 22247, 22250, 22251, 22666, 22668, 22762, 22764, 23013, 23017, 23020, 23023, 23024, 23431, 23433, 23527, 23529, 23755, 23761, 24018, 25658, 25662, 25668, 25671, 25693, 25852, 25862, 25892, 25896, 25903, 26469 \keys . 4064, 4071, 4078, 4085, 4092, 4098, 4104, 4110, 4117, 4126, 4133, 4140, 4156, 4163, 4172, 4179, 4338, 4343, 4348, 4353, 4358, 18431, 18627, 18721, 18960, 18961 \keywords 334 \kill 18174 \KOMAClassName 21460, 21633, 21640, 21662, 21668, 21675, 21863, 21872, 21936,	22046, 22199, 22373, 22380, 22402, 22408, 22415, 22624, 22633, 22697, 22808, 22972, 23146, 23153, 23175, 23181, 23188, 23389, 23398, 23462, 23573 \KV@errx . . 2396, 2399, 2402, 2422, 2425, 2428, 2448, 2451, 2454
		L \l . . . 6837, 6838, 6917, 6927, 6928, 6950, 6964, 6965, 7005, 7009, 7010, 7014, 7017, 7021, 7022, 7026, 7029, 7033, 7034, 7038, 7043, 7044, 7048, 11169, 11185, 11188, 11194, 11197, 11199, 11200, 11203, 11204, 11207, 11210, 11211, 11212, 11217, 11218, 11219, 11225, 11226, 11227, 11232, 11233, 11234, 11243, 11246, 11254, 18439, 18441, 18447, 18449, 18455, 18456, 18457, 18458, 18459, 18460, 18461, 18462, 18463, 18464, 18465, 18467, 18468, 18470, 18471, 18472, 18479, 18480, 18481, 18483, 18485, 18488, 18489, 18496, 18506, 18507, 18508, 18509, 18510, 18511, 18512, 18513, 18514, 18515,



18516,	18517,	19820, 19822, 19831	19630, 19632,
18518,	18519,	\l@ 24425	19635, 19637,
18520,	18524,	\l@addto@macro	19640, 19642,
18525,	18526,	. 21443, 22182, 22955	19645, 19647,
18528,	18530,	\l@chapter 9258, 9272,	19649, 19652,
18533,	18534,	9435, 9449, 9713,	19654, 19656,
18536,	18537,	15473, 20446,	19659, 19661, 19663
18538,	18547,	20460, 20818,	\labelsep 85, 90,
18557,	18558,	20832, 21024,	298, 303, 618, 753,
18559,	18560,	21209, 24069,	1016, 1266, 2641,
18561,	18562,	24070, 24207, 25407	2662, 5243, 5245,
18563,	18564,	\l@figure 8462,	8491, 8493, 8550,
18565,	18571,	8463, 24316, 25435	9288, 9476, 9785,
18573,	18574,	\l@ngrel@x 5870, 5871, 5873	11349, 11620,
18575,	18578,	\l@paragraph 24282, 25423	15524, 17863,
18580,	18582,	\l@part 545,	17868, 19600,
18587,	18588,	700, 718, 944,	19603, 19605,
18589,	18591,	962, 1183, 1201,	19608, 19610,
18593,	18598,	9234, 9250, 9411,	19612, 19615,
18600,	18602,	9427, 9698, 11301,	19617, 19619,
18610,	18621,	11556, 15458,	19621, 19624,
18622,	18637,	20422, 20438,	19626, 19628,
18638,	18639,	20794, 20810,	19630, 19632,
18640,	18658,	21010, 21194,	19635, 19637,
18678,	18686,	24066, 24067,	19640, 19642,
18691,	18705,	24160, 25399, 25402	19645, 19647,
18710,	18714,	\l@section	19649, 19652,
18715,	18716,	562, 726, 739, 928,	19654, 19656,
18718,	18719,	941, 1210, 1223,	19659, 19661,
18720,	18723,	11287, 24226, 25411	19663, 20481,
18727,	18729,	\l@subfigure 24353	20875, 21069,
18730,	18731,	\l@subparagraph ...	21272, 21804,
18732,	18733, 24299, 25427	22565, 23330, 24085
18734,	18735,	\l@subsection 24248, 25415	\labelwidth 89, 90, 302,
18737,	18738,	\l@subsubsection ..	303, 616, 617, 751,
18739,	18740, 24265, 25419	752, 1014, 1015,
18742,	18743,	\l@subtable 24373	1264, 1265, 2649,
18744,	18746,	\l@table 8463, 24334, 25431	2660, 2661, 5242,
18747,	18748,	\label 5228, 7421, 7423,	5244, 8492, 8493,
18751,	18752,	7425, 7429, 7481,	9286, 9287, 9474,
18753,	18756,	15863, 16297,	9475, 9783, 9784,
18789,	18791,	16303, 17016,	11347, 11348,
18794,	18819,	17034, 21857,	11618, 11619,
18821,	18853,	22618, 23383, 26539	15522, 15523,
18857,	18869,	\labelitemi 784, 1036,	16520, 17867,
18870,	18916,	1099, 1286, 9328,	17868, 19600,
18926,	18932,	9505, 20512, 20651	19603, 19605,
18944,	18945,	\labelname ... 19600,	19608, 19610,
18964,	18965,	19603, 19605,	19612, 19615,
18966,	18967,	19608, 19610,	19617, 19619,
18968,	18969,	19612, 19615,	19621, 19624,
18970,	18971,	19617, 19619,	19626, 19628,
18972,	19007,	19621, 19624,	19630, 19632,
19008,	19734,	19626, 19628,	19635, 19637,



19640,	19642,	11564,	15467,	1610,
19645,	19647,	15546,	15552,	1613,
19649,	19652,	15611,	15617,	1632,
19654,	19656,	20431,	20527,	1655,
19659,	19661,	20537,	20612,	1754,
19663,	20479,	20618,	20666,	1760,
20480,	20873,	20676,	20758,	1764,
20874,	21067,	20764,	20768,	1776,
21068,	21270,	20773,	20803,	1794,
21271,	21802,	20925,	20931,	1800,
21803,	22563,	21018,	21112,	1843,
22564,	23328,	21118,	21183,	1859,
23329,	24083,	21189,	21203,	1978,
\landscape .	18321, 19838	24722,	25154,	2234,
\langle	4732	\Lagr	4735	2244,
\Larg	4731,	\Largs	4734	2254,
	4732, 4733, 4734, 4735	\lastbox	10277, 14810,	2269,
\Larga	4732		14830,	2656,
\Largb	4733		14834,	2834,
\LARGE	461, 532,		18389,	2837,
	792, 882, 1044,		20094,	2887,
	1134, 1294, 1385,		25798,	2914,
	1396, 8393, 8400,		25850,	2929,
	8482, 8725, 9336,		25860	2944,
	9513, 9614, 9685,	\LastFrameCommand .		3103,
	10722, 11377,			3136,
	11442, 11472,			3148,
	11543, 15544,			3160,
	15609, 20520,			3477,
	20610, 20659,			3503,
	20756, 20767,			3702,
	20923, 21110, 21181			3740,
\Large	599,			3750,
	8344, 8407, 8481,			4865,
	8726, 8727, 10633,			5173,
	10726, 11325, 20999			5656,
\large	463, 469,			5710,
	534, 540, 554, 709,			5767,
	799, 809, 884, 890,			8114,
	953, 1051, 1061,			8455,
	1136, 1142, 1192,			8923,
	1301, 1311, 1387,			8999,
	1393, 1397, 1402,			9228,
	8351, 8414, 8480,			9242,
	9243, 9343, 9353,			9265,
	9420, 9520, 9530,			9329,
	9616, 9622, 9687,			9405,
	9693, 9707, 10632,			9419,
	10634, 10725,			9442,
	10727, 11310,			9506,
	11379, 11385,			9706,
	11444, 11450,			9721,
	11474, 11480,			9801,
	11545, 11551,			9802,
				9940,
				9992,
				11309,
				11295,
				11563,
				12289,
				12582,
				12875,
				13174,
				13473,
				13772,
				14071,
				14370,
				14669,
				15466,
				15481,
				15760,
				15775,
				16229,
				16794,
				16840,
				16860,
				17650,
				17687,
				17719,
				17897,
				17916,
				18384,
				19412,
				19424,
				19436,
				20093,
				20174,
				20179,
				20225,
				20266,
				20416,
				20430,
				20453,
				20513,
				20652,
				20788,
				20802,
				20825,
				21017,
				21032,
				21202,
				21217,
				21510,
				22250,
				23023,
				23735,
				23786,
				24010,
				24033,
				24185,
				24216,
				24239,
				24256,
				24273,
				24290,
				24307,
				24324,
				24342,
				24361,
				24381,
				24416,
				24609,
				24721,
				24812,
				25329,
				25443,



25692,	25889,	22565,	22960,	19421,	19426,
25895,	25902,	23329,	23330,	19433,	19438,
25914,	25921,	24084,	24085,	20274,	20276,
25995,	26099,	25965,	25968,	20287,	20289,
\left .	25915, 25922, 25928	25978,	25982,	20300,	20302,
\left@footnoterule		25990,	26027,	20311,	20313,
... 30, 244, 453,		26029,	26030,	20387,	20400,
576, 763, 780, 999,		26031,	26036,	20411,	20412,
1032, 1243, 1282,		26038,	26039,	20417,	20428,
2337, 2369, 9298,		26040,	26045,	20451,	20454,
9324, 9451, 9501,		26047,	26048,	20455,	20783,
9606, 9728, 11359,		26049,	26054,	20784,	20789,
11371,	11464,	26056,	26057, 26058	20800,	20823,
11658,	15508,	\leftmargini ... 7262,		20826,	20827,
15538,	16041,	8472, 8485, 8492		20837,	20850,
16047,	16060,	\leftmarginii 8486		20899,	21015,
16062,	16199,	\leftmarginiii 8487		21030,	21033,
16214,	17894,	\leftmarginiv 8488		21034,	21039,
17964,	18325,	\leftmarginv 8489		21040,	21200,
18327,	20462,	\leftmarginvi 8490		21215,	21218,
20508,	20645,	\leftmarginwidth . 21039		21219,	21440,
20885,	20905,	\leftmark 8822		22179,	22952,
21042,	21102,	\leftskip 12, 13,		24002,	24014,
21224,	21498,	217, 218, 315, 319,		24031,	24052,
21557,	22238,	551, 568, 571, 572,		24054,	24059,
22297,	23011, 23070	665, 678, 689, 690,		24063,	24064,
\leftfootnoterule .		695, 706, 731, 734,		24180,	24181,
..... 4121,		735, 916, 917, 923,		24182,	24190,
10779,	11707,	933, 936, 937, 950,		24211,	24212,
16045,	16048,	972, 1166, 1172,		24213,	24221,
16289,	16765, 26603	1173, 1178, 1189,		24234,	24235,
\leftline .. 20189, 26079		1215, 1218, 1219,		24236,	24244,
\leftlinenumbers ..		1237, 2004, 2005,		24251,	24252,
..... 18014, 18017		2009, 2817, 2823,		24253,	24261,
\leftmargin 90,		3311, 3313, 8449,		24268,	24269,
303, 617, 618, 752,		8457, 8458, 9029,		24270,	24278,
753, 988, 1015,		9217, 9223, 9224,		24285,	24286,
1016, 1265, 1266,		9229, 9240, 9263,		24287,	24295,
2649, 2661, 2662,		9266, 9267, 9394,		24302,	24303,
5244, 5245, 7262,		9400, 9401, 9406,		24304,	24312,
8472, 8531, 8532,		9417, 9440, 9443,		24319,	24320,
8539, 8545, 9287,		9444, 9704, 9719,		24321,	24329,
9288, 9475, 9476,		9722, 9723, 9855,		24337,	24338,
9784, 9785, 11348,		9856, 9857, 9983,		24339,	24347,
11349,	11619,	9984, 9990, 11293,		24356,	24357,
11620,	15523,	11296, 11297,		24358,	24366,
15524,	17868,	11307, 11561,		24376,	24377,
20263,	20480,	12095, 15341,		24378,	24386,
20481,	20874,	15464, 15479,		24411,	24412,
20875,	21068,	15482, 15483,		24413,	24421,
21069,	21271,	17914, 17915,		24461,	24462,
21272,	21448,	18371, 19045,		24463,	25260,
21803,	21804,	19046, 19409,		25322,	25323,
22187,	22564,	19413, 19414,		25324,	25330,



25333, 25380,	1497, 1498, 1499,	7423, 7429, 7431,
25440, 25445,	1504, 1539, 1540,	7435, 7480, 7481,
25468, 25475,	1882, 2185, 2186,	7563, 7565, 7567,
25844, 25845,	2209, 2227, 2236,	7713, 7714, 7727,
26062, 26086,	2337, 2353, 2369,	7731, 7733, 7734,
26087, 26146, 26151	2384, 2385, 2386,	7740, 7744, 7748,
\LEND 4737	2393, 2394, 2395,	7757, 8001, 8002,
\leqno 338, 20185,	2396, 2397, 2402,	8020, 8021, 8039,
20187, 26594, 26596	2403, 2419, 2420,	8040, 8067, 8068,
\let . . . 86, 102, 115, 152,	2421, 2422, 2423,	8096, 8097, 8098,
153, 156, 157, 160,	2428, 2429, 2445,	8195, 8216, 8217,
161, 164, 232, 299,	2446, 2447, 2448,	8218, 8224, 8245,
329, 337, 338, 357,	2449, 2454, 2455,	8246, 8247, 8253,
391, 392, 398, 423,	2649, 2667, 2669,	8274, 8275, 8276,
427, 433, 445, 451,	4152, 4153, 4160,	8292, 8296, 8297,
452, 453, 454, 455,	4280, 4282, 4284,	8298, 8301, 8305,
456, 457, 475, 476,	4450, 4506, 4508,	8306, 8307, 8310,
477, 478, 479, 480,	4510, 4553, 4626,	8314, 8315, 8316,
481, 482, 483, 484,	4627, 4628, 4629,	8463, 8527, 8568,
485, 486, 510, 511,	4630, 4631, 4632,	8655, 8722, 8723,
512, 513, 514, 515,	4633, 4634, 4635,	8724, 8914, 8915,
516, 517, 518, 519,	4636, 4820, 4821,	8917, 8918, 8936,
520, 521, 522, 529,	4822, 4849, 4866,	8957, 8958, 8959,
530, 531, 621, 644,	4867, 4868, 4869,	8960, 8961, 8962,
659, 756, 778, 779,	4870, 4871, 4872,	8963, 8964, 8965,
780, 781, 782, 820,	4873, 4874, 4876,	8968, 8969, 8970,
821, 822, 823, 824,	4877, 4878, 4988,	8971, 8972, 8973,
825, 826, 827, 828,	4989, 4990, 4991,	8974, 8975, 8976,
829, 864, 865, 866,	4992, 4993, 4994,	9037, 9055, 9106,
867, 868, 869, 870,	4995, 4996, 5248,	9112, 9133, 9146,
871, 872, 873, 874,	5257, 5330, 5348,	9156, 9170, 9174,
881, 908, 1019,	5372, 5391, 5396,	9175, 9176, 9177,
1030, 1031, 1032,	5415, 5416, 5423,	9178, 9179, 9180,
1033, 1034, 1072,	5424, 5427, 5428,	9181, 9182, 9188,
1073, 1074, 1075,	5431, 5432, 5438,	9189, 9190, 9191,
1076, 1077, 1078,	5439, 5442, 5443,	9192, 9193, 9194,
1079, 1080, 1081,	5446, 5447, 5450,	9195, 9196, 9211,
1116, 1117, 1118,	5451, 5485, 5618,	9291, 9322, 9323,
1119, 1120, 1121,	5621, 5635, 5871,	9324, 9325, 9326,
1122, 1123, 1124,	5893, 5915, 5916,	9364, 9365, 9366,
1125, 1126, 1133,	6046, 6118, 6120,	9367, 9368, 9369,
1160, 1269, 1280,	6123, 6124, 6125,	9370, 9371, 9372,
1281, 1282, 1283,	6126, 6127, 6182,	9373, 9388, 9479,
1284, 1322, 1323,	6220, 6227, 6235,	9499, 9500, 9501,
1324, 1325, 1326,	6246, 6252, 6260,	9502, 9503, 9541,
1327, 1328, 1329,	6263, 6266, 6276,	9542, 9543, 9544,
1330, 1331, 1366,	6280, 6282, 6347,	9545, 9546, 9547,
1367, 1368, 1369,	6348, 6353, 6460,	9548, 9549, 9550,
1370, 1371, 1372,	6463, 6494, 6580,	9599, 9604, 9605,
1373, 1374, 1375,	6587, 6590, 6600,	9606, 9607, 9608,
1376, 1384, 1410,	6610, 6621, 6688,	9609, 9610, 9628,
1411, 1415, 1431,	6698, 6700, 6734,	9629, 9630, 9631,
1432, 1433, 1469,	6745, 7083, 7254,	9632, 9633, 9634,
1470, 1471, 1496,	7384, 7385, 7422,	9635, 9636, 9637,



9638,	9639,	9663,	11497,	11521,	12754,	12755,
9664,	9665,	9666,	11522,	11523,	12756,	12757,
9667,	9668,	9669,	11524,	11525,	12760,	12762,
9670,	9671,	9672,	11526,	11527,	13018,	13019,
9673,	9674,	9675,	11528,	11529,	13020,	13024,
9682,	9683,	9684,	11530,	11531,	13028,	13029,
9788,	9812,	9814,	11532,	11533,	13030,	13031,
9817,	9818,	9819,	11540,	11541,	13034,	13036,
9825,	9830,	9850,	11542,	11623,	13043,	13044,
9862,	9863,	9864,	11675,	11676,	13045,	13049,
9866,	9867,	9873,	11677,	11678,	13053,	13054,
9874,	9875,	9876,	11679,	11680,	13055,	13056,
9896,	9905,	9946,	11689,	11690,	13059,	13061,
9952,	9973,	10147,	11691,	11692,	13317,	13318,
10150,	10151,		11693,	11694,	13319,	13323,
10210,	10213,		11695,	11696,	13327,	13328,
10214,	10777,		11697,	11698,	13329,	13330,
10778,	10779,		11699,	11700,	13333,	13335,
10780,	10781,		11705,	11706,	13342,	13343,
10784,	10785,		11707,	11708,	13344,	13348,
10787,	10805,		11709,	11872,	13352,	13353,
10806,	10808,		11873,	11874,	13354,	13355,
10826,	10827,		11875,	11876,	13358,	13360,
10831,	10866,		11877,	11880,	13616,	13617,
10868,	10880,		11881,	11882,	13618,	13622,
10883,	10884,		11883,	11884,	13626,	13627,
10888,	10918,		11885,	11889,	13628,	13629,
10920,	10932,		12133,	12134,	13632,	13634,
10935,	10936,		12135,	12139,	13641,	13642,
10983,	11007,		12143,	12144,	13643,	13647,
11015,	11023,		12145,	12146,	13651,	13652,
11352,	11369,		12149,	12151,	13653,	13654,
11370,	11371,		12158,	12159,	13657,	13659,
11372,	11373,		12160,	12164,	13915,	13916,
11391,	11392,		12168,	12169,	13917,	13921,
11393,	11394,		12170,	12171,	13925,	13926,
11395,	11396,		12174,	12176,	13927,	13928,
11397,	11398,		12432,	12433,	13931,	13933,
11399,	11400,		12434,	12438,	13940,	13941,
11424,	11425,		12442,	12443,	13942,	13946,
11426,	11427,		12444,	12445,	13950,	13951,
11428,	11429,		12448,	12450,	13952,	13953,
11430,	11431,		12457,	12458,	13956,	13958,
11432,	11433,		12459,	12463,	14214,	14215,
11434,	11441,		12467,	12468,	14216,	14220,
11462,	11463,		12469,	12470,	14224,	14225,
11464,	11465,		12473,	12475,	14226,	14227,
11466,	11467,		12719,	12720,	14230,	14232,
11468,	11486,		12721,	12725,	14239,	14240,
11487,	11488,		12729,	12730,	14241,	14245,
11489,	11490,		12731,	12732,	14249,	14250,
11491,	11492,		12735,	12737,	14251,	14252,
11493,	11494,		12744,	12745,	14255,	14257,
11495,	11496,		12746,	12750,	14513,	14514,



14515,	14519,	15598,	15599,	17599,	17611,
14523,	14524,	15600,	15601,	17614,	17617,
14525,	14526,	15608,	15664,	17620,	17787,
14529,	14531,	15689,	15692,	17788,	17789,
14538,	14539,	15693,	15725,	17790,	17864,
14540,	14544,	15728,	15729,	17881,	17930,
14548,	14549,	15812,	15813,	17983,	18123,
14550,	14551,	15815,	15816,	18135,	18163,
14554,	14556,	15819,	15820,	18164,	18165,
14839,	14850,	15849,	15851,	18167,	18169,
14851,	14852,	15853,	15863,	18170,	18174,
14855,	14858,	15864,	15865,	18176,	18178,
14859,	14864,	15871,	15875,	18179,	18181,
14865,	14866,	15878,	15881,	18182,	18183,
14867,	14868,	15883,	15886,	18187,	18193,
14872,	14873,	15887,	16020,	18210,	18252,
14903,	14904,	16048,	16074,	18261,	18262,
14905,	14908,	16075,	16184,	18263,	18325,
14911,	14912,	16199,	16214,	18326,	18363,
14917,	14918,	16241,	16242,	18364,	18365,
14919,	14920,	16243,	16244,	18366,	18367,
14921,	14925,	16278,	16360,	18375,	18422,
14926,	14956,	16366,	16371,	18423,	18424,
14958,	14960,	16506,	16507,	19013,	19014,
14961,	14964,	16508,	16509,	19015,	19016,
14967,	14968,	16561,	16564,	19017,	19018,
14970,	14972,	16565,	16610,	19019,	19020,
14974,	14975,	16613,	16614,	19021,	19077,
14978,	15007,	16750,	16765,	19080,	19081,
15009,	15011,	16766,	16767,	19083,	19084,
15012,	15015,	16768,	16769,	19181,	19184,
15018,	15019,	16863,	16897,	19185,	19281,
15021,	15023,	16899,	16927,	19284,	19285,
15025,	15026,	16929,	16934,	19517,	19520,
15029,	15061,	16936,	16940,	19547,	19548,
15092,	15110,	16942,	17273,	19552,	19553,
15126,	15140,	17274,	17275,	19557,	19558,
15156,	15195,	17316,	17317,	19681,	19682,
15225,	15239,	17318,	17360,	19683,	19799,
15254,	15268,	17361,	17362,	19800,	19801,
15283,	15320,	17375,	17376,	19802,	19803,
15348,	15414,	17377,	17390,	19805,	19849,
15444,	15527,	17391,	17392,	19854,	19868,
15536,	15537,	17398,	17400,	19900,	20095,
15538,	15539,	17401,	17402,	20099,	20144,
15540,	15558,	17403,	17404,	20145,	20146,
15559,	15560,	17405,	17406,	20147,	20150,
15561,	15562,	17415,	17451,	20151,	20153,
15563,	15564,	17489,	17522,	20158,	20181,
15565,	15566,	17553,	17584,	20182,	20183,
15567,	15591,	17590,	17592,	20184,	20185,
15592,	15593,	17593,	17594,	20250,	20267,
15594,	15595,	17595,	17596,	20271,	20273,
15596,	15597,	17597,	17598,	20284,	20286,



20297,	20299,	20986,	20987,	22034,	22040,
20309,	20310,	20988,	20989,	22042,	22156,
20321,	20322,	20995,	20996,	22157,	22158,
20323,	20324,	20997,	21072,	22273,	22293,
20325,	20338,	21096,	21100,	22295,	22296,
20344,	20356,	21101,	21102,	22297,	22298,
20364,	20365,	21103,	21104,	22299,	22300,
20381,	20484,	21105,	21106,	22301,	22303,
20506,	20507,	21124,	21125,	22350,	22369,
20508,	20509,	21126,	21127,	22392,	22422,
20510,	20548,	21128,	21129,	22424,	22473,
20549,	20550,	21130,	21131,	22478,	22479,
20551,	20552,	21132,	21133,	22480,	22481,
20553,	20554,	21134,	21135,	22482,	22483,
20555,	20556,	21159,	21160,	22484,	22485,
20557,	20592,	21161,	21162,	22486,	22487,
20593,	20594,	21163,	21164,	22488,	22489,
20595,	20596,	21165,	21166,	22490,	22491,
20597,	20598,	21167,	21168,	22492,	22493,
20599,	20600,	21169,	21170,	22494,	22495,
20601,	20602,	21171,	21178,	22496,	22497,
20609,	20636,	21179,	21180,	22498,	22499,
20643,	20644,	21275,	21300,	22500,	22501,
20645,	20646,	21327,	21328,	22502,	22503,
20647,	20648,	21345,	21417,	22504,	22505,
20649,	20687,	21418,	21419,	22507,	22576,
20688,	20689,	21533,	21553,	22601,	22602,
20690,	20691,	21555,	21556,	22617,	22618,
20692,	20693,	21557,	21558,	22619,	22620,
20694,	20695,	21559,	21560,	22621,	22622,
20696,	20697,	21561,	21563,	22707,	22794,
20698,	20733,	21610,	21629,	22796,	22802,
20734,	20735,	21652,	21682,	22804,	22929,
20736,	20737,	21684,	21733,	22930,	22931,
20738,	20739,	21738,	21739,	23046,	23066,
20740,	20741,	21740,	21741,	23068,	23069,
20742,	20743,	21742,	21743,	23070,	23071,
20744,	20745,	21744,	21745,	23072,	23073,
20753,	20754,	21746,	21747,	23074,	23076,
20755,	20878,	21748,	21749,	23123,	23142,
20903,	20904,	21750,	21751,	23165,	23195,
20905,	20906,	21752,	21753,	23197,	23246,
20907,	20908,	21754,	21755,	23251,	23252,
20909,	20937,	21756,	21757,	23253,	23254,
20938,	20939,	21758,	21759,	23255,	23256,
20940,	20941,	21760,	21761,	23257,	23258,
20942,	20943,	21762,	21763,	23259,	23260,
20944,	20945,	21764,	21765,	23261,	23262,
20946,	20947,	21767,	21815,	23263,	23264,
20948,	20977,	21840,	21841,	23265,	23266,
20978,	20979,	21856,	21857,	23267,	23268,
20980,	20981,	21858,	21859,	23269,	23270,
20982,	20983,	21860,	21861,	23271,	23272,
20984,	20985,	21946,	22032,	23273,	23274,



23275,	23276,	24483,	24642,	\Letter
23277,	23278,	24825,	24863,	\lettergroup
23280,	23341,	24916,	24919,	\lftside
23366,	23367,	24949,	24995,	20025,
23382,	23383,	25008,	25220,	20030,
23384,	23385,	25241,	25457,	20046, 20048
23386,	23387,	25465,	25470,	\Line
23472,	23559,	25477,	25494,	11010,
23561,	23567,	25497,	25557,	11013, 11018,
23569,	23726,	25615,	25619,	11021, 11026,
23727,	23728,	25697,	25702,	11027, 11030,
23731,	23787,	25712,	25716,	11031, 11035,
23788,	23789,	25745,	25755,	11036, 11039,
23792,	23803,	25759,	25799,	11040, 11044,
23804,	23805,	25803,	25868,	11045, 11048,
23812,	23813,	25869,	25870,	11049, 11053,
23818,	23827,	25871,	25874,	11054, 11057, 11058
23828,	23829,	25875,	25877,	\line . . . 10004, 10005,
23831,	23834,	25882,	25884,	10007, 10008,
23838,	23841,	25886,	25898,	10014, 10015,
23843,	23846,	25905,	25908,	10017, 10018,
23855,	23858,	25909,	25910,	10027, 10028,
23871,	23872,	25911,	25915,	10030, 10031,
23873,	23888,	25916,	25922,	10037, 10038,
23889,	23890,	25923,	25924,	10040, 10041,
23891,	23892,	25936,	25958,	10050, 10051,
23893,	23895,	26020,	26061,	10053, 10054,
23896,	23899,	26064,	26065,	10060, 10061,
23900,	23974,	26096,	26100,	10063, 10064,
23975,	23978,	26101,	26102,	10073, 10074,
23980,	23981,	26105,	26117,	10076, 10077,
23982,	23997,	26118,	26119,	10083, 10084,
24026,	24055,	26120,	26126,	10086, 10087,
24060,	24066,	26127,	26128,	20188, 20189, 20190
24069,	24088,	26166,	26218,	\LineNumber . . . 17992,
24152,	24158,	26221,	26222,	17994, 17996,
24187,	24188,	26265,	26268,	18001, 18004, 18006
24189,	24218,	26269,	26499,	\linenumberwidth . . . 17994, 18001, 18006
24219,	24220,	26501,	26504,	\lineskip . . . 424,
24241,	24242,	26516,	26518,	464, 535, 800,
24243,	24258,	26520,	26522,	885, 1052, 1137,
24259,	24260,	26524,	26526,	1302, 1388, 1397,
24275,	24276,	26529,	26530,	5077, 9344, 9521,
24277,	24292,	26532,	26533,	9617, 9688, 11380,
24293,	24294,	26539,	26540,	11445, 11475,
24309,	24310,	26541,	26546,	11546, 15547,
24311,	24326,	26558,	26561,	15612, 15867,
24327,	24328,	26563,	26570,	18226, 18372,
24344,	24345,	26574,	26576,	20335, 20528,
24346,	24363,	26579,	26580,	20613, 20667,
24364,	24365,	26593,	26594,	20759, 20768,
24383,	24384,	26602,	26603,	20926, 21002,
24385,	24418,	26604,	26768, 26770	21113, 21184,
24419,	24420,	\LetLtxMacro 16291, 16292		
				21598, 22338,
				23111, 23807,



\lineskiplimit	23846, 26122, 26542 15868, 26542 8432, 8433 5146, 5154, 5155, 5187	9069, 9073, 9076, 9079, 9327, 9504, 9646, 9939, 10786,
\linespacing . . .	24, 17902	\listitemmaincolumnwidth 5154, 5155, 5187	10807, 11407,
\linespread . . .	3179, 5857	\listitemsymbol 5088, 5145, 5186, 5188, 10588, 10686	11504, 15574, 16122, 16139,
\linewidth . . .	5201, 7457, 15761, 15776, 15780, 16518, 16526, 16527, 16529, 16530, 16963, 18369, 19085, 19091, 19756, 19758, 19776, 19778, 19983, 19989, 20075, 20084, 20085, 20138, 20140, 20328, 21551, 21867, 21876, 21934, 22017, 22291, 22628, 22637, 22695, 22779, 23064, 23393, 23402, 23460, 23544, 25846, 25856, 25964, 25965, 25992, 26027, 26029, 26030, 26031, 26036, 26038, 26039, 26040, 26045, 26047, 26048, 26049, 26054, 26056, 26057, 26058, 26488, 26491	\listitemsymbolwidth 5144, 5145, 5155, 5161	16155, 16183, 16198, 16213, 16770, 16784, 16793, 16839, 16880, 16887, 17319, 17330, 17341, 17352, 17367, 17382, 17425, 17442, 17463, 17480, 17496, 17513, 17527, 17544, 17558, 17575, 18075, 18270, 18273, 19027, 19077, 19127, 19149, 19561, 19565, 19569, 19964, 20173, 20511, 20576, 20650, 20717, 20913, 20956, 21142, 21434, 21464, 22173, 22203, 22946, 22976, 23725, 23911, 23915, 23918, 23922, 25691, 25888, 25994, 26369, 26373, 26377, 26413, 26417, 26421, 26480, 26583
\link	5207	\LoadClass . . . 8764, 8788	\longindentation . 11651
\list	89, 302, 615, 750, 986, 1013, 1263, 2603, 2624, 2647, 2659, 8510, 8528, 8537, 8545, 9285, 9473, 9782, 11346, 11617, 15521, 17867, 19673, 20478, 20872, 21066, 21269, 21799, 22560, 23325, 24082, 25947	\long . 34, 48, 64, 247, 261, 276, 493, 783, 848, 1035, 1098, 1285, 1350, 4619, 4883, 4886, 4889, 4894, 4897, 4900, 5366, 5367, 5376, 5379, 5390, 5586, 5590, 5623, 5625, 5627, 5629, 5873, 5877, 5987, 6006, 6073, 6089, 6101, 6110, 6145, 6173, 6185, 6186, 6560, 6562, 6567, 6568, 6585, 6586, 6593, 6602, 6605, 6612, 6630, 7080, 7391, 7540, 7800, 7804, 7808, 7844, 7848, 7852, 7888, 7892, 7896, 8107, 8194, 8223, 8252, 9063, 9066,	\longthickrule 20994, 21000
\listdoubleitemmaincolumnwidth . . .	5147, 5160, 5161, 5162, 5189, 5193	\loop 4379, 4380, 4381, 6643, 6653, 10097, 10307, 14828, 19981, 20017, 20044, 20055, 20082, 23866	
\listfigurename . . .		\looprepeat 6660, 6664, 6708, 6779, 6786, 6791, 6797, 6800, 6802, 6806, 6807, 6812	
		\lower 2109, 2113, 2144, 2173,	



2213, 2217, 2501, 4318, 4536, 20179, 20213, 20221, 25685, 25895, 25902	22802, 22804, 23561, 23567, 23569	\LTR@outputdblcol 10197, 15713, 16544, 19268, 26252, 26296, 26298
\lowercase 5453, 5461, 5469, 5477	\LT@cols 18230, 22016, 22778, 23543	\LTRbidituftesidenotemarginpar 7827, 8153, 8303
\lowertitleback 21641, 21676, 21763, 22381, 22416, 22503, 23154, 23189, 23276	\LT@end@pen 18278 \LT@endpbox 18176	\LTRcite 8097, 8217, 8246, 8275, 8297, 8306, 8315
\LR 17788, 20146, 20179, 25870, 25895, 25899, 25902, 25906	\LT@err 18279 \LT@foot 18282, 18284, 18287, 18295, 18302	\LTRdblcol 26298
\lrb 4735, 4744	\LT@head 18291, 18309	\LTRdfnmakecol 10939
\LRE 4281, 4335, 4507, 4552, 17787, 20146, 20149, 25497, 25870, 25873	\LT@hline 18174 \LT@kill 18174	\LTRfootfootmark 11730, 11916, 12295, 12588, 12881, 13180, 13479, 13778, 14077, 14376, 14675, 15176, 16331
\LRfootnoterule 10781, 11709, 16048	\LT@lastfoot 18282, 18285, 18295	\LTRfootmarkstyle 11902, 11941
\LS@rot 18313	\LT@LL@FM@cr 18183, 18187	\LTRfootnote 456, 530, 2444, 4821, 4829, 8286, 8636, 9609, 9683, 11467,
\lsb 4734, 4742	\LT@make@row 18209	11541, 16103, 16291, 16294, 20648, 20754, 20908, 20996, 21105, 21179, 21560, 22300, 23073
\lst@@caption . . 18096, 18102, 18109, 18114	\LT@makecaption 18229, 18241, 22008, 22770, 23535	\LTRfootnotetext 4887, 4898, 9067, 9077, 16262, 16264, 17421, 18271, 23912, 23916
\lst@alloverstyle 4723, 4729	\LT@mcoll 18163, 18230, 22016, 22778, 23543	\LTRfootscript 11902, 11919, 11923, 11925, 16334, 16338, 16340
\lst@HRefStepCounter 18096, 18102	\LT@no@pgbk 18172, 18173	\LTRfoottextfont 11731, 11801, 11841, 11958, 12131, 12156, 12233, 12248, 12295, 12357, 12371, 12430, 12455, 12530, 12544, 12588, 12648, 12661, 12717, 12742, 12819, 12834, 12881, 12943, 12957, 13016, 13041,
\lst@ifnumberbychapter 18135, 18136	\LT@nofcols 18208	
\lst@Key 18039, 18046	\LT@output 18276	
\lst@MakeCaption 18094, 18107	\LT@p@ftn 17420, 17423, 17427, 17437, 17458, 17461, 17465, 17475, 18271, 18272, 18274, 18275	
\lst@makecaption 18091, 18124	\LT@p@ftntext 18261	
\lst@maketitle . . 18092, 18125, 18129, 18131	\LT@p@LTRftntext 17418, 17425, 18262, 18270	
\lst@title@dropdelim 18092	\LT@p@RTLftntext 17456, 17463, 18263, 18273	
\lstKV@SwitchCases 18040, 18047	\LT@rows 18200, 18213, 18222, 18245	
\lstset 4648	\LT@setprevdepth 18201	
\LT@ch 18165, 18167	\LT@startpbox 18180, 18187, 18258	
\LT@tabarray 18164, 18168	\LT@tabularcr 18169	
\LT@array 18144, 22032, 22033, 22794, 22795, 23559, 23560	\LT@captype 18146, 18151, 18152, 18243, 18247, 18248	
\LT@bchunk 18197, 18208, 18227	\LT@capwidth 18230	
\LT@caption 18174, 22034, 22040, 22042, 22796,	\LT@chunksize 18222	
	\LT@left 18157, 18159, 18161, 18202	
	\LTR 20138, 25846, 25848	
	\LTR@column@boxes 19477, 19521, 19523	



13118,	13133, 15976, 16000	13609,	13669,
13180,	13242,	\ltx@thirdofthree .	13699,	13715,
13256,	13315,	. 15969, 15986, 15993	13730,	13742,
13340,	13417,		13757,	13797,
13432,	13479,	M	13826,	13839,
13541,	13555,	\m@addvipersep	13853,	13866,
13614,	13639, 19210, 19310	13880,	13891,
13716,	13731,	\m@m@float@spacing 11893	13897,	13903,
13778,	13840,	\m@m@footnote@spacing	13908,	13968,
13854,	13913,	. 11737, 11753,	13998,	14014,
13938,	14015,	11768, 11784,	14029,	14041,
14030,	14077,	11799, 11814,	14056,	14096,
14139,	14153,	11827, 11839,	14125,	14138,
14212,	14237,	11851, 11864,	14152,	14165,
14314,	14329,	11892, 12186,	14179,	14190,
14376,	14438,	12216, 12232,	14196,	14202,
14452,	14511,	12247, 12259,	14207,	14267,
14536,	14613,	12274, 12314,	14297,	14313,
14628,	14675,	12343, 12356,	14328,	14340,
14737,	14751,	12370, 12383,	14355,	14395,
14848,	14901,	12397, 12408,	14424,	14437,
14953,	14981,	12414, 12420,	14451,	14464,
14991,	15004,	12425, 12485,	14478,	14489,
15032,	15042,	12514, 12529,	14495,	14501,
15112,	15128,	12543, 12554,	14506,	14566,
15176,	15241, 15256	12568, 12607,	14596,	14612,
\LTright 18157,	12635, 12647,	14627,	14639,
	18159, 18161, 18206	12660, 12672,	14654,	14694,
\LTRmarginnote 8300	12685, 12695,	14723,	14736,
\LTRmarginpar 26352	12701, 12707,	14750,	14763,
\LTRmulticolcolumns 19519	12712, 12772,	14777,	14788,
		12802, 12818,	14794,	14800,
\LTRsidenote	.. 8022, 8282	12833, 12845,	14805,	15062,
\LTRthanks	. 456, 476,	12860, 12900,	15093,	15111,
	511, 530, 8636,	12929, 12942,	15127,	15141,
	8644, 8661, 8677,	12956, 12969,	15157,	15196,
	8688, 9609, 9629,	12983, 12994,	15226,	15240,
	9664, 9683, 11467,	13000, 13006,	15255,	15269,
	11487, 11522,	13011, 13071,	15284,	15302,
	11541, 16260,	13101, 13117,	15313, 15327, 15336	
	19014, 20648,	13132, 13144,	\m@m@h	12116,
	20688, 20734,	13159, 13199,		12117, 12118,
	20754, 20908,	13228, 13241,		12120, 12121, 12126
	20938, 20978,	13255, 13268,	\m@m@k	12116,
	20996, 21105,	13282, 13293,		12117, 12120,
	21125, 21160,	13299, 13305,		12123, 12124, 12126
	21179, 21560,	13310, 13370,	\m@m@makecolfloats	
	21739, 22300,	13400, 13416,		. 15346, 15397, 15404
	22479, 23073, 23252	13431, 13443,	\m@m@makecolintro	
\ltx@firstofthree	..	13458, 13498,		. 15361, 15390, 15401
 15973, 15997	13527, 13540,	\m@m@makecoltext ..	
\ltx@ifundefined	..	13554, 13567,		. 15350, 15398, 15409
 15967, 15991	13581, 13592,	\m@m@singlespace ..	11891
\ltx@secondofthree		13598, 13604,	\m@m@make@eightcol@footgroup	



```

. 13920, 13945, 14188 | \m@minterparanoteglue 14336, 14348,
\m@make@fivecol@footgroup . . . . . 14823, 14825 14363, 14403,
. 13023, 13048, 13291 | \m@mipn@skip . . . . . 14432, 14445,
\m@make@footstart . . . . . 14815, 14822, 14824 14459, 14472,
. 12093, 12104, 12109 | \m@mmakehboxofhboxes 14486, 14574,
\m@make@fourcol@footgroup . . . . . 14826, 15298, 14604, 14620,
. 12724, 12749, 12992 | 15309, 15325, 15334 14635, 14647,
\m@make@mpweightcol@footgroup | \m@mmf@prepare 11747, 14662, 14702,
. 13930, 13955, 14200 | 11763, 11778, 14731, 14744,
\m@make@mpfivecol@footgroup | 11794, 11809, 14758, 14771,
. 13033, 13058, 13303 | 11897, 12194, 14785, 15071,
\m@make@mpfourcol@footgroup | 12224, 12240, 15102, 15120,
. 12734, 12759, 13004 | 12255, 12267, 15136, 15150,
\m@make@mpninecol@footgroup | 12282, 12322, 15166, 15205,
. 14229, 14254, 14499 | 12351, 12364, 15235, 15249,
\m@make@mppara@footgroup | 12378, 12391, 15264, 15278, 15293
. 14870, 14923, 15321 | 12405, 12492, \m@mold@footnotetext
\m@make@mpsevencol@footgroup | 12521, 12536, . 11872, 11880, 14956
. 13631, 13656, 13901 | 12550, 12561, \m@mold@LTRfootnotetext
\m@make@mpsixcol@footgroup | 12575, 12614, . 11873, 11881
. 13332, 13357, 13602 | 12642, 12654, \m@mold@mpfootnotetext
\m@make@mpthreecol@footgroup | 12667, 12679, . 11875, 11883, 14970
. 14528, 14553, 14798 | 12692, 12780, \m@mold@mpLTRfootnotetext
\m@make@mpthreecol@footgroup | 12810, 12826, . 11876, 11884
. 12447, 12472, 12705 | 12841, 12853, \m@mold@mpRTLfootnotetext
\m@make@mptwocol@footgroup | 12868, 12908, . 11877, 11885, 14975
. 12148, 12173, 12418 | 12937, 12950, \m@mold@RTLfootnotetext
\m@make@ninecol@footgroup | 12964, 12977, . 11874, 11882, 14961
. 14219, 14244, 14487 | 12991, 13079, \m@mopfootnote . .
\m@make@para@footgroup | 13109, 13125, . . . . . 15362, 15395
. 14856, 14909, 15294 | 13140, 13152, \m@mremovehboxes . .
\m@make@para@footstart | 13167, 13207, . . . . . 14834,
. . 14857, 14863, 14835, 15299,
14910, 14916, 15310, 15326, 15335
14966, 15017, 15339 | 13236, 13249, \m@mrigidbalance . .
\m@make@sevencol@footgroup | 13263, 13276, . . . . . 12117, 12411,
. 13621, 13646, 13889 | 13290, 13378, 12422, 12698,
\m@make@sixcol@footgroup | 13408, 13424, 12709, 12997,
. 13322, 13347, 13590 | 13439, 13451, 13008, 13296,
\m@make@tencol@footgroup | 13466, 13506, 13307, 13595,
. 14518, 14543, 14786 | 13535, 13548, 13606, 13894,
\m@make@threecol@footgroup | 13562, 13575, 13595, 14193,
. 12437, 12462, 12693 | 13589, 13677, 14204, 14492,
\m@make@twocol@footgroup | 13707, 13723, 14503, 14791, 14802
. 12138, 12163, 12406 | 13738, 13750, \m@msplitoff 12123, 12125
\m@mdoextrafeet . . . . . 13765, 13805, \m@mungebox . .
. . 11950, 15391, 13834, 13847, . . . . . 14816, 15071,
15402, 15433, 15446 | 13861, 13874, 13888, 13976, 15102, 15120,
\m@mdoextrafeetendmini . . . . . 14006, 14022, 15136, 15150,
. . . . . 12077, 12081 | 14037, 14049, 15166, 15205,
\m@mdoextrafeetmini . . . . . 14064, 14104, 15235, 15249,
. . . . . 12070 | 14133, 14146, 15264, 15278, 15293
\m@mdosplits . . 12119, 14160, 14173, \m@munvxh . . 14808, 14817
12122, 12123, 12124 | 14187, 14275, 14305, 14321, \m@ne 314, 589, 598, 5414,

```



	\maketitle	110, 323, 330, 450, 478, 489, 513, 776, 821, 843, 865, 1028, 1073, 1095, 1117, 1278, 1323, 1345, 1367, 4615, 4627, 5168, 8612, 8716, 8740, 9320, 9365, 9497, 9542, 9603, 9631, 9642, 9666, 10635, 10749, 11368, 11392, 11403, 11425, 11461, 11489, 11500, 11524, 15535, 15559, 15570, 15592, 17590, 17591, 17925, 19022, 20504, 20549, 20571, 20593, 20641, 20690, 20712, 20736, 20902, 20940, 20951, 20980, 21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	10733, 10739, 10751 \maketitlepage 8698, 8740 \maketitlepicturewidth 10734, 10735, 10741, 10770 \MakeUppercase . 125, 612, 640, 641, 656, 747, 905, 1010, 1157, 1260, 9208, 9282, 9385, 9470, 9595, 9596, 9779, 11343, 11614, 15518, 17940, 20378, 20475, 20633, 20869, 21092, 21093, 21266
\m@th	394, 11131, 11136, 11142, 15761, 15776, 18210, 25338, 25447, 25928, 26022, 26092, 26094, 26153	15535, 15559, 15570, 15592, 17590, 17591, 17925, 19022, 20504, 20549, 20571, 20593, 20641, 20690, 20712, 20736, 20902, 20940, 20951, 20980, 21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\marginline 21848, 22609, 23374 \marginnote 8291 \marginpar 7361, 8069, 21849, 22610, 23375, 25533 \marginparpush 7294, 26462
\maincolumnwidth	110, 11130, 11135, 11204, 11207, 11210, 11217, 11225, 11232, 11273, 11277, 19793, 19811	\marginparsep 4605, 5053, 7335, 7338, 7342, 7494, 7501, 16907, 16909, 16913, 16918, 16921, 16923, 16923, 26425, 26475
\mainend 3405	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\marginparwidth 4604, 5054, 7334, 7339, 7351, 7449, 7719, 7812, 7856, 7900, 16907, 16909, 16921, 16923, 26381, 26425, 26475
\mainmatter 8815	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\markboth . . 124, 603, 8820, 11329, 17939
\makeatletter	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\math@cr@@@align . . 348 \mathindent 15762, 15778 \mathsurround . 426, 9829
\makebox 11130, 11135, 11204, 11207, 11210, 11217, 11225, 11232, 11273, 11277, 19793, 19811	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\max@poem@no 9015, 9117, 9118
\makefooter 10653, 10654, 10670	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\maxdepth 15399, 15410, 16756, 16763
\MakeFramed 16384	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	\maxdimen 10138, 10139, 10141, 10201, 10202, 10204, 15067, 15098, 15116, 15132, 15146, 15162, 15201, 15231,
\makelabel	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\makefootnote	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitledetailsnewline	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitledetailwidth	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitlehookb	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitlehookc	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitlenamefullwidth	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitlenamemaxwidth	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	
\maketitlenamewidth	21099, 21127, 21138, 21162, 21512, 21635, 21642, 21663, 21670, 21677, 21741, 22252, 22375, 22382, 22403, 22410, 22417, 22481, 23025, 23148, 23155, 23176, 23183, 23190, 23254	



15245,	15260,	\mdf@ignorevbadness	8376, 8380, 8381, 8382, 8384, 8385,
15274,	15289, 18394	19123, 19124,
15635,	15681,	\mdf@lrbbox . 18353, 18382	19454, 19473,
15682,	15683,	\mdf@par@local . 18376	19542, 21462,
15717,	15718,	\mdf@patchamsthm . 18354	21635, 21642,
15719,	16391,	\mdfframedtitleenv 18381	21663, 21670,
16552,	16553,	\mdfframetitleboxdepth	21677, 21825,
16555,	16601, 18398	21832, 21864,
16602,	16604,	\mdfframetitleboxheight	21873, 21937,
19172,	19173, 18397	\mdfframetitleboxtotalheight 21939, 21941,
19175,	19272, 18399	21942, 21943,
19273,	19275,	\mdfframetitleboxwidth	22201, 22375,
23859,	23898, 18396	22382, 22403,
25398,	25401,	\mdseries 317,	22410, 22417,
25406,	25410,	10629, 10631,	22586, 22593,
25414,	25418,	10633, 10634,	22625, 22634,
25422,	25426,	10721, 10722,	22698, 22700,
25430,	25434,	10723, 10726, 10727	22702, 22703,
25619,	26209,	\meaning	22704, 22974,
26210,	26212,	5329, 5332, 5592,	23148, 23155,
26256,	26257, 26259	6043, 6062, 6077,	23176, 23183,
\mbox ... 16868, 21568,		6095, 6103, 6112, 6179	23190, 23351,
21690,	21704,	\mediabutton	23358, 23390,
21719,	22308,	. 18947, 19007, 19008	23399, 23463,
22430,	22444,	\medskip	23465, 23467,
22459,	23081,	8922	23468, 23469,
23203,	23217, 23232	\medskipamount	24841, 24843, 24846
\mc@col@status@write	 1814, 1823,	\metropolis@block . 3227
..... 19481, 19502		1832, 2904, 2919,	\metropolis@blockadjust
\mc@gridwarn 19471	2934, 3135, 3147, 3247, 3248,
\mc@lastcol@status@write		3159, 3228, 11653	3249, 3253, 3254, 3255
.... 19487, 19510		\mem@makecol 15389, 15411	\metropolis@blocksep
\mdf@footenotedistance@length		\memRTLleftskip . 19045 3247, 3253, 3270
..... 18410		\memRTLraggedleft 19050	\metropolis@parskip
\mdf@footnoteinput	18418	\memRTLraggedright 19049 3271, 3274
\mdf@footnoteoutput		\memRTLrightskip . 19046	\metropolis@progressinheadfoot
..... 18407		\memRTLvleftskip . 19047	... 3529, 3536, 3538
\mdf@frametitleaboveskip@length	18402	\memRTLvrightsip 19048	\metropolis@progressinheadfoot@linewidth
..... 18402		\message .. 4480, 4481,	... 3534, 3536, 3538
\mdf@frametitlealignment		16392, 16400,	\metropolis@progressonsectionpage
..... 18383		16404, 16409,	... 3214, 3220, 3222
\mdf@frametitlebelowskip@length	18403	16417, 16423,	\metropolis@progressonsectionpage@linewidth
..... 18403		16433, 16438,	... 3218, 3220, 3222
\mdf@frametitlebox		16440, 16447,	\metropolis@strut
.. 18382, 18395,		16455, 16468, 3260, 3262
18396, 18397,		16476, 16481,	\MH 11140, 11144, 11149,
18398, 18400, 18401		16486, 16499,	11150, 11154,
\mdf@frametitlefont		16510, 16518, 16530	11158, 11159,
..... 18385		\MessageBreak	11163, 11171,
\mdf@frametitlefontcolor	 148, 6297,	11173, 11178,
..... 18384		6311, 6323, 6335,	11190, 11198,
\mdf@horizontalmargin@equation		7375, 7471, 7698,	11203, 11206,
..... 18360		7699, 7767, 8371,	11209, 11211,
		8372, 8373, 8375,	



11212,	11214,	18922,	18923,	12176,	12325,
11215,	11218,	18926,	18941,	12393,	12450,
11219,	11221,	18945,	18948,	12475,	12617,
11222,	11224,	18950,	18959,	12681,	12737,
11226,	11227,	18962,	18972,	12762,	12911,
11229,	11230,	18973,	18975,	12979,	13036,
11233,	11234,	18998,	19004, 19008	13061,	13210,
11236,	11237,	\mkern	25339,	13278,	13335,
11239,	11244,	25340,	25448, 26154	13360,	13509,
11245,	11246,	\mobile	5130	13577,	13634,
11247,	11248,	\Mobilefone	5090	13659,	13808,
11249,	11250,	\mobilesymbol 5090, 10663, 10761	13876,	13933,
11251,	11252,	\mode	18618, 18951	13958,	14107,
11261,	11263,	\modernpoem	9170	14175,	14232,
11267,	11268,	\modernpoem@obeylines	8917, 9170	14257,	14406,
\MHInternalSyntaxOff		\modernpoem@par	8917, 8918, 9134	14474,	14531,
\MHInternalSyntaxOn		\month	3324	14556,	14705,
\MidFrameCommand		\morefloats	7601, 7698	14773,	14873,
\minrowclearance		\moreLRE	4282,	14926,	14978,
. 1501, 1535, 9934		4508,	20100, 25804	15029,	15208, 15280
\mintagvsep		\moreRLE	4284,	\mpfootnoterule	16075, 16079
\missingfigure		4510,	20101, 25805	\msg	6918, 6921, 6932,
. 25577, 25607		\moveleft	2501, 7751, 19366	18496,	18499,
\mix 18441, 18442, 18449,		\moveright	2501, 3358,	18547,	18550,
18450,		3364,	3373, 3381,	18565,	18568, 18610
18493,		15869,	19464, 26545	\MT	11164,
18519,		\mp@footgroupv@r 12073,	11170,	11172, 18345
18544,		12115,	12149,	\mult@cols	19560
18584,		12174,	12327,	\mult@firstbox 19478, 19492, 19498
18604,		12366,	12448,	\mult@footnotetext	151, 153,
18617,		12473,	12619,	19545,	19548, 19561
18623,		12656,	12735,	\mult@info	19452
18626,		12760,	12913,	\mult@LTRfootnotetext	155, 157,
18640,		12952,	13034,	19550,	19553, 19565
18652,		13059,	13212,	\mult@rightbox	19445, 19485,
18654,		13251,	13333,	19486,	19488,
18674,		13358,	13511,	19507,	19508, 19511
18677,		13550,	13632,	\mult@RTLfootnotetext	159, 161,
18683,		13657,	13810,	19555,	19558, 19569
18700,		13849,	13931,	\multfootsep	8111, 8129
18704,		13956,	14109,	\multi@column@out 15446, 19586
18748,		14148,	14230,	\multicol@leftmargin	19455, 19464
18756,		14255,	14408,	\multicols	19530
18777,		14447,	14529,	\multicolumn	18163, 23833
18782,		14554,	14707,	\multiplefootnotemarker	8110, 8126,
18787,		14746,	14872,		
18802,		14925,	15210, 15251		
18857,		11823, 11860,		
18873,		12074,	12151,		
18877,					
18908,					
18913,					
18915,					



	8220, 8221, 8249, 8250, 8278, 8279, 11896, 11898, 11899	4333, 4383, 4722, 4728, 4731, 4732, 4733, 4734, 4735, 4736, 4737, 5034, 5120, 5125, 5126, 5127, 5129, 5130, 5131, 5133, 5134, 5136, 5137, 5148, 5149, 5169, 5176, 5178, 5182, 5186, 5188, 5194, 5203, 5205, 5207, 5211, 5215, 5220, 5232, 5256, 5262, 5452, 5460, 5468, 5476, 5493, 5499, 5505, 5511, 5517, 5523, 5529, 5535, 5542, 5545, 5548, 5554, 5566, 5572, 5584, 5587, 5589, 5596, 5600, 5606, 5613, 5616, 5619, 5622, 5624, 5626, 5628, 5648, 5677, 5702, 5731, 5756, 5794, 5828, 5845, 5856, 5862, 5906, 5911, 6033, 6100, 6109, 6189, 6194, 6197, 6200, 6203, 6206, 6209, 6213, 6216, 6230, 6242, 6255, 6270, 7052, 7053, 7055, 7058, 7061, 7064, 7067, 7070, 7073, 7076, 7214, 7215, 7216, 7217, 7239, 7242, 7269, 7296, 7297, 7298, 7299, 7314, 7333, 7369, 7371, 7372, 7377, 7378, 7380, 7381, 7388, 7389, 7390, 7398, 7401, 7489, 7507, 7717, 7725, 7735, 7738, 7746, 7915, 7916, 7917, 7918, 7919, 7920, 7921, 7922, 7923, 7924, 7925, 7926, 7927, 7928, 7929, 7930, 7931, 7932, 7933, 7934,	7935, 7936, 7937, 7938, 7939, 7940, 7949, 7999, 8018, 8037, 8059, 8065, 8090, 8091, 8125, 8281, 8282, 8283, 8291, 8300, 8309, 8322, 8323, 8446, 8499, 8579, 8592, 8626, 8627, 8628, 8629, 8630, 8631, 8632, 8633, 8684, 8698, 8874, 8881, 8890, 8894, 8904, 8923, 9120, 9121, 10744, 10938, 10939, 10948, 10955, 10971, 10977, 10993, 11000, 11671, 11685, 11712, 11716, 11722, 11728, 11748, 11779, 11822, 11859, 11943, 11946, 12034, 12038, 12050, 12056, 12120, 12154, 12195, 12241, 12268, 12323, 12365, 12392, 12412, 12423, 12453, 12493, 12537, 12562, 12615, 12655, 12680, 12699, 12710, 12740, 12781, 12827, 12854, 12909, 12951, 12978, 12998, 13009, 13039, 13080, 13126, 13153, 13208, 13250, 13277, 13297, 13308, 13338, 13379, 13425, 13452, 13507, 13549, 13576, 13596, 13607, 13637, 13678, 13724, 13751, 13806, 13848, 13875,
--	---	--	--



13895, 13936, 14023, 14105, 14174, 14205, 14276, 14349, 14446, 14493, 14534, 14621, 14703, 14772, 14803, 14899, 15003, 15121, 15206, 15279, 15376, 15412, 15414, 15895, 15958, 15966, 16006, 16072, 16119, 16173, 16305, 16311, 16951, 18064, 19519, 21415, 22154, 22927, 25488, 25795, 25844, 25946, 26069, 26297, 26298, 26495	\newdimen 13906, 13977, 14050, 14147, 14194, 14235, 14322, 14404, 14473, 14504, 14575, 14648, 14745, 14792, 14836, 14952, 15072, 15151, 15250, 15316, 15411, 15413, 15892, 15954, 15960, 15982, 16018, 16118, 16120, 16175, 16308, 16314, 18053, 19516, 19522, 21416, 22155, 22928, 25490, 25796, 25845, 26068, 26169, 26298, 26495	\NewDocumentCommand 4358, 8878, 8879, 8929, 11667, 12116, 16680	7629, 7630, 7631, 7632, 7633, 7634, 7635, 7636, 7637, 7653, 7654, 7655, 7656, 7657, 7658, 7659, 7660, 7661, 7662, 7663, 7664, 7665, 7666, 7667, 7668, 7669, 7670, 7671, 7672, 7673, 7674, 7675, 7676, 7677, 7678, 12100, 12105, 12111, 12113
\newcount . 4323, 4324, 4373, 4542, 4543, 4585, 4586, 5260, 5270, 5274, 5646, 6373, 6476, 6636, 6697, 6777, 12016, 12018, 12116, 26161	\newenvironment 4769, 4780, 4789, 4798, 5233, 7348, 7363, 7366, 7404, 7531, 9105, 9169, 17861, 25848, 25858, 26024, 26033, 26042, 26051	\newfloat@setwithin 19708, 19714, 19722, 19724	\newlength 5138, 5139, 5140, 5142, 5143, 5144, 5146, 5147, 5230, 7330, 7331, 7332, 7386, 7403, 8191, 10728, 10730, 10732, 10734, 10736, 24427, 24429, 24430, 25143
\newcounter 7998, 9116, 15787, 15952, 24395, 24399, 24400	\newfloat@Error . . 19727	\newfloat@setwithin 19694	\newline 5201, 7565, 21865, 21874, 22626, 22635, 23391, 23400
	\newif 4056, 4057, 4058, 4059, 4060, 4061, 4062, 4250, 4251, 4254, 4255, 4256, 4257, 4259, 4260, 4492, 4493, 4494, 4495, 4496, 4497, 5011, 5040, 5219, 5267, 6542, 8801, 8989, 10576, 10578, 10580, 10582,	\newlinechar 4451	
	10647, 10674, 10676, 10678, 10680, 10743, 12037, 15950, 18352, 25486, 25487	\newlinetospace 7562, 7582, 7583, 7584, 8821, 8822, 8823	
	\newinsert 4287, 4513, 7604, 7605, 7606, 7607, 7608, 7609, 7610, 7611, 7612, 7613, 7614, 7615, 7616, 7617, 7618, 7619, 7620, 7621, 7622, 7623, 7624, 7625, 7626, 7627, 7628,	\newlistentry 24392, 24459	
		\newpage 503, 525, 857, 877, 1109, 1129, 1359, 1379, 8717, 8754, 8755, 9656, 9678, 10570, 11417, 11437, 11514, 11536, 15584, 15604, 18171, 19036, 20585, 20605, 20726, 20748, 20970, 20992, 21152, 21174	
		\newpoem@tabcr 9133, 9142, 9143	
		\newsavebox 4768, 7347, 7382, 7383	
		\newskip 4806, 4807, 4808, 5637, 14822, 16542	
		\newthought 8520	
		\NewTokenList 6583	



\newtoks	4819,	1179, 1193, 1220,	26151, 26152, 26156
5340, 5341, 6374,		2256, 2263, 2580,	\nobreakspace 599
6375, 6545, 6558,		2582, 2584, 3714,	\node . 3451, 3453, 3458,
6583, 6636, 8930,		7087, 8118, 8458,	3459, 3461, 3462,
15959, 20096, 25800		8459, 8943, 8945,	25531, 25561, 25567
\newXeTeXintercharclass		8951, 9229, 9230,	\noexpand . 412, 4841,
.	4375, 4376	9244, 9268, 9406,	4842, 4856, 4857,
\next	26192, 26195	9407, 9421, 9445,	4884, 4887, 4890,
\next@tdpage . . .	21569,	9559, 9567, 9579,	5295, 5336, 5345,
21578, 21649,		9708, 9724, 9754,	5349, 5369, 5373,
21686, 21695,		9759, 9767, 9985,	5489, 5591, 5592,
21699, 21709,		11298, 11311,	5594, 5652, 5680,
21713, 21724,		11326, 11330,	5706, 5734, 5760,
21728, 22309,		11338, 11565,	5763, 5797, 5800,
22318, 22389,		11588, 11593,	6038, 6039, 6040,
22426, 22435,		11602, 11646,	6042, 6043, 6060,
22439, 22449,		11647, 15468,	6062, 6080, 6081,
22453, 22464,		15484, 15493,	6082, 6085, 6092,
22468, 23082,		15497, 15505,	6093, 6094, 6096,
23091, 23162,		17916, 17918,	6102, 6103, 6105,
23199, 23208,		17963, 18309,	6111, 6112, 6114,
23212, 23222,		18409, 19415,	6176, 6178, 6179,
23226, 23237, 23241		19426, 19427,	6393, 6539, 6544,
\next@tpage . . .	21568,	19438, 19439,	6550, 6598, 6626,
21575, 21621,		20262, 20264,	6629, 6632, 6633,
21697, 21711,		20417, 20418,	6717, 6724, 6727,
21726, 22308,		20432, 20456,	6728, 6745, 6749,
22315, 22361,		20789, 20790,	6751, 6752, 6753,
22437, 22451,		20804, 20828,	6761, 6762, 6763,
22466, 23081,		21019, 21035,	6766, 6767, 6768,
23088, 23134,		21204, 21220,	6803, 7967, 7969,
23210, 23224, 23239		21249, 21253,	7977, 8370, 8373,
\NineColumnFootnotes		21261, 21786,	8379, 8382, 9064,
.	14235	24020, 24037,	9067, 9070, 9122,
\ninecolumnfootnotes		24044, 24190,	10528, 10880,
.	14210	24193, 24221,	10932, 12024,
\no	3410, 3435, 3455	24222, 24244,	12025, 15789,
\no@bib@break		24245, 24261,	15790, 15796,
. 21811, 22572, 23337		24262, 24278,	15797, 15849,
\noalign	1415,	24279, 24295,	16693, 16703,
9043, 12123,		24296, 24312,	17411, 17421,
18171, 18172,		24313, 24329,	17429, 17430,
18173, 18212,		24330, 24347,	17431, 17433,
22009, 22035,		24348, 24366,	17459, 17467,
22037, 22771,		24367, 24386,	17468, 17469,
22797, 22799,		24387, 24421,	17471, 17500,
23536, 23562, 23564		24422, 24457,	17501, 17502,
\nobibliography . . .	7995	24619, 24620,	17504, 17531,
\nobidilogo	4553	24729, 24731,	17532, 17533,
\nobreak	14, 16,	24822, 24854,	17535, 17562,
219, 221, 555, 573,		24859, 24862,	17563, 17564,
600, 604, 695, 696,		25331, 25336,	17566, 18202,
710, 736, 923, 924,		25344, 25445,	18271, 18274,
938, 954, 1178,		25446, 25450,	18875, 19140,



21528,	21529,	21786,	21971,	26551, 26567, 26598
21530,	21531,	21982,	22191,	\normalfont 25,
21532,	21533,	22231,	22309,	38, 52, 68, 85, 251,
21808,	21809,	22312,	22316,	265, 280, 298, 492,
22268,	22269,	22732,	22743,	495, 597, 847, 849,
22270,	22271,	22964,	23004,	1101, 1349, 1351,
22272,	22273,	23082,	23085,	3137, 3149, 3161,
22569,	22570,	23089,	23497,	4618, 4621, 4731,
23041,	23042,	23508,	25509,	4736, 4737, 4739,
23043,	23044,	25512,	25514,	4740, 4741, 4742,
23045,	23046,	25516,	25519,	4743, 4744, 4745,
23334,	23335,	25523,	25525,	7296, 7915, 7916,
23729,	23801,	25581,	25643, 26084	7917, 8005, 8024,
23838,	23839,	\nointerlineskip . .		8043, 8109, 8344,
23912,	23919, 1944, 1957,		8351, 8358, 8550,
24402,	24934,	2473,	2561, 2574,	9555, 9575, 9645,
24967,	24974,	2581,	2911, 2926,	9648, 9750, 9765,
24979,	24980,	2941,	3264, 3334,	11131, 11136,
25066,	25470,	3339,	3355, 3389,	11142, 11323,
25471,	25472,	3394,	3528, 3590,	11336, 11406,
25473,	25474,	3595,	3738, 3755,	11409, 11503,
25475,	25476,	3833,	3840, 3856,	11506, 11584,
25477,	25478,	3929,	3935, 3950,	11600, 11907,
25720,	25735,	10797,	10818,	11911, 11913,
25763,	25769,	16363,	18392,	11919, 11923,
25782,	26115, 26499	19462,	26470, 26478	11925, 11931,
\noindent . .	493, 671,	\nopagebreak		11935, 11937,
680,	978, 1230, 8997, 9007, 18173		15490, 15503,
1239,	2862, 2869,	\nopagenumbers	5220	15573, 15576,
2876,	3279, 3285,	\normalbaselines .	25928	16322, 16326,
3291,	4619, 7357,	\normalbaselineskip		16328, 16334,
7550,	8141, 8159,	321, 7255, 14876,		16338, 16340,
8177,	8294, 8303,	14890,	14929,	16346, 16350,
8312,	8522, 8542,	14943,	14981,	16352, 17863,
8703,	8705, 8707,	14995,	15032,	17898, 17903,
8898,	9278, 9466,	15046,	18373, 20336	17949, 18385,
9646,	9842, 11407,	\normalcolor . . .	2222,	19026, 19440,
11504,	11649,	4986, 9946, 10159,		19795, 19808,
11714,	15069,	10224,	10456,	20575, 20577,
15100,	15118,	10475,	11259,	20716, 20718,
15134,	15148,	12085,	15370,	20912, 20919,
15164,	15203,	15383,	16252,	20955, 20962,
15233,	15247,	16372,	16577,	21141, 21144,
15262,	15276,	16624,	16725,	21246, 21259,
15291,	15304,	16735,	16742,	22089, 22852,
15315,	15329,	17949,	18411,	23617, 24447,
15338,	15574,	19440,	22089,	24452, 24453,
16771,	19100,	22852,	23617,	24861, 25206,
20393,	20402,	25206,	25229,	25229, 25235,
20843,	20852,	25235,	25451,	25451, 26157, 26598
20918,	20961,	25697,	26157,	\normalfootnotes
21142,	21452,	26230,	26279, 11878, 11889
21491,	21569,	26309,	26325,	\normallineskip . . .
21572,	21576,	26336,	26344,	. 5078, 18372, 20335



\normalparindent	42,	22326,	22351,	O
	56, 72, 255, 269, 284	22389,	23099,	\obeylines ... 9033, 9134
\NormalRTLParaLTFootnotes 15003	23124,	23162,	\ocgbase ... 18931, 18933
		23754,	23760,	\oddpage
\normalRTLparaLTFootnotes 14952	23782,	24190,	4586, 4590, 4591,
		24221,	24244,	4592, 4595, 4596, 4597
\normalsfcodes 15862, 26538	24261,	24278,	\oddsidemargin
		24295,	24312, 4608, 5049,
\normalsize	317, 1575,	24329,	24347,	11102, 11106,
	1585, 1613, 1655,	24366,	24386,	11112, 16927,
	1764, 1778, 1800,	24421,	24822,	16936, 16940,
	2489, 2837, 7248,	25331,	25445, 26151	21537, 22277,
	7249, 7256, 7823,	\number 8, 139,	23050, 26520, 26524
	7867, 7911, 8005,	213,	4541, 5294,	\offinterlineskip .
	8024, 8043, 8421,	5295,	5301, 5306, 2182, 2193
	10631, 10723,	5652,	5669, 5671,	\on@stripcols@break
	15860, 19158,	5680,	5694, 5696, 10287
	21001, 21499,	5706,	5723, 5725,	\onecolumn
	21506, 22239,	5734,	5748, 5750,	... 645, 661, 910,
	22246, 23012,	5760,	5763, 5780,	1162, 5087, 9213,
	23019, 24861,	5782,	5786, 5788,	9390, 9600, 20383,
	26392, 26436, 26536	5797,	5800, 5814,	20638, 21097, 24153
\NOT	.. 7450, 7451, 7490,	5816,	5820, 5822,	\only 2479, 2507
	7510, 7514, 8197,	5829,	5831, 5832,	\opening ... 11634, 17951
	8226, 8255, 8337, 8341	5834,	5835, 5838,	\OptArg 4748, 4814
\not@eq@if	... 5433, 5435	5839,	5846, 5848,	\OptArg@i ... 4814, 4815
\noteqnewif 5429	5849,	6054, 6668,	\OptArg@ii ... 4814, 4816
\null	458, 472, 526, 669,	6783,	6789, 6795,	\OptArgs 4813
	672, 788, 817, 878,	6798,	6804, 6808,	\optparams
	976, 979, 1040,	9015,	9109, 10350,	7424, 8281, 8282,
	1069, 1130, 1228,	10352,	10361,	8283, 8285, 8286, 8287
	1231, 1290, 1319,	10365,	10429,	\OR 7418,
	1380, 8458, 9032,	10450,	10804,	7490, 7510, 7514, 7766
	9276, 9279, 9332,	10825,	10870,	\or 1451,
	9361, 9464, 9467,	10876,	10879,	1452, 1453, 1455,
	9509, 9538, 9611,	10922,	10928,	1456, 1476, 1477,
	9625, 9679, 11374,	10931,	11182,	1478, 1482, 1483,
	11388, 11438,	11185,	12024,	1484, 1485, 1486,
	11469, 11483,	12025,	12039,	1490, 1491, 1519,
	11537, 15541,	12043,	17910, 19533	1520, 1521, 1523,
	15555, 15605,	\numberline	1524, 9917, 9918,
	17830, 17847,	... 7543,	18109,	9919, 9921, 9922,
	19416, 19426,	18114,	19152,	17255, 17259,
	19427, 19438,	24118,	25241,	24434, 24437,
	19439, 20391,	25459,	25462, 25465	24440, 25384,
	20394, 20516,	\numberline@box	...	25495, 25502,
	20545, 20606, 24825,	24826	25724, 25773,
	20655, 20684,	\numberline@tempa	25461	26184, 26185, 26187
	20749, 20841,	25857,		\orig@footnotetext
	20844, 20920,	24592,	24704, 24934	.. 152, 19547, 19564
	20934, 20993,	24704,		\orig@LTRfootnotetext
	21107, 21121,	24934,		.. 156, 19552, 19568
	21175, 21586,	\nxLcs	...	\orig@RTLfootnotetext
	21611, 21649,	4747,	4748, 4749	.. 160, 19557, 19572



\origin@RaggedLeft	10002,	10012,	21197,	21212,
. 20364, 20366, 20367	10025,	10035,	21225,	21227,
\origin@RaggedRight	10048,	10058,	21229,	21231,
. 20365, 20366, 20367	10071,	10081,	21245,	21250,
\originalHbadness .	10378,	10385,	21254,	21257,
..... 25557, 25575	10544,	10564,	21262,	21500,
\othermargin 920	10782,	10783,	21504,	21507,
\outer 4579	11290,	11304,	21511,	22062,
\outer@nobreak	11360,	11362,	22080,	22240,
5004, 7817, 7861, 7905, 26386, 26430	11364,	11366,	22244,	22247,
\outputpenalty 10493,	11375,	11470,	22251,	22824,
10496, 10505, 10508, 10518, 10521, 18277, 18278	11559,	11583,	22843,	23013,
\overfullrule	11589,	11594,	23017,	23020,
.. 5038, 5039, 20225	11598,	11603,	23024,	23589,
\OVP@calc 19790	11659,	11661,	23608,	24151,
 P	11663,	11665,	24428,	24596,
\p@ .. 27, 29, 30, 31, 99, 103, 229, 233, 241, 243, 244, 245, 321, 459, 548, 565, 577, 579, 581, 583, 638, 643, 654, 658, 687, 703, 721, 728, 764, 770, 789, 903, 907, 914, 930, 947, 965, 1000, 1002, 1005, 1007, 1041, 1155, 1159, 1170, 1186, 1204, 1212, 1244, 1250, 1291, 4288, 4514, 5077, 5078, 5082, 5083, 7250, 7251, 7252, 7259, 7260, 7261, 7263, 7264, 8469, 8470, 8471, 8473, 8474, 8540, 9206, 9210, 9221, 9237, 9253, 9260, 9299, 9305, 9333, 9383, 9387, 9398, 9414, 9430, 9437, 9452, 9458, 9510, 9554, 9560, 9565, 9569, 9571, 9574, 9577, 9581, 9583, 9593, 9598, 9612, 9701, 9716, 9729, 9731, 9733, 9735, 9749, 9755, 9760, 9763, 9768,	15461,	15476,	24708,	24711,
	15489,	15494,	24715,	25127,
	15498,	15501,	25130,	25134,
	15506,	15509,	25140,	25255,
	15511,	15513,	25439,	26145, 26608
	15515,	15542,	\p@enumiv 86, 299, 621,	
	15643,	16038,	756, 1019, 1269,	
	16040,	16041,	2667, 5248, 9291,	
	16042,	16043,	9479, 9788, 11352,	
	16044,	16076,	11623, 15527,	
	16798,	16805,	17864, 20484,	
	16844,	16851,	20878, 21072,	
	16896,	17878,	21275, 21815,	
	17882,	17891,	22576, 23341, 24088	
	17893,	17894,	\p@subfigure 23812	
	17895,	17947,	\p@subtable 23813	
	17965,	17967,	\PackageError	
	17969,	17971, 144, 5406,	
	19078,	19408,	5455, 5458, 5463,	
	19420,	19432,	5466, 5471, 5474,	
	19526,	19527,	5479, 5482, 5639,	
	19574,	19576,	7215, 8323, 18044,	
	19577,	19578,	18051, 19538,	
	20376,	20380,	24048, 24406, 26171	
	20409,	20425,	\PackageInfo ... 5642,	
	20441,	20448,	7217, 20347, 25481	
	20463,	20469,	\PackageWarning ...	
	20517,	20631, 138, 5640,	
	20635,	20656,	6250, 6367, 9111,	
	20781,	20797,	10585, 10683,	
	20813,	20820,	15791, 16497,	
	20886,	20892,	17979, 19472,	
	20921,	21013,	19532, 19688,	
	21027,	21043,	24397, 24748, 24839	
	21045,	21047,	\PackageWarningNoLine	
	21049,	21090, 5281, 5641,	
	21095,	21108,	5670, 5695, 5724,	



	5749, 5781, 5787, 5815, 5821, 12061	3723, 3747, 3760, 3763, 3769, 3774,
\pagesofar	.. 164, 19444	3796, 3804, 3816,
\pagebreak 18172, 25627, 25636	3836, 3842, 3844, 3858, 3862, 3884,
\pagecontents 20160	3888, 3896, 3899,
\pagedepth 25621	3905, 3908, 3915,
\pagefillstretch	. 25633	3918, 3932, 3937,
\pagefilstretch	.. 25632	3939, 3952, 3956,
\pagefootnoterule 16074, 16082	3975, 3978, 3981, 3987, 3990, 4006,
\pagegoal	16391, 16393, 16398, 16405, 16446, 16448, 18283, 19378, 25624	4009, 4024, 5014, 5017, 5020, 5023, 5026, 5029, 5032, 5033, 11065,
\pageinwindow 10104	11072, 11082, 21540, 22280, 23053
\pagenumbering	5085, 8805	
\pageref 5224, 5226	\par .. 5, 15, 46, 60, 76,
\pageshrink	.. 10340, 10343, 10369, 10393, 16407, 16411, 16427, 16453, 16465, 25627	107, 108, 109, 110, 210, 220, 237, 238, 239, 259, 273, 288, 320, 323, 427, 461, 467, 469, 470, 489,
\pagestretch 10394, 16406, 16427, 16465, 25631	532, 538, 542, 554, 573, 600, 603, 672, 682, 696, 709, 736, 797, 807, 814, 815, 843, 882, 888, 892,
\pagestyle	2189, 4584, 5076, 5084, 5227, 7570, 8806, 10669	924, 938, 953, 979, 993, 1049, 1059, 1066, 1067, 1095, 1134, 1140, 1144, 1179, 1192, 1220, 1231, 1241, 1299,
\pagetotal	... 16393, 16398, 16404, 19035, 19376, 19379, 19390, 25619, 25624, 25682	1309, 1316, 1317, 1345, 1385, 1391, 1396, 1401, 1404, 1572, 1576, 1579, 1582, 1587, 1607, 1610, 1615, 1647, 1652, 1659, 1757, 1761, 1767, 1788,
\paperheight	... 3027, 3032, 3039, 3332, 3333, 3338, 3356, 3390, 3391, 3721, 5013, 5016, 5019, 5022, 5025, 5028, 5031, 5032, 11065, 21542, 22282, 23055	1796, 1803, 1814, 1823, 1832, 1851, 2268, 2473, 2580, 2834, 2838, 2864, 2871, 2878, 2893, 2904, 2908, 2919, 2923, 2934, 2938, 3109, 3116, 3122, 3128, 3135, 3147, 3159, 3181, 3188, 3202, 3209, 3228,
\paperwidth	... 2061, 2199, 2521, 2538, 2552, 3083, 3423, 3425, 3427, 3428, 3441, 3448, 3449, 3453, 3461, 3462, 3479, 3482, 3485, 3506, 3508, 3513, 3515, 3530, 3532, 3534, 3536, 3557, 3593, 3620, 3703, 3705, 3710, 3712,	3281, 3287, 3293, 3604, 3606, 3654, 3675, 3683, 3751, 3753, 3849, 3851, 3944, 3946, 4579, 4615, 5002, 7444, 7452, 7511, 7512, 7515, 7516, 7541, 7550, 7551, 7720, 7736, 8460, 8575, 8576, 8577, 8578, 8703, 8705, 8707, 8725, 8726, 8727, 8901, 9008, 9022, 9033, 9051, 9126, 9134, 9159, 9230, 9243, 9268, 9279, 9341, 9351, 9358, 9359, 9407, 9420, 9445, 9467, 9518, 9528, 9535, 9536, 9559, 9567, 9579, 9614, 9620, 9622, 9623, 9642, 9685, 9691, 9695, 9707, 9724, 9754, 9759, 9767, 9844, 9985, 10790, 10811, 11298, 11310, 11326, 11329, 11337, 11377, 11383, 11385, 11386, 11403, 11442, 11448, 11452, 11472, 11478, 11480, 11481, 11500, 11543, 11549, 11553, 11564, 11588, 11593, 11602, 11636, 11641, 11644, 11646, 11647, 11657, 12079, 12292, 12295, 12298, 12585, 12588, 12591, 12878, 12881, 12884, 13177, 13180, 13183, 13476, 13479, 13482, 13775, 13778, 13781, 14074, 14077, 14080, 14373,



14376,	14379,	21138,	21181,	\ParagraphFootnotes
14672,	14675,	21187,	21191, 14899
14678,	15304,	21203,	21220,	\paragraphfootnotes
15315,	15329,	21249,	21253, 14846
15338,	15467,	21261,	21490,	\parbox
15484,	15493,	21583,	21584,	5173,
15497,	15505,	21589,	21592,	10657,
15544,	15550,	21594,	21601,	11652,
15552,	15553,	21605,	21607,	17056,
15570,	15609,	21609,	21624,	17058,
15615,	15619,	21628,	21650,	17064,
15785,	16248,	21658,	21786,	17095,
17886,	17887,	21905,	21962,	17096,
17888,	17907,	21970,	21973,	17099,
17917,	17925,	21981,	21983,	17100,
17953,	17958,	21994,	22001,	17100,
17961,	17963,	22230,	22323,	17157,
18085,	18210,	22324,	22329,	17158,
18365,	18388,	22332,	22334,	17161,
18392,	19022,	22341,	22345,	17162,
19094,	19100,	22347,	22349,	17186,
19106,	19110,	22364,	22368,	17188,
19116,	19131,	22390,	22398,	17192,
19150,	19159,	22666,	22723,	17194,
19416,	19428,	22731,	22734,	18230,
19441,	19601,	22742,	22744,	19088,
19613,	19675,	22755,	22762,	19117,
19967,	20138,	23003,	23096,	19599,
20139,	20140,	23097,	23102,	19601,
20141,	20254,	23105,	23107,	19602,
20255,	20262,	23114,	23118,	19604,
20263,	20323,	23120,	23122,	19606,
20394,	20404,	23137,	23141,	19609,
20418,	20431,	23163,	23171,	19613,
20456,	20525,	23431,	23488,	19614,
20535,	20542,	23496,	23499,	19616,
20543,	20571,	23507,	23509,	19618,
20610,	20616,	23520,	23527,	19620,
20620,	20664,	23843,	24458,	19621,
20674,	20681,	24464,	24621,	19622,
20682,	20712,	24730,	24854,	19623,
20756,	20762,	25350,	25452,	19625,
20767,	20772,	25509,	25510,	19626,
20775,	20790,	25516,	25517,	19627,
20803,	20828,	25519,	25527,	19628,
20844,	20854,	25580,	25846,	19629,
20918,	20923,	25847,	25856,	19630,
20929,	20931,	25857,	26025,	19631,
20932,	20951,	26034,	26043,	19632,
20961,	20999,	26052,	26119,	19633,
21004,	21007,	26158,	26587,	19634,
21018,	21035,	26608		19636,
21110,	21116,	\par@updaterelative		19637,
21118,	21119,	. 21580, 22320, 23093		19638,
		\paragrap 8356	19639,



15179,	15465,	13471,	13770,	22983,	22985,
15480,	17915,	14069,	14368,	22997,	22999,
18372,	19409,	14667,	15170,	25846,	25856,
19421,	19433,	15174,	15178,	25992,	26027,
20277,	20290,	15343,	15464,	26029,	26030,
20303,	20314,	15479,	15490,	26031,	26036,
20413,	20429,	15502,	15574,	26038,	26039,
20452,	20785,	16770,	17882,	26040,	26045,
20801,	20824,	17914,	18368,	26047,	26048,
21016,	21031,	19410,	19422,	26049,	26054,
21201,	21216,	19434,	19668,	26056,	26057,
23999,	24028,	20278,	20291,	\parskip	103, 233, 643,
24058,	24182,	20304,	20315,	658,	907,
24213,	24236,	20379,	20415,	1159,	
24253,	24270,	20428,	20451,	2193,	2908,
24287,	24304,	20511,	20528,	2923,	
24321,	24339,	20634,	20650,	2938,	3229,
24358,	24378,	20667,	20787,	3274,	
24413,	24608,	20800,	20823,	4612,	5081,
24720,	24788,	20918,	20961,	7273,	
24790,	24854,	20998,	21015,	7944,	8495,
25324,	25326,	21030,	21094,	8503,	
25440,	26063,	21142,	21200,	8566,	8721,
	26146	21215,	21246,	9025,	
\parindent 12,	21258,	21452,	9128,	9163,
	42,	21491,	22191,	9210,	
	56,	22231,	22964,	9387,	9598,
	72,	23004,	24009,	10494,	
	103,	24046,	24150,	10506,	10519,
	217,	24183,	24214,	11640,	11643,
	233,	24237,	24254,	11645,	11647,
	255,	24271,	24288,	17882,	17957,
	269,	24305,	24322,	17960,	17962,
	284,	24340,	24359,	18368,	18377,
	493,	24379,	24414,	19973,	20326,
	551,	24607,	24719,	20380,	20635,
	568,	24793,	24795,	20998,	21095,
	595,	25260,	25321,	24151,	25260,
	642,	25322,	25441,	25618,	25622,
	657,	25852,	25862,	25962,	25962
	693,	25963,	26063,	\part 23,
	706,	26086,	26087,	17901	
	731,	26147		\partname 599,
	783,			\partopsep	11325
	800,				
	906,			\PassOptionsToClass	
	921,				8758,
	933,				8759,
	950,				8760,
	987,				8761,
	1035,				8762,
	1052,				8782,
	1098,				8783,
	1158,				8784,
	1176,				8785,
	1189,				8786,
	1215,				
	1285,			\PassOptionsToPackage	
	1302,			 7775,
	2862,				8605
	2869,			\pbs 19816,
	2876,				19834
	3279,			\pdfencryptsetup	..
	3285,				... 4358,
	3291,				4360,
	4619,				4363
	5080,			\pdflastxpos 5652,
	7272,				5680,
	7943,				5760,
	8452,				5797
	8494,			\pdflastypos 5706,
	8502,				5734,
	8567,				5763,
	8720,				5800
	9026,			\pdfm@box 17831,
	9129,				17839,
	9209,				17848,
	9227,				17856
	9240,			\pdfsavepos	5662,
	9263,				5664,
	9327,				5687,
	9344,				5689,
	9386,				5716,
	9404,				5718,
	9417,				5741,
	9440,				5743,
	9504,				
	9521,				
	9555,				
	9575,				
	9597,				
	9646,				
	9704,				
	9719,				
	9750,				
	9764,				
	9868,				
	9899,				
	9990,				
	11293,				
	11307,				
	11321,				
	11334,				
	11407,				
	11504,				
	11561,				
	11584,				
	11599,				
	11713,				
	12097,				
	12287,				
	12580,				
	12873,				
	13172,				



\pdfstringdefDisableCommands	5773, 5775, 5807, 5809	\pgfdefobject 2744, 2764, 2787	\pgfsys@markposition 19910
\penalty	... 792, 1044, 1294, 8947, 9269, 9336, 9446, 9513, 9725, 9829, 9835, 10490, 10502, 10515, 14821, 15172, 15176, 15180, 15485, 16428, 20457, 20520, 20659, 20829, 21036, 21221, 24622, 25248, 25356, 25623	\pgfmathsetmacro .. 3422 \pgfpathcircle . . . 1602 \pgfpathclose . 2983, 2999 \pgfpathcurveto 1932, 2975, 2979, 2991, 2995 \pgfpathlineto . 1931, 1938, 1939, 2974, 2990 \pgfpathqcurveto 1930, 2972, 2973, 2988, 2989	\pgfsys@shadingoutsidepicture 19958
\pgf@baseline 19922	\pgfpathqlineto 2747, 2748, 2767, 2768, 2770, 2771, 2790, 2791	\pgftext 1604, 1780, 1781, 1954, 2492, 2493, 2553, 2561, 2566, 2574, 3344, 3351, 3771
\pgf@insertlayers	19944	\pgfpathqmoveto ... 1929, 2746, 2766, 2769, 2789, 2971, 2987	\pgftransformrotate 3342, 3349
\pgf@nodecallback	19900	\pgfpathrectangle 1952, 2554, 2567, 3763, 3769, 3804, 3862, 3888, 3956	\pgftransformscale 2557, 2570
\pgf@oldpicture	.. 19907	\pgfpic 19953	\pgftransformshift 1954, 2560, 2573, 3343, 3350
\pgf@picmaxx	.. 19901, 19913, 19915, 19933	\pgfpicture 19894	\pgfuseobject 2755, 2759, 2778, 2782, 2798, 2802
\pgf@picmaxy	19903, 19917	\pgfpictureid 19899, 19910	\pgfusepath .. 1603, 1940, 1953, 2555, 2568, 3765, 3770, 3806, 3864, 3890, 3958
\pgf@picminx 19902, 19916, 19926	\pgfpicturetrue 1960, 19897	\pgfusepathqfill 2749, 2772, 2792, 2984
\pgf@picminy	19904, 19918	\pgfpoint 1602, 1931, 1933, 1934, 1935, 1938, 1939,	\pgfusepathqstroke .. 3000
\pgf@picture 19907	1952, 1954, 2554, 2560, 2567, 2573, 2744, 2764, 2787, 2974, 2976, 2977,	\pgfuseshading .. 1954, 3728, 3730, 3794, 3837, 3882, 3933, 4040
\pgf@picture@serial@count 19898, 19899	2978, 2980, 2981, 2982, 2990, 2992, 2993, 2994, 2996, 2997, 2998, 3343,	\pgfutil@gobble .. 19900
\pgf@process 19922, 19925, 19932	3350, 3763, 3769, 3804, 3862, 3888, 3956	\pgfutil@ifnextchar 19907
\pgf@relevantforpicturesizefalse 19921	\pgfpointorigin .. 3769	\phantom .. 18621, 19467
\pgf@relevantforpicturesizetrue 19905	\pgfsetcolor .. . 1960	\phantomsection .. 5171
\pgf@remember@layerlist@globally 19939	\pgfsetfading .. 3764, 3805, 3863, 3889, 3957	\phone 5131
\pgf@resetpathsizes 19906	\pgfsetfillcolor ..	\phonesymbol 5091, 10664, 10762
\pgf@restore@layerlist@from@global 19943 3762, 3800, 3802, 3861, 3887, 3955	\photo 5136
\pgf@shift@baseline 19923	\pgfsetfillopacity .. 2491	\picbox 20078
\pgf@trimleft 19925	\pgfsetlinewidth .. 2970	\picinwindow 10124
\pgf@trimleft@final 19927, 19928, 19930	\pgfsys@discardpath ..	\picwd 19966, 19969, 20077, 20079
\pgf@trimright 19932 19946	\place@tag .. 348, 349, 351
\pgf@trimright@final 19934, 19935, 19937	\pgfsys@endpicture 19949	\plainauthor 7582, 8625, 8627, 8666, 8667, 8670
\pgf@x 19926, 19930, 19933, 19937	\pgfsys@endscope .. 19948	\plainfootnotes .. 11889
\pgf@y 19923		\plainpublisher .. . 8628, 8693, 8694
\pgfdeclarehorizontalshading 3721		



\plaintitle	7583, 7584, 8625, 8626, 8649, 8650, 8653, 8821, 8823	\PotEndMark 11134, 11139, 11142	5879, 6057, 6073, 6089, 6112, 6114, 6167, 6222, 6237,
\plitemsep	8514	\preCutedStrip 10492, 10504	20102, 20112, 20122, 20130, 25697, 25806,
\plparsep	8513	\predisplaydirection 20186, 20187, 26595, 26596	25816, 25826, 25835
\plpartopsep	8516	\predisplaypenalty 15758, 15772	
\PLR{E}	4281, 4282, 4507, 4508	\premath 9831	
\PLS@Rotate	8514 . 19838, 19840, 19842	\prepare@bidi@copyins 16536, 16569, 16618, 16776	\protected@edef . 43, 57, 73, 256, 270, 285, 2295, 2312, 2329, 2345, 2361, 2377, 8142, 8160, 8178, 11742, 11758, 11773, 11789, 11804, 11817, 11830, 11842, 11854, 11867, 12189, 12219, 12235, 12250, 12262, 12277, 12317, 12346, 12359, 12373, 12386, 12400, 12488, 12517, 12532, 12546, 12557, 12571, 12610, 12638, 12650, 12663, 12675, 12688, 12775, 12805, 12821, 12836, 12848, 12863, 12903, 12932, 12945, 12959, 12972, 12986, 13074, 13104, 13120, 13135, 13147, 13162, 13202, 13231, 13244, 13258, 13271, 13285, 13373, 13403, 13419, 13434, 13446, 13461, 13501, 13530, 13543, 13557, 13570, 13584, 13672, 13702, 13718, 13733, 13745, 13760, 13800, 13829, 13842, 13856, 13869, 13883, 13971,
\poem@finish	8515 9058, 9108, 9115	\preparefootins 16568, 16617	
\poem@line	8985, 8991, 9042	\PrependToTokenList 6586	
\poem@linebegin	8515 8942, 9000	\prepnext@tok 1448, 1458, 1506, 1538, 9909, 9937	
\poem@lineend	8943, 9006	\presetkeys 25609	
\poem@lineparsebegin	8954, 9011, 9038	\prevdepth 7444, 7452, 10411, 10860, 10914, 19078, 19469	
\poem@lineparseend	8980, 8992, 9049	\prg 6835, 6839, 6840, 6843, 6848, 6849, 6852, 6856, 6861, 6862, 6865	
\poem@linervesesep	8944, 9003	\pRLE 4283, 4284, 4509, 4510	
\poem@needrun	8936, 9055, 9110, 9112	\process@cols . 19445, 19478, 19492, 19498	
\poem@obeylines	9037, 9106, 9146, 9170	\ProcessKeyOptions 4187	
\poem@prop	8908, 9120	\ProcessOptions 5043, 7240, 8331, 8590, 8622, 8763, 8787, 10587, 10685	
\poem@startedfalse	8935, 9144, 9150	\protect 423, 4281, 4282, 4283, 4284, 4450, 4507, 4508, 4509, 4510, 4823, 4829, 4835, 4841, 4850, 4856, 5915, 5916, 6544, 6550, 7083, 7543, 15849, 16262, 16276, 18109, 18114, 18193, 19152, 23833, 23834, 23838, 23846, 24118, 24464, 25789, 26499	
\poem@startedtrue	8935, 8994, 9034, 9136, 9138, 9143, 9151, 9153	\protected 4507, 4509, 5639, 5640, 5641, 5642, 5863, 5871, 5873,	
\poem@verse	8931, 9001, 9004		
\poem@width	8934, 8935, 8939, 9016, 9018, 9021, 9054		
\poem@write@aux	8935, 9057, 9109, 9121		
\poemblocksep	8935, 8928, 9032, 9132		
\poemcolsepskip	8919, 8948		
\poemextrabaselineskip	8921, 9009, 9044		
\poemmarginskip	8920, 8942, 8943		
\poemskip	8922, 9022, 9053		
\postbibhook	19166		
\postCutedStrip	10516		
\postdisplaypenalty	15759, 15773		
\postmath	9835		



14001, 14017,	25195, 25200, 25204	21082, 21285,
14032, 14044,	\ProvidesClass	21414, 22153,
14059, 14099,	... 5010, 8757, 8781	22926, 23691,
14128, 14141,	\ProvidesExplPackage	23724, 23784,
14155, 14168, 18428	23810, 23815,
14182, 14270,	\ProvidesFile 1,	23849, 23924,
14300, 14316,	131, 165, 206, 336,	23954, 23973,
14331, 14343,	354, 359, 361, 447,	23993, 24022,
14358, 14398,	646, 895, 1147,	24071, 24155,
14427, 14440,	1407, 1542, 1560,	24465, 25239,
14454, 14467,	1880, 1976, 2060,	25485, 25614,
14481, 14569,	2064, 2471, 2594,	25690, 25794, 26767
14599, 14615,	2680, 2691, 2808,	\ProvidesPackage ..
14630, 14642,	2812, 3011, 3014,	4054, 4583, 4639,
14657, 14697,	3081, 3176, 3301,	4818, 5259, 5327,
14726, 14739,	3305, 3310, 3400,	7211, 7777, 8319,
14753, 14766,	3472, 3526, 3549,	8465, 8581, 8608,
14780, 15065,	3577, 3697, 3720,	8846, 10574, 10672
15096, 15114,	3787, 3875, 3970,	\prune 19983,
15130, 15144,	4029, 4039, 9198,	20021, 20025,
15160, 15199,	9375, 9552, 9585,	20030, 20034,
15229, 15243,	9798, 9853, 9895,	20046, 20057, 20084
15258, 15272,	9897, 9900, 9938,	\prw@mkboth .. 24124,
15287, 16130,	9981, 9996, 10094,	24129, 24141, 24146
16147, 16163,	10132, 10776,	\ps@scalebox 20250
16192, 16207, 16222	10941, 11060,	\ps@empty 2208
\protected@write ..	11063, 11124,	\ps@navigation 2104
..... 4145,	11286, 11459,	\psgrid 20195
4149, 6983, 6984,	11633, 11666,	\pspicture 20192
6986, 6997, 6998, 7000	15457, 15633,	\psset 20230
\protected@xdef ...	15662, 15676,	\pst@dima 20207
.... 2406, 2432,	15753, 15783,	\pst@dimb 20205, 20210,
2458, 8205, 8234,	15792, 15798,	20212, 20217, 20220
8263, 8646, 8663,	15948, 16290,	\pst@dimc 20223
8679, 8690, 16095,	16357, 16534,	\pst@dimd 20204,
16104, 16261,	16777, 16904,	20210, 20211,
16266, 16275,	16946, 17247,	20212, 20213,
16281, 17430,	17860, 17946,	20217, 20218,
17468, 17501,	17950, 17972,	20219, 20220, 20221
17532, 17563, 17626	17985, 18038,	\pst@hbox 20200,
\providecommand ...	18142, 18311,	20204, 20205,
5088, 5089, 5090,	18342, 18351,	20206, 20222,
5091, 5092, 5093,	18426, 19010,	20224, 20225,
5104, 5105, 5106,	19167, 19405,	20227, 20235, 20243
5107, 5108, 5109,	19443, 19598,	\pst@ifstar 20192
5110, 5111, 5112,	19665, 19693,	\pst@killglue 20196
5113, 5114, 5115,	19731, 19739,	\pst@picture 20192
5116, 5117, 5118,	19760, 19780,	\pst@shift
5119, 5328, 8103,	19814, 19837,	. 20197, 20219, 20227
8110, 8111, 8520,	19845, 19893,	\pst@tempa . 20209, 20211
10648, 10653,	19957, 19963,	\pst@tempc
15981, 25153,	20191, 20252,	. 20234, 20241, 20245
25157, 25162,	20268, 20368,	\pst@tempd
25166, 25191,	20623, 20900,	. 20234, 20241, 20245



\publisher	8683, 8684	21302, 21333,	\RaggedRight	20295,
\publishers		21334, 21345, 21347	20333, 20348,	
. 21761, 22501, 23274		\raggedbottom	20353, 20365,	
\put	10003, 10004,	\raggedcaption	20367, 23697,	
10005, 10006,		. 21948, 22709, 23474	23698, 23704,	
10007, 10008,		\raggeddictum	23708, 23715, 23720	
10013, 10014,		. 21845, 22606, 23371	\raggedright	
10015, 10016,		\raggeddictumauthor	25, 104,	
10017, 10018,		. 21847, 22608, 23373	234, 595, 607, 608,	
10026, 10027,		\raggeddictumtext	1547, 1555, 1816,	
10028, 10029,		. 21846, 22607, 23372	1825, 1834, 2877,	
10030, 10031,		\raggedfootnote	3049, 3292, 9555,	
10036, 10037,		. 21436, 22175, 22948	9575, 9750, 9764,	
10038, 10039,		\RaggedLeft	11321, 11334,	
10040, 10041,		20282, 20331, 20347,	11584, 11599,	
10049, 10050,		20351, 20364,	11636, 11639,	
10051, 10052,		20366, 23697,	11644, 11652,	
10053, 10054,		23698, 23704,	15490, 15502,	
10059, 10060,		23708, 23713, 23722	15666, 15671,	
10061, 10062,		\raggedleft	17883, 17903,	
10063, 10064,		25, 104, 234, 595, 608,	17953, 17956,	
10072, 10073,		1545, 1553, 2870,	17961, 19049,	
10074, 10075,		3051, 3286, 9555,	19050, 20255,	
10076, 10077,		9750, 9764, 11321,	20257, 20263,	
10082, 10083,		11334, 11584,	21246, 21258,	
10084, 10085,		11599, 11636,	21769, 21770,	
10086, 10087,		11639, 11644,	21845, 21846,	
11065, 11089,		11652, 15490,	21847, 21849,	
11119, 19793,		15502, 15668,	22509, 22606,	
19795, 19808, 19811		15673, 17883,	22607, 22608,	
		17903, 17953,	22610, 23282,	
Q		17956, 17961,	23371, 23372,	
\Q	7960, 7982	19049, 19050,	23373, 23375,	
\q 18516, 18519, 18748, 18802		20255, 20257,	24799, 24802,	
\qauthor	20253	20263, 21246,	24806, 24917,	
\qquad	8396,	21258, 21769,	26060, 26065,	
	8403, 8410, 8417,	21770, 21845,	26067, 26068, 26069	
	8424, 8459, 20255	21846, 21847,	\RaggedRightLeftskip	
\quad	4336, 4552,	21849, 22509,	20300	
	7582, 7583, 7584,	22606, 22607,	\RaggedRightParfillskip	
	8821, 8822, 8823,	22608, 22610,	20303	
	8928, 25929, 25938	23282, 23371,	\RaggedRightParindent	
\quote	5137	23372, 23373,	7270,	
\quotecolour		23375, 26064,	7941, 8500, 20304	
	. 5099, 10592, 10690	26066, 26068, 26069	\RaggedRightRightskip	
\quotefont	5108,	\RaggedLeftLeftskip	8497, 20301	
	5116, 10632, 10725	20287	\raggedsection	
\quotestyle		\RaggedLeftParfillskip 21769, 22509, 23282	
	. 5116, 10645, 10774	20290	\raise	
\quotewidth	5138,	\RaggedLeftParindent	1756,	
	5150, 10645, 10774	20291	1761, 1795, 1915,	
		\RaggedLeftRightskip	2219, 2710, 2854,	
R		20288	2855, 2856, 3366,	
\R@page	21290,	\raggedpart	3374, 3382, 3997,	
	21291, 21300,	21770	4016, 15656, 17898	
			\raisebox	



7495, 7500, 7511,	453, 454, 475, 476,	5870, 6054, 6384,
7512, 7515, 7516,	477, 478, 483, 484,	6385, 6389, 6428,
11132, 11137,	485, 486, 510, 511,	6429, 6471, 6494,
11153, 11156,	512, 513, 514, 519,	6621, 6635, 6698,
11272, 17069,	520, 521, 522, 546,	6700, 6709, 6710,
17071, 17075,	643, 658, 665, 695,	6726, 6734, 6751,
17077, 17104,	701, 719, 772, 779,	6762, 6767, 7244,
17105, 17108,	780, 781, 785, 794,	7742, 7951, 8059,
17109, 17166,	803, 820, 821, 826,	8122, 8126, 8130,
17167, 17170,	827, 828, 829, 832,	8210, 8221, 8239,
17171, 17199,	835, 839, 864, 865,	8250, 8268, 8279,
17201, 17205, 17207	866, 871, 872, 873,	8337, 8534, 8542,
\rangleangle	874, 907, 923, 945,	8547, 8578, 8763,
\ratio	963, 972, 1006,	8787, 8883, 8888,
\rawtext	1031, 1032, 1033,	8891, 8898, 8936,
19979, 20001,	1037, 1046, 1055,	8942, 9037, 9055,
20002, 20083, 20087	1072, 1073, 1078,	9084, 9091, 9098,
\rbrace	1079, 1080, 1081,	9110, 9146, 9210,
\rcb . 4733, 4736, 4737, 4741	1084, 1087, 1091,	9217, 9229, 9235,
\rcol@footinsskip .	1116, 1117, 1118,	9251, 9307, 9323,
.	1123, 1124, 1125,	9324, 9325, 9329,
\realfootnote	1126, 1159, 1166,	9338, 9347, 9364,
\recomputelengths .	1178, 1184, 1202,	9365, 9370, 9371,
.	1252, 1281, 1282,	9372, 9373, 9387,
\recomputethemelengths	1283, 1287, 1296,	9394, 9406, 9412,
.	1305, 1322, 1323,	9428, 9460, 9500,
\reenable@package@load	1328, 1329, 1330,	9501, 9502, 9506,
.	1331, 1334, 1337,	9515, 9524, 9541,
\reflectbox	1341, 1366, 1367,	9542, 9547, 9548,
\refname 611, 612, 746,	1368, 1373, 1374,	9549, 9550, 9598,
747, 1009, 1010,	1375, 1376, 1463,	9605, 9606, 9607,
1259, 1260, 5235,	1464, 1481, 1482,	9628, 9629, 9630,
8555, 11342, 11343	1483, 1882, 2053,	9631, 9636, 9637,
\refstepcounter 590,	2411, 2437, 2463,	9638, 9639, 9663,
11316, 15774,	2475, 2482, 2516,	9664, 9665, 9666,
16295, 16301,	2518, 2519, 2525,	9667, 9672, 9673,
18097, 18103,	2527, 2529, 2530,	9674, 9675, 9699,
19143, 19749,	2542, 2558, 2559,	9841, 9855, 9856,
19770, 21856,	2571, 2572, 2616,	9857, 9862, 9863,
22617, 23382, 24115	2696, 2699, 2701,	9864, 9865, 9868,
\regex	2702, 2703, 2914,	9872, 9873, 9874,
18456,	2929, 2944, 3247,	9875, 9876, 9877,
18461, 18464,	3249, 3253, 3255,	9977, 9995, 10147,
18467, 18470,	3324, 3364, 3373,	10210, 10341,
18471, 18507,	3381, 4152, 4153,	10343, 10378,
18512, 18514,	4450, 4483, 4626,	10404, 10434,
18558, 18559, 18571	4627, 4628, 4633,	10587, 10685,
\reinsert@footnotes	4634, 4635, 4636,	10777, 10778,
.	4906, 4914, 4922,	10779, 10780,
\relax 2, 8, 10, 12, 14, 28,	4973, 5043, 5302,	10781, 10793,
85, 103, 132, 166,	5307, 5313, 5328,	10814, 10868,
207, 213, 215, 217,	5543, 5546, 5556,	10880, 10883,
219, 233, 242, 298,	5574, 5634, 5836,	10920, 10932,
311, 329, 423, 452,	5840, 5850, 5857,	10935, 11096,



11114,	11175,	15320,	15413,	19530,	19575,
11254,	11302,	15414,	15459,	19799,	19800,
11370,	11371,	15537,	15538,	19801,	19849,
11372,	11391,	15539,	15558,	19854,	19859,
11392,	11397,	15559,	15564,	19868,	19876,
11398,	11399,	15565,	15566,	19898,	19901,
11400,	11424,	15567,	15591,	19902,	19903,
11425,	11426,	15592,	15593,	19904,	19913,
11431,	11432,	15598,	15599,	19915,	19916,
11433,	11434,	15600,	15601,	19917,	19918,
11463,	11464,	15638,	15640,	20093,	20157,
11465,	11486,	15644,	15689,	20267,	20338,
11487,	11488,	15725,	15754,	20344,	20356,
11489,	11494,	15764,	15808,	20380,	20387,
11495,	11496,	15828,	15829,	20417,	20423,
11497,	11521,	15844,	15946,	20439,	20471,
11522,	11523,	16077,	16099,	20507,	20508,
11524,	11525,	16108,	16270,	20509,	20513,
11530,	11531,	16285,	16390,	20522,	20531,
11532,	11533,	16412,	16450,	20548,	20549,
11557,	11705,	16561,	16610,	20554,	20555,
11706,	11707,	17009,	17011,	20556,	20557,
11708,	11709,	17014,	17027,	20560,	20563,
11899,	11979,	17029,	17032,	20567,	20592,
12003,	12137,	17278,	17289,	20593,	20594,
12141,	12162,	17300,	17311,	20599,	20600,
12166,	12288,	17325,	17336,	20601,	20602,
12436,	12440,	17347,	17358,	20635,	20644,
12461,	12465,	17373,	17388,	20645,	20646,
12581,	12723,	17429,	17448,	20652,	20661,
12727,	12748,	17467,	17486,	20670,	20687,
12752,	12874,	17500,	17519,	20688,	20689,
13022,	13026,	17531,	17550,	20690,	20695,
13047,	13051,	17562,	17581,	20696,	20697,
13173,	13321,	17663,	17697,	20698,	20701,
13325,	13346,	17728,	17757,	20704,	20708,
13350,	13472,	17863,	17882,	20733,	20734,
13620,	13624,	17892,	17904,	20735,	20736,
13645,	13649,	17910,	17912,	20737,	20742,
13771,	13919,	17914,	17916,	20743,	20744,
13923,	13944,	17975,	18193,	20745,	20789,
13948,	14070,	18390,	18393,	20795,	20811,
14218,	14222,	18396,	18397,	20837,	20894,
14243,	14247,	18398,	18404,	20899,	20904,
14369,	14517,	19013,	19014,	20905,	20906,
14521,	14542,	19015,	19016,	20937,	20938,
14546,	14668,	19017,	19077,	20939,	20940,
14824,	14837,	19181,	19281,	20945,	20946,
14839,	14854,	19407,	19409,	20947,	20948,
14861,	14892,	19410,	19413,	20977,	20978,
14907,	14914,	19419,	19421,	20979,	20980,
14945,	14963,	19422,	19425,	20981,	20986,
14997,	15014,	19431,	19433,	20987,	20988,
15048,	15318,	19434,	19437,	20989,	21011,



21095,	21101,	22832,	22849,	24762,	24765,
21102,	21103,	22945,	22958,	24769,	24771,
21124,	21125,	22960,	22966,	24785,	24787,
21126,	21127,	23013,	23014,	24795,	24813,
21132,	21133,	23020,	23021,	24817,	24829,
21134,	21135,	23023,	23026,	24830,	24832,
21159,	21160,	23046,	23049,	24838,	24846,
21161,	21162,	23050,	23051,	24848,	24920,
21163,	21168,	23053,	23055,	24934,	24968,
21169,	21170,	23066,	23069,	24975,	24981,
21171,	21195,	23070,	23071,	25068,	25127,
21433,	21446,	23127,	23168,	25130,	25134,
21448,	21454,	23174,	23195,	25140,	25185,
21500,	21501,	23250,	23251,	25254,	25262,
21507,	21508,	23252,	23253,	25263,	25265,
21510,	21513,	23254,	23255,	25266,	25279,
21533,	21536,	23269,	23270,	25290,	25294,
21537,	21538,	23271,	23272,	25299,	25304,
21540,	21542,	23273,	23274,	25312,	25316,
21553,	21556,	23275,	23276,	25325,	25326,
21557,	21558,	23277,	23278,	25337,	25345,
21614,	21655,	23280,	23310,	25356,	25362,
21661,	21682,	23597,	23614,	25366,	25370,
21737,	21738,	23731,	23768,	25387,	25391,
21739,	21740,	23831,	23846,	25440,	25441,
21741,	21742,	23856,	23858,	25444,	25492,
21756,	21757,	23887,	24045,	25500,	25641,
21758,	21759,	24063,	24064,	25724,	25773,
21760,	21761,	24151,	24162,	25788,	25881,
21762,	21763,	24180,	24183,	25948,	25960,
21764,	21765,	24186,	24211,	26011,	26089,
21767,	21785,	24214,	24217,	26092,	26094,
22070,	22086,	24234,	24237,	26146,	26147,
22172,	22185,	24240,	24251,	26150,	26170,
22187,	22193,	24254,	24257,	26179,	26183,
22240,	22241,	24268,	24271,	26218,	26265,
22247,	22248,	24274,	24283,	26602,	26603,
22250,	22253,	24285,	24288,	\remainx	19601
22273,	22276,	24291,	24300,	\remainxox	19636, 19643
22277,	22278,	24302,	24305,	\remainxoxx	
22280,	22282,	24308,	24319,	. 19646, 19655, 19664	
22293,	22296,	24322,	24325,	\remainxx	19604, 19606
22297,	22298,	24337,	24340,	\remainxxx	
22354,	22395,	24343,	24356,	. . 19609, 19611,	
22401,	22422,	24359,	24362,	19613, 19638, 19641	
22477,	22478,	24376,	24379,	\remainxxxx	19616,
22479,	22480,	24382,	24394,	19618, 19620,	
22481,	22482,	24409,	24411,	19622, 19648,	
22496,	22497,	24414,	24417,	19650, 19653,	
22498,	22499,	24431,	24461,	19657, 19660, 19662	
22500,	22501,	24462,	24463,	\remainxxxxx	
22502,	22503,	24592,	24616,	. . 19625, 19627,	
22504,	22505,	24704,	24733,	19629, 19631, 19633	
22507,	22545,	24745,	24757,	\remove@strip . 19189,	



<code>19219, 19289, 19319</code>	<code>8644, 8645, 8649,</code>	<code>11500, 11502,</code>
<code>\RemoveFromHook ... 17973</code>	<code>8650, 8656, 8660,</code>	<code>11556, 11570,</code>
<code>\renewcommand ... 19,</code>	<code>8661, 8662, 8666,</code>	<code>11572, 11574,</code>
<code>20, 21, 22, 86,</code>	<code>8667, 8672, 8676,</code>	<code>11576, 11577,</code>
<code>168, 198, 201,</code>	<code>8677, 8678, 8687,</code>	<code>11578, 11579,</code>
<code>203, 205, 224,</code>	<code>8688, 8689, 8693,</code>	<code>11580, 11581,</code>
<code>225, 226, 227, 299,</code>	<code>8694, 8716, 8740,</code>	<code>11605, 11624,</code>
<code>339, 450, 489, 491,</code>	<code>8802, 8815, 8820,</code>	<code>11634, 11647,</code>
<code>545, 562, 576, 580,</code>	<code>8828, 9214, 9218,</code>	<code>11658, 11662,</code>
<code>584, 585, 586, 587,</code>	<code>9234, 9250, 9258,</code>	<code>11734, 11765,</code>
<code>622, 662, 684, 700,</code>	<code>9272, 9292, 9298,</code>	<code>11796, 11810,</code>
<code>718, 726, 739, 741,</code>	<code>9304, 9309, 9310,</code>	<code>11835, 11847,</code>
<code>742, 743, 744, 757,</code>	<code>9311, 9312, 9313,</code>	<code>15458, 15473,</code>
<code>763, 769, 775, 776,</code>	<code>9314, 9316, 9318,</code>	<code>15508, 15512,</code>
<code>786, 843, 845, 911,</code>	<code>9320, 9330, 9391,</code>	<code>15528, 15535,</code>
<code>928, 941, 944, 962,</code>	<code>9395, 9411, 9427,</code>	<code>15570, 15572,</code>
<code>969, 995, 996, 997,</code>	<code>9435, 9449, 9451,</code>	<code>15622, 15623,</code>
<code>998, 999, 1004,</code>	<code>9457, 9480, 9486,</code>	<code>15624, 15625,</code>
<code>1020, 1027, 1028,</code>	<code>9487, 9488, 9489,</code>	<code>15626, 15627,</code>
<code>1038, 1095, 1097,</code>	<code>9490, 9491, 9493,</code>	<code>15629, 15631,</code>
<code>1163, 1167, 1183,</code>	<code>9495, 9497, 9507,</code>	<code>15784, 15794,</code>
<code>1201, 1210, 1223,</code>	<code>9603, 9642, 9644,</code>	<code>15899, 15918,</code>
<code>1243, 1249, 1254,</code>	<code>9698, 9713, 9728,</code>	<code>15920, 15922,</code>
<code>1255, 1256, 1257,</code>	<code>9732, 9736, 9738,</code>	<code>15924, 15925,</code>
<code>1270, 1277, 1278,</code>	<code>9740, 9742, 9743,</code>	<code>15926, 15927,</code>
<code>1288, 1345, 1347,</code>	<code>9744, 9745, 9746,</code>	<code>15928, 15929,</code>
<code>1551, 1881, 2065,</code>	<code>9747, 9770, 9789,</code>	<code>15931, 15933,</code>
<code>2238, 2285, 2302,</code>	<code>9854, 9859, 9881,</code>	<code>15935, 15937,</code>
<code>2319, 2336, 2352,</code>	<code>9888, 9898, 9982,</code>	<code>15938, 15939,</code>
<code>2368, 2392, 2418,</code>	<code>9987, 9999, 10022,</code>	<code>15940, 15941,</code>
<code>2444, 2614, 2668,</code>	<code>10045, 10068,</code>	<code>15942, 15943,</code>
<code>2809, 3227, 4615,</code>	<code>10095, 10111,</code>	<code>15953, 16021,</code>
<code>4617, 5035, 5036,</code>	<code>10588, 10628,</code>	<code>16294, 16300,</code>
<code>5037, 5073, 5074,</code>	<code>10629, 10630,</code>	<code>16319, 16331,</code>
<code>5079, 5128, 5132,</code>	<code>10631, 10632,</code>	<code>16343, 16358,</code>
<code>5163, 5168, 5249,</code>	<code>10633, 10634,</code>	<code>16905, 16915,</code>
<code>7248, 7257, 7298,</code>	<code>10635, 10649,</code>	<code>17864, 17921,</code>
<code>7416, 7419, 7420,</code>	<code>10654, 10686,</code>	<code>17922, 17923,</code>
<code>7424, 7425, 7577,</code>	<code>10720, 10721,</code>	<code>17924, 17947,</code>
<code>7578, 7927, 7928,</code>	<code>10722, 10723,</code>	<code>17951, 17964,</code>
<code>7929, 7930, 7931,</code>	<code>10724, 10725,</code>	<code>17968, 18241,</code>
<code>7932, 7933, 7934,</code>	<code>10726, 10727,</code>	<code>19011, 19022,</code>
<code>7935, 7989, 8104,</code>	<code>10737, 10749,</code>	<code>19045, 19046,</code>
<code>8113, 8134, 8152,</code>	<code>10937, 10938,</code>	<code>19047, 19048,</code>
<code>8170, 8285, 8286,</code>	<code>10939, 11061,</code>	<code>19049, 19050,</code>
<code>8287, 8369, 8378,</code>	<code>11064, 11068,</code>	<code>19051, 19052,</code>
<code>8430, 8438, 8462,</code>	<code>11094, 11259,</code>	<code>19054, 19056,</code>
<code>8467, 8478, 8479,</code>	<code>11260, 11287,</code>	<code>19058, 19060,</code>
<code>8480, 8481, 8482,</code>	<code>11301, 11353,</code>	<code>19061, 19063,</code>
<code>8483, 8484, 8550,</code>	<code>11359, 11363,</code>	<code>19064, 19071,</code>
<code>8555, 8557, 8558,</code>	<code>11368, 11403,</code>	<code>19072, 19074,</code>
<code>8575, 8576, 8577,</code>	<code>11405, 11455,</code>	<code>19080, 19081,</code>
<code>8578, 8635, 8636,</code>	<code>11456, 11457,</code>	<code>19599, 19602,</code>
<code>8637, 8639, 8643,</code>	<code>11458, 11461,</code>	<code>19607, 19614,</code>



19623,	19634,	21562,	21564,	23535,	23558,
19639,	19644,	21683,	21685,	23560,	23581,
19651,	19658,	21771,	21772,	23583,	23585,
19675,	19677,	21773,	21776,	23588,	23594,
19694,	19744,	21777,	21791,	23602,	23604,
19765,	19846,	21816,	21845,	23607,	23613,
19855,	20253,	21846,	21847,	23615,	23693,
20256,	20265,	21848,	21851,	23696,	23701,
20269,	20282,	21892,	21909,	23703,	23705,
20295,	20308,	21923,	21929,	23707,	23712,
20320,	20384,	22008,	22031,	23714,	23719,
20406,	20422,	22033,	22054,	23721,	23994,
20438,	20446,	22056,	22058,	24023,	24029,
20460,	20462,	22061,	22067,	24061,	24075,
20468,	20485,	22075,	22077,	24089,	24101,
20491,	20492,	22079,	22085,	24157,	24160,
20493,	20494,	22087,	22159,	24207,	24226,
20495,	20496,	22163,	22167,	24248,	24265,
20498,	20500,	22171,	22238,	24282,	24299,
20503,	20504,	22245,	22252,	24316,	24334,
20514,	20571,	22302,	22304,	24352,	24353,
20573,	20640,	22423,	22425,	24372,	24373,
20641,	20653,	22510,	22511,	24392,	24460,
20712,	20714,	22519,	22520,	24741,	24806,
20778,	20794,	22523,	22524,	25119,	25121,
20810,	20818,	22528,	22531,	25123,	25139,
20832,	20834,	22533,	22552,	25146,	25148,
20856,	20857,	22577,	22606,	25150,	25170,
20858,	20859,	22607,	22608,	25184,	25189,
20860,	20861,	22609,	22612,	25209,	25212,
20863,	20865,	22653,	22670,	25213,	25228,
20879,	20885,	22684,	22690,	25234,	25240,
20891,	20896,	22770,	22793,	25360,	25467,
20902,	20910,	22795,	22816,	25489,	25507,
20951,	20953,	22818,	22820,	25529,	25541,
21010,	21024,	22823,	22829,	25577,	26066,
21039,	21042,	22837,	22839,	26067,	26296,
21046,	21050,	22842,	22848,	26297,	26298, 26608
21052,	21054,	22850,	22932,	\RenewDocumentCommand	
21056,	21057,	22936,	22940, 6982,	
21058,	21059,	22944,	23011,	6996, 18614, 18947	
21060,	21073,	23018,	23025,	\renewenvironment 83,	
21099,	21138,	23075,	23077,	296, 610, 631,	
21140,	21194,	23196,	23198,	647, 667, 674,	
21209,	21224,	23283,	23284,	745, 896, 974, 981,	
21228,	21232,	23288,	23289,	1008, 1148, 1226,	
21234,	21236,	23292,	23293,	1233, 1258, 1977,	
21238,	21239,	23297,	23300,	2229, 2246, 2655,	
21240,	21241,	23302,	23317,	7519, 7522, 7525,	
21242,	21243,	23342,	23371,	7528, 8526, 8536,	
21276,	21420,	23372,	23373,	8544, 8560, 8771,	
21424,	21428,	23374,	23377,	9199, 9274, 9280,	
21432,	21498,	23418,	23435,	9376, 9462, 9468,	
21505,	21512,	23449,	23455,	9586, 9777, 9839,	



9860, 9994, 11341, 11612, 15516, 15771, 16375, 19162, 19666, 19781, 20369, 20389, 20396, 20473, 20624, 20839, 20846, 20867, 21061, 21083, 21264, 21780, 22541, 23306, 24076, 24079, 24107, 25930	24803, 24806, 24807, 25356, 25357 \reserved@b ... 4932, 4933, 5392, 5396, 5397 \reserved@d .. 5391, 5396 \reset@dir . 20157, 25881 \reset@font .. 37, 51, 67, 250, 264, 279, 2292, 2309, 2326, 2341, 2357, 2373, 7822, 7866, 7910, 8138, 8139, 8156, 8157, 8174, 8175, 11738, 11754, 11769, 11785, 11800, 11815, 11828, 11840, 11852, 11865, 12187, 12217, 12233, 12248, 12260, 12275, 12315, 12344, 12357, 12371, 12384, 12398, 12486, 12515, 12530, 12544, 12555, 12569, 12608, 12636, 12648, 12661, 12673, 12686, 12773, 12803, 12819, 12834, 12846, 12861, 12901, 12930, 12943, 12957, 12970, 12984, 13072, 13102, 13118, 13133, 13145, 13160, 13200, 13229, 13242, 13256, 13269, 13283, 13371, 13401, 13417, 13432, 13444, 13459, 13499, 13528, 13541, 13555, 13568, 13582, 13670, 13700, 13716, 13731, 13743, 13758, 13798, 13827, 13840, 13854, 13867, 13881,	13969, 13999, 14015, 14030, 14042, 14057, 14097, 14126, 14139, 14153, 14166, 14180, 14268, 14298, 14314, 14329, 14341, 14356, 14396, 14425, 14438, 14452, 14465, 14479, 14567, 14597, 14613, 14628, 14640, 14655, 14695, 14724, 14737, 14751, 14764, 14778, 15063, 15094, 15112, 15128, 15142, 15158, 15197, 15227, 15241, 15256, 15270, 15285, 15860, 16124, 16125, 16141, 16142, 16157, 16158, 16188, 16189, 16203, 16204, 16218, 16219, 18231, 26391, 26435, 26535 \ResetCounterPerPage 4387, 5262 \resizebox 16859 \restore@protect .. 5917 \restoreCaptionSkip 17040 \restorecounters@ 11186 \restylefloat 7769 \resumename 5125 \righskip 24462 \right 25918, 25927, 25929 \right@cor ... 19191, 19192, 19291, 19292 \right@footnoterule 26, 240, 452, 580, 769, 779, 1004, 1031, 1249, 1281, 2337, 2353, 9304, 9323, 9457, 9500, 9605, 9732, 11363, 11370, 11463, 11662, 15512,
--	---	---



15537,	16037,	15479,	15482,	24386,	24411,
16051,	16061,	15483,	17914,	24412,	24413,
16184,	16214,	17915,	18371,	24421,	24461,
17890,	17968,	19045,	19046,	24463,	25260,
18326,	18334,	19409,	19413,	25322,	25323,
19573,	20468,	19414,	19421,	25324,	25330,
20507,	20644,	19426,	19433,	25333,	25380,
20891,	20904,	19438,	20274,	25440,	25445,
21046,	21101,	20276,	20287,	25468,	25475,
21228,	21505,	20289,	20300,	25844,	25845,
21556,	22245,	20302,	20311,	26061,	26086,
22296,	23018,	20313,	20387,	26087,	26146,
\rightfootnoterule		20400,	20411,	\RL . .	17790, 20147, 25871
.....		20412,	20417,	\rlap	316, 492,
10778,		20428,	20451,	846,	1348,
16049,		20454,	20455,	1582,	
\rightline .		20783,	20784,	4618,	9645,
\rightlinenumbers .		20789,	20800,	11406,	
.....		20823,	20826,	11503,	15573,
\rightmargin ...		20827,	20837,	16364,	16797,
989,		20850,	20899,	16843,	16909,
8512,		21015,	21030,	16910,	16923,
8531,		21033,	21034,	16924,	17948,
8545,		21039,	21040,	19467,	20176,
16512,		21200,	21215,	20574,	20715,
16516,		21218,	21219,	20912,	20955,
20263,		21438,	22177,	21141,	21564,
21446,		22950,	23998,	21685,	22304,
22185,		24003,	24014,	22425,	23077,
22958,		24027,	24031,	23198,	23759,
25953,		24051,	24054,	25891	
25964,		24059,	24063,	\RLE .	4283, 4509, 17789,
25970,		24064,	24180,	20147,	20148,
25976,		24181,	24182,	20152,	25494,
25984,		24190,	24211,	25871,	25872,
25988		24212,	24213,	\rmfamily	775,
\rightskip		24221,	24234,	1027,	1277,
12,		24235,	24236,	8340,	
13,		24244,	24251,	8393,	8396,
217,		24252,	24253,	8400,	
218,		24261,	24268,	8403,	8407,
315,		24269,	24270,	8410,	
319,		24278,	24285,	8414,	8417,
551,		24286,	24287,	8421,	
568,		24295,	24302,	8424,	20503,
571,		24303,	24304,	20640,	
572,		24312,	24319,	\roman numeral
665,		24320,	24321,	6694,	6695,
678,		24329,	24337,	9057,	9120,
689,		24338,	24339,	11194,	
690,		24347,	24356,	11197,	11243,
695,		24357,	24358,	15901,	15902,
706,		24366,	24376,	15903,	15904,
731,		24377,	24378,	15906,	15907,
734,				15908,	15909,
735,				15910,	15913,
916,				15914,	15915,
917,				25956	
923,				\rot@float@box	21293,
933,				21294,	21295,
936,				21309,	21318,
937,				21336,	21337,
950,				21338,	21339,
972,				21340,	21356,
1166,				21367,	
1172,					
1173,					
1178,					
1189,					
1215,					
1218,					
1219,					
1237,					
2006,					
2007,					
2010,					
2815,					
2825,					
3311,					
3313,					
8450,					
8457,					
8458,					
9028,					
9217,					
9223,					
9224,					
9229,					
9240,					
9263,					
9266,					
9267,					
9394,					
9400,					
9401,					
9406,					
9417,					
9440,					
9443,					
9444,					
9704,					
9719,					
9722,					
9723,					
9855,					
9856,					
9857,					
9983,					
9984,					
9990,					
11293,					
11296,					
11297,					
11307,					
11561,					
12096,					
15342,					
15464,					



\rot@label .	21289, 21332	20909, 20997,	20689, 20735,
\rot@LR	21300, 21345	21106, 21180,	20755, 20909,
\rot@mess@toks	21292, 21304, 21314, 21323, 21335, 21350, 21362, 21372	21561, 22301, 23074 \RTLfootnotetext 4890, 4901, 9070, 9080, 16276, 16279, 17459, 18274, 23919, 23923	20939, 20979, 20997, 21106, 21126, 21161, 21180, 21561, 21740, 22301, 22480, 23074, 23253
\rot@message	21323, 21372		
\rot@pageref	21290, 21333		
\rotate	21386	\RTLfootscript 11903, 11931, 11935, 11937, 16346, 16350, 16352	\rtside 20021, 20023, 20034, 20036, 20057, 20059
\rotatebox . . .	15944, 16972, 17021, 17234, 18313, 18315, 18317, 18440, 18448, 18970, 21309, 21318, 21356, 21367	\RTLfoottextfont 11725, 11770, 11786, 11853, 11866, 11959, 12260, 12275, 12298, 12384, 12398, 12555, 12569, 12591, 12673	\rule 46, 60, 76, 259, 273, 288, 2299, 2316, 2333, 2349, 2365, 2381, 5173, 10642, 11275, 11279, 11282, 11719, 11725, 11731, 16135, 16152, 16168, 16196, 16211, 16226, 18621, 20227
\rotateframe	15906, 15943		
\rotFPbot	21310, 21317, 21357, 21366		
\rotFPTop	21308, 21319, 21355, 21368		
\rrb	4735, 4745		
\rsb	4734, 4743		
\RTL ..	20140, 25856, 25858		
\RTL@column@boxes . . .	19491, 19518, 19523		
\RTL@outputdblcol . . .	10134, 15677, 16593, 19168, 26205, 26296, 26297		
\RTLbidiuftesidenotemarginpar . . .	7871, 8171, 8312		
\RTLcases ..	25928, 25931		
\RTLcite	8098, 8218, 8247, 8276, 8298, 8307, 8316		
\RTLdblcol	26297		
\RTLdfnmakecol . . .	10938		
\RTLfootfootmark . . .	11724, 11928, 12298, 12591, 12884, 13183, 13482, 13781, 14080, 14379, 14678, 15180, 16343		
\RTLfootmarkstyle . . .	11903, 11942		
\RTLfootnote . . .	457, 531, 2418, 4822, 4835, 8287, 8637, 9610, 9684, 11468, 11542, 16094, 16292, 16300, 20649, 20755,	\RTLmarginnote 8309 \RTLmarginpar 26396 \RTLmulticolcolumns 19516 \RTLsidenote 8041, 8283 \RTLthanks 457, 477, 512, 531, 8637, 8645, 8662, 8678, 8689, 9610, 9630, 9665, 9684, 11468, 11488, 11523, 11542, 16274, 19015, 20649,	\SC@FLOAT 23693, 23701, 23705, 23712, 23714, 23719, 23721 \SC@justify@caption 23696, 23703, 23707, 23713, 23715, 23720, 23722 \sc@wm@text 11062 \scalebox 16857 \scantokens 6053, 6065



\scr@makesinglelinecaption	22755, 23488, .. 21880, 21900, 21923, 22641, 22661, 22684, 23406, 23426, 23449	\scr@ifundefinedorrelax .. 21935, 21948, 22696, 22709, 23461, 23474, 24501, 24549, 24594, 24660, 24706, 24733, 24754, 24759, 24815, 24930, 24932, 24961, 24964, 24965, 24972, 24990, 24992, 25003, 25005, 25021, 25061, 25062, 25064, 25080, 25133, 25160, 25179, 25198, 25214	23480, 23511, 23514 \scr@trim@spaces .. 24752 \scr@tso@figure@pagenumberformat 25228
\scr@caption 22034, 22036, 22038, 22796, 22798, 22800, 23561, 23563, 23565	24594, 24660, 24706, 24733, 24754, 24759, 24815, 24930, 24932, 24961, 24964, 24965, 24972, 24990, 24992, 25003, 25005, 25021, 25061, 25062, 25064, 25080, 25133, 25160, 25179, 25198, 25214	\scr@v@is@ge 21433, 22172, 22945
\scr@compatibility 21513, 21614, 21737, 22253, 22354, 22477, 23026, 23127, 23250	24972, 24990, 24992, 25003, 25005, 25021, 25061, 25062, 25064, 25080, 25133, 25160, 25179, 25198, 25214	\scr@v@is@gt 22512, 22534 \scr@v@is@le .. 22527, 22530, 23296, 23299
\scr@dte@current 24916, 24919	25064, 25080, 25133, 25160, 25179, 25198, 25214	\scriptsize ... 1682, 1791, 3329, 8478
\scr@dte@def@l@targettocline 24627	25179, 25198, 25214	\scshape 9558
\scr@dte@def@l@tocline 24877	\scr@LT@array ..	\secshape .. 20998, 21039
\scr@dte@def@l@undottedtocline 24466	.. 22031, 22032, 22044, 22793,	\SectFont 670, 679, 977, 985, 1229, 1238, 9277, 9465, 20392, 20401, 20842, 20851
\scr@dte@donumwidth 25146, 25147	22794, 22806, 23558, 23559, 23571	\sectfont 20257
\scr@dte@targettocline@init \scr@makemultilinecaption 24628	\scr@makemultilinecaption 21882, 21887, 21929, 22643, 22648, 22690, 23408, 23413, 23455	\section ... 611, 639, 655, 670, 676, 679, 746, 904, 977, 983, 985, 1009, 1156, 1229, 1235, 1238, 1259, 5169, 5235, 8342, 8364, 8432, 8440, 8555, 8558, 8562, 9277, 9465,
\scr@dte@nosub ..	24932, 24934, 24964, 24965, 24967, 24972, 24974, 24979, 24980, 24992, 24997, 25005, 25010, 25064, 25066, 25066, 25217	\scr@makesinglelinecaption 21884, 21892, 22645, 22653, 23410, 23418	11342, 20392, 20398, 20401, 20842, 20848, 20851
\scr@dte@numberline@box 24825, 24852	\scr@parindent .. . 22146, 22919, 23684	\sectionbib 24101
\scr@dte@pagenumberwidth 24863	\scr@savetext 21417, 21421, 22156, 22160, 22929, 22933	\sectionfont ... 5109, 5117, 10633, 10726
\scr@dte@tocline 24741, 25224	\scr@savetext 21415, 21418, 21425, 22154, 22157, 22164,	\sectionstyle . 5117, 5175
\scr@dte@tocline@init 24878	22927, 22930, 22937	\sectiontitlecolour ... 5100, 10595, 10603, 10610, 10617, 10624, 10694, 10700, 10706, 10712, 10718
\scr@dte@tocline@numberwidth 24828, 24831, 24833, 24836	\scr@savetext 21416, 21419, 21429, 22155,	\selectfont ... 357, 5858, 8703, 8705, 8707, 19795, 19808
\scr@dte@tocline@numbox 24827, 24829, 24843	22158, 22168, 22928, 22931, 22941	\separatorcolumnwidth 5140, 5141, 5152, 5158, 5174, 5179, 5185, 5243, 10740, 10770
\scr@dte@undottedtocline@init 24467	\scr@smashdp 21954, 21985, 21988, 22715, 22746, 22749,	\SepMark ... 25940, 25941 \seq . 6833, 6838, 18702, 18703, 19826, 19829



\set@color	9941, 9946, 9954, 9960, 9968, 9975, 9980, 16371, 25693, 25697, 25793	4984, 7750, 7806, 7809, 7850, 7853, 7894, 7897, 8956, 8967, 9173, 9187, 9813, 9840, 9845, 9877, 9912, 9941, 10098, 10099, 10103, 10106, 10116, 10120, 10123, 10127, 10137, 10140, 10141, 10155, 10172, 10188, 10200, 10203, 10204, 10218, 10231, 10247, 10272, 10273, 10277, 10309, 10310, 10312, 10313, 10316, 10317, 10345, 10351, 10354, 10362, 10400, 10401, 10431, 10451, 10488, 10499, 10512, 10562, 10786, 10794, 10795, 10799, 10807, 10815, 10816, 10820, 10835, 10838, 10843, 10847, 10855, 10892, 10895, 10900, 10904, 10909, 11811, 11824, 11836, 11848, 11861, 11982, 11984, 12006, 12008, 12117, 12120, 12127, 12202, 12244, 12271, 12300, 12329, 12353, 12367, 12380, 12394, 12500, 12540, 12565, 12593, 12621, 12644, 12657, 12669, 12682, 12788, 12830, 12857, 12886, 12915, 12939, 12953,	12966, 12980, 13087, 13129, 13156, 13185, 13214, 13238, 13252, 13265, 13279, 13386, 13428, 13455, 13484, 13513, 13537, 13551, 13564, 13578, 13685, 13727, 13754, 13783, 13812, 13836, 13850, 13863, 13877, 13984, 14026, 14053, 14082, 14111, 14135, 14149, 14162, 14176, 14283, 14325, 14352, 14381, 14410, 14434, 14448, 14461, 14475, 14582, 14624, 14651, 14680, 14709, 14733, 14747, 14760, 14774, 14809, 14810, 14817, 14827, 14830, 14832, 14834, 15067, 15079, 15098, 15116, 15124, 15132, 15146, 15154, 15162, 15182, 15201, 15212, 15231, 15237, 15245, 15252, 15260, 15266, 15274, 15281, 15289, 15299, 15310, 15326, 15335, 15354, 15362, 15377, 15393, 15403, 15652, 15680, 15683, 15696, 15716, 15719, 15733, 15784, 15825, 15830, 16185, 16200, 16215, 16235, 16426,
------------	---	--	--



16435,	16439,	26208,	26211,	11172,	16788,
16463,	16477,	26212,	26226,	16832,	16960,
16547,	16554,	26255,	26258,	19788,	19852,
16555,	16571,	26259,	26273,	21297,	21342, 25578
16596,	16603,	26302,	26304,	\setlatin	4247
16604,	16620,	26318,	26320,	\setlength .	549, 566,
16671,	16683,	26331,	26375,	705, 729, 931, 949,	
16717,	16719,	26378,	26419,	986, 987, 988, 989,	
16730,	16755,	26422,	26450,	990, 1188, 1213,	
16780,	16789,	26464,	26482, 26548	3214, 3229, 3274,	
16796,	16797,	\SetCaptionDefault	3529, 4809, 4810,	
16842,	16843,		1875, 1877	4811, 5013, 5014,	
18189,	18200,	\setcaptionfont	5016, 5017, 5019,	
18281,	18287,	\setchapterpreamble		5020, 5022, 5023,	
18291,	18300,		5025, 5026, 5028,	
18357,	18389,	\setcitationfont	5029, 5031, 5032,	
18395,	19171,	\setcounter	5033, 5038, 5039,	
19174,	19175,	474,		5077, 5078, 5080,	
19197,	19202,	509,	787, 819, 863,	5081, 5082, 5083,	
19212,	19230,	1039,	1071, 1115,	5141, 5150, 5151,	
19235,	19271,	1289,	1321, 1365,	5154, 5156, 5159,	
19274,	19275,	4625,	8006, 8025,	5160, 5162, 5165,	
19297,	19302,	8044,	8076, 8326,	5231, 5241, 5242,	
19312,	19330,	8838,	9116, 9331,	5243, 7243, 7270,	
19335,	19366,	9363,	9508, 9540,	7271, 7272, 7273,	
19447,	19463,	9627,	9662, 11390,	7294, 7300, 7301,	
19965,	19979,	11423,	11485,	7334, 7337, 7341,	
19982,	20001,	11520,	15557,	7387, 7439, 7440,	
20002,	20008,	15590,	15885,	7941, 7942, 7943,	
20009,	20020,	19043,	19747,	7944, 7950, 8192,	
20022,	20024,	19768,	20515,	8485, 8486, 8487,	
20026,	20029,	20547,	20591,	8488, 8489, 8490,	
20031,	20033,	20654,	20686,	8491, 8492, 8494,	
20035,	20045,	20732,	20936,	8495, 8497, 8500,	
20047,	20056,	20976,	21123,	8501, 8502, 8503,	
20058,	20073,	21158,	21523,	8720, 8721, 9239,	
20075,	20083,	21736,	21809,	9261, 9416, 9438,	
20085,	20094,	22263,	22476,	9702, 9717, 9988,	
20175,	20176,	22570,	23036,	10729,	10733,
20206,	20224,	23249,	23335, 24404	10735,	10738,
21378,	21388,	\setdefaultbibitems	11146,	11291,
21399,	21406,		25945	11306,	11944,
23747,	23795,	\setdefaultmarginpar	11947,	11961,
23836,	23886,		26486	15463,	15477,
23956,	25398,	\setDefaults	16233,	16774,
25401,	25406,	\setfloatalignment	7378	16882,	16883,
25410,	25414,	\setfootnoteLR	. . . 16116	16889,	16890,
25418,	25422,	\setfootnoteRL	. . . 16114	16892,	16893,
25426,	25430,	\setkeys	. . 1884, 1885,	16962,	16963,
25434,	25685,		1979, 1984, 1986,	16975,	16979,
25693,	25798,		1988, 2067, 2232,	16981,	16983,
25850,	25860,		2242, 2266, 2267,	16987,	16989,
25890,	25891,		2401, 2427, 2453,	18264,	19787,
26083,	26109,		2478, 9804, 9821,	20427,	20449,
			11164,	11170,	



20799, 21028, 21213, 22204, 24002, 24051, 24054, 24432, 24435, 24438, 24441, 24444, 24605, 25144, \setLR	20821, 21198, 21465, 22977, 24003, 24052, 24428, 24433, 24436, 24439, 24442, 24445, 24717, 26009, 26012, 20182, 25909	\settowidth 89, 302, 616, 751, 1014, 1264, 2660, 3407, 3411, 3414, 5145, 9286, 9474, 9783, 10731, 11188, 11347, 11618, 15522, 17867, 19786, 20479, 20873, 21067, 21270, 21802, 21880, 22563, 22641, 23328, 23406, 24083, 25363, 25365	\sidecaptionsep 23694, 23695, 23702, 23706, 23712, 23714, 23719, 23721
\setLTR	20143, 20144, 20157, 20182, 25867, 25881, 25909, 25910	\Setversedim 8851, 8855, 8881	\sidenote 8003, 8057, 8095, 8190, 8281
\setLTRbibitems ..	25944	\SetWatermarkText 11061	\sidenotes 8100
\setLTRcitationfont	7934	\SevenColumnFootnotes 13637	\sideways 21404
\setLTRmarginnotefont		\sevencolumnfootnotes 13612	\SixColumnFootnotes 13338
..... 7931		\sf@size 17898	\sixcolumnfootnotes 13313
\setLTRmarginpar .	26485	\sfcode 93, 306, 627, 759, 1022, 1272, 2674, 9294, 9482, 9794,	\sixt@on 4951, 4973
\setLTRsidenotefont	7928	11355, 11629, 15530, 17871, 19680, 20487, 20881, 21078, 21281, 21819, 22580, 23345, 24094	\size@chapter 20257
\setLTRtable	4253	\sh@wgridXunit 20195	\skip 4288, 4514, 9044, 9045, 10840, 10897, 11977, 12001, 12084, 12101, 12106, 12112, 12114, 14843, 15368, 15381, 15420, 15428, 16251, 16537, 16538, 16549, 16551, 16598, 16600, 16654, 16659, 16722, 16733, 16740, 16774, 19580, 20163, 20169, 26307, 26323, 26334, 26342
\setmarginnotefont	7930	\sh@wgridYunit 20195	\skip@ 321, 322
\setnonlatin	4248	\shadowbox 11260	\slideentry 2692
\setparsizes 21580, 22320, 23093	\shadowsize 11270, 11274, 11275, 11278, 11279, 11282	\sloppy 42, 56, 72, 92, 255, 269, 284, 305, 623, 758, 1021, 1271, 2670, 5250, 9293, 9481, 9790, 11354, 11625, 15529, 16532, 17870, 18374, 19679, 20337, 20486, 20880, 21074, 21277, 21818, 22579, 23344, 24090
\setRL	20181, 25908	\shortauthors	\slshape 696, 924, 1179, 5197, 9230, 9407, 10631, 10632, 10722, 10723, 10725, 20418, 20790, 21004
\setRTL	20142, 20145, 20157, 20181, 25520, 25560, 25594, 25866, 25869, 25881, 25908	.. 115, 116, 121, 17930, 17931, 17936	\small 451, 679, 778, 985,
\setRTLbibitems ..	25943	\shortcite 19682	
\setRTLcitationfont	7935	\shorttitle	
\setRTLmain	4499	.. 114, 115, 121, 17929, 17930, 17936	
\setRTLmarginnotefont		\showbox 16500	
..... 7932		\showgridp@s 20194	
\setRTLmarginpar .	26484	\showoutput 16500	
\setRTLsidenotefont	7929	\sidebarheight	
\setRTLtable	4252	.. 2121, 2129, 2139, 2152, 2158, 2168	
\setsidenotefont ..	7927		
\setSingleSpace	11890, 11895		
\setspace@singlespace	8137, 8155, 8173		
\setthesesection	19060		
\settodepth	19783		
\settoheight	11143, 19784		



\space	4054, 4201, 4262, 4265, 4268, 4465, 4555, 4558, 4561, 6039, 6177, 6291, 6305, 6319, 6329, 7559, 7564, 7565, 7698, 7699, 9558, 9753, 10326, 10328, 10350, 10352, 11587, 15492, 16400, 16408, 16409, 16433, 16441, 17980, 18213, 18214, 18747, 19453, 19455, 19456, 19457, 19458, 20202, 21248, 21291, 21334, 21461, 21634, 21641, 21663, 21669, 21676, 21824, 22200, 22374, 22381, 22403, 22409, 22416, 22585, 22973, 23147, 23154, 23176, 23182, 23189, 23350, 23906, 23908, 23965, 24845, 24847, 25482, 26173, 26455	\spacefactor	8116, 8121, 8127, 8130
\smalldownarrow	23729	\spaceskip	23774, 23779
\smallskip	19601, 19606, 19613, 19622, 19633, 19638, 19643, 19650, 19657, 19664, 20254	\special	4310, 4399, 4410, 4423, 4436, 4528, 4565, 4614, 20176, 20234, 20236, 20239, 20241, 20245, 20247, 23962, 23963, 23967, 23968, 23970, 25891
\smallskipamount	3143, 3155, 3167	\spinemargin	11074, 11076, 11080, 11084
\smash	7495, 7500, 7511, 7512, 7515, 7516, 7723, 10789, 10810, 16364, 20179, 25895, 25902	\split@prev
\SOUL@apo	23741	\split@prev	16073, 16081, 16086
\SOUL@comma	23740	\splitbotmark	16437
\SOUL@do	23743	\splitfirstmark
\SOUL@eventuallyexhyphen	23730	\soulomit	10144, 10207, 15686, 15722,
\SOUL@grave	23742		14797, 14801,
\SOUL@ignorespacesfalse	23734		
\SOUL@lasttoken	23737		
\SOUL@lowerthan	23727		
\SOUL@minus	23739		
\SOUL@postamble	23744		
\SOUL@preamble	23736		
\SOUL@soeventuallyskip	23731		
\SOUL@spaceskip	23732		
\SOUL@start	23725		
\SOUL@ulcolor	23756, 23762, 23768, 23776		
\SOUL@uldp	23768		
\SOUL@uleverspace	23770		
\SOUL@ulht	23768		
\SOUL@ulleaders	23756, 23762, 23778		
\SOUL@uloverlap	23749		
\SOUL@underline	23746		
\SOUL@word	23738		
\soulomit	23729		



14802, 14806,	16408, 16530,	3442, 3451, 3453,
14807, 16127,	16864, 16865,	3458, 3459, 3461,
16144, 16160,	20347, 20348,	3462, 3604, 3606,
16431, 16432, 19975	21461, 21634,	3751, 3753, 3847,
\stepcounter . . . 2405,	21635, 21641,	3849, 3851, 3942,
2431, 2457, 6347,	21642, 21663,	3944, 3946, 4726,
6353, 6361, 6367,	21669, 21670,	11656, 12292,
8014, 8033, 8052,	21676, 21677,	12295, 12298,
8084, 8204, 8233,	21824, 21826,	12585, 12588,
8262, 9014, 15884,	21832, 21864,	12591, 12878,
15955, 16024,	21865, 21873,	12881, 12884,
16094, 16103,	21874, 21937,	13177, 13180,
17625, 18151,	21938, 21941,	13183, 13476,
19742, 19746,	21942, 22200,	13479, 13482,
19763, 19767,	22374, 22375,	13775, 13778,
21288, 21331,	22381, 22382,	13781, 14074,
21855, 21856,	22403, 22409,	14077, 14080,
22616, 22617,	22410, 22416,	14373, 14376,
23381, 23382, 26578	22417, 22585,	14379, 14672,
\stopbreaks 11648	22587, 22593,	14675, 14678,
\str 6837, 6838,	22625, 22626,	15172, 15176,
18459, 18510,	22634, 22635,	15180, 18388,
18582, 18600,	22698, 22699,	21924, 21953,
18662, 18686,	22702, 22703,	21965, 21976,
18691, 18765,	22973, 23147,	21985, 22685,
18796, 18809,	23148, 23154,	22714, 22726,
18831, 18885, 18917	23155, 23176,	22737, 22746,
\stretch 1515,	23182, 23183,	23450, 23479,
1518, 9914, 9917	23189, 23190,	23491, 23502,
\string 369, 609, 1425,	23350, 23352,	23511, 24013, 24018
4146, 4150, 5293,	23358, 23390,	\strutbox 40, 54, 70, 253,
5329, 5335, 5407,	23391, 23399,	267, 282, 401, 405,
5409, 5421, 5422,	23400, 23463,	2299, 2316, 2333,
5425, 5426, 5436,	23464, 23467,	2349, 2365, 2381,
5437, 5440, 5441,	23468, 23932,	10407, 11720,
5444, 5445, 5448,	25481, 25738,	11726, 11732,
5449, 5632, 5652,	25785, 26173, 26193	11966, 12410,
5680, 5706, 5734,	\strip@prefix . 6082, 6095	12416, 12421,
5760, 5763, 5797,	\strip@pt 2535,	12426, 12697,
5800, 5884, 5885,	5543, 5857, 11010,	12703, 12708,
5891, 6039, 6061,	11013, 11018,	12713, 12996,
6082, 6085, 6112,	11021, 14881,	13002, 13007,
6114, 6177, 6250,	14934, 14986, 15037	13012, 13295,
6297, 6298, 6311,	\stripsep 10189, 10248,	13301, 13306,
6312, 6323, 6324,	10264, 10271,	13311, 13594,
6335, 6336, 6367,	10491, 10503,	13600, 13605,
6381, 6382, 6383,	10517, 19206,	13610, 13893,
6384, 6388, 7698,	19208, 19215,	13899, 13904,
7699, 9950, 9953,	19306, 19308,	13909, 14192,
9971, 9974, 12023,	19315, 19377,	14198, 14203,
15667, 15669,	19380, 19382, 19389	14208, 14491,
15672, 15674,	\strut . 46, 60, 76, 259,	14497, 14502,
16404, 16405,	273, 288, 3104,	14507, 14790,
16406, 16407,	3429, 3433, 3439,	14796, 14801,



14806,	14888,	\tabcolsep	391, 1397, 18186, 20768, 25915	23054,	23059, 23060, 23061, 26577
14941,	14993,	\tablinesep 23829	\textit 24464
15044,	16128,	\tabskip 418, 9024, 18202, 18203, 18206,	\textsf 4335
16135,	16145,	\tabular	23802, 23840, 26116	\textsl	.. 7582, 7583, 7584
16152,	16161,	\tabularnewline 23901	\textsuperscript 8129, 11940, 11941, 11942,
16168,	16196,	\tabularx	427, 18170, 23804, 26118	21497,	22237, 23010
16211,	16226,	\tabularxcolumn 23892	\textttt 4749, 4813, 4815, 4816, 6370
18175,	18191,	\tagform@ 346	\textwidth	1858, 1884, 1979, 2036, 2037,
18250,	18390,	\tamark 19026	2052,	2053, 2126,
21905,	21907,	\tbl	407, 410, 416, 436, 438, 18154, 18196, 18198, 18205, 18217, 18220, 18223	2149,	2156, 2198,
22001,	22003,	\tcb@colorbox 23990	2199,	2200, 2249,
22666,	22668,	\tcb@vbox 23977	2253,	2257, 2289,
22762,	22764,	\tcd 19972, 19979, 19980	2306,	2323, 3032,
23431,	23433,	\tcdsav 19972	3039,	3056, 3062,
23527,	23529,	\tcl 19996, 19997, 20003	3068,	3215, 3218,
23796,	23797,	\tcn	19980, 19981, 20003, 20004, 20005, 20006	3220,	3341, 3358,
23832,	26110, 26111	\Telefon 5091	3360,	3364, 3368,
\subfig@oldlabel	...	\TenColumnFootnotes 14509	3373,	3376, 3381,
..... 7429, 7431		\textbf 14534	3384,	3743, 4297,
\subfigure 7428, 7435	\textcolor 14509	4303,	4598, 5050,
\subitem 108, 238, 8576, 17887	\textdef@ 17791, 20158, 20159, 20180, 25882, 25883, 25896	5141,	5150, 5151,
\subjclass 334	\textdir 14534	5163,	5165, 7337,
\subject 21760, 22500, 23273	\textendash 14534	7341,	7440, 7741,
\subparagraph 8378, 8379, 8382	\textbullet 3296, 5088, 10588, 10652, 10686	7742,	8882, 10156,
\subsection 5176, 8349, 8365	\textcolor 14509	10164,	10219,
\subsectioncolour	...	\TeX 17791, 20158, 20159, 20180, 25882, 25883, 25896	10412,	10452,
.... 5102, 10596,		\textbf 5204, 8522, 16377, 16379, 16381, 16383	10462,	10642,
10604,	10611,	\textcolor 16379, 16381, 16383	10657,	10729,
10618,	10625,	\textdef@ 10452,	10738,	10852,
10695,	10701,	\textdir 10452,	11073,	11083,
10707,	10713, 10719	\textendash 10452,	11089,	11119,
\subsectionfont	5110,	\textbullet 10452,	15696,	15702,
5118,	10634, 10727	\textcolor 10452,	15734,	15825,
\subsectionstyle	...	\textcolor 10452,	15830,	16238,
.... 5118, 5177		\textcolor 11259, 11274, 11278, 11281, 16367	16572,	16621,
\subsubitem	\textdef@ 11259, 11274, 11278, 11281, 16367	16629,	16910,
109, 239, 8577, 17888		\textdir 11259, 11274, 11278, 11281, 16367	16913,	16918,
\subsubsection	\textendash 11259, 11274, 11278, 11281, 16367	16924,	18362,
... 8369, 8370, 8373		\textendash 11259, 11274, 11278, 11281, 16367	19236,	19244,
\subtable 7435	\textheight 11259, 11274, 11278, 11281, 16367	19336,	19367,
\supereject 4579	4599, 5052, 11259, 11274, 11278, 11281, 16367	19527,	19562,
\switchlinenumbers	...	10172, 11259, 11274, 11278, 11281, 16367	19563,	19566,
.... 18024,		10231, 11259, 11274, 11278, 11281, 16367	19567,	19570,
18026,	18031, 18033	16540, 11259, 11274, 11278, 11281, 16367	19571,	19575,
\symbol 4739, 4749	16962, 11259, 11274, 11278, 11281, 16367	19578,	21539,
\sys 18680	21296, 11259, 11274, 11278, 11281, 16367	21549,	21582,
T		21341, 11259, 11274, 11278, 11281, 16367	21547,	21626,
\t@cb@bchapsec 24075	21546, 11259, 11274, 11278, 11281, 16367	22281,	22289,
\tabcaption	17011, 17029	22287, 11259, 11274, 11278, 11281, 16367	22288,	22322,



22366, 23052,	11424, 11441,	8127, 8933, 8940,
23062, 23095,	11466, 11486,	9064, 9067, 9070,
23135, 23139,	11521, 11540,	9074, 9077, 9080,
26227, 26235,	15540, 15558,	9185, 9800, 9805,
26274, 26552, 26568	15591, 15608,	9849, 9910, 10143,
\textwidth@footnoterule	19013, 20510,	10145, 10206,
..... 454,	20522, 20548,	10208, 10288,
781, 1033, 1283,	20559, 20560,	10308, 10314,
9325, 9502, 9607,	20569, 20592,	10318, 10325,
11372, 11465,	20609, 20647,	10326, 10327,
15539, 16043,	20661, 20687,	10328, 10329,
16054, 19577,	20700, 20701,	10330, 10350,
20509, 20646,	20710, 20733,	10352, 10361,
20906, 21103,	20753, 20907,	10365, 10388,
21558, 22298, 23071	20937, 20977,	10389, 10390,
\textwidthfootnoterule	20995, 21104,	10392, 10393,
..... 4124,	21124, 21159,	10394, 10395,
10780, 11708,	21178, 21559,	10428, 10492,
16052, 16767, 26605	21738, 22299,	10504, 10516,
\TeXeTOff . 20091, 25796	22478, 23072, 23251	11979, 12003,
\TeXeTOOn 20090,	\thankses 333	14892, 14945,
20092, 25795, 25797	\the 124, 125, 1413, 1507,	14997, 15048,
\TeXeTstate .. 20090,	1508, 1510, 1511,	15318, 15685,
20091, 25795, 25796	2073, 2075, 2081,	15687, 15721,
\TF@conlab	2083, 2477, 2968,	15723, 15953,
. 16360, 16362, 16369	2974, 2976, 2977,	15967, 15968,
\TF@savecolor 16366, 16371	2978, 2980, 2981,	15971, 15972,
\TF@Title 16369	2982, 2990, 2992,	15975, 16028,
\thanklessauthor ..	2993, 2994, 2996,	16032, 16086,
..... 8630,	2997, 2998, 3324,	16262, 16276,
8663, 8666, 8703	3425, 3427, 3428,	16393, 16400,
\thanklesspublisher	3429, 3431, 3432,	16404, 16405,
..... 8631,	3433, 3438, 3439,	16406, 16407,
8690, 8693, 8707	3441, 3442, 3448,	16408, 16409,
\thanklesstitle 8629,	3449, 3451, 3453,	16417, 16423,
8646, 8649, 8705	3458, 3459, 3461,	16430, 16431,
\thanks 333,	3462, 4215, 4321,	16433, 16438,
455, 475, 510, 529,	4479, 4539, 4590,	16440, 16441,
782, 794, 820, 831,	4592, 4595, 4597,	16455, 16481,
832, 841, 864, 881,	4882, 4884, 4887,	16511, 16512,
1034, 1046, 1072,	4890, 4895, 4898,	16513, 16518,
1083, 1084, 1093,	4901, 5006, 5342,	16519, 16520,
1116, 1133, 1284,	5344, 5345, 5366,	16530, 16557,
1296, 1322, 1333,	5368, 5369, 6054,	16559, 16606,
1334, 1343, 1366,	6383, 6478, 6533,	16608, 16834,
1384, 4626, 8629,	6561, 6563, 6570,	16879, 17412,
8630, 8631, 8632,	6572, 6574, 6576,	17420, 17421,
8635, 8642, 8643,	6577, 6578, 6589,	17427, 17429,
8659, 8660, 8675,	6596, 6598, 6603,	17458, 17459,
8676, 8687, 9326,	6607, 6608, 6613,	17465, 17467,
9338, 9364, 9503,	6618, 6626, 6629,	17498, 17500,
9515, 9541, 9608,	6633, 6639, 6723,	17529, 17531,
9628, 9663, 9682,	6724, 6725, 6750,	17560, 17562,
11373, 11391,	7971, 7981, 8116,	17939, 17940,



18213,	18214,	26216, 26261, 26263	20879, 21073,
18215,	18271,	\the@cornersize ...	21276, 21816,
18274,	18875, 15644, 15645	22577, 23342, 24089
19177,	19179,	\thealgocf 168	\theequation
19190,	19207,	\theAlgoLine 198	9314, 9491, 9736,
19214,	19220,	\theBackrefHyperFootnoteCounter	15627,
19277,	19279, 16296, 16302	15918, 15931,
19290,	19307,	\thechapter ... 318,	17949, 19061,
19314,	19320,	8338, 9309, 9315,	20496, 20865,
19390,	19453,	9317, 9319, 9486,	21050, 21232,
19455,	19456,	9492, 9494, 9496,	22533, 23302, 26598
19457,	19458,	9558, 9737, 9739,	\thefigure 9316,
19459,	19673,	9741, 9742, 9743,	9493, 9738, 11572,
19851,	19867,	9753, 11571,	15629, 15920,
19871,	19874,	11573, 11575,	15933, 19063,
19899,	19923,	11576, 11577,	20498, 20861,
19930,	19937,	11587, 15492,	21052, 21234,
20097,	20098,	15622, 15628,	22528, 23297, 23812
21304,	21314,	15630, 15632,	\thefootdir@label .
21323,	21350,	15919, 15921,	.. 15953, 15956,
21362,	21372,	15923, 15924,	15984, 15989,
21529,	21530,	15925, 15932,	16007, 16010, 16030
21531,	21809,	15934, 15936,	\thefootnote 491, 786,
22269,	22270,	15937, 15938,	845, 1038, 1097,
22271,	22570,	18138, 19051,	1288, 1347, 4617,
23042,	23043,	19060, 19062,	9330, 9507, 9644,
23044,	23335,	19063, 19064,	11405, 11502,
23825,	23826,	19714, 20260,	15572, 17312,
23856,	23875,	20491, 20497,	20514, 20573,
23877,	23901,	20499, 20501,	20653, 20714,
23906,	23908,	20856, 20862,	20910, 20953,
23909,	23912,	20864, 20866,	21140, 21562,
23913,	23916,	21051, 21053,	21683, 22302,
23919,	23920,	21055, 21056,	22423, 23075, 23196
23923,	24031,	21233, 21235,	\thefootnotemark ..
24773,	24843,	21237, 21238,	. 21497, 22237, 23010
24846,	24848,	21239, 21248,	\theHchapter 19714
24934,	25264,	22513, 22515,	\theHT@tables ... 18148
25267,	25268,	22528, 22531,	\theHsection 19722, 19724
25270,	25272,	22535, 22537,	\theindex . 98, 228, 17877
25276,	25281,	23285, 23297,	\thelstlisting 18109,
25285,	25296,	23300, 23303, 24118	18114, 18137, 18140
25297,	25300,	\thecontentspage ..	\thempfn
25306,	25310, 8396,	2395, 2421, 2447,
25318,	25319,	8403, 8410, 8417, 8424	4907, 4915, 4923,
25356,	25372,	\thedate . 8625, 8633, 8679	8205, 8211, 8234,
25376,	25475,	\theenumiv 86,	8240, 8263, 8269,
25638,	25650,	89, 299, 302,	9085, 9092, 9099,
25655,	25676,	622, 757, 1020,	16095, 16100,
25677,	25679,	1270, 2668, 5249,	16104, 16109,
25801,	25802,	9292, 9480, 9789,	16240, 16266,
25956,	26013,	11353, 11624,	16271, 16281,
26179,	26181,	15528, 17864,	16286, 17279,
26193,	26214,	17867, 20485,	17290, 17301,



17431, 17469,	19722, 19724,	21242, 21773,
17502, 17533,	20491, 20492,	21776, 22520,
17564, 17626, 18420 \thempfootnote	20856, 20857, 21056, 21057, 21239, 21240, 21772, 22511, 22519, 23284, 23288	22523, 23289, 23292 \thetable 9318,
..... 16240, 18420		9495, 9740, 11574,
\theorem@indent 19756, 19757, 19776, 19777		15631, 15922,
\theorem@prework . 19750	\thesubparagraph 22, 227, 587, 744, 998, 1257, 9313, 9490, 9747, 11458, 11581, 15626, 15929, 15942, 17924, 19058, 20495, 20860, 21060, 21243, 21777, 22524, 23293	15935, 19064,
\theorempostskipamount 19751, 19771		20500, 20863,
\theorempreskipamount 19754, 19774		21054, 21236, 22531, 23300, 23813
\thepage 4588, 4593, 5226, 7470, 7582, 7583, 7584, 7593, 7594, 8809, 8810, 8821, 8822, 8823, 10529, 10547, 25682, 26455	\thesubsection .. 19, 20, 224, 225, 584, 585, 741, 742, 995, 996, 1254, 1255, 8352, 9310, 9311, 9487, 9488, 9744, 9745, 11455, 11456, 11578, 11579, 15623, 15624, 15926, 15927, 15939, 15940, 17921, 17922, 19052, 19055, 20492, 20493, 20857, 20858, 21057, 21058, 21240, 21241, 21772, 21774, 22519, 22521, 23288, 23290	\TheTokenList 6587 \thinlines . . . 10002, 10012, 10025, 10035, 10048, 10058, 10071, 10081
\theparagraph . . . 21, 22, 226, 227, 586, 587, 743, 744, 997, 998, 1256, 1257, 8359, 9312, 9313, 9489, 9490, 9746, 9747, 11457, 11458, 11580, 11581, 15625, 15626, 15928, 15929, 15941, 15942, 17923, 17924, 19056, 19059, 20494, 20495, 20859, 20860, 21059, 21060, 21242, 21243, 21776, 21778, 22523, 22525, 23292, 23294	\thesubsubsection 20, 21, 225, 226, 585, 586, 742, 743, 996, 997, 1255, 1256, 9311, 9312, 9488, 9489, 9745, 9746, 11456, 11457, 11579, 11580, 15624, 15625, 15927, 15928, 15940, 15941, 17922, 17923, 19054, 19057, 20493, 20494, 20858, 20859, 21058, 21059, 21241, 21242, 21774, 21775, 22519, 22521, 23288, 23290	\thispagestyle 101, 113, 231, 507, 642, 657, 861, 906, 1113, 1158, 1363, 8710, 8732, 8753, 9209, 9386, 9597, 9660, 11421, 11518, 11635, 11638, 15588, 17880, 17928, 17952, 17955, 19041, 20379, 20589, 20634, 20730, 20974, 21094, 21156, 21732, 22472, 23245, 24150
\thepart 591, 599, 11317, 11325		\thm@topsepadd 19751, 19752, 19755, 19771, 19772, 19775
\ther@tfl@t .. 21289, 21290, 21332, 21333		\thr@@ 366, 382, 1422, 1440, 1464, 1473, 12698, 12704, 12709, 12714, 23732, 23929, 23949
\thesection 19, 224, 584, 741, 995, 1254, 8345, 9309, 9310, 9486, 9487, 9743, 9744, 11455, 11577, 11578, 15622, 15623, 15925, 15926, 15938, 15939, 17921, 19051, 19053	\thesubsubsection 20, 21, 225, 226, 585, 586, 742, 743, 996, 997, 1255, 1256, 9311, 9312, 9488, 9489, 9745, 9746, 11456, 11457, 11579, 11580, 15624, 15625, 15927, 15928, 15940, 15941, 17922, 17923, 19054, 19057, 20493, 20494, 20858, 20859, 21058, 21059, 21241, 21242, 21774, 21775, 22519, 22521, 23288, 23290	\ThreeColumnFootnotes 12453 \threecolumnfootnotes 12428
		\time 4325, 4329, 4544, 4548
		\tiny 4665, 8107, 8479
		\title 330, 483, 519, 826, 871, 1078, 1123, 1328, 1373, 4633, 5128, 5167, 8624, 8639, 9370, 9547, 9636, 9672, 11397, 11431, 11494, 11530



15564, 15598,	18463, 18465,	18983, 18984,
20554, 20599,	18468, 18472,	18989, 18990,
20695, 20742,	18481, 18485,	18995, 19007, 19008
20945, 20986,	18488, 18493,	\tmpcount 6777, 6803
21132, 21168,	18498, 18506,	\toaddress . 11644, 17961
21757, 22497, 23270	18508, 18509,	\toc@headstar 24140, 24145
\TitleBarFrame	18510, 18511,	\tocbasic@DependOnPenaltyAndTOCLevel
.. 16358, 16377,	18513, 18515, 24744
16379, 16381, 16383	18517, 18518,	\tocbasic@SetPenaltyByTOCLevel
\titlecolour . 5097, 10689	18520, 18526, 24872
\titlecontents . 8391,	18530, 18533,	\TOCEntryStyleStartInitCode
8398, 8405, 8412, 8419	18534, 18537,	.. 22053, 22066,
\TitleFont 775,	18544, 18549,	22084, 22815,
791, 882, 884, 890,	18557, 18560,	22828, 22847,
1027, 1043, 1134,	18561, 18562,	23580, 23593, 23612
1136, 1142, 1277,	18563, 18564,	\toclevel@subfigure
1293, 1385, 1387,	18567, 18573, 24354
1393, 1396, 1397,	18574, 18575,	\toclevel@subtable 24374
1402, 9335, 9512,	18580, 18582,	\TOCLineLeaderFill
20503, 20519,	18589, 18593, 22070,
20610, 20612,	18598, 18600,	22086, 22832,
20618, 20640,	18602, 18604,	22849, 23597,
20658, 20756,	18623, 18629,	23614, 24894, 25185
20758, 20764,	18630, 18631,	\tocstyle@numberline
20767, 20768, 20773	18632, 18633, 25363,
\titlefont	18645, 18648,	25365, 25383,
.. 5106, 5114, 10722	18651, 18653,	25385, 25388, 25390
\titleformat ... 8335,	18677, 18678,	\tocstyle@activate@all@l
8342, 8349, 8356	18680, 18689, 25476
\titlehead	18692, 18693,	\tocstyle@activate@features
. 21759, 22499, 23272	18694, 18695, 25253
\titlepage 668,	18696, 18697,	\tocstyle@dottedtocline
975, 1227, 9275,	18699, 18705, 25240
9463, 20390, 20840	18710, 18713,	\tocstyle@feature@dothook
\titlepage@restore	18714, 18727, 25339
.. 21527, 21533,	18729, 18730,	\tocstyle@feature@entryhook
21553, 21655,	18731, 18732, 25335
21682, 22267,	18733, 18734,	\tocstyle@feature@entryvskip
22273, 22293,	18735, 18744, 25254, 25257
22395, 22422,	18747, 18751,	\tocstyle@feature@leaders
23040, 23046,	18752, 18753, 25337, 25342
23066, 23168, 23195	18756, 18770,	\tocstyle@feature@pagenumberbox
\titlepagestyle ...	18776, 18789, 25345, 25348
. 21732, 22472, 23245	18794, 18798,	\tocstyle@feature@pagenumberhook
\titlespacing	18819, 18827, 25346, 25348
.. 8363, 8364, 8365	18828, 18853,	\tocstyle@feature@parfillskip
\titlestyle . 5114, 10753	18857, 18858, 25325, 25326
\tl 6938, 6940,	18859, 18872,	\tocstyle@feature@raggedhook
6944, 6947, 18146,	18944, 18945, 25261
18148, 18152,	18953, 18954,	\tocstyle@feature@spaceafternumber
18442, 18450,	18955, 18956, 25362,
18455, 18457,	18966, 18967,	25366, 25387, 25391
18458, 18459,	18968, 18973,	\tocstyle@indentstyle
18460, 18462,	18978, 18980, 25312, 25382



\tocstyle@l@define	16559,	16605,	19370,	24116,
.. 25399, 25402,	16606,	16607,	24122,	24127,
25407, 25411,	16608,	16831,	24134,	24139, 24144
25415, 25419,	16834,	16868,	\TOTALHEIGHT	23961, 23965
25423, 25427,	16870,	16874,	\totalheight 16861
25431, 25435, 25467	16876,	16879,	\tovalue
\tocstyle@macrochangepwarning	17409,	17412,	6661, 6748, 6756,	
..... 25455, 25462	17936,	17940,	6787, 6800, 6806, 6807	
\tocstyle@numberline	19176,	19177,	\tracingmacros 6776
..... 25241, 25360	19178,	19179,	\traditionalconverses	
\tocstyle@saved@dottedtocline	19276,	19277,	... 8871, 8894, 8910	
..... 25457	19278,	19279,	\traditionalhalfverses	
\tocstyle@saved@numberline	23875,	23895, 8860,	
..... 25465	23901,	26213,	8864, 8871, 8904	
\tocstyledepth 25252,	26214,	26215,	\traditionalpoem	.. 9106
25264, 25276,	26216,	26260,	\traditionalpoem@cr	
25296, 25297,	26261,	26262, 26263	... 8984, 9033, 9034	
25300, 25318,	\tolerance	\traditionalpoem@obeylines	
25319, 25368,	.. 12288, 12581,	 8914, 9106	
25370, 25372, 25376	12874,	13173,	\traditionalpoem@par	
\tocstyleTOC	13472,	13771,	... 8914, 8915, 9033	
.. 25264, 25267,	14070,	14369, 14668	\trimb 7966, 7973
25268, 25270,	\toname 11644, 17961	\trimc 7975
25272, 25276,	\topheight	\trivlist
25277, 25279,	.. 19984, 19986,		. 15775, 19753, 19773	
25280, 25284,	19987,	19988,	\ttdefault	. 10628, 10720
25288, 25289,	19990,	19996,	\ttfamily
25292, 25293,	19998,	20000,	4651, 4736, 4737,	
25296, 25297,	20001,	20002,	4739, 4740, 4741,	
25300, 25302,	20065,	20066,	4742, 4743, 4744, 4745	
25304, 25305,	20067,	20068,	\ttl@a 24036, 24038
25309, 25314,	20072,	20073, 20077	\ttl@b 24031,
25315, 25318,	\topins 20160	24032, 24036, 24038	
25319, 25368,	\topmargin 4603,	\ttl@beginlongest	24006
25370, 25371, 25375	5051,	11115,	\ttl@calc	.. 24001, 24013
\today ... 4335, 4552, 8633	15869,	21536,	\ttl@changecentercr	
\toks	22276,	23049, 26544 24005	
122,	\topmark 10142,	\ttl@contentsstretch	
124, 1507, 1508,	10151,	10205, 24043	
1510, 1511, 7964,	10214,	15684,	\ttl@corr
7965, 7971, 9910,	15693,	15720,	. 24058, 24059, 24062	
16436, 16437,	15729,	16556,	\ttl@endlongest	.. 24021
16438, 17937, 17939	16565,	16605,	\ttl@filleft	23995, 24024
\toks@	16614,	19176,	\ttl@filright	23996, 24025
121,	19185,	19276,	\ttl@glcmds 24008
125, 4308, 4321,	19285,	26213,	\ttl@hmode@error	. 24007
4526, 4539, 10142,	26222,	26260, 26269	\ttl@leaders 24060
10143, 10144,	\topsep	2665, 4791, 4800,	\ttl@lselect	24067, 24070
10145, 10205,	5241,	7263, 8473,	\ttl@makeline	24001, 24056
10206, 10207,	8515,	19073, 19075	\ttl@margin	24055, 24061
10208, 15684,	\topskip 311,	\ttl@midlongest	.. 24020
15685, 15686,	4611,	10306,	\ttl@outnoblock	.. 24034
15687, 15720,	16442,	16444,	\ttl@savel@chapter	24069
15721, 15722,	16449,	19079,	\ttl@savel@part	.. 24066



\ttl@hang	24000		
\turn	21376	22452, 22455, 23219, 23225,	25264, 25276, 25296, 25297,
\turnbox	21397	23228, 24116, 24122, 24127,	25300, 25318, 25319
\tw@ 365, 373, 1421, 1429, 1463, 1467, 1472, 4963, 5885, 12411, 12417, 12422, 12427, 15649, 15650, 16435, 16439, 16440, 16454, 16458, 16463, 16466, 16477, 16481, 16482, 16483, 16484, 16487, 16786, 16787, 16797, 16799, 16800, 16802, 16803, 16806, 16808, 16809, 16843, 16845, 16846, 16848, 16849, 16852, 16854, 16855, 19463, 19470, 19471, 19479, 19480, 19485, 19486, 19499, 19500, 19507, 19508, 19531, 19536, 20176, 20177, 21484, 21486, 22224, 22226, 22997, 22999, 23732, 23830, 23928, 23936, 24266, 25891, 25892, 26129, 26133, 26135	24134, 24139, 24144 \TwoColumnFootnotes 12154 \twocolumnfootnotes 12129 \TX@ 23852, 23853, 23881, 23882 \TX@align .. 23905, 23907 \TX@arith 23867 \TX@ckpt .. 23857, 23903 \TX@col@width . 23854, 23860, 23865, 23908 \TX@cols 23861, 23865, 23909 \TX@endtabularx 17398, 17409, 17415, 23850 \TX@find@endtabularxa 23852, 23853 \TX@find@endtabularxb 23882 \TX@find@endtabularxbb 23880 \TX@ftn . 23877, 23912, 23914, 23916, 23919, 23921, 23923 \TX@ftntext 23871 \TX@LTRftntext 23872, 23911 \TX@newcol 23854 \TX@old@table 23859 \TX@RTLftntext 23873, 23918 \TX@target . 23860, 23874 \TX@trial 23864, 23869, 23885 \TX@trial@ftn 23888, 23889, 23890 \TX@typeout@ 23862, 23904 \TX@verb 23855 \TX@vwarn 23891 \TX@xfntext 23871 \TX@xLTRftntext 23872, 23915 \TX@xRTLftntext 23873, 23922 \typeout 4217, 4218, 7466, 7468, 7469, 7470, 7472, 7474, 7475, 7476, 15962, 20216,	25264, 25276, 25296, 25297, 25300, 25318, 25319 \TypesetHour . . . 4330, 4332, 4549, 4551 \TypesetMinute . 4331, 4332, 4550, 4551 \TypesetTime . . . 4332, 4335, 4551, 4552 U \uc@authornothanks .. 803, 832, 837, 1055, 1084, 1089, 1305, 1334, 1339, 9347, 9524, 20531, 20560, 20565, 20670, 20701, 20706 \uc@ax 833, 834, 1085, 1086, 1335, 1336, 20561, 20562, 20702, 20703 \uc@nothanks 794, 831, 832, 841, 1046, 1083, 1084, 1093, 1296, 1333, 1334, 1343, 9338, 9515, 20522, 20559, 20560, 20569, 20661, 20700, 20701, 20710 \uc@tx 831, 839, 1083, 1091, 1333, 1341, 20559, 20567, 20700, 20708 \uc@ty 840, 841, 1092, 1093, 1342, 1343, 20568, 20569, 20709, 20710 \uncover . 2298, 2315, 2332, 2348, 2364, 2380 \undeclare@file@substitution ... 7054, 7059, 7065 \undefined 9058, 9112, 9115, 9117 \underline . 26088, 26096 \undertext 26096 \unexpanded 5912, 5921, 5922, 5929, 5930, 5943, 5944, 5951, 5952, 6053, 6169, 21863, 21869, 21872, 21878, 22624,	



	22630, 22633,	\unsetLTR . . 20145, 25869	12395, 12507,
	22639, 23389,	\unsetRL . . 20183, 25910	12541, 12566,
	23395, 23398, 23404	\unsetRTL . . 20144, 25868	12600, 12628,
\unhbox	1537, 8939, 9197, 9936, 14811,	\unskip 46, 60, 76, 259, 273, 288,	12645, 12658,
	14832, 14835,	346, 1489, 1490,	12670, 12683,
	15299, 15304,	1491, 2250, 2656,	12795, 12831,
	15310, 15315,	2677, 7520, 7523,	12858, 12893,
	15326, 15329,	7526, 7529, 8219,	12922, 12940,
	15335, 15338,	8248, 8277, 8966,	12954, 12967,
	17803, 17808,	8977, 9832, 10140,	12981, 13094,
	17836, 17841,	10203, 10276,	13130, 13157,
	17853, 17858,	10286, 12080,	13192, 13221,
	26020, 26139,	14812, 14813,	13239, 13253,
	26140, 26141, 26142	16249, 16554,	13266, 13280,
\unhcopy	17819, 17824,	16603, 18347,	13393, 13429,
	23752, 23764, 23840	18389, 18392,	13456, 13491,
\unhskip	6580	19174, 19274,	13520, 13538,
\unitindent	678, 689, 690, 692, 766,	21381, 21391,	13552, 13565,
	772, 916, 917, 919,	21409, 21926,	13579, 13692,
	985, 986, 988,	22687, 23452,	13728, 13755,
	989, 1001, 1006,	26211, 26258, 26487	13790, 13819,
	1100, 1172, 1173,	\untilcondition 6662,	13837, 13851,
	1175, 1237, 1246,	6676, 6760, 6803	13864, 13878,
	1252, 9223, 9224,	\unvbox 2291,	13991, 14027,
	9226, 9301, 9307,	2308, 2325, 2339,	14054, 14089,
	9400, 9401, 9403,	2355, 2371, 2505,	14118, 14136,
	9454, 9460, 20400,	2561, 2574, 2581,	14150, 14163,
	20411, 20412,	9846, 9847, 10103,	14177, 14290,
	20414, 20465,	10106, 10123,	14326, 14353,
	20471, 20783,	10127, 10140,	14388, 14417,
	20784, 20786,	10190, 10203,	14435, 14449,
	20850, 20888, 20894	10249, 10274,	14462, 14476,
\unitlength 10002, 10012,	10289, 10312,	14589, 14625,
	10025, 10035,	10316, 10406,	14652, 14687,
	10048, 10058,	10435, 10489,	14716, 14734,
	10071, 10081, 19787	10500, 10513,	14748, 14761,
\unkern	8128, 10276, 10286	10563, 10794,	14775, 14809,
\unpenalty	9835, 10276, 10286,	10797, 10798,	15086, 15125,
	14814, 14829, 16466	10815, 10818,	15155, 15189,
\unrestored@protected@xdef 2412,	10819, 10844,	15219, 15238,
	2438, 2464, 4907,	10851, 10856,	15253, 15267,
	4915, 4923, 8211,	10861, 10901,	15282, 15296,
	8240, 8269, 9085,	10906, 10910,	15307, 15323,
	9092, 9099, 16100,	10915, 11812,	15332, 15357,
	16109, 16271,	11825, 11837,	15365, 15372,
	16286, 17279,	11849, 11862,	15379, 15385,
	17290, 17301, 17312	11954, 11985,	15423, 16186,
\unsetfootnoteRL 16115, 16116	12009, 12087,	16201, 16216,
		12092, 12128,	16254, 16259,
		12209, 12245,	16429, 16439,
		12272, 12307,	16466, 16554,
		12336, 12354,	16603, 16675,
		12368, 12381,	16677, 16721,
			16726, 16732,



16736, 16743,	2608, 2621, 2630,	2278, 2283, 2600,
16759, 18281,	2644, 2721, 2728,	2604, 2622, 2625,
18287, 18295,	2733, 2888, 2986,	2645, 2723, 2725,
18302, 18395,	3025, 3035, 3041,	2730, 2735, 2891,
18413, 19174,	3104, 3109, 3110,	3201, 3493, 3691, 3714
19203, 19205,	3116, 3122, 3128,	\usebox 4776, 4786, 7361,
19213, 19231,	3137, 3139, 3149,	7493, 7495, 7500,
19233, 19274,	3151, 3161, 3163,	7502, 7511, 7512,
19303, 19305,	3198, 3204, 3281,	7515, 7516, 7723,
19313, 19331,	3287, 3293, 3330,	11205, 11208,
19333, 19388,	3344, 3351, 3491,	11216, 11223,
20022, 20026,	3592, 3604, 3606,	11231, 11238,
20031, 20035,	3627, 3674, 3681,	11281, 16969,
20047, 20058,	3690, 3714, 3751,	16973, 17056,
20078, 20081,	3753, 3768, 3851, 3946	17058, 17062,
20086, 20160,	\usebeamertfont	17064, 17069,
20161, 20165,	1575, 1585, 1586,	17071, 17075,
20170, 26020,	1598, 1613, 1614,	17077, 17081,
26211, 26258,	1634, 1655, 1656,	17083, 17087,
26306, 26311,	1664, 1687, 1708,	17089, 17095,
26322, 26326,	1729, 1764, 1765,	17096, 17099,
26333, 26338, 26345	1782, 1800, 1801,	17100, 17104,
\unvcopy 10275, 10313,	1816, 1818, 1825,	17105, 17108,
10317, 10345,	1827, 1834, 1836,	17109, 17112,
10351, 10355,	1847, 1863, 1872,	17113, 17116,
10363, 10838, 10895	2597, 2607, 2619,	17117, 17131,
\uppercase 318,	2629, 2642, 2718,	17132, 17134,
811, 831, 1063,	2837, 2838, 2854,	17135, 17147,
1083, 1313, 1333,	2855, 2856, 2889,	17148, 17150,
9355, 9532, 20539,	2906, 2912, 2921,	17151, 17157,
20559, 20678, 20700	2927, 2936, 2942,	17158, 17161,
\uppercasenonmath .	2950, 3034, 3040,	17162, 17166,
. 114, 17929	3057, 3063, 3069,	17167, 17170,
\uppermargin 11087	3109, 3110, 3116,	17171, 17174,
\uppertitleback . . .	3122, 3128, 3137,	17175, 17178,
. . 21634, 21669,	3149, 3161, 3199,	17179, 17186,
21762, 22374,	3205, 3259, 3273,	17188, 17192,
22409, 22502,	3330, 3344, 3351,	17194, 17199,
23147, 23182, 23275	3421, 3480, 3483,	17201, 17205,
\upshape . . 8396, 8403,	3487, 3492, 3510,	17207, 17211,
8410, 8417, 8424,	3517, 3569, 3604,	17213, 17217,
10629, 10633,	3606, 3670, 3682,	17219, 17232,
10634, 10721,	3707, 3714, 3751,	17234, 19783,
10726, 10727, 20255	3753, 3826, 3835,	19784, 19786,
\urlstyle 5070	3847, 3851, 3853,	19793, 19811,
\use 18573	3902, 3911, 3921,	20093, 20094, 25798
\usebeamercolor 1599,	3931, 3942, 3946,	\usecounter 91,
1635, 1651, 1658,	3948, 3984, 3993, 4012	304, 620, 755,
1665, 1688, 1709,	\usebeamertemplate	1018, 1268, 2605,
1730, 1783, 1846, 1849,	2666, 5247, 8511,
1862, 1873, 1887,	2107, 2111, 2122,	9290, 9478, 9787,
1892, 1902, 1963,	2131, 2140, 2153,	11351, 11622,
1995, 1998, 2043,	2160, 2169, 2202,	15526, 17869,
2130, 2159, 2599,	2211, 2215, 2223,	20483, 20877,



21071, 21274, 21808, 21813, 22569, 22574, 23334, 23339, 24087	429, 437, 18145, 18155, 18204, 18219, 18296, 18305	10247, 10272, 10273, 10312, 10313, 10316,
\usefontofkomafont 21894, 21931, 22655, 22692, 23420, 23457	\usetocbasicnumberline 24824 V \vadjust . 8942, 8943, 8950	10317, 10345, 10351, 10354, 10362, 10401, 10431, 10451, 10459, 10464,
\usekomafont 21502, 21509, 21583, 21589, 21592, 21594, 21597, 21605, 21607, 21650, 21924, 21925, 21956, 21957, 21962, 21967, 21968, 21971, 21978, 21979, 21983, 21989, 21990, 21994, 22057, 22060, 22070, 22076, 22078, 22242, 22249, 22323, 22329, 22332, 22334, 22337, 22345, 22347, 22390, 22685, 22686, 22717, 22718, 22723, 22728, 22729, 22732, 22739, 22740, 22744, 22750, 22751, 22755, 22819, 22822, 22832, 22838, 22841, 23015, 23022, 23096, 23102, 23105, 23107, 23110, 23118, 23120, 23163, 23450, 23451, 23482, 23483, 23488, 23493, 23494, 23497, 23504, 23505, 23509, 23515, 23516, 23520, 23584, 23587, 23597, 23603, 23606	10471, 10478, 10488, 10499, 10512, 10562, 10568, 10786, 10794, 10795, 10803, 10807, 10815, 10816, 10824, 10838, 10843, 10847, 10850, 10854, 10855, 10872, 10879, 10895, 10900, 10904, 10905, 10908, 10909, 10924, 10931, 11811, 11824, 11836, 11848, 11861, 11982, 11984, 12006, 12008, 12208, 12244, 12271, 12306, 12335, 12353, 12367, 12380, 12394, 12506, 12540, 12565, 12599, 12627, 12644, 12657, 12669, 12682, 12794, 12830, 12857, 12892, 12921, 12939, 12953, 12966, 12980, 13093, 13129, 13156, 13191, 13220, 13238, 13252, 13265, 13279, 13392, 13428, 13455, 13490, 13519, 13537, 13551, 13564, 13578, 13691, 13727, 13754, 13789, 13818, 13836, 13850,	
\UseTaggingSocket . . . 390, 395, 415,	10218, 10231,	



13863,	13877,	20047,	20058,	15555,	20166,
13990,	14026,	20073,	20075,	20391,	20394,
14053,	14088,	20077,	20080,	20516,	20545,
14117,	14135,	20085,	20122,	20655,	20684,
14149,	14162,	20129,	20130,	20841,	20844,
14176,	14289,	20137,	20266,	20920,	20934,
14325,	14352,	21934,	22695,	21107,	21121, 26549
14387,	14416,	23460,	23808,	\vfill	3112, 3687,
14434,	14448,	23842,	23847,	4579,	8706, 12119,
14461,	14475,	25398,	25401,	12122,	15413,
14588,	14624,	25406,	25410,	20073,	20078,
14651,	14686,	25414,	25418,	20079,	21306,
14715,	14733,	25422,	25426,	21321,	21353,
14747,	14760,	25430,	25434,	21370,	21586,
14774,	14809,	25826,	25834,	21611,	21625,
15067,	15085,	25835,	25843,	21649,	22326,
15098,	15116,	26010,	26015,	22351,	22365,
15124,	15132,	26107,	26124,	22389,	23099,
15146,	15154,	26211,	26226,	23124,	23138, 23162
15162,	15188,	26258,	26273,	\vfuzz	3047,
15201,	15218,	26304,	26320,	7977,	7980, 7981
15231,	15237,	26331,	26465,	\vleftskip .	19047, 19048
15245,	15252,	26506,	26545, 26548	\voffset	4607
15260,	15266,	\vboxL	20130,	\voidb@x .	2588, 9813, 9877
15274,	15281,	21296,	21341, 25835	\vphantom	25561
15289,	15354,	\vboxR	20122, 25826	\vpic .	19998, 20008, 20009
15362,	15377,	\vcenter	\vrightskip .	19047, 19048
15696,	15733,	. 421,	1521, 9920,	\vrule	403, 1536,
15825,	15830,	23842,	25928,	1638, 1644, 1652,	
15855,	15870,	26017,	26018, 26107	1659, 1668, 1677,	
15895,	16185,	\veqno	337, 338	1691, 1700, 1712,	
16200,	16215,	\verb	23855	1721, 1733, 1742,	
16235,	16426,	\VerbBox . . .	11262, 11264	2061, 3366, 3367,	
16439,	16463,	\verse@i	8956,	3374, 3375, 3382,	
16554,	16571,	8987,	8993, 9001, 9042	3383, 3594, 3630,	
16603,	16620,	\verse@ii	3637, 3641, 3997,	
16719,	16730,	8967,	8988, 8994,	4016, 7752, 7753,	
16755,	18200,	8996,	9002, 9004, 9042	8925, 8927, 9935,	
18281,	18287,	\versewidth	10159, 10224,	
18291,	18294,	... 8919,	8929, 9021	10456, 10475,	
18300,	18301,	878,	817, 976, 979,	15698, 15739,	
18357,	18395,	1040,	1069, 1228,	16577, 16624,	
18929,	19079,	1231,	1290, 1319,	18189, 18267,	
19174,	19197,	2123,	2141, 2154,	18657, 18919,	
19202,	19204,	2170,	2485, 2545,	19000, 19207,	
19212,	19230,	3386,	3599, 3610,	19214, 19239,	
19235,	19274,	8926,	9276, 9279,	19307, 19314,	
19297,	19302,	9332,	9361, 9464,	19341, 19370,	
19304,	19312,	9467,	9509, 9538,	19483, 19494,	
19330,	19335,	9611,	9625, 10794,	23768, 23796,	
19366,	19832,	10815,	11374,	23837, 26110,	
20008,	20009,	11388,	11469,	26230, 26279, 26479	
20022,	20026,	11483,	15541,	\vsizer	10537,
20031,	20035,			15845,	16391,



16442,	18290,	10913,	11331,	21008,	21027,
18308,	21531,	11339,	11375,	21108,	21111,
21548,	22271,	11378,	11384,	21117,	21176,
22288,	23044,	11439,	11443,	21182,	21188,
\vskip . . 319, 322, 459,		11449,	11453,	21192,	21212,
462,	468,	11470,	11473,	21250,	21254,
527,	533,	11479,	11538,	21262,	21501,
539,	543,	11544,	11550,	21508,	21590,
605,	687,	11554,	11589,	21593,	21595,
789,	798,	11594,	11603,	21604,	21606,
808,	879,	11979,	12003,	21608,	21651,
883,	889,	12084,	15318,	21911,	21913,
893,	914,	15358,	15366,	21917,	21919,
1041,	1050,	15368,	15381,	22011,	22013,
1060,		15476,	15494,	22022,	22024,
1131,	1135,	15498,	15506,	22241,	22248,
1141,		15542,	15545,	22330,	22333,
1145,	1170,	15551,	15606,	22335,	22344,
1291,		15610,	15616,	22346,	22348,
1300,	1310,	15620,	15869,	22391,	22672,
1381,		15873,	15874,	22674,	22678,
1386,	1392,	16251,	16427,	22680,	22773,
1396,		16465,	16470,	22775,	22784,
1402,	1405,	16722,	16733,	22786,	23014,
1814,		16740,	16760,	23021,	23103,
1823,	1832,	18077,	18090,	23106,	23108,
1899,		18238,	18250,	23117,	23119,
1945,	1958,	18410,	19073,	23121,	23164,
1962,		19075,	19078,	23437,	23439,
2011,	2013,	19119,	19128,	23443,	23445,
2015,		19136,	19205,	23538,	23540,
2017,	2019,	19206,	19208,	23549,	23551,
2020,		19215,	19232,	24210,	24229,
2904,	2911,	19305,	19306,	24250,	24267,
2914,		19308,	19315,	24284,	24301,
2919,	2926,	19332,	19377,	24318,	24336,
2929,		19389,	19408,	24355,	24375,
2934,	2941,	19420,	19432,	24410,	24599,
2944,		19973,	19990,	25255,	25439,
2959,	3135,	20011,	20077,	25618,	25622,
3143,		20163,	20169,	25641,	26032,
3147,	3155,	20409,	20448,	26041,	26050,
3159,		20517,	20526,	26059,	26145,
3167,	3228,	20536,	20607,	26307,	26323,
3311,		20611,	20617,	26334,	26342,
3313,	3333,	20621,	20656,	26465,	26544,
3338,		20665,	20675,	26557,	26584,
3356,	3391,	20750,	20757,	26592	
3393,		20763,	20767,	\vspace	3031, 3033, 3061,
3496,	3519,	20773,	20776,	3067,	3073, 3182,
3557,		20781,	20820,	3189,	3210, 3271,
3597,	3609,	20921,	20924,	5170,	7354, 7444,
3656,		20930,	20994,	7452,	8070, 8074,
3671,	3676,	21000,	21005,	8136,	8141, 8154,
3684,				8159,	8172, 8177,
3692,	3716,				
3739,					
3748,	3779,				
3795,					
3811,	3813,				
3834,					
3839,	3846,				
3854,					
3857,	3883,				
3894,					
3924,	3930,				
3941,					
3951,	4040,				
5002,					
8982,	9009,				
9045,					
9046,	9052,				
9162,					
9164,	9221,				
9260,					
9333,	9342,				
9352,					
9398,	9437,				
9510,					
9519,	9529,				
9560,					
9565,	9569,				
9571,					
9577,	9581,				
9583,					
9612,	9615,				
9621,					
9680,	9686,				
9692,					
9696,	9716,				
9755,					
9760,	9768,				
10189,					
10248,	10409,				
10413,	10491,				
10494,	10503,				
10506,	10517,				
10519,	10859,				



	8294, 8303, 8312, 8393, 8400, 8407, 8414, 8421, 8704, 8748, 8752, 9554, 9574, 9749, 9763, 11583, 11598, 11643, 11645, 11647, 15489, 15501, 17960, 17962, 18377, 18390, 21245, 21257, 24116, 24122, 24127, 24134, 24139, 24144	\wbslice 20009, 20022, 20035, 20058, 20065, 20067, 20068, 20072, 20073, 20080, 20085, 20086	\WF@adjlw .. 25655, 25680 \WF@adjtlm .. 25677, 25680 \WF@box 25652, 25685, 25686 \WF@floatfalse 25618, 25626, 25636, 25639 \WF@fltmes 25645
	\vsplit 10098, 10099, 10116, 10120, 10141, 10204, 10310, 10400, 10565, 12127, 15683, 15719, 16435, 16555, 16604, 19175, 19275, 19979, 19982, 20001, 20002, 20020, 20024, 20029, 20033, 20045, 20056, 20083, 26212, 26259	\wd 1905, 1910, 1924, 1946, 2023, 2036, 2052, 2110, 2114, 2134, 2145, 2163, 2174, 2214, 2218, 2499, 2503, 2547, 2960, 3366, 3374, 3382, 3996, 4015, 4316, 4534, 8932, 8933, 8993, 8994, 8996, 9002, 9042, 9136, 9138, 9151, 9153, 9944, 10278, 11275, 11279, 14819, 15660, 15785, 16364, 16482, 16483, 16806, 16808, 16852, 16854, 16975, 17056, 17058, 17062, 17064, 17095, 17096, 17099, 17100, 17124, 17125, 17127, 17140, 17141, 17143, 17157, 17158, 17161, 17162, 17186, 17188, 17192, 17194, 17831, 17839, 17848, 17856, 18084, 18233, 18396, 19085, 19089, 19091, 19099, 19130, 19449, 19966, 20177, 20200, 20227, 21293, 21338, 21394, 21401, 23748, 23906, 23957, 24014, 24031, 24829, 24843, 25652, 25696, 25892, 26084, 26586	\WF@info 25625, 25635, 25638, 25647, 25682, 25684 \WF@ovh 25652 \WF@place .. 25650, 25656 \WF@putfigmaybe .. 25616 \WF@size ... 25629, 25683 \WF@startwrapping 25688 \WF@wfname 25647, 25682, 25684 \WF@wrapil .. 25676, 25679 \whilecondition 6662, 6676, 6765, 6797 \whiledo 15829 \widowpenalty 92, 305, 626, 758, 1021, 1271, 2673, 5250, 9030, 9293, 9481, 9793, 11354, 11628, 15529, 17870, 19679, 20486, 20880, 21077, 21280, 21818, 22579, 23344, 24093
	\vss .. 316, 2132, 2161, 2585, 3634, 10175, 10234, 10417, 10423, 10439, 10445, 10459, 10464, 10471, 10478, 10566, 10851, 10861, 10906, 10915, 15896, 18287, 18302, 18930, 20008, 20009, 20080, 20266, 26020	\widthof ... 11130, 11135 \windowbox .. 20075, 20081 \wlog .. 10387, 10428, 10450 \write 5292, 5651, 5679, 5705, 5733, 5759, 5762, 5796, 5799, 7084, 8915, 8918, 9122, 12022, 23894, 26192	
	\vtop .. 421, 428, 1456, 1523, 7811, 7855, 7899, 9846, 9922, 18180, 23808, 23842, 23847, 26016, 26107, 26124, 26380, 26424	\WIDTH .. 23957, 23965 \width .. 16385, 16786, 16874, 16876, 18966, 18975, 18999 \widthof ... 11130, 11135 \windowbox .. 20075, 20081 \wlog .. 10387, 10428, 10450 \write 5292, 5651, 5679, 5705, 5733, 5759, 5762, 5796, 5799, 7084, 8915, 8918, 9122, 12022, 23894, 26192	
	W		\WriteEndXPostoaux 5677 \WriteEndXYPostoaux 5794 \WriteEndYPostoaux 5731 \WriteStartXPostoaux 5648 \WriteStartXYPostoaux 5756 \WriteStartYPostoaux 5702
	\waslice 20008, 20026, 20031, 20047, 20066, 20067, 20076	\WF@@everypar 25615	\wstrutbox .. 19985, 19987



X	Y	Z
\x . . 6797, 6798, 11026, 11027, 11030, 11031, 11036, 11040, 11044, 11045, 11048, 11049, 11054, 11058 \XC@tmp 25723, 25724, 25738, 25772, 25773, 25781, 25785 \XC@tstfalse 25723, 25772 \XC@tsttrue . . 25724, 25725, 25726, 25773, 25774, 25775 \XC@bidideclaredc@lor 25779, 25784 \XC@bidideclaredcolor 25778, 25780 \XC@bidiundeclaredcolor 25763, 25765 \XC@coremodel 25707, 25750 \XC@current@color 25735, 25738, 25739, 25769, 25785, 25786 \XC@declaredc@lor 25730, 25737 \XC@declaredcolor 25729 \XC@display . . 25736, 25740, 25770, 25787 \XC@edef . . 25723, 25772 \XC@fbox 25791 \XC@getmodclr 25703, 25746 \XC@inflate 25717, 25760 \XC@let@Nc . 25738, 25785 \XC@mclr . . 25717, 25760 \XC@mmod 25715, 25716, 25758, 25759 \XC@mul 25718, 25761 \XC@split 25781 \XC@tgt@mod 25711, 25754 \XC@type . . 25724, 25773 \XC@undeclaredcolor 25720, 25731 \xcolor@ . . 25735, 25769 \xdef . . 343, 411, 4729, 5491, 5629, 5632, 5929, 5930, 5933, 5934, 5951, 5952, 5955, 5956, 6341, 8933, 8935, 9016, 9018, 9020, 10143, 10145, 10206, 10208, 10308,	10314, 10318, 10804, 10825, 10870, 10876, 10877, 10922, 10928, 10929, 14881, 14892, 14934, 14945, 14986, 14997, 15037, 15048, 15347, 15685, 15687, 15721, 15723, 16086, 16557, 16559, 16606, 16608, 16749, 17410, 18197, 19177, 19179, 19277, 19279, 19923, 19930, 19937, 24031, 25280, 25284, 25305, 25309, 25371, 25375, 25650, 25655, 25676, 25677, 25679, 25680, 26214, 26216, 26261, 26263 \XeLaTeX 17792, 25902, 25905, 25906, 26770, 26771 \XeTeX . . 17791, 20179, 25895, 25898, 25899, 26768, 26769 \XeTeXcharclass 4377, 4378, 4379, 4380, 4381 \XeTeXinterchartokenstate 4374 \XeTeXinterchartoks 4382 \XKV@err . . 2397, 2400, 2423, 2426, 2449, 2452 \XKV@errx 2403, 2429, 2455 \XKV@tkey 2400, 2426, 2452 \xm 11027, 11031, 11045, 11049 \xxm 11035, 11039, 11053, 11057 \xyzzy 7958	\year 3324 \ym 11044, 11048, 11054, 11058 \yyym 11026, 11030, 11036, 11040
	Y	
	\y 11027, 11031, 11035, 11039, 11044, 11045, 11048, 11049, 11053, 11054, 11057, 11058	8718, 8946, 8949, 8952, 8993, 8994, 8996, 9002, 9016, 9020, 9024, 9025, 9026, 9027, 9028,



9029,	9042,	9116,	11584,	11599,	17926,	17943,
9128,	9129,	9136,	11719,	11725,	17987,	17989,
9138,	9151,	9153,	11731,	11905,	18043,	18050,
9161,	9205,	9209,	11910,	11917,	18055,	18066,
9210,	9221,	9222,	11922,	11929,	18138,	18157,
9225,	9227,	9240,	11934,	12095,	18159,	18192,
9263,	9315,	9317,	12096,	12097,	18200,	18203,
9319,	9327,	9344,	12287,	12580,	18226,	18230,
9382,	9386,	9387,	12873,	13172,	18267,	18281,
9398,	9399,	9402,	13471,	13770,	18286,	18287,
9404,	9417,	9440,	14069,	14368,	18291,	18295,
9492,	9494,	9496,	14667,	14818,	18347,	18368,
9504,	9521,	9555,	14889,	14942,	18370,	18392,
9575,	9592,	9597,	14994,	15045,	18421,	19035,
9598,	9657,	9704,	15170,	15174,	19038,	19062,
9719,	9737,	9739,	15178,	15341,	19187,	19191,
9741,	9750,	9764,	15342,	15343,	19201,	19262,
9815,	9816,	9827,	15418,	15464,	19287,	19291,
9829,	9912,	9914,	15479,	15490,	19301,	19359,
9919,	9933,	9935,	15502,	15585,	19376,	19385,
9936,	9941,	9942,	15628,	15630,	19387,	19408,
9943,	9944,	9945,	15632,	15661,	19420,	19432,
9979,	9990,	10110,	15811,	15868,	19452,	19463,
10278,	10301,		15896,	15919,	19469,	19668,
10334,	10337,		15921,	15923,	19673,	19714,
10340,	10348,		15932,	15934,	19724,	19782,
10359,	10369,		15936,	16081,	19783,	19784,
10372,	10377,		16135,	16152,	19786,	19788,
10380,	10384,		16168,	16196,	19793,	19811,
10411,	10414,		16211,	16226,	20094,	20138,
10420,	10436,		16240,	16244,	20140,	20175,
10442,	10496,		16320,	16325,	20176,	20177,
10508,	10521,		16332,	16337,	20186,	20187,
10540,	10543,		16344,	16349,	20200,	20224,
10564,	10792,		16432,	16482,	20225,	20235,
10813,	10830,		16489,	16515,	20243,	20266,
10831,	10833,		16516,	16517,	20311,	20312,
10834,	10842,		16538,	16539,	20329,	20375,
10864,	10866,		16705,	16780,	20379,	20380,
10869,	10887,		16781,	16782,	20409,	20410,
10888,	10890,		16789,	16796,	20413,	20415,
10891,	10899,		16797,	16798,	20428,	20451,
10916,	10918,		16799,	16800,	20497,	20499,
10921,	11244,		16802,	16803,	20501,	20511,
11266,	11268,		16805,	16806,	20528,	20586,
11270,	11273,		16808,	16842,	20630,	20634,
11275,	11277,		16843,	16844,	20635,	20650,
11279,	11281,		16845,	16846,	20667,	20727,
11282,	11288,		16848,	16849,	20768,	20781,
11293,	11307,		16851,	16852,	20782,	20785,
11321,	11334,		16854,	16926,	20787,	20800,
11418,	11515,		16932,	17878,	20823,	20862,
11561,	11571,		17882,	17898,	20864,	20866,
11573,	11575,		17902,	17914,	20919,	20962,



20971,	20998,	23023,	23093,	25850,	25851,
21015,	21030,	23119,	23164,	25856,	25860,
21051,	21053,	23490,	23544,	25861,	25890,
21055,	21089,	23624,	23627,	25891,	25892,
21094,	21095,	23633,	23647,	25953,	25954,
21153,	21200,	23653,	23663,	25955,	26032,
21215,	21233,	23673,	23739,	26041,	26050,
21235,	21237,	23740,	23741,	26059,	26063,
21246,	21258,	23742,	23747,	26081,	26082,
21293,	21294,	23748,	23752,	26112,	26123,
21295,	21338,	23764,	23798,	26131,	26136,
21339,	21340,	23821,	23833,	26145,	26361,
21378,	21382,	23837,	23930,	26365,	26405,
21383,	21388,	23934,	23941,	26409,	26450,
21392,	21393,	23952,	23998,	26454,	26457,
21394,	21399,	23999,	24009,	26467,	26468,
21400,	21401,	24013,	24014,	26472,	26479,
21406,	21410,	24015,	24018,	26516,	26542,
21411,	21456,	24027,	24028,	26555,	26595, 26596
21471,	21484,	24030,	24031,	\z@skip . . .	5002, 15866,
21492,	21501,	24033,	24041,	15867,	18368,
21508,	21510,	24046,	24061,	18371,	20326,
21580,	21606,	24150,	24151,	23802,	23807,
21651,	21964,	24227,	24317,	23840,	23846,
22017,	22097,	24335,	24428,	26062,	26063,
22106,	22109,	24607,	24719,	26116,	26122, 26542
22115,	22125,	24783,	24790,	\zifrefundefined . . .	
22135,	22195,	24793,	25140,	15984, 16007
22210,	22224,	25144,	25255,	\zref@extractdefault	
22232,	22241,	25260,	25265,	15989, 16010
22248,	22250,	25313,	25439,	\zref@labelbyprops	
22320,	22346,	25625,	25632,	15956, 16030
22391,	22725,	25633,	25651,		☒
22779,	22859,	25667,	25670,	\ 4380
22862,	22868,	25679,	25680,	\ 4380
22882,	22888,	25682,	25686,		☒
22898,	22908,	25693,	25694,	\ 4381
22968,	22983,	25695,	25696,	\ 4381
22997,	23005,	25791,	25796,	\	
23014,	23021,	25798,	25846,	\	

